

SIGILLVM · VNIVERSITATIS · CALIFORNIENSIS
FIAT LVX
MDCCCLXVIII
EX LIBRIS
Agric.-Forestry. Main Library

The Lumber Industry

WEEKLY REPORT OF SALES, 1920-1921

Southern Pine Association
New Orleans

SD435
P3
v.18

Agric.-Forestry. Main Library

Southern Pine Association

REPORT OF SALES

January 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending January 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg, Little Rock and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1.800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued January 17, 1920

610342

No. 81

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	37	1,143,235,854
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Arkansas Soft Pine Bureau, Little Rock, Ark.	13	500,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	202	5,734,183,686

FLOORING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Dec. 31
Heart Face, Edge Grain, B and Better, 13/16x2¼″	......	......	......	......	......	......	......
Edge Grain, A "	......	......	......	94.75[3]	......	94.75[3]	94 75[2]
" " B "	......	......	......	......	......	......	......
" " B and Better "	113.80	......	......	109.75	......	113.60	107.41
" " C "	88 09[1]	......	......	99.50	......	99 50	88.09
" " D "	79.00[2]	......	......	......	......	79.00[2]	79.00[1]
" " No. 2 "	......	......	......	......	......	......	......
Flat " A "	......	......	......	93 00[1]	......	93 00[1]	93.00
" " B "	75 00[3]	......	......	77.25[3]	......	76.61[3]	76 61[2]
" " B and Better "	92.98	......	......	90.00	......	92.80	90.38
" " C "	......	......	......	......	......	......	......
" " D "	85.40	......	......	......	......	85.40	75 08
No. 1 Common "	......	......	......	75.00[1]	......	75 00[1]	75 00
No. 2 " "	46.48	......	......	50.75	......	46.52	42.74
No. 3 " "	......	......	......	......	......	......	......
Heart Face, Edge Grain, B and Better, 13/16x2½″	......	......	114.50[1]	......	......	114.50[1]	114.50
Edge Grain, A "	......	90.13[2]	110.87	......	110.75	110.82	107.58
" " B "	......	85 13[2]	96.95	......	109.59[1]	96.95	105.74
" " B and Better "	......	104.75	......	......	......	104.75	110 00
" " C "	......	......	87.75[1]	......	100.50	100.50	102.48
" " D "	......	......	85.00	......	......	85.00	81.50[3]
" " No. 2 "	......	......	72.75[1]	......	60.97	60.97	68.29
Flat " A "	......	......	......	......	......	......	......
" " B "	......	89.00[2]	90.00[2]	......	......	89.17[2]	89.17[1]
" " B and Better "	......	96.07	96.14	......	95.24	95.88	87.78
" " C "	......	......	......	......	......	......	......
" " D "	......	......	......	......	......	......	......
No. 1 Common "	......	81.50	88.70	......	80.92	82.88	79.67
No. 2 " "	......	43.00[1]	44.37	......	45.00	44.51	43.22
No. 3 " "	......	......	30.12	......	30.00	30.07	30.70
Heart Face, Edge Grain, B and Better, 13/16x3¼″	......	......	101.50[1]	......	......	101.50[1]	101.50
Edge Grain, A "	90.12[2]	90.00[3]	100.50	98.75[2]	103.50	102.00	102.50
" " B "	......	84 21[1]	97.04	99.00[1]	......	97.04	97.34
" " B and Better "	103.15	102.00	89.08	100.50	99.50	90.80	95.92
" " C "	90.00	80.17[1]	86.50	98.50	87.00[2]	92.28	87.65
" " D "	89.39	84.00[3]	70.50[3]	......	......	89.39	81.67
" " No. 2 "	......	58.00	62.16[1]	......	60.00[2]	58.00	60.90
Flat " A "	85.50	82.25[1]	......	88.25[1]	......	85.50	85.36
" " B "	89.74	78.08[1]	83.25[2]	91.75	......	89.92	78.74
" " B and Better "	90.06	87.18	89.08	85.00	85.52	88.48	85.00
" " C "	84.52	75.02[1]	......	......	......	84.52	75.19
" " D "	78.18	73.00	......	......	......	78.06	73.02
No. 1 Common "	......	76 56	78.41	74.00	79.71	78.32	74 30
No. 2 " "	45.94	45.58	43.17	50.00	43.06	43.88	44.73
No. 3 " "	......	......	31.63	......	30.13	30.89	30.26
CEILING							
Ceiling, ½x3¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	70.25	......	70 25	50.75[2]
" " B and Better	52.20[2]	57.00	65.20	65.00[1]	62.25	61.58	58,03
" " No. 1 Common	53.00	49.93[2]	57.33	54.50[1]	40.00	54.29	53.52
" " No. 2 "	39.00[2]	39.00[1]	39.47	39.00[1]	30.00[1]	34.85	37 60
" " No. 3 "	......	......	25.00	......	......	25.00	25.50[1]
Ceiling, ⅝x3¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	66.25[1]	......	66 25[1]	66.25
" " B and Better	56.54	64.10	64.29	69.25	62.50	65 90	63.39
" " No. 1 Common	64 07	50.00	62.47	64.75	50.00	63.00	59.04
" " No. 2 "	43.76	41.25	41.71	40.00	38.29	41.90	40 45
" " No. 3 "	......	......	24 58	......	28.00	24.85	23.25
Ceiling, ¾x3¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	66 00[3]	......	66 00[3]	66.00[3]
" " B and Better	89.50	93 00	83.19	91.00	81 00[1]	86.20	79 19
" " No. 1 Common	73 61[1]	......	74 75[1]	64.75[3]	75.00[1]	74 59[1]	74.59
" " No. 2 "	41.75[3]	......	48.00	39.75[3]	......	48.00	39.00
" " No. 3 "	......	......	25.00	......	......	25.00	......
PARTITION							
Partition, ¾x3¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	......	......	......	......
" " B and Better	87.49	78 33[2]	84 77[1]	79.50[1]	88.00	87.52	87.52
" " No. 1 Common	82.50	......	79 75[1]	73.50[1]	83.00	82.96	73.58
" " No. 2 "	54 00	50 00[3]	43 26[1]	45.00[2]	43 00[1]	54.00	43.25
Partition, ¾x5¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	......	......	......	......
" " B and Better	91 44[1]	80 60[3]	92 55	......	......	92.55	91 44
" " No. 1 Common	72.75[1]	......	79.45	......	......	79.45	79.75
" " No. 2 "	48 75[1]	......	46.66	......	......	46.66	48 75
BEVEL SIDING							
Bevel Siding, A	......	......	25.00	......	......	25 00	......
" B	......	......	......	48 00[1]	......	48 00[1]	48.00
" B and Better	53.85	63 00[2]	50.90	51.00	......	51.64	47 50
" No. 1 Common	43 50[1]	......	43 00	......	45.00[3]	43.00	46.82
" No. 2 "	35 00[2]	......	33.75	......	28 50[2]	33.75	28.47

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Dec. 31
Drop Siding, ¾x3¼ or 5¼, A	......	......	......	......	......	......	......
" " B	......	......	......	85.50	......	85.50	80.25
" " B and Better	76.21	79.80	75.78	80.75	75.23[1]	76.56	74.00
" " No. 1 Common	71.72	72.11	71.34	73.50	73.00	71.62	68.26
" " No. 2 "	50.24	49.55	45.22	49.75	44.38	46.25	45.31
" " No. 3 "	......	......	31.46	......	35.00	33.23	32.25
FINISH							
1x 4 inch, A	......	......	......	......	......	......	80.00[3]
1x 6 inch, "	......	......	......	100.00[2]	......	100.00[2]	100.00[1]
1x 8 inch, "	......	......	......	100.00[2]	......	100.00[2]	100.00[1]
1x 5 and 10 inch, "	......	......	......	95.75	......	95.75	103.50[1]
1x 12 inch, "	......	......	......	103.00[1]	......	103.00[1]	103.00
1¼x4 to 12 inch, "	......	......	......	98.00	......	98.00	86.00[3]
1½ and 2x4 to 12 inch, "	......	......	......	100.00	......	100.00	......
1⅝ inch, "	......	......	......	......	......	......	......
1x 4 inch, B	......	......	......	90.25[1]	......	90.25[1]	90.25
1x 6 inch, "	......	......	......	100.00	......	100.00	91.75
1x 8 inch, "	......	......	......	100.00	......	100.00	91.75
1x 5 and 10 nch, "	......	......	......	96.50[1]	......	96.50[1]	96.50
1x12 inch, "	......	......	......	80.75[3]	......	80.75[3]	80.72[2]
1¼x4 to 12 inch, "	......	......	......	96.50[1]	......	96.50[1]	96.50
1½ and 2x4 to 12 inch, "	......	......	......	99.75[1]	......	99.75[1]	99.75
1⅝ inch, "	......	......	......	......	......	......	......
1x 4 inch, B and Better	91.41	93.38	98.80	87.50	70.50[1]	97.02	84.26
1x 6 inch, "	91.80	93.18	94.43	92.75	100.00	91.65	85.68
1x 8 inch, "	91.41	94.04	89.86	92.75	100.00	91.89	84.50
1x 5 and 10 inch, "	92.49	96.02	87.44	93.50	100.00	92.97	87.95
1x12 inch, "	97.38	94.48	87.63	94.00	100.00	95.19	89.27
1¼x4 to 12 inch, "	100.64	95.23	93.56	97.25	102.25[1]	95.19	91.60
1½ and 2x4 to 12 inch, "	100.25	99.82[1]	95.56	104.25	......	97.26	96.20
1⅝ inch, "	77.39[3]	91.74[1]	......	......	......	91.74[1]	91.74
1x6 to 12 inch, "	......	......	......	......	90.00[1]	90.00[1]	90.00
1x 4 inch, C	82.75	78.21[2]	78.50	82.50[1]	......	79.91	77.61
1x 6 inch, "	88.96	92.00	74.27[2]	87.25[1]	......	89.79	81.18
1x 8 inch, "	88.96	92.00	79.02	87.25[1]	......	84.32	78.62
1x 5 and 10 inch, "	83.39	94.00	81.02	89.50[1]	......	85.38	83.49
1x12 inch, "	89.98	94.00	81.52	89.50[1]	......	85.83	82.01
1¼x4 to 12 inch, "	81.69[2]	......	78.26[3]	90.00[1]	......	90.00[1]	90.00
1½ and 2x4 to 12 inch, "	85.82[3]	......	76.99[3]	93.25[1]	......	93.25[1]	93.25
1⅝ inch, "	......	73.00[3]	......	......	......	73.00[3]	73.00[2]
1x6 to 12 inch, "	......	......	......	......	......	......	......
1x 4 inch, B and Better, Rough	......	......	98.07	78.50[2]	......	98.07	78.84[1]
1x 6 inch, " "	92.55	83.88[1]	81.03	96.75	86.52	89.96	83.75
1x 8 inch, " "	87.00	83.43[1]	83.00	96.75	90.54	89.17	86.10
1x 5 and 10 inch, " "	91.00	83.30[1]	84.00	99.75	91.04	94.15	88.85
1x12 inch, " "	97.42	85.21[1]	86.00	101.50	91.54	96.73	92.54
1¼x4 to 12 inch, " "	105.00[1]	90.00[1]	102.15	103.75	95.43[1]	102.52	96.00
1½ and 2x4 to 12 inch, " "	95.00[1]	89.00[1]	92.94	105.25	96.88[1]	96.86	93.36
1⅝ inch, " "	......	......	82.00[2]	......	......	82.00[2]	82.00[1]
1x6 to 12 inch, " "	......	......	......	......	90.00[1]	90.00[1]	90.00
CASING AND BASE							
From 4 and 6 inch stock, B. M., A	......	......	......	97.25	......	97.25	110.25[1]
" B	......	......	......	......	......	......	......
" B and Better	96.56	103.60	101.38	92.75[1]	......	100.40	96.79
From 8 and 10 inch stock, B. M., A	......	......	......	105.75	......	105.75	89.75[2]
" B	......	......	......	......	......	......	......
" B and Better	98.39	105.00	106.62	107.00	......	106.58	100.64
MOULDINGS (% Discount)							
1½ inch and Smaller	......	......	......	13.00	29.00[3]	13.00	15.00
1¾ inch and Larger	......	......	......	7.00	23.00[3]	7.00	16.00
DOOR AND WINDOW JAMBS							
A B. M.	......	......	......	......	......	......	......
B "	......	......	......	......	......	......	......
B and Better, "	90.00	90.44[1]	85.00	109.75	......	94.61	91.96
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	50.00[2]	......	......	74.00[1]	......	74.00[1]	74.00
" " " " " 8 ft.	80.25	65.00	57.61[1]	61.75	......	62.66	68.48
" " " " " 12 and 14 ft.	73.79[2]	......	......	......	......	73.79[2]	73.79[1]
" " " " " 16 ft.	......	......	......	......	......	......	......
" " " " " 9 or 18 ft.	92.00	90.00	79.67[1]	84.00[1]	76.00[3]	91.25	83.91
" " " " " 10 or 20 ft.	88.33	62.00[3]	......	82.50[1]	......	88.33	86.72

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Dec. 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	50.00[2]	56.00[2]	......	50.00[3]	......	55.75[2]	55.75[1]
" " " " " 8 ft.	58.53	......	67.25	......	......	59.15	61.75
" " " " " 12 and 14 ft.	78.00	80.00[1]	......	......	......	78.00	80.00
" " " " " 16 ft.	......	......	......	51.25[3]	......	51.25[3]	51.25[2]
" " " " " 9 or 18 ft.	80.00	76.00[1]	47.00[2]	......	......	80.00	74.25
" " " " " 10 or 20 ft.	78.00	61.40[2]	50.00[3]	50.00[2]	......	78.00	70.50
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	50.00[2]	55.00[1]	......	50.00[3]	......	55.00[1]	55.00
" " " " " 8 ft.	60.00	......	67.25	......	......	60.00	61.75
" " " " " 12 and 14 ft.	......	80.00[1]	......	......	......	80.00[1]	80.00
" " " " " 16 ft.	75.00	80.00	......	51.25[3]	......	78.33	65.00[1]
" " " " " 9 or 18 ft.	78.00	63.00[2]	47.00[2]	......	......	78.00	70.25
" " " " " 10 or 20 ft.	76.42	55.00	63.00[2]	......	50.00[2]	66.41	70.25
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	43.50	39.75[2]	......	35.00	......	40.67	38.81[1]
" " " " " 10 to 20 ft.	42.92	42.00	......	35.00[2]	......	42.83	42.75
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 10 & 20 ft.	42.00[2]	......	......	......	......	42.00[2]	42.00[1]
" " " " 2 to 3 inch, 9 & 18 ft.	......	42.00[3]	......	......	......	42.00[3]	42.00[2]
" " " " 2 to 3 inch, 10 & 20 ft.	......	45.00[1]	......	......	......	45.00[1]	45.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	46.00	......	......	......	......	46.00	43.93[1]
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	42.00[2]	......	......	......	......	42.00[2]	42.00[1]
" " " 2 to 3 inch, 9 & 18 ft.	......	42.00[1]	40.00[1]	......	......	41.46[1]	41.46
" " " 2 to 3 inch, 10 & 20 ft.	43.88[3]	43.50[1]	40.00[1]	......	......	43.50[1]	43.50
" No. 2, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	35.00[3]
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	......	......	......
BOARDS, SHIPLAP AND GROOVED ROOFING							
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	59.00	51.65[2]	60.50[2]	......	......	59.00	53.68
" " " " other lengths	61.12	52.94	72.68	53.25	82.36	64.98	62.42
" " 1x10, " 14 and 16 ft.	66.66	55.75	82.00	51.00[2]	......	65.95	54.80
" " " " other lengths	64.64	54.03	73.03	52.75	80.72	65.36	63.25
" " 1x12, " 14 and 16 ft.	65.54	57.50[1]	75.50[1]	50.50[2]	......	65.54	64.23
" " " " other lengths	68.80	63.06	78.91	61.25	79.14	70.14	67.76
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	44.74	44.50	44.93	40.50	44.02	44.49	41.76
" " 1x10, " "	44.40	44.34	45.13	42.75	43.88	44.67	43.02
" " 1x12, " "	47.92	47.59	46.60	48.50	41.43	47.24	46.34
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	35.14	34.57	34.84	32.25[1]	36.07	34.93	34.68
" " 1x10, " "	35.24	35.11	35.55	36.00	37.50	35.53	34.90
" " 1x12, " "	35.28	36.00	36.78	36.25	37.50	36.02	35.32
Shiplap, 1x8, No. 1, 14 and 16 ft.	57.81	51.50[1]	......	......	......	57.81	54.10
" " " other lengths	56.94	54.44	62.23	55.00	60.00	56.25	56.94
" 1x10, " 14 and 16 ft.	56.75	......	......	41.50[2]	......	56.75	57.20
" " " other lengths	56.75	51.66	56.74[1]	52.75	45.00	50.32	55.72
" 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " other lengths	......	......	......	......	......	......	......
Shiplap, 1x8, No. 2, all lengths	44.48	45.24	44.38	43.50	45.58	44.69	42.55
" 1x10, " "	44.76	43.76	43.88	45.00	44.67	44.34	43.14
" 1x12, " "	......	......	......	......	......	......	......
Shiplap, 1x8, No. 3, all lengths	35.31	36.44	33.94	37.25	36.53	35.72	34.23
" 1x10, " "	34.95	33.34[1]	37.68	36.75	32.00[2]	36.06	34.49
" 1x12, " "	37.94	33.52[2]	......	35.25	......	37.34	33.59[1]
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	59.25[1]	......	......	......	......	59.25[1]	59.25
" " " " other lengths	58.25[1]	......	......	......	......	58.25[1]	58.25
" " 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " " other lengths	......	......	......	......	......	......	......
All No. 4—all widths and lengths	21.50	......	18.77	19.25	21.90[1]	20.34	18.89

FENCING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Dec. 31
1x4, S 1 S, No. 1, 16 ft.	58.04	52.63 [1]	68.61 [3]	......	......	58.04	54.38
" " " other lengths	54.66	53.26	72.00	49.75	......	53.65	60.24
" " No. 2, all lengths	39.00	37.11	44.92	39.00	41.50	40.40	37.14
" " No. 3, "	33.39	32.57	34.07	29.75 [2]	25.75	33.22	31.99
1x4, C. M., No. 1, 16 ft.	......	......	......	......	......	......	......
" " " other lengths	52.00	......	......	68.75	......	67.22	61.43
" " No. 2, all lengths	36.00	......	......	40.00	......	39.25	42.32
" " No. 3, "	30.50 [3]	......	......	......	......	30.50 [3]	30.50 [2]
1x6, S 1 S, No. 1, 16 ft.	61.84	57.00	74.76	53.25	62.00 [2]	64.72	56.60
" " " other lengths	64.34	56.30	71.58	52.50	80.09	64.53	60.22
" " No. 2, all lengths	42.29	41.47	42.95	41.00	42.50	42.45	40.07
" " No. 3, "	33.30	33.57	33.47	35.25	29.25	33.48	33.39
1x6, C. M., No. 1, 16 ft.	57.75	53.50	......	49.00 [2]	......	54.35	56.64
" " " other lengths	57.69	52.50	56.00 [2]	55.25	......	57.30	53.78
" " No. 2, all lengths	42.26	42.32	44.25	41.00	44.16	42.96	41.26
" " No. 3, "	34.64	34.00 [1]	33.00	33.75	33.33	33.71	34.00
DIMENSION							
2x4, No. 1, S 1 S 1 E, 10 ft.	45.14	43.78	43.71	44.00	40.73	44.01	42.93
" " " 12 ft.	43.32	43.30	42.36	42.25	40.80	42.89	42.13
" " " 14 ft.	44.13	43.28	41.95	42.50	40.91	43.33	42.13
" " " 16 ft.	44.86	45.04	42.59	42.50	40.91	44.15	44.04
" " " 18 ft.	46.09	45.75	43.95	44.00	39.00 [3]	45.40	44.79
" " " 20 ft.	45.65	45.13	43.95	44.00	......	45.37	44.53
" " " 22 ft.	47.08	46.64	45.20 [2]	43.00 [1]	......	46.75	44.80
" " " 24 ft.	46.14	45.80	45.20 [2]	43.00 [1]	......	45.98	47.42
2x6, No. 1, S 1 S 1 E, 10 ft.	41.72	42.17	39.96	41.25	39.75	40.43	40.33
" " " 12 ft.	40.18	41.70	38.75	40.50	42.75	39.75	38.50
" " " 14 ft.	40.74	40.83	38.75	40.50	43.25	40.87	39.32
" " " 16 ft.	41.42	43.46	40.06	40.50	42.29	41.82	41.23
" " " 18 ft.	42.23	44.46	39.96	41.25	38.50 [2]	43.44	41.22
" " " 20 ft.	42.32	43.67	39.96	41.25	35.50 [3]	43.21	41.61
" " " 22 ft.	43.29	44.81	41.44	45.25 [2]	......	43.36	43.93
" " " 24 ft.	44.81	44.43	41.44	45.25 [2]	......	44.57	43.79
2x8, No. 1, S 1 S 1 E, 10 ft.	42.25	43.33	42.86	43.75	34.50 [3]	42.90	41.57
" " " 12 ft.	42.01	42.88	39.57	41.25	41.00	40.82	40.17
" " " 14 ft.	43.23	43.12	38.87	41.25	41.00	42.05	40.48
" " " 16 ft.	43.50	45.59	40.58	41.25	41.00	42.94	42.54
" " " 18 ft.	43.52	45.34	42.86	43.75	......	43.66	42.39
" " " 20 ft.	44.65	44.12	42.86	43.75	......	44.49	42.90
" " " 22 ft.	44.82	45.00	44.34	41.25 [2]	......	44.50	47.27
" " " 24 ft.	45.41	45.15	44.34	41.25 [2]	......	45.32	44.81
2x10, No. 1, S 1 S 1 E, 10 ft.	45.00	44.00 [1]	42.98	43.25 [1]	46.00	43.17	42.38
" " " 12 ft.	43.76	43.10	42.94	42.75	46.00	43.08	41.28
" " " 14 ft.	42.57	42.92	42.94	42.75	46.00	42.96	42.43
" " " 16 ft.	44.14	45.35	43.63	42.75	46.00	44.56	43.74
" " " 18 ft.	44.70	45.13	42.98	43.25 [1]	46.00	45.04	44.35
" " " 20 ft.	45.70	44.69	42.98	43.25 [1]	46.00	45.02	44.74
" " " 22 ft.	47.00	48.91 [1]	49.92	45.50 [1]	......	49.38	48.20
" " " 24 ft.	45.25	48.50	49.92	45.50 [1]	......	47.40	46.80
2x12, No. 1, S 1 S 1 E, 10 ft.	47.36	44.00	46.38	45.50	......	46.43	44.04
" " " 12 ft.	44.19	45.07	43.13	45.25	42.75	43.46	43.29
" " " 14 ft.	43.67	45.70	43.13	45.25	42.75	44.45	43.75
" " " 16 ft.	46.25	46.00	43.53	45.25	44.61	45.15	42.80
" " " 18 ft.	46.82	47.78	46.38	45.50	43.25	46.82	45.73
" " " 20 ft.	46.75	46.90	46.38	45.50	......	46.80	45.98
" " " 22 ft.	48.72	49.65	49.68	46.00 [1]	......	49.49	48.29
" " " 24 ft.	48.67	49.19	49.68	46.00 [1]	......	48.85	48.31
2x4, No. 2, S 1 S 1 E, 10 ft.	41.42	41.48	40.72	40.75 [2]	41.32	41.20	40.60
" " " 12 ft.	40.41	42.42	39.96	41.25	41.00	40.67	38.77
" " " 14 ft.	40.32	41.56	39.93	41.25	41.31	40.75	39.66
" " " 16 ft.	41.57	43.30	41.59	41.25	41.27	41.72	39.35
" " " 18 ft.	42.33	43.62	43.38	40.75 [2]	41.63	42.84	42.33
" " " 20 ft.	42.32	43.08	43.38	40.75 [2]	41.32	42.38	41.50
" " " 22 ft.	42.00 [1]	45.00	......	......	......	45.00	42.00
" " " 24 ft.	43.50 [2]	41.43 [3]	......	......	......	43.50 [2]	43.50 [1]
2x6, No. 2, S 1 S 1 E, 10 ft.	37.39	36.65	37.98	37.00	37.37	37.78	36.95
" " " 12 ft.	36.04	37.45	37.22	36.75	37.52	36.77	36.28
" " " 14 ft.	36.52	38.38	37.22	36.75	37.37	37.09	36.73
" " " 16 ft.	37.87	39.79	38.61	36.75	37.62	38.07	37.59
" " " 18 ft.	39.28	39.54	37.98	37.00	37.71	38.89	38.14
" " " 20 ft.	38.99	39.27	37.98	37.00	37.37	38.37	39.09
" " " 22 ft.	39.94 [2]	43.00	43.75	......	......	43.36	43.91 [1]
" " " 24 ft.	40.50 [2]	42.00 [3]	43.75	......	......	43.75	40.50 [1]

DIMENSION—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Dec. 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	37.41	37.25	41.55	41.25	38.00	40.08	39.12
" " " 12 ft.	41.39	39.00	40.78	41.75	38.78	40.95	37.20
" " " 14 ft.	40.51	39.00	41.01	41.75	38.30	40.26	37.49
" " " 16 ft.	41.66	41.90	38.97	41.75	38.02	39.82	38.12
" " " 18 ft.	41.35	39.87	41.55	41.25	38.00	39.74	40.59
" " " 20 ft.	41.89	42.42	41.55	41.25	38.00	41.32	41.86
" " " 22 ft.	43.00[2]	38.00[3]	41.50	......	......	41.50	39.37[1]
" " " 24 ft.	41.38[3]	38.00[2]	41.50	......	......	41.50	39.14[1]
2x 10 No. 2, S 1 S 1 E, 10 ft.	37.69	37.50[1]	42.44	......	38.00	41.66	36.86
" " " 12 ft.	39.79	37.03[1]	39.44	43.50	38.00	41.82	36.81
" " " 14 ft.	38.55	42.00	39.44	43.50	38.00	38.79	36.96
" " " 16 ft.	42.60	44.14	42.55	43.50	38.00	42.35	39.32
" " " 18 ft.	42.45	45.30	42.44	39.50[3]	38.00	42.38	38.64
" " " 20 ft.	43.24	44.25	42.44	39.50[3]	38.00	42.25	39.80
" " " 22 ft.	......	43.00[2]	45.00	......	......	45.00	41.83
" " " 24 ft.	......	......	45.00	......	......	45.00	41.83
2x12, No. 2, S 1 S 1 E, 10 ft.	39.50	44.00	44.96	45.50[1]	37.00	44.43	42.29
" " " 12 ft.	39.55	44.00	41.12	44.00	37.00	41.84	39.41
" " " 14 ft.	39.58	44.00	41.12	44.00	37.00	39.16	40.54
" " " 16 ft.	43.79	44.00	44.37	44.00	37.00	43.56	41.29
" " " 18 ft.	45.42	44.00	44.96	39.50[2]	39.79	42.43	41.66
" " " 20 ft.	44.41	46.00	44.96	39.50[2]	37.00	41.88	44.25
" " " 22 ft.	......	45.50[1]	48.00	......	......	48.00	45.50
" " " 24 ft.	......	45.50[1]	48.00	......	......	48.00	45.50
No. 1, 2x4 to 2x12, 26 ft. and longer	......	......	......	......	......	......	......
All No. 3, S 1 S 1 E, all lengths	28.17	29.89	26.19	25.00	26.97	27.60	26.79
PATENT LATH.							
4 and 6 ft.	37.33	31.60[3]	32.68[1]	36.50	......	37.07	33.99
8 and 10 ft.	37.94	34.00[2]	......	37.50[1]	......	37.94	37.29
12 ft. and longer	39.25	33.60[3]	32.28[1]	38.25[1]	......	39.25	34.31
PLASTERING LATH							
⅜x1½-4, No. 1	12.63	10.00[2]	13.15	14.50	12.36	13.26	12.37
" No. 2	11.60	9.50	11.15	12.90	10.43	11.51	9.63
⅜x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
5/16x1½-4, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
5/16x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
TIMBERS							
4x4 to 8x8, No. 1, up to 20 ft.	40.76	39.79	37.94	40.00[1]	38.04	38.45	37.65
" " 22-24 ft.	39.90	44.50	39.29	......	......	39.69	40.49
" " 26 ft.	40.00	......	39.63	......	......	39.64	41.09
" " 28 ft.	41.00	43.00[1]	39.63	......	......	41.00	43.43
" " 30 ft.	43.50[1]	......	39.99	......	......	39.99	42.40
" " over 30 ft.	46.00	43.54[1]	41.36	......	......	41.46	46.89
4x4 to 8x8, Heart (85%+), up to 20 ft.	50.26	42.83	38.00[2]	......	......	47.53	42.14
" " 22-24 ft.	42.50[1]	42.75[1]	......	......	......	42.63[1]	42.63
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	44.38[2]	......	......	......	44.38[2]	44.38[1]
" " " over 30 ft	52.10[2]	50.75[1]	......	......	......	50.75[1]	50.75
3 & 4x10, No. 1, up to 20 ft.	43.93	48.00	......	36.00[3]	41.00	43.69	40.11
" " 22-24 ft.	47.50	49.00	......	......	......	48.28	41.27[1]
" " 26 ft.	47.50[1]	42.00[2]	......	......	......	47.50[1]	47.50
" " 28 ft.	43.96[1]	......	......	......	......	43.96[1]	43.96
" " 30 ft.	45.00[2]	......	......	......	......	45.00[2]	45.00[1]
" " over 30 ft.	47.50[1]	......	......	......	......	47.50[1]	47.50
3 & 4x10, Heart (85%+), up to 20 ft.	52.00	44.69[1]	......	......	......	52.00	44.69
" " " 22-24 ft.	53.00	40.50[3]	......	......	......	53.00	40.50[2]
" " " 26 ft.	55.00	48.00[2]	......	......	......	55.00	48.00[1]
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	50.00[2]	......	......	......	50.00[2]	50.00[1]
" " " over 30 ft.	55.86[2]	......	......	......	......	55.86[2]	55.86[1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Aver Previ Rep Dec.
to 10x10, No. 1, up to 20 ft.	49.50	48.60	48.43	......	43.00[2]	48.44	40
" " 22-24 ft.	41.00	48.00	43.27	......	......	43.45	41
" " 26 ft.	42.00	41.65[2]	48.61	......	......	47.90	43
" " 28 ft.	45.00[2]	40.50[2]	48.61	......	......	48.61	43
" " 30 ft.	40.00[2]	......	48.17	......	......	48.17	44
" " over 30 ft.	44.73[1]	......	53.04	......	......	53.04	45
to 10x10, Heart (85%+), up to 20 ft.	46.83[2]	48.00[2]	......	......	......	47.18[2]	47. [1]
" " " 22-24 ft.	48.01[2]	......	......	......	......	48.01[2]	48 [1]
" " " 26 ft.	......	48.00[2]	......	......	......	48.00[2]	48 [1]
" " " 28 ft.	......	......	......	......	......	......	...
" " " 30 ft.	......	50.00[2]	......	......	......	50.00[2]	50 [1]
" " " over 30 ft.	......	......	......	......	......	......	...
4x12, No. 1, up to 20 ft.	45.00	52.00	......	......	......	51.42	50
" " 22-24 ft.	49.00[2]	53.00	......	......	......	53.00	43
" " 26 ft.	49.12[2]	50.50[1]	......	......	......	50.50[1]	50
" " 28 ft.	50.97[2]	47.00[2]	......	......	......	50 83[2]	50 [1]
" " 30 ft.	50.00	47.50[3]	......	......	......	50.00	52 [1]
" " over 30 ft.	62.50[1]	......	......	......	......	62.50[1]	62
4x12, Heart (85%+) up to 20 ft.	59.50	46.27	......	......	......	46.53	46
" " " 22-24 ft.	......	47.00	......	......	......	47.00	44 [2]
" " " 26 ft.	52.00[2]	......	......	......	......	52.00[2]	52 [1]
" " " 28 ft.	......	......	......	......	......	......	...
" " " 30 ft.	49.60[2]	......	......	......	......	49.60[2]	49 [1]
" " " over 30 ft.	59.02[2]	......	......	......	......	59.02[2]	59 [1]
to 12x12, No. 1, up to 20 ft.	43.02	65.00	47.50	......	45.00[2]	46.13	43
" " 22-24 ft.	46.69[1]	44.50[1]	48.95	......	......	48.95	46
" " 26 ft.	49.00[2]	39.25[3]	51.30	......	......	51.30	47
" " 28 ft.	58.75	46.50[1]	51.30	......	......	58.75	46
" " 30 ft.	52.57[2]	41.25[3]	51.90	......	......	51.90	48
" " over 30 ft.	47.50[1]	......	58.89	......	......	58.89	53
to 12x12, Heart (85%+) up to 20 ft.	47.50[2]	46.18[3]	......	......	......	47.50[2]	47 [1]
" " " 22-24 ft.	46.00[2]	46.63[3]	......	......	......	46.00[2]	46 [1]
" " " 26 ft.	......	......	......	......	......	......	...
" " " 28 ft.	......	48.50[3]	......	......	......	48.50[3]	48 [2]
" " " 30 ft.	......	49.50[3]	......	......	......	49.50[3]	49 [2]
" " " over 30 ft.	56.00[3]	55.50[3]	......	......	......	55.57[3]	55 [2]
to 4x14, No. 1, up to 20 ft.	......	47.50[3]	......	......	......	47.50[3]	47 [2]
" " 22-24 ft.	51.18[3]	......	......	......	......	51.18[3]	51 [2]
" " 26 ft.	......	......	......	......	......	......	...
" " 28 ft.	63.75	......	......	......	......	63.75	51 [2]
" " 30 ft.	......	......	......	......	......	......	...
" " over 30 ft.	......	......	......	......	......	......	...
to 4x14, Heart (85%+) up to 20 ft.	51.30[2]	......	......	......	......	51.30[2]	51 [1]
" " 22-24 ft.	......	......	......	......	......	......	...
" " 26 ft.	......	......	......	......	......	......	...
" " 28 ft.	......	......	......	......	......	......	...
" " 30 ft.	......	......	......	......	......	......	...
" " over 30 ft.	......	......	......	......	......	......	...
to 14x14, No. 1, up to 20 ft.	48.01	47.39[1]	57.87	......	......	50.27	50
" " 22-24 ft.	49.50	47.50[1]	57.45	......	......	55.48	51
" " 26 ft.	49.69	......	60.00	......	......	51.34	52
" " 28 ft.	50.66	......	60.00	......	......	50.66	52
" " 30 ft.	......	......	68.95	......	......	68.95	52
" " over 30 ft.	54.89	......	67.50	......	......	56.16	61
to 14x14, Heart (85%+) up to 20 ft.	60.34	49.88[3]	......	......	......	64.34	60 [1]
" " " 22-24 ft.	61.00	50.50[3]	......	......	......	61.00	50 [2]
" " " 26 ft.	......	......	......	......	......	......	...
" " " 28 ft.	......	......	......	......	......	......	...
" " " 30 ft.	......	......	......	......	......	......	...
" " " over 30 ft.	......	......	......	......	......	......	...
to 4x16, No. 1, up to 20 ft.	......	......	......	......	......	......	...
" " 22-24 ft.	......	......	......	......	......	......	...
" " 26 ft.	......	......	......	......	......	......	...
" " 28 ft.	......	......	......	......	......	......	...
" " 30 ft.	......	......	......	......	......	......	...
" " over 30 ft.	......	......	......	......	......	......	...
to 4x16, Heart (85%+) up to 20 ft.	60.50[2]	......	......	......	......	60.50[2]	60 [1]
" " " 22-24 ft.	......	......	......	......	......	......	...
" " " 26 ft.	......	......	......	......	......	......	...
" " " 28 ft.	......	......	......	......	......	......	...
" " " 30 ft.	......	......	......	......	......	......	...
" " " 3 over0 ft.	......	......	......	......	......	......	...

TIMBERS—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Dec. 31
6x16 & Up, No. 1, up to 20 ft.	62 50	51.10[1]	58.22	......	......	58 28	54.88
" " 22-24 ft.	55 83[1]	......	63 63	......	......	63 63	59.86
" " 26 ft.	50 00[2]	......	71.00	......	......	71.00	57 50
" " 28 ft.	61 00[2]	......	71 00	......	......	71.00	57 50
" " 30 ft.	66 66[1]	54 50[1]	71.53	......	......	71.53	64.62
" " over 30 ft.	71.50[1]	55.50[1]	80 87	......	......	80 87	67.76
6x16 & Up, Heart (85%+) up to 20 ft.	62 50	55.70[3]	......	......	......	62 50	64.50[1]
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	60 50[3]	......	......	......	60 50[3]	60 50[2]
STRINGERS.							
15 inch, Sq. E. up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	62.00[2]	......	......	......	62.00[2]	62.00[1]
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " 32 ft.	......	......	......	......	......	......	......
15 inch, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	......
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " 32 ft.	......	......	......	......	......	......	......
16 inch, Sq. E. up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	60.00[1]	......	......	......	60.00[1]	60.00
" " 28 ft.	59 50[2]	59.98[3]	......	......	......	59.50[2]	59 50[1]
" " 30 ft.	58.84[2]	59.00[1]	......	......	......	59.00[1]	59.00
" " 32 ft.	......	......	......	......	......	......	52.00[3]
16 inch, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	......
" " " 22-24 ft.	58.50[3]	......	......	......	......	58 50[3]	58.50[2]
" " " 26 ft.	60.00[2]	60.00[2]	......	......	......	60.00[2]	60.00[1]
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " 32 ft.	......	......	......	......	......	......	......
CAR SILLS							
Up to 9 inch, Sq. E, 34 ft.	42.50	......	38.00[1]	......	......	42.50	38.00
" " " 36 ft.	60.00	46.08[1]	38.00[1]	......	......	60.00	44.08
" " " 37-38 ft.	48 25[1]	......	41 00[3]	......	......	48 25[1]	48.25
" " " 40 ft.	48.15[1]	48.00[1]	42.00[3]	......	......	48.07[1]	48.07
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 9 inch Heart (85%+) 34 ft.	48.00[2]	......	......	......	......	48.00[2]	48.00[1]
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	59.50	......	......	......	......	59.50	50.00[2]
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
Up to 10 inch, Sq. E. 34 ft.	42.50	......	39.00[1]	......	......	42.50	41.96
" " " 36 ft.	51.62	46.24[2]	39.00[1]	......	......	51.62	39 00
" " " 37-38 ft.	49 00[1]	......	......	......	......	49 00[1]	49.00
" " " 40 ft.	47.50[1]	50.00[1]	......	......	......	48.65[1]	48.65
" " " 41-42 ft.	......	......	......	......	......	......	45.50[3]
Up to 10 inch, Heart (85%+) 34 ft.	49.00[2]	......	......	......	......	49 00[2]	49.00[1]
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	51.50[2]	......	......	......	......	51.50[2]	51.50[1]
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
Up to 12 inch, Sq. E, 34 ft.	43.62[2]	......	44 00[1]	......	......	44 00[1]	44 00
" " " 36 ft.	50 38[1]	49.00[1]	44.00[1]	......	......	50.27[1]	50.27
" " " 37-38 ft.	53.25[1]	......	......	......	......	53.25[1]	53.25
" " " 40 ft.	......	......	......	......	......	......	......
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 12 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " " 36 ft.	61.50[2]	......	......	......	......	61.50[2]	61.50[1]
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	65 50[2]	......	......	......	......	65 50[2]	65 50[1]
" " " " 41-42 ft.	65 50[2]	......	......	......	......	65 50[2]	65.50[1]

CAR SILLS—(Continued).	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Dec. 31
Up to 14 inch, Sq. E. 34 ft.	......	......	......	......	......	......	56.00[3]
" " " 36 ft.	53.00[2]	53.00[2]	......	......	......	53.00[2]	53.00[1]
" " " 37-38 ft.	54.00[1]	49.00[2]	......	......	......	54.00[1]	54.00
" " " 40 ft.	......	51.00[2]	......	......	......	51.00[2]	51.00[1]
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 14 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
CAPS							
12x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
" " 14 ft.	......	......	......	......	......	......	......
" " 16 ft.	......	......	......	......	......	......	44.50[3]
12x14, Heart (85%+) 12 ft.	50.50[2]	......	......	......	......	50.50[2]	50.50[1]
" " " 14 ft.	......	46.00[2]	......	......	......	46.00[2]	46.00[1]
" " " 16 ft.	......	......	......	......	......	......	......
14x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
" " 14 ft.	......	......	......	......	......	......	......
" " 16 ft.	......	......	......	......	......	......	......
14x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	......	......	......	......	......	......	......
" " " 16 ft.	......	......	......	......	......	......	......
SAWN TIMBERS							
25 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
27½ " " 25 "	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
30 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
SPECIAL TIMBERS							
Track Ties, Sq. E., 6x8–8	40.48	44.50[1]	......	......	......	40.48	44.50
" " Heart, (85%+) 6x8–8	42.50[2]	......	......	......	......	42.50[2]	42.50[1]
" " Sq. E. " 7x9–8	......	......	......	......	......	......	......
" " Heart " 7x9–8	......	......	......	......	......	......	......
Bridge Ties, Sq. E., 7x9 & up	42.00[3]	......	......	......	......	42.00[3]	42.00[2]
" " Heart,	42.00[2]	......	......	......	......	42.00[2]	42.00[1]
Paving Stock, S 1 S.	......	32.00[3]	29.92[1]	......	......	29.92[1]	29.92
" " Rough	......	......	......	......	......	......	......
Battleship Decking, Edge Grain	......	......	......	......	......	......	......
Ship " Flat Grain	87.36[3]	......	......	......	......	87.36[3]	87.36[2]
Miscellaneous	75.00	44.18	33.98	......	90.00	44.65	44.74
MISCELLANEOUS STOCK							
Silo Stock	......	45.82[2]	50.44[1]	......	......	50.44[1]	50.44
Grain Doors	......	......	......	......	......	......	20.50[3]
Miscellaneous, B and B.	100.50	98.38	88.06[1]	......	70.00	96.70	88.61
" No. 1.	66.08	54.96	43.33	......	73.81	57.52	46.81
" No. 2.	49.86	44.07	42.63	......	40.84	42.40	39.72
" No. 3.	32.52	25.00	33.18	......	31.73	32.07	37.40
Shorts, B and B.	71.43	76.75[1]	......	......	......	71.43	56.25
" No. 1.	31.90	45.00	......	......	......	32.00	32.79
" No. 2.	......	46.50	......	......	......	46.50	32.19
" No. 3.	......	29.75[2]	......	......	......	29.75[2]	29.75[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

January 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending January 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg, Little Rock and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued January 29, 1920

No. 82

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	37	1,143,235,854
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Arkansas Soft Pine Bureau, Little Rock, Ark.	13	500,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	202	5,734,183,686

FLOORING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"							
Edge Grain, A "	130.00					130 00	94 75[1]
" " B "							
" " B and Better "	118.85			114 50		118 15	113 60
" " C "	101.00			102.50		102 28	99 50
" " D "	79 00[3]					79.00[3]	79 00[2]
" " No. 2 "							
Flat " A "				93 00[2]		93 00[2]	93 00[1]
" " B "	99 00					99 00	76 61[3]
" " B and Better "	97 52			90 75		96 42	92.80
" " C "							
" " D "	85 80					85.80	85 40[2]
No. 1 Common "				85 00		85 00	75 00[1]
No. 2 " "	47.48			50 75[1]		47 48	46 52
No. 3 " "							
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"			114.50[2]			114 50[2]	114 50[1]
Edge Grain, A "		90 13[1]	110 87[1]		116 08	116 08	110.82
" " B "		111.13	110.70		111.87	111.66	96 95
" " B and Better "		113.07			116.75	114.50	104.75
" " C "			87 75[2]		103 35	103.35	100 50
" " D "		100.25	85 00[1]			100.25	85 00
" " No. 2 "			70.25		67.72	67.92	60 97
Flat " A "					111.75	111.75	
" " B "		89 00[3]	90 00[2]			89 17[3]	89.17[2]
" " B and Better "		98 00	98.54		104.38	102.57	95.88
" " C "							
" " D "							
No. 1 Common "		81 50[1]	78.94		86 43	83.68	82.88
No. 2 " "		49 00	46.71		45 20	46.20	44.51
No. 3 " "			31.03		31 28	31 24	30 07
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"			101 50[2]			101 50[2]	101.50[1]
Edge Grain, A "	121 00		98.00	111 25	103 50[1]	114 20	102 00
" " B "		104.47	100 35	99 00[2]		100.62	97 04
" " B and Better "	115.20	106.91	89 08[1]	105.75	99 50[1]	112.77	90.80
" " C "	99.68	80.17[2]	100 00	93.75	87.00[2]	98.48	92 28
" " D "	89 39[1]					89 39[1]	89.39
" " No. 2 "		58.00[1]	62 16[1]		65 00	65.00	58.00
Flat " A "	85 50[1]	82 25[2]		93 00		93 00	85 50
" " B "	86.67	90.00	83 25[3]	89 50		89 20	89.92
" " B and Better "	95 58	93 20	92 59	92 00	90 22	93 22	88.48
" " C "	81.20	84.00				82 54	84.52
" " D "	83.91	73 00				81.43	78.06
No. 1 Common "		79 67	81 38	79.75	82 92	81.62	78 32
No. 2 " "	47 48	45.38	45.70	50.25	45 02	45 90	43.88
No. 3 " "			32 87		31.99	32 65	30 89
CEILING							
Ceiling, ½x3¼", A							
" " B				70.25[1]		70 25[1]	70 25
" " B and Better	61.82	55 00	65 30	65 00[2]	62.25[1]	61.78	61.58
" " No. 1 Common	57.26	50 00	60.15	57.75	59 00	58 30	54 29
" " No. 2 "	39 00[1]	39 00[2]	40 45	41.25	34.00	39.92	34.85
" " No. 3 "			25.00			25.00	25 [illegible]
Ceiling, ⅝x3¼", A							
" " B				74.00		74.00	66 25[1]
" " B and Better	69.06	67.81	69.48	76.00	77.60	69 52	65 90
" " No. 1 Common	64.60	63.37	63.69	64.75	65 00	64 06	63 00
" " No. 2 "	45 78	44.81	43.80	46.75	43 00	44 58	41 90
" " No. 3 "			26 31		28 00[1]	26 31	24.85
Ceiling, ¾x3¼", A							
" " B				90 25		90.25	66 00[3]
" " B and Better	89 50[1]	93 00[1]	85 00	86.25	87.58	86 52	86 20
" " No. 1 Common	73.61[2]		83 00		75.00[2]	83 00	74 59[1]
" " No. 2 "			48 00[1]			48 00[1]	48 00
" " No. 3 "			25 00			25 00	25 00
PARTITION							
Partition, ¾x3¼", A							
" " B							
" " B and Better	97.46	78 33[1]	85 [illegible]	79 50[2]	93.00	95 92	87.52
" " No. 1 Common	77.00		89 55	78 00	85.88	87.90	82 96
" " No. 2 "	54 00[1]		47.25	50 00	47.05	47.27	54 00
Partition, ¾x5¼", A							
" " B							
" " B and Better	97.84		91.83			97 38	92 55
" " No. 1 Common	88 50		75 00			79 65	79 45
" " No. 2 "	48 75[1]		47 86			47 86	46 66
BEVEL SIDING							
Bevel Siding, A							25 00
" B							48 00[1]
" B and Better	57.09	63 00	57 50	51 00[1]		57.20	51.64
" No. 1 Common	58 00		51.78			52 58	43.00
" No. 2 "	35 00[3]		35 50		28 50[2]	35 50	33.75

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
Drop Siding, ¾x3¼ or 5¼,	A	......	......	......	......	......	......	......
“ “	B	......	......	......	87.25	......	87.25	85.50
“ “	B and Better	82.22	77.40	77.61	83.75	80.96	80.58	76.56
“ “	No. 1 Common	70.84	72.60	74.04	76.50	76.92	73.32	71.62
“ “	No. 2 “	50.82	49.98	46.70	50.50	47.35	47.77	46.25
“ “	No. 3 “	......	......	35.26	......	30.00	34.59	33.23
FINISH								
1x 4 inch,	A	......	......	......	......	......	......	......
1x 6 inch,	“	......	......	......	105.75	......	105.75	100.00[2]
1x 8 inch,	“	......	......	......	105.75	......	105.75	100.00[2]
1x 5 and 10 inch,	“	......	......	......	108.75	......	108.75	95.75
1x 12 inch,	“	......	......	......	107.75	......	107.75	103.00[1]
1¼x4 to 12 inch,	“	......	......	......	112.18	......	112.18	98.00
1½ and 2x4 to 12 inch,	“	......	......	......	100.00[1]	......	100.00[1]	100.00
1⅝ inch,	“	......	......	......	......	......	......	......
1x 4 inch,	B	......	......	......	100.25	......	100.25	90.25[1]
1x 6 inch,	“	......	......	......	100.25	......	100.25	100.00
1x 8 inch,	“	......	......	......	100.25	......	100.25	100.00
1x 5 and 10 inch,	“	......	......	......	102.25	......	102.25	96.50[1]
1x12 inch,	“	......	......	......	......	......	......	80.75[3]
1¼x4 to 12 inch,	“	......	......	......	96.50[2]	......	96.50[2]	96.50[1]
1½ and 2x4 to 12 inch,	“	......	......	......	99.75[2]	......	99.75[2]	99.75[1]
1⅝ inch,	“	......	......	......	......	......	......	......
1x 4 inch,	B and Better	97.61	97.83	95.54	99.25	70.50[2]	97.26	97.02
1x 6 inch,	“	97.90	94.36	92.92	100.25	94.00	95.82	91.65
1x 8 inch,	“	97.92	93.38	96.11	100.25	105.00	97.03	91.89
1x 5 and 10 inch,	“	102.40	96.97	99.20	102.75	105.00	100.56	92.97
1x12 inch,	“	104.87	99.03	96.64	103.00	100.00[1]	101.06	95.19
1¼x4 to 12 inch,	“	109.80	110.04	105.79	105.75	102.25	108.00	95.19
1½ and 2x4 to 12 inch,	“	107.45	99.82[2]	106.53	107.50	95.08	103.86	97.26
1⅝ inch,	“	86.87	91.74[2]	......	......	......	86.87	91.74[1]
1x6 to 12 inch,	“	......	......	......	......	95.00	95.00	90.00[1]
1x 4 inch,	C	82.75	78.21[3]	86.00	86.75	......	86.02	79.91
1x 6 inch,	“	91.60	92.00[1]	74.27[3]	95.25	......	92.62	89.79
1x 8 inch,	“	89.25	92.00[1]	84.48	95.25	......	88.12	84.32
1x 5 and 10 inch,	“	93.84	94.00[1]	85.82	93.75	......	90.04	85.38
1x12 inch,	“	93.68	94.00[1]	86.31	96.50	......	89.00	85.83
1¼x4 to 12 inch,	“	88.75	......	......	90.00	100.00	91.22	90.00[1]
1½ and 2x4 to 12 inch,	“	88.00	......	......	90.00	......	88.07	93.25[1]
1⅝ inch,	“	......	......	......	......	......	......	73.00[3]
1x6 to 12 inch,	“	......	......	......	......	......	......	......
1x 4 inch,	B and Better, Rough	87.50	......	89.83	78.50[3]	......	89.24	98.07
1x 6 inch,	“ “	93.16	102.17	94.40	100.00	99.34	97.86	89.96
1x 8 inch,	“ “	87.50	102.17	91.26	100.00	90.54[1]	92.06	89.17
1x 5 and 10 inch,	“ “	93.32	99.32	91.94	106.25	91.04[1]	95.00	94.15
1x12 inch,	“ “	99.64	102.17	101.33	106.25	91.54[1]	100.83	96.73
1¼x4 to 12 inch,	“ “	111.83	105.17	102.34	109.25	101.60	104.37	102.52
1½ and 2x4 to 12 inch,	“ “	98.74	100.00	107.08	111.25	96.88[2]	103.64	96.86
1⅝ inch,	“ “	......	......	82.00[3]	......	......	82.00[3]	82 00[2]
1x6 to 12 inch,	“ “	......	......	......	......	90.00[2]	90.00[2]	90.00[1]
CASING AND BASE								
From 4 and 6 inch stock, B. M.,	A	......	......	......	115.00	......	115.00	97.25
“	B	......	......	......	......	......	......	......
“	B and Better	109.30	100.67	111.83	106.75	......	109.13	100.40
From 8 and 10 inch stock, B. M.,	A	......	......	......	115.00	......	115.00	105.75
“	B	......	......	......	......	......	......	......
“	B and Better	104.58	101.00	108.82	109.25	......	105.96	106.58
MOULDINGS (% Discount)								
1½ inch and Smaller		......	......	......	3.45	......	3.45	13.00
1¾ inch and Larger		......	......	......	7.00[1]	......	7.00[1]	7.00
DOOR AND WINDOW JAMBS								
A	B. M.	......	......	......	......	......	......	......
B	“	......	......	......	......	......	......	......
B and Better,	“	112.25	90.44[2]	114.48	111.00	......	113.50	94.61
CAR MATERIAL								
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft	50.00[3]	......	......	74.00[2]	......	74.00[2]	74.00[1]
“ “ “ “ “	8 ft	80.25[1]	65.00[1]	57.61[2]	61.75[1]	......	62.66[1]	62.66
“ “ “ “ “	12 and 14 ft.	73.79[3]	......	......	......	......	73.79[3]	73.79[2]
“ “ “ “ “	16 ft.	......	......	......	......	......	......	......
“ “ “ “ “	9 or 18 ft.	92.00[1]	90.00[1]	79.67[2]	84.00[2]	......	91.25[1]	91.25
“ “ “ “ “	10 or 20 ft.	90.00	......	......	82.50[2]	......	90.00	88.33

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	50.00[3]	56.00[3]	......	......	......	55.75[3]	55.75[2]
" " " " " 8 ft.	58.53[1]	......	67.25[1]	......	......	59.15[1]	59.15
" " " " " 12 and 14 ft.	78.00[1]	80.00[2]	......	......	......	78.00[1]	78.00
" " " " " 16 ft.	......	......	......	......	......	......	51.25[3]
" " " " " 9 or 18 ft.	80.00[1]	76.00[2]	47.00[3]	......	......	80.00[1]	80.00
" " " " " 10 or 20 ft.	78.00[1]	61.40[3]	......	50.00[3]	......	78.00[1]	78.00
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	50.00[3]	55.00[2]	......	......	......	55.00[2]	55.00[1]
" " " " " 8 ft.	60.00[1]	......	67.25[1]	......	......	60.00[1]	60.00
" " " " " 12 and 14 ft.	......	80.00[2]	......	......	......	80.00[2]	80.00[1]
" " " " " 16 ft.	76.56	80.00[1]	......	......	......	76.56	78.33
" " " " " 9 or 18 ft.	78.00[1]	63.00[3]	47.00[3]	......	......	78.00[1]	78.00
" " " " " 10 or 20 ft.	76.42[1]	55.00[1]	63.00[3]	......	50.00[3]	66.41[1]	66.41
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	46.68	48.53	......	35.00[1]	......	47.81	40.67
" " " " " 10 to 20 ft.	45.18	42.00[1]	......	43.75	......	45.15	42.83
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 10 & 20 ft.	42.00[3]	......	......	......	......	42.00[3]	42.00[2]
" " " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	35.50	35.50	42.00[3]
" " " " 2 to 3 inch, 10 & 20 ft.	......	45.00[2]	......	......	......	45.00[2]	45.00[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	46.00[1]	......	......	......	......	46.00[1]	46.00
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	42.00[3]	......	......	......	......	42.00[3]	42.00[2]
" " " 2 to 3 inch, 9 & 18 ft.	......	42.00[2]	40.00[2]	......	......	41.46[2]	41.46[1]
" " " 2 to 3 inch, 10 & 20 ft	......	48.00	40.00[2]	......	45.00	47.37	43.50[1]
" No. 2, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	40.00	40.00	......
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft	......	......	......	......	......	......	......
" " " 2 to 3 inch, 10 & 20 ft	......	......	......	......	......	......	......
BOARDS, SHIPLAP AND GROOVED ROOFING							
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	62.84	51.65[3]	60.50[3]	59.75	......	62.52	59.00
" " " " other lengths.	60.60	59.95	75.88	58.00	87.32	63.62	64.98
" " 1x10, " 14 and 16 ft.	63.00	55.75[1]	82.00[1]	60.25	......	62.72	65.95
" " " " other lengths.	66.45	57.74	77.96	58.50	88.50	66.82	65.36
" " 1x12, " 14 and 16 ft.	76.66	69.50	87.00	50.50[3]	......	76.12	65.54
" " " " other lengths.	70.48	64.14	82.35	62.25	93.50	71.56	70.14
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	45.15	45.49	46.93	44.00	45.87	45.82	44.49
" " 1x10, " "	46.71	44.73	46.97	45.25	45.77	46.45	44.67
" " 1x12, " "	50.75	50.08	47.92	49.50	46.97	49.52	47.24
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	36.11	37.58	35.88	36.50	39.50	36.90	34.93
" " 1x10, " "	37.81	37.08	34.87	37.25	37.50[1]	36.75	35.53
" " 1x12, " "	38.20	38.44	37.98	37.50	38.00	38.09	36.02
Shiplap, 1x8, No. 1, 14 and 16 ft.	63.33	51.50[2]	......	......	......	63.33	57.81
" " " other lengths.	63.84	54.94	62.23[1]	55.00[1]	63.70	61.54	56.25
" 1x10, " 14 and 16 ft.	67.75	......	......	41.50[3]	......	67.75	56.75
" " " other lengths.	64.07	60.14	85.00	60.25	45.00[1]	63.02	50.32
" 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " other lengths.	......	......	......	......	......	......	......
Shiplap, 1x8, No. 2, all lengths	46.62	47.45	46.48	45.50	46.59	46.50	44.69
" 1x10, " "	46.58	47.36	47.66	45.75	37.65	45.29	44.34
" 1x12, " "	......	......	......	......	......	......	......
Shiplap, 1x8, No. 3, all lengths	36.28	38.50	37.24	37.25	37.30	36.89	35.72
" 1x10, " "	37.37	38.50	37.77	36.75	38.50	37.50	36.06
" 1x12, " "	39.25	37.00	......	36.50	......	37.56	37.34
Groovod Roofing, 1x10, No. 1, 14 and 16 ft.	65.50	......	......	......	......	65.50	59.25[1]
" " " " other lengths.	65.50	59.50	......	......	......	61.90	58.25[1]
" " 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " " other lengths.	......	......	......	......	......	......	......
All No. 4—all widths and lengths	20.75	......	23.17	19.25[1]	21.90[2]	21.53	20.34

FENCING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
1x4, S 1 S, No. 1, 16 ft.	62.26	52.63[2]	......	54.00	......	61.38	58.04
" " " other lengths	61.90	58.54	78.28	55.25	......	67.28	53.65
" " No. 2, all lengths	40.94	39.35	44.83	40.50	40.41	41.86	40.40
" " No. 3, "	34.97	33.40	35.62	34.50	34.75	34.99	33.22
1x4, C. M., No. 1, 16 ft.	......	......	......	......	......	......	......
" " " other lengths	53.50	......	......	58.00	......	55.64	67.22
" " No. 2, all lengths	42.50	......	......	41.00	......	41.35	39.25
" " No. 3, "	......	......	......	36.50	......	36.50	30.50[3]
1x6, S 1 S, No. 1, 16 ft.	63.00	59.82	74.76[1]	54.50	62.00[3]	61.77	64.72
" " " other lengths	62.92	59.50	76.70	61.50	80.12	66.32	64.53
" " No. 2, all lengths	44.45	44.71	43.43	44.50	41.89	43.84	42.45
" " No. 3, "	36.26	36.13	35.05	35.00	39.50	36.05	33.48
1x6, C. M., No. 1, 16 ft.	58.12	53.50[1]	......	58.00	......	58.01	54.35
" " " other lengths	66.90	56.00	56.00[3]	56.00	......	62.14	57.30
" " No. 2, all lengths	45.19	45.12	44.25[1]	45.00	47.40	45.59	42.96
" " No. 3, "	37.03	35.45	33.00[1]	35.25	35.00	35.55	33.71
DIMENSION							
2x4, No. 1, S 1 S 1 E, 10 ft.	45.25	43.98	45.31	46.00	41.00	43.80	44.01
" " " 12 ft.	45.04	44.39	44.75	43.75	40.80[1]	44.49	42.89
" " " 14 ft.	44.88	44.15	44.19	43.75	40.91[1]	44.20	43.33
" " " 16 ft.	46.88	46.53	44.16	43.75	40.91[1]	46.46	44.15
" " " 18 ft.	47.06	46.93	45.79	46.00	......	46.81	45.40
" " " 20 ft.	47.84	46.88	45.79	46.00	......	47.15	45.37
" " " 22 ft.	48.27	48.36	45.20[3]	43.00[2]	......	48.34	46.75
" " " 24 ft.	48.35	48.74	45.20[3]	43.00[2]	......	48.58	45.98
2x6, No. 1, S 1 S 1 E, 10 ft.	43.06	41.64	41.68	42.75	39.75[1]	42.17	40.43
" " " 12 ft.	42.19	42.32	40.02	39.25	42.75[1]	41.31	39.75
" " " 14 ft.	42.02	42.23	40.02	39.25	43.25[1]	42.08	40.87
" " " 16 ft.	44.00	44.07	40.64	39.25	42.29[1]	43.85	41.82
" " " 18 ft.	44.23	44.26	41.68	42.75	38.50[3]	44.24	43.44
" " " 20 ft.	44.31	44.87	41.68	42.75	39.25	43.75	43.21
" " " 22 ft.	47.00	47.18	44.19	45.50	......	46.24	43.36
" " " 24 ft.	45.72	47.80	44.19	45.50	......	46.69	44.57
2x8, No. 1, S 1 S 1 E, 10 ft.	44.66	44.53	47.49	44.50		46.66	42.90
" " " 12 ft.	44.72	44.13	42.01	40.75	41.00[1]	42.54	40.82
" " " 14 ft.	44.77	44.53	43.28	40.75	41.00[1]	44.32	42.05
" " " 16 ft.	46.35	44.34	42.06	40.75	41.00[1]	45.05	42.94
" " " 18 ft.	45.89	45.46	47.49	44.50	......	45.71	43.66
" " " 20 ft.	46.03	45.69	47.49	44.50	......	45.86	44.49
" " " 22 ft.	47.54	46.36	44.80	41.25[3]	......	46.17	44.50
" " " 24 ft.	47.51	47.50	44.80	41.25[3]	......	47.51	45.32
2x10, No. 1, S 1 S 1 E, 10 ft.	44.59	43.00	46.13	45.00	46.00[1]	45.64	43.17
" " " 12 ft.	43.86	43.91	44.79	40.75	46.00[1]	43.46	43.08
" " " 14 ft.	44.34	44.25	44.79	40.75	42.00	43.98	42.96
" " " 16 ft.	47.75	44.99	42.15	40.75	40.99	45.07	44.56
" " " 18 ft.	46.66	47.81	46.13	45.00	45.50	46.95	45.04
" " " 20 ft.	45.61	45.32	46.13	45.00	45.50	45.53	45.02
" " " 22 ft.	49.36	48.00	43.97	45.50[2]	......	47.87	49.38
" " " 24 ft.	48.62	48.00	43.97	45.50[2]	......	48.55	47.40
2x12, No. 1, S 1 S 1 E, 10 ft.	46.85	44.00	48.70	46.25	......	48.34	46.43
" " " 12 ft.	46.28	46.79	45.05	45.75	42.00	45.93	43.48
" " " 14 ft.	45.56	47.31	45.05	45.75	44.50	45.70	44.45
" " " 16 ft.	47.63	47.39	45.04	45.75	42.00	46.91	45.15
" " " 18 ft.	47.87	49.33	48.70	46.25	47.50	48.52	46.82
" " " 20 ft.	48.32	49.08	48.70	46.25	47.50	48.59	46.80
" " " 22 ft.	50.55	51.39	50.79	46.00[2]	......	50.77	49.49
" " " 24 ft.	50.77	50.37	50.79	46.00[2]	......	51.51	48.85
2x4, No. 2, S 1 S 1 E, 10 ft.	42.50	43.31	41.42	42.75	41.32[1]	42.06	41.20
" " " 12 ft.	41.75	41.75	40.89	41.75	41.00[1]	41.44	40.67
" " " 14 ft.	42.08	41.83	41.47	41.25	41.31[1]	41.56	40.75
" " " 16 ft.	42.91	44.37	43.01	41.25	41.27[1]	43.43	41.72
" " " 18 ft.	43.29	44.90	43.05	42.75	41.63[1]	44.07	42.84
" " " 20 ft.	43.72	44.89	43.05	42.75	42.04	42.30	42.38
" " " 22 ft.	42.00[2]	47.33	......	......	......	47.33	45.00
" " " 24 ft.	43.50[3]	47.33	......	......	......	47.33	43.50[2]
2x6, No. 2, S 1 S 1 E, 10 ft.	40.05	39.68	38.64	40.00	37.37[1]	39.22	37.78
" " " 12 ft.	38.41	41.22	39.83	38.25	37.52[1]	39.34	36.77
" " " 14 ft.	39.23	41.31	39.83	38.25	37.37[1]	39.97	37.09
" " " 16 ft.	39.83	42.30	39.65	38.25	37.62[1]	40.30	38.07
" " " 18 ft.	40.03	43.28	38.64	40.00	37.71[1]	41.04	38.89
" " " 20 ft.	40.69	43.62	38.64	40.00	39.00	40.45	38.37
" " " 22 ft.	39.94[3]	44.36	47.75	......	......	44.90	43.36
" " " 24 ft.	40.50[3]	44.36	47.75	......	......	44.90	43.75

DIMENSION—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	42.05	43.50	43.45	42.25	38.00	42.11	40.08
" " " 12 ft.	41.26	44.25	42.31	41.50	38.78[1]	41.57	40.95
" " " 14 ft.	41.80	43.25	41.62	41.50	38.30[1]	41.74	40 26
" " " 16 ft.	41.56	45.44	42.43	41.50	38.00	42.78	39.82
" " " 18 ft.	43.14	45.50	43.45	42.25	38 00[1]	43 44	39.74
" " " 20 ft.	42.96	45.50	43.45	42.25	40.00	40.91	41.32
" " " 22 ft.	43.00[3]	......	48.00	......	......	48.00	41.50
" " " 24 ft.	......	......	48.00	......	......	48.00	41.50
2x 10 No. 2, S 1 S 1 E, 10 ft.	41.31	37.50[2]	42.15	43.25	38.00[1]	42.25	41.66
" " " 12 ft.	41.60	43.44	43.22	41.50	38.00[1]	42.30	41.82
" " " 14 ft.	42.02	43.51	43.22	41.50	38.00[1]	42.40	38.79
" " " 16 ft.	43.06	41.41	43.30	41.50	38.00[1]	42.11	42.35
" " " 18 ft.	43.48	46.41	42.15	43.25	42.75	44.14	42 38
" " " 20 ft.	42.96	46.30	42.15	43.25	40.63	42.45	42.25
" " " 22 ft.	......	43.00[3]	49.00	......	......	49.00	45.00
" " " 24 ft.	......	......	49.00	......	......	49.00	45.00
2x12, No. 2, S 1 S 1 E, 10 ft.	41.07	43.50	43.63	44.50	39.00	40.34	44.43
" " " 12 ft.	41.65	45.60	43.85	43.50	37.00[1]	44 17	41.84
" " " 14 ft.	42.27	41.20	43.85	43.50	37.00[1]	41.55	39.16
" " " 16 ft.	45.79	41.57	42.12	43.50	40.00	41.93	43.56
" " " 18 ft.	44.46	46.52	43.63	44.50	42.00	44.03	42.43
" " " 20 ft.	44.40	47.47	43.63	44.50	37.00[1]	46.93	41.88
" " " 22 ft.	......	45.50[2]	48.00[1]	......	......	48.00[1]	48.00
" " " 24 ft.	......	45.50[2]	48.00[1]	......	......	48.00[1]	48.00
No. 1, 2x4 to 2x12, 26 ft. and longer	......	......	......	......	......	......	......
All No. 3, S 1 S 1 E, all lengths	30.05	27.52	26.19[1]	25.00	25.38	27.17	27.60
PATENT LATH.							
4 and 6 ft.	38.64	40.00	37.89	37.00	......	38.18	37.07
8 and 10 ft.	40.22	40.00	41.75	37.50	......	39.72	37.94
12 ft. and longer	41.07	40.00	40.50	41.75	......	40.74	39.25
PLASTERING LATH							
⅜x1½-4, No. 1	15.37	15.00	14.85	15.35	13.27	14.90	13.26
" No. 2	14.04	9.50[1]	14.15	12.85	12.23	13.85	11.51
⅜x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
⅝x1½-4, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
⅝x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
TIMBERS							
4x4 to 8x8, No. 1, up to 20 ft.	45.37	40.65	39.72	43.75	36.33	39.85	38.45
" " 22-24 ft.	48.46	40.86	43.88	......	39.00	42.64	39.69
" " 26 ft.	40.00[1]	44.04	39.63[1]	......	......	44.04	39.64
" " 28 ft.	41.00[1]	40.00	39 63[1]	......	......	40.00	41.00
" " 30 ft.	43.50[2]	44.95	39.99[1]	......	......	40.95	39.99
" " over 30 ft.	55.54	48.02	47.50	......	......	48.92	41.46
4x4 to 8x8, Heart (85%+), up to 20 ft.	44.38	45.11	38.00[3]	......	38.08	44.18	47.53
" " " 22-24 ft.	42.43	46.37	......	......	......	46.23	42.63[1]
" " " 26 ft.	......	47.00	......	......	......	47.00	......
" " " 28 ft.	44.00	47.67	......	......	......	47.00	......
" " " 30 ft.	......	50.40	......	......	......	50.40	44.38[2]
" " " over 30 ft	52.10[3]	50.75[2]	......	......	......	50.75[2]	50.75[1]
3 & 4x10, No. 1, up to 20 ft.	46.80	43.27	......	......	36.00	42.46	43.69
" " 22-24 ft.	50.50	43.08	......	......	......	48.91	48.28
" " 26 ft.	47.00	42.00[3]	......	......	......	47.00	47 50[1]
" " 28 ft.	43.96[2]	......	......	......	......	43.96[2]	43 96[1]
" " 30 ft.	45.00[3]	......	......	......	......	45.00[3]	45.00[2]
" " over 30 ft.	47.53	48.00	......	......	......	47.61	47.50[1]
3 & 4x10, Heart (85%+), up to 20 ft.	55.50	45.47	......	......	......	48.68	52.00
" " " 22-24 ft.	53 00[1]	46.50	......	......	......	46.50	53.00
" " " 26 ft.	55.00[1]	55.00	......	......	......	55.00	55.00
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	50.00[3]	......	......	......	50.00[3]	50.00[2]
" " " over 30 ft.	55.86[3]	......	......	......	......	55.86[3]	55.86[2]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
6x10 to 10x10, No. 1, up to 20 ft.	47.50	44.84	44.99	......	42.50	44.87	48.44
" " 22-24 ft.	50.32	41.00	46.79	......	......	46.80	43.45
" " 26 ft.	42.00[1]	42.00	48.61[1]	......	......	42.00	47.90
" " 28 ft.	53.50	55.25	48.61[1]	......	......	54.33	48.61
" " 30 ft.	40.00	56.00	48.17[1]	......	......	42.45	48.17
" " over 30 ft.	52.00	53.00	57.73	......	......	56.02	53.04
6x10 to 10x10, Heart (85%+), up to 20 ft.	43.00	48.00[3]	......	......	......	43.00	47.18[2]
" " " 22-24 ft.	42.20	......	......	......	......	42.20	48.01[2]
" " " 26 ft.	......	48.00[3]	......	......	......	48.00[3]	48.00[2]
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	50.00[3]	......	......	......	50.00[3]	50.00[2]
" " " over 30 ft.	50.60	......	......	......	......	50.60	......
3 & 4x12, No. 1, up to 20 ft.	54.42	44.62	......	......	41.17	44.34	51.42
" " 22-24 ft.	49.00[3]	47.71	......	......	......	47.71	53.00
" " 26 ft.	49.12[3]	50.50[2]	......	......	......	50.50[2]	50.50[1]
" " 28 ft.	50.97[3]	47.00[3]	......	......	......	50.83[3]	50.83[2]
" " 30 ft.	50.00[1]	47.00	......	......	......	47.00	50.00
" " over 30 ft.	62.50[2]	......	......	......	......	62.50[2]	62.50[1]
3 & 4x12, Heart (85%+) up to 20 ft.	47.00	47.23	......	......	......	47.18	46.53
" " " 22-24 ft.	......	49.40	......	......	......	49.40	47.00
" " " 26 ft.	52.00[3]	56.00	......	......	......	56.00	52.00[2]
" " " 28 ft.	......	56.00	......	......	......	56.00	......
" " " 30 ft.	49.60[3]	......	......	......	......	49.60[3]	49.60[2]
" " " over 30 ft.	59.02[3]	......	......	......	......	59.02[3]	59.02[2]
6x12 to 12x12, No. 1, up to 20 ft.	47.94	45.38	48.51	......	48.50	47.48	46.13
" " 22-24 ft.	53.50	46.61	48.08	......	......	48.02	48.95
" " 26 ft.	49.00[3]	......	55.00	......	......	55.00	51.30
" " 28 ft.	58.75[1]	46.50[2]	55.00	......	......	55.00	58.75
" " 30 ft.	48.70	......	51.77	......	......	50.48	51.90
" " over 30 ft.	57.50	......	52.16	......	......	52.67	58.89
6x12 to 12x12, Heart (85%+) up to 20 ft.	46.00	47.19	......	......	......	46.65	47.50[2]
" " " 22-24 ft.	46.80	48.50	......	......	......	48.02	46.00[2]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	50.50	......	......	......	50.50	48.50[3]
" " " 30 ft.	......	53.58	......	......	......	53.58	49.50[3]
" " " over 30 ft.	53.60	......	......	......	......	53.60	55.57[3]
2x14 to 4x14, No. 1, up to 20 ft.	48.94	......	......	......	......	48.94	47.50[3]
" " 22-24 ft.	67.00	......	......	......	......	67.00	51.18[3]
" " 26 ft.	69.00	58.00	......	......	......	58.85	......
" " 28 ft.	63.75[1]	......	......	......	......	63.75[1]	63.75
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
2x14 to 4x14, Heart (85%+) up to 20 ft.	51.30[3]	......	......	......	......	51.30[3]	51.30[2]
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
6x14 to 14x14, No. 1, up to 20 ft.	60.50	47.39[2]	52.17	......	......	52.51	50.27
" " 22-24 ft.	49.50[1]	51.00	55.87	......	......	53.44	55.48
" " 26 ft.	49.69[1]	......	49.74	......	......	49.74	51.34
" " 28 ft.	50.66[1]	......	49.74	......	......	49.74	50.66
" " 30 ft.	......	......	60.50	......	......	60.50	68.95
" " over 30 ft.	54.89[1]	......	60.50	......	......	60.50	56.16
6x14 to 14x14, Heart (85%+) up to 20 ft.	60.34[1]	48.61	......	......	......	48.61	60.34
" " " 22-24 ft.	61.00[1]	53.47	......	......	......	53.47	61.00
" " " 26 ft.	......	26.00	......	......	......	26.00	......
" " " 28 ft.	......	51.50	......	......	......	51.50	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	55.24	......	......	......	55.24	......
2x16 to 4x16, No. 1, up to 20 ft.	54.75	51.00	......	......	......	53.71	......
" " 22-24 ft.	......	52.00	......	......	......	52.00	......
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, Heart (85%+) up to 20 ft.	60.50[3]	......	......	......	......	60.50[3]	60.50[2]
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " 3 over0 ft.	......	......	......	......	......	......	......

TIMBERS—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
6x16 & Up, No. 1, up to 20 ft.	73.09	51.00	58.92	......	......	60.18	58.28
" " 22-24 ft.	68.09	52.00	63.63[1]	......	......	64.41	63.63
" " 26 ft.	50.00[3]	......	65.00	......	......	65.00	71.00
" " 28 ft.	75.59	60.00	65.00	......	......	75.28	71.00
" " 30 ft.	66.66[2]	54 50[2]	71.53[1]	......	......	71 53[1]	71.53
" " over 30 ft.	60.50	55.50[2]	80.87[1]	......	......	60.50	80.87
6x16 & Up, Heart (85%+) up to20 ft.	62.50[1]	......	......	......	......	62.50[1]	62.50
" " " 22-24 ft.	63.50	......	......	......	......	63.50	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	60.50[3]

STRINGERS.

	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
15 inch, Sq. E. up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	62.00[3]	......	......	......	62.00[3]	62.00[2]
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " 32 ft.	......	......	......	......	......	......	......
15 inch, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	......
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " 32 ft.	......	......	......	......	......	......	......
16 inch, Sq. E. up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	60.00[2]	......	......	......	60.00[2]	60.00[1]
" " 28 ft.	59.50[3]	......	......	......	......	59.50[3]	59 50[2]
" " 30 ft.	58.84[3]	59.00[2]	......	......	......	59.00[2]	59.00[1]
" " 32 ft.	......	......	......	......	......	......	......
16 inch, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	......
" " " 22-24 ft.	......	......	......	......	......	......	58.50[3]
" " " 26 ft.	60.00[3]	62.00	......	......	......	62.00	60.00[2]
" " " 28 ft.	65.50	......	......	......	......	65.50	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " 32 ft.	......	......	......	......	......	......	......

CAR SILLS

	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
Up to 9 inch, Sq. E, 34 ft.	42.50[1]	49.00	43.07	......	......	43.92	42.50
" " " 36 ft.	60.00[1]	50.00	43.07	......	42.00	47.44	60.00
" " " 37-38 ft.	48.25[2]	......	......	......	......	48 25[2]	48 25[1]
" " " 40 ft.	48.15[2]	61.00	......	......	45.00	50.33	48.07[1]
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 9 inch Heart (85%+) 34 ft.	48.00[3]	......	......	......	......	48.00[3]	48.00[2]
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	59.50[1]	......	......	......	......	59.50[1]	59.50
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
Up to 10 inch, Sq. E. 34 ft.	42.50[1]	51.00	39.00[2]	......	......	51.00	42.50
" " " 36 ft.	51.62[1]	53.18	39.00[2]	......	......	53.18	51.62
" " " 37-38 ft.	49.00[2]	......	......	......	......	49.00[2]	49.00[1]
" " " 40 ft.	47.50[2]	50.00[2]	......	......	......	48.65[2]	48.65[1]
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 10 inch, Heart (85%+) 34 ft.	49.00[3]	......	......	......	......	49.00[3]	49.00[2]
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	51.50[3]	......	......	......	......	51.50[3]	51.50[2]
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
Up to 12 inch, Sq. E. 34 ft.	43 62[3]	......	51.00	......	......	51.00	44 00[1]
" " " 36 ft.	50.38[2]	60.00	51.00	......	50.00	52 30	50.27[1]
" " " 37-38 ft.	53.25[2]	53.00	......	......	......	53 00	53.25[1]
" " " 40 ft.	......	54.00	......	......	......	54.00	......
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 12 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " " 36 ft.	61.50[3]	......	......	......	......	61.50[3]	61.50[2]
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	65.50[3]	......	......	......	......	65.50[3]	65.50[2]
" " " " 41-42 ft.	65.50[3]	......	......	......	......	65.50[3]	65.50[2]

CAR SILLS—(Continued).	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 10
Up to 14 inch, Sq. E. 34 ft.	......	......	......	......	......	......	......
" " " 36 ft.	53.00[3]	70.00	......	......	......	70.00	53.00[2]
" " " 37-38 ft.	54.00[2]	49.00[3]	......	......	......	54.00[2]	54.00[1]
" " " 40 ft.	......	56.00	......	......	......	56.00	51.00[2]
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 14 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
"							
CAPS							
12x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
" " 14 ft.	......	......	......	......	......	......	......
" " 16 ft.	......	......	......	......	......	......	......
12x14, Heart (85%+) 12 ft.	50.50[3]	......	......	......	......	50.50[3]	50 50[2]
" " " 14 ft.	......	46.00[3]	......	......	......	46.00[3]	46.00[2]
" " " 16 ft.	......	......	......	......	......	......	......
14x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
" " 14 ft.	......	......	......	......	......	......	......
" " 16 ft.	......	......	......	......	......	......	......
14x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	......	......	......	......	......	......	......
" " " 16 ft.	......	......	......	......	......	......	......
SAWN TIMBERS							
25 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
27½ " " 25 "	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
30 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
SPECIAL TIMBERS							
Track Ties, Sq. E., 6x8–8	40.48[1]	44.00	41.00	......	......	42.77	40.48
" " Heart, (85%+) 6x8–8	42.50[3]	44.00	......	......	......	44 00	42.50[2]
" " Sq. E. " 7x9–8	......	43.00	......	......	......	43.00	....
" " Heart " 7x9–8	......	......	......	......	......	......	......
Bridge Ties, Sq. E., 7x9 & up	......	......	......	......	......	......	42.00[3]
" " Heart,	42.00[3]	......	......	......	......	42.00[3]	42 00[2]
Paving Stock, S 1 S	......	36.66	31.67	......	......	35.00	29.92[1]
" " Rough	......	......	......	......	......	......	......
Battleship Decking, Edge Grain	......	......	......	......	......	......	......
Ship " Flat Grain	......	......	......	......	......	......	87.36[3]
Miscellaneous	61.69	46.17	53.00	......	90.00[1]	51.80	44.65
MISCELLANEOUS STOCK							
Silo Stock	......	45.82[3]	50.44[2]	......	......	50.44[2]	50.44[1]
Grain Doors	......	......	......	......	......	......	......
Miscellaneous, B and B	101.71	112.68	101.41	......	79.25	101.09	96.70
" No. 1	73.07	67.90	42.61	......	69.40	56.70	57.52
" No. 2	49.32	40.43	42 30	......	41.53	42.04	42.40
" No. 3	35.02	45.00	31.79	......	34.06	32.90	32.07
Shorts, B and B	80.50	60.00	......	......	......	75.06	71.43
" No. 1	35.77	39.00	......	......	......	35.78	32.00
" No. 2	......	35.19	......	......	......	35.19	46.50
" No. 3	......	28.60	......	......	......	28.60	29.75[2]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.7	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12 75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12 50	12.75	13.00	13.25	13.50	13.75	14 00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

January 31, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending January 31, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg, Little Rock and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling, and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued February 9, 1920

No. 83

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	37	1,143,235,854
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Arkansas Soft Pine Bureau, Little Rock, Ark.	13	500,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	202	5,734,183,686

FLOORING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼"							
Edge Grain, A "	130.00[1]					130.00[1]	130.00
" " B "							
" " B and Better "	125.72			119.00		124.15	118.15
" " C "	105.00			102.50[1]		105.00	102.28
" " D "	105.00					105.00	79.00[3]
" " No. 2 "							
Flat " A "				93.00[3]		93.00[3]	93.00[2]
" " B "	98.00					98.00	99.00
" " B and Better "	104.28			94.25		102.34	96.42
" " C "							
" " D "	89.54					89.54	85.80
No. 1 Common "				89.75		89.75	85.00
No. 2 " "	50.92			60.00		51.04	47.48
No. 3 " "							
Heart Face, Edge Grain, B and Better, 13/16x2½"			141.30			141.30	114.50[2]
Edge Grain, A "			110.87[2]		116.08[1]	116.08[1]	116.08
" " B "		111.13[1]	117.71		111.87[1]	117.71	111.66
" " B and Better "		124.50			106.67	111.75	114.50
" " C "			98.44		103.35[1]	98.44	103.35
" " D "		100.25[1]	85.00[2]			100.25[1]	100.25
" " No. 2 "			69.97		74.50	71.78	67.92
Flat " A "					120.25	120.25	111.75
" " B "		99.00				99.00	89.17[3]
" " B and Better "		109.00	103.86		104.83	104.42	102.57
" " C "					105.00	105.00	
" " D "							
No. 1 Common "		81.50[2]	93.54		89.85	92.64	83.68
No. 2 " "		50.00	53.54		48.60	51.98	46.20
No. 3 " "			36.13		35.52	35.82	31.24
Heart Face, Edge Grain, B and Better, 13/16x3¼"			124.00			124.00	101.50[2]
Edge Grain, A	121.00[1]		120.25	111.25[1]	103.50[2]	120.25	114.20
" " B "		104.47[1]	109.26	99.00[3]		109.26	100.62
" " B and Better "	117.02	111.85	89.08[2]	112.25	101.60	111.03	112.77
" " C "	101.63	99.33	101.45	93.75[1]		100.82	98.48
" " D "	98.42					98.42	89.39[1]
" " No. 2 "		60.00	62.16[3]		65.00[1]	60.00	65.00
Flat " A "	101.75	82.25[3]		93.00[1]		101.75	93.00
" " B "	100.00	99.84		99.25	98.00	99.59	89.20
" " B and Better "	100.03	99.08	99.69	98.75	95.80	99.52	93.22
" " C "	92.23	92.00				92.12	82.54
" " D "	89.30	89.00				89.28	81.43
No. 1 Common "		87.48	88.82	85.25	88.05	88.30	81.62
No 2 " "	51.45	50.48	48.99	54.00	47.17	49.35	45.90
No. 3 " "			35.82		33.07	33.65	32.65
CEILING							
Ceiling, ½x3¼", A							
" " B				70.25[2]		70.25[2]	70.25[1]
" " B and Better	63.15	55.00[1]	67.50	68.50	62.25[2]	66.36	61.78
" " No. 1 Common	60.00	50.00[1]	65.00	60.00	59.00[1]	64.08	58.30
" " No. 2 "	45.00	39.00[3]	42.05	41.25[1]	34.00[1]	42.12	39.92
" " No. 3 "			25.00[1]			25.00[1]	25.00
Ceiling, ⅝x3¼", A							
" " B				76.75		76.75	74.00
" " B and Better	78.12	72.18	75.03	75.25	77.60[1]	75.93	69.52
" " No. 1 Common	68.58	60.42	68.82	66.50	65.00[1]	67.04	64.06
" " No. 2 "	48.35	45.43	47.29	53.50	43.40	47.30	44.58
" " No. 3 "			28.75		28.00[2]	28.75	26.31
Ceiling, ¾x3¼", A							
" " B				90.25[1]		90.25[1]	90.25
" " B and Better	89.50[2]	93.00[2]	90.21	86.25[1]	87.58[1]	90.21	86.52
" " No. 1 Common	73.61[3]		83.00[1]	80.00	75.00[3]	80.00	83.00
" " No. 2 "		35.00	45.00		49.00	41.50	48.00[1]
" " No. 3 "			25.00[1]			25.00[1]	25.00
PARTITION							
Partition, ¾x3¼", A							
" " B							
" " B and Better	97.46[1]	94.00	85.00[1]	102.50	93.00	95.60	95.92
" " No. 1 Common	77.00[1]		89.55[1]	79.50	85.88[1]	79.50	87.90
" " No. 2 "	54.00[2]	50.00	47.25[1]	50.00[1]	50.00	50.00	47.27
Partition, ¾x5¼", A							
" " B							
" " B and Better	110.00		103.78			104.25	97.38
" " No. 1 Common	85.50		81.50			84.98	79.65
" " No. 2 "	48.75[3]		47.75			47.75	47.86
BEVEL SIDING							
Bevel Siding, A							
" B				65.50		65.50	
" B and Better	60.15		57.50[1]	51.00[2]		60.15	57.20
" No. 1 Common	58.00[1]		45.03	55.00	50.00	47.02	52.58
" No. 2 "			37.58			37.58	35.50

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
Drop Siding, ¾x3¼ or 5¼, A	......	......	......	......	......	......	......
" " B	......	......	......	89.25	......	89.25	87.25
" " B and Better	87.86	82.66	88.24	89.50	80.96[1]	88.26	80.58
" " No. 1 Common	80.59	69.91	76.14	81.00	87.00	76.05	73.32
" " No. 2 "	55.19	53.82	49.11	57.75	49.69	50.34	47.77
" " No. 3 "	......	......	35.28	......	30.00[1]	35.28	34.59
FINISH							
1x 4 inch, A	......	......	......	......	......	......	......
1x 6 inch, "	......	......	......	105.75[1]	......	105.75[1]	105.75
1x 8 inch, "	......	......	......	105.75[1]	......	105.75[1]	105.75
1x 5 and 10 inch, "	......	......	......	108.75[1]	......	108.75[1]	108.75
1x 12 inch, "	......	......	......	107.75[1]	......	107.75[1]	107.75
1¼x4 to 12 inch, "	......	......	......	112.18[1]	......	112.18[1]	112.18
1½ and 2x4 to 12 inch, "	......	......	......	100.00[2]	......	100.00[2]	100.00[1]
1⅝ inch, "	......	......	......	......	......	......	......
1x 4 inch, B	......	......	......	99.75	......	99.75	100.25
1x 6 inch, "	......	......	......	106.75	......	106.75	100.25
1x 8 inch, "	......	......	......	106.75	......	106.75	100.25
1x 5 and 10 nch, "	......	......	......	108.75	......	108.75	102.25
1x12 inch, "	......	......	......	105.25	......	105.25	......
1¼x4 to 12 inch, "	......	......	......	111.75	......	111.75	96.50[2]
1½ and 2x4 to 12 inch, "	......	......	......	112.00	......	112.00	99.75[2]
1⅝ inch, "	......	......	......	......	......	......	......
1x 4 inch, B and Better	100.48	101.16	104.38	104.50	70.50[3]	102.94	97.26
1x 6 inch, "	103.53	103.91	100.83	104.75	100.00	103.43	95.82
1x 8 inch, "	105.34	104.27	100.44	104.75	100.50	103.14	97.03
1x 5 and 10 inch, "	108.71	107.43	105.44	109.75	102.00	107.27	100.56
1x12 inch, "	109.91	108.40	105.80	109.00	104.00	108.88	101.06
1¼x4 to 12 inch, "	122.34	123.73	109.72	111.50	108.00	116.98	108.00
1½ and 2x4 to 12 inch, "	117.34	99.82[3]	103.03	114.25	95.08[1]	114.92	103.86
1⅝ inch, "	103.36	91.74[3]	......	......	......	103.36	86.87
1x6 to 12 inch, "	......	......	......	......	107.90	107.90	95.00
1x 4 inch, C	88.00	......	90.25	86.75[1]	......	89.80	86.02
1x 6 inch, "	93.00	92.00[2]	83.76	95.75	......	92.47	92.62
1x 8 inch, "	93.25	92.00[2]	90.25	95.75	......	92.39	88.12
1x 5 and 10 inch, "	96.33	94 00[2]	95.25	101.00	......	97.05	90.04
1x12 inch, "	93.68[1]	94.00[2]	95.25	96.50[1]	......	95.25	89.00
1¼x4 to 12 inch, "	100.00	......	97.75	90.00[1]	100.00[1]	98.00	91.22
1½ and 2x4 to 12 inch, "	88.00[1]	......	95.12	90.00[1]	......	95.12	88.07
1⅝ inch, "	......	......	......	......	......	......	......
1x6 to 12 inch, "	......	......	......	......	......	......	......
1x 4 inch, B and Better, Rough	87.50[1]	91.14	89.83[1]	......	......	91.14	89.24
1x 6 inch, " "	104.60	106.53	104.24	105.00	99.34[1]	104.76	97.86
1x 8 inch, " "	108.96	106.00	101.50	100.00[1]	90.54[2]	106.46	92.06
1x 5 and 10 inch, " "	108.81	106.00	105.10	106 25[1]	91.04[2]	107.14	95.00
1x12 inch, " "	99.64[1]	106.00	100.75	106.25[1]	91.54[2]	104.72	100.83
1¼x4 to 12 inch, " "	118.95	120.59	113.52	125.00	101.60[1]	116.36	104.37
1½ and 2x4 to 12 inch, " "	98.74[1]	116.15	112.46	125.00	96.88[3]	113.54	103.64
1⅝ inch, " "	......	111.72	......	......	......	111.72	82 00[3]
1x6 to 12 inch, " "	......	......	......	......	105.03	105.03	90.00[2]
CASING AND BASE							
From 4 and 6 inch stock, B. M., A	......	......	......	120.00	......	120.00	115.00
" B	......	......	......	......	......	......	......
" B and Better	113.57	103.18	105.03	110.50	110.00	110.04	109.13
From 8 and 10 inch stock, B. M., A	......	......	......	115.00[1]	......	115.00[1]	115.00
" B	......	......	......	......	......	......	......
" B and Better	114.52	107.44	106.43	111.25	110.00	110.16	105.96
MOULDINGS (% Discount)							
1½ inch and Smaller	......	......	......	3.45[1]	......	3.45[1]	3.45
1¾ inch and Larger	......	......	......	1.00	......	1.00	7.00[1]
DOOR AND WINDOW JAMBS							
A B. M.	......	......	......	......	......	......	......
B "	......	......	......	......	......	......	......
B and Better, "	112.25[1]	90.44[3]	103.93	115.69	......	112.75	113.50
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft	......	......	......	74.00[3]	......	74.00[3]	74.00[2]
" " " " " 8 ft	80.25[2]	65.00[2]	67.61	61.75[2]	......	67.61	62.66[1]
" " " " " 12 and 14 ft	......	......	......	......	......	......	73.79[3]
" " " " " 16 ft	......	......	......	......	......	......	......
" " " " " 9 or 18 ft	110.00	90.00[2]	79.67[3]	84.00[3]	......	110.00	91.25[1]
" " " " " 10 or 20 ft	90.00[1]	......	......	82.50[3]	......	90.00[1]	90.00

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	......	46.00	......	......	......	46.00	55.75[2]
" " " " " 8 ft.	78.85	55.00	67.25[2]	......	......	73.32	59.15[1]
" " " " " 12 and 14 ft.	78.00[2]	77.28	......	......	......	77.28	78.00[1]
" " " " " 16 ft.	......	......	......	70.00	......	70.00	......
" " " " " 9 or 18 ft.	95.00	81.08	95.00	......	......	82.62	80.00[1]
" " " " " 10 or 20 ft.	88.00	80.00	......	......	......	81.11	78.00[1]
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	......	46.00	......	......	......	46.00	55.00[2]
" " " " " 8 ft.	69.75	......	67.25[2]	......	......	69.75	60.00[1]
" " " " " 12 and 14 ft.	......	75.00	......	......	......	75.00	80.00[2]
" " " " " 16 ft.	76.56[1]	80.00[2]	......	70.00	......	70.00	76.56
" " " " " 9 or 18 ft.	78.00[2]	81.08	95.00	......	......	82.55	78.00[1]
" " " " " 10 or 20 ft.	88.25	80.00	......	......	......	88.25	66.41[1]
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	47.91	48.53[1]	......	35.00[2]	......	47.91	47.81
" " " " " 10 to 20 ft	49.91	42.00	......	43.75	......	46.10	45.15
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	42.00[3]
" " " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	35.50[1]	35.50[1]	35.50
" " " " 2 to 3 inch, 10 & 20 ft.	......	45.00[3]	......	......	......	45.00[3]	45.00[2]
" No. 1, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	49.50	......	......	......	......	49.50	46.00[1]
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	42.00[3]
" " " 2 to 3 inch, 9 & 18 ft.	......	49.00	40.00[3]	......	40.00	45.40	41.46[2]
" " " 2 to 3 inch, 10 & 20 ft.	......	45.25	40.00[3]	......	50.00	47.56	47.37
" No. 2, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	40.00[1]	40.00[1]	40.00
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	45.25	45.25	......
" " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	45.25	45.25	......
BOARDS, SHIPLAP AND GROOVED ROOFING							
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	68.12	......	93.75	60.75	......	68.30	62.52
" " " " other lengths.	72.86	61.73	84.01	61.50	90.00	74.15	63.62
" " 1x10, " 14 and 16 ft.	67.16	78.00	90.75	60.25[1]	......	75.44	62.72
" " " " other lengths.	79.95	61.80	83.10	60.50	91.00	75.28	66.82
" " 1x12, " 14 and 16 ft.	76.74	75.00	90.00	72.00	......	75.42	76.12
" " " " other lengths.	77.91	70.12	84.88	65.75	93.00	76.49	71.56
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	46.46	48.14	48.87	50.25	47.00	48.23	45.82
" " 1x10, " "	48.97	49.80	50.87	46.75	47.30	49.56	46.45
" " 1x12, " "	52.34	53.52	49.55	50.75	48.14	50.81	49.52
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	38.89	37.79	39.30	39.75	37.66	38.65	36.90
" " 1x10, " "	38.53	39.09	39.55	39.75	37.00	38.99	36.75
" " 1x12, " "	39.83	38.52	40.88	40.50	40.63	39.90	38.09
Shiplap, 1x8, No. 1, 14 and 16 ft.	68.05	51.50[3]	......	......	......	68.05	63.33
" " " other lengths.	67.77	57.07	73.45	51.50	63.70[1]	63.78	61.54
" 1x10, " 14 and 16 ft.	68.00	......	......	......	......	68.00	67.75
" " " other lengths.	67.91	60.14[1]	65.00	60.25[1]	45.00[2]	67.41	63.02
" 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " other lengths.	......	......	......	......	......	......	......
Shiplap, 1x8, No. 2, all lengths.	49.55	49.38	47.95	49.50	48.70	48.91	46.50
" 1x10, " "	50.33	46.08	47.55	41.25	46.32	48.24	45.29
" 1x12, " "	......	......	......	......	......	......	......
Shiplap, 1x8, No. 3, all lengths.	39.60	37.13	39.26	40.25	38.75	39.34	36.89
" 1x10, " "	40.07	36.94	42.09	39.75	38.50[1]	39.87	37.50
" 1x12, " "	40.76	41.00	......	39.50	......	40.66	37.56
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	65.50[1]	......	......	......	......	65.50[1]	65.50
" " " " other lengths.	68.39	59.50[1]	......	......	......	68.39	61.90
" " 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " " other lengths.	......	......	......	......	......	......	......
All No. 4—all widths and lengths.	24.45	......	24.66	19.00	21.90[3]	21.68	21.53

FENCING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
1x4, S 1 S, No. 1, 16 ft.	65.63	52.63[3]	......	54.00[1]	......	65.63	61.38
" " " other lengths	66.51	60.00	77.72	60.75	......	66.10	67.28
" " No. 2, all lengths	43.03	41.03	48.35	41.50	40.25	42.72	41.86
" " No. 3, "	36.47	33.40	37.46	37.00	34.75[1]	36.20	34.99
1x4, C. M., No. 1, 16 ft.	......	......	......	......	......	......	......
" " " other lengths	76.93	......	......	58.00[1]	......	76.93	55.64
" " No. 2, all lengths	42.50[1]	......	......	42.75	......	42.75	41.35
" " No. 3, "	......	......	......	36.50[1]	......	36.50[1]	36.50
1x6, S 1 S, No. 1, 16 ft.	64.90	80.00	74.76[2]	54.50[1]	......	65.49	61.77
" " " other lengths	72.40	61.40	83.54	60.00	......	70.13	66.32
" " No. 2, all lengths	47.03	45.59	45.80	46.25	44.79	45.79	43.84
" " No. 3, "	35.39	36.95	38.37	39.50	38.33	37.37	36.05
1x6, C. M., No. 1, 16 ft.	66.39	53.50[2]	......	58.00[1]	......	66.39	58.01
" " " other lengths	70.27	62.93	......	62.75	......	66.32	62.14
" " No. 2, all lengths	49.37	48.23	44.25[2]	45.75	45.64	48.12	45.59
" " No. 3, "	39.96	36.53	33.00[2]	35.75	35.00[1]	39.01	35.55
DIMENSION							
2x4, No. 1, S 1 S 1 E, 10 ft.	48.62	45.47	42.94	46.00[1]	41.00[1]	46.39	43.80
" " " 12 ft.	47.42	45.31	42.55	46.00	40.80[2]	45.56	44.49
" " " 14 ft.	47.39	45.33	43.11	47.25	40.91[2]	45.45	44.20
" " " 16 ft.	48.44	47.01	42.19	47.25	40.91[2]	45.85	46 46
" " " 18 ft.	47.98	47.17	39.17	46.00[1]	......	43.72	46.81
" " " 20 ft.	48.27	47.98	39.17	46.00[1]	......	48.07	47.15
" " " 22 ft.	48.26	48.58	49.00	43.00[3]	......	48.53	48.34
" " " 24 ft.	49.30	50.06	49.00	43.00[3]	......	49.85	48.58
2x6, No. 1, S 1 S 1 E, 10 ft.	44.02	44.75	42.36	44.50	39.75[2]	43.96	42.17
" " " 12 ft.	43.89	44.16	40.99	41.75	42.75[2]	43.11	41.31
" " " 14 ft.	43.75	44.22	40.99	41.75	43.25[2]	44.11	42.08
" " " 16 ft.	46.13	45.86	42.28	41.75	42.29[2]	45.28	43.85
" " " 18 ft.	44.67	45.83	42.28	44.50	......	45.49	44.24
" " " 20 ft.	44.53	45.78	42.28	44.50	39.25	45.41	43.75
" " " 22 ft.	46.78	46.51	49.74	45.50[1]	......	47.38	46.24
" " " 24 ft.	47.40	47.03	49.74	45.50[1]	......	47.04	46.69
2x8, No.1, S 1 S 1 E, 10 ft.	48.02	45.98	43.67	46.00	44.25	45.38	46.66
" " " 12 ft.	45.63	45.52	43.37	44.00	42.25	44.59	42.54
" " " 14 ft.	45.97	45.37	42.54	44.00	42.25	45.10	44.32
" " " 16 ft.	46.88	47.16	43.26	44.00	44.25	46.15	45.05
" " " 18 ft.	47.65	48.37	43.67	46.00	47.75	48.15	45.71
" " " 20 ft.	47.60	47.81	43.67	46.00	......	47.73	45.86
" " " 22 ft.	47.75	48.63	47.75	......	......	48.45	46.17
" " " 24 ft.	48.96	48.85	47.75	......	......	48.88	47.51
2x10, No. 1, S 1 S 1 E, 10 ft.	48.20	45.99	45.60	46.50	46.00[2]	46.38	45.64
" " " 12 ft.	45.84	46.08	46.05	45.00	46.00[2]	45.72	43.46
" " " 14 ft.	45.55	45.40	46.05	45.00	42.00[1]	45.43	43.98
" " " 16 ft.	48.05	45.47	46.69	45.00	40.99[1]	46.31	45.07
" " " 18 ft.	48.57	48.46	45.60	46.50	45.50[1]	48.50	46.95
" " " 20 ft.	47.01	48.57	45.60	46.50	45.50[1]	47.98	45.53
" " " 22 ft.	50.34	47.72	50.00	45.50[3]	......	48.43	47 87
" " " 24 ft.	50.47	48.61	50.00	45.50[3]	......	48.87	48.55
2x12, No. 1, S 1 S 1 E, 10 ft.	49.97	48.00	48.74	46.25[1]	......	48.39	48.34
" " " 12 ft.	47.25	47.90	44.86	47.00	42 00[1]	46.53	45.93
" " " 14 ft.	47.73	48.01	44.86	47.00	44.50[1]	47.96	45.70
" " " 16 ft.	49.42	48.02	47.65	47.00	42.00[1]	48.44	46.91
" " " 18 ft.	50.90	50.62	48.74	46.25[1]	47.50[1]	50.74	48.52
" " " 20 ft.	48.97	50.51	48.74	46.25[1]	47.50[1]	49.89	48.59
" " " 22 ft.	52.30	52.28	47.57	50.50	......	50.78	50.77
" " " 24 ft.	52.47	49.90	47.57	50.50	......	50.88	51.51
2x4, No. 2, S 1 S 1 E, 10 ft.	43.72	43.22	41.46	44.00	40.50	42.73	42.06
" " " 12 ft.	43.69	42.75	43.54	41.25	45.00	42.71	41.44
" " " 14 ft.	43.07	42.67	42.79	41.75	45.00	42.55	41.56
" " " 16 ft.	44.01	44.06	41.99	41.75	41.27[2]	43.45	43.43
" " " 18 ft.	45.85	45.64	43.55	44.00	41.63[2]	44.94	44.07
" " " 20 ft.	46.08	47.02	43.55	44.00	43.50	46.64	42.30
" " " 22 ft.	48.00	45.00	......	......	......	45.38	47.33
" " " 24 ft.	48.50	45.00	......	......	......	48.50	47.33
2x6, No. 2, S 1 S 1 E, 10 ft.	40.70	40.87	40.62	43.75	41.00	40.78	39.22
" " " 12 ft.	40.08	39.59	39.00	41.25	37.52[2]	39.71	39.34
" " " 14 ft.	41.18	41.44	39.00	41.25	37.37[2]	41.25	39.97
" " " 16 ft.	41.23	41.55	41.33	41.25	37.62[2]	41.31	40.30
" " " 18 ft.	40.66	41.18	40.62	43.75	37.71[2]	40.76	41.04
" " " 20 ft.	40.83	42.39	40.62	43.75	39.00[1]	41.18	40.45
" " " 22 ft.	......	44.15	47.75[1]	......	......	44.15	44.90
" " " 24 ft.	......	44.15	47.75[1]	......	......	44.15	44.90

DIMENSION—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	41.20	43.50[1]	42.01	39.75	42.00	41.74	42.11
" " " 12 ft.	40.81	42.50	40.79	43.75	40.65	41.30	41.57
" " " 14 ft.	40.51	42.02	40.87	43.75	38.30[2]	41.04	41.74
" " " 16 ft.	42.56	42.61	41.83	43.75	42.48	42.45	42.78
" " " 18 ft.	42.36	44.08	42.01	39.75	44.59	43.07	43.44
" " " 20 ft.	43.19	44.65	42.01	39.75	43.50	43.48	40.91
" " " 22 ft.	......	48.71	43.50	......	......	46.97	48.00
" " " 24 ft.	......	48.71	43.50	......	......	46.97	48.00
2x 10 No. 2, S 1 S 1 E, 10 ft.	45.34	42.77	42.56	43.50	38.00[2]	42.68	42.25
" " " 12 ft.	41.46	41.13	41.48	44.50	45.00	41.79	42.30
" " " 14 ft.	41.31	42.14	41.48	44.50	38.00[2]	41.49	42.40
" " " 16 ft.	43.92	42.96	43.08	44.50	38.00[2]	43.41	42.11
" " " 18 ft.	44.42	41.24	43.08	43.50	42.75[1]	42.00	44.14
" " " 20 ft.	43.69	41.71	43.08	43.50	40.63[1]	43.10	42.45
" " " 22 ft.	......	48.45	45.22	......	......	47.26	49.00
" " " 24 ft.	......	48.45	45.22	......	......	47.26	49.00
2x12, No. 2, S 1 S 1 E, 10 ft.	42.86	43.50[1]	44.91	45.50	44.50	44.53	40.34
" " " 12 ft.	42.95	48.00	43.10	48.50	42.75	43.50	44.17
" " " 14 ft.	44.06	42.50	43.10	48.50	42.75	43.88	41.55
" " " 16 ft.	46.21	44.99	44.35	48.50	40.44	44.57	41.93
" " " 18 ft.	47.15	46.52[1]	44.91	45.50	45.75	47.02	44.03
" " " 20 ft.	45.29	50.00	44.91	45.50	37.00[2]	45.68	46.93
" " " 22 ft.	......	45.50[3]	48.00[2]	......	......	48.00[2]	48.00[1]
" " " 24 ft.	......	45.50[3]	48.00[2]	......	......	48.00[2]	48.00[1]
No. 1, 2x4 to 2x12, 26 ft. and longer	......	......	......	......	......	......	......
All No. 3, S 1 S 1 E, all lengths	31.81	29.78	31.26	30.50	30.00	31.15	27.17

PATENT LATH.

	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
4 and 6 ft.	40.10	40.00	42.50	37.00[1]	......	40.43	38.18
8 and 10 ft.	38.70	40.00	41.75[1]	40.25	......	39.66	39.72
12 ft. and longer	39.25	40.00	42.15	41.75[1]	......	41.39	40.74

PLASTERING LATH

	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
3/8x1½-4, No. 1	16.65	16.50	16.31	16.75	14.83	16.22	14.90
" No. 2	14.67	9.50[2]	14.21	12.00	15.00	14.17	13.85
3/8x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
5/16x1½-4, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
5/16x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......

TIMBERS

	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
4x4 to 8x8, No. 1, up to 20 ft.	47.63	40.84	40.04	42.00	35.65	40.93	39.85
" " 22-24 ft.	45.81	40.78	43.51	......	39.00[1]	43.83	42.64
" " 26 ft.	42.60	45.00	47.51	......	......	46.26	44.04
" " 28 ft.	41.00[2]	40.00[1]	47.51	......	......	47.51	40.00
" " 30 ft.	43.50[3]	44.95[1]	45.63	......	......	45.63	40.95
" " over 30 ft.	55.54[1]	48.02[1]	48.75	......	......	48.75	48.92
4x4 to 8x8, Heart (85%+), up to 20 ft.	49.50	45.40	......	......	46.50	45.90	44.18
" " " 22-24 ft.	42.43[1]	50.50	......	......	......	50.50	46.23
" " " 26 ft.	......	47.00[1]	......	......	......	47.00[1]	47.00
" " " 28 ft.	44.00[1]	47.67[1]	......	......	......	47.00[1]	47.00
" " " 30 ft.	......	50.40[1]	......	......	......	50.40[1]	50.40
" " " over 30 ft	60.75	50.75[3]	......	......	......	60.75	50.75[2]
3 & 4x10, No. 1, up to 20 ft.	46.80[1]	48.00	......	......	38.25	38.53	42.46
" " 22-24 ft.	50.50[1]	50.00	......	......	......	50.00	48.91
" " 26 ft.	47.00[1]	......	......	......	......	47.00[1]	47.00
" " 28 ft.	43.96[3]	......	......	......	......	43.96[3]	43.96[2]
" " 30 ft.	......	......	......	......	......	......	45.00[3]
" " over 30 ft.	47.53[1]	48.00[1]	......	......	......	47.61[1]	47.61
3 & 4x10, Heart (85%+), up to 20 ft.	55.50[1]	46.79	......	......	51.00	49.27	48.68
" " " 22-24 ft.	53.00[2]	50.00	......	......	......	50.00	46.50
" " " 26 ft.	55.00[2]	55.00[1]	......	......	......	55.00[1]	55.00
" " " 28 ft.	......	......	......	......	......	......	
" " " 30 ft.	......	......	......	......	......	......	50.00[3]
" " " over 30 ft.	......	......	......	......	......	......	55.86[3]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
6x10 to 10x10, No. 1, up to 20 ft.	55.72	47.60	44.49	......	42.50[1]	47.09	44.87
" " 22-24 ft.	48.75	36.34	45.45	......	......	41.57	46.80
" " 26 ft.	42.00[2]	51.00	46.50	......	......	46.89	42.00
" " 28 ft.	53.50[1]	55.25[1]	46.50	......	......	46.50	54.33
" " 30 ft.	40.00[1]	56.00[1]	48.17[2]	......	......	42.45[1]	42.45
" " over 30 ft.	58.00	53.00[1]	50.67	......	......	53.21	56.02
6x10 to 10x10, Heart (85%+), up to 20 ft.	43.00[1]	46.93	......	......	......	46.93	43.00
" " " 22-24 ft.	42.20[1]	43.00	......	......	......	43.00	42.20
" " " 26 ft.	......	......	......	......	......	......	48.00[3]
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	50.00[3]
" " " over 30 ft.	50.60[1]	......	......	......	......	50.60[1]	50.60
3 & 4x12, No. 1, up to 20 ft.	51.79	49.56	......	......	41.17[1]	50.47	44.34
" " 22-24 ft.	52.93	53.00	......	......	......	52.97	47.71
" " 26 ft.	......	50.50[3]	......	......	......	50.50[3]	50.50[2]
" " 28 ft.	......	......	......	......	......	......	50.83[3]
" " 30 ft.	50.00[2]	52.00	......	......	......	52.00	47.00
" " over 30 ft.	62.50[3]	......	......	......	......	62.50[3]	62.50[2]
3 & 4x12, Heart (85%+) up to 20 ft.	58.00	49.37	......	......	......	49.51	47.18
" " " 22-24 ft.	......	53.00	......	......	......	53.00	49.40
" " " 26 ft.	......	56.00[1]	......	......	......	56.00[1]	56.00
" " " 28 ft.	......	56.00[1]	......	......	......	56.00[1]	56.00
" " " 30 ft.	......	......	......	......	......	......	49.60[3]
" " " over 30 ft.	......	......	......	......	......	......	59.02[3]
6x12 to 12x12, No. 1, up to 20 ft.	67.00	48.84	50.00	......	52.50	53.23	47.48
" " 22-24 ft.	52.14	49.00	58.05	......	......	55.83	48.02
" " 26 ft.	......	......	52.00	......	......	52.00	55.00
" " 28 ft.	58.75[2]	50.72	52.00	......	......	50.72	55.00
" " 30 ft.	46.75	52.00	59.57	......	......	49.44	50.48
" " over 30 ft.	57.50[1]	53.00	64.07	......	......	58.99	52.67
6x12 to 12x12, Heart (85%+) up to 20 ft.	46.00[1]	49.50	......	......	......	49.50	46.65
" " " 22-24 ft.	46.80[1]	48.50[1]	......	......	......	48.02[1]	48.02
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	50.50[1]	......	......	......	50.50[1]	50.50
" " " 30 ft.	......	53.58[1]	......	......	......	53.58[1]	53.58
" " " over 30 ft.	53.60	75.00	......	......	......	75.00	53.60
2x14 to 4x14, No. 1, up to 20 ft.	48.94[1]	58.70	......	......	......	58.70	48.94
" " 22-24 ft.	67.00[1]	53.05	......	......	......	53.05	67.00
" " 26 ft.	69.00[1]	53.25	......	......	......	53.25	58.85
" " 28 ft.	63.75[2]	70.00	......	......	......	70.00	63.75
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
2x14 to 4x14, Heart (85%+) up to 20 ft.	......	57.00	......	......	......	57.00	51.30[3]
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
6x14 to 14x14, No. 1, up to 20 ft.	67.00	54.88	54.04	......	......	54.86	52.51
" " 22-24 ft.	67.00	57.06	56.31	......	......	56.56	53.44
" " 26 ft.	49.69[2]	......	75.30	......	......	75.30	49.74
" " 28 ft.	50.66[2]	......	75.30	......	......	75.30	49.74
" " 30 ft.	47.00	......	60.50[1]	......	......	47.00	60.50
" " over 30 ft.	54.89[2]	......	60.50[1]	......	......	60.50[1]	60.50
6x14 to 14x14, Heart (85%+) up to 20 ft.	60.34[2]	58.00	......	......	......	58.00	48.61
" " " 22-24 ft.	61.00[2]	56.00	......	......	......	56.00	53.47
" " " 26 ft.	......	26.00[1]	......	......	......	26.00[1]	26.00
" " " 28 ft.	......	51.50[1]	......	......	......	51.50[1]	51.50
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	55.24[1]	......	......	......	55.24	55.24
2x16 to 4x16, No. 1, up to 20 ft.	54.75[1]	51.00[1]	......	......	......	53.71[1]	53.71
" " 22-24 ft.	......	56.00	......	......	......	56.00	52.00
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	60.50[3]
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " 3 over0 ft.	......	......	......	......	......	......	......

TIMBERS—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
6x16 & Up, No. 1, up to 20 ft.	73 09[1]	53.13	61.25			60.67	60.18
" " 22-24 ft.	64 00	52 00[1]	67.25			64.78	64.41
" " 26 ft.	65 00		70.78			66.74	65 00
" " 28 ft.	75.59[1]	60 00[1]	70.78			70.78	75 28
" " 30 ft.	47 00	54.50[3]	71.53[2]			47 00	71 53[1]
" " over 30 ft.	60 50[1]	55 50[3]	80.87[2]			60 50[1]	60.50
6x16 & Up, Heart (85%+) up to 20 ft.	62 50[2]					62 50[2]	62.50[1]
" " " 22-24 ft.	63.50[1]					63.50[1]	63.50
" " " 26 ft.							
" " " 28 ft.							
" " " 30 ft.							
" " " over 30 ft.		90 00				90 00	
STRINGERS.							
15 inch, Sq. E. up to 20 ft.							
" " 22-24 ft.							
" " 26 ft.							62 00[3]
" " 28 ft.							
" " 30 ft.							
" " 32 ft.							
15 inch, Heart (85%+) up to 20 ft.							
" " " 22-24 ft.							
" " " 26 ft.							
" " " 28 ft.							
" " " 30 ft.							
" " " 32 ft.							
16 inch, Sq. E. up to 20 ft.		57.66				57.66	
" " 22-24 ft.							
" " 26 ft.		64.66				64.66	60 00[2]
" " 28 ft.		65 00				65 00	59.50[3]
" " 30 ft.		64.76				64.76	59 00[2]
" " 32 ft.							
16 inch, Heart (85%+) up to 20 ft.							
" " " 22-24 ft.							
" " " 26 ft.		62.00[1]				62 00[1]	62 00
" " " 28 ft.	65.50[1]					65.50[1]	65 50
" " " 30 ft.							
" " " 32 ft.							
CAR SILLS							
Up to 9 inch, Sq. E. 34 ft.	42 50[2]	53.17	43.31			45.41	43 92
" " " 36 ft.	60 00[2]	54.70	43.31		45 00	46 53	47.44
" " " 37-38 ft.	48 25[3]	54 00				54.00	48 25[2]
" " " 40 ft.	48 15[3]	56 00			45.00[1]	56.00	50.33
" " " 41-42 ft.		58.00				58.00	
Up to 9 inch Heart (85%+) 34 ft.							48.00[3]
" " " " 36 ft.							
" " " " 37-38 ft.	59.50[2]					59.50[2]	59.50[1]
" " " " 40 ft.							
" " " " 41-42 ft.							
Up to 10 inch, Sq. E. 34 ft.	42 50[2]	55.30	39 00[3]			55.30	51 00
" " " 36 ft.	51 62[2]	56.54	39 00[3]		45.00	50.77	53.18
" " " 37-38 ft.	49 00[3]		67.50			67 50	49 00[2]
" " " 40 ft.	47 50[3]	50.00[3]	67.50			67.50	48 65[2]
" " " 41-42 ft.							
Up to 10 inch, Heart (85%+) 34 ft.							49 00[3]
" " " " 36 ft.							
" " " " 37-38 ft.							51.50[3]
" " " " 40 ft.							
" " " " 41-42 ft.							
Up to 12 inch, Sq. E. 34 ft.		59 00	51 00[1]			59.00	51.00
" " " 36 ft.	50 38[3]	60 00[1]	51 00[1]		53.00	53 00	52.30
" " " 37-38 ft.	53 25[3]	58.00				58.00	53.00
" " " 40 ft.		54.60[1]				54 00[1]	54.00
" " " 41-42 ft.							
Up to 12 inch, Heart (85%+) 34 ft.							61 50[3]
" " " " 36 ft.							
" " " " 37-38 ft.							
" " " " 40 ft.							65 50[3]
" " " " 41-42 ft.							65 50[2]

CAR SILLS—(Continued).	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 20
Up to 14 inch, Sq. E. 34 ft.	......	62.00	......	......	......	62.00	......
" " " 36 ft.	......	62.65	......	......	......	62.65	70.00
" " " 37-38 ft.	54.00[3]	......	......	......	......	54.00[3]	54.00[2]
" " " 40 ft.	......	65.00	......	......	......	65.00	56.00
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 14 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
CAPS							
12x14, Sq. E. 12 ft.	......	52.12	......	......	......	52.12	......
" " 14 ft.	......	57.12	......	......	......	57.12	......
" " 16 ft.	......	......	......	......	......	......	......
12x14, Heart (85%+) 12 ft.	......	......	......	......	......	......	50.50[3]
" " " 14 ft.	......	......	......	......	......	......	46.00[3]
" " " 16 ft.	......	......	......	......	......	......	......
14x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
" " 14 ft.	......	......	......	......	......	......	......
" " 16 ft.	......	......	......	......	......	......	......
14x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	......	......	......	......	......	......	......
" " " 16 ft.	......	......	......	......	......	......	......
SAWN TIMBERS							
25 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
27½ " " 25 "	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
30 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
SPECIAL TIMBERS							
Track Ties, Sq. E., 6x8-8	40.48[2]	42.60	45.00	......	......	43.73	42.77
" " Heart, (85%+) 6x8-8	......	44.00[1]	......	......	......	44.00[1]	44.00
" " Sq. E. " 7x9-8	......	43.00[1]	......	......	......	43.00[1]	43.00
" " Heart " 7x9-8	......	......	......	......	......	......	......
Bridge Ties, Sq. E., 7x9 & up	......	......	......	......	......	......	......
" " Heart,	......	......	......	......	......	......	42.00[3]
Paving Stock, S 1 S	43.00	40.00	39.30	......	......	40.84	35.00
" " Rough	......	......	......	......	......	......	......
Battleship Decking, Edge Grain	......	......	......	......	......	......	......
Ship " Flat Grain	......	......	......	......	......	......	......
Miscellaneous	42.16	52.57	53.00[1]	......	90.00[2]	51.35	51.80
MISCELLANEOUS STOCK							
Silo Stock	......	......	50.44[3]	......	48.00	48.00	50.44[2]
Grain Doors	......	......	22.50	......	......	22.50	......
Miscellaneous, B and B	101.00	101.80	103.84	......	84.16	101.17	101.09
" No. 1	78.11	76.67	50.14	......	74.47	63.14	56.70
" No. 2	52.02	45.61	44.92	......	45.22	45.24	42.04
" No. 3	35.02[1]	23.55	37.50	......	36.88	34.77	32.90
Shorts, B and B	92.34	80.72	......	......	......	87.05	75.06
" No. 1	35.72	54.24	......	......	......	37.10	35.78
" No. 2	......	34.02	......	......	......	34.02	35.19
" No. 3	......	35.31	......	......	......	35.31	28.60

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.13½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

February 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending February 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg, Little Rock and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued February 19, 1920

No. 84

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	37	1,143,235,854
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Arkansas Soft Pine Bureau, Little Rock, Ark.	13	500,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	202	5,734,183,686

FLOORING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 31
Heart Face, Edge Grain, B and Better. $\frac{13}{16}$x2¼″	......	......	......	......	......	......	......
Edge Grain, A "	130.00[2]	......	......	......	......	130.00[2]	130.00[1]
" " B "	......	......	......	......	......	......	......
" " B and Better "	131.82	......	......	128.50	......	131.14	124.15
" " C "	123.10	......	......	102.50[2]	......	123.10	105.00
" " D "	98.55	......	......	......	......	98.55	105.00
" " No. 2 "	......	......	......	......	......	......	......
Flat " A "	......	......	......	......	......	......	93.00[3]
" " B "	98.00[1]	......	......	......	......	98.00[1]	98.00
" " B and Better "	101.23	......	......	102.00	......	101.86	102.34
" " C "	......	......	......	......	......	......	......
" " D "	89.74	......	......	......	......	89.74	89.54
No. 1 Common "	......	......	......	92.00	......	92.00	89.75
No. 2 " "	51.02	......	......	59.50	......	52.22	51.04
No. 3 " "	......	......	......	......	......	......	......
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″	......	......	141.30[1]	......	114.28	114.28	141.30
Edge Grain, A "	......	......	130.50	......	128.00	128.13	116.08[1]
" " B "	......	111.13[2]	132.26	......	130.12	131.26	117.71
" " B and Better "	......	131.84	......	......	129.58	131.07	111.75
" " C "	......	......	115.50	......	109.75	112.11	98.41
" " D "	......	100.25[2]	85.00[3]	......	......	100.25[2]	100.25[1]
" " No. 2 "	......	......	72.79	......	74.50[1]	72.79	71.78
Flat " A "	......	......	......	......	120.25[1]	120.25[1]	120.25
" " B "	......	99.00[1]	......	......	105.00	105.00	99.00
" " B and Better "	......	109.00[1]	110.24	......	106.56	108.50	104.42
" " C "	......	94.00	......	......	105.00[1]	94.00	105.00
" " D "	......	91.00	......	......	......	91.00	......
No. 1 Common "	......	88.00	98.26	......	98.00	97.35	92.64
No. 2 " "	......	50.00	54.32	......	52.95	53.38	51.98
No. 3 " "	......	......	39.36	......	32.25	37.78	35.82
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″	......	......	124.00[1]	......	......	124.00[1]	124.00
Edge Grain, A "	121.00[2]	......	120.25[1]	122.00	103.50[3]	122.00	120.25
" " B "	......	104.47[2]	112.54	......	112.00	112.52	109.26
" " B and Better "	123.21	121.68	89.08[3]	121.00	101.60	122.62	111.03
" " C "	108.42	99.33[1]	101.46	93.75[2]	104.50	105.40	100.82
" " D "	97.50	......	......	......	......	97.50	98.42
" " No. 2 "	......	60.00[1]	65.75	......	65.00[2]	65.75	60.00
Flat " A "	102.00	......	......	104.50	......	102.62	101.75
" " B "	100.00	100.00	......	99.50	98.00[1]	99.94	99.59
" " B and Better "	102.46	103.58	103.84	102.25	102.90	102.88	99.52
" " C "	92.63	95.00	......	......	......	93.66	92.12
" " D "	88.60	88.00	......	......	......	88.60	89.28
No. 1 Common "	......	92.32	94.76	92.00	94.08	94.01	88.30
No 2 " "	50.86	51.91	52.34	55.25	49.32	51.52	49.35
No. 3 " "	......	......	39.40	......	35.37	37.30	33.65
CEILING							
Ceiling, ½x3¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	70.25[3]	......	70.25[3]	70.25[2]
" " B and Better	64.40	55.00[2]	70.00	68.00	62.25[3]	65.82	66.36
" " No. 1 Common	60.00[1]	50.00[2]	65.00[1]	60.00[1]	59.00[2]	64.08[1]	64.08
" " No. 2 "	45.00[1]	......	44.12	41.25[2]	34.00[2]	44.12	42.12
" " No. 3 "	......	......	27.42	......	......	27.42	25.00[1]
Ceiling, ⅝x3¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	70.00	......	70.00	76.75
" " B and Better	78.70	77.90	76.80	82.25	85.84	78.37	75.93
" " No. 1 Common	69.88	65.43	72.32	70.50	70.00	70.08	67.04
" " No. 2 "	48.59	45.43[1]	49.62	44.75	46.26	48.74	47.30
" " No. 3 "	......	......	28.97	......	28.00[3]	28.97	28.75
Ceiling, ¾x3¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	90.25[2]	......	90.25[2]	90.25[1]
" " B and Better	89.50[3]	93.00[3]	95.83	104.75	102.00	100.26	90.21
" " No. 1 Common	......	......	90.00	89.75	......	89.80	80.00
" " No. 2 "	......	35.00[1]	45.00[1]	......	49.00[1]	41.50[1]	41.50
" " No. 3 "	......	......	25.00[2]	......	......	25.00[2]	25.00[1]
PARTITION							
Partition, ¾x3¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	......	......	......	......
" " B and Better	97.46[2]	102.66	85.00[2]	113.50	102.82	104.16	95.60
" " No. 1 Common	94.50	......	89.55[2]	79.50[1]	99.50	98.25	79.50
" " No. 2 "	54.00[3]	50.00[1]	47.25[2]	65.00	55.00	56.66	50.00
Partition, ¾x5¼″, A	......	......	......	......	......	......	......
" " B	......	......	......	......	......	......	......
" " B and Better	110.00[1]	......	105.00	......	102.25	104.31	104.25
" " No. 1 Common	85.50[1]	......	81.50[1]	......	......	84.98[1]	84.98
" " No. 2 "	......	......	57.20	......	......	57.20	47.75
BEVEL SIDING							
Bevel Siding, A	......	......	......	......	......	......	......
" B	......	......	......	65.50[1]	......	65.50[1]	65.50
" B and Better	62.30	75.00	57.50[2]	51.00[3]	......	66.54	60.15
" No. 1 Common	58.00[2]	......	45.03[1]	51.00	50.00[1]	51.00	47.02
" No. 2 "	50.00	......	37.58[1]	......	......	50.00	37.58

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Averag Previou Repor Jan. 3
Drop Siding, ¾x3¼ or 5¼,	A	......	......	......	......	......	......	......
" "	B	......	......	......	89.25[1]	......	89.25[1]	89.2
" "	B and Better	88.86	84.94	86.15	100.00	80.96[2]	87.59	88.2
" "	No. 1 Common	82.66	70.15	81.50	87.50	89.11	82.20	76.0
" "	No. 2 "	55.15	52.00	53.54	52.25	52.00	54.24	50.3
" "	No. 3 "	......	......	42.59	......	35.00	41.96	35.2
FINISH								
1x 4 inch,	A	......	......	......	......	......	......	......
1x 6 inch,	"	......	......	......	120.00	......	120.00	105.7
1x 8 inch,	"	......	......	......	120.00	......	120.00	105.7
1x 5 and 10 inch,	"	......	......	......	122.00	......	122.00	108.7
1x 12 inch,	"	......	......	......	122.00	......	122.00	107.7
1¼x4 to 12 inch,	"	......	......	......	124.75	......	124.75	112.1
1½ and 2x4 to 12 inch,	"	......	......	......	100.00[3]	......	100.00[3]	100.0
1⅝ inch,	"	......	......	......	......	......	......	......
1x 4 inch,	B	......	......	......	99.75[1]	......	99.75[1]	99.7
1x 6 inch,	"	......	......	......	104.50	......	104.50	106.7
1x 8 inch,	"	......	......	......	104.50	......	104.50	106.7
1x 5 and 10 nch,	"	......	......	......	107.50	......	107.50	108.7
1x12 inch,	"	......	......	......	117.75	......	117.75	105.2
1¼x4 to 12 inch,	"	......	......	......	116.25	......	116.25	111.7
1½ and 2x4 to 12 inch,	"	......	......	......	129.75	......	129.75	112.0
1⅝ inch,	"	......	......	......	......	......	......	......
1x 4 inch,	B and Better	102.27	108.00	111.40	104.75	......	103.30	102.9
1x 6 inch,	"	103.70	112.15	109.00	115.75	100.00[1]	109.26	103.4
1x 8 inch,	"	104.79	112.24	111.27	115.75	100.50[1]	109.50	103.1
1x 5 and 10 inch,	"	106.94	112.20	113.50	119.75	102.00[1]	111.52	107.2
1x12 inch,	"	110.14	111.65	117.80	117.25	104.00[1]	112.63	108.8
1¼x4 to 12 inch,	"	122.60	121.91	119.51	128.00	120.00	121.83	116.9
1½ and 2x4 to 12 inch,	"	111.70	112.00	117.46	127.25	95.08[2]	117.55	114.9
1⅝ inch,	"	103.36[1]	......	......	......	......	103.36[1]	103.3
1x6 to 12 inch,	"	......	......	......	......	112.50	112.50	107.9
1x 4 inch,	C	98.00	......	90.25[1]	86.75[2]	......	98.00	89.8
1x 6 inch,	"	96.52	92.00[3]	83.76[1]	102.75	......	100.08	92.4
1x 8 inch,	"	95.97	92.00[3]	90.25[1]	102.75	......	95.97	92.3
1x 5 and 10 inch,	"	101.06	94.00[3]	95.25[1]	101.50	......	101.16	97.0
1x12 inch,	"	93.68[2]	94.00[3]	95.25[1]	96.50[2]	......	95.25[1]	95.2
1¼x4 to 12 inch,	"	100.00[1]	......	97.75[1]	90.00[1]	100.00[2]	98.00[1]	98.0
1½ and 2x4 to 12 inch,	"	88.00[2]	......	95.12[1]	90.00[1]	......	95.12[1]	95.1
1⅝ inch,	"	......	......	......	......	......	......	......
1x6 to 12 inch,	"	......	......	......	......	......	......	......
1x 4 inch,	B and Better, Rough	105.00	91.14[1]	89.83[2]	......	......	105.00	91.1
1x 6 inch,	" "	110.30	113.02	104.24[1]	115.25	99.34[2]	111.67	104.7
1x 8 inch,	" "	113.72	120.42	107.70	115.25	90.54[3]	111.33	106.4
1x 5 and 10 inch,	" "	123.60	113.75	117.42	106.25[2]	91.04[3]	119.53	107.1
1x12 inch,	" "	122.54	113.95	118.50	106.25[2]	91.54[3]	120.94	104.7
1¼x4 to 12 inch,	" "	118.95[1]	124.00	121.87	124.25	125.00	122.72	116.3
1½ and 2x4 to 12 inch,	" "	119.75	116.15[1]	101.94	125.00[1]	......	104.05	113.5
1⅝ inch,	" "	......	111.72[1]	......	......	......	111.72[1]	111.7
1x6 to 12 inch,	" "	......	......	......	......	108.40	108.40	105.0
CASING AND BASE								
From 4 and 6 inch stock, B. M.,	A	......	......	......	120.00[1]	......	120.00[1]	120.0
"	B	......	......	......	......	......	......	......
"	B and Better	120.72	103.18[1]	126.63	115.50	110.00[1]	120.45	110.0
From 8 and 10 inch stock, B. M.,	A	......	......	......	115.00[2]	......	115.00[2]	115.0
"	B	......	......	......	......	......	......	......
"	B and Better	112.42	107.44[1]	128.67	119.25	110.00[1]	118.70	110.1
MOULDINGS (% Discount)								
1½ inch and Smaller		......	......	......	3.00*	......	3.00*	3.45
1¾ inch and Larger		......	......	......	1.00[1]*	......	1.00[1]*	1.00
DOOR AND WINDOW JAMBS								
A	B. M.	......	......	......	......	......	......	......
B	"	......	......	......	......	......	......	......
B and Better,	"	123.18	......	103.93[1]	115.69[1]	......	123.18	112.7
CAR MATERIAL								
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft	80.00	......	80.75	......	......	80.25	74.0
" " " " "	8 ft	80.00	80.00	67.61[1]	61.75[3]	......	80.00	67.6
" " " " "	12 and 14 ft.	......	......	......	......	......	......	......
" " " " "	16 ft	......	80.00	......	......	......	80.00	......
" " " " "	9 or 18 ft.	106.25	100.00	......	106.00	......	103.85	110 0
" " " " "	10 or 20 ft.	100.00	95.00	......	......	......	99.16	90.0

* % Plus List Price:

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	60.00	46.00[1]	......	......	......	60.00	46.00
" " " " " 8 ft.	65.70	55.00[1]	67.25[3]	69.75	......	65.96	73.32
" " " " " 12 and 14 ft.	78.00[3]	77.28[1]	......	......	......	77.28[1]	77.28
" " " " " 16 ft.	......	......	......	70.00[1]	......	70.00[1]	70.00
" " " " " 9 or 18 ft.	90.00	81.08[1]	95.00[1]	......	......	90.00	82.62
" " " " " 10 or 20 ft.	90.00	80.00[1]	......	69.75	......	88.34	81.11
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	60.00	46.00[1]	......	......	......	60.00	46.00
" " " " " 8 ft.	65.24	......	67.25[3]	69.75	......	65.24	69.75
" " " " " 12 and 14 ft.	......	75.00[1]	......	......	......	75.00[1]	75.00
" " " " " 16 ft.	78.00	80.00[3]	......	70.00[1]	......	78.00	70.00
" " " " " 9 or 18 ft.	90.00	81.08[1]	95.00[1]	......	......	90.00	82.55
" " " " " 10 or 20 ft.	90.00	80.00[1]	......	69.75	......	90.00	88.25
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	48.07	48.53[2]	......	35.00[3]	......	48.07	47.91
" " " " " 10 to 20 ft.	49.14	50.00	......	43.75[1]	......	49.51	46.10
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	35.50[2]	35.50[2]	35.50[1]
" " " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	......	......	45.00[3]
" No. 1, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	49.50[1]	......	......	......	......	49.50[1]	49.50
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft.	......	49.00[1]	......	......	40.00[1]	45.40[1]	45.40
" " " 2 to 3 inch, 10 & 20 ft.	59.00	45.25[1]	......	......	50.00[1]	59.00	47.56
" No. 2, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	40.00[2]	40.00[2]	40.00[1]
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	45.25[1]	45.25[1]	45.25
" " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	45.25[1]	45.25[1]	45.25
BOARDS, SHIPLAP AND GROOVED ROOFING							
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	74.50	45.50	93.75[1]	68.25	......	72.42	68.30
" " " " other lengths	69.50	68.34	88.96	64.25	90.00[1]	73.75	74.15
" " 1x10, " 14 and 16 ft.	69.96	65.63	96.00	68.25	......	69.86	75.44
" " " " other lengths	70.32	68.46	90.76	65.00	91.00[1]	71.65	75.28
" " 1x12, " 14 and 16 ft.	79.59	72.00	92.70	72.00[1]	......	79.62	75.42
" " " " other lengths	79.77	73.64	95.57	69.00	93.00[1]	79.56	76.49
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	48.55	51.04	52.49	50.50	51.73	50.64	48.23
" " 1x10, " "	53.42	54.21	54.99	48.75	51.34	53.16	49.56
" " 1x12, " "	55.16	54.84	56.21	55.25	50.21	54.83	50.81
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	39.51	40.67	42.50	40.75	43.50	41.46	38.65
" " 1x10, " "	39.52	43.07	43.85	40.50	37.00[1]	42.37	38.99
" " 1x12, " "	41.30	44.54	44.37	42.00	39.28	41.79	39.90
Shiplap, 1x8, No. 1, 14 and 16 ft.	70.42	......	......	......	......	70.42	68.05
" " " other lengths	71.71	68.00	73.45[1]	75.75	63.70[2]	70.23	63.78
" 1x10, " 14 and 16 ft.	69.02	61.48	......	......	......	65.59	68.00
" " " other lengths	66.36	60.14[2]	65.00[1]	70.00	45.00[3]	66.60	67.41
" 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " other lengths	......	......	......	......	......	......	......
Shiplap, 1x8, No. 2, all lengths	50.71	52.12	51.90	51.25	54.53	51.64	48.91
" 1x10, " "	51.85	53.21	53.60	51.50	49.72	52.33	48.24
" 1x12, " "	......	......	......	......	......	......	......
Shiplap, 1x8, No. 3, all lengths	40.30	42.88	43.54	41.50	41.50	41.58	39.34
" 1x10, " "	40.85	42.88	43.90	40.75	41.73	42.02	39.87
" 1x12, " "	41.85	41.00[1]	......	43.50	......	42.67	41.66
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	65.50[2]	68.25	......	......	......	68.25	65.50
" " " " other lengths	68.39[1]	68.25	......	......	......	68.25	68.39
" " 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " " other lengths	......	......	......	......	......	......	......
All No. 4—all widths and lengths	22.50	......	20.63	19.00[1]	......	21.93	21.68

FENCING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 31
1x4, S 1 S, No. 1, 16 ft.	73.03	......	......	69.25	......	72 67	65.63
" " " other lengths	66.74	72.32	96.68	67.75	......	69.36	66.10
" " No. 2, all lengths	43.51	43.29	48.97	43.75	43.00	44.01	42.72
" " No. 3, "	39.44	35.97	42.03	37.75	34.75 [2]	38.80	36.20
1x4, C. M., No. 1, 16 ft.	87.00	......	......	......	......	87.00	......
" " " other lengths	80.70	......	......	68.00	......	74.48	76 93
" " No. 2, all lengths	48.47	......	......	46.75	......	47.15	42.75
" " No. 3, "	......	......	......	36.50 [2]	......	36.50 [2]	36.50 [1]
1x6, S 1 S, No. 1, 16 ft.	69.60	68.25	92.39	69.25	......	70.10	65.49
" " " other lengths	72.29	69.62	90.67	65.75	......	76.14	70.13
" " No. 2, all lengths	48.59	49.63	50.48	49.25	48.84	49.22	45.79
" " No. 3, "	39.27	38.11	41.30	40.50	31.00	39.01	37.37
1x6, C. M., No. 1, 16 ft.	66.25	53.50 [3]	......	58.00 [2]	......	66.25	66.39
" " " other lengths	67.98	65.28	......	65.75	......	67.18	66.32
" " No. 2, all lengths	49.13	50.43	44.25 [3]	48.00	49.40	49.40	48.12
" " No. 3, "	39.54	39.00	33.00 [3]	40.75	35.00 [2]	39.67	39.01
DIMENSION							
2x4, No. 1, S 1 S 1 E, 10 ft.	47.16	49.40	46.75	48.00	46.00	47.81	46.39
" " " 12 ft.	46.84	49.45	44.29	47.00	46.00	47.24	45.56
" " " 14 ft.	47.30	50.12	44.08	47.00	46.00	47.65	45.45
" " " 16 ft.	48.72	51.24	45.58	47.00	46.00	48.24	45.85
" " " 18 ft.	48.87	50.84	47.37	48.00	40.00	48.39	43.72
" " " 20 ft.	49.36	51.02	47.37	48.00	46.00	49.70	48.07
" " " 22 ft.	51.36	51.00	50.25	......	......	51.13	48.53
" " " 24 ft.	51.28	51.66	50.25	......	......	51.48	49.85
2x6, No. 1, S 1 S 1 E, 10 ft.	44.64	44.59	46.09	47.75	39.75 [3]	45.60	43.96
" " " 12 ft.	44.50	45.12	44.39	46.00	42.75 [3]	44.77	43.11
" " " 14 ft.	45.28	45.05	44.39	46.00	43.25 [3]	45.22	44.11
" " " 16 ft.	45.69	45.89	45.49	46.00	42.29 [3]	45.72	45.28
" " " 18 ft.	46.35	45.99	46.09	47.75	......	46.26	45.49
" " " 20 ft.	46.35	45.30	46.09	47.75	39.25 [1]	45.88	45.41
" " " 22 ft.	47.34	47.24	49.90	45.50 [2]	......	48.21	47.38
" " " 24 ft.	48.23	47.02	49.90	45.50 [2]	......	47.72	47.04
2x8, No. 1, S 1 S 1 E, 10 ft.	45.05	45 98 [1]	48.01	47.75	44.25 [1]	46.25	45.38
" " " 12 ft.	45.51	47.66	45.61	46.25	42.25 [1]	45.96	44.59
" " " 14 ft.	45.68	48.37	45.10	46.25	42.25 [1]	45.90	45.10
" " " 16 ft.	48.74	49.15	46.26	46.25	44.25 [1]	48.60	46.15
" " " 18 ft.	47.14	49 27	48.01	47.75	47.75 [1]	47.61	48.15
" " " 20 ft.	47.68	49.25	48.01	47.75	......	47.85	47.73
" " " 22 ft.	48.31	51.39	51.91	......	......	51.05	48.45
" " " 24 ft.	49.29	52.58	51.91	......	......	51.41	48.88
2x10, No. 1, S 1 S 1 E, 10 ft.	46.07	43.13	47.86	47.25	46.00 [3]	46.95	46.38
" " " 12 ft.	46.97	48.00	45.92	46.00	46.00 [3]	46.25	45.72
" " " 14 ft.	47.54	48.00	45.92	46.00	42.00 [2]	47.55	45.43
" " " 16 ft.	49.61	47.59	47.26	46.00	40.99 [2]	48.85	46.31
" " " 18 ft.	49.26	47.00	47.86	47.25	45.50 [2]	49.06	48.50
" " " 20 ft.	49.86	47 56	47.86	47.25	45.50 [2]	49.41	47.98
" " " 22 ft.	49.98	50.00	52.55	50.25	......	50.67	48.43
" " " 24 ft.	50.28	53.30	52.55	50.25	......	51.54	48.87
2x12, No. 1, S 1 S 1 E, 10 ft.	50.68	43.62	48.78	51.00	......	48.33	48.39
" " " 12 ft.	49.13	45.79	47.21	48.00	42.00 [2]	47.74	46.53
" " " 14 ft.	49.46	46.59	47.21	48.00	44.50 [2]	49.05	47.96
" " " 16 ft.	51.23	49.24	49.00	48.00	42.00 [2]	50.36	48.44
" " " 18 ft.	50.43	50.74	48.78	51.00	47.50 [2]	50.56	50.74
" " " 20 ft.	51.06	52.43	48.78	51.00	47.50 [2]	52.06	49.89
" " " 22 ft.	51.91	54.94	54.74	50.50 [1]	......	52.56	50.78
" " " 24 ft.	52.26	53.90	54.74	50.50 [1]	......	52.89	50.88
2x4, No. 2, S 1 S 1 E, 10 ft.	43.77	46.78	45.70	44.25	40.50 [1]	44.50	42.73
" " " 12 ft.	44.52	47.17	43.54 [1]	44.50	45.00 [1]	45.64	42.71
" " " 14 ft.	44.24	47.55	45 25	44.00	45.00 [1]	45.36	42.55
" " " 16 ft.	46.41	48.30	43.31	44.00	41.27 [3]	47.31	43.45
" " " 18 ft.	46.51	44.50	46.29	44.25	41.63 [3]	45.94	44.94
" " " 20 ft.	46.21	46.72	46.72	44.25	43.50 [1]	46.33	46.64
" " " 22 ft.	49.00	47.00	......	......	......	48.18	45.38
" " " 24 ft.	48.75	47.00	......	......	......	48.75	48.50
2x6, No. 2, S 1 S 1 E, 10 ft.	40.97	40.34	44.87	43.25	41.00 [1]	42.79	40.78
" " " 12 ft.	40.55	41.03	44.00	43.25	44.75	41.85	39.71
" " " 14 ft.	40.36	42.75	44.00	43.25	44 75	41.57	41.25
" " " 16 ft.	42.96	43.02	44.09	43.25	44.75	43 20	41.31
" " " 18 ft.	42.28	41.60	44.87	43.25	37.71 [3]	42.02	40.76
" " " 20 ft.	42.26	42.09	44.87	43.25	39.00 [2]	42.19	41 18
" " " 22 ft.	......	44.15 [1]	49.32	......	......	49.32	44.15
" " " 24 ft.	44.75	44.15 [1]	49 32	......	......	44.75	44.15

DIMENSION—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	42.12	42.75	43.86	46.00	42.00[1]	42.93	41.74
" " " 12 ft.	42.58	44.55	42.00	45.25	40.65[1]	43.52	41.30
" " " 14 ft.	42.97	43.76	44.15	45.25	38.30[1]	43.45	41.04
" " " 16 ft.	44.97	46.90	42.14	45.25	42.48[1]	45.25	42.45
" " " 18 ft.	45.38	46.70	43.86	46.00	44.59[1]	46.14	43.07
" " " 20 ft.	45.63	46.76	43.86	46.00	43.50	46.09	43.48
" " " 22 ft.	48.25	53.00	43.50[1]	......	......	49.04	46.97
" " " 24 ft.	48.25	53.00	43.50[1]	......	......	48.25	46.97
2x 10 No. 2, S 1 S 1 E, 10 ft.	42.45	44.95	46.74	47.25	38.00[3]	45.65	42.68
" " " 12 ft.	42.76	43.90	41.48[1]	46.00	45.00[1]	43.55	41.79
" " " 14 ft.	42.98	44.44	41.48[1]	46.00	38.00[3]	43.65	41.49
" " " 16 ft.	45.91	45.18	48.40	46.00	38.00[3]	45.98	43.41
" " " 18 ft.	46.61	45.31	46.74	47.25	42.75[2]	46.26	42.00
" " " 20 ft.	46.87	45.90	46.74	47.25	40.63[2]	46.44	43.10
" " " 22 ft.	......	48.45[1]	45.22[1]	......	......	47.26[1]	47.26
" " " 24 ft.	......	48.45[1]	45.22[1]	......	......	47.26[1]	47.26
2x12, No. 2, S 1 S 1 E, 10 ft.	43.15	45.32	49.11	45.50[1]	44.50[1]	46.97	44.53
" " " 12 ft.	43.61	44.20	43.50	46.00	42.75[1]	43.67	43.50
" " " 14 ft.	44.60	44.00	43.50	46.00	42.75[1]	44.35	43.88
" " " 16 ft.	46.89	47.21	56.23	46.00	40.44[1]	47.93	44.57
" " " 18 ft.	45.68	46.08	49.11	45.50[1]	45.75[1]	45.71	47.02
" " " 20 ft.	47.14	47.46	49.11	45.50[1]	37.00[3]	47.28	45.68
" " " 22 ft.	......	......	48.00[3]	......	......	48.00[3]	48.00[2]
" " " 24 ft.	......	......	48.00[3]	......	......	48.00[3]	48.00[2]
No. 1, 2x4 to 2x12, 26 ft. and longer	......	......	......	......	......	......	......
All No. 3, S 1 S 1 E, all legnths	31.93	30.28	37.53	31.00	28.89	33.52	31.15
PATENT LATH.							
4 and 6 ft.	40.92	40.00[1]	41.00	37.00[2]	......	40.93	40.43
8 and 10 ft.	42.06	40.00[1]	41.75[2]	41.50	......	41.93	39.66
12 ft. and longer	43.86	40.00[1]	42.15[1]	46.25	......	44.65	41.39
PLASTERING LATH							
⅜x1½-4, No. 1	16.65	16.50[1]	17.02	17.25	14.51	16.70	16.22
" No. 2	15.09	9.50[3]	15.40	14.70	11.00	14.72	14.17
⅜x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
⅝x1½-4, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
⅝x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
TIMBERS							
4x4 to 8x8, No. 1, up to 20 ft.	49.35	44.81	43.98	50.00	50.00	45.50	40.93
" " 22-24 ft.	47.87	45.25	45.53	......	39.00[2]	45.82	43.83
" " 26 ft.	47.77	44.75	47.76	......	......	46.30	46.26
" " 28 ft.	50.46	45.75	47.76	......	......	46.53	47.51
" " 30 ft.	53.08	50.00	50.60	......	......	52.70	45.63
" " over 30 ft.	54.94	50.00	53.50	......	......	54.87	48.75
4x4 to 8x8, Heart (85%+), up to 20 ft.	52.08	49.06	......	......	46.50[1]	50.50	45.90
" " " 22-24 ft.	54.50	52.00	......	......	......	53.67	50.50
" " " 26 ft.	....	47.00[2]	......	......	......	47.00[2]	47.00[1]
" " " 28 ft.	44.00[2]	47.67[2]	......	......	......	47.00[2]	47.00[1]
" " " 30 ft.	....	50.40[2]	......	......	......	50.40[2]	50.40[1]
" " " over 30 ft	59.67	....	......	......	......	59.67	60.75
3 & 4x10, No. 1, up to 20 ft.	50.95	48.00	......	48.25	38.25[1]	50.76	38.53
" " 22-24 ft.	54.06	49.00	......	......	......	53.26	50.00
" " 26 ft.	50.50	......	......	......	......	50.50	47.00[1]
" " 28 ft.	51.50	......	......	......	......	51.50	43.96[3]
" " 30 ft.		......	......	......	......	......	......
" " over 30 ft.	52.80	48.00[2]	......	......	......	52.80	47.61[1]
3 & 4x10, Heart (85%+), up to 20 ft.	55.50[2]	46.79[1]	......	......	51.00[1]	49.27[1]	49.27
" " " 22-24 ft.	53.00[3]	50.00[1]	......	......	......	50.00[1]	50.00
" " " 26 ft.	55.00[3]	55.00[2]	......	......	......	55.00[2]	55.00[1]
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 31
6x10 to 10x10, No. 1, up to 20 ft.	55.01	45.81	46.20	......	42.50[2]	47.91	47.09
" " 22-24 ft.	52.00	45.80	50.76	......	......	50.17	41.57
" " 26 ft.	53.00	46.00	51.26	......	......	50.94	46.89
" " 28 ft.	52.50	55.25[2]	51.26	......	......	52.50	46.50
" " 30 ft.	40.00[2]	56.00[2]	48.17[3]	......	......	42.45[2]	42.45[1]
" " over 30 ft.	58.00[1]	53.68	53.48	......	......	53.62	53.21
6x10 to 10x10, Heart (85%+), up to 20 ft.	43.00[2]	46.93[1]	......	......	......	46.93[1]	43.00
" " " 22-24 ft.	42.20[2]	43.00[1]	......	......	......	43.00[1]	43.00
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	50.60[2]	......	......	......	......	50.60[2]	50.60[1]
3 & 4x12, No. 1, up to 20 ft.	58.26	45.89	......	......	41.17[2]	52.12	50.47
" " 22-24 ft.	51.00	53.00[1]	......	......	......	51.00	52.97
" " 26 ft.	......	......	......	......	......	......	50.50[3]
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	50.00[3]	52.00[1]	......	......	......	52.00[1]	52.00
" " over 30 ft.	69.89	......	......	......	......	69.89	62.50[3]
3 & 4x12, Heart (85%+) up to 20 ft.	58.00[1]	54.00	......	......	......	54.00	49.51
" " " 22-24 ft.	......	53.00[1]	......	......	......	53.00[1]	53.00
" " " 26 ft.	......	56.00[2]	......	......	......	56.00[2]	56.00[1]
" " " 28 ft.	......	56.00[2]	......	......	......	56.00[2]	56.00[1]
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
6x12 to 12x12, No. 1, up to 20 ft.	48.95	48.84[1]	52.98	......	52.50[1]	52.62	53.23
" " 22-24 ft.	40.75	49.00[1]	52.82	......	......	52.05	55.83
" " 26 ft.	42.75	......	53.92	......	......	52.11	52.00
" " 28 ft.	44.75	50.72[1]	53.92	......	......	44.75	50.72
" " 30 ft.	46.75	52.00[1]	60.85	......	......	58.58	49.44
" " over 30 ft.	57.62	55.00	64.35	......	......	58.92	58.99
6x12 to 12x12, Heart (85%+) up to 20 ft.	60.50	49.50[1]	......	......	......	60.50	49.50
" " " 22-24 ft.	46.80[2]	48.50[2]	......	......	......	48.02[2]	48.02[1]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	50.50[2]	......	......	......	50.50[2]	50.50[1]
" " " 30 ft.	......	53.58[2]	......	......	......	53.58[2]	53.58[1]
" " " over 30 ft.	53.60[1]	75.00[1]	......	......	......	75.00[1]	75.00
2x14 to 4x14, No. 1, up to 20 ft.	70.50	66.00	......	......	......	69.60	58.70
" " 22-24 ft.	67.00[2]	60.00	......	......	......	60.00	53.05
" " 26 ft.	69.00[2]	53.25[1]	......	......	......	53.25[1]	53.25
" " 28 ft.	63.75[3]	70.00[1]	......	......	......	70.00[1]	70.00
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
2x14 to 4x14, Heart (85%+) up to 20 ft.	......	57.00[1]	......	......	......	57.00[1]	57.00
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
6x14 to 14x14, No. 1, up to 20 ft.	64.46	54.88[1]	59.24	......	......	62.78	54.86
" " 22-24 ft.	67.00[1]	57.06[1]	63.00	......	......	63.00	56.56
" " 26 ft.	49.69[3]	......	63.46	......	......	63.46	75.30
" " 28 ft.	50.66[3]	......	63.46	......	......	63.46	75.30
" " 30 ft.	47.00[1]	......	65.30	......	......	65.30	47.00
" " over 30 ft.	54.89[3]	......	65.74	......	......	65.74	60.50[1]
6x14 to 14x14, Heart (85%+) up to 20 ft.	60.34[3]	58.00[1]	......	......	......	58.00[1]	58.00
" " " 22-24 ft.	61.00[3]	56.00[1]	......	......	......	56.00[1]	56.00
" " " 26 ft.	......	26.00[2]	......	......	......	26.00[2]	26.00[1]
" " " 28 ft.	......	51.50[2]	......	......	......	51.50[2]	51.50[1]
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	55.24[2]	......	......	......	55.24[2]	55.24[1]
2x16 to 4x16, No. 1, up to 20 ft.	54.75[2]	51.00[2]	......	......	......	53.71[2]	53.71[1]
" " 22-24 ft.	......	56.00[1]	......	......	......	56.00[1]	56.00
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	......
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " 3 over0 ft.	......	......	......	......	......	......	......

TIMBERS—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 31
6x16 & Up, No. 1, up to 20 ft.	68.27	52.02	65.88	......	......	63.58	60.67
" " 22-24 ft.	64.83	52.00[2]	67.80	......	......	67.42	64.78
" " 26 ft.	65.00[1]	......	57.24	......	......	57.24	66.74
" " 28 ft.	64.25	60.00[2]	57.24	......	......	64.25	70.78
" " 30 ft.	84.75	......	71.99	......	......	72.21	47.00
" " over 30 ft.	60.50[2]	......	82.24	......	......	82.24	60.50[1]
6x16 & Up, Heart (85%+) up to 20 ft.	62.50[3]	......	......	......	......	62.50[3]	62.50[2]
" " " 22-24 ft.	87.50	......	......	......	......	87.50	63.50[1]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	90.00[1]	......	......	......	90.00[1]	90.00
STRINGERS.							
15 inch, Sq. E. up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " 32 ft.	......	......	......	......	......	......	......
15 inch, Heart (85%+) up to 20 ft.	67.50	......	......	......	......	67.50	......
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	70.50	......	......	......	......	70.50	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " 32 ft.	......	......	......	......	......	......	......
16 inch, Sq. E. up to 20 ft.	......	57.66[1]	......	......	......	57.66[1]	57.66
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	64.66[1]	......	......	......	64.66[1]	64.66
" " 28 ft.	......	65.00[1]	......	......	......	65.00[1]	65.00
" " 30 ft.	......	64.76[1]	......	......	......	64.76[1]	64.76
" " 32 ft.	......	......	......	......	......	......	......
16 inch, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	......
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	62.00[2]	......	......	......	62.00[2]	62.00[1]
" " " 28 ft.	65.50[2]	......	......	......	......	65.50[2]	65.50[1]
" " " 30 ft.	......	......	......	......	......	......	......
" " " 32 ft.	......	......	......	......	......	......	......
CAR SILLS							
Up to 9 inch, Sq. E. 34 ft.	56.25	53.17[1]	47.67	......	......	48.24	45.41
" " " 36 ft.	53.22	50.00	47.67	......	42.00	49.80	46.53
" " " 37-38 ft.	66.27	54.00[1]	43.00	......	50.00	49.86	54.00
" " " 40 ft.	54.50	56.00[1]	44.00	......	45.00[2]	50.36	56.00
" " " 41-42 ft.	60.20	58.00[1]	......	......	......	60.20	58.00
Up to 9 inch Heart (85%+) 34 ft.	53.80	......	......	......	......	53.80	......
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	53.78	......	......	......	......	53.78	59.50[2]
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	61.95	......	......	......	......	61.95	......
Up to 10 inch, Sq. E. 34 ft.	51.00	55.30[1]	57.50	......	......	55.68	55.30
" " " 36 ft.	54.40	57.00	57.50	......	45.00[1]	55.58	50.77
" " " 37-38 ft.	......	......	67.50[1]	......	......	67.50[1]	67.50
" " " 40 ft.	......	......	67.50[1]	......	......	67.50[1]	67.50
" " " 41-42 ft.	54.50	71.00	......	......	......	68.62	......
Up to 10 inch, Heart (85%+) 34 ft.	61.00	......	......	......	......	61.00	......
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
Up to 12 inch, Sq. E. 34 ft.	......	59.00[1]	65.00	......	......	65.00	59.00
" " " 36 ft.	62.00	65.00	65.00	......	53.00[1]	62.62	53.00
" " " 37-38 ft.	......	58.00[1]	......	......	50.00	50.00	58.00
" " " 40 ft.	67.00	54.00[2]	......	......	......	67.00	54.00[1]
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 12 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......

CAR SILLS—(Continued).	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Jan. 31
Up to 14 inch, Sq. E. 34 ft.	......	62.00 [1]	......	......	......	62.00 [1]	62.00
" " " 36 ft.	62.50	65.00	......	......	......	63.68	62.65
" " " 37-38 ft.	64.50	......	......	......	......	64.50	54.00 [3]
" " " 40 ft.	66.50	69.00	......	......	......	67.72	65.00
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 14 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
CAPS							
12x14, Sq. E. 12 ft.	......	52.12 [1]	......	......	......	52.12 [1]	52.12
" " 14 ft.	......	57.12 [1]	......	......	......	57.12 [1]	57.12
" " 16 ft.	......	......	......	......	......	......	......
12x14, Heart (85%+) 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	......	......	......	......	......	......	......
" " " 16 ft.	......	......	......	......	......	......	......
14x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
" " 14 ft.	......	......	......	......	......	......	......
" " 16 ft.	......	......	......	......	......	......	......
14x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	......	......	......	......	......	......	......
" " " 16 ft.	......	......	......	......	......	......	......
SAWN TIMBERS							
25 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
27½ " " 25 "	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
30 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	41.48	......	......	......	......	41.48	......
SPECIAL TIMBERS							
Track Ties, Sq. E., 6x8–8	40.48 [3]	42.60 [1]	45.00 [1]	......	......	43.73 [1]	43.73
" " Heart, (85%+) 6x8–8	......	44.00 [2]	......	......	......	44.00 [2]	44.00 [1]
" " Sq. E. " 7x9–8	......	43.00 [2]	......	......	......	43.00 [2]	43.00 [1]
" " Heart " 7x9–8	......	......	......	......	......	......	......
Bridge Ties, Sq. E., 7x9 & up	......	......	......	......	......	......	......
" " Heart,	......	......	......	......	......	......	......
Paving Stock, S 1 S.	43.00	43.00	37.57	......	......	43.00	40.84
" " Rough	......	......	......	......	......	......	......
Battleship Decking, Edge Grain	......	......	......	......	......	......	......
Ship " Flat Grain	104.26	......	......	......	......	104.26	......
Miscellaneous	42.16 [1]	57.08	53.00 [2]	......	54.91	56.68	51.35
MISCELLANEOUS STOCK							
Silo Stock	......	......	......	......	48.00 [1]	48.00 [1]	48.00
Grain Doors	40.00	......	22.50 [1]	......	......	40.00	22.50
Miscellaneous, B and B.	102.97	110.70	103.84 [1]	......	105.55	105.08	101.17
" No. 1	70.89	60.39	49.25	......	66.19	60.02	63.14
" No. 2	59.62	46.08	49.85	......	52.86	51.25	45.24
" No. 3	35.82	37.76	39.22	......	39.60	38.90	34.77
Shorts, B and B.	77.12	95.25	......	......	......	83.96	87.05
" No. 1	40.55	44.10	......	......	......	40.85	37.10
" No. 2	......	38.59	......	......	......	38.59	34.02
" No. 3	......	36.47	......	......	......	36.47	35.31

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1 50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5 25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2 50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3 00	3.25	3 50	3 50	3 75	4.00	4 25	4 50	4 75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6 75	7 00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4 75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9 75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

February 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending February 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg, Little Rock and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued February 28, 1920

No. 85

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Arkansas Soft Pine Bureau, Little Rock, Ark.	13	500,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	210	5,623,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....	....
Edge Grain, A "	150.24	....	....	....	....	150.24	130.00[2]
" " B "	....	....	....	....	....	....	....
" " B and Better "	135.84	....	....	129.25	....	125.39	131.14
" " C "	118.99	....	....	102.50[3]	....	118.99	123.10
" " D "	102.90	....	....	....	....	102.90	98.55
" " No. 2 "	....	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....	....
" " B "	98.00[2]	....	....	109.00	....	109.00	98.00[1]
" " B and Better "	105.78	....	....	112.25	....	108.41	101.86
" " C "	93.75	....	....	....	....	93.75	....
" " D "	97.63	....	....	....	....	97.63	89.74
No. 1 Common "	....	....	....	90.00	....	90.00	92.00
No. 2 " "	54.54	....	....	69.75	....	56.18	52.22
No. 3 " "	....	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	140.50	....	114.28[1]	140.50	114.28
Edge Grain, A "	....	....	130.50[1]	....	128.00[1]	128.13	128.13
" " B "	....	111.13[3]	132.15	....	134.25	132.44	131.26
" " B and Better "	....	126.86	....	....	129.58[1]	126.86	131.07
" " C "	....	116.00	114.52	....	109.50	114.05	112.11
" " D "	....	100.25[3]	....	....	....	100.25[3]	100.25[2]
" " No. 2 "	....	....	75.00	....	74.50[2]	75.00	72.79
Flat " A "	....	....	....	....	120.25[2]	120.25[2]	120.25[1]
" " B "	....	99.00[2]	....	....	105.00[1]	105.00[1]	105.00
" " B and Better "	....	114.18	110.89	....	116.25	111.49	108.50
" " C "	....	94.00[1]	....	....	105.00[2]	94.00[1]	94.00
" " D "	....	91.00[1]	....	....	....	91.00[1]	91.00
No. 1 Common "	....	90.57	99.70	....	95.00	98.45	97.35
No. 2 " "	....	55.25	54.08	....	54.82	54.28	53.38
No. 3 " "	....	....	48.87	....	39.20	44.40	37.78
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	130.25	....	....	130.25	124.00[1]
Edge Grain, A "	120.57	120.71	141.00	125.50	....	127.48	122.00
" " B "	....	115.37	122.50	122.50	116.14	121.11	112.52
" " B and Better "	122.32	125.07	....	126.25	109.00	123.41	122.62
" " C "	106.99	108.85	105.87	110.50	110.02	108.65	105.40
" " D "	97.50	....	....	....	....	97.50	97.50
" " No. 2 "	....	60.00[2]	71.76	....	65.00[3]	71.76	65.75
Flat " A "	105.11	105.23	....	106.25	....	105.38	102.62
" " B "	100.00	100.75	....	104.25	98.00[2]	101.04	99.94
" " B and Better "	102.76	107.22	105.27	109.50	100.00	104.82	102.88
" " C "	95.33	95.00[1]	....	....	....	95.33	93.66
" " D "	89.49	90.00	....	....	....	89.50	88.60
No. 1 Common "	....	95.53	94.78	90.00	97.03	94.73	94.01
No. 2 " "	50.98	53.90	52.63	53.50	52.49	52.30	51.52
No. 3 " "	....	....	36.77	....	35.37[1]	36.77	37.30
CEILING							
Ceiling, ½x3¼", A	....	....	....	....	....	....	....
" " B	....	....	....	....	....	....	70.25[3]
" " B and Better	65.74	55.00[3]	70.00	62.00	69.62	66.95	65.82
" " No. 1 Common	62.36	50.00[3]	65.00[2]	63.75	72.00	64.38	64.08[1]
" " No. 2 "	44.75	....	46.03	51.00	50.00	45.74	44.12
" " No. 3 "	....	....	27.42[1]	....	33.00	33.00	27.42
Ceiling, ⅝x3¼", A	....	....	....	....	....	....	....
" " B	....	....	....	89.50	....	89.50	70.00
" " B and Better	79.89	82.02	76.60	81.50	85.84[1]	79.95	78.37
" " No. 1 Common	70.30	70.91	73.13	76.25	77.00	71.82	70.08
" " No. 2 "	48.57	52.75	51.06	52.00	46.26[1]	49.56	48.74
" " No. 3 "	....	....	28.97[1]	....	35.00	35.00	28.97
Ceiling, ¾x3¼", A	....	....	....	....	....	....	....
" " B	....	....	....	90.25[3]	....	90.25[3]	90.25[2]
" " B and Better	101.00	....	95.83[1]	104.75[1]	102.00	101.92	100.26
" " No. 1 Common	....	....	90.00[1]	89.75[1]	....	89.80[1]	89.80
" " No. 2 "	....	35.00[2]	53.75	....	49.00[2]	53.75	41.50[1]
" " No. 3 "	....	....	25.00[3]	....	....	25.00[3]	25.00[2]
PARTITION							
Partition, ¾x3¼", A	....	....	....	....	....	....	....
" " B	....	....	....	....	....	....	....
" " B and Better	120.75	102.66[1]	85.00[3]	115.75	102.82[1]	118.94	104.16
" " No. 1 Common	94.50[1]	....	89.55[3]	79.50[2]	99.50[1]	98.25[1]	98.25
" " No. 2 "	....	50.00[2]	56.25	64.50	55.00	56.80	56.66
Partition, ¾x5¼", A	....	....	....	....	....	....	....
" " B	....	....	....	....	....	....	....
" " B and Better	110.00[2]	....	105.60	104.25	102.25[1]	105.37	104.31
" " No. 1 Common	85.50[2]	....	81.50[2]	79.75	....	79.75	84.98[1]
" " No. 2 "			56.25	....	....	56.25	57.20
BEVEL SIDING							
Bevel Siding, A	....	....	....	....	....	....	....
" B	....	....	....	65.50[2]	....	65.50[2]	65.50[1]
" B and Better	62.30[1]	75.00[1]	57.50[3]	64.75	....	64.75	66.54
" No. 1 Common	58.00[1]	....	50.05	55.25	50.00[2]	51.74	51.00
" No. 2 "	50.00[1]	....	36.00	36.00	....	36.00	50.00

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 10
Drop Siding, ¾x3¼ or 5¼, A	......	......	......	......	......	......	......
" " B	......	......	......	89.25[2]	......	89.25[2]	89.25[1]
" " B and Better	89.57	88.38	88.93	115.76	92.50	90.18	87.59
" " No. 1 Common	84.32	76.73	75.02	81.50	87.50	80.04	82.20
" " No. 2 "	53.59	54.88	54.60	60.00	54.26	53.80	54.24
" " No. 3 "	......	......	38.37	......	37.00	38.27	41.96
FINISH							
1x 4 inch, A	......	......	......	......	......	......	......
1x 6 inch, "	......	......	......	120.00[1]	......	120.00[1]	120.00
1x 8 inch, "	......	......	......	120.00[1]	......	120.00[1]	120.00
1x 5 and 10 inch, "	......	......	......	122.00[1]	......	122.00[1]	122.00
1x 12 inch, "	......	......	......	122.00[1]	......	122.00[1]	122.00
1¼x4 to 12 inch, "	......	......	......	124.75[1]	......	124.75[1]	124.75
1½ and 2x4 to 12 inch, "	......	......	......	......	......	......	100.00[3]
1 ⅝ inch, "	......	......	......	......	......	......	......
1x 4 inch, B	......	......	......	99.75[2]	......	99.75[2]	99.75[1]
1x 6 inch, "	......	......	......	124.75	......	124.75	104.50
1x 8 inch, "	......	......	......	124.75	......	124.75	104.50
1x 5 and 10 inch, "	......	......	......	126.75	......	126.75	107.50
1x12 inch, "	......	......	......	117.75[1]	......	117.75[1]	117.75
1¼x4 to 12 inch, "	......	......	......	131.25	......	131.25	116.25
1½ and 2x4 to 12 inch, "	......	......	......	132.25	......	132.25	129.75
1 ⅝ inch, "	......	......	......	......	......	......	......
1x 4 inch, B and Better	102.52	120.06	111.77	119.00	......	107.59	103.30
1x 6 inch, "	108.58	109.28	111.57	120.25	120.41	111.88	109.26
1x 8 inch, "	109.55	110.91	116.39	120.25	114.50	110.12	109.50
1x 5 and 10 inch, "	110.47	112.83	120.44	120.50	117.80	112.66	111.52
1x12 inch, "	111.69	111.86	123.48	122.50	116.58	113.40	112.63
1¼x4 to 12 inch, "	114.76	121.49	125.95	117.75	120.00[1]	121.41	121.83
1½ and 2x4 to 12 inch, "	104.41	125.00	123.50	132.50	95.08[3]	113.60	117.55
1 ⅝ inch, "	103.36[2]	99.50	......	......	......	99.50	103.36[1]
1x6 to 12 inch, "	......	......	......	......	112.50[1]	112.50[1]	112.50
1x 4 inch, C	97.09	......	90.25[2]	86.75[3]	......	97.09	98.00
1x 6 inch, "	94.01	99.00	102.25	100.50	......	95.36	100.08
1x 8 inch, "	96.20	99.18	124.62	100.50	......	102.91	95.97
1x 5 and 10 inch, "	101.32	......	102.25	102.50	......	101.67	101.16
1x12 inch, "	102.66	105.62	107.25	106.50	......	103.61	95.25[1]
1¼x4 to 12 inch, "	102.50	......	97.75[2]	134.50	100.00[3]	118.50	98.00[1]
1½ and 2x4 to 12 inch, "	88.00[3]	......	95.12[2]	90.00[2]	......	95.12[2]	95.12[1]
1 ⅝ inch, "	......	......	......	......	......	......	......
1x6 to 12 inch, "	......	......	......	......	110.00	110.00	......
1x 4 inch,* B and Better, Rough	99.50	91.14[2]	89.83[3]	......	......	99.50	105.00
1x 6 inch, " "	110.16	116.59	118.40	115.25[1]	99.34[3]	114.38	111.67
1x 8 inch, " "	109.42	118.27	118.10	115.25[1]	......	113.90	111.33
1x 5 and 10 inch, " "	113.13	119.26	124.32	106.25[3]	......	117.24	119.53
1x12 inch, " "	111.53	118.27	125.10	106.25[3]	......	117.57	120.94
1¼x4 to 12 inch, " "	116.73	114.50	124.83	130.00	125.00[1]	120.11	122.72
1½ and 2x4 to 12 inch, " "	123.10	116.15[2]	122.85	132.00	......	123.20	104.05
1⅝ inch, " "	......	104.00	......	......	......	104.00	111.72[1]
1x6 to 12 inch, " "	......	......	......	......	108.40[1]	108.40[1]	108.40
CASING AND BASE							
From 4 and 6 inch stock, B. M., A	......	......	......	120.00[2]	......	120.00[2]	120.00[1]
" B	......	......	......	......	......	......	......
" B and Better	123.53	115.06	120.50	126.00	110.00[2]	123.74	120.45
From 8 and 10 inch stock, B. M., A	127.42	......	......	115.00[3]	......	127.42	115.00[2]
" B	......	......	......	......	......	......	......
" B and Better	124.93	118.03	130.56	125.75	110.00[2]	125.10	118.70
MOULDINGS (% Discount)							
1½ inch and Smaller	......	......	......	13.00*	......	13.00*	3.00 *
1¾ inch and Larger	......	......	......	1.00[2]*	......	1.00[2]*	1.00[1]*
DOOR AND WINDOW JAMBS							
A B. M.	......	......	......	......	......	......	......
B "	......	......	......	......	......	......	......
B and Better, "	110.68	......	132.50	130.81	......	125.40	123.18
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	80.00[1]	......	80.75[1]	......	......	80.25[1]	80.25
" " " " " 8 ft.	80.00[1]	108.00	67.61[2]	......	......	108.00	80.00
" " " " " 12 and 14 ft.	......	......	......	......	......	......	......
" " " " " 16 ft.	......	80.00[1]	......	......	......	80.00[1]	80.00
" " " " " 9 or 18 ft.	106.25[1]	100.00[1]	......	106.00[1]	......	103.85[1]	103.85
" " " " " 10 or 20 ft.	106.60	95.00[1]	......	......	......	106.60	99.16

* % Plus List Price:

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	60.00[1]	71.74	......	......	......	71.74	60.00
" " " " " 8 ft.	65.70[1]	55.00[2]	......	69.75[1]	......	65.96[1]	65.96
" " " " " 12 and 14 ft.	......	85.00	......	......	......	85.00	77.28[1]
" " " " " 16 ft.	......	85.00	......	70.00[2]	......	85.00	70.00[1]
" " " " " 9 or 18 ft.	100.00	91.27	95.00[2]	......	......	92.24	90.00
" " " " " 10 or 20 ft.	90.00[1]	90.00	......	69.75[1]	......	90.00	88.34
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	60.00[1]	71.74	......	......	......	71.74	60.00
" " " " " 8 ft.	75.20	......	......	69.75[1]	......	75.20	65.24
" " " " " 12 and 14 ft.	......	85.00	......	......	......	85.00	75.00[1]
" " " " " 16 ft.	78.00[1]	85.00	......	70.00[2]	......	85.00	78.00
" " " " " 9 or 18 ft.	100.00	91.27	95.00[2]	......	......	100.00	90.00
" " " " " 10 or 20 ft.	91.88	90.00	......	69.75[1]	......	91.88	90.00
Siding, Lining & Roofing, 4 and 6″, No. 2, 5 to 9 ft.	50.87	48.53[3]	......	......	......	50.87	48.07
" " " " " 10 to 20 ft	53.78	53.95	......	48.00	......	53.48	49.51
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1⅝ inch, 10 & 20 ft	......	......	......	......	......	......	......
" " " " 1¾ inch, 9 & 18 ft	......	......	......	......	......	......	......
" " " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 2 to 3 inch, 9 & 18 ft	......	......	......	......	35.50[3]	35.50[3]	35.50[2]
" " " " 2 to 3 inch, 10 & 20 ft	......	......	......	......	......	......	......
" No. 1, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	49.50[2]	......	......	......	......	49.50[2]	49.50[1]
" " " 1¾ inch, 9 & 18 ft	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft	56.00	......	......	......	......	56.00	......
" " " 2 to 3 inch, 9 & 18 ft.	......	50.00	......	......	40.00[2]	50.00	45.40[1]
" " " 2 to 3 inch, 10 & 20 ft.	59.00[1]	45.25[2]	......	......	50.00[2]	59.00[1]	59.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	40.00[3]	40.00[3]	40.00[2]
" " " 1⅝ inch, 10 & 20 ft	......	......	......	......	......	......	......
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft	......	......	......	......	45.25[2]	45.25[2]	45.25[1]
" " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	45.25[2]	45.25[2]	45.25[1]
BOARDS, SHIPLAP AND GROOVED ROOFING							
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	68.12	70.50	93.75[2]	68.25[1]	......	68.24	72.42
" " " " other lengths.	67.66	69.13	89.60	78.75	98.50	73.35	73.75
" " 1x10, " 14 and 16 ft.	69.27	65.63[1]	90.75	68.25[1]	......	73.30	69.86
" " " " other lengths.	68.90	70.05	90.58	70.50	91.00[2]	73.34	71.65
" " 1x12, " 14 and 16 ft.	78.20	83.66	100.00	72.00[2]	......	81.26	79.62
" " " " other lengths.	76.27	81.07	90.60	81.25	93.00[2]	81.16	79.56
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	50.16	51.16	55.46	53.00	52.50	51.52	50.64
" " 1x10, " "	51.96	50.04	55.02	52.50	51.85	52.93	53.16
" " 1x12, " "	56.11	54.46	57.84	56.50	53.50	56.15	54.83
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	41.73	40.00	44.57	41.75	43.50[1]	42.06	41.46
" " 1x10, " "	42.16	39.75	45.39	42.45	37.00[2]	43.27	42.37
" " 1x12, " "	42.36	44.09	48.49	44.25	39.28[1]	44.87	41.79
Shiplap, 1x8, No. 1, 14 and 16 ft.	74.36	......	......	......	......	74.36	70.42
" " " other lengths.	69.33	65.53	73.45[2]	68.50	63.70[3]	68.34	70.23
" 1x10, " 14 and 16 ft.	75.51	61.48[1]	......	......	......	75.51	65.59
" " " other lengths.	69.03	62.95	65.00[2]	74.25	......	68.37	66.60
" 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " other lengths.	......	......	......	......	......	......	......
Shiplap, 1x8, No. 2, all lengths.	51.13	51.98	53.29	52.00	51.91	51.79	51.64
" 1x10, " "	52.96	52.55	53.97	52.50	51.25	52.98	52.33
" 1x12, " "	......	......	......	......	......	......	......
Shiplap, 1x8, No. 3, all lengths.	41.51	40.97	45.89	43.50	44.51	43.01	41.58
" 1x10, " "	41.51	43.91	47.01	44.75	45.00	43.19	42.02
" 1x12, " "	41.50	41.00[2]	......	45.75	......	44.19	42.67
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	65.50[3]	68.25[1]	......	......	......	68.25[1]	68.25
" " " " other lengths.	73.00	68.25[1]	......	......	......	73.00	68.25
" " 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " " other lengths.	......	......	......	......	......	......	......
All No. 4—all widths and lengths.	22.50[1]	......	27.23	19.00[2]	......	27.23	21.93

FENCING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 10
1x4, S 1 S, No. 1, 16 ft.	68.73	......	......	69.25[1]	......	68.73	72.67
" " " other lengths	68.80	72.71	94.00	74.25	......	72.32	69 36
" " No. 2, all lengths	43.87	43.82	49.38	48.50	43.00[1]	44.28	44.01
" " No. 3, "	37.39	36.90	40.73	42.25	34.75[3]	39.04	38.80
1x4, C. M., No. 1, 16 ft.	87.00[1]	......	......	......	......	87.00[1]	87.00
" " " other lengths	77.21	......	......	66.75	......	69.21	74.48
" " No. 2, all lengths	45.37	......	......	51.75	......	46.57	47.15
" " No. 3, "	40.50	......	......	41.75	......	41.25	36.50[2]
1x6, S 1 S, No. 1, 16 ft.	69.30	77.56	92.39[1]	69.25	......	71.94	70.10
" " " other lengths	68.06	69.69	93.88	71.75	......	70.58	76.14
" " No. 2, all lengths	48.91	49.58	53.74	50.25	52.00[1]	49.91	49.22
" " No. 3, "	39.54	38.22	42.56	41.50	31.00	40.15	39.01
1x6, C. M., No. 1, 16 ft.	70.03	71.50	......	58.00[3]	......	70.21	66.25
" " " other lengths	67.74	60.02	......	66.00	......	65.11	67.18
" " No. 2, all lengths	49.90	50.44	......	53.50	49.40[1]	50.24	49.40
" " No. 3, "	38.09	38.50	......	45.25	43.83	40.90	39.67
DIMENSION							
2x4, No. 1, S 1 S 1 E, 10 ft.	48.92	47.71	47.43	49.25	46.00[1]	45.69	47.81
" " " 12 ft.	47.95	52.59	45.30	46.50	45.50	48.30	47.24
" " " 14 ft.	47.93	45.87	45.83	47.00	45.50	47.10	47.65
" " " 16 ft.	49.67	48.90	47.42	47.00	46.00[1]	48.92	48.24
" " " 18 ft.	49.59	48.36	48.74	49.25	40.00[1]	49.24	48.39
" " " 20 ft.	50.06	48.77	48.74	49.25	46.00[1]	49.77	49.70
" " " 22 ft.	51.10	53.43	50.25[1]	......	......	52.34	51.13
" " " 24 ft.	51.48	52.00	50.25[1]	......	......	41.69	51.48
2x6, No. 1, S 1 S 1 E, 10 ft.	45.36	52.02	45.89	46.75	......	48.57	45.60
" " " 12 ft.	45.53	51.09	45.19	44.75	......	47.68	44.77
" " " 14 ft.	45.19	51.74	45.19	44.75	......	49.17	45.22
" " " 16 ft.	45.49	49.93	46.96	44.75	......	47.41	45.72
" " " 18 ft.	45.19	49.20	45.89	46.75	......	46.43	46.26
" " " 20 ft.	45.93	48.62	45.89	46.75	39.25[2]	46.84	45.88
" " " 22 ft.	48.25	46.39	50.44	47.00	......	48.06	48.21
" " " 24 ft.	48.18	49.77	50.44	47.00	......	48.61	47.72
2x8, No. 1, S 1 S 1 E, 10 ft.	46.06	45.89	48.06	48.25	44.25[2]	47.25	46.25
" " " 12 ft.	46.83	44.91	44.95	46.00	42.25[2]	46.04	45.96
" " " 14 ft.	46.30	45.01	46.23	46.00	42.25[2]	45.99	45.90
" " " 16 ft.	48.42	50.32	46.13	46.00	44.25[2]	48.77	48.60
" " " 18 ft.	49.30	47.80	48.06	48.25	47.75[2]	49.08	47.61
" " " 20 ft.	48.69	46.69	48.06	48.25	......	48.01	47.85
" " " 22 ft.	50.03	60.00	52.44	......	......	51.32	51.05
" " " 24 ft.	50.15	51.08	52.44	......	......	50.36	51.41
2x10, No. 1, S 1 S 1 E, 10 ft.	47.23	53.45	48.70	50.25	......	49.09	46.95
" " " 12 ft.	46.91	48.32	48.62	46.75	......	47.70	46.25
" " " 14 ft.	47.46	47.98	48.62	45.75	42.00[3]	47.54	47.55
" " " 16 ft.	48.87	51.01	47.95	46.75	40.99[3]	49.24	48.85
" " " 18 ft.	48.78	49.72	48.70	50.25	45.50[3]	48.85	49.06
" " " 20 ft.	49.11	50.69	48.70	50.25	45.50[3]	49.45	49.41
" " " 22 ft.	51.61	55.67	52.98	50.25	......	53.50	50.67
" " " 24 ft.	51.72	51.13	52.98	50.25	......	51.60	51.54
2x12, No. 1, S 1 S 1 E, 10 ft.	50.34	54.00	51.29	49.75	......	51.15	48.33
" " " 12 ft	49.59	51.00	48.24	49.50	42.00[3]	48.88	47.74
" " " 14 ft.	49.67	51.05	48.24	49.50	44.50[3]	49.93	49.05
" " " 16 ft.	51.37	51.09	50.04	49.50	42.00[3]	50.96	50.36
" " " 18 ft.	50.07	52.09	51.29	49.75	47.50[3]	50.92	50.56
" " " 20 ft.	51.10	53.55	51.29	49.75	47.50[3]	52.09	52.06
" " " 22 ft.	54.00	52.32	56.52	54.25	......	53.92	52.56
" " " 24 ft.	53.37	55.65	56.52	54.25	......	54.37	52.89
2x4, No. 2, S 1 S 1 E, 10 ft.	45.27	46.49	46.51	49.50	40.50[2]	46.87	44.50
" " " 12 ft.	44.89	45.81	45.86	46.50	45.00[2]	45.53	45.64
" " " 14 ft.	44.69	46.68	43.68	46.50	45.00[2]	45.23	45.36
" " " 16 ft.	46.53	47.19	45.28	46.50	......	46.64	47.31
" " " 18 ft.	46.53	47.20	48.88	49.50	......	47.10	45.94
" " " 20 ft.	47.04	45.49	48.88	49.50	43.50[2]	46.41	46.33
" " " 22 ft.	49.50	48.50	......	......	......	49.22	48.18
" " " 24 ft.	49.59	48.50	......	......	......	49.59	48.75
2x6, No. 2, S 1 S 1 E, 10 ft.	40.71	48.68	44.96	46.25	41.00[2]	43.41	42.79
" " " 12 ft.	40.51	48.36	45.71	44.75	44.75[1]	45.27	41.85
" " " 14 ft.	42.22	42.57	45.71	44.75	44.75[1]	42.47	41.57
" " " 16 ft.	42.68	46.01	42.76	44.75	44.75[1]	43.18	43.20
" " " 18 ft.	42.58	48.54	44.96	46.25	......	44.35	42.02
" " " 20 ft.	41.74	43.37	44.96	46.25	39.00[3]	42.26	42.19
" " " 22 ft.	45.24	44.15[2]	49.32[1]	......	......	45.24	49.32
" " " 24 ft.	46.25	44.15[2]	49.32[1]	......	......	46.25	44.75

DIMENSION—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	44.37	42.15	43.90	47.75	42.00 [2]	43.90	42.93
" " " 12 ft.	42.78	42.86	46.21	48.00	40.65 [2]	44.67	43.52
" " " 14 ft.	43.31	43.73	43.10	48.00		43.31	43.45
" " " 16 ft.	44.25	44.86	46.76	48.00	42.48 [2]	44.56	45.25
" " " 18 ft.	44.36	44.04	43.90	47.75	44.59 [2]	44.17	46.14
" " " 20 ft.	44.08	42.40	43.90	47.75	43.50 [1]	43.68	46.09
" " " 22 ft.	48.25 [1]	53.00 [1]	45.75	......	......	45.75	49.04
" " " 24 ft.	47.89	53.00 [1]	45.75	......	......	47.89	48.25
2x 10 No. 2, S 1 S 1 E, 10 ft.	43.33	44.95 [1]	45.78	47.25 [1]	......	44.48	45.65
" " " 12 ft.	44.04	42.53	46.18	48.75	45.00 [2]	43.76	43.55
" " " 14 ft.	43.94	42.26	46.18	48.75	......	42.95	43.65
" " " 16 ft.	45.61	45.13	45.73	48.75	......	45.55	45.98
" " " 18 ft.	45.19	44.84	45.78	47.25 [1]	42.75 [3]	44.96	46.26
" " " 20 ft.	45.03	44.84	45.78	47.25 [1]	40.63 [3]	44.94	46.44
" " " 22 ft.	50.25	54.71	45.22 [2]	......	......	53.42	47.26 [1]
" " " 24 ft.	49.71	54.75	45.22 [2]	......	......	49.71	47.26 [1]
2x12, No. 2, S 1 S 1 E, 10 ft.	44.06	45.32 [1]	48.42	52.50	44.50 [2]	46.11	46.97
" " " 12 ft.	44.85	47.53	45.75	49.75	42.75 [2]	46.24	43.67
" " " 14 ft.	45.01	45.86	45.75	49.75	42.75 [2]	45.68	44.35
" " " 16 ft.	48.41	47.95	46.75	49.75	40.44 [2]	48.09	47.93
" " " 18 ft.	46.89	48.36	48.42	52.50	45.75 [2]	47.79	45.71
" " " 20 ft.	48.19	48.57	48.42	52.50	......	48.43	47.28
" " " 22 ft.	51.11	56.75	......	......	......	53.08	48.00 [3]
" " " 24 ft.	51.00	56.75	......	......	......	51.00	48.00 [3]
No. 1, 2x4 to 2x12, 26 ft. and longer	......	......	......	......	......	......	......
All No. 3, S 1 S 1 E, all legnths	31.46	32.08	33.64	29.75	33.75	31.74	33.52
PATENT LATH.							
4 and 6 ft.	42.02	38.06	41.00 [1]	42.50	......	41.57	40.93
8 and 10 ft.	41.87	40.07	41.75 [3]	42.25	......	41.70	41.93
12 ft. and longer	44.16	40.00	42.15 [2]	45.50	......	44.52	44.65
PLASTERING LATH							
⅜x1½-4, No. 1	16.36	18.25	17.45	18.10	17.00	16.97	16.70
" No. 2	15.05	16.50	15.33	16.00	11.00 [1]	15.18	14.72
⅜x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
⅝x1½-4, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
⅝x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
TIMBERS							
4x4 to 8x8, No. 1, up to 20 ft.	49.11	49.23	45.88	47.25	37.75	47.07	45.50
" " 22-24 ft.	56.08	48.75	46.94	......	39.00 [3]	48.63	45.82
" " 26 ft.	47.77 [1]	44.75 [1]	50.16	......	......	50.16	46.30
" " 28 ft.	50.46 [1]	45.75 [1]	50.16	......	......	50.16	46.53
" " 30 ft.	53.08 [1]	48.00	55.01	......	......	52.46	52.70
" " over 30 ft.	54.94 [1]	48.00	48.50	......	......	48.44	54.87
4x4 to 8x8, Heart (85%+), up to 20 ft.	52.77	51.14	......	......	46.50 [2]	52.35	50.50
" " " 22-24 ft.	54.45	52.06	......	......	......	53.61	53.67
" " " 26 ft.	......	47.00 [3]	......	......	......	47.00 [3]	47.00 [2]
" " " 28 ft.	44.00 [3]	47.67 [3]	......	......	......	47.00 [3]	47.00 [2]
" " " 30 ft.	......	50.40 [3]	......	......	......	50.40 [3]	50.40 [2]
" " " over 30 ft	59.67 [1]	......	......	......	......	59.67 [1]	59.67
3 & 4x10, No. 1, up to 20 ft.	52.16	49.62	......	48.25 [1]	38.25 [2]	50.99	50.76
" " 22-24 ft.	54.06 [1]	49.00 [1]	......	......	......	53.26 [1]	53.26
" " 26 ft.	50.50 [1]	......	......	......	......	50.50 [1]	50.50
" " 28 ft.	51.50 [1]	......	......	......	......	51.50 [1]	51.50
" " 30 ft	......	......	......	......	......	......	......
" " over 30 ft.	52.80 [1]	48.00 [3]	......	......	......	52.80 [1]	52.80
3 & 4x10, Heart (85%+), up to 20 ft.	54.48	48.00	......	......	51.00 [2]	52.73	49.27 [1]
" " " 22-24 ft.	......	50.00 [2]	......	......	......	50.00 [2]	50.00 [1]
" " " 26 ft.	56.50	55.00 [3]	......	......	......	56.50	55.00 [2]
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 10
6x10 to 10x10, No. 1, up to 20 ft.	51.75	45.81[1]	50.61	......	42.50[3]	50.90	47.91
« « 22-24 ft.	52.00[1]	50.64	46.77	......	......	58.38	50.17
« « 26 ft.	53.00[1]	60.00	52.29	......	......	52.82	50.94
« « 28 ft.	52.50[1]	55.25[3]	52.29	......	......	52.29	52.50
« « 30 ft.	40.00[3]	56.00[3]	57.54	......	......	57.54	42.45[2]
« « over 30 ft.	61.00	53.68[1]	53.48[1]	......	......	61.00	53.62
6x10 to 10x10, Heart (85%+), up to 20 ft.	43.00[3]	55.00	......	......	......	55.00	46.93[1]
« « « 22-24 ft.	42.20[3]	56.00	......	......	......	56.00	43.00[1]
« « « 26 ft.	......	......	......	......	......	......	......
« « « 28 ft.	......	......	......	......	......	......	......
« « « 30 ft.	......	......	......	......	......	......	......
« « « over 30 ft.	50.60[3]	......	......	......	......	50.60[3]	50.60[2]
3 & 4x12, No. 1, up to 20 ft.	57.97	52.99	......	......	40.25	50.61	52.12
« « 22-24 ft.	60.78	43.75	......	......	......	60.12	51.00
« « 26 ft.	......	......	......	......	......	......	......
« « 28 ft.	......	......	......	......	......	......	......
« « 30 ft.	61.00	52.00[2]	......	......	......	61.00	52.00[1]
« « over 30 ft.	69.89[1]	......	......	......	......	69.89[1]	69.89
3 & 4x12, Heart (85%+) up to 20 ft.	61.99	60.75	......	......	......	61.18	54.00
« « « 22-24 ft.	60.50	53.00[2]	......	......	......	60.50	53.00[1]
« « « 26 ft.	......	56.00[3]	......	......	......	56.00[3]	56.00[2]
« « « 28 ft.	......	56.00[3]	......	......	......	56.00[3]	56.00[2]
« « « 30 ft.	......	......	......	......	......	......	......
« « « over 30 ft.	......	......	......	......	......	......	......
6x12 to 12x12, No. 1, up to 20 ft.	57.72	59.72	54.38	......	52.50[2]	54.90	52.62
« « 22-24 ft.	61.00	49.00[2]	53.93	......	......	54.73	52.05
« « 26 ft.	59.06	......	54.69	......	......	55.08	52.11
« « 28 ft.	61.00	50.72[2]	54.69	......	......	61.00	44.75
« « 30 ft.	61.00	52.00[2]	61.17	......	......	61.07	58.58
« « over 30 ft.	61.00	55.00[1]	64.35[1]	......	......	61.00	58.92
6x12 to 12x12, Heart (85%+) up to 20 ft.	60.50	49.50[2]	......	......	......	60.50	60.50
« « « 22-24 ft.	46.80[3]	48.50[3]	......	......	......	48.02[3]	48.02[2]
« « « 26 ft.	......	......	......	......	......	......	......
« « « 28 ft.	......	50.50[3]	......	......	......	50.50[3]	50.50[2]
« « « 30 ft.	......	53.58[3]	......	......	......	53.58[3]	53.58[2]
« « « over 30 ft.	53.60[2]	75.00[2]	......	......	......	75.00[2]	75.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	70.50[1]	56.46	......	......	......	56.46	69.60
« « 22-24 ft.	67.00[3]	57.30	......	......	......	57.30	60.00
« « 26 ft.	69.00[3]	53.25[2]	......	......	......	53.25[2]	53.25[1]
« « 28 ft.	......	70.00[2]	......	......	......	70.00[2]	70.00[1]
« « 30 ft.	......	......	......	......	......	......	......
« « over 30 ft.	......	......	......	......	......	......	......
2x14 to 4x14, Heart (85%+) up to 20 ft.	......	57.00[2]	......	......	......	57.00[2]	57.00[1]
« « 22-24 ft.	......	......	......	......	......	......	......
« « 26 ft.	......	......	......	......	......	......	......
« « 28 ft.	......	......	......	......	......	......	......
« « 30 ft.	......	......	......	......	......	......	......
« « over 30 ft.	......	......	......	......	......	......	......
6x14 to 14x14, No. 1, up to 20 ft.	61.14	54.88[2]	61.29	......	......	61.21	62.78
« « 22-24 ft.	67.64	57.06[2]	63.00[1]	......	......	67.64	63.00
« « 26 ft.	......	......	63.46[1]	......	......	63.46[1]	63.46
« « 28 ft.	......	......	63.46[1]	......	......	63.46[1]	63.46
« « 30 ft.	47.00[2]	......	65.30[1]	......	......	65.30[1]	65.30
« « over 30 ft.	......	......	65.74[1]	......	......	65.74[1]	65.74
6x14 to 14x14, Heart (85%+) up to 20 ft.	......	58.00[2]	......	......	......	58.00[2]	58.00[1]
« « « 22-24 ft.	......	56.00[2]	......	......	......	56.00[2]	56.00[1]
« « « 26 ft.	......	26.00[3]	......	......	......	26.00[3]	26.00[2]
« « « 28 ft.	......	51.50[3]	......	......	......	51.50[3]	51.50[2]
« « « 30 ft.	......	......	......	......	......	......	......
« « « over 30 ft.	......	55.24[3]	......	......	......	55.24[3]	55.24[2]
2x16 to 4x16, No. 1, up to 20 ft.	54.75[3]	51.00[3]	......	......	......	53.71[3]	53.71[2]
« « 22-24 ft.	......	56.00[2]	......	......	......	56.00[2]	56.00[1]
« « 26 ft.	......	......	......	......	......	......	......
« « 28 ft.	......	......	......	......	......	......	......
« « 30 ft.	......	......	......	......	......	......	......
« « over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	......
« « « 22-24 ft.	......	......	......	......	......	......	......
« « « 26 ft.	......	......	......	......	......	......	......
« « « 28 ft.	......	......	......	......	......	......	......
« « « 30 ft.	......	......	......	......	......	......	......
« « « 3 over0 ft.	......	......	......	......	......	......	......

TIMBERS—(Continued.)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 10
6x16 & Up, No. 1, up to 20 ft.	79.44	52.02[1]	67.22	......	......	74.70	63.58
" " 22-24 ft.	62.10	52.00[3]	67.80[1]	......	......	62.10	67.42
" " 26 ft.	81.00	......	79.00	......	......	80.32	57.24
" " 28 ft.	65.62	60.00[3]	79.00	......	......	65.62	64.25
" " 30 ft.	81.00	......	71.99[1]	......	......	81.00	72.21
" " over 30 ft.	61.90	......	82.75	......	......	68.09	82.24
6x16 & Up, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	62.50[3]
" " " 22-24 ft.	87.50[1]	......	......	......	......	87.50[1]	87.50
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	74.00	......	......	......	74.00	......
" " " over 30 ft.	......	90.00[2]	......	......	......	90.00[2]	90.00[1]
STRINGERS.							
15 inch, Sq. E. up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	72.50	......	......	......	72.50	......
" " 30 ft.	......	......	......	......	......	......	......
" " 32 ft.	......	......	......	......	......	......	......
15 inch, Heart (85%+) up to 20 ft.	67.50[1]	......	......	......	......	67.50[1]	67.50
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	70.50[1]	......	......	......	......	70.50[1]	70.50
" " " 30 ft.	......	......	......	......	......	......	......
" " " 32 ft.	......	......	......	......	......	......	......
16 inch, Sq. E. up to 20 ft.	......	57.66[2]	......	......	......	57.66[2]	57.66[1]
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	64.66[2]	......	......	......	64.66[2]	64.66[1]
" " 28 ft.	68.50	72.50	......	......	......	71.02	65.00[1]
" " 30 ft.	......	64.76[2]	......	......	......	64.76[2]	64.76[1]
" " 32 ft.	......	......	......	......	......	......	......
16 inch, Heart (85%+) up to 20 ft.	......	......	......	......	......	......	......
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	62.00[3]	......	......	......	62.00[3]	62.00[2]
" " " 28 ft.	65.50[3]	......	......	......	......	65.50[3]	65.50[2]
" " " 30 ft.	......	......	......	......	......	......	......
" " " 32 ft.	......	......	......	......	......	......	......
CAR SILLS							
Up to 9 inch, Sq. E. 34 ft.	56.25[1]	53.17[2]	44.07	......	......	44.07	48.24
" " " 36 ft.	56.76	55.00	44.07	......	50.00	56.07	49.80
" " " 37-38 ft.	66.27[1]	55.00	49.00	......	50.00[1]	51.68	49.86
" " " 40 ft.	61.00	56.00[2]	44.00[1]	......	45.00[3]	61.00	50.36
" " " 41-42 ft.	61.00	58.00[2]	......	......	......	61.00	60.20
Up to 9 inch Heart (85%+) 34 ft.	53.80[1]	......	......	......	......	53.80[1]	53.80
" " " " 36 ft.	57.25	......	......	......	......	57.25	......
" " " " 37-38 ft.	53.78[1]	......	......	......	......	53.78[1]	53.78
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	61.95[1]	......	......	......	......	61.95[1]	61.95
Up to 10 inch, Sq. E. 34 ft.	58.17	55.30[2]	57.50	......	......	57.81	55.68
" " " 36 ft.	58.07	57.00[1]	57.50[1]	......	45.00[2]	58.07	55.58
" " " 37-38 ft.	59.00	......	53.88	......	......	57.06	67.50[1]
" " " 40 ft.	63.26	......	62.50	......	......	63.26	67.50[1]
" " " 41-42 ft.	62.50	71.00[1]	......	......	......	62.50	68.62
Up to 10 inch, Heart (85%+) 34 ft.	61.00[1]	......	......	......	......	61.00[1]	61.00
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
Up to 12 inch, Sq. E. 34 ft.	......	59.00[2]	72.19	......	......	72.19	65.00
" " " 36 ft.	62.00[1]	65.00[1]	72.19	......	53.00[2]	72.19	62.62
" " " 37-38 ft.	......	58.00[2]	......	......	50.00[1]	50.00[1]	50.00
" " " 40 ft.	67.00[1]	54.00[3]	......	......	......	67.00[1]	67.00
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 12 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " " 36 ft.	70.24	......	......	......	......	70.24	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......

CAR SILLS—(Continued).	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 10
Up to 14 inch, Sq. E. 34 ft.	......	62.00[2]	......	......	......	62.00[2]	62.00[1]
" " " 36 ft.	62.50[1]	65.00[1]	......	......	......	63.68[1]	63.68
" " " 37-38 ft.	64.50[1]	......	......	......	......	64.50[1]	64.50
" " " 40 ft.	66.50[1]	69.00[1]	......	......	......	67.72[1]	67.72
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 14 inch, Heart (85%+) 34 ft.	......	......	......	......	......	......	......
" " " 36 ft.	......	......	......	......	......	......	......
" " " 37-38 ft.	......	......	......	......	......	......	......
" " " 40 ft.	......	......	......	......	......	......	......
" " " 41-42 ft.	......	......	......	......	......	......	......
CAPS							
12x14, Sq. E. 12 ft.	......	52.12[2]	......	......	......	52.12[2]	52.12[1]
" " 14 ft.	......	65.00	......	......	......	65.00	57.12[1]
" " 16 ft.	......	......	......	......	......	......	......
12x14, Heart (85%+) 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	......	......	......	......	......	......	......
" " " 16 ft.	......	......	......	......	......	......	......
14x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
" " 14 ft.	......	65.00	......	......	......	65.00	......
" " 16 ft.	......	......	......	......	......	......	......
14x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	......	......	......	......	......	......	......
" " " 16 ft.	......	......	......	......	......	......	......
SAWN TIMBERS							
25 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
27½ " " 25 "	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
30 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	41.50	......	......	......	......	41.50	41.48
SPECIAL TIMBERS							
Track Ties, Sq. E., 6x8–8	......	55.00	45.00[2]	......	......	55.00	43.73[1]
" " Heart, (85%+) 6x8–8	51.30	53.00	......	......	......	51.34	44.00[2]
" " Sq. E. " 7x9–8	......	43.00[3]	......	......	......	43.00[3]	43.00[2]
" " Heart " 7x9–8	......	......	......	......	......	......	......
Bridge Ties, Sq. E., 7x9 & up	......	......	......	......	......	......	......
" " Heart,	......	......	......	......	......	......	......
Paving Stock, S 1 S	43.00[1]	41.14	37.85	......	......	38.83	43.00
" " Rough	......	......	......	......	......	......	......
Battleship Decking, Edge Grain	......	......	......	......	......	......	......
Ship " Flat Grain	104.26[1]	......	......	......	......	104.26[1]	104.26
Miscellaneous	42.16[2]	52.01	49.42	......	54.91[1]	50.64	56.68
MISCELLANEOUS STOCK							
Silo Stock	......	58.00	......	......	48.00[2]	58.00	48.00[1]
Grain Doors	40.00[1]	......	22.50[2]	......	......	40.00[1]	40.00
Miscellaneous, B and B	104.98	127.84	100.39	......	105.55[1]	103.96	105.08
" No. 1	75.49	58.39	53.24	......	73.13	62.90	60.02
" No. 2	51.52	43.80	52.28	......	50.64	51.39	51.25
" No. 3	42.98	37.90	42.58	......	42.29	41.64	38.90
Shorts, B and B	80.09	66.55	......	......	......	73.99	83.96
" No. 1	45.63	48.87	......	......	......	45.91	40.85
" No. 2	......	39.85	......	......	......	39.85	38.59
" No. 3	......	36.47[1]	......	......	......	36.47[1]	36.47

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
2.75	3 00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5 25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
5 00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20 50	4500

Southern Pine Association

REPORT OF SALES

February 29, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for nine days ending February 29, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg, Little Rock and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
Plastering Lath, dry	550

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued March 8, 1920

No. 86

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Arkansas Soft Pine Bureau, Little Rock, Ark.	13	500,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	210	5,623,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼"							
Edge Grain, A "	150 24[1]					150 24[1]	150 24
" " B "							
" " B and Better "	137.08			133.50		136.84	125.39
" " C "	115.25					115.25	118 99
" " D "	102 90[1]					102.90[1]	102.90
" " No 2 "							
Flat " A "							
" " B "	98.00[3]			109 00[1]		109 00[1]	109 00
" " B and Better "	100 00			113 25		107.49	108.41
" " C "	93 75[1]					93 75[1]	93.75
" " D "	96.31					96.31	97.63
No. 1 Common "				90.00[1]		90 00[1]	90 00
No. 2 " "	52 00			55.00		53.13	56.18
No 3 " "							
Heart Face, Edge Grain, B and Better, 13/16x2½"			159.25		142.50	153.52	140.50
Edge Grain, A "			135 87		137.50	136.52	128.13
" " B "			134.30		134.13	134 22	132.44
" " B and Better "		135 00			132.98	133 14	126.86
" " C "		115.25	112.90		109.50[1]	113.15	114 05
" " D "							100.25[3]
" " No. 2 "			76.05		74.50[3]	76.05	75.00
Flat " A "					120.25[3]	120.25[3]	120.25[2]
" " B "		99 00[3]			105 00[2]	105 00[2]	105 00[1]
" " B and Better "		114.18[1]	114.90		110.35	114 10	111.49
" " C "		94 00[2]			105 00[3]	94 00[2]	94 00[1]
" " D "		91 00[2]				91 00[2]	91.00[1]
No. 1 Common "		90 57[1]	101.27		92.50	100.90	98.45
No. 2 " "		55.25[1]	55.32		55.10	55.21	54.28
No. 3 " "			41.50		40 00	40.44	44.40
Heart Face, Edge Grain, B and Better, 13/16x3¼"			136.00			136 00	130.25
Edge Grain, A "	120.00	120.71[1]	131.22	126 00		127.88	127.48
" " B "		115.00	128.72	122 50[1]	116 14[1]	124 33	121.11
" " B and Better "	122.31	125.00		128.25	109 00[1]	123.18	123.41
" " C "	110 00	114.28	110.00	110.50	110.02	113.75	108.65
" " D "	97.50					97.50	97.50
" " No. 2 "		60 00[3]	71.20			71.20	71.76
Flat " A "	105 11[1]	105 00		106 50		106.00	105.38
" " B "	100.00	99.46		104 25[1]	98 00[3]	99.87	101.04
" " B and Better "	102.61	107.63	106.18	109.25	103.02	104.13	104.82
" " C "	95 00	95 00				95 00	95 33
" " D "	90.97	90 00				90.92	89 50
No. 1 Common "		92 18	97 10	94.25	99.12	95.18	94.73
No. 2 " "	53.19	55.08	53.49	58.50	52.46	53.58	52.30
No 3 " "			40 00		40 00	40 00	36.77
CEILING							
Ceiling, ½x3¼", A							
" " B							
" " B and Better	66 00		71.62	62.00[1]	69 62[1]	71.14	66.95
" " No. 1 Common	63.75	65.25	69 27	55 00	75.00	65.93	64.38
" " No. 2 "	44.75[1]	48.00	45 00	51 00[1]	47.36	46 94	45.74
" " No. 3 "			27.42[2]		33.00[1]	33.00[1]	33.00
Ceiling, ⅝x3¼", A							
" " B				89 50[1]		89.50[1]	89 50
" " B and Better	80.01	83.00	80.12	83.25	90 00	80.91	79.95
" " No. 1 Common	71.68	70 91[1]	74.96	64.00	85 00	72.75	71.82
" " No. 2 "	48.98	49.75	52.80	50.75	51.09	51.72	49 56
" " No. 3 "			35.00		35 00[1]	35 00	35.00
Ceiling, ¾x3¼", A							
" " B							90.25[3]
" " B and Better	105 00		101.71	99.75	102 00[1]	102.26	101.92
" " No. 1 Common	108 00	85.00	104 50	85.00	102.00	90.35	89 80[1]
" " No. 2 "		35 00[3]	53 75[1]		54.00	54 00	53.75
" " No. 3 "							25 00[3]
PARTITION							
Partition, ¾x3¼", A							
" " B				106 50		106.50	
" " B and Better	89 50	102 66[2]		115.75[1]	102 82[2]	89.50	118.94
" " No. 1 Common	94 50[2]	69 50		89.75	99 50[2]	75 29	98 25[1]
" " No. 2 "	54 00	50 00[3]	56 25[1]	64 50[1]	55 00	54.76	56 80
Partition, ¾x5¼", A							
" " B							
" " B and Better	110 00		113.80	104 25[1]	102 25[2]	113.44	105 37
" " No. 1 Common	97.00		99 04	79.75[1]		98 82	79.75
" " No. 2 "	54 00		52 00			52 73	56 25
BEVEL SIDING							
Bevel Siding, A							
" B				65 50[3]		65 50[3]	65 50[2]
" B and Better	62 37	75 00[2]		64 00		62 43	64.75
" No. 1 Common			46 25	55 25[1]	50 00[3]	46 25	51.74
" No. 2 "	50 00[2]		51 27	36 00[1]		51.27	36 00

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 20
Drop Siding, ¾x3¼ or 5¼,	A	......	......	......	......	......	......	......
" "	B	......	......	......	89.25[3]	......	89.25[3]	89.25[2]
" "	B and Better	90.12	93.18	89.01	100.00	95.00	91.08	90.18
" "	No. 1 Common	84.87	80.55	80.61	87.25	87.50[1]	81.73	80.04
" "	No. 2 "	55.09	50.70	55.68	65.00	55.30	54.40	53.80
" "	No. 3 "	......	......	40.69	......	37.00[1]	40.69	38.27
FINISH								
1x 4 inch,	A	......	......	......	130.00	......	130.00	......
1x 6 inch,	"	......	......	......	127.75	......	127.75	120.00[1]
1x 8 inch,	"	......	......	......	127.75	......	127.75	120.00[1]
1x 5 and 10 inch,	"	......	......	......	130.50	......	130.50	122.00[1]
1x12 inch,	"	......	......	......	129.25	......	129.25	122.00[1]
1¼x4 to 12 inch,	"	......	......	......	133.50	......	133.50	124.75[1]
1½ and 2x4 to 12 inch,	"	......	......	......	135.50	......	135.50	......
1⅝ inch,	"	......	......	......	......	......	......	......
1x 4 inch,	B	......	......	......	130.00	......	130.00	99.75[2]
1x 6 inch,	"	......	......	......	128.75	......	128.75	124.75
1x 8 inch,	"	......	......	......	128.75	......	128.75	124.75
1x 5 and 10 inch,	"	......	......	......	126.75[1]	......	126.75[1]	126.75
1x12 inch,	"	......	......	......	117.75[2]	......	117.75[2]	117.75[1]
1¼x4 to 12 inch,	"	......	......	......	135.75	......	135.75	131.25
1½ and 2x4 to 12 inch,	"	......	......	......	137.25	......	137.25	132.25
1⅝ inch,	"	......	......	......	......	......	......	......
1x 4 inch,	B and Better	111.96	115.23	111.38	125.75	......	114.67	107.59
1x 6 inch,	"	112.82	114.20	115.90	125.25	120.00	116.56	111.88
1x 8 inch,	"	113.80	115.92	117.53	125.25	121.80	115.50	110.12
1x 5 and 10 inch,	"	115.84	120.26	119.88	126.75	120.00	119.34	112.66
1x12 inch,	"	118.54	117.05	125.85	128.00	130.00	121.88	113.40
1¼x4 to 12 inch,	"	121.34	124.55	125.50	128.00	130.00	124.81	121.41
1½ and 2x4 to 12 inch,	"	128.00	125.00[1]	126.93	133.75	......	130.65	113.60
1⅝ inch,	"	103.36[3]	102.33	......	......	......	102.33	99.50
1x 6 to 12 inch,	"	......	......	......	......	112.50[2]	112.50[2]	112.50[1]
1x 4 inch,	C	97.09[1]	......	90.25[3]	116.25	......	116.25	97.09
1x 6 inch,	"	106.06	99.00[1]	102.25[1]	117.25	......	113.92	95.36
1x 8 inch,	"	99.18	99.18[1]	124.62[1]	117.25	......	99.18	102.91
1x 5 and 10 inch,	"	100.75	......	102.25[1]	117.00	......	113.13	101.67
1x12 inch,	"	105.25	105.62[1]	107.25[1]	117.00	......	114.29	103.61
1¼x4 to 12 inch,	"	110.68	......	97.75[3]	134.50[1]	......	110.68	118.50
1½ and 2x4 to 12 inch,	"	......	......	95.12[3]	90.00[3]	......	95.12[3]	95.12[2]
1⅝ inch,	"	......	......	......	......	......	......	......
1x 6 to 12 inch,	"	......	......	......	......	110.00[1]	110.00[1]	110.00
1x 4 inch,	B and Better, Rough	105.38	91.14[3]	114.25	......	......	107.81	99.50
1x 6 inch,	" "	114.91	116.59[1]	113.72	115.25[2]	92.00	112.17	114.38
1x 8 inch,	" "	104.42	106.25	115.21	115.25[2]	......	109.70	113.90
1x 5 and 10 inch,	" "	107.11	108.25	109.75	......	......	107.90	117.24
1x12 inch,	" "	109.62	112.25	117.87	......	......	114.00	117.57
1¼x4 to 12 inch,	" "	117.01	114.50[1]	123.32	130.00[1]	125.00[2]	121.86	120.11
1½ and 2x4 to 12 inch,	" "	115.36	116.15[3]	127.17	132.00[1]	......	124.05	123.20
1⅝ inch,	" "	......	104.00[1]	......	......	......	104.00[1]	104.00
1x 6 to 12 inch,	" "	......	......	......	......	112.50	112.50	108.40[1]
CASING AND BASE								
From 4 and 6 inch stock, B. M.,	A	......	......	......	130.50	......	130.50	120.00[2]
"	B	......	......	......	......	......	......	......
"	B and Better	122.23	122.47	127.17	126.25	130.00	124.76	123.74
From 8 and 10 inch stock, B. M.,	A	......	......	......	129.75	......	129.75	115.00[3]
"	B	......	......	......	......	......	......	......
"	B and Better	117.98	121.64	130.56	129.50	130.00	123.15	125.10
MOULDINGS (% Discount)								
1½ inch and Smaller		......	......	......	10.00*	......	10.00*	13.00*
1¾ inch and Larger		......	......	......	1.00[3]*	......	1.00[3]*	1.00[2]*
DOOR AND WINDOW JAMBS								
A	B. M.	......	......	......	......	......	......	......
B	"	......	......	......	......	......	......	......
B and Better,	"	140.00	......	132.50[1]	130.81[1]	......	140.00	125.40
CAR MATERIAL								
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	80.00[2]	......	80.75[2]	......	......	80.25[2]	80.25[1]
" " " " "	8 ft.	80.00[2]	108.00[1]	67.61[3]	......	......	108.00[1]	108.00
" " " " "	12 and 14 ft.	......	......	......	......	......	......	......
" " " " "	16 ft.	......	80.00[2]	......	......	......	80.00[2]	80.00[1]
" " " " "	9 or 18 ft.	110.00	100.00	......	95.00	......	102.36	103.85[1]
" " " " "	10 or 20 ft.	106.60[1]	101.60	......	......	......	101.60	106.60

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft	60.00[2]	71.74[1]	......	65.00	......	65.00	71.74
" " " " " 8 ft	75.25	80.00	......	69.75[2]	......	79.21	65.96[1]
" " " " " 12 and 14 ft	......	85.00[1]	......	......	......	85.00[1]	85.00
" " " " " 16 ft	......	85.00[1]	......	70.00[3]	......	85.00[1]	85.00
" " " " " 9 or 18 ft	90.13	80.00	92.50	......	......	87.09	92.24
" " " " " 10 or 20 ft	89.32	90.00[1]	......	69.75[2]	......	89.32	90.00
Siding, Lining and Roofing, 1x6, No. 1, 5 ft	60.00[2]	71.74[1]	......	......	......	71.74[1]	71.74
" " " " " 8 ft	75.20[1]	80.00	......	69.75[2]	......	80.00	75.20
" " " " " 12 and 14 ft	..	85.00[1]	......	......	......	85.00[1]	85.00
" " " " " 16 ft	78.00[2]	85.00[1]	......	70.00[3]	......	85.00[1]	85.00
" " " " " 9 or 18 ft	90.01	80.00	92.50	......	......	90.01	100.00
" " " " " 10 or 20 ft	90.00	63.00	......	69.75[2]	......	64.75	91.88
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	51.50	......	......	......	......	51.50	50.87
" " " " " 10 to 20 ft.	50.04	53.95[1]	......	48.00[1]	......	50.04	53.48
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	......	......	35.50[3]
" " " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	......	......	......
" No. 1, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	49.50[3]	......	......	......	......	49.50[3]	49.50[2]
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	50.00	......	......	......	......	50.00	56.00
" " " 2 to 3 inch, 9 & 18 ft.	......	52.00	53.00	......	44.67	50.09	50.00
" " " 2 to 3 inch 10 & 20 ft.	59.00[2]	52.00	53.00	......	43.60	43.60	59.00[1]
" No. 2, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	40.00[3]
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	45.25[3]	45.25[3]	45.25[2]
" " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	45.25[3]	45.25[3]	45.25[2]
BOARDS, SHIPLAP AND GROOVED ROOFING							
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft	70.47	70.50[1]	94.06	68.25[2]	......	82.32	68.24
" " " " other lengths	68.60	77.64	93.72	71.75	98.50[1]	79.16	73.35
" " 1x10, " 14 and 16 ft	72.55	65.63[2]	95.75	68.25[2]	......	74.24	73.30
" " " " other lengths	69.32	71.96	96.82	73.50	91.00[3]	79.57	73.34
" " 1x12, " 14 and 16 ft	74.93	85.00	100.00[1]	72.00[3]	......	76.21	81.26
" " " " other lengths	76.19	71.52	97.79	81.25[1]	93.00[3]	79.26	81.16
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	51.06	50.00	53.27	51.75	52.48	52.16	51.52
" " 1x10, " "	51.52	49.73	56.26	52.25	52.50	52.60	52.93
" " 1x12, " "	56.02	55.64	56.31	59.00	54.60	55.94	56.15
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	40.38	38.94	44.57[1]	41.25	45.00	41.56	42.06
" " 1x10, " "	40.68	40.31	42.75	42.25	37.00[3]	41.18	43.27
" " 1x12, " "	42.40	46.75	47.04	45.00	39.28[2]	45.44	44.87
Shiplap, 1 x 8, No. 1, 14 and 16 ft	67.00	......	......	......	......	67.00	74.36
" " " other lengths	67.61	64.50	80.50	58.00	......	67.30	68.34
" 1x10, " 14 and 16 ft	75.51[1]	61.48[2]	......	......	......	75.51[1]	75.51
" " " other lengths	68.71	71.00	65.00[3]	74.25[1]	......	69.56	68.37
" 1x12, " 14 and 16 ft	......	......	......	......	......	......	......
" " " other lengths	......	......	......	......	......	......	......
Shiplap, 1x 8, No. 2, all lengths	53.28	51.79	56.61	52.75	54.00	53.94	51.79
" 1x10, " "	51.15	51.78	55.40	57.00	53.00	52.45	52.98
" 1x12, " "	......	......	......	......	......	......	......
Shiplap, 1x 8, No. 3, all lengths	42.17	43.51	45.73	41.75	41.00	43.35	43.01
" 1x10, " "	45.19	42.31	45.63	42.25	45.00[1]	44.30	43.19
" 1x12, " "	44.41	41.50	......	45.00	......	43.82	44.19
Grooved Roofing, 1x10, No. 1, 14 and 16 ft	.	68.25[2]	......	......	......	68.25[2]	68.25[1]
" " " " other lengths	73.00[1]	52.00	......	76.00	......	60.00	73.00
" " 1x12, " 14 and 16 ft	......	......	......	......	......	......	......
" " " " other lengths	......	......	......	......	......	......	......
All No. 4—all widths and lengths	25.50	......	26.64	20.50	......	24.95	27.23

FENCING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 20
1x4, S 1 S, No. 1, 16 ft.	71.38	......	......	69.25[2]	......	71.38	68.73
" " " other lengths	71.73	73.06	92.66	73.00	......	72.53	72.32
" " No. 2, all lengths	43.89	42.95	45.60	48.75	54.50	44.04	44.28
" " No. 3, "	38.53	36.50	40.77	41.75	......	39.66	39.04
1x4, C. M., No. 1, 16 ft.	69.50	......	......	......	......	69.50	87.00[1]
" " " other lengths	68.09	......	......	68.00	......	68.08	69.21
" " No. 2, all lengths	43.85	......	......	51.25	......	50.14	46.57
" " No. 3, "	40.50[1]	......	......	41.75[1]	......	41.25[1]	41.25
1x6, S 1 S, No. 1, 16 ft.	74.77	77.56[1]	79.65	69.25[1]	......	76.02	71.94
" " " other lengths	72.62	71.57	91.11	70.00	......	73.76	70.58
" " No. 2, all lengths	50.08	40.96	53.45	53.50	47.56	51.24	49.91
" " No. 3, "	41.05	37.48	46.00	40.25	31.00[1]	39.13	40.15
1x6, C. M., No. 1, 16 ft.	70.03[1]	71.50[1]	......	......	......	70.21[1]	70.21
" " " other lengths	69.94	64.60	......	71.00	......	68.82	65.11
" " No. 2, all lengths	50.28	49.10	......	53.25	52.00	50.61	50.24
" " No. 3, "	41.52	40.04	......	42.00	43.83[1]	41.04	40.90
DIMENSION							
2x 4, No. 1, S 1 S 1 E, 10 ft.	48.30	50.13	50.17	50.00	49.00	49.27	45.69
" " " 12 ft.	48.47	50.65	47.09	48.00	47.00	48.49	48.30
" " " 14 ft.	48.25	49.31	45.79	47.50	45.50[1]	47.85	47.10
" " " 16 ft.	50.13	51.13	48.79	47.50	49.00	49.99	48.92
" " " 18 ft.	51.64	51.13	48.70	50.00	50.00	51.57	49.24
" " " 20 ft.	51.60	52.17	48.70	50.00	46.00[2]	51.81	49.77
" " " 22 ft.	52.16	53.43[1]	50.25[2]	......	......	52.16	52.34
" " " 24 ft.	52.39	55.70	50.25[2]	......	......	53.61	41.69
2x 6, No. 1, S 1 S 1 E, 10 ft.	45.00	46.78	46.04	47.25	......	45.92	48.57
" " " 12 ft.	45.74	48.09	44.87	46.00	......	45.85	47.68
" " " 14 ft.	45.51	47.07	44.87	46.00	......	45.75	49.17
" " " 16 ft.	46.21	49.07	46.80	46.00	47.25	47.05	47.41
" " " 18 ft.	48.22	45.49	46.04	47.25	......	47.50	46.43
" " " 20 ft.	46.44	47.95	46.04	47.25	39.25[3]	47.22	46.84
" " " 22 ft.	48.60	51.62	49.36	47.00[1]	......	49.94	48.06
" " " 24 ft.	48.95	50.60	49.36	47.00[1]	......	49.94	48.61
2x 8, No. 1, S 1 S 1 E, 10 ft.	47.46	49.00	46.85	49.75	44.25[3]	48.04	47.25
" " " 12 ft.	46.92	47.50	45.47	46.75	42.25[3]	46.61	46.04
" " " 14 ft.	47.30	48.45	47.47	46.75	42.25[3]	47.44	45.99
" " " 16 ft.	48.50	48.14	46.19	46.7	44.25[3]	4 .05	48.77
" " " 18 ft.	47.61	47.05	46.85	49.75	47.75[3]	47.37	49.08
" " " 20 ft.	48.35	49.72	46.85	49.75	......	49.00	48.01
" " " 22 ft.	52.81	51.89	55.06	......	......	53.11	51.32
" " " 24 ft.	51.55	53.17	55.06	......	......	52.06	50.36
2x10, No. 1, S 1 S 1 E, 10 ft.	46.50	47.00	54.49	49.25	......	53.38	49.09
" " " 12 ft.	46.23	44.81	46.25	47.25	......	46.45	47.70
" " " 14 ft.	47.57	45.51	46.25	47.25	......	47.16	47.54
" " " 16 ft.	49.99	46.20	55.13	47.25	48.50	50.56	49.24
" " " 18 ft.	49.74	48.12	54.49	49.25	......	49.02	48.85
" " " 20 ft.	49.00	49.57	54.49	49.25	......	49.29	49.45
" " " 22 ft.	51.61[1]	52.38	52.07	50.25[1]	......	52.23	53.50
" " " 24 ft.	51.67	55.33	52.07	50.25[1]	......	53.50	51.60
2x12, No. 1, S 1 S 1 E, 10 ft.	48.67	48.45	52.97	49.75[1]	......	49.35	51.15
" " " 12 ft.	49.32	47.75	48.70	49.50[1]	......	49.01	48.88
" " " 14 ft.	49.85	51.25	48.70	49.50[1]	......	50.46	49.93
" " " 16 ft.	52.09	50.65	49.00	49.50[1]	......	51.56	50.96
" " " 18 ft.	52.13	49.52	52.97	49.75[1]	......	50.47	50.92
" " " 20 ft.	52.20	50.49	52.97	49.75[1]	......	51.42	52.09
" " " 22 ft.	56.19	54.05	52.94	54.25[1]	......	53.66	53.92
" " " 24 ft.	56.13	55.32	52.94	54.25[1]	......	56.00	54.37
2x 4, No. 2, S 1 S 1 E, 10 ft.	45.57	49.13	47.95	49.50[1]	40.50[3]	47.34	46.87
" " " 12 ft.	44.59	48.75	45.37	46.50[1]	45.00[3]	45.29	45.53
" " " 14 ft.	45.24	48.81	43.89	44.00	45.00[3]	44.39	45.23
" " " 16 ft.	46.73	51.50	44.81	44.50	40.50[3]	46.07	46.64
" " " 18 ft.	47.94	48.57	50.14	49.50[1]	......	48.98	47.10
" " " 20 ft.	47.47	50.04	50.14	49.50[1]	43.50[3]	48.55	46.41
" " " 22 ft.	49.50[1]	54.00	54.00	......	......	54. 0	49.2
" " " 24 ft.	50.00	54.00	54 0	......	......	50.00	49.59
2x 6, No. 2, S 1 S 1 E, 10 ft.	42.05	41.83	45.90	46.50	41.00[3]	44.86	43.41
" " " 12 ft.	42.04	41.48	42.46	44.75[1]	44.75[2]	42.10	45.27
" " " 14 ft.	41.45	41.55	42.46	44.75[1]	44.75[2]	41.51	42.47
" " " 16 ft.	42.00	43.18	45.11	44.75[1]	44.75[2]	43.45	43.18
" " " 18 ft.	42.42	41.99	45.90	46.50	......	42.19	44.35
" " " 20 ft.	43.79	41.79	45.90	46.50	......	42.32	42.26
" " " 22 ft.	45.24[1]	41.00	52.21	......	......	45.08	45.24
" " " 24 ft.	45.50	41.00	52.21	......	......	45.50	46.25

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 28
2x8, No. 2, S 1 S 1 E, 10 ft	42.17	42.15[1]	47.50	48.75	42.00[3]	46.43	43.90
" " " 12 ft	41.53	41.00	43.69	47.50	40.65[3]	43.02	44.67
" " " 14 ft	41.92	41.00	44.41	47.50	......	42.67	43.31
" " " 16 ft	43.96	43.00	46.71	47.50	42.48[3]	44.02	44.56
" " " 18 ft	44.54	47.09	47.50	48.75	44.59[3]	45.74	44.17
" " " 20 ft	43.74	45.94	47.50	48.75	43.50[2]	44.52	43.68
" " " 22 ft	48.25[2]	53.00	50.40	......	......	51.38	45.75
" " " 24 ft	47.89[1]	53.00	52.00	......	......	51.38	47.89
2x10, No. 2, S 1 S 1 E, 10 ft	43.98	44.95[2]	47.84	47.75	......	47.74	44.48
" " " 12 ft	42.53	42.50	46.85	47.50	45.00[3]	44.60	43.76
" " " 14 ft	43.32	42.50	46.85	47.50	......	43.08	42.95
" " " 16 ft	46.16	43.69	36.25	47.50	......	44.49	45.55
" " " 18 ft	45.02	47.50	47.84	47.75	......	46.26	44.96
" " " 20 ft	45.59	44.00	47.84	47.75	......	44.23	44.94
" " " 22 ft	50.25[1]	54.71[1]	53.40	......	......	53.40	53.42
" " " 24 ft	49.71[1]	54.75[1]	53.40	......	......	53.40	49.71
2x12, No. 2 S 1 S 1 E, 10 ft	45.25	45.32[2]	48.63	50.00	44.50[3]	48.53	46.11
" " " 12 ft	44.46	44.52	47.30	49.75[1]	42.75[3]	46.10	46.24
" " " 14 ft	44.60	45.56	47.30	49.75[1]	42.75[3]	45.41	45.68
" " " 16 ft	47.43	45.52	47.58	49.75[1]	40.44[3]	46.21	48.09
" " " 18 ft	47.62	46.00	48.63	50.00	45.75[3]	47.19	47.79
" " " 20 ft	47.34	47.00	48.63	50.00	......	47.22	48.43
" " " 22 ft	51.11[1]	56.75[1]	57.99	......	......	57.99	53.08
" " " 24 ft	51.00[1]	56.75[1]	57.99	......	......	57.99	51.00
No. 1. 2x4 to 2x12. 26 ft. and longer	......	......	......	......	......	......	......
All No. 3, S 1 S 1 E, all lengths	31.87	31.00	34.17	31.75	33.75[1]	32.72	31.74
PATENT LATH							
4 and 6 ft	40.60	45.00	41.39	41.75	......	41.25	41.57
8 and 10 ft	42.16	45.00	......	45.25	......	43.64	41.70
12 ft. and longer	43.84	40.00	42.15[3]	45.50[1]	......	43.22	44.52
PLASTERING LATH							
⅜x1½-4, No. 1	16.56	16.15	17.62	18.00	12.80	17.01	16.97
" No. 2	15.03	14.65	16.38	16.00[1]	11.00[2]	15.46	15.18
⅜x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
⅝x1½-4, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
⅝x1½-3, No. 1	......	......	......	......	......	......	......
" No. 2	......	......	......	......	......	......	......
TIMBERS							
4x4 to 8x8, No. 1, up to 20 ft	48.35	41.22	47.32	49.75	35.50	46.98	47.07
" " 22-24 ft	51.96	48.00	48.88	......	......	49.49	48.63
" " 26 ft	47.77[2]	44.75[2]	50.29	......	......	50.29	50.16
" " 28 ft	50.46[2]	45.75[2]	50.29	......	......	50.29	50.1[illegible]
" " 30 ft	45.13	48.00[1]	51.13	......	......	45.80	52.46
" " over 30 ft	60.50	48.00[1]	54.75	......	......	57.76	48.44
4x4 to 8x8, Heart (85%+), up to 20 ft	49.00	50.13	......	......	46.50[3]	49.95	52.35
" " " 22-24 ft	54.45[1]	50.00	......	......	......	50.00	53.61
" " " 26 ft	......	......	......	......	......	......	47.00[3]
" " " 28 ft	......	......	......	......	......	......	47.00[3]
" " " 30 ft	......	......	......	......	......	......	50.40[3]
" " " over 30 ft	59.67[2]	......	......	......	......	59.67[2]	59.67[1]
3 & 4x10, No. 1, up to 20 ft	64.05	52.83	......	48.25[2]	38.25[3]	59.12	50.99
" " 22-24 ft	54.06[2]	55.50	......	......	......	55.50	53.26[1]
" " 26 ft	50.50[2]	......	......	......	......	50.50[2]	50.50[1]
" " 28 ft	51.50[2]	......	......	......	......	51.50[2]	51.50[1]
" " 30 ft	......	......	......	......	......	......	......
" " over 30 ft	52.80[2]	......	......	......	......	52.80[2]	52.80[1]
3 & 4x10, Heart (85%+), up to 20 ft	54.48[1]	48.00[1]	......	......	51.00[3]	52.73[1]	52.73
" " " 22-24 ft	......	50.00[3]	......	......	......	50.00[3]	50.00[2]
" " " 26 ft	56.50[1]	......	......	......	......	56.50[1]	56.50
" " " 28 ft	......	......	......	......	......	......	......
" " " 30 ft	......	......	......	......	......	......	......
" " " over 30 ft	......	......	......	......	......	......	......

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 20
6x10, to 10x10, No. 1, up to 20 ft.	48.49	45.81[2]	65.34	......	......	52.13	50.90
" " 22-24 ft.	52.00[2]	50.64[1]	57.17	......	......	57.17	58.38
" " 26 ft.	53.00[2]	60.00[1]	62.09	......	......	62.09	52.82
" " 28 ft.	52.50[2]	......	62.09	......	......	62.09	52.29
" " 30 ft.	52.61	......	55.75	......	......	53.52	57.54
" " over 30 ft.	64.11	53.68[2]	54.95	......	......	61.33	61.00
6x10 to 10x10, Heart (85%+), up to 20 ft.	53.50	55.00[1]	......	......	......	53.50	55.00
" " " 22-24 ft.	......	56.00[1]	......	......	......	56.00[1]	56.00
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	50.60[3]
3 & 4x12, No 1, up to 20 ft.	58.34	52.09[1]	......	......	40.25[1]	58.34	50.61
" " 22 24 ft.	60.78[1]	43.75[1]	......	......	......	60.12[1]	60.12
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	61.00[1]	52.00[3]	......	......	......	61.00[1]	61.00
" " over 30 ft.	69.89[2]	......	......	......	......	69.89[2]	69.89[1]
3 & 4x12, Heart (85%+), up to 20 ft.	61.99[1]	60.75[1]	......	......	......	61.18[1]	61.18
" " " 22-24 ft.	60.50[1]	53.00[3]	......	......	......	60.50[1]	60.50
" " " 26 ft.	......	......	......	......	......	......	56.00[3]
" " " 28 ft.	......	......	......	......	......	......	56.00[3]
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
6x12 to 12x12, No. 1, up to 20 ft.	56.15	58.00	56.73	......	52.50[3]	56.71	54.90
" " 22-24 ft.	61.00[1]	59.00	54.63	......	......	54.73	54.73
" " 26 ft.	59.06[1]	60.00	62.06	......	......	61.96	55.08
" " 28 ft.	61.00[1]	60.00	61.93	......	......	60.00	61.00
" " 30 ft.	46.35	62.00	61.93	......	......	58.15	61.07
" " over 30 ft.	68.50	66.00	65.25	......	......	67.50	61.00
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.60	49.50[3]	......	......	......	54.60	60.50
" " " 22-24 ft.	......	......	......	......	......	......	48.02[3]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	50.50[3]
" " " 30 ft.	......	......	......	......	......	......	53.58[3]
" " " over 30 ft.	53.60[3]	75.00[3]	......	......	......	75.00[3]	75.00[2]
2x14 to 4x14, No. 1, up to 20 ft.	70.50[2]	56.46[1]	......	......	......	56.46[1]	56.46
" " 22-24 ft.	......	57.30[1]	......	......	......	57.30[1]	57.30
" " 26 ft.	......	53.25[3]	......	......	......	53.25[3]	53.25[2]
" " 28 ft.	......	70.00[3]	......	......	......	70.00[3]	70.00[2]
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
2x14 to 4x14, Heart (85%+), up to 20 ft.	......	57.00[3]	......	......	......	57.00[3]	57.00[2]
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
6x14 to 14x14, No. 1, up to 20 ft.	66.00	54.88[3]	61.63	......	......	61.77	61.21
" " 22-24 ft.	67.64[1]	57.06[3]	63.12	......	......	63.12	67.64
" " 26 ft.	......	......	67.58	......	......	67.58	63.46[1]
" " 28 ft.	......	......	67.58	......	......	67.58	63.46[1]
" " 30 ft.	47.00[3]	......	77.00	......	......	77.00	65.30[1]
" " over 30 ft.	......	......	81.00	......	......	81.00	65.74[1]
6x14 to 14x14, Heart (85%+), up to 20 ft.	......	58.00[3]	......	......	......	58.00[3]	58.00[2]
" " " 22-24 ft.	......	56.00[3]	......	......	......	56.00[3]	56.00[2]
" " " 26 ft.	......	......	......	......	......	......	56.00[3]
" " " 28 ft.	......	......	......	......	......	......	51.50[3]
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	55.24[3]
2x16 to 4x16, No. 1, up to 20 ft.	......	......	......	......	......	......	53.71[3]
" " 22-24 ft.	......	56.00[3]	......	......	......	56.00[3]	56.00[2]
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	......	......	......	......	......	......
" " over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, Heart (85%+), up to 20 ft.	......	......	......	......	......	......	......
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 20
6x16 & Up, No. 1, up to 20 ft	72.81	52.02[2]	75.54	....	....	73.95	74.70
" " 22-24 ft	62.10[1]	....	71.87	....	....	71.87	62.10
" " 26 ft	81.00[1]	....	79.00	....	....	79.00	80.32
" " 28 ft	65.62[1]	....	79.00	....	....	79.00	65.62
" " 30 ft	81.00[1]	....	92.40	....	....	92.40	81.00
" " over 30 ft	75.50	....	84.78	....	....	84.31	68.09
6x16 & Up, Heart (85%+), up to 20 ft	....	....	....	....	....	....	....
" " " 22-24 ft	87.50[2]	....	....	....	....	87.50[2]	87.50[1]
" " " 26 ft	....	....	....	....	....	....	....
" " " 28 ft	....	....	....	....	....	....	....
" " " 30 ft	....	74.00[1]	....	....	....	74.00[1]	74.00
" " " over 30 ft	....	90.00[3]	....	....	....	90.00[3]	90.00[2]
STRINGERS							
15 inch, Sq. E. up to 20 ft	....	....	....	....	....	....	....
" " 22-24 ft	....	....	....	....	....	....	....
" " 26 ft	....	....	....	....	....	....	....
" " 28 ft	....	72.50[1]	....	....	....	72.50[1]	72.50
" " 30 ft	....	....	....	....	....	....	....
" " 32 ft	....	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft	67.50[2]	....	....	....	....	7 50[2]	67.50[1]
" " " 22-24 ft	....	....	....	....	....	....	....
" " " 26 ft	....	....	....	....	....	....	....
" " " 28 ft	70.50[2]	....	....	....	....	70.50[2]	70.50[1]
" " " 30 ft	....	....	....	....	....	....	....
" " " 32 ft	....	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft	....	57.66[3]	....	....	....	57.66[3]	57.66[2]
" " 22-24 ft	....	....	....	....	....	....	....
" " 26 ft	....	64.66[3]	....	....	....	64.66[3]	64.66[2]
" " 28 ft	68.50[1]	77.50	....	....	....	77.50	71.02
" " 30 ft	....	64.76[3]	....	....	....	64.76[3]	64.76[2]
" " 32 ft	....	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft	....	....	....	....	....	....	....
" " " 22-24 ft	....	....	....	....	....	....	....
" " " 26 ft	....	....	....	....	....	....	62.00[3]
" " " 28 ft	....	....	....	....	....	....	65.50[3]
" " " 30 ft	....	....	....	....	....	....	....
" " " 32 ft	....	....	....	....	....	....	....
CAR SILLS							
Up to 9 inch, Sq. E. 34 ft	56.25[2]	53.17[3]	49.54	....	....	49.54	44.07
" " " 36 ft	56.76[1]	55.00[1]	49.54	....	56.77	56.77	56.07
" " " 37-38 ft	66.27[2]	55.00[1]	48.00	....	50.00[2]	48.00	51.68
" " " 40 ft	61.00[1]	56.00[3]	52.19	....	....	52.19	61.00
" " " 41-42 ft	61.00[1]	58.00[3]	....	....	....	61.00[1]	61.00
Up to 9 inch, Heart (85%+), 34 ft	53.80[2]	....	....	....	....	53.80[2]	53.80[1]
" " " " 36 ft	57.25[1]	....	....	....	....	57.25[1]	57.25
" " " " 37-38 ft	53.78[2]	....	....	....	....	53.78[2]	53.78[1]
" " " " 40 ft	....	....	....	....	....	....	....
" " " " 41-42 ft	61.95[2]	....	....	....	....	61.95[2]	61.95[1]
Up to 10 inch, Sq. E. 34 ft	58.17[1]	55.30[3]	52.96	....	....	52.96	57.81
" " " 36 ft	58.07[1]	57.00[2]	52.96	....	45.00[3]	52.96	58.07
" " " 37-38 ft	59.00[1]	....	54.65	....	....	54.65	57.06
" " " 40 ft	63.26[1]	....	62.50[1]	....	....	63.26[1]	63.26
" " " 41-42 ft	62.50[1]	71.00[2]	....	....	....	62.50[1]	62.50
Up to 10 inch, Heart, (85%+), 34 ft	80.75	....	....	....	....	80.75	61.00[1]
" " " " 36 ft	....	....	....	....	....	....	....
" " " " 37-38 ft	....	....	....	....	....	....	....
" " " " 40 ft	....	....	....	....	....	....	....
" " " " 41-42 ft	....	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft	....	59.00[3]	57.52	....	....	57.52	72.19
" " " 36 ft	62.00[2]	65.00[2]	72.19[1]	....	53.00[3]	72.19[1]	72.19
" " " 37-38 ft		58.00[3]	63.17	....	53.00[2]	63.17	50.00[1]
" " " 40 ft	67.00[2]	....	63.17	....	....	63.17	67.00[1]
" " " 41-42 ft	....	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft	....	....	....	....	....	....	....
" " " " 36 ft	70.24[1]	....	....	....	....	70.24[1]	70.24
" " " " 37-38 ft	....	....	....	....	....	....	....
" " " " 40 ft	....	....	....	....	....	....	....
" " " " 41-42 ft	....	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 20
Up to 14 inch, Sq. E., 34 ft.	......	62.00[2]	......	......	......	62.00[3]	62.00[2]
“ “ “ 36 ft.	62 50[2]	65.00[2]	......	......	......	63.68[2]	63.68[1]
“ “ “ 37-38 ft.	64.50[2]	......	68.00	......	......	68.00	64.50[1]
“ “ “ 40 ft.	66.50[2]	69.00[2]	68.00	......	......	68.00	67.72[1]
“ “ “ 41-42 ft.	......	......	......	......	......	......	......
Up to 14 inch, Heart, (85%+), 34 ft.	......	......	......	......	......	......	......
“ “ “ “ 36 ft.	......	......	......	......	......	......	......
“ “ “ “ 37-38 ft.	......	......	......	......	......	......	......
“ “ “ “ 40 ft.	......	......	......	......	......	......	......
“ “ “ “ 41-42 ft.	......	......	......	......	......	......	......
CAPS							
12x14, Sq. E. 12 ft.	......	52.12[3]	......	......	......	52.12[3]	52.12[2]
“ “ 14 ft.	......	65.00[1]	......	......	......	65.00[1]	65.00
“ “ 16 ft.	......	......	......	......	......	......	......
12x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
“ “ “ 14 ft.	......	......	......	......	......	......	......
“ “ “ 16 ft.	......	......	......	......	......	......	......
14x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
“ “ 14 ft.	......	65.00[1]	......	......	......	65.00[1]	65.00
“ “ 16 ft.	......	......	......	......	......	......	......
14x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
“ “ “ 14 ft.	......	......	......	......	......	......	......
“ “ “ 16 ft.	......	......	......	......	......	......	......
SAWN TIMBERS							
25 Cubic Average, 25 lin.	......	......	......	......	......	......	......
“ “ “ 27½ “	......	......	......	......	......	......	......
“ “ “ 30 “	......	......	......	......	......	......	......
27½ Cubic Average, 25 lin.	......	......	......	......	......	......	......
“ “ “ 27½ “	......	......	......	......	......	......	......
“ “ “ 30 “	......	......	......	......	......	......	......
30 Cubic Average, 25 lin.	......	......	......	......	......	......	......
“ “ “ 27½ “	......	......	......	......	......	......	......
“ “ “ 30 “	41.73	......	......	......	......	41.73	41.50
SPECIAL TIMBERS							
Track Ties, Sq. E., 6x8–8.	......	55.00[1]	45.00[3]	......	......	55.00[1]	55.00
“ “ Heart, (85%+), 6x8–8.	51.30[1]	53.00[1]	......	......	......	51.34[1]	51.34
“ “ Sq. E., “ 7x9–8.	......	......	......	......	......	......	43.00[3]
“ “ Heart, “ 7x9–8.	......	......	......	......	......	......	......
Bridge Ties, Sq. E., 7x9 & up.	......	......	......	......	......	......	......
“ “ Heart,	......	......	......	......	......	......	......
Paving Stock, S 1 S.	43.00[2]	43.00	41.66	......	......	42.21	8.83
“ “ Rough.	43 00	......	......	......	......	43.00	......
Battleship Decking, Edge Grain.	......	......	......	......	......	......	......
Ship “ Flat Grain.	104.26[2]	......	......	......	......	104.26[2]	104.26[1]
Miscellaneous.	42.16[3]	51.93	49.67	......	54.91[2]	51.26	50.64
MISCELLANEOUS STOCK							
Silo Stock.	......	58.00	......	......	48.00[3]	58.00	58.00
Grain Doors.	40.00[2]	......	22.50[3]	......	......	40.00[2]	40.00[1]
Miscellaneous, B and B.	109 33	120.85	119.59	......	125.92	117.57	103 96
“ No. 1.	74.65	61.31	52.81	......	67.11	63.23	62.90
“ No. 2.	59.13	46.77	51.01	......	49.48	50.08	51.39
“ No. 3.	36.82	47.38	45.35	......	42.05	44.79	41.64
Shorts B and B.	101.41	66.55[1]	......	......	......	101.41	73.99
“ No. 1.	43.47	77.67	......	......	......	52.04	45.91
“ No. 2.	......	36.74	......	......	......	36.74	39.85
“ No. 3.	......	36.47[2]	......	......	......	36.47[2]	36.47[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200

Southern Pine Association

REPORT OF SALES

March 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending March 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg, Little Rock and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued March 19, 1920

No. 87

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Arkansas Soft Pine Bureau, Little Rock, Ark.	13	500,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	210	5,623,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 29
Heart Face, Edge Grain, B and Better, 1 3/16x2¼"							
Edge Grain, A "	150 00					150 00	150 24[1]
" " B "				134 75		134 75	
" " B and Better "	140 31			138.50		140 00	136 84
" " C "	115 25[1]					115 25[1]	115 25
" " D "	113.60					113 60	102 90[1]
" " No. 2 "							
Flat " A "							
" " B "				109 00[2]		109 00[2]	109 00[1]
" " B and Better "	100 16			114.50		100.74	107.49
" " C "	93 75[2]					93 75[2]	93 75[1]
" " D "	89.11					89.11	96.31
No. 1 Common "				93.75		93.75	90 00[1]
No. 2 " "	53.69			69 75		54 17	53.13
No. 3 " "							
Heart Face, Edge Grain, B and Better, 1 3/16x2½"			159 25[1]		151.94	151 94	153.52
Edge Grain, A "			135 87[1]		146.60	146.60	136 52
" " B "			139.74		139.14	139 60	134.22
" " B and Better "		134.50			135 00	134.72	133.14
" " C "		115 25[1]	118.84		115 00	118.50	113.15
" " D "			119.50			119.50	
" " No. 2 "			79 26		80.00	79.50	76.05
Flat " A "							120 25[3]
" " B "					105 00[3]	105 00[3]	105 00[2]
" " B and Better "		119.21	111.60		116 50	114.70	114.10
" " C "		94 00[3]				94 00[3]	94 00[2]
" " D "		91 00[3]				91 00[3]	91 00[2]
No. 1 Common "		90.57[2]	102.55		106 02	104.53	100 90
No. 2 " "		50.25	56.22		57.87	56.78	55.21
No. 3 " "			40.00		35 00	35.53	40.44
Heart Face, Edge Grain, B and Better, 1 3/16x3¼"			136 00[1]			136 00[1]	136.00
Edge Grain, A "	121.92	120.71[2]	130.50	126 00[1]		124.31	127.88
" " B "		115 00[1]	127.64	127.25	116.14[2]	127.56	124.33
" " B and Better "	125.60	125.15		128.75	109 00[2]	125.74	123.18
" " C "	110.27	110.00	118.18	111.00	110.02[1]	113.45	113.75
" " D "	100.00		110.40			108.77	97.50
" " No. 2 "			73.00			73.00	71.20
Flat " A "	105.00	105.00[1]		114.75		111.52	106.00
" " B "	100.00	100.00		107.00		101.11	99.87
" " B and Better "	102.00	104.27	106.71	120.00	107.19	104 92	104.13
" " C "	95.03	95.00				95.01	95.00
" " D "	89.73	90.00				89.74	90 92
No. 1 Common "	50.99	81.00	95 38	94 75	97.40	66.55	95.18
No. 2 " "	50.57	52.11	53.07	66 25	52.11	53.09	53.58
No. 3 " "			41.54		40 00[1]	41.54	40 00
CEILING							
Ceiling, ½x3¼", A							
" " B							
" " B and Better	65 28	65.00	73.09	80 50	69.62[2]	70.39	71.14
" " No. 1 Common	63 75[1]	65.00	68.39	55 00[1]	40 00	55.22	65.93
" " No. 2 "	46.17	48.00	45.00	50 00	47 36[1]	47.46	46.94
" " No. 3 "			27.42[3]		33 00[2]	33 00[2]	33 00[1]
Ceiling, ⅝x3¼", A							
" " B				90.75		90.75	89 50[1]
" " B and Better	79.29	80.79	81.55	87.00	84.00	80.73	80.91
" " No. 1 Common	71.29	73.24	74.40	75 00	85.00[1]	73.10	72.75
" " No. 2 "	48.72	52.09	54.47	57.25	46 00	51.80	51.72
" " No. 3 "			30.00		35 00[2]	30.00	35.00
Ceiling, ¾x3¼", A							
" " B							
" " B and Better	101.00		101 71[1]	108.75	110.00	108 50	102 26
" " No. 1 Common	108 00[1]	85.00[1]	100.00	85.00[1]	102 00[1]	100.00	90.35
" " No. 2 "			53 75[2]		54.00[1]	54.00[1]	54.00
" " No. 3 "							
PARTITION							
Partition, ¾x3¼", A							
" " B				106 50[1]		106 50[1]	106 50
" " B and Better	102 64	102 66[3]		115 75[2]	102 82[3]	102 64	89.50
" " No. 1 Common	97.50	69.50[1]		100.00	99 50[3]	98.75	75.29
" " No. 2 "	67 86	70 00	56 25[2]	64 50[2]	58 00	67.00	54.76
Partition, ¾x5¼", A							
" " B							
" " B and Better	106 25	75.00	109.45	104 25[2]	102 25[3]	107.72	113.44
" " No. 1 Common	97 00[1]		99.04[1]	79 75[2]		98 82[1]	98.82
" " No. 2 "	54 00[1]	38.00	56.00			53 00	52 73
BEVEL SIDING							
Bevel Siding, A							
" B				65.00		65.00	65 50[3]
" B and Better	60.00	75.00[3]		64 00[1]		60.00	62 43
" No. 1 Common	55.00		46 25[1]	60.00		56.54	46.25
" No. 2 "	50.00		51 27[1]	42.25		46.76	51.27

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 29
Drop Siding, ¾x3¼ or 5¼, A	......	......	......	......	......	......	......
“ “ B	......	......	......	......	......	......	89.25[3]
“ “ B and Better	91.03	89.42	88.87	109.75	85.83	90.43	91.08
“ “ No. 1 Common	83.75	72.90	86.44	86.25	87.50[2]	82.60	81.73
“ “ No. 2 “	54.81	54.13	54.62	61.25	51.00	54.96	54.40
“ “ No. 3 “	......	......	43.65	......	37.00[2]	43.65	40.69
FINISH							
1x 4 inch, A	......	......	......	130.00[1]	......	130.00[1]	130.00
1x 6 inch, “	......	......	......	127.75[1]	......	127.75[1]	127.75
1x 8 inch, “	......	......	......	127.75[1]	......	127.75[1]	127.75
1x 5 and 10 inch, “	......	......	......	130.50[1]	......	130.50[1]	130.50
1x12 inch, “	......	......	......	129.25[1]	......	129.25[1]	120.25
1¼x4 to 12 inch, “	......	......	......	133.50[1]	......	133.50[1]	133.50
1½ and 2x4 to 12 inch, “	......	......	......	135.50[1]	......	135.50[1]	135.50
1⅝ inch, “	......	......	......	......	......	......	......
1x 4 inch, B	......	......	......	123.00	......	123.00	130.00
1x 6 inch, “	......	......	......	127.00	......	127.00	128.75
1x 8 inch, “	......	......	......	127.00	......	127.00	128.75
1x 5 and 10 inch, “	......	......	......	128.00	......	128.00	126.75[1]
1x12 inch, “	......	......	......	128.00	......	128.00	117.75[2]
1¼x4 to 12 inch, “	......	......	......	135.25	......	135.25	135.75
1½ and 2x4 to 12 inch, “	......	......	......	139.00	......	139.00	137.25
1⅝ inch, “	......	......	......	......	......	......	......
1x 4 inch, B and Better	109.66	106.73	115.74	124.50	115.00	113.62	114.67
1x 6 inch, “	105.82	114.73	109.08	127.00	120.00[1]	113.50	116.56
1x 8 inch, “	109.86	115.05	117.93	127.00	121.80[1]	112.10	115.50
1x 5 and 10 inch, “	115.15	118.62	120.01	126.50	115.00	119.26	119.34
1x12 inch, “	118.97	117.06	124.89	129.50	130.00[1]	121.22	121.88
1¼x4 to 12 inch, “	123.28	126.38	125.30	131.25	130.00	125.58	124.81
1½ and 2x4 to 12 inch, “	118.00	125.00[2]	122.98	135.00	......	124.60	130.65
1⅝ inch, “	102.81	102.33[1]	......	......	......	102.81	102.33
1x 6 to 12 inch, “	......	......	......	......	120.00	120.00	112.50[2]
1x 4 inch, C	95.00	......	......	116.25[1]	......	95.00	116.25
1x 6 inch, “	99.08	99.00[2]	102.25[2]	124.50	......	112.90	113.92
1x 8 inch, “	99.41	99.18[2]	124.62[2]	124.50	......	99.41	99.18
1x 5 and 10 inch, “	101.56	......	102.25[2]	131.75	......	105.00	113.13
1x12 inch, “	104.73	105.62[2]	107.25[2]	122.75	......	106.43	114.29
1¼x4 to 12 inch, “	110.38	......	......	125.00	......	113.18	110.68
1½ and 2x4 to 12 inch, “	......	......	......	125.00	......	125.00	95.12[3]
1⅝ inch, “	......	......	......	......	......	......	......
1x 6 to 12 inch, “	......	......	......	......	110.00[2]	110.00[2]	110.00[1]
1x 4 inch, B and Better, Rough	105.38[1]	100.00	114.25[1]	100.00	......	100.00	107.81
1x 6 inch, “ “	114.91[1]	119.08	117.83	128.50	92.00[1]	120.29	112.17
1x 8 inch, “ “	119.14	119.00	118.19	128.50	......	118.98	109.70
1x 5 and 10 inch, “ “	121.11	119.00	109.75[1]	130.50	......	121.14	107.90
1x12 inch, “ “	127.00	119.00	117.87[1]	130.50	......	126.00	114.00
1¼x4 to 12 inch, “ “	128.00	114.50[2]	125.36	135.50	125.00[3]	126.27	121.86
1½ and 2x4 to 12 inch, “ “	115.36[1]	......	131.37	135.50	128.00	131.38	124.05
1⅝ inch, “ “	......	104.00[2]	......	......	......	104.00[2]	104.00[1]
1x 6 to 12 inch, “ “	......	......	......	......	112.50[1]	112.50[1]	112.50
CASING AND BASE							
From 4 and 6 inch stock, B. M., A	......	......	......	130.50[1]	......	130.50[1]	130.50
“ B	......	......	......	......	......	......	......
“ B and Better	119.51	112.17	128.09	132.00	130.00[1]	125.40	124.76
From 8 and 10 inch stock, B. M., A	......	......	......	129.75[1]	......	129.75[1]	129.75
“ B	......	......	......	......	......	......	......
“ B and Better	119.56	114.25	128.38	135.75	130.00	124.73	123.15
MOULDINGS (% Discount)							
1½ inch and Smaller	......	......	......	12.00*	......	12.00*	10.00*
1¾ inch and Larger	......	......	......	......	......	......	1.00[3]*
DOOR AND WINDOW JAMBS							
A B. M	......	......	......	......	......	......	......
B “	......	......	......	......	......	......	......
B and Better, “	125.75	......	132.50[2]	140.00	......	136.35	140.00
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	80.00[3]	......	80.75[3]	......	......	80.25[3]	80.25[2]
“ “ “ “ “ 8 ft.	87.40	108.00[2]	......	......	......	87.40	108.00[1]
“ “ “ “ “ 12 and 14 ft.	97.50	......	......	......	......	97.50	......
“ “ “ “ “ 16 ft.	......	80.00[3]	......	......	......	80.00[3]	80.00[2]
“ “ “ “ “ 9 or 18 ft.	101.04	100.00[1]	......	102.75	......	101.50	102.36
“ “ “ “ “ 10 or 20 ft.	104.98	101.60[1]	125.00	......	......	108.75	101.60

* % Plus List Price;

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 29
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	60.00[3]	71.74[3]	......	65.00[1]	......	65.00[1]	65.60
" " " " " 8 ft.	75.25[1]	65.00	......	69.75[3]	......	65.00	79.21
" " " " " 12 and 14 ft.	......	85.00[2]	......	......	......	85.00[2]	85.00[1]
" " " " " 16 ft.	......	85.00[2]	......	......	......	85.00[2]	85.00[1]
" " " " " 9 or 18 ft.	90.13[1]	80.00[1]	92.50[1]	74.50	......	74.50	87.09
" " " " " 10 or 20 ft.	95.00	90.00[3]	......	69.75[3]	......	95.00	89.32
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	60.00[3]	71.74[2]	......	......	......	71.74[2]	71.74[1]
" " " " " 8 ft.	90.00	65.00	......	69.75[3]	......	90.00	80.00
" " " " " 12 and 14 ft.	......	85.00[2]	......	......	......	85.00[2]	85.00[1]
" " " " " 16 ft.	78.00	85.00[2]	......	......	......	78.00	85.00[1]
" " " " " 9 or 18 ft.	90.01[1]	80.00[1]	92.50[1]	74.50	......	74.50	90.01
" " " " " 10 or 20 ft.	90.00[1]	63.00[1]	......	69.75[3]	......	64.75[1]	64.75
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	47.63	......	......	46.75	......	47.59	51.50
" " " " " 10 to 20 ft.	52.82	53.95[2]	......	48.00[2]	......	52.82	50.04
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	......	......	......
" No. 1, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	49.50[3]
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft	50.00	......	......	......	......	50.00	50.00
" " " 2 to 3 inch, 9 & 18 ft.	51.00	50.00	55.00	......	44.67[1]	52.10	50.09
" " " 2 to 3 inch 10 & 20 ft.	59.00[3]	50.00	53.00[1]	......	43.60[1]	50.00	43.60
" No. 2, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	......	......	45.25[3]
" " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	......	......	45.25[3]
BOARDS, SHIPLAP AND GROOVED ROOFING							
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	69.93	70.50[2]	94.06[1]	68.25[3]	......	69.93	82.32
" " " " other lengths.	68.41	68.00	94.53	67.25	98.50[2]	71.45	79.16
" " 1x10, " 14 and 16 ft.	69.90	65.63[3]	78.10	68.25[3]	......	70.40	74.24
" " " " other lengths.	68.97	68.82	101.41	70.50	......	72.88	79.57
" " 1x12, " 14 and 16 ft.	76.49	85.00[1]	58.00	......	......	75.83	76.21
" " " " other lengths.	75.63	76.03	72.85	78.25	......	75.28	79.26
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	51.03	54.00	54.15	51.00	50.94	52.82	52.16
" " 1x10, " "	59.60	52.14	56.35	54.25	47.50	58.48	52.60
" " 1x12, " "	55.29	55.71	55.58	56.25	51.99	55.28	55.94
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	40.62	43.00	43.65	42.25	45.00[1]	41.29	41.56
" " 1x10, " "	40.68	42.50	44.54	42.75	......	41.17	41.18
" " 1x12, " "	41.93	45.20	47.41	45.00	39.28[3]	43.35	45.44
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	71.92	......	......	......	......	71.92	67.00
" " " other lengths	69.14	64.92	71.63	71.75	60.00	68.85	67.30
" 1x10, " 14 and 16 ft.	84.25	61.48[3]	......	......	......	84.25	75.51[1]
" " " other lengths.	74.27	62.75	......	74.25[2]	......	65.60	69.56
" 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " other lengths.	......	......	......	......	......	......	......
Shiplap, 1x 8, No. 2, all lengths.	51.67	53.83	56.10	54.25	57.50	53.08	53.94
" 1x10, " "	50.98	51.02	56.57	52.25	53.00[1]	51.36	52.45
" 1x12, " "	......	......	......	......	......	......	......
Shiplap, 1x 8, No. 3, all lengths.	41.49	40.00	45.50	44.50	40.75	42.35	43.35
" 1x10, " "	40.19	43.00	45.12	43.50	45.00[2]	43.34	44.30
" 1x12, " "	41.92	41.50[1]	......	45.00[1]	......	41.92	43.82
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	75.25	68.25[3]	......	......	......	75.25	68.25[3]
" " " " other lengths.	74.15	52.00[1]	......	76.00[1]	......	74.15	60.00
" " 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " " other lengths.	......	......	......	......	......	......	......
All No. 4—all widths and lengths.	23.00	......	26.50	22.75	27.00	24.26	24.95

FENCING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 29
1x4, S 1 S, No. 1, 16 ft.	70.73	......	......	69.25[3]	......	70.73	71.38
“ “ “ other lengths	67.99	66.49	91.16	73.50	......	69.76	72.53
“ “ No. 2, all lengths	45.08	41.77	53.18	50.50	46.25	44.60	44.04
“ “ No. 3, “	37.06	38.09	40.02	38.25	......	37.41	39.66
1x4, C. M., No. 1, 16 ft.	69.50[1]	......	......	......	......	69.50[1]	69.50
“ “ “ other lengths	76.92	......	......	68.00[1]	......	76.92	68.08
“ “ No. 2, all lengths	43.50	......	......	53.75	......	53.22	50.14
“ “ No. 3, “	40.50[2]	......	......	38.00	......	38.00	41.25[1]
1x6, S 1 S, No. 1, 16 ft.	69.55	77.56[2]	79.65[1]	69.25[2]	......	69.55	76.02
“ “ “ other lengths	67.66	70.55	93.36	72.75	......	71.38	73.76
“ “ No. 2, all lengths	49.90	47.57	50.94	49.50	56.00	50.00	51.24
“ “ No. 3, “	39.19	37.00	39.95	49.75	31.00[2]	39.28	39.13
1x6, C. M., No. 1, 16 ft.	83.25	71.50[2]	......	......	......	83.25	70.21[1]
“ “ “ other lengths	68.46	58.00	......	68.25	......	68.01	68.82
“ “ No. 2, all lengths	48.89	48.02	......	51.75	52.00[1]	49.00	50.61
“ “ No. 3, “	39.86	29.00	......	40.25	43.83[2]	39.86	41.04
DIMENSION							
2x 4, No. 1, S 1 S 1 E, 10 ft.	46.88	47.97	49.67	49.25	49.00[1]	47.35	49.27
“ “ “ 12 ft.	47.19	48.05	49.32	49.50	47.00[1]	47.48	48.49
“ “ “ 14 ft.	47.20	48.51	48.45	48.50	45.50[2]	47.80	47.85
“ “ “ 16 ft.	48.90	50.00	49.70	48.50	49.00[1]	49.06	49.99
“ “ “ 18 ft.	49.77	51.39	48.93	49.25	50.00[1]	50.08	51.57
“ “ “ 20 ft.	49.66	50.85	48.93	49.25	46.00[3]	50.09	51.81
“ “ “ 22 ft.	51.80	53.12	54.00	......	......	52.05	52.16
“ “ “ 24 ft.	51.54	53.25	54.00	......	......	51.70	53.61
2x 6, No. 1, S 1 S 1 E, 10 ft.	44.63	43.93	46.94	46.50	......	45.64	45.92
“ “ “ 12 ft.	45.11	44.97	46.23	45.25	......	45.19	45.85
“ “ “ 14 ft.	44.91	45.17	46.23	45.25	......	44.98	45.75
“ “ “ 16 ft.	46.25	46.05	48.67	45.25	47.25[1]	46.44	47.05
“ “ “ 18 ft.	45.81	46.64	46.94	46.50	......	46.02	47.50
“ “ “ 20 ft.	46.10	45.86	46.94	46.50	......	46.05	47.22
“ “ “ 22 ft.	47.84	47.89	53.87	48.75	......	48.70	49.94
“ “ “ 24 ft.	49.22	48.28	53.87	48.75	......	49.08	49.94
2x 8, No. 1, S 1 S 1 E, 10 ft.	45.91	45.91	48.10	52.50	......	49.38	48.04
“ “ “ 12 ft.	46.21	46.36	48.72	47.75	......	46.93	46.61
“ “ “ 14 ft.	46.90	46.23	47.97	47.75	......	46.89	47.44
“ “ “ 16 ft.	48.66	48.86	47.54	47.75	......	48.51	47.05
“ “ “ 18 ft.	47.91	47.81	48.10	52.50	......	47.89	47.37
“ “ “ 20 ft.	48.07	47.55	48.10	52.50	......	47.93	49.00
“ “ “ 22 ft.	49.71	50.19	52.86	51.75	......	50.38	53.11
“ “ “ 24 ft.	49.83	51.08	52.86	51.75	......	50.24	52.06
2x10, No. 1, S 1 S 1 E, 10 ft.	47.28	45.00	53.44	51.50	......	51.04	53.38
“ “ “ 12 ft.	46.70	46.75	51.61	49.25	......	48.02	46.45
“ “ “ 14 ft.	46.83	46.40	51.61	49.25	......	46.73	47.16
“ “ “ 16 ft.	48.69	50.22	48.60	49.25	48.50[1]	49.07	50.56
“ “ “ 18 ft.	48.87	49.67	53.44	51.50	......	49.14	49.02
“ “ “ 20 ft.	49.96	48.56	53.44	51.50	......	49.40	49.29
“ “ “ 22 ft.	51.20	50.79	47.25	50.25[2]	......	50.96	52.23
“ “ “ 24 ft.	51.43	52.00	47.25	50.25[2]	......	51.47	53.50
2x12, No. 1, S 1 S 1 E, 10 ft.	48.33	53.00	56.70	49.75[2]	......	52.33	49.35
“ “ “ 12 ft.	48.42	49.29	49.91	50.75	......	49.37	49.01
“ “ “ 14 ft.	48.91	51.04	49.91	50.75	......	49.58	50.46
“ “ “ 16 ft.	51.93	52.24	51.12	50.75	......	51.90	51.56
“ “ “ 18 ft.	53.30	52.50	56.70	49.75[2]	......	53.13	50.47
“ “ “ 20 ft.	51.13	52.16	56.70	49.75[2]	......	51.60	51.42
“ “ “ 22 ft.	52.68	52.58	61.45	54.25[2]	......	55.05	53.66
“ “ “ 24 ft.	53.00	53.17	61.45	54.25[2]	......	53.16	56.00
2x 4, No. 2, S 1 S 1 E, 10 ft.	44.28	44.80	48.33	51.75	42.00	44.79	47.34
“ “ “ 12 ft.	44.03	44.53	46.00	45.75	42.00	45.05	45.29
“ “ “ 14 ft.	43.76	44.08	47.12	48.50	42.00	44.68	44.39
“ “ “ 16 ft.	45.44	40.79	47.53	48.50	44.76	44.60	46.07
“ “ “ 18 ft.	46.22	45.72	49.79	51.75	47.15	47.07	48.98
“ “ “ 20 ft.	46.73	45.38	49.79	51.75	42.00	46.13	48.55
“ “ “ 22 ft.	49.50[2]	54.00[1]	54.00[1]	......	......	54.00[1]	54.00
“ “ “ 24 ft.	47.12	54.00[1]	54.00[1]	......	......	47.12	50.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	41.37	40.70	46.00	47.75	......	43.81	44.86
“ “ “ 12 ft.	40.73	42.10	44.05	46.50	44.75[3]	42.40	42.10
“ “ “ 14 ft.	40.47	40.55	44.05	46.50	44.75[3]	40.51	41.51
“ “ “ 16 ft.	42.24	41.20	46.21	46.50	44.75[3]	43.20	43.45
“ “ “ 18 ft.	42.76	42.47	46.00	47.75	......	42.57	42.19
“ “ “ 20 ft.	42.77	41.19	46.00	47.75	......	42.31	42.32
“ “ “ 22 ft.	45.24[2]	41.00[1]	49.36	......	......	49.36	45.08
“ “ “ 24 ft.	44.50	41.00[1]	49.36	......	......	44.50	45.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 29
2x 8, No. 2, S 1 S 1 E, 10 ft	44.75	41.92	48.08	47.00	......	46.19	46.43
“ “ “ 12 ft	42.49	41.77	47.26	48.75	......	44.51	43.02
“ “ “ 14 ft	42.93	41.22	47.41	48.75	......	45.03	42.67
“ “ “ 16 ft	45.37	43.82	47.07	48.75	......	44.97	44.02
“ “ “ 18 ft	44.71	43.46	48.08	47.00	......	44.13	45.74
“ “ “ 20 ft	45.68	43.74	48.08	47.00	43.50[3]	44.64	44.52
“ “ “ 22 ft	48.25[2]	53.00[1]	50.00	......	......	50.00	51.38
“ “ “ 24 ft	47.89[2]	53.00[1]	50.00	......	......	50.00	51.38
2x10, No. 2, S 1 S 1 E, 10 ft	46.75	47.50	48.98	50.25	......	48.80	47.74
“ “ “ 12 ft	45.75	42.75	45.71	48.00	......	46.54	44.60
“ “ “ 14 ft	46.79	43.93	45.71	48.00	......	45.23	43.08
“ “ “ 16 ft	44.73	44.65	47.50	48.00	......	44.78	44.49
“ “ “ 18 ft	45.50	44.13	48.98	50.25	......	45.33	46.[illegible]6
“ “ “ 20 ft	46.15	45.88	48.98	50.25	......	46.01	44.23
“ “ “ 22 ft	50.25[2]	54.71[2]	50.13	......	......	50.13	53.40
“ “ “ 24 ft	49.71[2]	54.75[2]	50.13	......	......	50.13	53.40
2x12, No. 2, S 1 S 1 E, 10 ft	45.85	50.00	51.22	49.00	......	49.14	48.53
“ “ “ 12 ft	47.10	51.00	47.39	48.00	......	48.05	46.10
“ “ “ 14 ft	44.32	44.75	47.39	48.00	......	44.38	45.41
“ “ “ 16 ft	45.55	48.82	49.99	48.00	......	48.18	46.21
“ “ “ 18 ft	46.86	47.28	51.22	49.00	......	47.04	47.19
“ “ “ 20 ft	47.28	47.71	51.22	49.00	......	47.58	47.22
“ “ “ 22 ft	51.11[2]	56.75[2]	54.00	......	......	54.00	57.99
“ “ “ 24 ft	51.00[2]	56.75[2]	54.00	......	......	54.00	57.99
No. 1, 2x4 to 2x12, 26 ft. and longer	......	......	......	......	......	......	......
All No. 3, S 1 S 1 E, all lengths	32.18	31.30	38.43	31.00	40.00	32.41	32.72
PATENT LATH							
4 and 6 ft	39.75	42.40	46.00	41.75[1]	......	40.52	41.25
8 and 10 ft	41.66	42.91	45.50	45.25[1]	......	41.96	43.64
12 ft. and longer	43.11	42.86	45.50	44.75	......	43.38	43.22
PLASTERING LATH							
⅜x1½-4, No. 1	16.06	16.85	17.01	18.00	12.80[1]	16.90	17.01
“ No. 2	15.04	15.75	15.13	17.10	11.00[3]	15.51	15.46
⅜x1½-3, No. 1	......	......	......	......	......	......	......
“ No. 2	......	......	......	......	......	......	......
⅝x1½-4, No. 1	......	......	......	......	......	......	......
“ No. 2	......	......	......	......	......	......	......
⅝x1½-3, No. 1	......	......	......	......	......	......	......
“ No. 2	......	......	......	......	......	......	......
TIMBERS							
4x4 to 8x8, No. 1, up to 20 ft	47.23	48.53	45.74	52.50	40.45	46.31	46.98
“ “ 22-24 ft	49.62	48.06	51.05	......	......	49.77	49.49
“ “ 26 ft	47.77[3]	50.00	51.90	......	......	51.59	50.29
“ “ 28 ft	50.46[3]	51.00	51.90	......	......	51.00	50.29
“ “ 30 ft	52.72	52.00	52.97	......	......	52.75	45.80
“ “ over 30 ft	55.50	56.80	57.00	......	......	55.67	57.[illegible]6
4x4 to 8x8, Heart (85%+), up to 20 ft	54.00	53.00	......	......	......	53.98	49.95
“ “ “ 22-24 ft	56.50	50.00[1]	......	......	......	56.50	50.00
“ “ “ 26 ft	56.50	......	......	......	......	56.50	......
“ “ “ 28 ft			......	......	......	......	......
“ “ “ 30 ft	58.50	......	......	......	......	58.50	......
“ “ “ over 30 ft	59.67[3]	......	......	......	......	59.67[3]	59.67[2]
3 & 4x10, No. 1, up to 20 ft	53.33	52.83[1]	......	48.25[3]	......	53.33	59.12
“ “ 22-24 ft	54.06[3]	55.50[1]	......	......	......	55.50[1]	55.50
“ “ 26 ft	50.50[3]	......	......	......	......	50.50[3]	50.50[2]
“ “ 28 ft	51.50[3]	......	......	......	......	51.50[3]	51.50[2]
“ “ 30 ft	......	......	......	......	......	......	......
“ “ over 30 ft	52.80[3]	......	......	......	......	52.80[3]	52.80[2]
3 & 4x10, Heart (85%+), up to 20 ft	57.08	53.00	......	......	......	55.70	52.73[1]
“ “ “ 22-24 ft	56.50	54.50	......	......	......	54.96	50.00[3]
“ “ “ 26 ft	56.50[2]	......	......	......	......	56.50[2]	56.50[1]
“ “ “ 28 ft	......	......	......	......	......	......	......
“ “ “ 30 ft	......	......	......	......	......	......	......
“ “ “ over 30 ft	......	......	......	......	......	......	......

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 29
6x10, to 10x10, No. 1, up to 20 ft.	50.00	39.00	49.17	......	......	48.95	52.13
" " 22-24 ft.	52.00[3]	50.64[2]	52.26	......	......	52.26	57.17
" " 26 ft.	53.00[3]	60.00[2]	52.76	......	......	52.76	62.09
" " 28 ft.	52.50[3]	......	52.76	......	......	52.76	62.09
" " 30 ft.	52.61[1]	......	52.68	......	......	52.68	53.52
" " over 30 ft.	64.11[1]	53.68[3]	57.25	......	......	57.25	61.33
6x10 to 10x10, Heart (85%+), up to 20 ft.	54.92	55.00[2]	......	......	......	54.92	53.50
" " " 22-24 ft.	......	56.00[2]	......	......	......	56.00[2]	56.00[1]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	78.75	......	......	......	......	78.75	......
3 & 4x12, No 1, up to 20 ft.	59.85	56.00	......	......	40.25[2]	58.72	58.34
" " 22 24 ft.	60.78[2]	43.75[2]	......	......	......	60.12[2]	60.12[1]
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	61.00[2]	......	......	......	......	61.00[2]	61.00[1]
" " over 30 ft.	69.89[3]	68.00	......	......	......	68.00	69.89[3]
3 & 4x12, Heart (85%+), up to 20 ft.	63.75	60.75[2]	......	......	......	63.75	61.18[1]
" " " 22-24 ft.	60.50[2]	......	......	......	......	60.50[2]	60.50[1]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
6x12 to 12x12, No. 1, up to 20 ft.	60.43	43.00	55.55	......	......	56.08	56.71
" " 22-24 ft.	55.50	59.00[1]	57.34	......	......	57.09	54.73
" " 26 ft.	59.06[2]	60.00[1]	57.03	......	......	57.03	61.96
" " 28 ft.	61.00[2]	60.00[1]	57.03	......	......	57.03	60.00
" " 30 ft.	46.35[1]	62.00[1]	59.15	......	......	59.15	58.15
" " over 30 ft.	63.33	66.00[1]	58.00	......	......	62.22	67.50
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.60[1]	58.00	......	......	......	58.00	54.60
" " " 22-24 ft.	......	......	53.14	......	......	53.14	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	75.00[3]
2x14 to 4x14, No. 1, up to 20 ft.	70.50[3]	56.46[2]	......	......	......	56.46[2]	56.46[1]
" " 22-24 ft.	......	61.29	......	......	......	61.29	57.30[1]
" " 26 ft.	......	64.40	......	......	......	64.40	53.25[3]
" " 28 ft.	......	......	......	......	......	......	70.00[3]
" " 30 ft.	......	66.00	......	......	......	66.00	......
" " over 30 ft.	......	......	......	......	......	......	......
2x14 to 4x14, Heart (85%+), up to 20 ft.	......	......	......	......	......	......	57.00[3]
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
6x14 to 14x14, No. 1, up to 20 ft.	66.00[1]	......	58.91	......	......	58.91	61.77
" " 22-24 ft.	67.64[2]	......	63.83	......	......	63.83	63.12
" " 26 ft.	......	......	68.04	......	......	68.04	67.58
" " 28 ft.	......	......	68.04	......	......	68.04	67.58
" " 30 ft.	......	......	71.83	......	......	71.83	77.00
" " over 30 ft.	......	......	74.27	......	......	74.27	81.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	67.50	64.00	......	......	......	67.12	58.00[3]
" " " 22-24 ft.	......	......	......	......	......	......	56.00[3]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, No. 1, up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	56 00[3]
" " 26 ft.	......	......	......	......	......	......	......
" 28 ft.	......	......	......	......	......	......	......
" 30 ft.	......	......	......	......	......	......	......
" over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, Heart (85%+), up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 29
6x16 & Up, No. 1, up to 20 ft	72.81[1]	52.02[3]	67.51			67.51	73.95
" " 22-24 ft	62.10[2]		81.00			81.00	71.87
" " 26 ft	81.00[2]		79.67			79.67	79.00
" " 28 ft	65.62[2]		79.67			79.67	79.00
" " 30 ft	81.00[2]		81.81			81.81	92.40
" " over 30 ft	75.50[1]		81.81			81.81	84.31
6x16 & Up, Heart (85%+), up to 20 ft							
" " " 22-24 ft	87.50[3]					87.50[3]	87.50[2]
" " " 26 ft							
" " " 28 ft							
" " " 30 ft		74.00[2]				74.00[2]	74.00[1]
" " " over 30 ft							90.00[3]
STRINGERS							
15 inch, Sq. E. up to 20 ft							
" " 22-24 ft							
" " 26 ft							
" " 28 ft		72.50[2]				72.50[2]	72.50[1]
" " 30 ft							
" " 32 ft							
15 inch, Heart (85%+), up to 20 ft	67.50[3]					67.50[3]	67.50[2]
" " " 22-24 ft							
" " " 26 ft							
" " " 28 ft	70.50[3]					70.50[3]	70.50[2]
" " " 30 ft							
" " " 32 ft							
16 inch, Sq. E. up to 20 ft							57.66[3]
" " 22-24 ft							
" " 26 ft							64.66[3]
" " 28 ft	68.50[2]	72.50				72.50	77.50
" " 30 ft							64.76[3]
" " 32 ft							
16 inch, Heart (85%+), up to 20 ft	65.62					65.62	
" " " 22-24 ft	65.50					65.50	
" " " 26 ft							
" " " 28 ft	71.50					71.50	
" " " 30 ft	72.90					72.90	
" " " 32 ft							
CAR SILLS							
Up to 9 inch, Sq. E. 34 ft	56.25[3]		49.54[1]			49.54[1]	49.54
" " " 36 ft	56.76[2]	55.00[2]	49.54[1]		50.16	50.16	56.77
" " " 37-38 ft	66.27[3]	55.00[2]	48.00[1]		50.00[3]	48.00[1]	48.00
" " " 40 ft	61.00[2]		52.19[1]			52.19[1]	52.19
" " " 41-42 ft	61.00[2]					61.00[2]	61.00[1]
Up to 9 inch, Heart (85%+), 34 ft	53.80[3]					53.80[3]	53.80[2]
" " " " 36 ft	57.25[2]					57.25[2]	57.25[1]
" " " " 37-38 ft	53.78[3]					53.78[3]	53.78[2]
" " " " 40 ft							
" " " " 41-42 ft	61.95[3]					61.95[3]	61.95[2]
Up to 10 inch, Sq. E. 34 ft	58.17[1]		52.96[1]			52.96[1]	52.96
" " " 36 ft	58.07[2]	57.00[3]	52.96[1]			52.96[1]	52.96
" " " 37-38 ft	59.00[2]		54.65[1]			54.65[1]	54.65
" " " 40 ft	63.26[2]		62.50[2]			63.26[2]	63.26[1]
" " " 41-42 ft	62.50[2]	71.00[3]				62.50[2]	62.50[1]
Up to 10 inch, Heart, (85%+), 34 ft	80.75[1]					80.75[1]	80.75
" " " " 36 ft							
" " " " 37-38 ft							
" " " " 40 ft							
" " " " 41-42 ft							
Up to 12 inch, Sq. E., 34 ft			57.52[1]			57.52[1]	57.52
" " " 36 ft	62.00[2]	65.00[3]	72.19[2]			72.19[2]	72.19[1]
" " " 37-38 ft			63.17[1]		53.00[3]	63.17[1]	63.17
" " " 40 ft	67.00[3]		63.17[1]			63.17[1]	63.17
" " " 41-42 ft							
Up to 12 inch, Heart, (85%+), 34 ft							
" " " " 36 ft	76.24[2]					70.24[2]	70.24[1]
" " " " 37-38 ft							
" " " " 40 ft							
" " " " 41-42 ft							

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Feb. 29
Up to 14 inch, Sq. E., 34 ft.	......	......	......	......	......	......	62.00[3]
" " " 36 ft.	62.50[3]	65.00[3]	......	......	......	63.68[3]	63.68[2]
" " " 37-38 ft.	64.50[3]	......	68.00[1]	......	......	68.00[1]	68.00
" " " 40 ft.	66.50[3]	69 00[3]	68.00[1]	......	......	68.00[1]	68.00
" " " 41-42 ft.	......	......	......	......	......	......	......
Up to 14 inch, Heart, (85%+), 34 ft.	......	......	......	......	......	......	......
" " " " 36 ft.	......	......	......	......	......	......	......
" " " " 37-38 ft.	......	......	......	......	......	......	......
" " " " 40 ft.	......	......	......	......	......	......	......
" " " " 41-42 ft.	......	......	......	......	......	......	......
CAPS							
12x14, Sq. E. 12 ft.	......	......	......	......	......	......	52 12[3]
" " 14 ft.	......	65.00[2]	......	......	......	65.00[2]	65.00[1]
" " 16 ft.	......	......	......	......	......	......	......
12x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	67.00	......	......	......	......	67.00	......
" " " 16 ft.	......	......	......	......	......	......	......
14x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
" " 14 ft.	......	65.00[2]	......	......	......	65.00[2]	65.00[1]
" " 16 ft.	......	......	......	......	......	......	......
14x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
" " " 14 ft.	......	65.00	......	......	......	65.00	......
" " " 16 ft.	......	......	......	......	......	......	......
SAWN TIMBERS							
25 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
27½ Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	......	......	......	......	......	......	......
30 Cubic Average, 25 lin.	......	......	......	......	......	......	......
" " " 27½ "	......	......	......	......	......	......	......
" " " 30 "	41.51	......	......	......	......	41.51	41.73
SPECIAL TIMBERS							
Track Ties, Sq. E., 6x8–8	53.28	55.00[2]	......	......	......	53.28	55.00[1]
" " Heart, (85%+), 6x8–8	58.28	52.00	......	......	......	57.38	51.34[1]
" " Sq. E., " 7x9–8	......	......	......	......	......	......	......
" " Heart, " 7x9–8	......	......	......	......	......	......	......
Bridge Ties, Sq. E., 7x9 & up	......	......	......	......	......	......	......
" " Heart,	55.00	......	......	......	......	55.00	......
Paving Stock, S 1 S	43.00[3]	43.00	40.54	......	......	40.92	42.21
" " Rough	43.00[1]	......	......	......	......	43.00[1]	43.00
Battleship Decking, Edge Grain	......	......	......	......	......	......	......
Ship " Flat Grain	104.26[3]	......	......	......	......	104.26[2]	104.26[2]
Miscellaneous	......	50.72	47.82	......	44.00	48.06	51.26
MISCELLANEOUS STOCK							
Silo Stock	47.46	58.00[1]	......	......	......	47.46	58.00
Grain Doors	40.00[3]	......	......	......	......	40.00[3]	40.00[2]
Miscellaneous, B and B	121.12	110.09	118.84	......	125.92[1]	118.66	117.57
" No. 1	74.83	65.67	67.70	......	53.58	67.42	63.23
" No. 2	50.87	43.95	49.90	......	47.40	49.30	50.08
" No. 3	36.82[1]	36.75	44.88	......	38.00	43.25	44.79
Shorts, B and B	107.50	66.55[2]	......	......	......	107.50	101.41
" No. 1	40.47	57.12	......	......	......	40.87	52.04
" No. 2	......	39.38	......	......	......	39.38	36.74
" No. 3	......	34.06	......	......	......	34.06	36.47[2]

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.76	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

March 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending March 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg, Little Rock and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4. 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800

Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued March 30, 1920

No. 88

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Arkansas Soft Pine Bureau, Little Rock, Ark.	13	500,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	210	5,623,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
Heart Face, Edge Grain, B and Better, 13/16x2¼″							
Edge Grain, A "	150.00[1]					150.00[1]	150.00
" " B "				134.75[1]		134.75[1]	134.75
" " B and Better "	133.75			134.75		133.78	140.00
" " C "	113.07			105.00		107.47	115.25[1]
" " D "	102.50					102.50	113.60
" " No. 2 "							
Flat " A "							
" " B "				109.00[3]		109.00[3]	109.00[2]
" " B and Better "	103.39			110.25		105.33	100.74
" " C "	88.00					88.00	93.75[2]
" " D "	94.92					94.92	89.11
No. 1 Common "				93.75[1]		93.75[1]	93.75
No. 2 " "	52.50			69.75[1]		52.50	54.17
No. 3 " "							
Heart Face, Edge Grain, B and Better, 13/16x2½″			153.67		151.94[1]	153.67	151.94
Edge Grain, A "			143.75		146.60[1]	143.75	146.60
" " B "		125.04	134.20		150.25	134.41	139.60
" " B and Better "		126.09			135.00[1]	126.09	134.72
" " C "		115.00	118.54		114.75	117.43	118.50
" " D "			119.50[1]			119.50[1]	119.50
" " No. 2 "			75.00		80.00[1]	75.00	79.50
Flat " A "							
" " B "		98.00				98.00	105.00[3]
" " B and Better "		98.00	111.60		114.84	110.52	114.70
" " C "		88.00				88.00	94.00[3]
" " D "							91.00[3]
No. 1 Common "		88.00	100.97		104.48	99.99	104.53
No. 2 " "		50.00	58.35		55.28	55.54	56.78
No. 3 " "			43.80		40.00	42.82	35.53
Heart Face, Edge Grain, B and Better, 13/16x3¼″			136.00[2]		137.94	137.94	136.00[1]
Edge Grain, A "	120.00	120.00	131.00	126.00[2]	134.50	125.21	124.31
" " B "		113.13	128.68	129.75	116.14[3]	127.02	127.56
" " B and Better "	121.39	124.04	110.71	128.50	136.83	122.13	125.74
" " C "	110.00	107.60	111.80	108.25	115.00	109.92	113.45
" " D "	99.63		110.40[1]		103.00	99.72	108.77
" " No. 2 "			75.00		75.00	75.00	73.00
Flat " A "	105.00	105.00		114.50		106.77	111.52
" " B "	100.00	100.00		104.25		100.16	101.11
" " B and Better "	101.39	100.80	106.31	109.75	102.90	103.18	104.92
" " C "	95.11	95.06				95.09	95.01
" " D "	88.58	90.00				88.61	89.74
No. 1 Common "		90.72	94.93	94.50	91.88	93.60	86.55
No. 2 " "	50.50	52.23	51.44	57.75	53.44	51.45	53.09
No. 3 " "			36.03		36.32	36.11	41.54
CEILING							
Ceiling, ½x3¼″, A							
" " B							
" " B and Better	66.30	70.00	75.00	89.50	75.00	76.38	70.39
" " No. 1 Common	62.73	70.67	68.00	69.75	97.43	72.31	55.22
" " No. 2 "	48.00	48.00	45.00[1]	50.00[1]	47.36[2]	48.00	47.46
" " No. 3 "					33.00[3]	33.00[3]	33.00[2]
Ceiling, ⅝x3¼″, A							
" " B				86.50		86.50	90.75
" " B and Better	79.04	79.11	77.53	84.50	84.00[1]	78.84	80.73
" " No. 1 Common	71.41	74.58	75.00	75.00	81.00	73.87	73.10
" " No. 2 "	48.43	52.00	47.00	57.25[1]	50.00	47.89	51.80
" " No. 3 "			35.25		35.00[3]	35.25	30.00
Ceiling, ¾x3¼″, A							
" " B				105.00		105.00	
" " B and Better	101.00[1]		105.00	108.75[1]	112.00	109.00	108.50
" " No. 1 Common	108.00[2]	85.00	75.71	85.00[2]	102.00[2]	79.80	100.00
" " No. 2 "			60.00		54.00[2]	60.00	54.00[1]
" " No. 3 "			38.00			38.00	
PARTITION							
Partition, ¾x3¼″, A							
" " B				106.50[2]		106.50[2]	106.50[1]
" " B and Better	102.87	107.50	107.47	122.00		109.14	102.64
" " No. 1 Common	92.50	97.50	100.00	92.50		97.22	98.75
" " No. 2 "	73.00	70.00[1]	54.36	64.50[3]	58.00[1]	56.01	67.00
Partition, ¾x5¼″, A							
" " B							
" " B and Better	106.62	75.00[1]	107.47	104.25[3]		106.62	107.72
" " No. 1 Common	92.50		100.00	79.75[3]		92.50	98.82[1]
" " No. 2 "	54.00[2]	38.00[1]	54.36			54.36	53.00
BEVEL SIDING							
Bevel Siding, A							
" B				59.75		59.75	65.00
" B and Better	63.65			64.00[2]		63.65	60.00
" No. 1 Common	55.00		67.24	60.00[1]		64.69	56.54
" No. 2 "	50.34		35.00	50.00	45.00	41.29	46.76

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
Drop Siding, ¾x3¼ or 5¼, A	......	......	......	......	......	......	......
" " B	......	......	......	114.00	......	114.00	......
" " B and Better	90.40	88.05	91.52	109.75[1]	85.83[1]	89.79	90.43
" " No. 1 Common	84.79	76.87	80.05	86.25[1]	92.00	81.64	82.60
" " No. 2 "	54.19	57.63	53.91	56.00	56.75	54.29	54.96
" " No. 3 "	......	......	40.00	......	37.00[3]	40.00	43.65
FINISH							
1x 4 inch, A	......	......	......	130.00[2]	......	130.00[2]	130.00[1]
1x 6 inch, "	......	......	......	127.75[2]	......	127.75[2]	127.75[1]
1x 8 inch, "	......	......	......	127.75[2]	......	127.75[2]	127.75[1]
1x 5 and 10 inch, "	......	......	......	130.50[2]	......	130.50[2]	130.50[1]
1x12 inch, "	......	......	......	129.25[2]	......	129.25[2]	129.25[1]
1¼x4 to 12 inch, "	......	......	......	141.75	......	141.75	133.50[1]
1½ and 2x4 to 12 inch, "	......	......	......	141.75	......	141.75	135.50[1]
1⅝ inch, "	......	......	......	......	......	......	......
1x 4 inch, B	......	......	......	123.00[1]	......	123.00[1]	123.00
1x 6 inch, "	......	......	......	124.75	......	124.75	127.00
1x 8 inch, "	......	......	......	124.75	......	124.75	127.00
1x 5 and 10 inch, "	......	......	......	128.00[1]	......	128.00[1]	128.00
1x12 inch, "	......	......	......	128.00[1]	......	128.00[1]	128.00
1¼x4 to 12 inch, "	......	......	......	138.00	......	138.00	135.25
1½ and 2x4 to 12 inch, "	......	......	......	138.50	......	138.50	139.00
1⅝ inch, "	......	......	......	......	......	......	......
1x 4 inch, B and Better	108.27	110.36	119.43	125.50	115.00[1]	110.67	113.62
1x 6 inch, "	106.91	108.94	112.62	128.75	120.00[2]	110.65	113.50
1x 8 inch, "	111.68	112.42	116.38	128.75	121.80[2]	112.33	112.10
1x 5 and 10 inch, "	113.80	116.70	119.96	130.25	115.00	117.29	119.26
1x12 inch, "	118.61	114.26	122.45	132.50	130.00[2]	120.33	121.22
1¼x4 to 12 inch, "	118.67	119.73	123.55	136.25	124.56	123.24	125.58
1½ and 2x4 to 12 inch, "	121.24	125.00[3]	127.86	134.50	......	128.48	124.60
1⅝ inch, "	106.34	103.25	......	......	......	105.14	102.81
1x 6 to 12 inch, "	......	......	......	......	125.00	125.00	120.00
1x 4 inch, C	97.00	......	......	125.00	......	111.00	95.00
1x 6 inch, "	98.92	95.00	102.25[3]	123.25	......	105.66	112.90
1x 8 inch, "	99.87	95.71	124.62[3]	123.25	......	97.93	99.41
1x 5 and 10 inch, "	101.73	95.00	102.25[3]	126.75	......	105.13	105.00
1x12 inch, "	102.88	95.00	107.25[3]	122.75[1]	......	100.40	106.43
1¼x4 to 12 inch, "	107.99	......	......	133.50	117.00	115.80	113.18
1½ and 2x4 to 12 inch, "	......	......	......	135.00	......	135.00	125.00
1⅝ inch, "	......	......	......	......	......	......	......
1x 6 to 12 inch, "	......	......	......	......	112.00	112.00	110.00[2]
1x 4 inch, B and Better, Rough	105.38[2]	100.00[1]	100.00	100.00[1]	......	100.00	100.00
1x 6 inch, " "	99.37	115.00	111.69	129.75	92.00[2]	105.54	120.29
1x 8 inch, " "	119.14[1]	119.00[1]	115.44	129.75	......	115.44	118.98
1x 5 and 10 inch, " "	111.00	119.00[1]	124.00	127.25	......	115.65	121.14
1x12 inch, " "	127.00[1]	119.00[1]	124.00	133.75	......	126.16	126.00
1¼x4 to 12 inch, " "	110.33	114.50[3]	125.36[1]	142.50	128.00	120.22	126.27
1½ and 2x4 to 12 inch, " "	115.36[2]	......	131.37[1]	138.00	128.00[1]	138.00	131.38
1⅝ inch, " "	......	104.00[3]	......	......	......	104.00[3]	104.00[2]
1x 6 to 12 inch, " "	......	......	......	......	112.50[2]	112.50[2]	112.50[1]
CASING AND BASE							
From 4 and 6 inch stock, B. M., A	......	......	......	130.50[2]	......	130.50[2]	130.50[1]
" B	......	......	......	......	......	......	......
" B and Better	119.14	120.07	134.33	134.75	130.00[2]	126.44	125.40
From 8 and 10 inch stock, B. M., A	......	......	......	129.75[2]	......	129.75[2]	129.75[1]
" B	......	......	......	......	......	......	......
" B and Better	117.55	114.79	130.59	135.25	139.00[1]	123.26	124.73
MOULDINGS (% Discount)							
1½ inch and Smaller	......	......	......	10.00*	......	10.00*	12.00*
1¾ inch and Larger	......	......	......	15.00*	......	15.00*	......
DOOR AND WINDOW JAMBS							
A B. M.	......	......	......	......	......	......	......
B "	......	......	......	......	......	......	......
B and Better, "	120.38	......	132.50[3]	139.75	......	129.91	136.35
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	......	......	......	......	......	......	80.25[3]
" " " " " 8 ft.	87.40[1]	108.00[3]	......	......	......	87.40[1]	87.40
" " " " " 12 and 14 ft.	97.50[1]	......	......	......	......	97.50[1]	97.50
" " " " " 16 ft.	......	......	......	......	......	......	80.00[3]
" " " " " 9 or 18 ft.	101.04[1]	100.00	......	105.00	......	103.75	101.50
" " " " " 10 or 20 ft.	109.25	106.25	125.00	100.00	......	110.03	108.75

* % Plus List Price:

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	68.00	73.00	......	65.00[2]	......	70.78	65.00[1]
" " " " " 8 ft.	75.25[2]	84.26	......	65.00	......	79.86	65.00
" " " " " 12 and 14 ft.	......	85.00[3]	......	......	......	85.00[3]	85.00[2]
" " " " " 16 ft	......	85.00[3]	......	......	......	85.00[3]	85.00[2]
" " " " " 9 or 18 ft.	90.13[2]	93.73	88.00	79.00	......	87.21	74.50
" " " " " 10 or 20 ft.	95.00[1]	85.25	......	75.75	......	79.50	95.00
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	68.00	73.00	......	......	......	68.00	71.74[2]
" " " " " 8 ft.	90.00[1]	84.26	......	65.00	......	79.86	90.00
" " " " " 12 and 14 ft.	......	85.00[3]	......	......	......	85.00[3]	85.00[2]
" " " " " 16 ft.	78.00[1]	85.00[3]	......	......	......	78.00[1]	78.00
" " " " " 9 or 18 ft.	90.01[2]	93.73	88.00	79.00	......	87.21	74.50
" " " " " 10 or 20 ft.	90.00[2]	85.25	......	75.75	......	79.50	64.75[1]
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	47.63[1]	......	55.00	40.00	55.00	52.67	47.59
" " " " " 10 to 20 ft.	50.64	50.00	......	50.00	......	50.22	52.82
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	......	......	......
" No. 1, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft	50.00[1]	......	......	......	......	50.00[1]	50.00
" " " 2 to 3 inch, 9 & 18 ft.	51.00[1]	52.50	55.00[1]	......	44.67[2]	52.50	52.10
" " " 2 to 3 inch 10 & 20 ft.	......	50.00	53.00[2]	......	40.00	45.38	50.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1⅝ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 9 & 18 ft.	......	......	......	......	......	......	......
" " " 1¾ inch, 10 & 20 ft.	......	......	......	......	......	......	......
" " " 2 to 3 inch, 9 & 18 ft.	......	......	......	......	40.00	40.00	......
" " " 2 to 3 inch, 10 & 20 ft.	......	......	......	......	45.00	45.00	......
BOARDS, SHIPLAP AND GROOVED ROOFING							
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	71.74	70.50[3]	94.50	......	......	78.44	69.93
" " " " other lengths.	67.96	70.09	94.90	73.25	103.50	71.98	71.45
" " 1x10, " 14 and 16 ft.	69.74	......	78.10[1]	......	......	69.74	70.40
" " " " other lengths.	70.60	69.79	97.05	73.25	103.00	75.48	72.88
" " 1x12, " 14 and 16 ft.	76.80	75.00	100.00	......	......	77.36	75.83
" " " " other lengths.	76.94	73.78	98.52	85.00	105.00	79.16	75.28
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	49.63	50.78	52.96	48.50	51.73	50.50	52.82
" " 1x10, " "	52.06	50.20	55.25	51.00	54.60	52.34	58.48
" " 1x12, " "	54.62	54.87	55.75	55.00	52.00	54.80	55.28
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	40.51	40.56	41.37	42.25	45.00[2]	40.84	41.29
" " 1x10, " "	40.38	39.82	41.21	42.75	......	40.86	41.17
" " 1x12, " "	41.68	41.67	42.78	43.50	44.10	42.07	43.35
Shiplap, 1 x 8, No. 1, 14 and 16 ft	71.40	......	......	......	......	71.40	71.92
" " " other lengths.	69.99	67.78	71.68	73.25	60.00	70.20	68.85
" 1x10, " 14 and 16 ft.	74.50	......	......	......	......	74.50	84.25
" " " other lengths.	70.35	70.42	84.73	74.25[3]	70.00	72.34	65.60
" 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " other lengths.	......	......	......	......	......	......	......
Shiplap, 1x 8, No. 2, all lengths.	51.38	51.02	52.15	50.50	49.97	51.24	53.08
" 1x10, " "	51.12	51.17	50.68	49.25	49.79	50.57	51.36
" 1x12. " "	......	......	......	......	......	......	......
Shiplap, 1x 8, No. 3, all lengths.	41.16	41.35	44.25	41.25	45.31	42.16	42.35
" 1x10, " "	41.91	44.00	43.60	42.50	47.00	42.58	43.34
" 1x12, " "	41.88	41.50[2]	......	44.50	......	42.18	41.92
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	75.25[1]	......	......	......	......	75.25[1]	75.25
" " " " other lengths.	69.75	52.00[2]	......	76.00[2]	......	69.75	74.15
" " 1x12, " 14 and 16 ft.	......	......	......	......	......	......	......
" " " " other lengths.	......	......	......	......	......	......	......
All No. 4—all widths and lengths.	23.83	......	25.58	19.25	27.00[1]	22.38	24.26

FENCING	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
1x4, S 1 S, No. 1, 16 ft.	68.18	......	......	......	......	68.18	70.73
" " " other lengths	67.91	73.81	95.88	73.50	......	72.17	69.76
" " No. 2, all lengths	43.60	42.26	52.29	48.50	46.25[1]	43.58	44.60
" " No. 3, "	37.13	36.61	39.95	39.50	......	38.48	37.41
1x4, C. M., No. 1, 16 ft.	69.50[2]	......	......	......	......	69.50[2]	69.50[1]
" " " other lengths	82.25	......	......	68.00[2]	......	82.25	76.92
" " No. 2, all lengths	43.50	......	......	53.50	......	50.81	53.22
" " No. 3, "	40.50[3]	......	......	38.00[1]	......	38.00	38.00
1x6, S 1 S, No. 1, 16 ft.	70.75	60.00	95.20	69.25[3]	......	72.06	69.55
" " " other lengths	69.69	74.54	93.86	71.50	103.50	75.90	71.38
" " No. 2, all lengths	49.61	48.64	53.42	49.25	50.95	49.73	50.00
" " No. 3, "	39.52	38.87	40.47	41.75	50.00	40.10	39.28
1x6, C. M., No. 1, 16 ft.	74.29	71.50[3]	......	......	......	74.29	83.25
" " " other lengths	65.06	56.97	......	68.25[1]	......	58.95	68.01
" " No. 2, all lengths	49.27	47.73	......	51.25	50.10	49.38	49.00
" " No. 3, "	40.13	40.72	......	42.25	43.83[3]	40.49	39.86
DIMENSION							
2x 4, No. 1, S 1 S 1 E, 10 ft.	47.06	49.66	50.28	51.75	49.00[2]	48.01	47.35
" " " 12 ft.	46.80	46.64	48.56	49.50[1]	47.00[2]	46.84	47.48
" " " 14 ft.	46.93	48.40	53.85	50.00	45.50[3]	42.21	47.80
" " " 16 ft.	48.90	47.47	48.91	50.00	46.24	48.45	49.06
" " " 18 ft.	49.02	49.19	50.01	51.75	50.00[2]	49.28	50.08
" " " 20 ft.	49.03	49.43	50.01	51.75	......	49.10	50.09
" " " 22 ft.	51.41	52.67	50.00	......	......	51.49	52.05
" " " 24 ft.	51.39	52.66	50.00	......	......	51.96	51.70
2x 6, No. 1, S 1 S 1 E, 10 ft.	44.52	49.38	48.12	49.25	......	48.43	45.64
" " " 12 ft.	44.75	48.98	47.56	45.75	......	46.88	45.19
" " " 14 ft.	44.65	46.69	47.56	45.75	......	46.09	44.98
" " " 16 ft.	45.52	46.05	50.72	45.75	44.50	46.12	46.44
" " " 18 ft.	45.96	48.58	48.12	49.25	......	47.54	46.02
" " " 20 ft.	46.42	48.97	48.12	49.25	......	47.70	46.05
" " " 22 ft.	48.95	51.70	53.64	48.75[1]	......	51.62	48.70
" " " 24 ft.	48.41	50.08	53.64	48.75[1]	......	49.01	49.08
2x 8, No. 1, S 1 S 1 E, 10 ft.	46.30	46.35	49.61	50.50	......	48.27	49.38
" " " 12 ft.	46.73	46.70	48.13	48.75	......	46.95	46.93
" " " 14 ft.	46.00	45.93	47.06	48.75	......	46.05	46.89
" " " 16 ft.	48.65	48.15	48.45	48.75	42.50	48.43	48.51
" " " 18 ft.	48.34	48.85	49.61	50.50	......	48.42	47.89
" " " 20 ft.	47.87	47.84	49.61	50.50	......	47.86	47.93
" " " 22 ft.	50.45	53.84	54.49	51.75[1]	......	53.12	50.38
" " " 24 ft.	51.00	52.18	54.49	51.75[1]	......	51.24	50.24
2x10, No. 1, S 1 S 1 E, 10 ft.	49.41	44.25	52.87	50.25	......	51.00	51.04
" " " 12 ft.	46.73	47.48	48.59	47.25	......	47.79	48.02
" " " 14 ft.	46.63	47.80	48.59	47.25	......	46.91	46.73
" " " 16 ft.	50.19	48.91	55.79	47.25	48.50	51.42	49.07
" " " 18 ft.	49.52	48.88	52.87	50.25	......	49.32	49.14
" " " 20 ft.	49.76	48.25	52.87	50.25	......	49.29	49.40
" " " 22 ft.	52.84	53.22	58.49	50.25[3]	......	53.86	50.96
" " " 24 ft.	52.91	54.30	58.49	50.25[3]	......	53.12	51.47
2x12, No. 1, S 1 S 1 E, 10 ft.	49.89	46.25	49.98	51.00	......	49.35	52.33
" " " 12 ft.	48.96	49.08	50.62	49.75	......	50.10	49.37
" " " 14 ft.	49.80	48.67	50.62	49.75	......	49.23	49.58
" " " 16 ft.	51.20	53.64	52.14	49.75	......	51.92	51.90
" " " 18 ft.	50.38	49.66	49.98	51.50	......	50.16	53.13
" " " 20 ft.	51.51	49.98	49.98	51.50	......	51.08	51.60
" " " 22 ft.	52.33	52.32	61.63	54.25[3]	......	53.04	55.05
" " " 24 ft.	54.32	49.67	61.63	54.25[3]	......	53.24	53.16
2x 4, No. 2, S 1 S 1 E, 10 ft.	44.17	45.25	49.29	49.75	42.00[1]	45.50	44.79
" " " 12 ft.	44.22	44.18	45.40	46.75	42.00[1]	44.46	45.05
" " " 14 ft.	44.79	43.62	44.00	47.75	42.00[1]	44.43	44.68
" " " 16 ft.	45.42	45.37	46.11	47.75	44.76[1]	45.48	44.60
" " " 18 ft.	47.06	46.93	50.00	49.75	47.15[1]	47.08	47.07
" " " 20 ft.	46.82	45.36	50.00	49.75	42.00[1]	46.26	46.13
" " " 22 ft.	49.50[3]	53.00	54.00[2]	......	......	53.00	54.00[1]
" " " 24 ft.	47.12[1]	53.00	54.00[2]	......	......	53.00	47.12
2x 6, No. 2, S 1 S 1 E, 10 ft.	42.13	41.00	51.25	48.75	......	44.78	43.81
" " " 12 ft.	41.12	40.36	43.17	46.25	......	43.48	42.40
" " " 14 ft.	40.31	41.44	43.17	46.25	......	40.54	40.51
" " " 16 ft.	43.18	42.52	50.00	46.25	......	43.25	43.20
" " " 18 ft.	43.44	39.32	51.25	48.75	......	40.20	42.57
" " " 20 ft.	42.65	43.38	51.25	48.75	......	43.21	42.31
" " " 22 ft.	47.19	41.50	55.00	......	......	44.94	49.36
" " " 24 ft.	47.00	41.00[2]	55.00	......	......	47.00	44.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	42.46	42.00	50.00	47.00[1]	...	43.16	46.19
" " " 12 ft.	42.39	41.20	46.00	48.00	...	44.73	44.51
" " " 14 ft.	41.66	41.29	46.25	48.00	...	42.20	45.03
" " " 16 ft.	42.21	43.60	48.29	48.00	...	42.58	44.97
" " " 18 ft.	45.59	48.70	50.00	47.00[1]	...	46.50	44.13
" " " 20 ft.	43.78	42.50	50.00	47.00[1]	...	43.48	44.64
" " " 22 ft.	...	53.00[2]	49.00	...	...	49.00	50.00
" " " 24 ft.	47.89[3]	53.00[2]	49.00	...	...	49.00	50.00
2x10, No. 2, S 1 S 1 E, 10 ft.	42.50	40.50	48.98[1]	48.25	...	44.95	48.80
" " " 12 ft.	41.94	41.50	45.71[1]	48.00[1]	...	41.72	46.54
" " " 14 ft.	42.04	41.69	45.71[1]	48.00[1]	...	41.86	45.23
" " " 16 ft.	45.30	42.94	47.50[1]	48.00[1]	...	44.49	44.78
" " " 18 ft.	45.97	44.88	48.98[1]	48.25	...	45.56	45.33
" " " 20 ft.	45.63	42.60	48.98[1]	48.25	...	45.18	46.01
" " " 22 ft.	50.25[3]	53.00	47.00	...	...	49.00	50.13
" " " 24 ft.	49.71[3]	53.00	47.00	...	...	49.00	50.13
2x12, No. 2, S 1 S 1 E, 10 ft.	42.96	43.75	51.22[1]	49.00[1]	...	43.05	49.14
" " " 12 ft.	43.08	44.08	47.39[1]	48.00[1]	...	43.56	48.05
" " " 14 ft.	42.05	43.93	47.39[1]	48.00[1]	...	43.07	44.38
" " " 16 ft.	46.86	46.79	49.99[1]	48.00[1]	...	46.84	48.18
" " " 18 ft.	45.89	45.47	51.22[1]	49.00[1]	...	45.77	47.04
" " " 20 ft.	46.71	45.53	51.22[1]	49.00[1]	...	46.27	47.58
" " " 22 ft.	52.51	56.75[3]	54.00[1]	...	...	52.51	54.00
" " " 24 ft.	48.25	56.75[3]	54.00[1]	...	...	48.25	54.00
No. 1, 2x4 to 2x12, 26 ft. and longer	...	...	...	...	...	...	...
All No. 3, S 1 S 1 E, all lengths	32.37	30.40	38.43[1]	31.00[1]	40.00[1]	31.80	32.41

PATENT LATH

PATENT LATH	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
4 and 6 ft.	40.65	39.00	45.00	42.75	...	40.75	40.52
8 and 10 ft.	42.08	41.25	45.50[1]	44.75	...	42.07	41.96
12 ft. and longer	44.59	42.50	45.50[1]	45.75	...	44.47	43.38

PLASTERING LATH

PLASTERING LATH	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
⅜x1½-4, No. 1	16.28	18.00	16.89	16.60	15.06	16.33	16.90
" No. 2	15.30	16.50	16.21	17.10[1]	13.58	14.57	15.51
⅜x1½-3, No. 1	...	...	...	...	...	...	...
" No. 2	...	...	...	...	...	...	...
⅝x1½-4, No. 1	...	...	...	...	...	...	...
" No. 2	...	...	...	...	...	...	...
⅝x1½-3, No. 1	...	...	...	...	...	...	...
" No. 2	...	...	...	...	...	...	...

TIMBERS

TIMBERS	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
4x4 to 8x8, No. 1, up to 20 ft.	48.74	49.17	46.90	51.75	38.79	47.36	46.31
" " 22-24 ft.	56.35	46.70	48.58	...	...	53.47	49.77
" " 26 ft.	...	50.00[1]	48.05	...	...	48.05	51.59
" " 28 ft.	...	51.00[1]	48.05	...	...	48.05	51.00
" " 30 ft.	52.72[1]	52.00[1]	51.01	...	...	51.01	52.75
" " over 30 ft.	55.50[1]	56.80[1]	57.00[1]	...	...	55.67[1]	55.67
4x4 to 8x8, Heart (85%+), up to 20 ft.	59.88	52.84	...	...	...	56.86	53.98
" " " 22-24 ft.	56.50[1]	50.00[2]	...	...	...	56.50[1]	56.50
" " " 26 ft.	56.50[1]	57.00	...	...	...	57.00	56.50
" " " 28 ft.	...	...	...	...	...	...	...
" " " 30 ft.	54.50	...	...	...	...	54.50	58.50
" " " over 30 ft.	56.50	...	...	...	...	56.50	59.67[3]
3 & 4x10, No. 1, up to 20 ft.	54.72	51.00	...	...	...	51.81	53.33
" " 22-24 ft.	...	52.00	...	...	...	52.00	55.50[1]
" " 26 ft.	...	...	...	...	...	...	50.50[3]
" " 28 ft.	...	...	...	...	...	...	51.50[3]
" " 30 ft.	...	...	...	...	...	...	...
" " over 30 ft.	...	...	...	...	...	...	52.80[3]
3 & 4x10, Heart (85%+), up to 20 ft.	61.50	56.00	...	...	...	61.24	55.70
" " " 22-24 ft.	56.50[1]	54.50[1]	...	...	...	54.96[1]	54.96
" " " 26 ft.	56.50[3]	...	...	...	...	56.50[3]	56.50[2]
" " " 28 ft.	...	...	...	...	...	...	...
" " " 30 ft.	...	...	...	...	...	...	...
" " " over 30 ft.	...	...	...	...	...	...	...

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
6x10, to 10x10, No. 1, up to 20 ft.	53.95	39.00[1]	53.09	......	......	53.19	48.95
" " 22-24 ft.	63.00	46.04	57.79	......	......	57.16	52.26
" " 26 ft.	......	46.81	60.55	......	......	59.51	52.76
" " 28 ft.	......	......	60.55	......	......	60.55	52.76
" " 30 ft.	52.61[2]	......	57.15	......	......	57.15	52.68
" " over 30 ft.	64.11[2]	......	58.75	......	......	58.75	57.25
6x10 to 10x10, Heart (85%+), up to 20 ft.	54.92[1]	55.00[3]	......	......	......	54.92[1]	54.92
" " " 22-24 ft.	......	56.00[3]	......	......	......	56.00[3]	56.00[2]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	78.75[1]	......	......	......	......	78.75[1]	78.75
3 & 4x12, No 1, up to 20 ft.	61.50	52.64	......	54.00	40.25[3]	56.54	58.72
" " 22 24 ft.	64.50	54.73	......	......	......	55.11	60.12[2]
" " 26 ft.	......	......	......	......	......	......	......
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	61.00[3]	......	......	......	......	61.00[3]	61.00[2]
" " over 30 ft.	......	79.00	......	......	......	79.00	68.00
3 & 4x12, Heart (85%+), up to 20 ft.	69.50	58.00	......	......	......	65.53	63.75
" " " 22-24 ft.	60.50[3]	59.00	......	......	......	59.00	60.50[2]
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
6x12 to 12x12, No. 1, up to 20 ft.	60.85	50.97	57.72	......	......	57.83	56.08
" " 22-24 ft.	55.50[1]	59.00[2]	56.79	......	......	56.79	57.09
" " 26 ft.	59.06[3]	60.00[2]	60.53	......	......	60.53	57.03
" " 28 ft.	61.00[3]	60.00[2]	60.53	......	......	60.53	57.03
" " 30 ft.	46.35[2]	62.00[2]	63.37	......	......	63.37	59.15
" " over 30 ft.	63.33[1]	70.00	67.50	......	......	68.00	62.22
6x12 to 12x12, Heart (85%+), up to 20 ft.	65.60	58.00[1]	......	......	......	65.60	58.00
" " " 22-24 ft.	......	......	53.14[1]	......	......	53.14[1]	53.14
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
2x14 to 4x14, No. 1, up to 20 ft.	65.98	57.33	......	......	......	61.58	56.46[2]
" " 22-24 ft.	......	59.00	......	......	......	59.00	61.29
" " 26 ft.	......	64.40[1]	......	......	......	64.40[1]	64.40
" " 28 ft.	......	......	......	......	......	......	......
" " 30 ft.	......	66.00[1]	......	......	......	66.00[1]	66.00
" " over 30 ft.	......	......	......	......	......	......	......
2x14 to 4x14, Heart (85%+), up to 20 ft.	......	63.00	......	......	......	63.00	......
" " " 22-24 ft.	......	54.00	......	......	......	54.00	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
6x14 to 14x14, No. 1, up to 20 ft.	66.00[2]	......	62.20	......	......	62.20	58.91
" " 22-24 ft.	67.64[3]	......	62.88	......	......	62.88	63.83
" " 26 ft.	......	......	70.60	......	......	70.60	68.04
" " 28 ft.	......	......	70.60	......	......	70.60	68.04
" " 30 ft.	......	......	65.78	......	......	65.78	71.83
" " over 30 ft.	......	74.00	74.27[1]	......	......	74.00	74.27
6x14 to 14x14, Heart (85%+), up to 20 ft.	67.50[1]	64.00[1]	......	......	......	67.12[1]	67.12
" " " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, No. 1, up to 20 ft.	......	69.50	......	......	......	69.50	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " 26 ft.	......	......	......	......	......	......	......
" 28 ft.	......	......	......	......	......	......	......
" 30 ft.	......	......	......	......	......	......	......
" over 30 ft.	......	......	......	......	......	......	......
2x16 to 4x16, Heart (85%+), up to 20 ft.	......	......	......	......	......	......	......
" " 22-24 ft.	......	......	......	......	......	......	......
" " " 26 ft.	......	......	......	......	......	......	......
" " " 28 ft.	......	......	......	......	......	......	......
" " " 30 ft.	......	......	......	......	......	......	......
" " " over 30 ft.	......	......	......	......	......	......	......

TIMBERS – (Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
6x16 & Up, No. 1, up to 20 ft	72.81[1]	69.89	68.78			68.86	67.51
“ “ 22-24 ft	62.10[3]	70.00	73.85			72.64	81.00
“ “ 26 ft	81.00[3]		72.08			72.08	79.67
“ “ 28 ft	65.62[3]		72.08			72.08	79.67
“ “ 30 ft	81.00[3]		77.34			77.34	81.81
“ “ over 30 ft	75.50[2]		81.81[1]			81.81[1]	81.81
6x16 & Up, Heart (85%+), up to 20 ft							
“ “ “ 22-24 ft							87.50[3]
“ “ “ 26 ft							
“ “ “ 28 ft							
“ “ “ 30 ft		74.00[3]				74.00[3]	74.00[2]
“ “ “ over 30 ft							
STRINGERS							
15 inch, Sq. E. up to 20 ft							
“ “ 22-24 ft							
“ “ 26 ft							
“ “ 28 ft		72.50[3]				72.50[3]	72.50[2]
“ “ 30 ft							
“ “ 32 ft							
15 inch, Heart (85%+), up to 20 ft							67.50[3]
“ “ “ 22-24 ft							
“ “ “ 26 ft							
“ “ “ 28 ft							70.50[3]
“ “ “ 30 ft							
“ “ “ 32 ft							
16 inch, Sq. E. up to 20 ft							
“ “ 22-24 ft							
“ “ 26 ft							
“ “ 28 ft	68.50[3]	72.50[1]				72.50[1]	72.50
“ “ 30 ft							
“ “ 32 ft							
16 inch, Heart (85%+), up to 20 ft	65.62[1]					65.62[1]	65.62
“ “ “ 22-24 ft	65.50[1]					65.50[1]	65.50
“ “ “ 26 ft							
“ “ “ 28 ft	71.50[1]					71.50[1]	71.50
“ “ “ 30 ft	72.90[1]					72.90[1]	72.90
“ “ “ 32 ft							
CAR SILLS							
Up to 9 inch, Sq. E. 34 ft			52.86			52.86	49.54[1]
“ “ “ 36 ft	56.76[3]	55.00	54.00		55.28	55.12	50.16
“ “ “ 37-38 ft	72.50	55.00[3]	61.00			67.29	48.00[1]
“ “ “ 40 ft	74.50		61.00			74.50	52.19[1]
“ “ “ 41-42 ft	90.50					90.50	61.00[2]
Up to 9 inch, Heart (85%+), 34 ft							53.80[3]
“ “ “ “ 36 ft	57.25[3]					57.25[3]	57.25[2]
“ “ “ “ 37-38 ft							53.78[3]
“ “ “ “ 40 ft							
“ “ “ “ 41-42 ft							61.95[3]
Up to 10 inch, Sq. E. 34 ft	58.17[3]		60.00		60.00	60.00	52.96[1]
“ “ “ 36 ft	72.83		60.00		65.00	69.82	52.96[1]
“ “ “ 37-38 ft	59.00[3]		54.65[2]			54.65[2]	54.65[1]
“ “ “ 40 ft	63.26[3]		62.50[3]			63.26[3]	63.26[2]
“ “ “ 41-42 ft	62.50[3]				65.00	65.00	62.50[2]
Up to 10 inch, Heart, (85%+), 34 ft	80.75[2]					80.75[2]	80.75[1]
“ “ “ “ 36 ft							
“ “ “ “ 37-38 ft							
“ “ “ “ 40 ft							
“ “ “ “ 41-42 ft							
Up to 12 inch, Sq. E., 34 ft			65.28		65.00	65.11	57.52[1]
“ “ “ 36 ft	80.50		65.28		70.00	71.25	72.19[2]
“ “ “ 37-38 ft			66.00			66.00	63.17[1]
“ “ “ 40 ft	81.50		66.00			81.50	63.17[1]
“ “ “ 41-42 ft	81.50					81.50	
Up to 12 inch, Heart, (85%+), 34 ft							
“ “ “ “ 36 ft	70.24[3]					70.24[3]	70.24[2]
“ “ “ “ 37-38 ft							
“ “ “ “ 40 ft							
“ “ “ “ 41-42 ft							

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Little Rock	Birmingham	Average	Average Previous Report Mar. 10
Up to 14 inch, Sq. E., 34 ft.	......	......	70.00	......	......	70.00	......
“ “ “ 36 ft.	......	......	70.00	......	75.00	75.00	63.68[3]
“ “ “ 37-38 ft.	......	74.50	68.00[2]	......	......	74.50	68.00[1]
“ “ “ 40 ft.	85.50	......	68.00[2]	......	......	85.50	68.00[1]
“ “ “ 41-42 ft.	85.50	......	......	......	......	85.50	......
Up to 14 inch, Heart, (85%+), 34 ft.	......	......	......	......	......	......	......
“ “ “ “ 36 ft.	......	......	......	......	......	......	......
“ “ “ “ 37-38 ft.	......	......	......	......	......	......	......
“ “ “ “ 40 ft.	......	......	......	......	......	......	......
“ “ “ “ 41-42 ft.	......	......	......	......	......	......	......
CAPS							
12x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
“ “ 14 ft.	......	65.00[3]	......	......	......	65.00[3]	65.00[2]
“ “ 16 ft.	......	......	......	......	......	......	......
12x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
“ “ “ 14 ft.	67.00[1]	......	......	......	......	67.00[1]	67.00
“ “ “ 16 ft.	......	......	......	......	......	......	......
14x14, Sq. E. 12 ft.	......	......	......	......	......	......	......
“ “ 14 ft.	......	65.00[3]	......	......	......	65.00[3]	65.00[2]
“ “ 16 ft.	......	......	......	......	......	......	......
14x14, Heart (85%+), 12 ft.	......	......	......	......	......	......	......
“ “ “ 14 ft.	......	65.00[1]	......	......	......	65.00[1]	65.00
“ “ “ 16 ft.	......	......	......	......	......	......	......
SAWN TIMBERS							
25 Cubic Average, 25 lin.	......	......	......	......	......	......	......
“ “ “ 27½ “	......	......	......	......	......	......	......
“ “ “ 30 “	......	......	......	......	......	......	......
27½ Cubic Average, 25 lin.	......	......	......	......	......	......	......
“ “ “ 27½ “	......	......	......	......	......	......	......
“ “ “ 30 “	......	......	......	......	......	......	......
30 Cubic Average, 25 lin.	......	......	......	......	......	......	......
“ “ “ 27½ “	......	......	......	......	......	......	......
“ “ “ 30 “	41 78	......	......	......	......	41 78	41.51
SPECIAL TIMBERS							
Track Ties, Sq. E., 6x8–8.	53.28[1]	55.00[3]	......	......	......	53.28[1]	53.28
“ “ Heart, (85%+), 6x8–8.	58.28[1]	50.00	......	......	......	50.00	57.38
“ “ Sq. E., “ 7x9–8.	......	......	......	......	......	......	......
“ “ Heart, “ 7x9–8.	......	......	......	......	......	......	......
Bridge Ties, Sq. E., 7x9 & up.	......	......	......	......	......	......	......
“ “ Heart,	59.50	......	......	......	......	59.50	55.00
Paving Stock, S 1 S.	......	43.00[1]	40.00	......	......	40.00	40.92
“ “ Rough.	43.00[2]	......	......	......	......	43.00[2]	43.00[1]
Battleship Decking, Edge Grain.	......	......	......	......	......	......	......
Ship “ Flat Grain.	140.00	......	......	......	......	140.00	104.26[3]
Miscellaneous.	76.88	64.49	51.25	......	50.04	62.44	48.06
MISCELLANEOUS STOCK							
Silo Stock.	47.46[1]	58.00[2]	......	......	......	47 46[1]	47.46
Grain Doors.	45.43	......	......	......	......	45.43	40.00[3]
Miscellaneous, B and B.	113.74	147.39	121.56	......	129.25	121.80	118.66
“ No. 1.	63.32	65.93	91.55	......	68.83	66.85	67.42
“ No. 2.	61.01	47.82	51.22	......	50.17	51.54	49.30
“ No. 3.	36.82[2]	28.85	40.01	......	54.58	39.47	43.25
Shorts B and B.	97.00	60.00	......	......	......	83.38	107.50
“ No. 1.	39.94	29.82	......	......	......	39.25	40.87
“ No. 2.	......	36.97	......	......	......	36.97	39.38
“ No. 3.	......	36.83	......	......	......	36.83	34.06

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5 25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4 50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4,00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

March 31, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending March 31, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued April 9, 1920

No. 89

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	150.00[2]	....	....	....	150.00[2]	150.00[1]
" " B "	....	....	....	....	....	....
" " B and Better "	130.75	....	....	....	130.75	133.78
" " C "	120.23	....	....	....	120.23	107.47
" " D "	101.85	....	....	....	101.85	102.50
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	103.36	....	....	....	103.36	105.33
" " C "	88.00[1]	....	....	....	88.00[1]	88.00
" " D "	93.74	....	....	....	93.74	94.92
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	51.10	....	....	....	51.10	52.50
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	153.67[1]	151.94[2]	153.67[1]	153.67
Edge Grain, A "	....	....	135.00	153.50	146.53	143.75
" " B "	....	125.02	130.40	150.25[1]	129.16	134.41
" " B and Better "	....	132.71	....	141.26	138.83	126.09
" " C "	....	115.00[1]	115.00	114.75[1]	115.00	117.43
" " D "	....	....	135.00	....	135.00	119.50[1]
" " No. 2 "	....	....	84.46	80.00	80.98	75.00
Flat " A "	....	....	....	....	....	....
" " B "	....	98.00[1]	....	....	98.00[1]	98.00
" " B and Better "	....	98.00[1]	112.31	119.40	113.30	110.52
" " C "	....	88.00[1]	....	....	88.00[1]	88.00
" " D "	....	....	....	....	....	....
No. 1 Common "	....	88.00[1]	102.86	104.48[1]	102.86	99.99
No. 2 " "	....	50.00[1]	54.60	59.61	56.69	55.54
No. 3 " "	....	....	34.86	38.50	35.63	42.82
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	136.00	137.94[1]	136.00	137.94
Edge Grain, A "	121.00	125.00	138.44	134.50[1]	134.00	125.21
" " B "	....	115.29	133.65	....	129.49	127.02
" " B and Better "	121.47	124.07	110.71[1]	136.83[1]	122.15	122.13
" " C "	106.79	107.60[1]	107.83	115.00[1]	107.29	109.92
" " D "	99.25	....	110.40[2]	103.00[1]	99.25	99.72
" " No. 2 "	....	....	75.36	75.00[1]	75.36	75.00
Flat " A "	105.00[1]	105.00[1]	....	....	106.77[1]	106.77
" " B "	100.00	100.00	....	....	100.00	100.16
" " B and Better "	99.76	100.41	101.30	104.00	100.76	103.18
" " C "	95.00	95.06[1]	....	....	95.00	95.09
" " D "	93.80	90.00	....	....	93.76	88.61
No. 1 Common "	....	88.42	92.08	89.17	90.47	93.60
No. 2 " "	49.69	52.89	50.20	50.58	50.12	51.45
No. 3 " "	....	....	37.43	36.00	37.25	36.11
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	65.16	70.00[1]	69.91	75.00[1]	69.35	76.38
" " No. 1 Common	63.04	65.00	68.94	72.25	68.02	72.31
" " No. 2 "	45.00	48.00[1]	42.00	43.25	42.86	48.00
" " No. 3 "	....	....	....	....	....	33.00[3]
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	81.34	80.42	78.05	84.00[2]	80.13	78.84
" " No. 1 Common	73.29	71.29	73.47	81.00[1]	73.00	73.87
" " No. 2 "	48.43	50.67	50.48	48.75	49.03	47.89
" " No. 3 "	....	....	32.00	....	32.00	35.25
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	103.73	....	105.00	112.00[1]	104.77	109.00
" " No. 1 Common	108.00[3]	85.00[1]	100.50	102.00[3]	100.50	79.80
" " No. 2 "	....	....	60.00	45.00	53.75	60.00
" " No. 3 "	....	....	38.00[1]		38.00[1]	38.00
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	104.54	107.50	100.25	110.17	105.46	109.14
" " No. 1 Common	90.00	97.50[1]	100.00[1]	....	90.00	97.22
" " No. 2 "	73.00[1]	70.00[2]	54.36[1]	58.00[2]	56.01[1]	56.01
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	102.71	75.00[2]	110.25	....	103.91	106.62
" " No. 1 Common	93.50		98.25	....	97.83	92.50
" " No. 2 "	54.00[3]	38.00[2]	52.88		52.88	54.36
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	60.00	65.74	60.00	....	65.30	63.65
" No. 1 Common	48.80	76.00	53.57	....	52.47	64.69
" No. 2 "	52.38	....	35.00	45.00[1]	47.41	41.29

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 20
Drop Siding, ¾x3¼ or 5¼, A.	....	....	....	....	....	....
“ “ B.	....	....	....	....	....	....
“ “ B and Better	88.55	90.17	80.34	85.83[2]	85.47	89.79
“ “ No. 1 Common	82.73	76.17	67.10	92.00[1]	73.97	81.64
“ “ No. 2 “	54.29	50.13	51.52	50.38	51.83	54 29
“ “ No. 3 “	....	....	41.44	40 00	41.03	40.00
FINISH						
1x 4 inch, A.	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B.	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	107.26	102.00	110 66	115.00[2]	108.22	110.67
1x 6 inch, “	111.89	110.13	114.79	120.00[3]	113.00	110.65
1x 8 inch, “	108.49	112.67	117 15	121.80[3]	111.28	112.33
1x 5 and 10 inch, “	116 49	111.89	119.39	115.00[1]	116.74	117.29
1x12 inch, “	116.13	111.85	120.72	130.00[3]	116.42	120.33
1¼x4 to 12 inch, “	122.53	123.92	123.07	124.56[1]	122.79	123.24
1½ and 2x4 to 12 inch, “	125.31	....	116.85	....	117.86	128.48
1⅝ inch, “	115.33	103.25[1]	....	....	115.33	105.14
1x 6 to 12 inch, “	....	....	....	125.00[1]	125.00[1]	125.00
1x 4 inch, C.	96.00	....	....	....	96.00	111.00
1x 6 inch, “	94.13	95.00[1]	....	....	94.13	105.66
1x 8 inch, “	94.51	99.00	....	....	94.81	97.93
1x 5 and 10 inch, “	96.39	101.00	....	....	96.50	105.13
1x12 inch, “	94.42	105.00	....	....	95.18	100.40
1¼x4 to 12 inch, “	107.99[1]	....	....	117.00[1]	115.80[1]	115.80
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 6 to 12 inch, “	....	....	....	112.00[1]	112.00[1]	112.00
1x 4 inch, B and Better, Rough	99.00	95.50	119.02	....	116.36	100.00
1x 6 inch, “ “	99.25	110.16	111.69[1]	92.00[3]	109.09	105.54
1x 8 inch, “ “	99.38	105.97	115.44[1]	....	104.42	115.44
1x 5 and 10 inch, “ “	116.61	105.97	124.00[1]	....	110.96	115.65
1x12 inch, “ “	106.00	105.73	124 00[1]	....	105.77	126.16
1¼x4 to 12 inch, “ “	113.00	....	112.86	128.00[1]	112.88	120.22
1½ and 2x4 to 12 inch, “ “	120.16	....	117.68	128.00[2]	118.86	138 00
1⅝ inch, “ “	....	120.00	....	....	120.00	104.00[3]
1x 6 to 12 inch, “ “	....	....	....	112.50[3]	112.50[3]	112.50[2]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A.	....	....	....	....	....	....
“ B.	....	....	....	....	....	....
“ B and Better	114.94	111.51	128.47	130.00[3]	119.50	126.44
From 8 and 10 inch stock, B. M., A.	....	....	....	....	....	....
“ B.	....	....	....	....	....	....
“ B and Better	114.13	126.24	133.97	130.00[2]	122.67	123.26
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	118.70	....	129.00	....	121.87	129.91
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	....	....	....	....	....
“ “ “ “ “ 8 ft.	90.84	....	....	....	90.84	87.40[1]
“ “ “ “ “ 12 and 14 ft.	90.23	....	....	....	90.23	97.50[1]
“ “ “ “ “ 16 ft.	....	....	....	....	....	....
“ “ “ “ “ 9 or 18 ft.	105.48	100.00[1]	100.00	....	104.84	103.75
“ “ “ “ “ 10 or 20 ft.	98.14	106.00	125.00[1]	....	99.89	110.03

* % Plus List Price:

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	68.00[1]	73.00[1]	....	....	70.78[1]	70.78
“ “ “ “ “ 8 ft.	75.25[3]	84.26[1]	....	....	79.86[1]	79.86
“ “ “ “ “ 12 and 14 ft.	74.15	....	....	....	74.15	85.00[3]
“ “ “ “ “ 16 ft.	65.50	....	....	....	65.50	85.00[3]
“ “ “ “ “ 9 or 18 ft.	85.00	87.27	88.00[1]	....	86.85	87.21
“ “ “ “ “ 10 or 20 ft.	82.27	85.25[1]	....	....	82.27	79.50
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	72.00	73.00[1]	....	....	72.00	68.00
“ “ “ “ “ 8 ft.	70.25	84.26[1]	....	....	70.25	79.86
“ “ “ “ “ 12 and 14 ft.	....	....	....	....	....	85.00[3]
“ “ “ “ “ 16 ft.	72.67	....	....	....	72.67	78.00[1]
“ “ “ “ “ 9 or 18 ft.	71.50	87.27	88.00[1]	....	71.50	87.21
“ “ “ “ “ 10 or 20 ft.	73.55	85.25[1]	....	....	73.55	79.50
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	45.63	....	55.00[1]	55.00[1]	45.63	52.67
“ “ “ “ “ 10 to 20 ft.	53.50	50.00	....	....	50.62	50.22
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
“ No. 1, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft.	50.00[2]	....	....	....	50.00[2]	50.00[1]
“ “ “ 2 to 3 inch, 9 & 18 ft.	51.00[2]	50.20	55.00[2]	44.44	48.73	52.50
“ “ “ 2 to 3 inch 10 & 20 ft.	....	50.30	53.00[3]	40.00	47.15	45.38
“ No. 2, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	....	40.00[1]	40.00[1]	40.00
“ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	45.00[1]	45.00[1]	45.00
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	60.56	....	87.50	....	63.25	78.44
“ “ “ “ other lengths.	64.98	57.68	93.85	103.50[1]	70.31	71.98
“ “ 1x10, “ 14 and 16 ft.	62.78	58.22	83.62	....	63.10	69.74
“ “ “ “ other lengths.	65.32	63.12	97.53	103.00[1]	69.87	75.48
“ “ 1x12, “ 14 and 16 ft.	75.10	73.76	103.25	....	75.03	77.36
“ “ “ “ other lengths.	76.10	73.70	98.62	105.00[1]	85.12	79.16
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	50.66	50.14	47.71	51.36	49.19	50.50
“ “ 1x10, “ “	50.98	57.86	49.95	50.27	50.97	52.34
“ “ 1x12, “ “	53.52	53.22	53.70	50.66	53.19	54.80
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	39.72	40.69	40.12	45.00[3]	40.09	40.84
“ “ 1x10, “ “	40.22	40.70	41.44	....	40.88	40.86
“ “ 1x12, “ “	41.41	41.73	44.05	38.50	42.57	42.07
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	62.54	....	....	....	62.54	71.40
“ “ “ other lengths.	63.92	67.12	71.68[1]	60.00[1]	64.71	70.20
“ 1x10, “ 14 and 16 ft.	74.50[1]	....	....	....	74.50[1]	74.50
“ “ “ other lengths.	69.00	70.42[1]	66.75	70.00[1]	66.92	72.34
“ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	50.22	49.64	50.62	47.82	50.06	51.24
“ 1x10, “ “	49.74	50.90	50.95	49.32	50.11	50.57
“ 1x12, “ “	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	40.70	43.25	44.62	42.34	41.94	42.16
“ 1x10, “ “	41.30	44.00[1]	47.68	47.00[1]	45.95	42.58
“ 1x12, “ “	41.99	41.50[3]	....	....	41.99	42.18
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	70.25	....	....	....	70.25	75.25[1]
“ “ “ “ other lengths.	70.25	52.00[3]	....	....	70.25	69.75
“ “ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ “ other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	20.17	....	21.00	27.00[2]	20.45	22.38

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 20
1x4, S 1 S, No. 1, 16 ft.	62.00	70.00	....	....	62.78	68.18
“ “ “ other lengths	67.94	68.67	92.70	....	69.22	72.17
“ “ No. 2, all lengths	43.62	42.09	50.36	40.92	43.83	43.58
“ “ No. 3, “	37.06	36.00	40.00	....	37.20	38.48
1x4, C. M., No. 1, 16 ft.	71.00	....	....	....	71.00	69.50[2]
“ “ “ other lengths	65.65	....	....	....	65.65	82.25
“ “ No. 2, all lengths	50.49	....	....	....	50.49	50.81
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	64.72	65.59	96.28	....	67.54	72 06
“ “ “ other lengths	65.66	63.87	92.66	103.50[1]	69.22	75.90
“ “ No. 2, all lengths	48.63	48.40	49.38	51.00	48.94	49.73
“ “ No. 3, “	38.50	37.64	42.05	50.00[1]	38.95	40.10
1x6, C. M., No. 1, 16 ft.	71.50	....	....	....	71.50	74.29
“ “ “ other lengths	69.35	59.04	....	....	65.63	58.95
“ “ No. 2, all lengths	50.08	47.69	....	45.20	49.15	49 38
“ “ No. 3, “	33.79	40.72[1]	....	39.22	39.14	40.49
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	46.95	48.42	55.42	49.00[3]	48.58	48.01
“ “ “ 12 ft.	46.98	47.99	44.34	47.00	46.53	46.84
“ “ “ 14 ft.	46.96	47.64	46.48	40 00	47.04	42.21
“ “ “ 16 ft.	48.53	48.73	44.93	40.00	46.95	48.45
“ “ “ 18 ft.	48.81	49.76	45.47	42.00	47.20	49.28
“ “ “ 20 ft.	48.80	49.78	45.47	42.00	49.16	49 10
“ “ “ 22 ft.	50 15	50 22	53.61	....	50.38	51.49
“ “ “ 24 ft.	50.45	50.15	53.61	....	50.25	51.96
2x 6, No. 1, S 1 S 1 E, 10 ft.	45.20	47.67	46.67	....	46.23	48.43
“ “ “ 12 ft.	44.36	44.41	45.35	45.50	44.61	46.88
“ “ “ 14 ft.	44.49	44.82	45.35	....	44.56	46.09
“ “ “ 16 ft.	45.44	45.79	43.83	44.50[1]	45.30	46.12
“ “ “ 18 ft.	45.50	47.26	46 67	39.00	45.74	47 54
“ “ “ 20 ft.	45.34	46.85	46.67	39.00	45.73	47.70
“ “ “ 22 ft.	49.23	47.92	51.50	41.00	48.87	51.62
“ “ “ 24 ft.	47.87	49.41	51.50	....	48.77	49.01
2x 8, No. 1, S 1 S 1 E, 10 ft.	45.49	46.35[1]	48.57	48.25	48.10	48.27
“ “ “ 12 ft.	45.43	47.74	44.78	46.00	45.97	46.95
“ “ “ 14 ft.	45.58	46.64	44.24	46.13	45.47	46.05
“ “ “ 16 ft.	48.10	47.87	50.40	46.84	48.27	48.43
“ “ “ 18 ft.	47.91	50.54	48.57	....	49.17	48.42
“ “ “ 20 ft.	47.26	48.71	48.57	42.00	47.54	47.86
“ “ “ 22 ft.	49.43	50.73	52.60	44.00	51.08	53.12
“ “ “ 24 ft.	49.93	50.42	52.60	....	50.08	51.24
2x10, No. 1, S 1 S 1 E, 10 ft.	46.48	46.50	50 49	48.25	49.72	51.00
“ “ “ 12 ft.	46.56	47.60	50.81	....	47.39	47.79
“ “ “ 14 ft.	46 46	49 60	50.81	48.25	47.02	46.91
“ “ “ 16 ft.	49.57	47.15	48.33	48.25	48.70	51.42
“ “ “ 18 ft.	49.03	47.23	50.49	40.75	48.37	49.32
“ “ “ 20 ft.	49.04	45.87	50.49	49.75	48.29	49.29
“ “ “ 22 ft.	54.00	50.07	55.35	....	52.45	53.86
“ “ “ 24 ft.	53.10	51.67	55.35	....	52.72	53.12
2x12, No. 1, S 1 S 1 E, 10 ft.	48.98	46.25[1]	52.23	....	51.29	49.35
“ “ “ 12 ft.	48.22	49.57	49.98	....	40.98	50.10
“ “ “ 14 ft.	49.73	49.00	49.98	....	49.50	49.23
“ “ “ 16 ft.	50.52	49.26	50.49	50.50	49.98	51.92
“ “ “ 18 ft.	50.67	52.14	52.23	....	50.96	50.16
“ “ “ 20 ft.	50.70	54.00	52.23	....	52.11	51.08
“ “ “ 22 ft.	54.24	55.44	56.16	....	55.23	53.04
“ “ “ 24 ft.	54.20	54.32	56.16	....	54.26	53.24
2x 4, No. 2, S 1 S 1 E, 10 ft.	44.90	43.62	43.62	42.00[2]	44.08	45.50
“ “ “ 12 ft.	44 02	42.82	47.20	42.00[2]	44.21	44.46
“ “ “ 14 ft.	44.53	41.66	44 00[1]	42.00[2]	43.40	44.43
“ “ “ 16 ft.	46.62	42.74	47.07	44.76[2]	45.63	45.48
“ “ “ 18 ft.	45.98	45.18	45.44	47.15[2]	45.67	47.08
“ “ “ 20 ft.	46 47	45.74	45.44	42.00[2]	46.26	46.26
“ “ “ 22 ft.	49.00	53.00[1]	54.00[3]	....	49.00	53.00
“ “ “ 24 ft.	47.12[2]	53.00[1]	54.00[3]	....	53.00[1]	53.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	43.00	40.63	44.52	....	43.23	44.78
“ “ “ 12 ft.	41.36	40.86	43.16	....	41.84	43.48
“ “ “ 14 ft.	41 01	39.27	43.16	....	40.19	40.54
“ “ “ 16 ft.	42.57	46.13	44.90	....	44.75	43.25
“ “ “ 18 ft.	43 20	40.27	44.52	....	41.59	40.20
“ “ “ 20 ft.	43.37	41.56	44.52	....	42.91	43.21
“ “ “ 22 ft.	45.88	44.00	39.89	....	42.70	44.94
“ “ “ 24 ft.	44.50	44.00	39.89	....	44.50	47.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	40.40	41.00	45.30	....	41.77	43.16
“ “ “ 12 ft.	41.68	41.66	45.68	....	43.42	44.73
“ “ “ 14 ft.	42.48	42.17	37.79	....	41.25	42.20
“ “ “ 16 ft.	44.87	44.63	45.90	....	44.97	42.58
“ “ “ 18 ft.	43.04	45.89	45.30	....	44.31	46.50
“ “ “ 20 ft.	44.08	49.23	45.30	....	46.20	43.48
“ “ “ 22 ft.	47.50	53.00	49.00[1]	....	50.64	49.00
“ “ “ 24 ft.	47.50	53.00	49.00[1]	....	47.50	49.00
2x10, No. 2, S 1 S 1 E, 10 ft.	40.87	40.50[1]	46.96	....	44.83	44.95
“ “ “ 12 ft.	40.95	41.50[1]	45.93	....	44.75	41.72
“ “ “ 14 ft.	41.05	41.69[1]	45.93	....	41.05	41.86
“ “ “ 16 ft.	45.24	42.52	41.71	....	43.65	44.49
“ “ “ 18 ft.	44.59	44.98	46.96	....	44.73	45.56
“ “ “ 20 ft.	46.18	46.53	46.96	....	46.21	45.18
“ “ “ 22 ft.	54.00	53.00[1]	45.00	....	53.25	49.00
“ “ “ 24 ft.	54.00	53.00[1]	45.00	....	54.00	49.00
2x12, No. 2, S 1 S 1 E, 10 ft.	42.96[1]	43.75[1]	51.22[2]	....	43.05[1]	43.05
“ “ “ 12 ft.	44.32	44.08[1]	47.39[2]	....	44.32	43.56
“ “ “ 14 ft.	45.03	47.00	47.39[2]	....	45.13	43.07
“ “ “ 16 ft.	45.66	44.66	49.99[2]	....	44.93	46.84
“ “ “ 18 ft.	47.47	46.96	51.22[2]	....	47.28	45.77
“ “ “ 20 ft.	48.95	47.50	51.22[2]	....	48.33	46.27
“ “ “ 22 ft.	49.65	46.25	54.00[2]	....	48.23	52.51
“ “ “ 24 ft.	50.50	46.25	54.00[2]	....	50.50	48.25
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	32.20	31.57	30.05	40.00[2]	31.55	31.80
PATENT LATH						
4 and 6 ft.	40.52	40.00	43.36	....	40.95	40.75
8 and 10 ft.	41.35	41.71	45.50[2]	....	41.46	42.07
12 ft. and longer	43.03	41.37	45.50[2]	....	42.55	44.47
PLASTERING LATH						
3/8x1½-4, No. 1	12.36	15.72	13.64	15.03	13.23	16.33
“ No. 2	9.23	16.50[1]	15.03	11.00	9.73	14.57
3/8x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	50.50	46.02	45.70	36.80	46.33	47.36
“ “ 22-24 ft.	48.14	50.50	51.66	....	50.35	53.47
“ “ 26 ft.	42.00	44.00	70.25	....	49.05	48.05
“ “ 28 ft.	....	53.50	70.25	....	53.50	48.05
“ “ 30 ft.	52.72[2]	52.75	46.50	....	50.67	51.01
“ “ over 30 ft.	55.50[2]	54.50	56.15	....	55.97	55.67[1]
4x4 to 8x8, Heart (85%+), up to 20 ft.	55.55	54.00	....	50.45	54.77	56.86
“ “ “ 22-24 ft.	64.75	50.00[3]	....	....	64.75	56.50[1]
“ “ “ 26 ft.	56.50[2]	57.00[1]	....	....	57.00[1]	57.00
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	54.50[1]	....	....	....	54.50[1]	54.50
“ “ “ over 30 ft.	56.50[1]	....	....	....	56.50[1]	56.50
3 & 4x10, No. 1, up to 20 ft.	54.72[1]	52.29	....	....	52.29	51.81
“ “ 22-24 ft.	....	50.00	....	....	50.00	52.00
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	54.00	....	....	54.00	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
3 & 4x10, Heart (85%+), up to 20 ft.	60.45	52.00	....	....	55.61	61.24
“ “ “ 22-24 ft.	64.50	54.50[2]	....	....	64.50	54.96[1]
“ “ “ 26 ft.	....	....	....	....	....	56.50[3]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 20
6x10, to 10x10, No. 1, up to 20 ft.	53.95[1]	51.00	49.44	49.50	49.45	53.19
“ “ 22-24 ft.	59.50	46 04[1]	50.30	....	51.34	57.16
“ “ 26 ft.	....	46.81[1]	46.46	....	46.46	59.51
“ “ 28 ft.	....	....	46.46	....	46.46	60.55
“ “ 30 ft.	52.61[3]	....	56.75	....	56.75	57.15
“ “ over 30 ft.	64.11[3]	....	56.75	....	56.75	58.75
6x10 to 10x10, Heart (85%$^{+}$), up to 20 ft.	61.50	....	....	....	61.50	54.92[1]
“ “ “ 22-24 ft.	....	52.00	....	....	52.00	56.00[3]
“ “ “ 26 ft.	....	53.00	....	....	53.00	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	78.75[2]	....	....	....	78.75[2]	78.75[1]
3 & 4x12, No. 1, up to 20 ft.	51.50	53.33	....	41.50	49.64	56.54
“ “ 22 24 ft.	64.50[1]	54.67	....	....	54.67	55.11
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	61.00[3]
“ “ over 30 ft.	....	79.00[1]	....	....	79.00[1]	79.00
3 & 4x12, Heart (85%$^{+}$), up to 20 ft.	55.58	56.91	....	....	56.58	65.53
“ “ “ 22-24 ft.	....	56.90	....	....	56.90	59.00
“ “ “ 26 ft.	....	56.00	....	....	56.00	....
“ “ “ 28 ft.	....	55.71	....	....	55.71	....
“ “ “ 30 ft.	....	56.00	....	....	56.00	....
“ “ “ over 30 ft.	....	60.00	....	....	60.00	....
6x12 to 12x12, No. 1, up to 20 ft.	61.66	55.00	55.14	....	55.70	57.83
“ “ 22-24 ft.	55.50[2]	56.85	55.23	....	55.87	56.79
“ “ 26 ft.	....	54.00	58.93	....	57.52	60.53
“ “ 28 ft.	....	60.00[3]	58.93	....	58.93	60.53
“ “ 30 ft.	46.35[3]	56.00	62.50	....	59.25	63.37
“ “ over 30 ft.	63.33[2]	70.00[1]	65.76	....	65.76	68.00
6x12 to 12x12, Heart (85%$^{+}$), up to 20 ft.	68.30	58.00[2]	....	....	68.30	65.60
“ “ “ 22-24 ft.	72.47	55 00	53.14[2]	....	66.09	53.14[1]
“ “ “ 26 ft.	....	56.00	....	....	56 00	....
“ “ “ 28 ft.	....	57.00	....	....	57.00	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	63.00	....	....	63.00	....
2x14 to 4x14, No. 1, up to 20 ft.	65.98[1]	57.25	....	....	57.25	61.58
“ “ 22-24 ft.	....	60.25	....	....	60.25	59.00
“ “ 26 ft.	....	64.40[2]	....	....	64.40[2]	64.40[1]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	66.00[2]	....	....	66.00[2]	66.00[1]
“ “ over 30 ft.	65.00	....	....	....	65.00	....
2x14 to 4x14, Heart (85%$^{+}$), up to 20 ft.	....	63.00[1]	....	....	63.00[1]	63.00
“ “ “ 22-24 ft.	....	54.00[1]	....	....	54.00[1]	54.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	66.00[3]	....	59.84	....	59.84	62.20
“ “ 22-24 ft.	....	....	68.99	....	68.99	62.88
“ “ 26 ft.	60.50	....	72.90		70.81	70.60
“ “ 28 ft.	....	....	72.90	....	72.90	70.60
“ “ 30 ft.	....	....	69.46	....	69.46	65.78
“ “ over 30 ft.	....	74.00[1]	69.46	....	69.46	74.00
6x14 to 14x14, Heart (85%$^{+}$), up to 20 ft.	67.50[2]	64.00[2]	....	....	67.12[2]	67.12[1]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	69.50[1]	....	....	69.50[1]	69.50
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%$^{+}$), up to 20 ft.	....	....	....	....	....	....
“ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 20
6x16 & Up, No. 1, up to 20 ft.	72 81[2]	69 89[1]	62.82	....	62 82	68 86
" " 22-24 ft.	....	70 00[1]	67.22	....	67 22	72 64
" " 26 ft.	80 50	....	67 75	....	70 79	72 08
" " 28 ft.	....	....	67 75	....	67 75	72 08
" " 30 ft.	....	....	76 50	....	76 50	77 34
" " over 30 ft.	75.50[3]	....	76.50	....	76 50	81 81[1]
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	74 00[3]
" " " over 30 ft.	75.50[3]	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	72 50[3]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	72 50[2]	....	....	72.50[2]	72 50[1]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	65.62[2]	....	....	....	65 62[2]	65 62[1]
" " " 22-24 ft.	75 50	....	....	....	75 50	65 50[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	71.50[2]	72.50	....	....	72.50	71 50[1]
" " " 30 ft.	72.90[2]	....	....	....	72 90[2]	72 90[1]
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	57.49	....	57 49	52 86
" " " 36 ft.	....	55.00[1]	57 49	55 28[1]	57 49	55 12
" " " 37-38 ft.	72.50[1]	....	62 88	52 27	62 23	67 29
" " " 40 ft.	74 50[1]	56 33	52 50	....	53.86	74 50
" " " 41-42 ft.	90 50[1]	....	....	....	90.50[1]	90.50
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	57 25[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	59 33	63 00	60 10	60 00
" " " 36 ft.	72 83[1]	....	59 33	65 00[1]	59 33	69 82
" " " 37-38 ft.	....	....	54 65[3]	51 05	51 05	54 65[2]
" " " 40 ft.	....	....	....	....		63 26[3]
" " " 41-42 ft.	....	....	....	65 00[1]	65 00[1]	65 00
Up to 10 inch, Heart, (85%+), 34 ft.	80.75[3]	.			80 75[3]	80 75[2]
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	63 96	68 08	66 05	65 11
" " " 36 ft.	80 50[1]	....	63 96	70.00	63 96	71 25
" " " 37-38 ft.	....	....	65 00	....	65 00	66 00
" " " 40 ft.	81 50[1]	....	66 00[1]	....	81 50[1]	81 50
" " " 41-42 ft.	81 50[1]	....	....	....	81 50[1]	81 50
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	70 24[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	70.00[1]	....	70.00[1]	70.00
“ “ “ 36 ft.	....	....	70.00[1]	75.00	75.00	75.00
“ “ “ 37-38 ft.	....	74.50[1]	68.00[3]	....	74.50[1]	74.50
“ “ “ 40 ft.	85.50[1]	....	68.00[3]	....	85.50[1]	85.50
“ “ “ 41-42 ft.	85.50[1]	....	....	....	85.50[1]	85.50
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	65.00[3]
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	68.50	....	....	....	68.50	67.00[1]
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	65.00[3]
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	65.00[2]	....	....	65.00[2]	65.00[1]
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	44.23	....	....	....	44.23	41.78
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	57.50	51.50	....	....	51.77	53.28[1]
“ “ Heart, (85%+), 6x8–8	53.50	50.00[1]	....	....	53.50	50.00
“ “ Sq. E., “ 7x9–8	....	....	....	....	....	....
“ “ Heart, “ 7x9–8	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
“ “ Heart,	58.50	....	....	....	58.50	59.50
Paving Stock, S 1 S	....	43.00[2]	40.00	....	40.00	40.00
“ “ Rough	43.00[3]	....	....	....	43.00[3]	43.00[2]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	133.95	....	....	....	133.95	140.00
Miscellaneous	76.88[1]	102.85	51.68	50.04[1]	96.81	62.44
MISCELLANEOUS STOCK						
Silo Stock	47.46[2]	58.00	....	....	58.00	47.46[1]
Grain Doors	33.00	....	....	....	33.00	45.43
Miscellaneous, B and B	120.76	114.44	107.70	92.73	114.11	121.80
“ No. 1	75.06	73.33	53.75	52.38	64.62	66.85
“ No. 2	54.53	47.98	48.32	45.78	47.08	51.54
“ No. 3	28.50	33.94	40.67	38.14	36.63	39.47
Shorts, B and B	90.74	100.00	....	....	90.97	83.38
“ No. 1	47.19	71.16	....	....	49.85	39.25
“ No. 2	....	37.25	....	....	37.25	36.97
“ No. 3	....	30.00	....	....	30.00	36.83

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3 50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6 25	6 50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	2.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7 25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10 25	10.50	10.75	11.00	11.25	11.50	4500

eight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

eight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

April 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending April 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued April 19, 1920

No. 90

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 31
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x$2\frac{1}{4}$″	....	....	....	....	....	
Edge Grain, A "	150.00[3]	....	....	....	150.00[3]	150.00[2]
" " B "	....	....	....	....	....	
" " B and Better "	135.88	....	....	....	135.88	130.75
" " C "	120.23[1]	....	....	....	120.23[1]	120.23
" " D "	101.85[1]	....	....	....	101.85[1]	101.85
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	
" " B "	....	....	....	....	....	....
" " B and Better "	104.05	....	....	....	104.05	103.36
" " C "	88.00[2]	....	....	....	88.00[2]	88.00[1]
" " D "	93.74[1]	....	....	....	93.74[1]	93.74
No. 1 Common "	....	....	....	....	....	..
No. 2 " "	50.65	....	....	....	50.65	51.10
No. 3 " "	....	....	....	....	...	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x$2\frac{1}{2}$″.....	...	....	151.50	151.94[3]	151.50	153.67[1]
Edge Grain, A "	....	....	135.00[1]	153.25	153.25	146.53
" " B "	....	125.00	139.86	152.50	144.75	129.16
" " B and Better "	....	131.62	....	140.00	134.71	138.83
" " C "	....	116.00	128.52	114.75[2]	128.27	115.00
" " D "	....	....	135.00[1]	....	135.00[1]	135.00
" " No. 2 "	....	....	90.00	80.11	81.10	80.98
Flat " A "	....	....	....	....	....	....
" " B "	....	98.00[2]	....	....	98.00[2]	98.00[1]
" " B and Better "	....	98.00	108.32	119.40[1]	104.95	113.30
" " C "	....	88.00[2]	....	....	88.00[2]	88.00[1]
" " D "	....	....	....	....	....	....
No. 1 Common "	....	115.00	98.19	104.48[2]	101.75	102.86
No. 2 " "	....	54.00	55.00	78.81	75.75	56.69
No. 3 " "	....	....	37.90	38.50[1]	37.90	35.63
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x$3\frac{1}{4}$″.....	....	...	136.00[1]	137.94[2]	136.00[1]	136.00
Edge Grain, A "	121.00[1]	120.00	131.00	134.50[2]	128.80	134.00
" " B "	....	117.19	119.03	....	118.36	129.49
" " B and Better "	122.21	107.94	110.71[2]	136.83[2]	120.40	122.15
" " C "	106.85	110.00	116.00	115.00[2]	107.73	107.29
" " D "	105.00	....	110.40[3]	103.00[2]	105.00	99.25
" " No. 2 "	....	....	70.00	75.00[2]	70.00	75.36
Flat " A "	105.00[2]	105.00[2]	....	....	106.77[2]	106.77[1]
" " B "	100.00	100.00	....	....	100.00	100.00
" " B and Better "	98.08	101.03	99.02	105.57	99.02	100.76
" " C "	95.00	95.00	....	....	95.00	95.00
" " D "	87.65	90.00	....	90.00	87.76	93.76
No. 1 Common "	50.00	87.87	92.89	85.00	87.69	90.47
No. 2 " "	50.44	51.82	50.52	47.04	49.47	50.12
No. 3 " "	.	..	37.84	47.50	38.00	37.25
CEILING						
Ceiling, $\frac{1}{2}$x$3\frac{1}{4}$″, A..........	....	....	...	....	.	.
" " B..........	....	....	....	....	.	
" " B and Better..........	66.69	70.00[2]	74.47	75.00[2]	71.52	69.35
" " No. 1 Common..........	63.04[1]	65.00[1]	70.20	72.25[1]	70.20	68.02
" " No. 2 "	45.00[1]	48.00[2]	42.25	43.25[1]	42.25	42.86
" " No. 3 "	...		....	....	..	...
Ceiling, $\frac{5}{8}$x$3\frac{1}{4}$″, A..........	...	...	...	...	.	...
" " B..........						
" " B and Better..........	79.36	78.31	77.43	80.00	78.83	80.13
" " No. 1 Common..........	69.66	65.11	69.54	75.00	68.97	73.00
" " No. 2 "	48.24	49.10	48.37	62.50	48.59	49.03
" " No. 3 "	....	...	28.53	....	28.53	32.00
Ceiling, $\frac{3}{4}$x$3\frac{1}{4}$″, A..........	....	...	....	....	....	....
" " B..........			....			
" " B and Better..........	104.25	..	99.75	112.00[2]	103.54	104.77
" " No. 1 Common..........	.	85.00[2]	100.50[1]	.	100.50[1]	100.50
" " No. 2 "	....	....	60.00[1]	45.00[1]	53.75[1]	53.75
" " No. 3 "		..	38.00[2]	...	38.00[2]	38.00[1]
PARTITION						
Partition, $\frac{3}{4}$x$3\frac{1}{4}$″, A..........	...	..	....	....	....	...
" " B..........				....		
" " B and Better..........	103.79	110.00	108.45	100.00	105.32	105.46
" " No. 1 Common..........	90.00	97.50[2]	98.84	85.00	89.70	90.00
" " No. 2 "	73.00[2]	70.00[3]	52.00	58.00[3]	52.00	56.01[1]
Partition, $\frac{3}{4}$x$5\frac{1}{4}$″, A..........			....	....	....	....
" " B..........				....		
" " B and Better..........	102.71[1]	75.00[3]	110.25[1]	....	103.91[1]	103.91
" " No. 1 Common..........	93.50	.	98.25[1]	...	97.83[1]	97.83
" " No. 2 "		53.50	52.88[1]	..	53.50	52.88
BEVEL SIDING						
Bevel Siding, A..........		...			.	.
" B..........						
" B and Better..........	58.08	65.74[4]	60.00[1]	52.00	56.65	65.30
" No. 1 Common..........	50.00	76.00[1]	48.75	46.00	48.37	52.47
" No. 2 "	52.38[1]		35.00[1]	45.00	45.00	47.41

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	88.68	88.34	87.05	92.50	88.54	85.47
" " No. 1 Common	80.80	76.83	78.56	77.41	79.09	73.97
" " No. 2 "	53.52	50.13[1]	50.31	54.00	52.41	51.83
" " No. 3 "	....	....	41.21	36.00	40.52	41 03
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	107.35	114.00	113.59	115.00[3]	110.89	108.22
1x 6 inch, "	109.56	113.59	116.76	100.00	108.90	113.00
1x 8 inch, "	110.17	110.96	117.00	....	110.73	111.28
1x 5 and 10 inch, "	114.27	116.24	120.74	115.00[2]	114.78	116.74
1x12 inch, "	116.56	112.39	122.98	....	116.68	116.42
1¼x4 to 12 inch, "	122.10	115.57	124.16	125.00	122.53	122.79
1½ and 2x4 to 12 inch, "	129.61	....	121.20	....	127.88	117.86
1⅝ inch, "	117.82	103.25[2]	....	....	117.82	115.33
1x 6 to 12 inch, "	....	....	....	125.00[2]	125.00[2]	125.00[1]
1x 4 inch, C	97.13	....	....	....	97.13	96.00
1x 6 inch, "	96.75	95.00[2]	....	....	96.75	94.13
1x 8 inch, "	98.13	99.00[1]	101.00	....	99.81	94.81
1x 5 and 10 inch, "	103.11	101.87	....	....	102.73	96.50
1x12 inch, "	101.75	105.00[1]	....	....	101.75	95.18
1¼x4 to 12 inch, "	111.00	....	....	117.00[2]	111.00	115.80[1]
1½ and 2x4 to 12 inch, "	94.25	....	....	....	94.25	....
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	112.00[2]	112.00[2]	112.00[1]
1x 4 inch, B and Better, Rough	105.30	95.50[1]	119.02[1]	....	105.30	116.36
1x 6 inch, " "	109.20	107.82	99.21	102.92	101.87	109.09
1x 8 inch, " "	106.20	108.83	115.44[2]	100.00	106.95	104.42
1x 5 and 10 inch, " "	114.50	109.50	124.00[2]	105.00	107.80	110.96
1x12 inch, " "	116.50	109.50	124.00[2]	....	112.56	105.77
1¼x4 to 12 inch, " "	122.25	119.00	114.94	128 00[2]	115.91	112.88
1½ and 2x4 to 12 inch, " "	122.25	....	122.00	128.00[3]	122.03	118.86
1⅝ inch, " "	....	120.00[1]	....	....	120.00[1]	120.00
1x 6 to 12 inch, " "	....	....	....	....	....	112.50[3]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	121.81	119.10	125.75	120.00	122.02	119.50
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	120 27	119.91	128.87	120.00	121.58	122.67
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	123.52	120.00	136.08	....	125.41	121.87
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	110.00	....	....	....	110.00	....
" " " " " 8 ft.	90.84[1]	112.00	....	....	112.00	90.84
" " " " " 12 and 14 ft.	100.00	....	....	....	100.00	90.23
" " " " " 16 ft.	110.00	112.00	....	....	110.00	....
" " " " " 9 or 18 ft.	107.85	100.00[2]	120.50	....	109.02	104.84
" " " " " 10 or 20 ft.	106.94	100.00	125.00[2]	....	106.70	99.89

* % Plus List Price:

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	63.00	67.50	79.75	....	68.27	70.78[1]
“ “ “ “ “ 8 ft.	63.00	68.86	42.50	....	60.89	79.86[1]
“ “ “ “ “ 12 and 14 ft.	74.15[1]	75.00	....	....	75.00	74.15
“ “ “ “ “ 16 ft.	65.50[1]	....	....	....	65.50[1]	65.50
“ “ “ “ “ 9 or 18 ft.	82.26	87.27[1]	88.00[2]	....	82.26	86.85
“ “ “ “ “ 10 or 20 ft.	77.78	85.25[2]	....	....	77.78	82.27
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	63.67	67.50	79.75	....	63.67	72.00
“ “ “ “ “ 8 ft.	60.85	68.86	42.50	....	60.85	70.25
“ “ “ “ “ 12 and 14 ft.	....	75.00	....	....	75.00	....
“ “ “ “ “ 16 ft.	78.00	....	....	....	78.00	72.67
“ “ “ “ “ 9 or 18 ft.	82.50	87.27[1]	88.00[2]	....	82.50	71.50
“ “ “ “ “ 10 or 20 ft.	74.98	85.25[2]	....	....	74.98	73.55
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	52.00	....	55.00[2]	55.00[2]	52.00	45.63
“ “ “ “ “ 10 to 20 ft.	47.99	50.00[1]	....	....	47.99	50.62
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1⅝ inch, 10 & 20 ft	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 9 & 18 ft	....	60.50	54.45	....	54.93	....
“ “ “ “ 1¾ inch, 10 & 20 ft.	....	....	56.05	....	56.05	....
“ “ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
“ No. 1, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft	55.09	....	....	....	55.09	50.00[2]
“ “ “ 2 to 3 inch, 9 & 18 ft.	52.68	50.94	55.00[3]	40.00	51.06	48.73
“ “ “ 2 to 3 inch 10 & 20 ft.	....	50.94	....	40.00	40.00	47.15
“ No. 2, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	....	40.00[2]	40.00[2]	40.00[1]
“ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	45.00[2]	45.00[2]	45.00[1]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	65.70	57.00	87.50[1]	....	62.11	63.25
“ “ “ “ other lengths.	65.88	57.68[1]	93.80	103.50[2]	67.91	70.31
“ “ 1x10, “ 14 and 16 ft.	68.72	76.69	95.50	....	72.06	63.10
“ “ “ “ other lengths.	68.44	66.05	95.31	103.00[2]	68.36	69.87
“ “ 1x12, “ 14 and 16 ft.	75.97	75.42	110.00	....	78.16	75.03
“ “ “ “ other lengths.	73.48	72.98	84.36	105.00[2]	75.75	85.12
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	49.47	46.80	48.96	45.69	48.19	49.19
“ “ 1x10, “ “	50.23	46.31	50.96	50.27[1]	50.03	50.97
“ “ 1x12, “ “	52.02	53.82	49.60	48.20	51.92	53.19
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	39.72	39.68	39.74	40.48	39.79	40.09
“ “ 1x10, “ “	39.87	37.09	41.95	36.50	39.42	40.88
“ “ 1x12, “ “	41.41	42.89	44.23	45.00	41.92	42.57
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	66.29	70.96	....	....	67.42	62.54
“ “ “ other lengths.	68.21	63.66	71.68[2]	60.00[2]	66.76	64.71
“ 1x10, “ 14 and 16 ft.	74.50[2]	....	....	....	74.50[2]	74.50[1]
“ “ “ other lengths.	66.79	51.00	66.75[1]	70.00[2]	61.12	66.92
“ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	49.30	48.34	49.26	46.87	48.88	50.06
“ 1x10, “ “	48.52	48.31	47.19	46.85	47.98	50.11
“ 1x12, “ “	51.32	....	....	....	51.32	....
Shiplap, 1x 8, No. 3, all lengths.	40.65	40.00	40.70	40.75	40.68	41.94
“ 1x10, “ “	40.08	41.00	37.75	41.00	39.96	45.95
“ 1x12, “ “	41.99[1]	....	....		41.99[1]	41.99
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	70.49	75.00	....	....	71.21	70.25
“ “ “ “ other lengths.	70.38	....	....	....	70.38	70.25
“ “ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ “ other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	19.53		20.50	27.00[3]	19.68	20.45

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 31
1x4, S 1 S, No. 1, 16 ft.	73.52	70.00[1]	....	....	73.52	62.78
“ “ “ other lengths	69.44	70.31	92.70[1]	....	69.66	69.22
“ “ No. 2, all lengths	42.03	40.70	49.64	38.00	42.41	43.83
“ “ No. 3, “	38.00	36.38	41.25	....	37.86	37.20
1x4, C. M., No. 1, 16 ft.	71.00[1]	....	....	....	71.00[1]	71.00
“ “ “ other lengths	76.50	....	....	....	76.50	65.65
“ “ No. 2, all lengths	46.25	....	....	....	46.25	50.49
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	69.65	65.59[1]	92.25	....	70.12	67.54
“ “ “ other lengths	66.96	66.32	94.44	64.50	68.95	69.22
“ “ No. 2, all lengths	47.42	45.75	51.00	49.36	47.53	48.94
“ “ No. 3, “	39.13	38.46	41.52	42.75	39.77	38.95
1x6, C. M., No. 1, 16 ft.	65.35	....	....	....	65.35	71.50
“ “ “ other lengths	71.84	66.75	....	....	71.77	65.63
“ “ No. 2, all lengths	45.87	46.46	....	48.70	46.43	49.15
“ “ No. 3, “	38.72	35.94	....	43.51	39.28	39.14
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	47.23	47.96	44.51	41.00	46.75	48.58
“ “ “ 12 ft.	46.40	46.05	47.25	41.00	46.26	46.53
“ “ “ 14 ft.	46.69	44.57	47.45	40.00[1]	46.36	47.04
“ “ “ 16 ft.	48.11	47.93	48.86	41.60	48.04	46.95
“ “ “ 18 ft.	48.90	51.10	45.19	49.86	49.00	47.20
“ “ “ 20 ft.	48.99	51.28	45.19	42.00[1]	49.35	49.16
“ “ “ 22 ft.	50.95	51.52	53.61[1]	....	51.06	50.38
“ “ “ 24 ft.	50.81	52.21	53.61[1]	....	51.22	50.25
2x 6, No. 1, S 1 S 1 E, 10 ft.	45.70	42.14	46.35	....	45.37	46.23
“ “ “ 12 ft.	45.16	46.22	42.02	38.00	44.54	44.61
“ “ “ 14 ft.	45.12	42.36	42.02	38.00	44.80	44.56
“ “ “ 16 ft.	46.13	44.30	45.98	44.50[2]	45.82	45.30
“ “ “ 18 ft.	46.03	45.72	46.35	39.00[1]	45.96	45.74
“ “ “ 20 ft.	45.87	46.91	46.35	39.00[1]	46.03	45.73
“ “ “ 22 ft.	48.06	50.15	50.40	41.00[1]	49.78	48.87
“ “ “ 24 ft.	48.00	49.71	50.40	....	48.44	48.77
2x 8, No. 1, S 1 S 1 E, 10 ft.	46.02	35.25	45.35	48.25[1]	44.05	48.10
“ “ “ 12 ft.	45.67	45.16	44.28	46.00[1]	45.53	45.97
“ “ “ 14 ft.	46.26	45.54	45.32	39.00	46.15	45.47
“ “ “ 16 ft.	48.21	46.94	47.95	39.00	47.81	48.27
“ “ “ 18 ft.	47.65	46.76	45.35	39.00	47.42	49.17
“ “ “ 20 ft.	47.96	46.91	45.35	42.00[1]	47.52	47.54
“ “ “ 22 ft.	50.17	51.17	52.75	44.00[1]	50.76	51.08
“ “ “ 24 ft.	50.28	52.26	52.75	....	50.54	50.08
2x10. No. 1, S 1 S 1 E, 10 ft.	46.35	48.50	47.09	48.25[1]	47.21	49.72
“ “ “ 12 ft.	46.74	45.54	46.02	....	46.09	47.39
“ “ “ 14 ft.	46.37	45.01	46.02	48.25[1]	45.78	47.02
“ “ “ 16 ft.	49.54	48.61	45.39	48.25[1]	48.77	48.70
“ “ “ 18 ft.	49.17	48.58	47.09	40.75[1]	48.93	48.37
“ “ “ 20 ft.	48.38	46.99	47.09	49.75[1]	47.92	48.29
“ “ “ 22 ft.	51.27	50.41	51.34	....	51.23	52.45
“ “ “ 24 ft.	51.44	52.69	55.35[1]	....	52.09	52.75
2x12, No. 1, S 1 S 1 E, 10 ft.	48.24	46.25[2]	49.30	....	49.28	51.29
“ “ “ 12 ft.	48.41	48.92	44.84	....	47.20	40.98
“ “ “ 14 ft.	47.71	49.00	44.84	....	48.44	49.50
“ “ “ 16 ft.	51.19	48.13	49.53	50.50[1]	50.26	49.98
“ “ “ 18 ft.	50.89	49.62	49.30	....	50.45	50.96
“ “ “ 20 ft.	49.93	52.75	49.30	....	50.29	52.11
“ “ “ 22 ft.	53.13	56.22	56.83	....	54.49	55.23
“ “ “ 24 ft.	52.99	54.01	56.83	....	53.45	54.26
2x 4, No. 2, S 1 S 1 E, 10 ft.	43.14	45.23	44.25	42.00[3]	43.65	44.08
“ “ “ 12 ft.	43.07	46.41	44.00	42.00[3]	43.36	44.21
“ “ “ 14 ft.	42.96	43.62	41.87	42.00[3]	42.92	43.40
“ “ “ 16 ft.	44.25	47.51	43.19	44.76[3]	44.96	45.63
“ “ “ 18 ft.	45.12	47.64	44.29	47.15[3]	45.11	45.67
“ “ “ 20 ft.	46.38	48.60	44.29	42.00[3]	47.26	46.26
“ “ “ 22 ft.	49.63	49.00	....	....	49.48	49.00
“ “ “ 24 ft.	49.63	49.00	....	....	49.63	53.00[1]
2x 6, No. 2, S 1 S 1 E, 10 ft.	41.25	42.00	42.69	....	42.63	43.23
“ “ “ 12 ft.	41.70	46.25	41.39	....	41.72	41.84
“ “ “ 14 ft.	41.29	43.70	41.39	....	41.51	40.19
“ “ “ 16 ft.	41.37	39.74	40.72	....	40.54	44.75
“ “ “ 18 ft.	42.03	41.50	42.69	....	41.70	41.59
“ “ “ 20 ft.	42.51	41.13	42.69	....	42.00	42.91
“ “ “ 22 ft.	45.88[1]	47.54	39.89[1]	....	47.54	42.70
“ “ “ 24 ft.	44.50[1]	47.54	39.89[1]	....	47.54	44.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	42.00	44.12	47.10	....	45.66	41.77
“ “ “ 12 ft.	41.62	41.21	45.66	....	42.23	43.42
“ “ “ 14 ft.	41.81	42.81	43.71	....	42.44	41.25
“ “ “ 16 ft.	43.77	41.17	48.50	....	43.76	44.97
“ “ “ 18 ft.	44.28	45.68	47.10	....	45.18	44.31
“ “ “ 20 ft.	44.80	46.54	47.10	....	45.54	46.20
“ “ “ 22 ft.	44.00	49.00	49.00[2]	....	47.38	50.64
“ “ “ 24 ft.	48.00	49.00	49.00[2]	....	48.00	47.50
2x10, No. 2, S 1 S 1 E, 10 ft.	40.50	42.00	47.61	....	44.10	44.83
“ “ “ 12 ft.	41.00	43.45	46.00	....	43.46	44.75
“ “ “ 14 ft.	41.13	42.43	46.00	....	41.69	41.05
“ “ “ 16 ft.	44.92	42.75	45.71	....	45.35	43.65
“ “ “ 18 ft.	45.20	41.00	47.61	....	44.00	44.73
“ “ “ 20 ft.	44.63	41.00	47.61	....	44.18	46.21
“ “ “ 22 ft.	50.50	53.00[2]	52.50	....	51.20	53.25
“ “ “ 24 ft.	50.00	53.00[2]	52.50	....	50.00	54.00
2x12, No. 2, S 1 S 1 E, 10 ft.	42.97	43.75[2]	51.22[3]	....	42.97	43.05[1]
“ “ “ 12 ft.	44.30	48.00	47.39[3]	....	45.47	44.32
“ “ “ 14 ft.	43.18	48.00	47.39[3]	....	43.40	45.13
“ “ “ 16 ft.	46.48	49.00	49.99[3]	....	46.65	44.93
“ “ “ 18 ft.	46.13	46.31	51.22[3]	....	46.17	47.28
“ “ “ 20 ft.	47.21	45.00	51.22[3]	....	46.95	48.33
“ “ “ 22 ft.	51.50	52.00	54.00[3]	....	51.59	48.23
“ “ “ 24 ft.	50.50[1]	52.00	54.00[3]	....	52.00	50.50
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	31.30	29.21	30.05[1]	29.00	30.36	31.55
PATENT LATH						
4 and 6 ft.	38.92	39.00	43.36[1]	....	38.92	40.95
8 and 10 ft.	40.92	40.00	45.50[3]	....	40.84	41.46
12 ft. and longer	43.30	40.00	45.50[3]	....	42.80	42.55
PLASTERING LATH						
3/8x1½-4, No. 1	10.57	14.33	12.86	13.21	11.00	13.23
“ No. 2	11.23	16.50[2]	14.25	11.00[1]	11.33	9.73
3/8x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	48.95	47.80	43.90	35.30	45.60	46.33
“ “ 22-24 ft.	55.53	49.50	52.07	....	52.59	50.35
“ “ 26 ft.	42.00[1]	44.00[1]	50.00	....	50.00	49.05
“ “ 28 ft.	59.08	53.50[1]	50.00	....	59.08	53.50
“ “ 30 ft.	52.72[3]	60.00	52.43	....	53.38	50.67
“ “ over 30 ft.	69.50	62.00	54.00	....	57.09	55.97
4x4 to 8x8, Heart (85%+), up to 20 ft.	52.03	50.93	....	50.45[1]	51.32	54.77
“ “ “ 22-24 ft.	60.50	....	....	....	60.50	64.75
“ “ “ 26 ft.	56.50[3]	57.00[2]	....	....	57.00[2]	57.00[1]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	50.50	....	....	....	50.50	54.50[1]
“ “ “ over 30 ft.	67.59	....	....	....	67.59	56.50[1]
3 & 4x10, No. 1, up to 20 ft.	49.78	51.33	....	....	50.34	52.29
“ “ 22-24 ft.	....	50.00[1]	....	....	50.00[1]	50.00
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	54.00[1]	....	....	54.00[1]	54.00
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
3 & 4x10, Heart (85%+), up to 20 ft.	59.25	54.65	....	....	54.83	55.61
“ “ “ 22-24 ft.	64.50[1]	57.32	....	....	57.32	64.50
“ “ “ 26 ft.	....	58.00	....	....	58.00	....
“ “ “ 28 ft.	....	58.00	....	....	58.00	....
“ “ “ 30 ft.	....	58.00	....	....	58.00	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 31
6x10, to 10x10, No. 1, up to 20 ft.	51.90	53.90	50.28	49.50[1]	51.72	49.45
" " 22-24 ft.	59.50[1]	50.00	51.55	....	50.25	51.34
" " 26 ft.	50.50	46.81[2]	51.25	....	50.57	46.46
" " 28 ft.	51.50	....	51.25	....	51.50	46.46
" " 30 ft.	50.25	....	65.00	....	53.65	56.75
" " over 30 ft.	58.13	....	65.00	....	58.13	56.75
6x10 to 10x10, Heart (85%+), up to 20 ft.	65.25	56.00	....	....	57.21	61.50
" " " 22-24 ft.	....	60.00	....	....	60.00	52.00
" " " 26 ft.	....	53.00[1]	....	....	53.00[1]	53.00
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	78.75[3]	....	....	....	78.75[3]	78.75[2]
3 & 4x12, No 1, up to 20 ft.	57.01	55.44	....	41.50[1]	56.63	49 64
" " 22 24 ft.	64.50[2]	54.67[1]	....	....	54.67[1]	54.67
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	79.00[2]	....	....	79.00[2]	79.00[1]
3 & 4x12, Heart (85%+), up to 20 ft.	59.58	57.63	....	....	57.98	56.58
" " " 22-24 ft.	69.25	58.00	....	....	66.44	56.90
" " " 26 ft.	....	56.00[1]	....	....	56.00[1]	56.00
" " " 28 ft.	....	55.71[1]	....	....	55.71[1]	55.71
" " " 30 ft.	....	56.00[1]	....	....	56.00[1]	56.00
" " " over 30 ft.	....	60.00[1]	....	....	60.00[1]	60.00
6x12 to 12x12, No. 1, up to 20 ft.	56.85	51.57	53.35	....	53.38	55.70
" " 22-24 ft.	58.25	56.23	54.53	....	55.00	55.87
" " 26 ft.	55.93	57.67	58.93[1]	....	56.76	57.52
" " 28 ft.	59.25	....	58.93[1]	....	59.25	58.93
" " 30 ft.	60.25	56.00[1]	62.50[1]	....	60.25	59.25
" " over 30 ft.	63.33[3]	70.00[2]	59.17	....	59.17	65.76
6x12 to 12x12, Heart (85%+), up to 20 ft.	72.25	55.45	....	....	56.18	68 30
" " " 22-24 ft.	72.47[1]	55.00[1]	53.14[3]	....	66.09[1]	66.09
" " " 26 ft.	....	56.00[1]	....	....	56.00[1]	56.00
" " " 28 ft.	....	57.00[1]	....	....	57.00[1]	57.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	63.00[1]	....	....	63.00[1]	63.00
2x14 to 4x14, No. 1, up to 20 ft.	50.55	66.00	....	....	59.75	57.25
" " 22-24 ft.	....	59 00	....	....	59.00	60.25
" " 26 ft.	55.25	62.00	....	....	61.56	64.40[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	66.00[3]	....	....	66.00[3]	66.00[2]
" " over 30 ft.	65.50	65.00	....	....	65.26	65.00
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	63.00[2]	....	....	63.00[2]	63 00[1]
" " " 22-24 ft.	....	54.00[2]	....	....	54.00[2]	54.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	64.25	....	60.02	....	61.86	59.84
" " 22-24 ft.	61.50	56.00	61.25	....	60.63	68.99
" " 26 ft.	60.50[1]	....	72.90[1]	....	70.81[1]	70.81
" " 28 ft.	61.50	....	....	....	61.50	72.90
" " 30 ft.	61.50	....	65.00	....	62.57	69.46
" " over 30 ft.	72.84	74.00[2]	69.46[1]	....	72.84	69.46
6x14 to 14x14, Heart (85%+), up to 20 ft.	75.25	64.00[3]	....	....	75.25	67.12[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	69.50[2]	....	....	69.50[2]	69.50[1]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 31
6x16 & Up, No. 1, up to 20 ft.	72 81[3]	69.89[2]	62 40	....	62.40	62 82
“ “ 22-24 ft.	....	70 00[2]	67 22[1]	....	67 22[1]	67.22
“ “ 26 ft.	80 50[1]	....	67 75[1]	....	70 79[1]	70 79
“ “ 28 ft.	....	....	67 75[1]	....	67 75[1]	67.75
“ “ 30 ft	....	....	71 31	....	71 31	76 50
“ “ over 30 ft.	....	....	80 13	....	80 13	76 50
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	68.00	....	....	68.00	72.50[2]
“ “ 30 ft.	....	....	....	....	....	....
“ “ 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	65 62[3]	....	....	....	65 62[3]	65 62[2]
“ “ “ 22-24 ft.	75.50[1]	....	....	....	75.50[1]	75.50
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	71 50[3]	72.50[1]	....	....	72 50[1]	72.50
“ “ “ 30 ft.	84 64	....	....	....	84 64	72.90[2]
“ “ “ 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	57.49[1]	55 00	55 00	57.49
“ “ “ 36 ft	....	62 00	57 49[1]	51 00	53 29	57.49
“ “ “ 37-38 ft.	72.50[2]	56 00	62.88[1]	52.27[1]	56 00	62.23
“ “ “ 40 ft.	74 50[2]	64 00	52.50[1]	....	64 00	53.86
“ “ “ 41-42 ft.	90 50[2]	....	....	....	90.50[2]	90.50[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	59.33[1]	63 00[1]	60 10[1]	60 10
“ “ “ 36 ft	72.83[2]	....	59.33[1]	57 50	57 50	59 33
“ “ “ 37-38 ft.	....	....	....	51.05[1]	51 05[1]	51.05
“ “ “ 40 ft	....	....	....	....	....	....
“ “ “ 41-42 ft.	....	....	....	65 00[2]	65 00[2]	65 00[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	80 75[3]
“ “ “ “ 36 ft	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	63 96[1]	68 08[1]	66 06[1]	66 06
“ “ “ 36 ft	80 50[2]	....	63 96[1]	60.00	60 00	63 96
“ “ “ 37-38 ft.	....	....	65 00[1]	....	65 00[1]	65 00
“ “ “ 40 ft	73.50	....	66.00[2]	....	73 50	81 50[1]
“ “ “ 41-42 ft.	73.50	....	....	....	73.50	81 50[1]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft	....	....	....	....	....	....
“ “ “ “ 41-42 ft	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Mar. 31
Up to 14 inch, Sq. E., 34 ft.	....	....	70.00[2]	....	70.00[2]	70.00[1]
“ “ “ 36 ft.	....	....	70.00[2]	75.00[1]	75.00[1]	75.00
“ “ “ 37-38 ft.	....	74.50[2]	....	....	74.50[2]	74.50[1]
“ “ “ 40 ft.	85.50[2]	....	....	75.00	75.00	85.50[1]
“ “ “ 41-42 ft.	80.50	....	....	....	80.50	85.50[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	67.00	67.00	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	68.50[1]	....	....	....	68.50[1]	68.50
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	65.00[3]	....	....	65.00[3]	65.00[2]
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	44.56	....	....	....	44.56	44.23
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	57.50[1]	58.00	....	....	58.00	51.77
“ “ Heart, (85%+), 6x8–8.	53.50[1]	52.00	....	....	52.00	53.50
“ “ Sq. E., “ 7x9–8.	....	....	....	....	....	....
“ “ Heart, “ 7x9–8.	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up.	....	....	....	....	....	....
“ “ Heart,	58.50[1]	....	....	....	58.50[1]	58.50
Paving Stock, S 1 S.	....	44.00	40.04	....	41.18	40.00
“ “ Rough.	44.00	....	....	....	44.00	43.00[3]
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship “ Flat Grain.	133.95[1]	....	....	....	133.95[1]	133.95
Miscellaneous.	76.88[2]	48.51	49.51	55.50	53.75	96.81
MISCELLANEOUS STOCK						
Silo Stock.	47.46[3]	58.00[1]	....	....	58.00[1]	58.00
Grain Doors.	33.00[1]	....	....	....	33.00[1]	33.00
Miscellaneous, B and B.	117.29	114.44[1]	107.70[1]	135.00	117.66	114.11
“ No. 1.	60.82	60.37	45.84	38.91	51.06	64.62
“ No. 2.	46.12	49.02	44.44	43.26	43.80	47.08
“ No. 3.	36.41	36.88	45.62	38.70	39.10	36.63
Shorts B and B.	95.53	100.00[1]	....	....	95.53	90.97
“ No. 1.	39.41	39.12	....	....	39.39	49.85
“ No. 2.	....	39.75	....	....	39.75	37.25
“ No. 3.	....	30.00[1]	....	....	30.00[1]	30.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weigh
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1 00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weigh
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

April 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending April 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Item		Weight
Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900
Shiplap and D. & M. ¾		2,400
Grooved Roofing, 13/16		2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400
Siding, from inch stock		1,100
Siding, from 1¼ inch stock		1,400
Drop Siding to ¾		1,900
Moulded Casing, 4½ to 5¼		2,000
Moulded Base, from 8, 10, 12 inch stock		2,100
Finish, inch, S 1 S or S 2 S to 13/16		2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness		2,800
Finish, 1, 1¼, 1½ and 2 inch, rough		3,400
Com. Boards, 1x12, rough		3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝		2,700
2x4, 2x6 and 2x8, rough		3,400
2x10 and 2x12, S 1 S 1 E to 1⅝		2,800
2x10 and 2x12, rough		3,500

GREEN

Item	Weight
2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued April 28, 1920

No. 91

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2$\frac{1}{4}$″		....	....	....	....	
Edge Grain, A "			....	....	.	150 00[3]
" " B "						
" " B and Better "	129 87		..		129 87	135 88
" " C "	115 00			.	115 00	120 23[1]
" " D "	115 00				115 00	101 85[1]
" " No. 2 "	.		.	.	....	....
Flat " A "				.	....	
" " B "				.	....	....
" " B and Better "	105 78		.	....	105 78	104 05
" " C "	88 00[3]		....	....	88 00[3]	88 00[2]
" " D "	96 58		....	....	96.58	93 74[1]
No. 1 Common " ...			....	....	....	....
No. 2 " "	52 32	.	....	....	52.32	50 65
No. 3 " "		..	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2$\frac{1}{2}$″.....	..	....	151.50[1]	....	151 50[1]	151.50
Edge Grain, A "	...	....	132 91	153.50	149 98	153.25
" " B "	...	125 15	141.25	150.29	143 33	144.75
" " B and Better "	...	125.17	....	137.50	133.50	134.71
" " C "	...	116 00[1]	120.22	114.75[3]	120 22	128 27
" " D "	..	....	135 00[2]	....	135 00[2]	135 00[1]
" " No. 2 "		....	86.16	80 09	80.89	81.10
Flat " A "	..	....	....	....	....	....
" " B "		98 00[3]	....	....	98 00[3]	98 00[2]
" " B and Better "	..	106 64	107 67	114.75	110.40	104.95
" " C "	..	88 00[3]	....	....	88 00[3]	88 00[2]
" " D "	..	....	....	....	....	....
No. 1 Common "	..	101.76	93 20	104 48[3]	95 52	101.75
No. 2 " "	.	50.00	51.39	55 75	51.55	75 75
No. 3 " "	.	...	39 00	38.50[2]	39 00	37.90
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3$\frac{1}{4}$″...	..	.	136 00[2]	134 50	134.50	136.00[1]
Edge Grain, A " ...	121 00[2]	120 00[1]	135 00	135 30	135.28	128.80
" " B "	.	115.14	121 93	129.50	126.10	118.36
" " B and Better "	123.68	119 93	110 71[3]	137.25	126 02	120 40
" " C "	110 00	110 00	119.51	120 50	119.16	107.73
" " D "	105 00	....	....	103 00[3]	105.00	105 00
" " No. 2 "	....	....	72.73	75 00[3]	72.73	70 00
Flat " A "	105 00[3]	105 00[3]	....	....	106 77[3]	106 77[2]
" " B " ...	100 76	103 12	....	....	101.23	100 00
" " B and Better " ..	98.12	96 58	100.10	95.42	97.79	99 02
" " C "	95 00	95 00[1]	....	....	95 00	95 00
" " D "	84 28	90 00[1]	....	90 00[1]	84.28	87.76
No. 1 Common "	50 00[1]	91 20	87 82	88 06	88.08	87 69
No. 2 " "	50 62	46 01	49 36	45 84	48 94	49 47
No. 3 " "	.	..	36 64	32 00	36 16	38 00
CEILING						
Ceiling, $\frac{1}{2}$x3$\frac{1}{4}$″, A	..	...	....	....	....	....
" " B	.	.	....	....	....	....
" " B and Better..........	67 69	70 00	74 57	77.25	71 95	71.52
" " No. 1 Common	62 58	65 00[2]	70 13	72 25[2]	67.15	70.20
" " No. 2 "	44 92	48 00[3]	40 66	43.25[2]	43 09	42 25
" " No. 3 "			....	...	...	....
Ceiling, $\frac{5}{8}$x3$\frac{1}{4}$″, A..................		..	....	....	...	....
" " B		....			....	....
" " B and Better..........	79 51	78 09	76.78	97.00	78 58	78.83
" " No. 1 Common	71 34	70 43	71.78	75.00[1]	71 32	68 97
" " No. 2 "	47 38	49 08	47.77	52.50	48 07	48 59
" " No. 3 "	..	...	28 53[1]	....	28 53[1]	28.53
Ceiling, $\frac{3}{4}$x3$\frac{1}{4}$″, A		.	....	....	..	....
" " B		.	....	....	....	....
" " B and Better	104 25[1]	105 00	105 25	112 00[3]	105 17	103 54
" " No. 1 Common		70 00	100 50[2]	.	70 00	100 50[1]
" " No. 2 "			47.75	45 00[2]	47 75	53 75[1]
" " No. 3 "	.	.	38 00[3]	...	38 00[3]	38 00[2]
PARTITION						
Partition, $\frac{3}{4}$x3$\frac{1}{4}$″, A			....	....	....	....
" " B..................				....	....	.
" " B and Better	103 20	110 00[1]	108 45[1]	110 00	104 43	105 32
" " No. 1 Common	92 46	97 50[3]	98 84[1]	85 00[1]	92 46	89 70
" " No. 2 "	73 00[3]	60 00	52 00[1]	....	60 00	52 00
Partition, $\frac{3}{4}$x5$\frac{1}{4}$″, A			.	....	.	....
" " B				.		....
" " B and Better..........	106 00		104 50		104 53	103 91[1]
" " No. 1 Common	93 50[1]		90 56		90 56	97 83[1]
" " No. 2 "		53 50[1]	50 90		50 90	53 50
BEVEL SIDING						
Bevel Siding, A	..				..	...
" B					....	....
" B and Better..................	71 00	65 74[2]	65 39	52 00[1]	66 95	56 65
" No. 1 Common..................	50 00[1]	76 00[2]	48 75[1]	46 00[1]	48 37[1]	48.37
" No. 2 "	52 38[2]		48 64	46 10	48 30	45 00

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	87.01	87.10	80.64	92.50[1]	85.60	88.54
“ “ No. 1 Common	82.04	74.38	76.22	77.41[1]	76.22	79.09
“ “ No. 2 “	51.73	54.30	51.92	44.00	51.72	52.41
“ “ No. 3 “	....	....	32.36	36.00[1]	32.36	40.52
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	111.88	109.50	111.08	....	110.75	110.89
1x 6 inch, “	111.60	108.82	103.08	100.00[1]	106.63	108.90
1x 8 inch, “	109.74	108.38	114.47	119.50	110.85	110.73
1x 5 and 10 inch, “	114.38	112.95	117.76	115.00[3]	114.40	114.78
1x12 inch, “	115.02	113.66	122.50	....	116.20	116.68
1¼x4 to 12 inch, “	123.64	116.70	118.43	125.00[1]	119.64	122.53
1½ and 2x4 to 12 inch, “	124.28	120.00	119.03	....	120.12	127.88
1⅝ inch, “	103.29	83.25	....	....	85.00	117.82
1x 6 to 12 inch, “	....	....	....	125.00[3]	125.00[3]	125.00[2]
1x 4 inch, C	97.13[1]	....	104.75	....	104.75	97.13
1x 6 inch, “	101.68	95.00[3]	101.12	....	101.33	96.75
1x 8 inch, “	100.70	99.00[2]	102.45	....	101.61	99.81
1x 5 and 10 inch, “	101.90	101.87[1]	104.00	....	103.07	102.73
1x12 inch, “	105.00	105.00[2]	108.44	....	107.00	101.75
1¼x4 to 12 inch, “	111.00[1]	....	109.87	117.00[3]	109.87	111.00
1½ and 2x4 to 12 inch, “	103.88	....	94.50	....	101.65	94.25
1⅝ inch, “	....	....	....	....	....	....
1x 6 to 12 inch, “	....	....	....	112.00[3]	112.00[3]	112.00[2]
1x 4 inch, B and Better, Rough	105.30[1]	95.50[2]	112.52	....	112.52	105.30
1x 6 inch, “ “	110.75	109.70	99.21[1]	96.50	99.06	101.87
1x 8 inch, “ “	106.20[1]	110.75	112.25	100.00[1]	111.57	106.95
1x 5 and 10 inch, “ “	114.50[1]	110.73	124.00[3]	105.00[1]	110.73	107.80
1x12 inch, “ “	116.50[1]	111.00	124.00[3]	....	111.00	112.56
1¼x4 to 12 inch, “ “	121.12	119.00[1]	118.22	128.00[3]	120.61	115.91
1½ and 2x4 to 12 inch, “ “	121.50	....	120.60	....	120.76	122.03
1⅝ inch, “ “	....	110.25	....	....	110.25	120.00[1]
1x 6 to 12 inch, “ “	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	120.05	112.00	123.12	120.00[1]	120.90	122.02
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	117.18	115.80	123.47	120.00[1]	117.90	121.58
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	123.52[1]	120.00[1]	136.08[1]	....	125.41[1]	125.41
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	110.00[1]	....	....	....	100.00[1]	110.00
“ “ “ “ “ 8 ft.	90.84[2]	90.00	....	....	90.00	112.00
“ “ “ “ “ 12 and 14 ft.	100 00[1]	100.00	....	....	100.00	100.00
“ “ “ “ “ 16 ft.	110.00[1]	112.00[1]	119.25	....	119.25	110.00
“ “ “ “ “ 9 or 18 ft.	110.00	85.00	115.33	....	109.92	109.02
“ “ “ “ “ 10 or 20 ft.	106.94[1]	88.58	104.18	....	99.58	106.70

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.........	63 00[1]	73 18	79.75[1]	....	73.18	68.27
" " " " " 8 ft.........	69.56	68 86[1]	42.50[1]	....	69.56	60.89
" " " " " 12 and 14 ft...	65 00	75 00[1]	....	....	65.00	75.00
" " " " " 16 ft.........	65 50[2]	80.00	....	....	80.00	65 50[1]
" " " " " 9 or 18 ft....	85.71	87 27[2]	88.00[3]	....	85.71	82.26
" " " " " 10 or 20 ft...	75 00	80.00	49.75	....	60.43	77.78
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.........	63 67[1]	80.00	79 75[1]	....	80 00	63 67
" " " " " 8 ft.........	54 75	68 86[1]	42.50[1]	....	54.75	60.85
" " " " " 12 and 14 ft.	65.00	75.00[1]	....	....	65 00	75.00
" " " " " 16 ft.........	76 50	80.00	....	....	76.50	78.00
" " " " " 9 or 18 ft...	75.00	87 27[2]	88.00[3]	....	75.00	82 50
" " " " " 10 or 20 ft...	75 00	80.00	49 75	....	75.00	74 98
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	45 13	....	55 00[3]	55.00[3]	45.13	52 00
" " " " " 10 to 20 ft.	52 25	44 50	....	....	51.67	47 99
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	60 50[1]	54 45[1]	....	54 93[1]	54 93
" " " " 1¾ inch, 10 & 20 ft.	....	....	56 05[1]	....	56.05[1]	56.05
" " " " 2 to 3 inch, 9 & 18 ft.	....	....	54.02	....	54 02	....
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	54.02	....	54.02	....
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	55 09[1]	....	....	....	55 09[1]	55.09
" " " 2 to 3 inch, 9 & 18 ft.	52 68[1]	50 65	....	40 00[1]	50.65	51.06
" " " 2 to 3 inch 10 & 20 ft.	....	50 94[1]	....	40.00[1]	40.00[1]	40.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	41.00	41 00	40 00[2]
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	45.00[3]	45.00[3]	45.00[2]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft....	70.32	66 10	87.50[2]	....	67.67	62.11
" " " " other lengths....	69.56	66.70	86.47	107.00	83.72	67.91
" " 1x10, " 14 and 16 ft....	68.18	76.69[1]	97.50	....	71.30	72.06
" " " " other lengths....	71 51	67 94	96.90	103.00[3]	71.97	68 36
" " 1x12, " 14 and 16 ft....	73.62	75.50	110 00[1]	....	74.88	78.16
" " " " other lengths....	74.02	70 12	87.48	105.00[3]	75.40	75.75
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths......	49.03	51.23	47.60	48.75	48.96	48.19
" " 1x10, " "	49.82	48.13	50.11	50.34	49.82	50.03
" " 1x12, " "	53.15	52.59	51.86	50.54	52.42	51.92
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.....	40.31	39.93	40.43	39.50	40 24	39 79
" " 1x10, " "	39 39	39.70	38.90	36 50[1]	39.15	39.42
" " 1x12, " "	40.78	40.85	41.05	47.00	40.97	41.92
Shiplap, 1 x 8, No. 1, 14 and 16 ft................	64.50	55.50	....	....	62.14	67.42
" " " other lengths................	66.44	65.74	71.68[3]	60.00[3]	66.30	66.76
" 1x10, " 14 and 16 ft................	74 50[3]	....	....	....	74 50[3]	74 50[2]
" " " other lengths................	69.50	51.00[1]	66.75[2]	70.00[3]	69.50	61.12
" 1x12, " 14 and 16 ft................	....	....	....	....	....	....
" " " other lengths................	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths....................	49.25	48.69	49.03	50.42	49 19	48.88
" 1x10, " "	49.48	50 11	49 19	48.00	49 48	47 98
" 1x12, " "	51 32[1]	....	....	....	51 32[1]	51.32
Shiplap, 1x 8, No. 3, all lengths....................	40.49	40 00[1]	40.18	44.37	41.03	40.68
" 1x10, " "	41.88	40 25	43 42	41.00[1]	41 77	39.96
" 1x12, " "	41.99[2]	....	....	....	41 99[2]	41 99[1]
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.........	70.75	75.00[1]	....	....	70 75	71.21
" " " " other lengths.........	70.75	....	....	....	70.75	70.38
" " 1x12, " 14 and 16 ft.........	....	....	....	....	....	....
" " " " other lengths.........	....	....	....	....	....	....
All No. 4—all widths and lengths...................	21.68	....	20.27	....	21 17	19.68

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
1x4, S 1 S, No. 1, 16 ft.	67.46	68.50	69.88	....	69.52	73.52
" " " other lengths	68.78	65.36	90.80	65.00	68.85	69.66
" " No. 2, all lengths	42.03	44.71	48.13	37.00	44.11	42.41
" " No. 3, "	37.74	34.67	37.19	....	37.10	37.86
1x4, C. M., No. 1, 16 ft.	71.00[2]	....	....	....	71.00[2]	71.00[1]
" " " other lengths	90.00	....	....	....	90.00	76.50
" " No. 2, all lengths	42.75	....	....	....	42.75	46.25
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	66.67	66.90	92.25[1]	....	66.76	70.12
" " " other lengths	67.27	67.93	95.38	106.00	71.34	68.95
" " No. 2, all lengths	49.68	50.94	48.39	43.94	48.22	47.53
" " No. 3, "	38.12	40.08	39.78	41.21	39.70	39.77
1x6, C. M., No. 1, 16 ft.	87.00	....	....	....	87.00	65.35
" " " other lengths	71.74	56.86	....	....	71.20	71.77
" " No. 2, all lengths	46.52	45.59	....	52.50	46.10	46.43
" " No. 3, "	37.60	36.89	....	37.00	37.16	39.28
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	47.34	48.76	45.20	41.00[1]	47.95	46.75
" " " 12 ft.	46.91	48.16	47.28	41.00[1]	47.01	46.26
" " " 14 ft.	46.84	47.98	45.55	40.00[2]	47.10	46.36
" " " 16 ft.	47.87	49.71	46.04	41.60[1]	48.24	48.04
" " " 18 ft.	48.04	49.50	45.10	49.86[1]	48.34	49.00
" " " 20 ft.	48.32	49.77	45.10	42.00[2]	49.06	49.35
" " " 22 ft.	51.56	53.80	53.61[2]	....	52.20	51.06
" " " 24 ft.	51.83	53.52	53.61[2]	....	52.48	51.22
2x 6, No. 1, S 1 S 1 E, 10 ft.	44.72	44.70	48.58	....	47.44	45.37
" " " 12 ft.	44.05	44.96	44.57	38.00[1]	44.44	44.54
" " " 14 ft.	43.73	44.86	44.57	38.00[1]	44.29	44.80
" " " 16 ft.	45.08	45.02	44.13	44.50[3]	44.93	45.82
" " " 18 ft.	45.54	45.44	44.13	39.00[2]	45.49	45.96
" " " 20 ft.	45.00	45.95	44.13	39.00[2]	45.40	46.03
" " " 22 ft.	47.25	50.70	49.46	41.00[2]	49.10	49.78
" " " 24 ft.	48.02	49.97	49.46	....	49.11	48.44
2x 8, No. 1, S 1 S 1 E, 10 ft.	47.06	35.25[1]	49.99	48.25[2]	49.84	44.05
" " " 12 ft.	45.06	46.11	45.58	46.00[2]	45.60	45.53
" " " 14 ft.	45.35	46.20	43.49	39.00[1]	45.27	46.15
" " " 16 ft.	47.92	46.11	45.57	39.00[1]	47.03	47.81
" " " 18 ft.	47.54	47.20	49.99	39.00[1]	47.46	47.42
" " " 20 ft.	47.84	47.14	49.99	42.00[2]	47.59	47.52
" " " 22 ft.	49.27	49.90	52.84	44.00[2]	51.59	50.76
" " " 24 ft.	51.09	51.08	52.84	....	51.09	50.54
2x10, No. 1, S 1 S 1 E, 10 ft.	47.73	48.16	46.72	48.25[2]	47.04	47.21
" " " 12 ft.	46.70	47.23	47.42	....	47.22	46.09
" " " 14 ft.	46.73	47.12	47.42	48.25[2]	46.88	45.78
" " " 16 ft.	49.76	47.93	46.97	50.00	48.67	48.77
" " " 18 ft.	49.43	47.57	46.72	40.75[2]	49.02	48.93
" " " 20 ft.	49.73	47.69	46.72	50.00	48.76	47.92
" " " 22 ft.	49.73	51.53	53.29	....	51.75	51.23
" " " 24 ft.	51.70	52.25	53.29	....	51.90	52.09
2x12, No. 1, S 1 S 1 E, 10 ft.	46.86	48.50	52.10	....	51.84	49.28
" " " 12 ft.	48.67	48.03	47.48	....	47.95	47.20
" " " 14 ft.	48.17	48.11	47.48	....	48.14	48.44
" " " 16 ft.	50.89	49.37	48.30	51.00	49.74	50.26
" " " 18 ft.	49.98	50.10	52.10	....	50.07	50.45
" " " 20 ft.	50.95	49.79	52.10	52.00	50.19	50.29
" " " 22 ft.	53.17	53.67	53.18	....	53.42	54.49
" " " 24 ft.	56.18	54.65	53.18	....	55.09	53.45
2x 4, No. 2, S 1 S 1 E, 10 ft.	43.14	43.61	46.44	....	44.04	43.65
" " " 12 ft.	42.22	43.75	46.77	39.00	42.58	43.36
" " " 14 ft.	42.81	43.75	44.44	....	43.53	42.92
" " " 16 ft.	44.19	44.97	46.12	38.00	43.41	44.96
" " " 18 ft.	44.57	46.18	44.99	41.00	44.18	45.11
" " " 20 ft.	45.58	47.80	44.99	....	46.16	47.26
" " " 22 ft.	49.63[1]	49.00[1]	....	....	49.48[1]	49.48
" " " 24 ft.	49.63[1]	49.00[1]	....	....	49.63[1]	49.63
2x 6, No. 2, S 1 S 1 E, 10 ft.	40.65	42.00[1]	42.59	....	42.32	42.63
" " " 12 ft.	39.68	40.30	41.80	....	40.62	41.72
" " " 14 ft.	39.85	40.50	41.80	37.50	39.16	41.51
" " " 16 ft.	40.86	41.25	42.05	37.50	40.51	40.54
" " " 18 ft.	41.03	43.34	42.05	39.50	41.23	41.70
" " " 20 ft.	41.49	42.79	42.05	....	41.79	42.00
" " " 22 ft.	45.88[2]	42.18	47.43	....	43.45	47.54
" " " 24 ft.	44.50[2]	42.18	47.43	....	43.45	47.54

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
2x8, No. 2, S 1 S 1 E, 10 ft	42.37	44.12[1]	43.45	...	43.39	45.66
" " " 12 ft	41.09	40.89	45.00	..	41.41	42.23
" " " 14 ft	41.73	42.21	44.66	38.00	41.28	42.44
" " " 16 ft	43.89	43.33	44.54	..	43.93	43.76
" " " 18 ft	43.41	43.42	44.54	42.00	42.94	45.18
" " " 20 ft	44.09	43.08	44.54	42.00	43.23	45.54
" " " 22 ft	46.00	45.50	49.90	..	47.97	47.38
" " " 24 ft	48.00	45.50	49.90	..	48.00	48.00
2x10, No. 2, S 1 S 1 E, 10 ft	42.50	42.00[1]	47.39	.	46.91	44.10
" " " 12 ft	42.71	42.50	46.97		45.96	43.46
" " " 14 ft	42.37	42.50	46.97	..	42.41	41.69
" " " 16 ft	45.02	45.32	41.65	44.33	44.81	45.35
" " " 18 ft	43.85	44.00	47.39	47.75	43.89	44.00
" " " 20 ft	44.43	44.50	47.39	47.75	44.44	44.18
" " " 22 ft	50.50[1]	53.00[3]	55.25	52.71	53.30	51.20
" " " 24 ft	50.00[1]	53.00[3]	55.25	52.71	53.30	50.00
2x12, No. 2, S 1 S 1 E, 10 ft	44.50	43.75[3]	46.46	48.00	46.49	42.97
" " " 12 ft	44.66	44.50	41.81	46.00	43.65	45.47
" " " 14 ft	44.51	45.78	41.81	46.00	45.02	43.40
" " " 16 ft	46.11	46.00	44.15	48.90	45.89	46.65
" " " 18 ft	46.20	46.00	46.46	48.00	46.13	46.17
" " " 20 ft	46.76	46.00	46.46	48.00	46.64	46.95
" " " 22 ft	51.50[1]	50.00	...	...	50.00	51.59
" " " 24 ft	50.50[2]	50.00	...	....	50.00	52.00
No. 1, 2x4 to 2x12, 26 ft. and longer	..	...	....	....	...	..
All No. 3, S 1 S 1 E, all lengths	32.45	32.50	29.95	38.00	31.12	30.36
PATENT LATH						
4 and 6 ft	40.63	39.00[1]	43.36[2]	47.27	42.07	38.92
8 and 10 ft	41.60	40.00[1]	...	....	41.60	40.84
12 ft. and longer	44.23	40.00[1]	..	...	44.23	42.80
PLASTERING LATH						
⅜x1½ 4. No. 1	11.39	10.70	11.37	10.49	11.18	11.00
" No. 2	10.00	8.70	10.88	12.15	10.85	11.33
⅜x1½ 3. No. 1	...	.	...	..	.	..
" No. 2	.		..	....	.	.
5/16x1½ 4. No. 1	..	..	....	...	.	..
" No. 2						
5/16x1½ 3. No. 1	.		...	..	...	..
" No. 2	..	..	..	..		..
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft	49.00	48.01	44.96	37.50	46.54	45.60
" " 22-24 ft	57.72	48.57	47.24	....	56.28	52.59
" " 26 ft	42.00[2]	44.00[2]	42.76	....	42.76	50.00
" " 28 ft	59.08[1]	53.50[2]	42.76	....	42.76	59.08
" " 30 ft	59.90	60.00[1]	52.43[1]	....	59.90	53.38
" " over 30 ft	60.80	62.00[1]	49.92	...	55.29	57.09
4x4 to 8x8, Heart (85%+), up to 20 ft	59.04	51.45	.	50.45[2]	53.35	51.32
" " " 22-24 ft	60.57	55.00	..	...	57.30	60.50
" " " 26 ft		57.00[3]	.		57.00[3]	57.00[2]
" " " 28 ft	....	.	..	.	.	.
" " " 30 ft	50.50[1]			.	50.50[1]	50.50
" " " over 30 ft	67.59[1]				67.59[1]	67.59
3 & 4x10, No. 1, up to 20 ft	51.15	51.36			51.22	50.34
" " 22-24 ft	56.48	54.50	.		55.09	50.00[1]
" " 26 ft	58.00	56.50		.	56.60	
" " 28 ft	59.00	58.50	..	.	58.63	54.00[1]
" " 30 ft			..	.		
" " over 30 ft			...	.		.
3 & 4x10, Heart (85%+), up to 20 ft	55.50	52.00			52.62	54.83
" " " 22-24 ft	66.98	57.32[1]	..		66.98	57.32
" " " 26 ft	.	58.00[1]			58.00[1]	58.00
" " " 28 ft		58.00[1]			58.00[1]	58.00
" " " 30 ft	....	58.00[1]	.		58.00[1]	58.00
" " " over 30 ft		.	.			...

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
6x10, to 10x10, No. 1, up to 20 ft.	55.90	50.00	51.89	49.50[2]	53.07	51.72
“ “ 22-24 ft.	54.21	48.02	54.78	....	51.29	50.25
“ “ 26 ft.	50.50[1]	46.81[3]	57.36	....	57.36	50.57
“ “ 28 ft.	58.00	....	57.36	....	58.00	51.50
“ “ 30 ft.	52.50	....	43.25	....	51.81	53.65
“ “ over 30 ft.	55.50	....	61.60	....	56.05	58.13
6x10 to 10x10, Heart (85%+), up to 20 ft.	60.87	56.00[1]	....	....	60.87	57.21
“ “ “ 22-24 ft.	67.25	60.00[1]	....	....	67.25	60.00
“ “ “ 26 ft.	....	53.00[2]	....	....	53.00[2]	53.00[1]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	78.75[3]
3 & 4x12, No. 1, up to 20 ft.	60.96	53.64	....	41.50[2]	57.74	56.63
“ “ 22 24 ft.	58.96	56.57	....	....	57.39	54.67[1]
“ “ 26 ft.	....	59.50	....	....	59.50	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	60.50	....	....	....	60.50	....
“ “ over 30 ft.	68.43	79.00[3]	....	....	68.43	79.00[2]
3 & 4x12, Heart (85%+), up to 20 ft.	60.50	56.00	....	....	57.64	57.98
“ “ “ 22-24 ft.	69.25[1]	58.00	....	....	58.00	66.44
“ “ “ 26 ft.	....	56.00[2]	....	....	56.00[2]	56.00[1]
“ “ “ 28 ft.	....	55.71[2]	....	....	55.71[2]	55.71[1]
“ “ “ 30 ft.	....	56.00[2]	....	....	56.00[2]	56.00[1]
“ “ “ over 30 ft.	....	60.00[2]	....	....	60.00[2]	60.00[1]
6x12 to 12x12, No. 1, up to 20 ft.	61.05	54.26	56.62	....	56.75	53.38
“ “ 22-24 ft.	56.00	55.41	56.23	....	56.03	55.00
“ “ 26 ft.	55.93[1]	57.67[1]	61.44	....	61.44	56.76
“ “ 28 ft.	59.25[1]	....	61.44	....	61.44	59.25
“ “ 30 ft.	60.25[1]	56.00[2]	60.89	....	60.89	60.25
“ “ over 30 ft.	64.71	70.00[3]	62.74	....	62.89	59.17
6x12 to 12x12, Heart (85%+), up to 20 ft.	59.50	55.45[1]	....	....	59.50	56.18
“ “ “ 22-24 ft.	72.47[2]	55.00[2]	....	....	66.09[2]	66.09[1]
“ “ “ 26 ft.	....	56.00[2]	....	....	56.00[2]	56.00[1]
“ “ “ 28 ft.	....	57.00[2]	....	....	57.00[2]	57.00[1]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	94.50	63.00[2]	....	....	94.50	63.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	61.40	52.50	....	....	56.95	59.75
“ “ 22-24 ft.	60.55	56.96	....	....	57.81	59.00
“ “ 26 ft.	55.25[1]	57.70	....	....	57.70	61.56
“ “ 28 ft.	....	59.76	....	....	59.76	....
“ “ 30 ft.	64.50	61.00	....	....	63.92	66.00[3]
“ “ over 30 ft.	65.50[1]	65.00[1]	....	....	65.26[1]	65.26
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	63.00[3]	....	....	63.00[3]	63.00[2]
“ “ “ 22-24 ft.	....	54.00[3]	....	....	54.00[3]	54.00[2]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	64.25[1]	....	62.95	....	62.95	61.86
“ “ 22-24 ft.	61.50[1]	56.00[1]	63.06	....	63.06	60.63
“ “ 26 ft.	60.50[2]	....	62.72	....	62.72	70.81[1]
“ “ 28 ft.	61.50[1]	....	62.72	....	62.72	61.50
“ “ 30 ft.	59.00	....	65.00[1]	....	59.00	62.57
“ “ over 30 ft.	72.84[1]	65.00	75.00	....	73.89	72.84
6x14 to 14x14, Heart (85%+), up to 20 ft.	75.25[1]	....	75.00	....	75.00	75.25
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	69.00	69.50[3]	....	....	69.00	69.50[2]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
6x16 & Up, No. 1, up to 20 ft.	....	69 89[3]	74 00	....	74 00	62 40
" " 22-24 ft		70 00[3]	67 22[2]	....	67 22[2]	67 22[1]
" " 26 ft.	80 50[2]	....	70 44	.	70 44	70 79[1]
" " 28 ft.	....	....	70 44	....	70 44	67.75[1]
" " 30 ft.	.	..	71 34[1]	..	71.34[1]	71 34
" " over 30 ft	69 00	....	85 72	....	78 67	80 13
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	.	....	....	..
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	60.00	....	....	...	60.00	....
" " 22-24 ft.	62 00	....	....	....	62 00	....
" " 26 ft.	....	......	....	..	..	....
" " 28 ft.	65.28	68 00[1]	....	....	65.28	68 00
" " 30 ft	....	....	....	....	....	....
" " 32 ft.	....	....	....	.	....	....
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	65 62[3]
" " " 22-24 ft	75 50[2]	....	.	....	75.50[2]	75 50[1]
" " " 26 ft.	....		.		....	....
" " " 28 ft.	....	72 50[2]	....		72 50[2]	72 50[1]
" " " 30 ft	84.64[1]	....	....	....	84 64[1]	84.64
" " " 32 ft	....	....	....	.	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	.	.	51.54	50 00	50 18	55.09
" " " 36 ft	....	62 00[1]	51 54	50 00	50 00	53 29
" " " 37-38 ft.	67 50	56 00[1]	50 00	50 00	64.58	56 00
" " " 40 ft	74.50[3]	64 00[1]	55 00	....	55 00	64 00
" " " 41-42 ft	90 50[3]	....	....	...	90 50[3]	90 50[2]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	.
" " " " 36 ft.	...	...	....	....	...	....
" " " " 37-38 ft.	....	...	....	....	....	....
" " " " 40 ft.	....	....	....	...	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	.	.	59 33[2]	63 00[2]	60.10[2]	60 10[1]
" " " 36 ft.	60 00	57.50	59.33[2]	57.50[1]	58 95	57.50
" " " 37-38 ft.	..	....	....	51 05[2]	51 05[2]	51 05[1]
" " " 40 ft.	..	....	....	....	....	....
" " " 41-42 ft.	..	..	..	65 00[3]	65 00[1]	65 00[2]
Up to 10 inch, Heart, (85%+), 34 ft.	.	..	.	.	.	.
" " " " 36 ft.	....	..	....	....	....	....
" " " " 37-38 ft.	.	..	....	....	....	....
" " " " 40 ft.	.	..	....	....	....	....
" " " " 41-42 ft.	.	..	....	.	....	....
Up to 12 inch, Sq. E., 34 ft	..	..	63 96[2]	68 08[2]	66 06[2]	66 06[1]
" " " 36 ft	60 00	59 50	63 96[2]	60 00[1]	59 81	60 00
" " " 37-38 ft.	72 00	..	65 00[2]		72 00	65 00[1]
" " " 40 ft	73 50[1]	.	66 00[3]	..	73 50[1]	73 50
" " " 41-42 ft.	73.50[1]	..	..		73 50[1]	73 50
Up to 12 inch, Heart, (85%+), 34 ft.	....	..	..	.		.
" " " " 36 ft.	....	....	....	.	..	....
" " " " 37-38 ft.	....	....	....	.	....	....
" " " " 40 ft.	....	....	....	..	....	....
" " " " 41-42 ft.	....	....	.	.	.	.

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
Up to 14 inch, Sq. E., 34 ft.	....	....	70.00[3]	....	70 00[3]	70 00[3]
" " " 36 ft.	....	....	70.00[3]	75.00[2]	75.00[2]	75 00[1]
" " " 37-38 ft.	....	74.50[3]	....	....	74 50[3]	74 50[2]
" " " 40 ft.	85.50[3]	....	....	75.00[1]	75.00[1]	75 00
" " " 41-42 ft.	80.50[1]	....	....	....	80 50[1]	80 50
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	67.00[1]	67.00[1]	67.00
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	68.50[2]	....	....	....	68.50[2]	68.50[1]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	60.00	....	....	....	60.00	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	65 00[3]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	45.12	....	....	....	45.12	44.56
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	57.50[2]	52.00	....	....	52 00	58.00
" " Heart, (85%+), 6x8-8	49.50	52.00[1]	....	....	49.50	52 00
" " Sq. E., " 7x9-8	....	....	....	....	....	....
" " Heart, " 7x9-8	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up	58.00	....	....	....	58.00	....
" " Heart,	58.50[2]	....	....	....	58 50[2]	58.50[1]
Paving Stock, S 1 S	....	40.00	36.00	....	39.89	41.18
" " Rough	44.00[1]	....	....	....	44.00[1]	44.00
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	90.00	....	....	....	90.00	133.95[1]
Miscellaneous	105.76	52.71	41.25	53.00	71.97	53.75
MISCELLANEOUS STOCK						
Silo Stock	....	58.00[2]	....	...	58 00[2]	58.00[1]
Grain Doors	33.00[2]	....	....	...	33 00[2]	33 00[1]
Miscellaneous, B and B	120.47	97.07	43.25	89.63	106 24	117.66
" No. 1	64.61	63.21	44.87	43.42	56 81	51.06
" No. 2	48.95	46 00	46 19	45.94	46.45	43.80
" No. 3	34.21	36.88[1]	41.05	41 69	39 20	39.10
Shorts B and B	89 15	100 00[2]	....	....	89 15	95 53
" No. 1	42.19	39.12[1]	....	....	42 19	39.39
" No. 2	....	33.49	....	....	33.49	39.75
" No. 3	....	36.65	....	....	36.65	30 00[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

April 30, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending April 30, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

RECEIVED
MAY 18 1920
Division of Forestry
University of California

Southern Pine Association
New Orleans, La.
Issued May 8, 1920

No. 92

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	126.59	....	....	....	126.59	129.87
" " C "	119.75	....	....	....	119.75	115.00
" " D "	115.00[1]	....	....	....	115.00[1]	115.00
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	104.30	....	....	....	104.30	105.78
" " C "	....	....	....	....	....	88.00[3]
" " D "	95.50	....	....	....	95.50	96.58
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	52.50	....	....	....	52.50	52.32
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″	....	....	151.50[2]	....	151.50[2]	151.50[1]
Edge Grain, A "	....	....	137.35	156.35	150.00	149.98
" " B "	....	125.40	135.00	152.25	141.16	143.33
" " B and Better "	....	127.53	....	137.50[1]	127.53	133.50
" " C "	....	116.00[2]	111.87	....	111.87	120.22
" " D "	....	....	135.00[3]	....	135.00[3]	135.00[2]
" " No. 2 "	....	....	70.85	80.09[1]	70.85	80.89
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	120.75	120.75	98.00
" " B and Better "	....	106.64[1]	102.68	123.25	104.52	110.40
" " C "	....	....	....	....	....	88.00[3]
" " D "	....	....	....	....	....	....
No. 1 Common "	....	101.76[1]	94.54	98.73	95.84	95.52
No. 2 " "	....	50.00[1]	47.07	57.75	47.91	51.55
No. 3 " "	....	....	33.78	38.50[3]	33.78	39.00
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″	....	....	136.00[3]	134.50[1]	134.50[1]	134.50
Edge Grain, A "	118.50	120.00[2]	140.00	135.30[1]	135.84	135.28
" " B "	....	115.00	119.86	129.50	119.00	126.10
" " B and Better "	119.91	117.94	....	137.25[1]	119.37	126.02
" " C "	105.90	110.00[1]	119.51[1]	120.50[1]	105.90	119.16
" " D "	105.00[1]	....	....	....	105.00[1]	105.00
" " No. 2 "	....	....	81.00	....	81.00	72.73
Flat " A "	100.50	....	....	....	100.50	106.77[3]
" " B "	100.00	100.52	....	....	100.41	101.23
" " B and Better "	97.09	97.82	93.73	91.68	95.37	97.79
" " C "	95.00	95.00	....	....	95.00	95.00
" " D "	81.50	90.00	....	90.00[2]	82.09	84.28
No. 1 Common "	50.00[2]	88.40	87.51	80.23	85.11	88.08
No. 2 " "	49.16	49.99	47.04	45.68	47.52	48.94
No. 3 " "	....	....	33.76	34.00	33.79	36.16
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	67.69[1]	70.00[1]	76.17	77.25[1]	76.17	71.95
" " No. 1 Common	65.00	64.31	66.35	72.25[3]	65.45	67.15
" " No. 2 "	45.00	....	40.66[1]	43.25[3]	45.00	43.09
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	78.80	77.60	75.97	82.18	77.40	78.58
" " No. 1 Common	71.87	71.45	69.74	77.21	71.94	71.32
" " No. 2 "	48.10	49.08[1]	45.73	52.50[1]	46.47	48.07
" " No. 3 "	....	....	30.00	....	30.00	28.53[1]
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	104.25[2]	105.00	90.59	....	95.72	105.17
" " No. 1 Common	94.94	70.00	85.60	....	88.74	70.00
" " No. 2 "	59.00	....	51.63	45.00[3]	52.42	47.75
" " No. 3 "	....	....	....	....	....	38.00[3]
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	101.33	108.00	108.45[2]	110.00[1]	101.97	104.43
" " No. 1 Common	93.15	....	98.84[2]	97.25	94.67	92.46
" " No. 2 "	....	60.00[1]	60.00	....	60.00	60.00
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	110.50	....	103.78	....	103.84	104.53
" " No. 1 Common	93.50[2]	67.50	95.00	....	82.97	90.56
" " No. 2 "	....	53.50[2]	49.92	....	49.92	50.90
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	62.26	75.00	74.00	52.00[2]	65.22	66.95
" No. 1 Common	57.50	76.00[3]	48.75[2]	46.00[2]	57.50	48.37[1]
" No. 2 "	52.38[3]	....	41.82	46.10[1]	41.82	48.30

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	86.92	90.14	77.23	92.50[2]	85.77	85.60
" " No. 1 Common	76.74	80.00	75.10	66.87	74.68	76.22
" " No. 2 "	49.00	54.30[1]	49.17	47.98	49.07	51.72
" " No. 3 "	....	....	32.03	36.00[2]	32.03	32.36
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	109.52	103.00	108.70	....	108.86	110.75
1x 6 inch, "	113.36	109.27	100.58	100.00[2]	107.82	106.63
1x 8 inch, "	112.38	109.78	113.74	119.50[1]	112.78	110.85
1x 5 and 10 inch, "	114.46	110.62	113.78	....	113.38	114.40
1x12 inch, "	112.14	111.38	119.82	....	117.15	116.20
1¼x4 to 12 inch, "	124.33	117.81	114.51	125.00[2]	116.65	119.64
1½ and 2x4 to 12 inch, "	127.72	120.00[1]	120.48	....	123.86	120.12
1⅝ inch, "	103.00	105.50	....	....	104.25	85.00
1x 6 to 12 inch, "	....	....	....	....	....	125.00[3]
1x 4 inch, C	90.00	....	104.75[1]	....	90.00	104.75
1x 6 inch, "	101.48	98.00	101.12[1]	....	100.28	101.33
1x 8 inch, "	90.00	99.00	102.45[1]	....	94.74	101.61
1x 5 and 10 inch, "	110.00	91.00	97.50	....	99.90	103.07
1x12 inch, "	105.00[1]	105.00[3]	108.44[1]	....	107.00	107.00
1¼x4 to 12 inch, "	110.00	....	109.87[1]	....	110.00	109.87
1½ and 2x4 to 12 inch, "	103.88[1]	....	94.50[1]	....	101.65[1]	101.65
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	112.00[3]
1x 4 inch, B and Better, Rough	98.00	95.50[3]	98.86	....	98.46	112.52
1x 6 inch, " "	105.43	105.00	102.25	96.50[1]	103.98	99.06
1x 8 inch, " "	115.50	105.00	118.00	100.00[2]	109.37	111.57
1x 5 and 10 inch, " "	115.50	105.00	114.48	105.00[2]	109.75	110.73
1x12 inch, " "	115.50	105.00	117.25	....	107.30	111.00
1¼x4 to 12 inch, " "	121.12[1]	110.00	105.10	....	105.85	120.61
1½ and 2x4 to 12 inch, " "	121.50[1]	....	121.41	....	121.41	120.76
1⅝ inch, " "	....	110.25[1]	....	....	110.25[1]	110.25
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	119.23	112.71	122.20	120.00[2]	119.69	120.90
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	118.06	115.63	120.45	120.00[2]	118.34	117.90
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	123.52[2]	120.00[2]	127.68	....	127.68	125.41[1]
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	110.00[2]	....	....	....	110.00[2]	110.00[1]
" " " " " 8 ft.	78.00	90.00[1]	....	....	78.00	90.00
" " " " " 12 and 14 ft.	100.00[2]	120.00	....	....	120.00	100.00
" " " " " 16 ft.	110.00[2]	120.00	105.00	....	105.00	119.25
" " " " " 9 or 18 ft.	105.00	100.00	105.00	....	104.46	109.92
" " " " " 10 or 20 ft.	100.00	88.58[1]	95.00	....	98.13	99.58

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	78.00	69.00	66.75	....	69.77	73.18
" " " " " 8 ft.	60.00	69.78	42.50[2]	....	67.32	69.56
" " " " " 12 and 14 ft.	65.00[1]	75.00	....	....	75.00	65.00
" " " " " 16 ft.	65.50[3]	80.00[1]	....	....	80.00[1]	80.00
" " " " " 9 or 18 ft.	85.71[1]	84.88	....	....	84.88	85.71
" " " " " 10 or 20 ft.	70.21	72.70	45.00	....	66.66	60.43
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	78.12	69.00	66.75	....	78.12	80.00
" " " " " 8 ft.	54.75[1]	69.78	42.50[2]	....	69.78	54.75
" " " " " 12 and 14 ft.	65.00[1]	75.00	....	....	75.00	65.00
" " " " " 16 ft.	75.06	80.00[1]	....	....	75.06	76.50
" " " " " 9 or 18 ft.	80.50	84.88	....	....	80.50	75.00
" " " " " 10 or 20 ft.	79.50	72.70	45.00	....	79.50	75.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	55.11	....	....	....	55.11	45.13
" " " " " 10 to 20 ft.	52.25	49.00	....	....	49.00	51.67
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	60.50[2]	54.45[2]	....	54.93[2]	54.93[1]
" " " " 1¾ inch, 10 & 20 ft.	....	....	56.05[2]	....	56.05[2]	56.05[1]
" " " " 2 to 3 inch, 9 & 18 ft.	....	....	55.00	....	55.00	54.02
" " " " 2 to 3 inch, 10 & 20 ft.	....	52.27	55.00	....	52.27	54.02
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	55.09[2]	....	....	....	55.09[2]	55.09[1]
" " " 2 to 3 inch, 9 & 18 ft.	52.68[2]	52.00	....	40.00[2]	52.00	50.65
" " " 2 to 3 inch 10 & 20 ft.	....	52.00	....	40.00[2]	52.00	40.00[1]
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	41.00[1]	41.00[1]	41.00
" " " 2 to 3 inch, 10 & 20 ft.	....	..	....	41.00	41.00	45.00[3]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	64.59	70.00	87.50[3]	....	64.90	67.67
" " " " other lengths.	62.72	68.00	77.73	73.56	67.00	83.72
" " 1x10, " 14 and 16 ft.	68.62	77.50	96.50	....	69.40	71.30
" " " " other lengths.	72.16	66.67	94.49	....	77.56	71.97
" " 1x12, " 14 and 16 ft.	72.10	80.00	110.00[2]	....	72.75	74.88
" " " " other lengths.	74.40	67.90	92.86	....	74.58	75.40
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	49.24	48.54	47.00	45.75	47.89	48.96
" " 1x10, " "	47.72	48.46	47.88	50.04	48.01	49.82
" " 1x12, " "	51.00	50.23	46.90	47.00	49.15	52.42
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	39.02	39.50	38.94	39.50[1]	39.00	40.24
" " 1x10, " "	35.70	39.50	40.23	36.50[2]	36.83	39.15
" " 1x12, " "	41.25	41.50	41.26	47.00[1]	41.27	40.97
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	68.55	55.16	....	....	64.92	62.14
" " " other lengths.	66.18	54.50	70.22	....	61.85	66.30
" 1x10, " 14 and 16 ft.	70.00	50.00	....	....	55.45	74.50[3]
" " " other lengths.	70.00	51.75	66.75[3]	....	52.12	69.50
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths	47.41	47.85	49.44	48.24	48.42	49.19
" 1x10, " "	47.76	49.89	48.18	50.83	48.39	49.48
" 1x12, " "	51.32[2]	....	....	....	51.32[3]	51.32[1]
Shiplap, 1x 8, No. 3, all lengths	39.39	37.69	39.95	46.00	40.13	41.03
" 1x10, " "	39.01	38.82	40.17	41.00[2]	39.22	41.77
" 1x12, " "	42.50	....	....	....	42.50	41.99[2]
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	63.71	75.00[2]	....	....	63.71	70.75
" " " " other lengths.	63.63	....	....	....	63.63	70.75
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths	18.78	....	20.29	....	19.62	21.17

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
1x4, S 1 S, No. 1, 16 ft.	65.84	67.00	69.88 [1]	....	65.91	69.52
" " " other lengths	66.95	65.90	83.75	65.00 [1]	72.12	68.85
" " No. 2, all lengths	40.00	41.22	43.73	36.62	39.67	44.11
" " No. 3, "	36.94	32.50	35.91	....	35.86	37.10
1x4, C. M., No. 1, 16 ft.	71.00 [3]	....	....	....	71.00 [3]	71.00 [2]
" " " other lengths	73.25	....	....	....	73.25	90.00
" " No. 2, all lengths	43.50	....	....	....	43.50	42.75
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	66.74	66.50	95.62	....	67.97	66.76
" " " other lengths	66.08	68.50	90.42	105.50	68.72	71.34
" " No. 2, all lengths	45.45	46.00	47.25	42.24	45.40	48.22
" " No. 3, "	37.92	37.86	41.04	41.21 [1]	39.52	39.70
1x6, C. M., No. 1, 16 ft.	71.50	....	....	....	71.50	87.00
" " " other lengths	72.52	70.00	....	....	71.70	71.20
" " No. 2, all lengths	45.30	49.57	....	44.85	45.28	46.10
" " No. 3, "	39.93	40.00	....	37.00 [1]	39.94	37.16
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	47.35	46.88	43.74	48.25	45.45	47.95
" " " 12 ft.	46.14	46.66	46.12	46.25	46.26	47.01
" " " 14 ft.	45.76	46.39	46.04	46.25	45.94	47.10
" " " 16 ft.	47.68	48.30	46.34	48.25	47.73	48.24
" " " 18 ft.	47.47	49.15	45.61	49.25	47.20	48.34
" " " 20 ft.	47.78	47.95	45.61	49.25	47.83	49.06
" " " 22 ft.	51.03	51.25	53.61 [3]	....	51.05	52.20
" " " 24 ft.	50.39	50.38	53.61 [3]	....	50.34	52.48
2x 6, No. 1, S 1 S 1 E, 10 ft.	43.59	42.84	42.71	46.75	42.96	47.44
" " " 12 ft.	43.47	44.47	44.43	44.75	44.12	44.44
" " " 14 ft.	43.50	45.07	44.43	44.75	44.01	44.29
" " " 16 ft.	44.01	46.01	44.22	46.75	44.56	44.93
" " " 18 ft.	45.48	45.89	42.71	47.75	45.63	45.49
" " " 20 ft.	45.05	45.63	42.71	47.75	45.31	45.40
" " " 22 ft.	48.58	46.56	50.91	41.00 [3]	49.57	49.10
" " " 24 ft.	47.15	48.08	50.91	....	47.58	49.11
2x 8, No. 1, S 1 S 1 E, 10 ft.	46.25	42.75	46.24	48.25 [3]	46.10	49.84
" " " 12 ft.	46.05	47.70	44.63	46.00 [3]	46.01	45.60
" " " 14 ft.	45.70	44.86	46.24	39.00 [2]	45.75	45.27
" " " 16 ft.	48.44	47.03	48.20	39.00 [2]	48.06	47.03
" " " 18 ft.	47.40	45.87	46.24	39.00 [2]	46.99	47.46
" " " 20 ft.	48.87	47.37	46.24	42.00 [3]	48.43	47.59
" " " 22 ft.	50.80	49.82	52.73	44.00 [3]	51.67	51.59
" " " 24 ft.	50.45	50.98	52.73	....	50.76	51.09
2x10, No. 1, S 1 S 1 E, 10 ft.	48.33	50.25	47.72	48.25 [3]	47.89	47.04
" " " 12 ft.	46.33	46.86	47.79	....	47.47	47.22
" " " 14 ft.	46.28	46.21	47.79	48.25 [3]	46.27	46.88
" " " 16 ft.	49.06	47.73	47.67	50.00 [1]	48.44	48.67
" " " 18 ft.	45.64	47.55	47.72	40.75 [3]	45.77	49.02
" " " 20 ft.	45.00	47.74	47.72	50.00 [1]	45.62	48.76
" " " 22 ft.	48.86	50.83	53.67	....	50.72	51.75
" " " 24 ft.	51.07	53.81	53.67	....	52.44	51.90
2x12, No. 1, S 1 S 1 E, 10 ft.	46.04	48.50 [1]	52.42	....	52.05	51.84
" " " 12 ft.	48.21	48.74	46.36	....	47.97	47.95
" " " 14 ft.	48.66	49.61	46.36	....	49.01	48.14
" " " 16 ft.	51.37	51.41	46.40	51.00 [1]	50.90	49.74
" " " 18 ft.	50.90	49.59	52.42	....	50.47	50.07
" " " 20 ft.	49.72	50.79	52.42	52.00 [1]	50.06	50.19
" " " 22 ft.	50.64	54.50	55.35	....	51.83	53.42
" " " 24 ft.	52.49	49.38	55.35	....	50.45	55.09
2x 4, No. 2, S 1 S 1 E, 10 ft.	44.96	45.61	41.31	....	43.81	44.04
" " " 12 ft.	43.83	44.74	44.08	39.00 [1]	44.05	42.58
" " " 14 ft.	42.87	45.57	42.61	....	43.34	43.53
" " " 16 ft.	44.48	44.75	43.25	38.00 [1]	44.42	43.41
" " " 18 ft.	45.82	44.83	43.20	41.00 [1]	44.10	44.18
" " " 20 ft.	45.96	44.83	43.20	....	45.52	46.16
" " " 22 ft.	49.50	49.00 [2]	....	....	49.50	49.48 [1]
" " " 24 ft.	49.63 [2]	49.00 [2]	....	....	49.63 [2]	49.63 [1]
2x 6, No. 2, S 1 S 1 E, 10 ft.	39.63	40.00	42.42	....	41.20	42.32
" " " 12 ft.	39.96	39.84	38.40	....	39.79	40.62
" " " 14 ft.	40.48	39.86	38.40	37.50 [1]	40.29	39.16
" " " 16 ft.	40.84	40.52	40.27	37.50 [1]	40.73	40.51
" " " 18 ft.	41.91	42.00	42.42	39.50 [1]	41.94	41.23
" " " 20 ft.	41.12	41.47	42.42	....	41.26	41.79
" " " 22 ft.	45.25	42.18 [1]	51.96	....	50.84	43.45
" " " 24 ft.	45.25	42.18 [1]	51.96	....	45.25	43.45

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	44.00	44.12[2]	44.61	....	44.56	43.39
" " " 12 ft.	41.34	41.23	43.97	....	42.11	41.41
" " " 14 ft.	41.80	42.89	44.50	38.00[1]	42.95	41.28
" " " 16 ft.	43.92	46.39	43.39	....	44.44	43.98
" " " 18 ft.	45.15	44.82	44.61	42.00[1]	44.97	42.94
" " " 20 ft.	44.90	43.00	44.61	42.00[1]	44.10	43.23
" " " 22 ft.	46.00[1]	45.50[1]	49.90[1]	....	47.97[1]	47.97
" " " 24 ft.	48.00[1]	45.50[1]	49.90[1]	....	48.00[1]	48.00
2x10, No. 2, S 1 S 1 E, 10 ft.	42.50	42.00[2]	43.17	....	43.13	46.91
" " " 12 ft.	42.50	42.50[1]	44.25	....	42.66	45.96
" " " 14 ft.	42.50	42.75	44.25	....	42.61	42.41
" " " 16 ft.	44.33	45.32[1]	40.79	44.33[1]	42.88	44.81
" " " 18 ft.	44.49	44.00[1]	43.17	47.75[1]	44.49	43.89
" " " 20 ft.	43.42	44.50[1]	43.17	47.75[1]	43.42	44.44
" " " 22 ft.	50.50[2]	....	55.25[1]	52.71[1]	53.30[1]	53.30
" " " 24 ft.	50.00[2]	....	55.25[1]	52.71[1]	53.30[1]	53.30
2x12, No. 2, S 1 S 1 E, 10 ft.	44.50[1]	....	44.98	48.00[1]	44.98	46.49
" " " 12 ft.	43.67	44.00	46.75	46.00[1]	44.27	43.65
" " " 14 ft.	43.14	44.00	46.75	46.00[1]	43.22	45.02
" " " 16 ft.	44.38	46.00[1]	44.22	48.90[1]	44.34	45.89
" " " 18 ft.	46.00	45.85	44.98	48.00[1]	45.90	46.13
" " " 20 ft.	46.22	45.93	44.98	48.00[1]	46.08	46.64
" " " 22 ft.	51.50[2]	50.00[1]	....	....	50.00[1]	50.00
" " " 24 ft.	50.50[3]	50.00[1]	....	....	50.00[1]	50.00
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3. S 1 S 1 E, all lengths	31.92	30.79	29.95[1]	28.00	31.64	31.12
PATENT LATH						
4 and 6 ft.	40.60	39.66	43.36[3]	47.27[1]	40.50	42.07
8 and 10 ft.	40.99	41.00	....	....	40.99	41.60
12 ft. and longer	41.47	41.09	....	....	41.39	44.23
PLASTERING LATH						
⅜x1½-4, No. 1	10.83	10.86	10.66	9.10	10.50	11.18
" No. 2	9.04	10.65	8.95	12.15[1]	9.30	10.85
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	46.77	47.76	44.44	40.11	46.13	46.54
" " 22-24 ft.	51.50	48.27	47.39	....	48.02	56.28
" " 26 ft.	45.50	44.00[3]	50.36	....	49.92	42.76
" " 28 ft.	59.08[2]	53.50[3]	50.36	....	50.36	42.76
" " 30 ft.	55.71	60.00[2]	52.43[2]	....	55.71	59.90
" " over 30 ft.	55.50	53.00	54.26	....	55.04	55.29
4x4 to 8x8, Heart (85%+), up to 20 ft.	50.82	52.97	....	50.45[3]	52.32	53.35
" " " 22-24 ft.	60.57[1]	56.53	....	....	56.53	57.30
" " " 26 ft.	....	58.00	....	....	58.00	57.00[3]
" " " 28 ft.	....	58.00	....	....	58.00	....
" " " 30 ft.	50.50[2]	61.12	....	....	61.12	50.50[1]
" " " over 30 ft.	67.59[2]	....	....	....	67.59[2]	67.59[1]
3 & 4x10, No. 1, up to 20 ft.	53.91	51.44	....	....	51.62	51.22
" " 22-24 ft.	56.48[1]	52.42	....	....	52.42	55.09
" " 26 ft.	58.00[1]	56.50[1]	....	....	56.60[1]	56.60
" " 28 ft.	59.00[1]	58.50[1]	....	....	58.63[1]	58.63
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
3 & 4x10, Heart (85%+), up to 20 ft.	55.50[1]	53.33	....	....	53.33	52.62
" " " 22-24 ft.	62.50	56.29	....	....	57.53	66.98
" " " 26 ft.	....	57.56	....	....	57.56	58.00[1]
" " " 28 ft.	....	58.22	....	....	58.22	58.00[1]
" " " 30 ft.	....	58.00[2]	....	....	58.00[2]	58.00[1]
" " " over 30 ft.	65.00	....	....	....	65.00	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
6x10, to 10x10, No. 1, up to 20 ft.	46.96	51.42	49.80	49.50[3]	50.20	53.07
“ “ 22-24 ft.	50.50	46.83	54.00	....	47.92	51.29
“ “ 26 ft.	50.50[2]	....	49.35	....	49.35	57.36
“ “ 28 ft.	58.00[1]	....	49.35	....	49.35	58.00
“ “ 30 ft.	52.50[1]	63.00	43.25[1]	....	63.00	51.81
“ “ over 30 ft.	55.50	....	55.96	....	55.62	56.05
6x10 to 10x10, Heart (85%+), up to 20 ft.	54.25	52.71	....	....	53.58	60.87
“ “ “ 22-24 ft.	67.25[1]	54.75	....	....	54.75	67.25
“ “ “ 26 ft.	....	53.00[3]	....	....	53.00[3]	53.00[2]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	59.25	....	....	59.25	....
“ “ “ over 30 ft.	65.00	....	....	....	65.00	....
3 & 4x12, No. 1, up to 20 ft.	50.94	54.85	....	41.50[3]	54.28	57.74
“ “ 22 24 ft.	58.96[1]	55.47	....	....	55.47	57.39
“ “ 26 ft.	....	58.00	....	....	58.00	59.50
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	60.50[1]	60.00	....	....	60.00	60.50
“ “ over 30 ft.	68.43[1]	....	....	....	68.43[1]	68.43
3 & 4x12, Heart (85%+), up to 20 ft.	60.50[1]	56.01	....	....	56.01	57.64
“ “ “ 22-24 ft.	69.25[2]	56.96	....	....	56.96	58.00
“ “ “ 26 ft.	....	56.00[3]	....	....	56.00[3]	56.00[2]
“ “ “ 28 ft.	....	55.71[3]	....	....	55.71[3]	55.71[2]
“ “ “ 30 ft.	....	65.25	....	....	65.25	56.00[2]
“ “ “ over 30 ft.	....	60.00[3]	....	....	60.00[3]	60.00[2]
6x12 to 12x12, No. 1, up to 20 ft.	51.80	55.82	55.02	....	54.43	56.75
“ “ 22-24 ft.	51.50	56.00	54.58	....	53.95	56.03
“ “ 26 ft.	55.93[2]	57.67[2]	59.02	....	59.02	61.44
“ “ 28 ft.	59.25[2]	....	59.02	....	59.02	61.44
“ “ 30 ft.	60.25[2]	56.00[3]	60.33	....	60.33	60.89
“ “ over 30 ft.	57.10	63.67	61.74	....	58.82	62.89
6x12 to 12x12, Heart (85%+), up to 20 ft.	59.50[1]	58.16	....	....	58.16	59.50
“ “ “ 22-24 ft.	72.47[3]	56.26	....	....	56.26	66.09[2]
“ “ “ 26 ft.	....	59.33	....	....	59.33	56.00[2]
“ “ “ 28 ft.	....	61.25	....	....	61.25	57.00[2]
“ “ “ 30 ft.	....	60.00	....	....	60.00	....
“ “ “ over 30 ft.	72.00	82.63	....	....	72.40	94.50
2x14 to 4x14, No. 1, up to 20 ft.	50.50	58.25	....	....	56.74	56.95
“ “ 22-24 ft.	60.55[1]	57.75	....	....	57.75	57.81
“ “ 26 ft.	55.25[2]	57.70[1]	....	....	57.70[1]	57.70
“ “ 28 ft.	....	59.76[1]	....	....	59.76[1]	59.76
“ “ 30 ft.	64.50[1]	61.00[1]	....	....	63.92	63.92
“ “ over 30 ft.	65.50[2]	65.00[2]	....	....	65.26[2]	65.26[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	63.00[3]
“ “ “ 22-24 ft.	....	....	....	....	....	54.00[3]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	64.25[2]	56.71	61.60	....	60.98	62.95
“ “ 22-24 ft.	62.50	60.00	59.75	....	60.54	63.06
“ “ 26 ft.	60.50[3]	....	62.72[1]	....	62.72[1]	62.72
“ “ 28 ft.	61.50[2]	....	62.72[1]	....	62.72[1]	62.72
“ “ 30 ft.	59.00[1]	....	65.00[2]	....	59.00[1]	59.00
“ “ over 30 ft.	72.84[2]	65.00[1]	75.00[1]	....	73.89[1]	73.89
6x14 to 14x14, Heart (85%+), up to 20 ft.	75.25[2]	....	75.00[1]	....	75.00[1]	75.00
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	77.25	....	....	77.25	....
2x16 to 4x16, No. 1, up to 20 ft.	69.00[1]	....	....	....	69.00[1]	69.00
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
6x16 & Up, No. 1, up to 20 ft.	67.00	71.67	63.50	....	67.60	74.00
“ “ 22-24 ft.	68.50	....	67.22[3]	....	68.50	67.22[2]
“ “ 26 ft.	67.50	....	70.44[1]	....	67.50	70.44
“ “ 28 ft.	....	....	70.44[1]	....	70.44[1]	70.44
“ “ 30 ft.	....	....	71.34[2]	....	71.34[2]	71.34[1]
“ “ over 30 ft.	69.00[1]	....	85.72[1]	....	78.67[1]	78.67
6x16 & Up, Heart (85%+), up to 20 ft.	....	60.07	....	....	60.07	....
“ “ “ 22-24 ft.	....	62.00	....	....	62.00	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	60.00	....	....	....	60.00	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	60.00[1]	....	....	....	60.00[1]	60.00
“ “ 22-24 ft.	62.00[1]	....	....	....	62.00[1]	62.00
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	65.28[1]	68.00[2]	....	....	65.28[1]	65.28
“ “ 30 ft.	....	....	....	....	....	....
“ “ 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	....	60.00	....	....	60.00	....
“ “ “ 22-24 ft.	75.50[3]	62.00	....	....	62.00	75.50[2]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	65.50	65.97	....	....	65.82	72.50[2]
“ “ “ 30 ft.	84.64[2]	....	....	....	84.64[2]	84.64[1]
“ “ “ 32 ft.	....	69.00	....	....	69.00	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	52.31	50.00[1]	52.31	50.18
“ “ “ 36 ft.	63.50	55.30	52.31	50.00	56.00	50.00
“ “ “ 37-38 ft.	63.50	57.43	55.80	55.00	56.65	64.58
“ “ “ 40 ft.	63.50	60.67	53.64	....	60.41	55.00
“ “ “ 41-42 ft.	63.50	59.96	....	....	59.96	90.50[3]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	54.50	59.80	55.30	63.00[2]	57.28	60.10[2]
“ “ “ 36 ft.	62.92	56.00	55.30	57.50	60.17	58.95
“ “ “ 37-38 ft.	....	59.17	61.00	51.05[3]	59.25	51.05[2]
“ “ “ 40 ft.	63.50	63.00	61.00	....	63.34	....
“ “ “ 41-42 ft.	63.50	....	....	....	63.50	65.00[3]
Up to 10 inch, Heart, (85%+), 34 ft.	62.15	....	....	....	62.15	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	60.50	....	....	....	60.50	....
“ “ “ “ 41-42 ft.	60.50	....	....	....	60.50	....
Up to 12 inch, Sq. E., 34 ft.	63.50	....	64.00	68.08	63.53	66.06[2]
“ “ “ 36 ft.	63.50	65.68	63.96[3]	62.50	65.69	59.81
“ “ “ 37-38 ft.	64.53	61.66	66.00	....	65.62	72.00
“ “ “ 40 ft.	65.64	70.39	....	....	69.22	73.50[1]
“ “ “ 41-42 ft.	65.64	....	....	....	65.64	73.50[1]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	70.00[3]
“ “ “ 36 ft.	63.50	64.67	....	72.00	67.55	75.00[2]
“ “ “ 37-38 ft.	....	67.50	68.27	....	68.17	74.50[3]
“ “ “ 40 ft.	70.50	69.00	68.27	75.00[2]	69.57	75.00[1]
“ “ “ 41-42 ft.	70.50	70.00	....	....	70.00	80.50[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	60.00	....	67.00[2]	60.00	67.00[1]
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	68.50[3]	....	....	....	68.50[3]	68.50[2]
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	60.00[1]	59.18	....	....	59.18	60.00
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	60.00	....	....	60.00	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	45.35	....	....	....	45.35	45.12
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	57.50[3]	56.66	....	....	56.66	52.00
“ “ Heart, (85%+), 6x8–8	55.63	52.00[2]	....	....	55.63	49.50
“ “ Sq. E., “ 7x9–8	....	....	....	....	....	....
“ “ Heart, “ 7x9–8	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up	58.00[1]	....	....	....	58.00[1]	58.00
“ “ Heart,	58.50[3]	....	....	....	58.50[3]	58.50[2]
Paving Stock, S 1 S	....	40.00	39.00	....	39.29	39.89
“ “ Rough	44.00[2]	....	....	....	44.00[2]	44.00[1]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	121.12	....	....	....	121.12	90.00
Miscellaneous	49.73	60.15	41.25[1]	45.79	57.38	71.97
MISCELLANEOUS STOCK						
Silo Stock	....	58.00	....	....	58.00	58.00[2]
Grain Doors	33.00[3]	....	23.92	....	23.92	33.00[2]
Miscellaneous, B and B	97.80	117.40	92.95	89.63[1]	110.46	106.24
“ No. 1	61.27	84.92	55.44	52.39	58.68	56.81
“ No. 2	61.34	52.92	43.85	44.42	46.34	46.45
“ No. 3	38.50	36.91	35.95	35.00	35.97	39.20
Shorts B and B	71.50	100.00[3]	....	....	71.50	89.15
“ No. 1	39.00	45.00	....	....	39.38	42.19
“ No. 2	....	39.81	....	....	39.81	33.49
“ No. 3	....	34.00	....	....	34.00	36.65

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5 75	6.00	6.25	6.50	6.75	7 00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1 50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.49½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

May 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending May 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued May 18, 1920

No. 93

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

1

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	128.96	....	....	....	128.96	126.59
" " C "	118.82	....	....	....	118.82	119.75
" " D "	109.26	....	....	....	109.26	115.00[1]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	100.63	....	....	....	100.63	104.30
" " C "	88.50	....	....	....	88.50	....
" " D "	87.69	....	....	....	87.69	95.50
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	51.03	....	....	....	51.03	52.50
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	151.50[3]	....	151.50[3]	151.50[2]
Edge Grain, A "	....	....	141.60	156.35[1]	141.60	150.00
" " B "	....	135.00	137.36	144.17	139.42	141.16
" " B and Better "	....	132.10	....	140.00	134.13	127.53
" " C "	....	117.00	111.87[1]	133.30	132.00	111.87
" " D "	....	....	....	....	....	135.00[3]
" " No. 2 "	....	....	74.53	73.00	73.84	70.85
Flat " A "	....	....	....	....	....	....
" " B "	....	97.00	....	120.75[1]	97.00	120.75
" " B and Better "	....	98.50	102.76	95.00	102.25	104.52
" " C "	....	88.50	....	....	88.50	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	101.76[2]	84.17	99.00	86.79	95.84
No. 2 " "	....	50.00	45.34	49.20	47.33	47.91
No. 3 " "	....	....	32.91	22.75	27.83	33.78
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	134.50[2]	134.50[2]	134.50[1]
Edge Grain, A "	119.87	120.00[3]	131.00	136.50	128.13	135.84
" " B "	....	115.71	125.66	131.50	119.05	119.00
" " B and Better "	117.45	113.80	....	120.00	116.73	119.37
" " C "	100.00	110.00[2]	116.00	112.08	113.12	105.90
" " D "	105.00[2]	....	....	....	105.00[2]	105.00[1]
" " No. 2 "	....	....	71.00	....	71.00	81.00
Flat " A "	105.00	....	....	....	105.00	100.50
" " B "	100.00[1]	95.00	....	....	95.00	100.41
" " B and Better . "	93.58	94.41	91.17	94.83	93.08	95.37
" " C "	95.00[1]	84.16	....	....	84.16	95.00
" " D "	80.08	90.00[1]	....	90.00[3]	80.08	82.09
No. 1 Common "	50.00[3]	84.72	85.34	80.28	84.56	85.11
No. 2 " "	48.93	47.91	43.82	44.37	45.05	47.52
No. 3 " "	....	....	34.16	37 00	34.39	33.79
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	67.74	57.22	67.87	77.25	67.78	76.17
" " No. 1 Common	63.16	65.00	63.09	....	63.14	65.45
" " No. 2 "	44.75	....	40.34	....	41.77	45.00
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	75.72	79.62	74.27	80.00	75.43	77.40
" " No. 1 Common	68.26	70.00	69.81	70.85	69.41	71.94
" " No. 2 "	45.80	49.08[2]	41.75	42.50	42.66	46.47
" " No. 3 "	....	....	27.75	....	27.75	30.00
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	104.50	105.00[1]	89.96	....	100.13	95.72
" " No. 1 Common	94.94[1]	72.50	84.78	....	83.82	88.74
" " No. 2 "	59.00[1]	....	47.34	....	47.34	52.42
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	101.33[1]	96.00	108.45[3]	100.00	98.67	101.97
" " No. 1 Common	93.15[1]	....	98.84[3]	97.25[1]	94.67[1]	94.67
" " No. 2 "	....	60.00[2]	60.00[1]	....	60.00[1]	60.00
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	109.75	....	93.43	110.00	97.44	103.84
" " No. 1 Common	93.50[3]	67.50[1]	74.94	....	74.94	82.97
" " No. 2 "	....	53.50[3]	48.46	....	48.46	49.92
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	61.32	75.00[1]	76.30	52.00[3]	69.22	65.22
" No. 1 Common	57.50[1]	....	46.60	46.00[3]	46.60	57.50
" No. 2 "	....	....	34.25	46.10[2]	34.25	41.82

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	82.43	80.78	75.60	70.00	77.94	85.77
“ “ No. 1 Common	82.46	80.00	75.12	66.87[1]	75.72	74.68
“ “ No. 2 “	47.27	47.86	46.96	49.54	47.35	49.07
“ “ No. 3 “	....	....	32.03[1]	36.00[3]	32.03[1]	32.03
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	104.59	107.76	104.09	....	105.40	108.86
1x 6 inch, “	111.16	104.62	102.88	100.00[3]	108.68	107.82
1x 8 inch, “	108.73	102.20	101.42	108.50	104.40	112.78
1x 5 and 10 inch, “	112.20	104.63	109.55	....	110.23	113.38
1x12 inch, “	115.60	104.95	111.93	....	112.94	117.15
1¼x4 to 12 inch, “	118.04	111.00	122.05	125.00[3]	118.45	116.65
1½ and 2x4 to 12 inch, “	121.83	113.50	113.74	....	118.62	123.86
1⅝ inch, “	94.29	105.50[1]	....	....	94.29	104.25
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, C	97.00	....	99.50	....	98.67	90.00
1x 6 inch, “	98.50	98.00[1]	105.50	....	102.88	100.28
1x 8 inch, “	99.00	99.00[1]	105.50	....	103.33	94.74
1x 5 and 10 inch, “	96.50	91.00[1]	115.50	....	100.72	99.90
1x12 inch, “	105.00[2]	....	115.00	....	115.00	107.00
1¼x4 to 12 inch, “	111.00	....	115.00	....	114.00	110.00
1½ and 2x4 to 12 inch, “	102.12	....	115.00	....	108.25	101.65[1]
1⅝ inch, “	....	....	....	....	....	....
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	98.00	....	92.18	....	94.06	98.46
1x 6 inch, “ “	111.75	95.00	103.21	96.50[2]	102.12	103.98
1x 8 inch, “ “	115.50[1]	95.00	106.57	100.00[3]	105.84	109.37
1x 5 and 10 inch, “ “	115.50[1]	95.00	115.15	105.00[3]	112.50	109.75
1x12 inch, “ “	116.04	95.00	117.37	....	114.60	107.30
1¼x4 to 12 inch, “ “	121.12[2]	110.00[1]	115.65	....	115.65	105.85
1½ and 2x4 to 12 inch, “ “	111.00	....	118.75	....	118.32	121.41
1⅝ inch, “ “	....	110.25[2]	....	....	110.25[2]	110.25[1]
1x 6 to 12 inch, “ “	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	118.22	115.50	118.82	120.00[3]	118.34	119.69
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	119.17	114.29	118.81	120.00[3]	118.70	118.34
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	122.73	120.00[3]	127.68[1]	....	122.73	127.68
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	110.00[3]	....	....	....	100.00[3]	100.00[2]
“ “ “ “ “ 8 ft.	70.00	75.00	....	....	70.65	78.00
“ “ “ “ “ 12 and 14 ft.	105.50	95.00	....	....	95.50	120.00
“ “ “ “ “ 16 ft.	110.00[3]	120.00[1]	105.00[1]	....	105.00[1]	105.00
“ “ “ “ “ 9 or 18 ft.	104.52	100.00[1]	105.00[1]	....	104.52	104.46
“ “ “ “ “ 10 or 20 ft.	92.10	95.00	95.00	....	93.16	98.13

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	50.00	69.00[1]	61.00	....	60.00	69.77
“ “ “ “ “ 8 ft.	70.47	69.78[1]	75.00	....	72.04	67.32
“ “ “ “ “ 12 and 14 ft.	73.00	75.00[1]	....	....	73.00	75.00
“ “ “ “ “ 16 ft.	....	80.00[2]	80.00	....	80.00	80.00[1]
“ “ “ “ “ 9 or 18 ft.	71.00	84.88[1]	90.00	....	81.06	84.88
“ “ “ “ “ 10 or 20 ft.	72.28	70.00	85.00	....	73.58	66.66
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	50.00	69.00[1]	61.00	....	60.00	78.12
“ “ “ “ “ 8 ft.	68.25	69.78[1]	75.00	....	68.25	69.78
“ “ “ “ “ 12 and 14 ft.	65.00[2]	75.00[1]	....	....	75.00[1]	75.00
“ “ “ “ “ 16 ft.	75.06[1]	80.00[2]	80.00	....	80.00	75.06
“ “ “ “ “ 9 or 18 ft.	78.00	84.88[1]	90.00	....	78.00	80.50
“ “ “ “ “ 10 or 20 ft.	72.50	70.00	85.00	....	72.50	79.50
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	47.57	....	....	....	47.57	55.11
“ “ “ “ “ 10 to 20 ft.	52.25	49.07	....	....	51.48	49.00
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 9 & 18 ft.	....	60.50[3]	54.45[3]	....	54.93[3]	54.93[2]
“ “ “ “ 1¾ inch, 10 & 20 ft.	....	....	56.05[3]	....	56.05[3]	56.05[2]
“ “ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	54.83	....	54.83	55.00
“ “ “ “ 2 to 3 inch, 10 & 20 ft.	....	52.27[1]	54.83	....	54.83	52.27
“ No. 1, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft	55.09[3]	....	....	....	55.09[3]	55.09[2]
“ “ “ 2 to 3 inch, 9 & 18 ft.	52.68[3]	52.00[1]	....	40.00[3]	52.00[1]	52.00
“ “ “ 2 to 3 inch 10 & 20 ft.	....	52.00[1]	....	40.00[3]	52.00[1]	52.00
“ No. 2, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	39.10	39.10	....
“ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	....	41.00[2]	41.00[2]	41.00[1]
“ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	41.00[1]	41.00[1]	41.00
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	63.25	70.00[1]	....	....	63.25	64.90
“ “ “ “ other lengths.	66.15	60.81	87.02	73.56[1]	68.86	67.00
“ “ 1x10, “ 14 and 16 ft.	68.94	77.50[1]	96.50[1]	....	68.94	69.40
“ “ “ “ other lengths.	66.86	60.00	76.77	....	67.54	77.56
“ “ 1x12, “ 14 and 16 ft.	68.86	70.79	96.02	....	69.92	72.75
“ “ “ “ other lengths.	70.56	70.99	83.01	112.50	73.03	74.58
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	47.41	48.32	46.73	46.09	47.00	47.89
“ “ 1x10, “ “	45.27	47.09	46.51	44.00	46.02	48.01
“ “ 1x12, “ “	48.72	43.26	49.05	47.26	47.99	49.15
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	38.63	37.50	38.59	39.50[2]	38.58	39.00
“ “ 1x10, “ “	38.15	37.44	39.95	36.50[3]	38.42	36.83
“ “ 1x12, “ “	39.63	36.86	39.74	47.00[2]	38.97	41.27
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	46.82	55.16[1]	....	....	46.82	64.92
“ “ “ other lengths.	66.02	58.76	65.00	....	62.91	61.85
“ 1x10, “ 14 and 16 ft.	69.93	50.00[1]	....	....	69.93	55.45
“ “ “ other lengths.	69.71	54.25	....	....	68.54	52.12
“ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	46.39	44.01	45.89	44.08	45.64	48.42
“ 1x10, “ “	46.45	44.34	44.13	44.57	44.71	48.39
“ 1x12, “ “	51.32[3]	....	....	....	51.32[3]	51.32[2]
Shiplap, 1x 8, No. 3, all lengths.	40.58	39.36	37.29	36.25	38.32	40.13
“ 1x10, “ “	38.79	37.81	35.58	36.25	37.26	39.22
“ 1x12, “ “	42.50[1]	....	....	....	42.50[1]	42.50
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	63.71[1]	75.00[3]	....	....	63.71[1]	63.71
“ “ “ “ other lengths.	63.40	....	....	....	63.40	63.63
“ “ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ “ other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	18.75	....	19.64	....	19.51	19.62

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
1x4, S 1 S, No. 1, 16 ft.	69.89	67.00[1]	69.88[2]	....	69.89	65.91
" " " other lengths	67.97	53.90	85.18	65.00[2]	66.83	72.12
" " No. 2, all lengths	39.23	37.45	45.23	35.00	39.18	39.67
" " No. 3, "	36.69	31.25	38.02	....	36.73	35.86
1x4, C. M., No. 1, 16 ft.	71.57	....	....	....	71.57	71.00[3]
" " " other lengths	70.00	....	....	....	70.00	73.25
" " No. 2, all lengths	36.45	....	....	....	36.45	43.50
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	66.30	60.92	76.16	....	66.05	67.97
" " " other lengths	68.55	63.52	77.42	105.50[1]	67.78	68.72
" " No. 2, all lengths	45.46	43.35	48.77	47.50	46.28	45.40
" " No. 3, "	38.46	37.53	37.01	41.21[2]	37.90	39.52
1x6, C. M., No. 1, 16 ft.	56.80	....	....	....	56.80	71.50
" " " other lengths	65.78	70.00[1]	....	66.62	65.85	71.70
" " No. 2, all lengths	42.95	42.13	....	42.32	42.65	45.28
" " No. 3, "	38.50	33.27	....	37.00[2]	33.64	39.94
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	46.78	47.62	42.43	46.00	45.21	45.45
" " " 12 ft.	47.05	38.09	45.20	46.25[1]	44.59	46.26
" " " 14 ft.	46.65	45.05	44.58	46.00	45.81	45.94
" " " 16 ft.	48.99	43.20	45.48	46.00	46.04	47.73
" " " 18 ft.	48.99	47.24	46.87	49.25[1]	47.49	47.20
" " " 20 ft.	48.70	47.93	46.87	49.25[1]	48.23	47.83
" " " 22 ft.	50.82	51.15	....	....	51.03	51.05
" " " 24 ft.	50.91	50.87	....	....	50.88	50.34
2x 6, No. 1, S 1 S 1 E, 10 ft.	42.74	40.60	46.90	46.75[1]	42.75	42.96
" " " 12 ft.	44.16	41.40	40.60	44.75[1]	41.24	44.12
" " " 14 ft.	43.92	40.32	40.60	44.75[1]	42.06	44.01
" " " 16 ft.	45.51	41.16	45.83	46.75	44.16	44.56
" " " 18 ft.	43.26	43.03	46.90	47.75[1]	43.17	45.63
" " " 20 ft.	44.83	42.19	46.90	47.75[1]	43.86	45.31
" " " 22 ft.	47.81	47.44	48.75	....	48.20	49.57
" " " 24 ft.	47.27	48.37	48.75	....	47.80	47.58
2x 8, No. 1, S 1 S 1 E, 10 ft.	45.09	45.00	47.09	....	46.89	46.10
" " " 12 ft.	46.08	46.42	42.41	....	45.32	46.01
" " " 14 ft.	45.97	45.59	43.73	39.00[3]	45.36	45.75
" " " 16 ft.	47.36	43.87	45.53	39.00[3]	46.22	48.06
" " " 18 ft.	47.26	47.16	47.09	48.75	47.28	46.99
" " " 20 ft.	47.25	47.55	47.09	....	47.29	48.43
" " " 22 ft.	50.09	51.62	49.89	....	50.66	51.67
" " " 24 ft.	50.27	50.73	49.89	....	50.55	50.76
2x10, No. 1, S 1 S 1 E, 10 ft.	45.97	43.50	46.78	....	46.71	47.89
" " " 12 ft.	46.11	47.11	43.22	....	44.85	47.47
" " " 14 ft.	46.68	43.76	43.22	48.00	45.36	46.27
" " " 16 ft.	47.91	46.78	42.67	50.00[2]	45.14	48.44
" " " 18 ft.	48.75	47.47	46.78	49.25	48.36	45.77
" " " 20 ft.	48.96	46.92	46.78	49.25	48.04	45.62
" " " 22 ft.	50.79	48.30	50.42	46.00	49.67	50.72
" " " 24 ft.	51.38	48.78	50.42	....	49.16	52.44
2x12, No. 1, S 1 S 1 E, 10 ft.	49.06	50.00	49.03	....	49.32	52.05
" " " 12 ft.	48.01	46.88	46.13	....	46.97	47.97
" " " 14 ft.	47.41	46.43	46.13	....	47.27	49.01
" " " 16 ft.	51.69	46.67	45.11	39.25	47.38	50.90
" " " 18 ft.	50.34	48.72	49.03	50.57	50.12	50.47
" " " 20 ft.	50.82	49.66	49.03	52.00[2]	50.31	50.06
" " " 22 ft.	52.88	55.66	54.09	....	54.69	51.83
" " " 24 ft.	51.28	51.76	54.09	....	51.52	50.45
2x 4, No. 2, S 1 S 1 E, 10 ft.	43.05	44.67	44.74	....	44.43	43.81
" " " 12 ft.	43.55	42.73	46.22	39.00[2]	44.54	44.05
" " " 14 ft.	42.76	41.45	40.12	....	41.27	43.34
" " " 16 ft.	44.11	43.32	44.26	38.00[2]	43.98	44.42
" " " 18 ft.	45.38	44.14	42.37	41.00[2]	42.88	44.10
" " " 20 ft.	45.62	46.25	42.37	....	45.87	45.52
" " " 22 ft.	49.50[1]	48.00	....	....	48.00	49.50
" " " 24 ft.	49.63[3]	48.00	....	....	48.00	49.63[2]
2x 6, No. 2, S 1 S 1 E, 10 ft.	41.60	40.00[1]	43.45	....	43.31	41.20
" " " 12 ft.	40.48	39.05	41.48	....	40.99	39.79
" " " 14 ft.	40.54	36.87	41.48	37.50[2]	39.32	40.29
" " " 16 ft.	40.55	40.29	44.66	37.50[2]	42.08	40.73
" " " 18 ft.	42.39	41.07	42.42[1]	39.50[2]	41.97	41.94
" " " 20 ft.	42.83	39.41	42.42[1]	....	40.73	41.26
" " " 22 ft.	45.25[1]	42.18[2]	51.96[1]	....	50.84[1]	50.84
" " " 24 ft.	45.25[1]	42.18[2]	51.96[1]	....	45.25[1]	45.25

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
x 8, No. 2, S 1 S 1 E, 10 ft.	40.95	44 12[3]	40.05	....	40.14	44.56
" " " 12 ft.	41.45	36.75	47.28	....	44.76	42.11
" " " 14 ft.	40.35	40.38	45.70	38.00[2]	43.54	42.95
" " " 16 ft.	43.48	41.14	43.33	....	42.37	44.44
" " " 18 ft.	43.07	40 67	40.05	42.00[2]	42.45	44.97
" " " 20 ft.	44.52	40.65	40.05	42.00[2]	43.28	44.10
" " " 22 ft.	46.00[2]	48.00	49 90[2]	....	48.00	47 97[1]
" " " 24 ft.	48.00[2]	48.00	49.90[2]	....	48.00	48.00[1]
x10, No. 2, S 1 S 1 E, 10 ft.	42.28	42.50	44.01	....	43.70	43.13
" " " 12 ft.	42 88	41.73	44.02	...	43.41	42.66
" " " 14 ft.	43.81	39.62	44.02	....	40.86	42.61
" " " 16 ft.	43.41	39.42	43.57	44 33[2]	41.71	42.88
" " " 18 ft.	39.62	44 00	43.17[1]	47.75[2]	40.16	44.49
" " " 20 ft.	44 00	40.33	43 17[1]	47.75[2]	40.79	43.42
" " " 22 ft.	50 00[3]	....	44.00	52.71[2]	44.00	53.30[1]
" " " 24 ft.	50.00[3]	....	44.00	52.71[2]	44.00	53.30[1]
x12, No. 2, S 1 S 1 E, 10 ft.	44.50[2]	....	44.20	48.00[2]	44.20	44.98
" " " 12 ft.	44.15	42.59	44.05	46 00[2]	43.28	44.27
" " " 14 ft.	44 72	40.21	44.05	46.00[2]	42.62	43.22
" " " 16 ft.	46.35	42.10	43.98	48 90[2]	43.18	44.34
" " " 18 ft.	46.31	42.50	44.20	48.00[2]	44.81	45.90
" " " 20 ft.	45.83	41.04	44.20	48.00[2]	44.15	46.08
" " " 22 ft.	51.50[3]	50 00[2]	44.75	....	44.75	50 00[1]
" " " 24 ft.	....	50.00[2]	44.75	....	44.75	50.00[1]
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	31.70	31.00	29 95[2]	28.00[1]	31.57	31.64
PATENT LATH						
4 and 6 ft.	39.32	39.15	....	47.27[2]	39.27	40.50
8 and 10 ft.	40.94	41.00	....	....	40.94	40.99
12 ft. and longer	41.94	41.09[1]	....	....	41.94	41.39
PLASTERING LATH						
3/8x1½-4, No. 1	10.82	10.83	9.73	8.66	9.77	10.50
" No. 2	8.27	10.65[1]	7.73	5.24	7.07	9.30
3/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	48.36	45 58	44.05	34.91	44.87	46.13
" " 22-24 ft.	53.03	47.38	46.94	....	49.37	48.02
" " 26 ft.	45.50[1]	...	49.09	....	49.09	49.92
" " 28 ft.	53 44	....	49.09	....	53.44	50.36
" " 30 ft.	59.02	47.20	50.00	....	51.05	55.71
" " over 30 ft.	59 89	46 33	56.81	....	58.86	55.04
4x4 to 8x8, Heart (85%+), up to 20 ft.	51 03	51.40	....	....	51.10	52.32
" " " 22-24 ft.	60.57[2]	53.60	....	....	53.60	56.53
" " " 26 ft.	....	58.00[1]	....	....	58.00[1]	58 00
" " " 28 ft.	....	58.00[1]	....	....	58.00[1]	58.00
" " " 30 ft.	65.50	53 00	....	....	56.41	61.12
" " " over 30 ft.	67 59[3]	....	....	....	67.59[3]	57.59[3]
3 & 4x10, No. 1, up to 20 ft.	49.61	52 50	....	....	49.69	51.62
" " 22-24 ft.	52.03	52 42[1]	...	...	52.03	52 42
" " 26 ft.	51.50	58 00	....	...	52.47	56.60[1]
" " 28 ft.	54.35	58.50[2]	...	...	54.35	58 63[1]
" " 30 ft.	....	...	...	...	....	....
" " over 30 ft.	59.22	60.00	....	....	59.35	....
3 & 4x10, Heart (85%+), up to 20 ft.	54 21	54.70	....	....	54.40	53.33
" " " 22-24 ft.	62.50[1]	56.29[1]	....	...	57 53[1]	57 53
" " " 26 ft.	....	57 56[1]	....	...	57.56[1]	57.56
" " " 28 ft.	52.50	58.22[1]	....	....	52.50	58.22
" " " 30 ft.	...	58 00[3]	....	...	58 00[3]	58 00[2]
" " " over 30 ft.	65 00[1]	...	....	....	65.00[1]	65.00

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
6x10, to 10x10, No. 1, up to 20 ft.	45.25	46.87	49.01	....	46.93	50.20
“ “ 22-24 ft.	50.50[1]	46.83[1]	50.42	....	50.42	47.92
“ “ 26 ft.	50.50[3]	....	53.94	....	53.94	49.35
“ “ 28 ft.	49.00	....	53.94	....	49.00	49.35
“ “ 30 ft.	52.50[2]	63.00[1]	43.60	....	43.60	63.00
“ “ over 30 ft.	63.00	....	58.12	....	60.84	55.62
6x10 to 10x10, Heart (85%+), up to 20 ft.	54.25[1]	55.00	....	....	55.00	53.58
“ “ “ 22-24 ft.	67.25[2]	54.75[1]	....	....	54.75[1]	54.75
“ “ “ 26 ft.	....	....	....	....	....	53.00[3]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	59.25[1]	....	....	59.25[1]	59.25
“ “ “ over 30 ft.	65.00[1]	....	....	....	65.00[1]	65.00
3 & 4x12, No. 1, up to 20 ft.	48.81	53.75	....	....	50.19	54.28
“ “ 22 24 ft.	52.25	52.00	....	....	52.22	55.47
“ “ 26 ft.	....	58.00[1]	....	....	58.00[1]	58.00
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	59.54	60.00[1]	....	....	59.54	60.00
“ “ over 30 ft.	63.60	....	....	....	63.60	68.43[1]
3 & 4x12, Heart (85%+), up to 20 ft.	60.50[2]	56.95	....	....	56.95	56.01
“ “ “ 22-24 ft.	69.25[3]	57.00	....	....	57.00	56 96
“ “ “ 26 ft.	....	....	....	....	....	56.00[3]
“ “ “ 28 ft.	....	....	....	....	....	55.71[3]
“ “ “ 30 ft.	....	65.25[1]	....	....	65.25[1]	65.25
“ “ “ over 30 ft.	....	....	....	....	....	60.00[3]
6x12 to 12x12, No. 1, up to 20 ft.	51.99	55.82[1]	52.95	....	52.68	54.43
“ “ 22-24 ft.	51.50[1]	56.00[1]	54.22	....	54.22	53.95
“ “ 26 ft.	56.50	57.67[3]	59.13	....	57.04	59.02
“ “ 28 ft.	59.25[3]	....	59.13	....	59.13	59.02
“ “ 30 ft.	49.00	....	61.86	....	61.67	60.33
“ “ over 30 ft.	63.55	62.00	63.00	....	63.50	58.82
6x12 to 12x12, Heart (85%+), up to 20 ft.	55.50	60.00	....	....	57.68	58.16
“ “ “ 22-24 ft.	58.50	56.26[1]	....	....	58.50	56.26
“ “ “ 26 ft.	58.50	59.33[1]	....	....	58.50	59.33
“ “ “ 28 ft.	....	61.25[1]	....	....	61.25[1]	61.25
“ “ “ 30 ft.	....	60.00[1]	....	....	60.00[1]	60.00
“ “ “ over 30 ft.	72.00[1]	82.63[1]	....	....	72.40[1]	72.40
2x14 to 4x14, No. 1, up to 20 ft.	65.40	56.92	....	....	60.58	56.74
“ “ 22-24 ft.	73.00	57.75[1]	....	....	73.00	57.75
“ “ 26 ft.	55.25[3]	57.70[2]	....	....	57.70[2]	57.70[1]
“ “ 28 ft.	....	58.50	....	....	58.50	59.76[1]
“ “ 30 ft.	64.50[2]	61.00[2]	....	....	63.92[1]	63.92
“ “ over 30 ft.	65.50[3]	65.00[3]	....	....	65.26[3]	65.26[2]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	57.69	65.00	62.25	....	58.06	60.98
“ “ 22-24 ft.	59.25	60.00[1]	64.75	....	61.41	60.54
“ “ 26 ft.	....	....	62.72[2]	....	62.72[2]	62.72[1]
“ “ 28 ft.	60.50	....	62.72[2]	....	60.50	62.72[1]
“ “ 30 ft.	59.00[2]	....	71.05	....	71.05	59.00[1]
“ “ over 30 ft.	68.50	65.00[2]	75.00[2]	....	68.50	73.89[1]
6x14 to 14x14, Heart (85%+), up to 20 ft.	75.25[3]	....	75.00[2]	....	75.00[2]	75.00[1]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	77.25[1]	....	....	77.25[1]	77.25
2x16 to 4x16, No. 1, up to 20 ft.	69.00[2]	....	....	....	69.00[2]	69.00[1]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
6x16 & Up, No. 1, up to 20 ft.	64.05	71.67[1]	56.93	....	54.89	67.60
“ “ 22-24 ft.	59.25	....	70.19	....	60.47	68.50
“ “ 26 ft.	59.25	....	70.44[2]	....	59.25	67.50
“ “ 28 ft.	....	....	70.44[2]	....	70.44[2]	70.44[1]
“ “ 30 ft.	59.25	....	76.00	....	74.25	71.34[2]
“ “ over 30 ft.	75.50	....	81.00	....	77.62	78.67[1]
6x16 & Up, Heart (85%+), up to 20 ft.	....	60.07[1]	....	....	60.07[1]	60.07
“ “ “ 22-24 ft.	74.50	62.00[1]	....	....	74.50	62.00
“ “ “ 26 ft.	74.50	....	....	....	74.50	....
“ “ “ 28 ft.	63.50	....	....	....	63.50	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	60.00[1]	....	....	....	60.00[1]	60.00
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	60.00[2]	....	....	....	60.00[2]	60.00[1]
“ “ 22-24 ft.	62.00[2]	....	....	....	62.00[2]	62.00[1]
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	65.28[2]	71.50	....	....	71.50	65.28[1]
“ “ 30 ft.	....	....	....	....	....	....
“ “ 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	....	60.00[1]	....	....	60.00[1]	60.00
“ “ “ 22-24 ft.	82.00	62.00[1]	....	....	82.00	62.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	71.50	65.97	....	....	71.50	65.82
“ “ “ 30 ft.	84.64[3]	....	....	....	84.64[3]	84.64[2]
“ “ “ 32 ft.	....	69.00[1]	....	....	69.00[1]	69.00
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	54.09	50.00[2]	54.09	52.31
“ “ “ 36 ft.	55.00	55.30[1]	54.09	50.00	54.53	56.00
“ “ “ 37-38 ft.	63.50[1]	57.43[1]	58.44	55.00[1]	58.44	56.65
“ “ “ 40 ft.	63.50[1]	60.67[1]	61.54	....	61.54	60.41
“ “ “ 41-42 ft.	63.50[1]	59.96[1]	....	....	59.96[1]	59.96
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	54.50[1]	60.00	53.76	....	54.35	57.28
“ “ “ 36 ft.	59.50	56.00[1]	53.76	55.00	55.83	60.17
“ “ “ 37-38 ft.	....	59.17[1]	65.46	....	65.46	59.25
“ “ “ 40 ft.	63.50[1]	63.00[1]	65.46	....	65.46	63.34
“ “ “ 41-42 ft.	63.50[1]	....	....	....	63.50[1]	63.50
Up to 10 inch, Heart, (85%+), 34 ft.	62.15[1]	....	....	....	62.15[1]	62.15
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	60.50[1]	....	....	....	60.50[1]	60 50
“ “ “ “ 41-42 ft.	60.50[1]	....	....	....	60.50[1]	60.50
Up to 12 inch, Sq. E., 34 ft.	63.50[1]	....	58 99	....	58.99	63.53
“ “ “ 36 ft.	63.50[1]	65.68[1]	58.99	65.00	65.00	65 09
“ “ “ 37-38 ft.	64.53[1]	61.66[1]	65.00	....	65.00	65 62
“ “ “ 40 ft.	65.64[1]	70.39[1]	67.00	....	67.00	69 22
“ “ “ 41-42 ft.	65.64[1]	....	....	60.00	60.00	65.64
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	68.25	....	....	....	68.25	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
" " " 36 ft.	63.50[1]	64.67[1]	....	72.00[1]	67.55[1]	67.55
" " " 37-38 ft.	....	67.50[1]	68.27[1]	....	68.17[1]	68.17
" " " 40 ft.	70.50[1]	69.00[1]	68.27[1]	75.00[3]	69.57[1]	69.57
" " " 41-42 ft.	70.50[1]	70.00[1]	....	....	70.00[1]	70 00
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	60.00[1]	....	67.00[3]	60.00[1]	60.00
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	68.50[3]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	60.00[2]	59.18[1]	....	....	59.18[1]	59.18
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft	....	....	....	....	....	....
" " " 14 ft.	....	60.00[1]	....	....	60.00[1]	60.00
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	44.62	....	....	....	44.62	45.35
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	....	45.50	....	....	45.50	56.66
" " Heart, (85%+), 6x8–8	55.63[1]	52.00[3]	....	....	55.63[1]	55.63
" " Sq. E., " 7x9–8	....	....	....	....	....	....
" " Heart, " 7x9–8	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up	58.00[2]	....	....	....	58.00[2]	58.00[1]
" " Heart,	52.78	....	....	....	52.78	58.50[3]
Paving Stock, S 1 S	....	43.00	35.00	....	41.32	39.29
" " Rough	42.73	40.00	....	....	42.50	44.00[2]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	139.50	....	....	....	139.50	121.12
Miscellaneous	49.91	66.63	41.25[2]	45.79[1]	51.54	57.38
MISCELLANEOUS STOCK						
Silo Stock	....	58.00[1]	56.50	....	56.50	58.00
Grain Doors	37.50	....	23.92[1]	....	37.50	23.92
Miscellaneous, B and B	120.37	118.19	92.95[1]	102.84	113.78	110.46
" No. 1	65.20	70.64	47.00	68.68	55.10	58.68
" No. 2	52.70	36.99	43.86	43.29	43.85	46.34
" No. 3	26.67	33.50	33.34	39.17	33.06	35.97
Shorts B and B	75.37	80.00	....	....	76.17	71.50
" No. 1	37.73	38.97	....	....	37.80	39.38
" No. 2	....	33.77	....	....	33.77	39.81
" No. 3	....	37.00	....	....	37.00	34.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3 00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

May 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending May 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued May 29, 1920

No. 94

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″	....	....	....	....	....	....
Edge Grain, A “	....	....	....	....	....	....
“ “ B “	....	....	....	..	....	....
“ “ B and Better “	129.24	....	....	....	129.24	128.96
“ “ C “	118.82[1]	....	....	....	118.82[1]	118.82
“ “ D “	93.25	....	....	....	93.25	109.26
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	91.78	....	....	....	91.78	100.63
“ “ C “	88.50[1]	....	....	....	88.50[1]	88.50
“ “ D “	73.75	....	....	....	73.75	87.69
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	55.00	....	....	....	55.00	51.03
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″	....	....	....	117.75	117.75	151.50[3]
Edge Grain, A “	....	....	140.44	156.35[2]	140.44	141.60
“ “ B “	....	135.00[1]	135.37	142.50	136.49	139.42
“ “ B and Better “	....	112.21	....	140.00[1]	112.21	134.13
“ “ C “	....	82.50	116.88	133.30[1]	114.97	132.00
“ “ D “	....	....	....	....	....	....
“ “ No. 2 “	....	....	74.53[1]	78.00	78.00	73.84
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	97.00[1]	....	112.25	112.25	97.00
“ “ B and Better “	....	92.50	93.85	100.88	95.50	102.25
“ “ C “	....	88.50[1]	....	....	88.50[1]	88.50
“ “ D “	....	....	....	....	....	....
No. 1 Common “	....	101.76[3]	86.97	77.90	82.85	86.79
No. 2 “ “	....	50.00[1]	47.81	49.20[1]	47.81	47.33
No. 3 “ “	....	....	41.87	32.00	37.79	27.83
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″	....	....	....	134.50[3]	134.50[3]	134.50[2]
Edge Grain, A “	119.87[1]	125.00	131.00[1]	136.27	133.27	128.13
“ “ B “	....	120.00	124.74	131.50	125.69	119.05
“ “ B and Better “	119.27	110.42	100.25	139.25	110.65	116.73
“ “ C “	100.00[1]	110.00[3]	108.96	122.50	110.46	113.12
“ “ D “	105.00[3]	....	....	....	105.00[3]	105.00[2]
“ “ No. 2 “	....	....	81.00	....	81.00	71.00
Flat “ A “	105.00[1]	105.00	....	....	105.00	105.00
“ “ B “	100.00[2]	95.00[1]	....	....	95.00[1]	95.00
“ “ B and Better “	88.18	83.27	85.74	105.50	84.66	93.08
“ “ C “	87.91	90.00	....	....	88.45	84.16
“ “ D “	76.96	90.00[2]	....	....	76.96	80.08
No. 1 Common “	....	80.79	78.51	78.00	78.46	84.56
No. 2 “ “	44.53	47.91[1]	42.65	40.33	43.09	45.05
No. 3 “ “	....	....	34.51	28.69	33.75	34.39
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	79.00	70.00	64.39	77.25	64.91	67.78
“ “ No. 1 Common	63.16[1]	65.00	59.83	....	59.98	63.14
“ “ No. 2 “	44.75[1]	....	37.51	....	37.51	41.77
“ “ No. 3 “	....	....	24.00	....	24.00	....
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	74.80	72.56	73.88	90.00	73.80	75.43
“ “ No. 1 Common	70.24	68.03	70.22	70.85[1]	69.70	69.41
“ “ No. 2 “	43.26	47.00	42.52	35.00	42.37	42.66
“ “ No. 3 “	....	....	27.00	....	27.00	27.75
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	104.50[1]	105.00[2]	90.07	....	90.07	100.13
“ “ No. 1 Common	94.94[2]	72.50[1]	86.08	....	86.08	83.82
“ “ No. 2 “	59.00[2]	49.00	47.34[1]	....	49.00	47.34
“ “ No. 3 “	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	101.33[2]	96.00[1]	....	103.16	103.16	98.67
“ “ No. 1 Common	77.00	....	....	97.25[2]	77.00	94.67[1]
“ “ No. 2 “	....	60.00[3]	60.00[2]	....	60.00[2]	60.00[1]
Partition, ¾x5¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	109.75[1]	....	100.31	110.00[1]	100.31	97.44
“ “ No. 1 Common	....	67.50[2]	94.24	....	94.24	74.94
“ “ No. 2 “	....	....	45.65	....	45.65	48.46
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	63.26	75.00[2]	50.00	....	55.75	69.22
“ No. 1 Common	57.50[2]	....	63.00	....	63.00	46.60
“ No. 2 “	....	....	53.13	46.10[3]	53.13	34.25

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	74.74	83.90	77.20	72.00	76.26	77.94
" " No. 1 Common	73.08	78.00	71.75	65.00	71.66	75.72
" " No. 2 "	44.97	50.04	44.05	41.50	44.15	47.35
" " No. 3 "	....	....	32.60	36.00	33.20	32.03[1]
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	101.50	103.06	92.84	....	97.00	105.40
1x 6 inch, "	103.57	100.22	101.02	103.75	102.10	108.68
1x 8 inch, "	102.52	100.10	98.04	118.55	100.68	104.40
1x 5 and 10 inch, "	105.65	102.85	109.06	113.90	106.06	110.23
1x12 inch, "	106.58	103.17	111.26	118.65	107.94	112.94
1¼x4 to 12 inch, "	113.60	113.50	105.89	109.00	111.80	118.45
1½ and 2x4 to 12 inch, "	116.52	113.50[1]	115.01	....	115.51	118.62
1⅝ inch, "	96.34	100.53	....	....	97.88	94.29
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	97.00[1]	....	99.50[1]	....	98.67[1]	98.67
1x 6 inch, "	98.00	98.00[2]	105.50[1]	....	98.00	102.88
1x 8 inch, "	100.00	101.00	105.50[1]	....	100.50	103.33
1x 5 and 10 inch, "	101.00	101.00	115.50[1]	....	101.00	100.72
1x12 inch, "	105.00	105.00	115.00[1]	....	105.00	115.00
1¼x4 to 12 inch, "	114.00	....	115.00[1]	....	114.00	114.00
1½ and 2x4 to 12 inch, "	108.75	....	115.00[1]	....	108.75	108.25
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	98.00[1]	....	96.24	....	96.24	94.06
1x 6 inch, " "	98.44	95.00[1]	97.09	92.50	97.34	102.12
1x 8 inch, " "	100.27	95.00[1]	99.94	93.50	98.40	105.84
1x 5 and 10 inch, " "	110.00	95.00[1]	104.26	....	105.22	112.50
1x12 inch, " "	100.27	95.00[1]	110.86	....	105.44	114.60
1¼x4 to 12 inch, " "	121.12[3]	110.00[2]	106.25	....	106.25	115.65
1½ and 2x4 to 12 inch, " "	110.00	....	92.27	....	92.80	118.32
1⅝ inch, " "	....	110.25[3]	....	....	110.25[3]	110.25[2]
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	115.39	113.81	119.69	....	116.77	118.34
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	115.55	114.25	116.34	....	115.66	118.70
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	118.00	....	138.17	....	120.65	122.73
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	74.75	....	....	74.75	100.00[3]
" " " " " 8 ft.	74.65	75.00	....	....	74.80	70.65
" " " " " 12 and 14 ft.	105.50[1]	105.00	....	....	105.00	95.50
" " " " " 16 ft.	74.25	120.00[2]	105.00[2]	....	74.25	105.00[1]
" " " " " 9 or 18 ft.	89.25	105.00	105.00[2]	....	92.89	104.52
" " " " " 10 or 20 ft.	91.66	90.50	95.00[1]	....	91.38	93.16

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
ing, Lining and Roofing, 1x4, No. 1, 5 ft.	50.00[1]	69.00[2]	61.00[1]	....	60.00[1]	60.00
" " " " 8 ft.	70.47[1]	69.78[2]	75.00	....	75.00	72.04
" " " " 12 and 14 ft.	73.00[1]	75.00[2]	....	....	73.00[1]	73.00
" " " " 16 ft.	....	80.00[3]	80.00[1]	....	80.00[1]	80.00
" " " " 9 or 18 ft.	72.63	84.88[2]	71.00	....	71.64	81.06
" " " " 10 or 20 ft.	75.25	70.00[1]	81.66	....	77.80	73.58
ing, Lining and Roofing, 1x6, No. 1, 5 ft.	50.00[1]	69.00[2]	61.00[1]	....	50.00[1]	50.00
" " " " 8 ft.	68.25[1]	69.78[2]	75.00	....	75.00	68.25
" " " " 12 and 14 ft.	65.00[3]	75.00[2]	....	....	75.00[2]	75.00[1]
" " " " 16 ft.	66.86	80.00[3]	80.00[1]	....	66.86	80.00
" " " " 9 or 18 ft.	70.09	84.88[2]	71.00	....	70.09	78.00
" " " " 10 or 20 ft.	72.50[1]	70.00[1]	81.66	....	81.66	72.50
ing, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	50.32	....	....	....	50.32	47.57
" " " " 10 to 20 ft.	43.25	42.00	....	....	42.13	51.48
king, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	54.93[3]
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	56.05[3]
" " " " 2 to 3 inch, 9 & 18 ft.	....	....	52.31	....	52.31	54.83
" " " " 2 to 3 inch, 10 & 20 ft.	....	58.00	52.31	....	58.00	54.83
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	......	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	52.50	....	....	....	52.50	55.09[3]
" " " 2 to 3 inch, 9 & 18 ft.	....	52.00[2]	....	....	52.00[2]	52.00[1]
" " " 2 to 3 inch 10 & 20 ft.	....	52.00[2]	....	....	52.00[2]	52.00[1]
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	39.10[1]	39.10[1]	39.10
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	41.00[3]	41.00[3]	41.00[2]
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	41.00[2]	41.00[2]	41.00[1]
DARDS, SHIPLAP AND GROOVED ROOFING						
rds, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	61.43	70.00[2]	....	....	61.43	63.25
" " " other lengths.	64.33	65.64	80.95	72.50	67.33	68.86
" 1x10, " 14 and 16 ft.	60.76	60.00	96.50[2]	....	60.43	68.94
" " " other lengths.	55.40	69.86	76.28	....	68.79	67.54
" 1x12, " 14 and 16 ft.	69.46	77.00	96.02[1]	....	69.70	69.92
" " " other lengths.	71.72	66.79	81.17	112.50[1]	72.88	73.03
rds, S 1 S or S 2 S, 1x 8, No. 2, all lengths	43.74	43.65	41.49	42.96	42.48	47.00
" 1x10, " "	42.67	38.62	43.19	45.00	42.79	46.02
" 1x12, " "	46.24	45.47	47.06	42.54	46.02	47.99
rds, S 1 S or S 2 S, 1x 8, No. 3, all lengths	38.11	32.64	35.99	39.50[3]	34.26	38.58
" 1x10, " "	38.50	35.15	36.10	....	36.72	38.42
" 1x12, " "	34.17	33.12	37.37	47.00[3]	36.07	38.97
plap, 1 x 8, No. 1, 14 and 16 ft.	61.75	50.89	....	....	55.10	46.82
" " other lengths.	60.94	56.46	86.75	....	60.09	62.91
1x10, " 14 and 16 ft.	69.93[1]	50.00[2]	....	....	69.93[1]	69.93
" " other lengths.	60.00	55.00	67.62	....	58.06	68.54
1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " other lengths.	....	....	....	....	....	....
plap, 1x 8, No. 2, all lengths	43.72	43.50	43.14	42.15	43.35	45.64
1x10, " "	41.77	44.44	42.23	42.00	42.50	44.71
1x12, " "	....	....	....	....	....	51.32[3]
plap, 1x 8, No. 3, all lengths	37.85	37.61	36.77	35.00	36.86	38.32
1x10, " "	35.98	38.63	41.04	36.25[1]	38.26	37.26
1x12, " "	42.50[2]	....	....	....	42.50[2]	42.50[1]
oved Roofing, 1x10, No. 1, 14 and 16 ft.	65.25	....	....	....	65.25	63.71[1]
" " " " other lengths.	64.42	....	....	....	64.42	63.40
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
No. 4—all widths and lengths	16.61	....	21.14	....	19.82	19.51

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
1x4, S 1 S, No. 1, 16 ft.	61.69	49.75	69.88[3]	....	53.18	69.89
" " " other lengths	64.44	65.50	84.72	65.00[3]	66.78	66.83
" " No. 2, all lengths	38.00	37.07	39.45	33.50	37.71	39.18
" " No. 3, "	35.40	32.22	32.48	....	34.50	36.73
1x4, C. M., No. 1, 16 ft.	71.57[1]	....	....	....	71.57[1]	71.57
" " " other lengths	77.08	....	....	....	77.08	70.00
" " No. 2, all lengths	41.48	....	....	....	41.48	36.45
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	63.10	59.33	85.50	....	63.44	66.05
" " " other lengths	62.81	69.32	71.01	68.54	69.16	67.78
" " No. 2, all lengths	42.97	41.26	41.93	47.50[1]	42.21	46.28
" " No. 3, "	35.43	33.32	33.24	41.21[3]	34.40	37.90
1x6, C. M., No. 1, 16 ft.	51.16	59.00	....	....	52.14	56.80
" " " other lengths	65.89	55.25	....	66.62[1]	65.41	65.85
" " No. 2, all lengths	41.89	40.41	....	39.83	41.63	42.65
" " No. 3, "	38.05	34.88	....	37.00[3]	37.26	33.64
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	43.71	46.26	42.62	46.00[1]	44.31	45.21
" " " 12 ft.	44.34	45.62	43.43	40.00	44.31	44.59
" " " 14 ft.	44.42	44.83	44.27	46.00[1]	44.42	45.81
" " " 16 ft.	45.92	46.83	40.43	40.00	43.23	46.04
" " " 18 ft.	46.36	46.59	41.97	49.25[2]	45.44	47.49
" " " 20 ft.	45.30	46.49	41.97	49.25[2]	45.74	48.23
" " " 22 ft.	47.13	49.92	....	....	49.02	51.03
" " " 24 ft.	47.05	42.53	....	....	45.07	50.88
2x 6, No. 1, S 1 S 1 E, 10 ft.	41.11	41.50	41.50	46.75[2]	41.46	42.75
" " " 12 ft.	41.94	39.61	39.87	38.50	39.90	41.24
" " " 14 ft.	41.60	39.26	39.87	38.50	41.10	42.06
" " " 16 ft.	44.28	42.10	42.00	38.50	43.27	44.16
" " " 18 ft.	43.31	43.53	41.50	47.75[2]	43.36	43.17
" " " 20 ft.	42.30	41.46	41.50	47.75[2]	42.12	43.86
" " " 22 ft.	46.06	46.38	40.37	....	45.30	48.20
" " " 24 ft.	45.60	46.03	40.37	....	45.75	47.80
2x 8, No. 1, S 1 S 1 E, 10 ft.	43.12	45.00	41.76	....	41.91	46.89
" " " 12 ft.	43.28	43.43	41.14	39.50	42.57	45.32
" " " 14 ft.	43.02	43.18	40.74	37.91	42.26	45.36
" " " 16 ft.	43.80	44.06	44.94	....	43.98	46.22
" " " 18 ft.	46.40	47.54	41.76	48.75	47.13	47.28
" " " 20 ft.	44.85	47.15	41.76	....	46.09	47.29
" " " 22 ft.	47.22	49.33	45.36	....	48.01	50.66
" " " 24 ft.	47.29	48.25	45.36	....	47.77	50.55
2x10, No. 1, S 1 S 1 E, 10 ft.	45.97[1]	43.50[1]	40.33	....	40.33	46.71
" " " 12 ft.	43.09	45.74	43.08	....	44.20	44.85
" " " 14 ft.	43.43	45.72	43.08	48.00[1]	45.19	45.36
" " " 16 ft.	46.51	47.67	42.02	50.00[3]	45.66	45.14
" " " 18 ft.	46.43	45.96	40.33	49.25	46.12	48.36
" " " 20 ft.	43.72	45.73	40.33	49.25	45.19	48.04
" " " 22 ft.	51.75	49.07	49.00	46.00[1]	49.10	49.67
" " " 24 ft.	49.16	49.78	49.00	....	49.61	49.16
2x12, No. 1, S 1 S 1 E, 10 ft.	47.35	47.00	44.89	....	45.20	49.32
" " " 12 ft.	45.27	46.49	43.36	....	44.90	46.97
" " " 14 ft.	45.87	43.92	43.36	....	45.05	47.27
" " " 16 ft.	48.48	48.57	46.14	39.25[1]	47.69	47.38
" " " 18 ft.	47.67	50.18	44.89	51.25	49.22	50.12
" " " 20 ft.	46.92	50.42	44.89	52.00[3]	48.14	50.31
" " " 22 ft.	46.73	51.00	51.07	....	50.11	54.69
" " " 24 ft.	46.93	49.50	51.07	....	47.19	51.52
2x 4, No. 2, S 1 S 1 E, 10 ft.	40.49	47.38	44.34	....	42.20	44.43
" " " 12 ft.	41.17	40.14	43.27	39.00[3]	42.01	44.54
" " " 14 ft.	40.47	40.34	42.30	....	41.05	41.27
" " " 16 ft.	43.20	44.87	39.56	38.00[3]	40.31	43.98
" " " 18 ft.	43.00	45.56	41.79	41.00[3]	42.47	42.88
" " " 20 ft.	44.44	51.25	41.79	....	45.24	45.87
" " " 22 ft.	49.50[2]	48.00[1]	....	....	48.00[1]	48.00
" " " 24 ft.	....	48.00[1]	....	....	48.00[1]	48.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	40.42	40.00[2]	36.93	....	35.73	43.31
" " " 12 ft.	36.18	36.84	32.83	....	33.04	40.99
" " " 14 ft.	38.36	38.36	32.83	37.50[3]	38.36	39.32
" " " 16 ft.	40.18	40.74	34.05	37.50[3]	35.63	42.08
" " " 18 ft.	39.08	39.71	36.93	39.50[3]	39.35	41.97
" " " 20 ft.	39.98	41.00	36.93	....	40.48	40.73
" " " 22 ft.	45.25[2]	43.57	41.00	....	43.42	50.84[1]
" " " 24 ft.	45.25[2]	43.57	41.00	....	43.42	45.25[1]

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	39.46	....	40.89	....	40.86	40.14
" " " 12 ft.	39.24	40.13	41.86	....	39.91	44.76
" " " 14 ft.	37.87	41.00	39.87	38.00 [3]	39.53	43.54
" " " 16 ft.	43.50	41.35	42.44	....	42.22	42.37
" " " 18 ft.	41.52	45.00	40.89	42.00 [3]	42.63	42.45
" " " 20 ft.	42.32	42.60	40.89	42.00 [3]	42.46	43.28
" " " 22 ft.	46.00 [3]	48.00 [1]	42.61	....	42.61	48.00
" " " 24 ft.	48.00 [3]	48.00 [1]	42.61	....	42.61	48.00
2x10, No. 2, S 1 S 1 E, 10 ft.	42.28 [1]	42.75	42.68	....	42.68	43.70
" " " 12 ft.	43.78	39.50	43.55	....	42.70	43.41
" " " 14 ft.	43.00	41.25	43.55	....	41.60	40.86
" " " 16 ft.	44.96	41.70	39.98	44.33 [3]	41.34	41.71
" " " 18 ft.	44.46	41.95	42.68	47.75 [3]	43.76	40.16
" " " 20 ft.	42.94	43.00	42.68	47.75 [3]	42.97	40.79
" " " 22 ft.	....	....	44.00 [1]	52.71 [3]	44.00 [1]	44.00
" " " 24 ft.	....	....	44.00 [1]	52.71 [3]	44.00 [1]	44.00
2x12, No. 2, S 1 S 1 E, 10 ft.	44.50 [3]	....	40.32	48.00 [3]	40.32	44.20
" " " 12 ft.	41.45	42.75	43.75	46.00 [3]	42.75	43.28
" " " 14 ft.	42.24	42.42	43.75	46.00 [3]	42.35	42.62
" " " 16 ft.	40.65	42.33	43.98 [1]	48.90 [3]	41.72	43.18
" " " 18 ft.	41.94	46.75	40.32	48.00 [3]	42.41	44.81
" " " 20 ft.	47.66	40.96	40.32	48.00 [3]	42.27	44.15
" " " 22 ft.	....	50.00 [3]	44.75 [1]	....	44.75 [1]	44.75
" " " 24 ft.	....	50.00 [3]	44.75 [1]	....	44.75 [1]	44.75
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	30.15	28.83	29.95 [3]	28.00 [2]	29.14	31.57
PATENT LATH						
4 and 6 ft.	39.24	39.85	41.71	47.27 [3]	40.42	39.27
8 and 10 ft.	41.38	41.00 [1]	....	....	41.38	40.94
12 ft. and longer	44.00	41.09 [2]	....	....	44.00	41.94
PLASTERING LATH						
⅜x1½-4, No. 1	6.15	11.00	8.80	7.90	7.51	9.77
" No. 2	6.90	10.65 [2]	6.66	5.73	6.19	7.07
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	64.23	46.03	42.37	34.91 [1]	53.93	44.87
" " 22-24 ft.	50.95	47.38 [1]	45.86	....	47.19	49.37
" " 26 ft.	45.50 [2]	....	50.63	....	50.63	49.09
" " 28 ft.	57.29	....	50.63	....	57.29	53.44
" " 30 ft.	54.50	47.20 [1]	50.50	....	52.52	51.05
" " over 30 ft.	58.11	46.33 [1]	57.22	....	57.78	58.86
4x4 to 8x8, Heart (85%+), up to 20 ft.	53.16	51.75	....	....	52.79	51.10
" " " 22-24 ft.	49.05	50.00	....	....	49.51	53.60
" " " 26 ft.	....	58.00 [2]	....	....	58.00 [2]	58.00 [1]
" " " 28 ft.	....	58.00 [2]	....	....	58.00 [2]	58.00 [1]
" " " 30 ft.	65.50 [1]	53.00 [1]	....	....	56.41 [1]	56.41
" " " over 30 ft.	....	....	....	....	....	67.59 [3]
3 & 4x10, No. 1, up to 20 ft.	49.31	52.50 [1]	....	....	49.31	49.69
" " 22-24 ft.	47.08	52.42 [2]	....	....	47.08	52.03
" " 26 ft.	54.48	58.00 [1]	....	....	54.48	52.47
" " 28 ft.	54.21	58.50 [3]	....	....	54.21	54.35
" " 30 ft.	54.00	....	....	....	54.00	....
" " over 30 ft.	49.50	60.00 [1]	....	....	49.50	59.35
3 & 4x10, Heart (85%+), up to 20 ft.	50.61	52.00	....	54.20	51.72	54.40
" " " 22-24 ft.	62.50 [2]	56.29 [2]	....	55.00	55.00	57.53 [1]
" " " 26 ft.	....	57.56 [2]	....	....	57.56 [2]	57.56 [1]
" " " 28 ft.	52.50 [1]	58.22 [2]	....	....	52.50 [1]	52.50
" " " 30 ft.	....	....	....	....	....	58.00 [3]
" " " over 30 ft.	65.00 [2]	....	....	....	65.00 [2]	65.00 [1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
6x10, to 10x10, No. 1, up to 20 ft.	50.42	49.67	46.62	....	48.25	46.93
“ “ 22-24 ft.	47.11	46.83[2]	52.07	....	47.79	50.42
“ “ 26 ft.	45.50	51.00	53.78	....	50.56	53.94
“ “ 28 ft.	49.00[1]	....	53.78	....	53.78	49.00
“ “ 30 ft.	52.50[3]	63.00[2]	55.63	....	55.63	43.60
“ “ over 30 ft.	63.00[1]	....	55.63	....	55.63	60.84
6x10 to 10x10, Heart (85%+), up to 20 ft.	59.50	56.00	....	....	59.05	55.00
“ “ “ 22-24 ft.	60.50	54.75[2]	....	....	60.50	54.75[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	59.25[2]	....	....	59.25[2]	59.25[1]
“ “ “ over 30 ft.	65.00[2]	....	....	....	65.00[2]	65.00[1]
3 & 4x12, No. 1, up to 20 ft.	54.56	51.04	....	40.00	51.43	50.19
“ “ 22 24 ft.	52.25[1]	53.00	....	45.00	47.67	52.22
“ “ 26 ft.	....	58.00[2]	....	....	58.00[2]	58.00[1]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	59.54[1]	60.00[2]	....	....	59.54[1]	59.54
“ “ over 30 ft.	63.60[1]	....	....	....	63.60[1]	63.60
3 & 4x12, Heart (85%+), up to 20 ft.	61.41	56.02	....	....	57.32	56.95
“ “ “ 22-24 ft.	....	54.29	....	....	54.29	57.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	65.25[2]	....	....	65.25[2]	65.25[1]
“ “ “ over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	57.50	55.82[2]	52.06	....	58.00	52.68
“ “ 22-24 ft.	52.07	56.00[2]	50.82	....	51.84	54.22
“ “ 26 ft.	54.25	....	58.50	....	56.34	57.04
“ “ 28 ft.	....	....	58.50	....	58.50	59.13
“ “ 30 ft.	58.09	....	56.82	....	57.28	61.67
“ “ over 30 ft.	55.25	62.00[1]	64.04	....	58.74	63.50
6x12 to 12x12, Heart (85%+), up to 20 ft.	60.50	49.50	....	....	59.88	57.68
“ “ “ 22-24 ft.	58.50[1]	56.26[2]	....	....	58.50[1]	58.50
“ “ “ 26 ft.	58.50[1]	59.33[2]	....	....	58.50[1]	58.50
“ “ “ 28 ft.	....	61.25[2]	....	....	61.25[2]	61.25[1]
“ “ “ 30 ft.	....	60.00[2]	....	....	60.00[2]	60.00[1]
“ “ “ over 30 ft.	72.00[2]	63.50	....	....	63.50	72.40[1]
2x14 to 4x14, No. 1, up to 20 ft.	50.75	56.92[1]	....	....	50.75	60.58
“ “ 22-24 ft.	73.00[1]	57.75[2]	....	....	73.00[1]	73.00
“ “ 26 ft.	....	57.70[3]	....	....	57.70[3]	57.70[2]
“ “ 28 ft.	....	58.50[1]	....	....	58.50[1]	58.50
“ “ 30 ft.	64.50[3]	61.00[3]	....	....	63.92[3]	63.92[2]
“ “ over 30 ft.	....	....	....	....	....	65.26[3]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	59.39	65.00[1]	56.61	....	58.49	58.06
“ “ 22-24 ft.	57.07	60.00[2]	65.92	....	57.28	61.41
“ “ 26 ft.	....	....	65.75	....	65.75	62.72[2]
“ “ 28 ft.	60.50[1]	....	65.75	....	65.75	60 50
“ “ 30 ft.	71.00	....	76.00	....	75.55	71.05
“ “ over 30 ft.	68.50[1]	65.00[3]	76.00	....	76.00	68.50
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	....	75.00[3]	....	75.00[3]	75.00[2]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	77.25[2]	....	....	77.25[2]	77.25[1]
2x16 to 4x16, No. 1, up to 20 ft.	69.00[3]	....	....	....	69.00[3]	69.00[2]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
6x16 & Up, No. 1, up to 20 ft.	77.75	71 67[2]	65.31	....	74.90	64.89
" " 22-24 ft.	63 90	....	71.00	....	63 98	60 47
" " 26 ft.	59 25[1]	....	70 44[3]	....	59 25[1]	59 25
" " 28 ft.	.	....	70 44[3]	....	70 44[3]	70 44[2]
" " 30 ft.	59 25[1]	....	76 00[1]	....	74 25[1]	74 25
" " over 30 ft.	75 50[1]	....	76.00	....	76 00	77.62
6x16 & Up, Heart (85%+), up to 20 ft.	83.50	60 07[2]	....	....	83.50	60 07[1]
" " " 22-24 ft.	74 50[1]	62 00[2]	....	....	74 50[1]	74 50
" " " 26 ft.	74 50[1]	....	....	....	74 50[1]	74.50
" " " 28 ft.	63.50[1]	....	....	....	63 50[1]	63 50
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	60 00[2]	....	....	....	60 00[2]	60 00[1]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	60 00[3]	....	....	....	60.00[3]	60.00[2]
" " 22-24 ft.	62 00[3]	....	....	....	62 00[3]	62 00[2]
" " 26 ft.	54.25	....	....	....	54.25	....
" " 28 ft.	65 28[3]	71.50[1]	....	....	71.50[1]	71.50
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	....	60 00[2]	....	....	60 00[2]	60 00[1]
" " " 22-24 ft.	68 50	62.00[2]	....	....	68.50	82 00
" " " 26 ft.	68 50	....	....	....	68.50	....
" " " 28 ft.	71 50[1]	65.97[1]	....	....	71 50[1]	71 50
" " " 30 ft.	71.50	....	....	....	71.50	84 64[3]
" " " 32 ft.	....	69 00[2]	....	....	69 00[2]	69 00[1]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	58 08	....	51.11	50 00	51.19	54 09
" " " 36 ft.	58 60	59.00	51.11	50 05	57.19	54.53
" " " 37-38 ft.	63 50[2]	57 43[2]	58 44[1]	48.75	48 75	58 44
" " " 40 ft.	60.12	60 67[2]	61.54[1]	....	60 12	61 54
" " " 41-42 ft.	60 12	59 96[2]	....	....	60.12	59 96[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	61.29	....	....	....	61 29	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	56 64	60 00[1]	59.71	56.00	57.12	54.35
" " " 36 ft.	55 50	64 00	59.71	58 05	59.09	55 83
" " " 37-38 ft.	....	59 17[2]	65.46[1]	54 00	54.00	65 46
" " " 40 ft.	63 50[2]	63 00[2]	65.46[1]	....	65 46[1]	65 46
" " " 41-42 ft.	61 37	....	....	....	61.37	63 50[1]
Up to 10 inch, Heart, (85%+), 34 ft.	62 15[2]	....	....	....	62 15[2]	62 15[1]
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	60 50[2]	....	....	....	60 50[2]	60 50[1]
" " " " 41-42 ft.	60 50[2]	....	....	....	60 50[2]	60 50[1]
Up to 12 inch, Sq. E., 34 ft.	63 50[2]	....	60 00	....	60.00	58 99
" " " 36 ft.	69 75	65 48	60 00	62.50	64 20	65.00
" " " 37-38 ft.	65 50	61 66[2]	65 00[1]	65 00	65.46	65 00
" " " 40 ft.	72 38	70 39[2]	67.00[1]	....	72.38	67 00
" " " 41-42 ft.	72 38	....	....	60.00[1]	72.38	60 00
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	68 25[1]	....	....	....	68 25[1]	68 25
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
" " " 36 ft.	63.50[2]	64.67[2]	....	72.50	72.50	67.55[1]
" " " 37-38 ft.	....	67.50[2]	70.00	....	70.00	68.17[1]
" " " 40 ft.	74.50	69.00[2]	70.00	....	74.50	69.57[1]
" " " 41-42 ft.	74.50	70.00[2]	....	....	74.50	70.00[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	60.00[2]	....	....	60.00[2]	60.00[1]
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	60.00[3]	59.18[2]	....	....	59.18[2]	59.18[1]
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	60.00[2]	....	....	60.00[2]	60.00[1]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	43.70	....	....	....	43.70	44.62
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	49.34	47.19	....	....	48.86	45.50
" " Heart, (85%+), 6x8-8	55.63[2]	....	50.00	50.00	50.00	55.63[1]
" " Sq. E., " 7x9-8	....	....	....	......	....	....
" " Heart, " 7x9-8	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up	58.00[3]	....	....	....	58.00[3]	58.00[2]
" " Heart,	49.00	....	....	....	49.00	52.78
Paving Stock, S 1 S	....	43.00[1]	35.00[1]	....	41.32[1]	41.32
" " Rough	38.00	40.00[1]	....	....	38.00	42.50
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	131.22	....	....	....	131.22	139.50
Miscellaneous	66.50	58.94	41.25[3]	60.92	60.30	51.54
MISCELLANEOUS STOCK						
Silo Stock	....	55.56	64.00	....	56.35	56.50
Grain Doors	30.00	....	23.92[2]	....	30.00	37.50
Miscellaneous, B and B	99.33	102.14	91.55	51.98	93.83	113.78
" No. 1	57.10	66.31	40.04	55.49	47.19	55.10
" No. 2	51.39	35.41	39.14	38.48	39.03	43.85
" No. 3	35.00	32.29	33.57	30.06	33.28	33.06
Shorts, B and B	92.66	80.00[1]	....	....	92.66	76.17
" No. 1	41.51	54.91	....	....	42.19	37.80
" No. 2	....	35.00	....	....	35.00	33.77
" No. 3	....	28.78	....	....	28.78	37.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

May 31, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending May 31, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued June 9, 1920

No. 95

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
Heart Face, Edge Grain, B and Better, 13/16x2¼".....	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	129 50	....	....	....	129 50	129.24
" " C "	118 00	....	....	....	118 00	118.82[1]
" " D "	93.25[1]	....	....	....	93 25[1]	93.25
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	84.74	....	....	....	84.74	91.78
" " C "	88 50[2]	....	....	....	88 50[2]	88 50[1]
" " D "	74.50	....	....	....	74.50	73.75
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	53.64	....	....	....	53.64	55.00
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½".....	....	....	....	117.75[1]	117.75[1]	117.75
Edge Grain, A "	....	....	140.00	150.25	146.14	140.44
" " B "	....	135.00[2]	131.22	135.00	133.20	136.49
" " B and Better "	....	117.40	....	120.01	118.91	112.21
" " C "	....	118.00	120.06	133.30[2]	119.92	114.97
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	65.00	68.67	67.75	78.00
Flat " A "	....	....	....	113.55	113.55	....
" " B "	....	97.00[2]	....	106.68	106.68	112.25
" " B and Better "	....	92.50[1]	90.16	91.25	90.20	95.50
" " C "	....	88.50[2]	....	....	88.50[2]	88.50[1]
" " D "	....	....	....	....	....	....
No. 1 Common "	....	....	83.89	80.60	82.38	82.25
No. 2 " "	....	50.00[2]	38.14	47.50	38.64	47.81
No. 3 " "	....	....	41.87[1]	32.00[1]	37.79[1]	37.79
Heart Face, Edge Grain, B and Better, 13/16x3¼".....	....	....	....	....	....	134 50[3]
Edge Grain, A "	119.87[2]	125.00[1]	131.00[2]	136.27[1]	133.27[1]	133.27
" " B "	....	120.00	113.95	131.50[1]	114.92	125.69
" " B and Better "	109.96	110.38	100.25[1]	139.25[1]	110.10	110.65
" " C "	105 50	96.36	115.97	122.50[1]	106.68	110.46
" " D "	....	....	....	....	....	105.00[3]
" " No. 2 "	....	47.85	81.00[1]	....	47.85	81.00
Flat " A "	95 00	105 00[1]	....	....	95.00	105.00
" " B "	100 00[3]	84.00	....	89.50	87.24	95 00[1]
" " B and Better "	80.52	85.87	81.43	85.35	82.33	84.66
" " C "	87 91[1]	87.00	....	....	87.00	88.45
" " D "	68.29	90 00[3]	....	....	68.29	76.96
No. 1 Common "	....	70.52	74.19	77.00	73.92	78.46
No. 2 " "	43.10	43.16	39.33	37.89	39.49	43.09
No. 3 " "	....	....	30 27	28.69[1]	30.27	33.75
CEILING						
Ceiling, ½x3¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	79.00[1]	70 00[1]	69.52	77.25	69 82	64.91
" " No. 1 Common..........	56.00	65.00[1]	55.00	....	55.80	59.98
" " No. 2 "	44.75[2]	....	36.71	....	36.71	37.51
" " No. 3 "	....	....	24.00[1]	....	24.00[1]	24.00
Ceiling, ⅝x3¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	69.14	73.48	69.70	90 00[1]	70 09	73.80
" " No. 1 Common..........	64.86	66.27	62.05	70 85[2]	63.34	69.70
" " No. 2 "	41.45	39.12	38.95	37.00	39.14	42 37
" " No. 3 "	....	....	25.00	....	25.00	27 00
Ceiling, ¾x3¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	104.50[2]	80.00	96.24	....	96.04	90 07
" " No. 1 Common..........	94 94[3]	72 50[2]	79.75	....	79.75	86.08
" " No. 2 "	59 00[3]	49.00[1]	41.37	....	41 37	49.00
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	97.78	96.00[2]	....	101.07	100.12	103.16
" " No. 1 Common..........	70 00	....	....	97 25[3]	70.00	77.00
" " No. 2 "	....	....	60.00[3]	....	60 00[3]	60.00[2]
Partition, ¾x5¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	109.75[2]	106.75	96.31	110.00[2]	99.38	100.31
" " No. 1 Common..........	....	67 50[3]	76.81	....	76 81	94.24
" " No. 2 "	....	....	41 60	....	41 60	45.65
BEVEL SIDING						
Bevel Siding, A..........	....	....	....	....	....	....
" B..........	....	....	....	....	....	....
" B and Better..........	63 26[1]	72.75	50 00[1]	....	72.75	55.75
" No. 1 Common..........	57 50[3]	65.00	48.48	....	50.85	63 00
" No. 2 "	....	....	31 00	42.50	33.88	53.13

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″....	....	....	....	....	....	....
Edge Grain, A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	129.50	....	....	....	129.50	129.24
“ “ C “	118.00	....	....	....	118.00	118.82[1]
“ “ D “	93.25[1]	....	....	....	93.25[1]	93.25
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	84 74	....	....	....	84.74	91.78
“ “ C “	88.50[2]	....	....	....	88.50[2]	88.50[1]
“ “ D “	74.50	....	....	....	74.50	73.75
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	53.64	....	....	....	53.64	55.00
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″.....	....	....	....	117.75[1]	117.75[1]	117.75
Edge Grain, A “	....	....	140.00	150.25	146.14	140.44
“ “ B “	....	135.00[2]	131.22	135.00	133.20	136.49
“ “ B and Better “	....	117.40	....	120.01	118.91	112.21
“ “ C “	....	118.00	120.06	133.30[2]	119.92	114.97
“ “ D “	....	....	....	....	....	....
“ “ No. 2 “	....	....	65.00	68.67	67.75	78.00
Flat “ A “	....	....	....	113.55	113.55	....
“ “ B “	....	97.00[2]	....	106.68	106.68	112.25
“ “ B and Better “	....	92.50[1]	90.16	91.25	90.20	95.50
“ “ C “	....	88.50[2]	....	....	88.50[2]	88.50[1]
“ “ D “	.....	....	....	....	....	....
No. 1 Common “	....	....	83.89	80.60	82.38	82.25
No. 2 “ “	....	50.00[2]	38.14	47.50	38.64	47.81
No. 3 “ “	....	....	41.87[1]	32.00[1]	37.79[1]	37.79
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″.....	....	....	....	....	....	134 50[3]
Edge Grain, A “	119.87[2]	125.00[1]	131.00[2]	136.27[1]	133.27[1]	133.27
“ “ B “	....	120.00	113.95	131.50[1]	114.92	125.69
“ “ B and Better “	109.96	110.38	100.25[1]	139.25[1]	110.10	110.65
“ “ C “	105.50	96.36	115.97	122.50[1]	106.68	110.46
“ “ D “	....	....	....	....	....	105.00[3]
“ “ No. 2 “	....	47.85	81.00[1]	....	47.85	81.00
Flat “ A “	95.00	105.00[1]	....	....	95 00	105.00
“ “ B “	100 00[3]	84.00	....	89.50	87.24	95.00[1]
“ “ B and Better “	80.52	85.87	81.43	85.35	82.33	84.66
“ “ C “	87 91[1]	87.00	....	....	87.00	88.45
“ “ D “	68.29	90.00[3]	....	....	68.29	76.96
No. 1 Common “	....	70.52	74.19	77.00	73.92	78.46
No. 2 “ “	43.10	43.16	39.33	37.89	39.49	43.09
No. 3 “ “	....	....	30.27	28.69[1]	30.27	33.75
CEILING						
Ceiling, ½x3¼″, A..........................	....	....	....	....	....	....
“ “ B..........................	....	....	....	....	....	....
“ “ B and Better..................	79.00[1]	70 00[1]	69.52	77.25	69.82	64.91
“ “ No. 1 Common................	56.00	65.00[1]	55.00	....	55.80	59.98
“ “ No. 2 “	44.75[2]	....	36.71	....	36.71	37.51
“ “ No. 3 “	....	....	24.00[1]	....	24.00[1]	24.00
Ceiling, ⅝x3¼″, A..........................	....	....	....	....	....	....
“ “ B..........................	....	....	....	....	....	....
“ “ B and Better..................	69.14	73.48	69.70	90.00[1]	70.09	73 80
“ “ No. 1 Common................	64.86	66.27	62 05	70.85[2]	63.34	69.70
“ “ No. 2 “	41.45	39.12	38.95	37.00	39.14	42 37
“ “ No. 3 “	....	....	25.00	....	25.00	27.00
Ceiling, ¾x3¼″, A..........................	....	....	....	....	....	....
“ “ B..........................	....	....	....	....	....	....
“ “ B and Better..................	104.50[2]	80.00	96.24	....	96.04	90.07
“ “ No. 1 Common................	94 94[3]	72 50[2]	79.75	....	79.75	86 08
“ “ No. 2 “	59.00[3]	49.00[1]	41.37	....	41.37	49.00
“ “ No. 3 “	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A..........................	....	....	....	....	....	....
“ “ B..........................	....	....	....	....	....	....
“ “ B and Better..................	97.78	96.00[2]	....	101.07	100.12	103.16
“ “ No. 1 Common................	70 00	....	....	97.25[3]	70.00	77 00
“ “ No. 2 “	....	....	60.00[3]	....	60.00[3]	60.00[2]
Partition, ¾x5¼″, A..........................	....	....	....	....	....	....
“ “ B..........................	....	....	....	....	....	....
“ “ B and Better..................	109 75[2]	106.75	96.31	110.00[2]	99.38	100.31
“ “ No. 1 Common................	....	67 50[3]	76 81	....	76 81	94.24
“ “ No. 2 “	....	....	41 60	....	41.60	45 65
BEVEL SIDING						
Bevel Siding, A..........................	....	....	....	....	....	....
“ B..........................	....	....	....	....	....	....
“ B and Better..................	63 26[1]	72.75	50.00[1]	....	72.75	55.75
“ No. 1 Common................	57.50[3]	65.00	48.48	....	50.85	63.00
“ No. 2 “	....	....	31.00	42.50	33.88	53.13

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
Drop Siding, ¾x3¼ or 5¼, A.	....	....	....	....	....	....
“ “ B.	....	....	....	....	....	....
“ “ B and Better	75.94	72.64	73.92	72.00[1]	74.98	76.26
“ “ No. 1 Common	72.74	75.71	66.79	65.00[1]	70.22	71.66
“ “ No. 2 “	38.60	47.87	41.34	41.50[1]	41.07	44.15
“ “ No. 3 “	....	....	25.00	36.00[1]	25.00	33.20
FINISH						
1x 4 inch, A.	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B.	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	89.80	99.00	106.01	117.25	100.25	97.00
1x 6 inch, “	95.50	102.84	86.15	118.25	90.29	102.10
1x 8 inch, “	99.22	101.77	91.09	119.25	95.09	100.68
1x 5 and 10 inch, “	93.24	94.59	92.65	122.25	93.32	106.06
1x12 inch, “	97.56	107.00	102.42	126.25	100.02	107.94
1¼x4 to 12 inch, “	100.44	105.86	106.64	132.25	104.25	111.80
1½ and 2x4 to 12 inch, “	116.00	109.25	112.55	....	114.40	115.51
1⅝ inch, “	96.34[1]	100.53[1]	....	....	97.88[1]	97.88
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, C.	97.00[2]	....	80.00	....	80.00	98.67[1]
1x 6 inch, “	98.00[1]	98.00	105.50[2]	....	98.00	98.00
1x 8 inch, “	99.00	100.00	80.00	....	88.66	100.50
1x 5 and 10 inch, “	101.00	94.33	80.00	....	90.75	101.00
1x12 inch, “	105.00	105.00	115.00[2]	....	105.00	105.00
1¼x4 to 12 inch, “	114.00[1]	....	115.00[2]	....	114.00[1]	114.00
1½ and 2x4 to 12 inch, “	108.75[1]	....	115.00[2]	....	108.75[1]	108.75
1⅝ inch, “	....	....	....	....	....	....
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	98.00[2]	....	100.00	....	100.00	96.24
1x 6 inch, “ “	98.44[1]	95.00[2]	91.39	77.17	85.18	97.34
1x 8 inch, “ “	95.00	95.00[2]	87.00	78.83	88.38	98.40
1x 5 and 10 inch, “ “	110.00[1]	95.00[2]	98.76	76.50	86.10	105.22
1x12 inch, “ “	98.00	95.00[2]	86.79	78.25	89.40	105.44
1¼x4 to 12 inch, “ “	....	100.00	108.36	97.00	107.04	106.25
1½ and 2x4 to 12 inch, “ “	110.00[1]	....	96.60	....	96.60	92.80
1⅝ inch, “ “	....	100.00	....	....	100.00	110.25[3]
1x 6 to 12 inch, “ “	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A.	....	....	....	....	....	....
“ B.	....	....	....	....	....	....
“ B and Better	114.63	106.66	113.63	....	113.65	116.77
From 8 and 10 inch stock, B. M., A.	....	....	....	....	....	....
“ B.	....	....	....	....	....	....
“ B and Better	113.52	108.18	114.14	....	112.76	115.66
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	118.00[1]	....	121.46	....	121.46	120.65
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	74.75[1]	....	....	74.75[1]	74.75
“ “ “ “ “ 8 ft.	65.00	65.00	74.75	....	66.39	74.80
“ “ “ “ “ 12 and 14 ft.	86.25	88.00	....	....	86.65	105.00
“ “ “ “ “ 16 ft.	74.25[1]	120.00[3]	105.00[3]	....	74.25[1]	74.25
“ “ “ “ “ 9 or 18 ft.	92.78	97.91	94.53	....	94.44	92.89
“ “ “ “ “ 10 or 20 ft.	90.79	100.00	80.00	....	92.45	91.38

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	50.00[2]	61.00	55.75	....	59.04	60.00[1]
" " " " " 8 ft.	70.47[2]	58.00	75.00[1]	....	58.00	75.00
" " " " " 12 and 14 ft.	73.00[2]	68.75	....	....	68.75	73.00[1]
" " " " " 16 ft.	....	68.75	80.00[2]	....	68.75	80.00[1]
" " " " " 9 or 18 ft.	72.63[1]	65.00	71.00[1]	....	65.00	71.64
" " " " " 10 or 20 ft.	75.00	72.00	70.00	....	71.72	77.80
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	74.00	61.00	55.75	....	74.00	50.00[1]
" " " " " 8 ft.	68.25[2]	58.00	75.00[1]	....	58.00	75.00
" " " " " 12 and 14 ft.	....	68.75	....	....	68.75	75.00[2]
" " " " " 16 ft.	71.00	68.75	80.00[2]	....	71.00	66.86
" " " " " 9 or 18 ft.	70.09[1]	65.00	71.00[1]	....	65.00	70.09
" " " " " 10 or 20 ft.	72.50[2]	72.00	70.00	....	71.14	81.66
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	39.50	....	....	....	39.50	50.32
" " " " " 10 to 20 ft.	43.25[1]	42.00[1]	....	....	42.13[1]	42.13
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	39.25	....	49.42	....	46.46	52.31
" " " " 2 to 3 inch, 10 & 20 ft.	....	58.00[1]	49.42	....	49.42	58.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	53.00	....	....	....	53.00	....
" " " 1¾ inch, 10 & 20 ft	53.00	....	....	....	53.00	52.50
" " " 2 to 3 inch, 9 & 18 ft.	....	52.00[3]	....	....	52.00[3]	52.00[2]
" " " 2 to 3 inch 10 & 20 ft.	....	52.00[3]	....	....	52.00[3]	52.00[2]
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	39.10[2]	39.10[2]	39.10[1]
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	41.00[3]
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	41.00[3]	41.00[3]	41.00[2]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	53.14	54.75	....	....	53.62	61.43
" " " " other lengths.	55.62	55.81	85.47	72.50[1]	65.25	67.33
" " 1x10, " 14 and 16 ft.	47.61	45.50	96.50[3]	....	47.57	60.43
" " " " other lengths.	55.70	55.44	84.78	....	59.02	68.79
" " 1x12, " 14 and 16 ft.	57.80	48.05	75.50	....	56.87	69.70
" " " " other lengths.	58.50	60.78	75.10	112.50[2]	61.96	72.88
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	38.47	43.25	42.03	35.75	40.70	42.48
" " 1x10, " "	38.80	43.87	39.88	40.38	40.05	42.79
" " 1x12, " "	44.83	42.80	43.27	41.61	43.45	46.02
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	35.55	38.00	33.62	33.64	34.85	34.26
" " 1x10, " "	36.97	34.23	35.21	33.64	35.22	36.72
" " 1x12, " "	36.65	32.50	36.73	44.75	37.11	36.07
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	62.51	58.00	....	....	60.28	55.10
" " " other lengths.	50.97	49.73	50.50	....	50.64	60.09
" 1x10, " 14 and 16 ft.	50.00	49.50	....	....	49.80	69.93[1]
" " " other lengths.	50.00	49.50	67.62[1]	....	49.83	58.06
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	40.27	40.63	44.06	39.19	42.34	43.35
" 1x10, " "	39.51	45.50	39.38	40.00	39.53	42.50
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	36.97	37.61[1]	42.74	35.00[1]	40.85	36.86
" 1x10, " "	32.00	38.63[1]	41.04[1]	35.00	34.50	38.26
" 1x12, " "	36.25	36.50	....	....	36.43	42.50[2]
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	65.25[1]	....	....	....	65.25[1]	65.25
" " " " other lengths.	50.25	....	....	....	50.25	64.42
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	19.23	....	19.46	....	19.41	19.82

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
1x4, S 1 S, No. 1, 16 ft.	63.90	49.75[1]	....	....	63.90	53.18
" " " other lengths	63.20	67.75	81.04	....	65.89	66.78
" " No. 2, all lengths	36.07	37.17	40.78	33.50[1]	37.90	37.71
" " No. 3, "	34.07	31.08	33.54	....	32.82	34.50
1x4, C. M., No. 1, 16 ft.	71.57[2]	....	....	....	71.57[2]	71.57[1]
" " " other lengths	55.50	....	....	....	55.50	77.08
" " No. 2, all lengths	37.50	....	....	....	37.50	41.48
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	53.21	55.00	63.50	....	53.49	63.44
" " " other lengths	53.72	65.09	74.23	68.54[1]	57.06	69.16
" " No. 2, all lengths	38.07	39.73	39.68	38.50	38.87	42.21
" " No. 3, "	33.68	30.45	38.55	....	34.54	34.40
1x6, C. M., No. 1, 16 ft.	51.38	59.00[1]	....	....	51.38	52.14
" " " other lengths	52.18	58.59	....	66.62[2]	53.75	65.41
" " No. 2, all lengths	40.76	38.21	....	39.83[1]	39.83	41.63
" " No. 3, "	38.05[1]	34.88[1]	....	....	37.26[1]	37.26
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	41.87	39.95	42.83	41.00	41.74	44.31
" " " 12 ft.	42.07	39.77	38.73	40.00[1]	40.92	44.31
" " " 14 ft.	40.43	39.84	40.71	46.00[2]	40.52	44.42
" " " 16 ft.	42.45	40.75	38.45	40.00[1]	40.26	43.23
" " " 18 ft.	43.16	42.65	40.29	49.25[3]	41.55	45.44
" " " 20 ft.	43.51	43.33	40.29	49.25[3]	43.44	45.74
" " " 22 ft.	43.91	44.40	47.25	....	44.25	49.02
" " " 24 ft.	43.85	44.25	47.25	....	44.12	45.07
2x 6, No. 1, S 1 S 1 E, 10 ft.	41.65	41.00	37.74	41.00	38.63	41.46
" " " 12 ft.	39.37	36.04	38.29	38.50[1]	38.31	39.90
" " " 14 ft.	38.12	38.58	38.29	38.50[1]	38.28	41.10
" " " 16 ft.	38.09	39.23	42.30	38.50[1]	39.47	43.27
" " " 18 ft.	41.69	40.40	37.74	47.75[3]	40.84	43.36
" " " 20 ft.	41.40	39.49	37.74	47.75	41.44	42.12
" " " 22 ft.	37.55	42.57	47.08	....	42.51	45.30
" " " 24 ft.	41.86	42.33	47.08	....	42.09	45.75
2x 8, No. 1, S 1 S 1 E, 10 ft.	41.63	43.00	41.79	....	41.71	41.91
" " " 12 ft.	39.74	43.78	42.24	35.00	40.26	42.57
" " " 14 ft.	38.97	40.53	43.27	37.91[1]	41.09	42.26
" " " 16 ft.	41.32	44.82	42.80	....	42.11	43.98
" " " 18 ft.	40.15	41.52	41.79	48.75	41.41	47.13
" " " 20 ft.	42.04	39.46	41.79	....	41.50	46.09
" " " 22 ft.	44.99	48.42	45.20	....	46.77	48.01
" " " 24 ft.	41.44	43.25	45.20	....	41.85	47.77
2x10, No. 1, S 1 S 1 E, 10 ft.	39.02	43.50[2]	44.55	....	43.03	40.33
" " " 12 ft.	41.13	42.39	44.29	....	43.50	44.20
" " " 14 ft.	40.12	44.30	44.29	48.00[2]	40.89	45.19
" " " 16 ft.	43.04	42.25	45.13	48.25	43.58	45.66
" " " 18 ft.	39.30	44.90	44.55	49.25	40.56	46.12
" " " 20 ft.	42.62	41.10	44.55	49.25	42.14	45.19
" " " 22 ft.	45.45	45.91	46.91	46.00[2]	46.47	49.10
" " " 24 ft.	38.72	46.89	46.91	....	46.30	49.61
2x12, No. 1, S 1 S 1 E, 10 ft.	46.00	47.00[1]	44.33	....	44.80	45.20
" " " 12 ft.	42.74	42.15	44.24	....	43.37	44.90
" " " 14 ft.	42.50	44.20	44.24	....	43.02	45.05
" " " 16 ft.	42.83	44.75	43.76	50.25	43.10	47.69
" " " 18 ft.	44.37	43.92	44.33	51.25	44.94	49.22
" " " 20 ft.	44.76	47.18	44.34	....	45.27	48.14
" " " 22 ft.	46.65	48.78	53.33	....	49.15	50.11
" " " 24 ft.	44.95	50.98	53.33	....	50.67	47.19
2x 4, No. 2, S 1 S 1 E, 10 ft.	41.23	42.00	38.11	....	38.35	42.20
" " " 12 ft.	39.89	42.00	40.72	....	40.60	42.01
" " " 14 ft.	36.34	42.00	40.35	....	39.15	41.05
" " " 16 ft.	36.66	45.00	41.20	....	40.35	40.31
" " " 18 ft.	42.60	43.50	39.21	....	39.45	42.47
" " " 20 ft.	42.93	42.39	39.21	....	42.72	45.24
" " " 22 ft.	48.00	48.00[2]	49.00	....	48.97	48.00[1]
" " " 24 ft.	48.00	48.00[2]	49.00	....	48.00	48.00[1]
2x 6, No. 2, S 1 S 1 E, 10 ft.	36.38	32.50	34.82	....	34.83	35.73
" " " 12 ft.	34.18	32.50	35.75	....	35.38	33.04
" " " 14 ft.	35.97	34.00	35.75	....	35.32	38.36
" " " 16 ft.	34.09	37.50	38.39	....	36.49	35.63
" " " 18 ft.	38.55	40.78	34.82	....	40.13	39.35
" " " 20 ft.	35.68	42.00	34.82	....	39.79	40.48
" " " 22 ft.	39.61	43.50	47.50	....	46.26	43.42
" " " 24 ft.	39.83	43.50	47.50	....	39.83	43.42

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	39.63	46.00	39.73	41.00	40.04	40.86
“ “ “ 12 ft.	36.26	40.25	38.28	....	38.44	39.91
“ “ “ 14 ft.	36.42	42.37	38.47	....	37.52	39.53
“ “ “ 16 ft.	35.72	41.86	39.90	....	39.51	42.22
“ “ “ 18 ft.	34.00	45.00[1]	39.73	32.00	32.04	42.63
“ “ “ 20 ft.	40.09	44.16	39.73	....	43.71	42.46
“ “ “ 22 ft.	....	45.00	42.61[1]	....	45.00	42.61
“ “ “ 24 ft.	....	45.00	42.61[1]	....	45.00	42.61
2x10, No. 2, S 1 S 1 E, 10 ft.	42.00	43.16	49.89	....	49.01	42.68
“ “ “ 12 ft.	42.17	40.50	41.14	....	41.48	42.70
“ “ “ 14 ft.	41.78	40.90	41.14	....	41.14	41.60
“ “ “ 16 ft.	41.05	41.16	43.09	....	42.53	41.34
“ “ “ 18 ft.	44.46[1]	34.50	49.89	....	34.50	43.76
“ “ “ 20 ft.	41.50	34.50	49.89	....	40.55	42.97
“ “ “ 22 ft.	....	....	51.00	....	51.00	44.00[1]
“ “ “ 24 ft.	....	....	51.00	....	51.00	44.00[1]
2x12, No. 2, S 1 S 1 E, 10 ft.	43.15	....	40.32[1]	42.00	42.84	40.32
“ “ “ 12 ft.	42.94	42.75[1]	43.75[1]	....	42.94	42.75
“ “ “ 14 ft.	42.00	42.42[1]	43.75[1]	....	42.00	42.35
“ “ “ 16 ft.	42.79	42.33[1]	43.98[2]	....	42.79	41.72
“ “ “ 18 ft.	41.94[1]	46.75[1]	40.32[1]	....	42.41[1]	42.41
“ “ “ 20 ft.	47.66[1]	40.96[1]	40.32[1]	....	42.27[1]	42.27
“ “ “ 22 ft.	....	....	44.75[2]	....	44.75[2]	44.75[1]
“ “ “ 24 ft.	....	....	44.75[2]	....	44.75[2]	44.75[1]
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3. S 1 S 1 E, all lengths	30.75	29.92	26.35	21.00	27.76	29.14
PATENT LATH						
4 and 6 ft.	35.31	42.57	41.71[1]	....	37.85	40.42
8 and 10 ft.	34.63	41.00[2]	....	....	34.63	41.38
12 ft. and longer	44.00[1]	41.09[3]	....	....	44.00[1]	44.00
PLASTERING LATH						
⅜x1½-4, No. 1	6.16	7.89	8.43	8.26	7.44	7.51
“ No. 2	6.90[1]	4.90	6.25	4.81	5.01	6.19
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	45.08	45.25	43.62	31.50	44.34	53.93
“ “ 22-24 ft.	44.00	46.54	43.66	....	44.49	47.19
“ “ 26 ft.	40.75	....	49.96	....	48.57	50.63
“ “ 28 ft.	57.29[1]	....	49.96	....	49.96	57.29
“ “ 30 ft.	58.05	47.20[2]	51.67	....	57.22	52.52
“ “ over 30 ft.	58.50	46.33[2]	55.33	....	55.41	57.78
4x4 to 8x8, Heart (85%+), up to 20 ft.	51.26	48.66	....	....	50.13	52.79
“ “ “ 22-24 ft.	51.60	49.25	....	....	51.14	49.51
“ “ “ 26 ft.	51.50	58.00[3]	....	....	51.50	58.00[2]
“ “ “ 28 ft.	....	58.00[3]	....	....	58.00[3]	58.00[2]
“ “ “ 30 ft.	65.50[2]	52.00	....	....	52.00	56.41[1]
“ “ “ over 30 ft.	58.92	54.82	....	....	57.32	....
3 & 4x10, No. 1, up to 20 ft.	47.74	47.00	....	....	47.72	49.31
“ “ 22-24 ft.	48.98	47.00	....	....	48.88	47.08
“ “ 26 ft.	52.75	58.00[2]	....	....	52.75	54.48
“ “ 28 ft.	54.21[1]	....	....	....	54.21[1]	54.21
“ “ 30 ft.	54.00[1]	....	....	....	54.00[1]	54.00
“ “ over 30 ft.	57.53	60.00[2]	....	....	57.53	49.50
3 & 4x10, Heart (85%+), up to 20 ft.	55.50	52.50	....	54.20[1]	52.91	51.72
“ “ “ 22-24 ft.	62.50[3]	56.29[3]	....	55.00[1]	55.00[1]	55.00
“ “ “ 26 ft.	....	57.56[3]	....	....	57.56[3]	57.56[2]
“ “ “ 28 ft.	52.50[2]	58.22[3]	....	....	52.50[2]	52.50[1]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	65.00[3]	....	....	....	65.00[3]	65.00[2]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
6x10, to 10x10, No. 1, up to 20 ft.	55.20	48.04	48.91	....	52.15	48.25
“ “ 22-24 ft.	48.23	48.50	53.30	..	51.52	47.79
“ “ 26 ft.	58.50	51.00[1]	51.44	....	51.70	50.56
“ “ 28 ft.	49.00[2]	....	51.44	....	51.44	53.78
“ “ 30 ft.	....	63.00[3]	56.06	....	56.06	55.63
“ “ over 30 ft.	58.25	....	59.64	....	59.64	55.63
6x10 to 10x10, Heart (85%+), up to 20 ft.	57.16	49.55	....	....	55.96	59.05
“ “ “ 22-24 ft.	60.50[1]	53.59	....	....	53.59	60.50
“ “ “ 26 ft.	....	54.00	....	....	54.00	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	58.50	59.25[3]	....	....	58.50	59.25[2]
“ “ “ over 30 ft.	65.00[3]	....	....	....	65.00[3]	65.00[2]
3 & 4x12, No 1, up to 20 ft.	54.59	52.00	....	40.00[1]	54.47	51.43
“ “ 22 24 ft.	51.58	53.00[1]	....	45.00[1]	51.58	47.67
“ “ 26 ft.	....	58.00[3]	....	....	58.00[3]	58.00[2]
“ “ 28 ft.	56.50	....	....	....	56.50	....
“ “ 30 ft.	59.54[2]	60.00[3]	....	....	59.54[2]	59.54[1]
“ “ over 30 ft.	58.36	....	....	....	58.36	63.60[1]
3 & 4x12, Heart (85%+), up to 20 ft.	60.50	54.25	....	....	55.90	57.32
“ “ “ 22-24 ft.	....	54.29[1]	....	....	54.29[1]	54.29
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	65.25[3]	....	....	65.25[3]	65.25[2]
“ “ “ over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	52.50	42.00	53.66	....	52.71	58.00
“ “ 22-24 ft.	57.11	56.00[3]	55.43	....	56.31	51.84
“ “ 26 ft.	52.19	....	52.93	....	52.78	56.34
“ “ 28 ft.	....	....	52.93	....	52.93	58.50
“ “ 30 ft.	56.61	....	54.29	....	55.40	57.28
“ “ over 30 ft.	57.28	62.00[2]	62.50	....	57.32	58.74
6x12 to 12x12, Heart (85%+), up to 20 ft.	59.50	55.55	....	....	57.14	59.88
“ “ “ 22-24 ft.	52.50	56.26[3]	....	....	52.50	58.50[1]
“ “ “ 26 ft.	58.50[2]	59.33[3]	....	....	58.50[2]	58.50[1]
“ “ “ 28 ft.	62.50	61.25[3]	....	....	62.50	61.25[2]
“ “ “ 30 ft.	63.50	60.00[3]	....	....	63.50	60.00[2]
“ “ “ over 30 ft.	68.48	63.50[1]	....	....	68.48	63.50
2x14 to 4x14, No. 1, up to 20 ft.	65.95	55.58	....	....	62.93	50.75
“ “ 22-24 ft.	68.95	56.89	....	....	58.48	73.00[1]
“ “ 26 ft.	68.95	57.74	....	....	58.34	57.70[3]
“ “ 28 ft.	70.95	58.50[2]	....	....	70.95	58.50[1]
“ “ 30 ft.	....	....	....	....	....	63.92[3]
“ “ over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	56.16	65.00[2]	57.40	....	56.49	58.49
“ “ 22-24 ft.	61.41	60.00[3]	59.50	....	60.81	57.28
“ “ 26 ft.	58.51	....	62.50	....	60.74	65.75
“ “ 28 ft.	59.96	....	62.50	....	59.96	65.75
“ “ 30 ft.	71.00[1]	....	76.00[1]	....	75.55[1]	75.55
“ “ over 30 ft.	58.43	....	76.00[1]	....	58.43	76.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	61.50	....	....	....	61.50	75.00[3]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	77.25[3]	....	....	77.25[3]	77.25[2]
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	69.00[3]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
6x16 & Up, No. 1, up to 20 ft.	65.11	71.67[3]	63.79	....	64.46	74.90
" " 22-24 ft.	58.50	....	61.25	....	61.08	63.98
" " 26 ft.	62.03	....	65.00	....	62.18	59.25[1]
" " 28 ft.	65.50	....	65.00	....	65.50	70.44[3]
" " 30 ft.	66.50	....	70.71	....	70.21	74.25[1]
" " over 30 ft.	66.47	....	75.00	....	73.46	76.00
6x16 & Up, Heart (85%+), up to 20 ft.	83.50[1]	60.07[3]	....	....	83.50[1]	83.50
" " " 22-24 ft.	74.50[2]	62.00[3]	....	....	74.50[2]	74.50[1]
" " " 26 ft.	74.50[2]	....	....	....	74.50[2]	74.50[1]
" " " 28 ft.	63.50[2]	....	....	....	63.50[2]	63.50[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	79.18	....	....	....	79.18	60.00[2]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	60.00[3]
" " 22-24 ft.	....	....	....	....	....	62.00[3]
" " 26 ft.	54.25[1]	....	....	....	54.25[1]	54.25
" " 28 ft.	....	71.50[2]	....	....	71.50[2]	71.50[1]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	....	60.00	....	....	60.00	60.00[2]
" " " 22-24 ft.	65.36	62.00[3]	....	....	65.36	68.50
" " " 26 ft.	68.50[1]	....	....	....	68.50[1]	68.50
" " " 28 ft.	71.50[2]	66.25	....	....	66.25	71.50[1]
" " " 30 ft.	71.50[1]	....	....	....	71.50[1]	71.50
" " " 32 ft.	....	70.00	....	....	70.00	69.00[2]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	58.08[1]	....	51.56	50.00[1]	51.56	51.19
" " " 36 ft.	58.60[1]	58.70	51.56	51.00	53.96	57.19
" " " 37-38 ft.	58.00	57.43[3]	46.50	48.75[1]	56.07	48.75
" " " 40 ft.	60.12[1]	60.00	46.50	....	60.00	60.12
" " " 41-42 ft.	60.12[1]	59.96[3]	....	....	60.12[1]	60.12
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	61.29[1]	....	....	....	61.29[1]	61.29
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	57.50	60.00[2]	55.00	56.00[1]	56.11	57.12
" " " 36 ft.	55.50[1]	64.00[1]	55.00	60.00	60.00	59.09
" " " 37-38 ft.	58.00	59.17[3]	50.75	54.00[1]	51.22	54.00
" " " 40 ft.	59.50	63.00[3]	50.75	....	59.50	65.46[1]
" " " 41-42 ft.	59.50	....	....	....	59.50	61.37
Up to 10 inch, Heart, (85%+), 34 ft.	62.15[3]	....	....	....	62.15[3]	62.15[2]
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	60.50[3]	....	....	....	60.50[3]	60.50[2]
" " " " 41-42 ft.	60.50[3]	....	....	....	60.50[3]	60.50[2]
Up to 12 inch, Sq. E., 34 ft.	64.75	....	58.00	....	58.89	60.00
" " " 36 ft.	69.75[1]	65.48[1]	58.00	62.50	62.50	64.20
" " " 37-38 ft.	58.00	61.66[3]	59.09	65.00[1]	58.91	65.46
" " " 40 ft.	72.38[1]	70.39[2]	59.09	....	59.09	72.38
" " " 41-42 ft.	65.50	....	....	60.00[2]	65.50	72.38
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	68.25[2]	....	....	....	68.25[2]	68.25[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 20
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
“ “ “ 36 ft.	63.50[3]	64.67[3]	....	72.50[1]	72.50[1]	72.50
“ “ “ 37-38 ft.	69.00	67.50[3]	65.00	....	65.52	70.00
“ “ “ 40 ft.	74.50[1]	69.00[3]	70.00[1]	....	74.50[1]	74.50
“ “ “ 41-42 ft.	74.50[1]	70.00[3]	....	....	74.50[1]	74.50
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	60.00[3]	....	....	60.00[3]	60.00[2]
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	59.18[3]	....	....	59.18[3]	59.18[2]
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	60.00[3]	....	....	60.00[3]	60.00[2]
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	42.55	....	....	....	42.55	43.70
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	49.34	31.33	47.00	....	42.54	48.86
“ “ Heart, (85%+), 6x8–8	46.65	....	50.00	50.00[1]	48.17	50.00
“ “ Sq. E., “ 7x9–8	....	....	....	....	....	....
“ “ Heart, “ 7x9–8	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	58.00[3]
“ “ Heart,	48.17	....	....	....	48.17	49.00
Paving Stock, S 1 S	....	43.00[2]	35.57	....	35.57	41.32[1]
“ “ Rough	38.00[1]	40.00[2]	....	....	38.00[1]	38.00
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	138.83	....	....	....	138.83	131.22
Miscellaneous	47.75	57.33	....	38.21	42.96	60.30
MISCELLANEOUS STOCK						
Silo Stock	52.00	55.56[1]	55.00	....	53.54	56.35
Grain Doors	34.41	....	39.00	....	35.70	30.00
Miscellaneous, B and B	131.81	76.11	84.39	71.51	103.06	93.83
“ No. 1	54.18	51.01	47.33	77.98	50.54	47.19
“ No. 2	69.75	48.75	39.86	39.19	40.20	39.03
“ No. 3	27.41	28.63	35.16	33.75	30.58	33.28
Shorts B and B	92.66[1]	60.00	....	....	60.00	92.66
“ No. 1	34.80	92.08	....	....	36.27	42.19
“ No. 2	....	29.16	....	....	29.16	35.00
“ No. 3	....	28.78[1]	....	....	28.78[1]	28.78

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

June 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending June 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued June 17, 1920

No. 96

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	119.61	....	....	....	119.61	129.50
“ “ C “	118.00[1]	....	....	....	118.00[1]	118.00
“ “ D “	93.25[2]	....	....	....	93.25[2]	93.25[1]
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	81.84	....	....	....	81.84	84.74
“ “ C “	88.50[3]	....	....	....	88.50[3]	80.50[2]
“ “ D “	89.00	....	....	....	89.00	74.50
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	45.00	....	....	....	45.00	53.64
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	142.00	142.00	117.75[1]
Edge Grain, A “	....	120.00	140.00[1]	150.25[1]	120.00	146.14
“ “ B “	....	125.00	131.80	135.00[1]	131.54	133.20
“ “ B and Better “	....	114.91	....	120.00	118.77	118.91
“ “ C “	....	118.00[1]	120.50	133.30[3]	120.50	119.92
“ “ D “	....	....	....	....	....	....
“ “ No. 2 “	....	....	65.00[1]	50.00	50.00	67.75
Flat “ A “	....	....	....	113.55[1]	113.55[1]	113.55
“ “ B “	....	97.00[2]	....	106.68[1]	106.68[1]	106.68
“ “ B and Better “	....	85.00	89.15	91.75	89.02	90.20
“ “ C “	....	88.50[3]	....	....	88.50[3]	88.50[2]
“ “ D “	....	....	....	....	....	....
No. 1 Common “	....	....	71.71	64.00	69.18	82.38
No. 2 “ “	....	52.00[3]	42.67	35.75	41.25	38.64
No. 3 “ “	....	....	25.75	26.30	26.09	37.79[1]
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	....	....	....
Edge Grain, A “	119.87[3]	125.00[2]	135.00	136.27[2]	135.00	133.27[1]
“ “ B “	....	120.00[1]	126.33	131.50[2]	126.33	114.92
“ “ B and Better “	104.93	110.60	100.25[2]	139.25[2]	107.28	110.10
“ “ C “	87.50	105.00	115.94	122.50[2]	95.00	106.68
“ “ D “	....	....	....	....	....	....
“ “ No. 2 “	....	47.85[1]	85.00	....	85.00	47.85
Flat “ A “	95.00[1]	105.00[2]	....	....	95.00[1]	95.00
“ “ B “	....	72.50	....	89.50[1]	72.50	87.24
“ “ B and Better “	80.68	80.50	74.28	75.00	78.40	82.33
“ “ C “	87.91[2]	87.00[1]	....	....	87.00[1]	87.00
“ “ D “	66.31	....	....	....	66.31	68.29
No. 1 Common “	....	63.43	63.39	67.39	64.52	73.92
No. 2 “ “	43.37	43.97	38.75	34.62	38.57	39.49
No. 3 “ “	....	....	26.00	23.00	24.86	30.27
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	60.78	70.00[2]	68.70	77.25[1]	61.95	69.82
“ “ No. 1 Common	56.00[1]	65.00[2]	50.00	..	50.00	55.80
“ “ No. 2 “	38.92	....	36.71[1]	....	38.92	36.71
“ “ No. 3 “	....	....	26.00	....	26.00	24.00[1]
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	66.88	61.58	68.35	60.00	66.16	70.09
“ “ No. 1 Common	63.72	55.48	58.49	55.00	60.28	63.34
“ “ No. 2 “	38.39	37.30	36.59	32.50	37.18	39.14
“ “ No. 3 “	....	....	25.00[1]	....	25.00[1]	25.00
Ceiling, ¾x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	81.25	80.00[1]	93.50	....	83.83	96.04
“ “ No. 1 Common	....	75.00	79.75[1]	....	75.00	79.75
“ “ No. 2 “	....	49.00[2]	38.00	....	38.00	41.37
“ “ No. 3 “	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	85.91	96.00[3]	....	101.07[1]	85.91	100.12
“ “ No. 1 Common	70.00[1]	56.00	....	....	56.00	70.00
“ “ No. 2 “	47.25	....	....	....	47.25	60.00[3]
Partition, ¾x5¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	109.75[3]	106.75[1]	89.02	110.00[3]	89.02	99.38
“ “ No. 1 Common	71.00	....	75.05	....	74.28	76.81
“ “ No. 2 “	....	....	39.91	....	39.91	41.60
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	53.82	72.75[1]	56.12	....	55.61	72.75
“ No. 1 Common	46.00	65.00[1]	82.25	....	55.68	50.85
“ No. 2 “	....	....	31.00[1]	42.50[1]	33.88[1]	33.88

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	76.62	70.29	66.13	72.00[2]	70.32	74.98
" " No. 1 Common	72.23	79.25	64.02	55.00	66.88	70.22
" " No. 2 "	43.78	41.88	38.94	41.50[2]	40.69	41.07
" " No. 3 "	....	....	30.25	36.00[2]	30.25	25.00
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	97.36	86.68	87.09	117.25[1]	92.56	100.25
1x 6 inch, "	100.47	88.80	85.82	118.25[1]	91.58	90.29
1x 8 inch, "	96.64	90.44	90.33	119.25[1]	92.90	95.09
1x 5 and 10 inch, "	104.95	86.80	94.79	122.25[1]	98.46	93.32
1x12 inch, "	98.22	92.72	99.30	126.25[1]	96.84	100.02
1¼x4 to 12 inch, "	107.23	92.62	108.06	132.25[1]	105.35	104.25
1½ and 2x4 to 12 inch, "	109.83	109.25[1]	94.18	....	95.06	114.40
1⅝ inch, "	90.00	100.53[2]	....	....	90.00	97.88[1]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	81.75	78.00	80.00[1]	....	78.75	80.00
1x 6 inch, "	84.10	76.50	105.50[3]	....	82.80	98.00
1x 8 inch, "	87.44	75.00	80.00[1]	....	85.70	88.66
1x 5 and 10 inch, "	92.10	77.12	80.00[1]	....	85.48	90.75
1x12 inch, "	89.10	105.00[1]	115.00[3]	....	89.10	105.00
1¼x4 to 12 inch, "	104.80	....	115.00[3]	....	104.80	114.00[1]
1½ and 2x4 to 12 inch, "	107.78	....	115.00[3]	....	107.78	108.75[1]
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	82.75	....	100.00[1]	....	82.75	100.00
1x 6 inch, " "	98.44[2]	80.92	86.29	77.17[1]	84.38	85.18
1x 8 inch, " "	95.00[1]	79.62	91.90	78.83[1]	83.04	88.38
1x 5 and 10 inch, " "	110.00[2]	78.40	96.66	76.50[1]	90.84	86.10
1x12 inch, " "	98.00[1]	82.53	100.91	78.25[1]	84.92	89.40
1¼x4 to 12 inch, " "	....	98.00	112.90	97.00[1]	111.60	107.04
1½ and 2x4 to 12 inch, " "	112.00	....	94.38	....	107.12	96.60
1⅝ inch, " "	....	100.00[1]	....	....	100.00[1]	100.00
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	104.96	100.00	103.09	....	104.25	113.65
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	105.16	101.33	105.25	....	104.98	112.76
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	102.90	95.00	118.25	....	108.20	121.46
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	65.00	74.75[2]	81.75	....	73.38	74.75[1]
" " " " " 8 ft.	75.72	74.00	70.00	....	74.78	66.39
" " " " " 12 and 14 ft.	90.00	88.00[1]	....	....	90.00	86.65
" " " " " 16 ft.	74.25[2]	....	....	....	74.25[2]	74.25[1]
" " " " " 9 or 18 ft.	91.32	89.50	95.00	....	91.36	94.44
" " " " " 10 or 20 ft.	99.76	100.00[1]	95.00	....	98.46	92.45

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	50.00[3]	65.50	59.75	....	62.63	59.04
" " " " " 8 ft.	70.47[3]	58.00[1]	53.50	....	53.50	58.00
" " " " " 12 and 14 ft.	73.00[3]	68.75[1]	....	....	68.75[1]	68.75
" " " " " 16 ft.	....	68.75[1]	80.00[3]	....	68.75[1]	68.75
" " " " " 9 or 18 ft.	66.95	64.14	68.33	....	66.72	65.00
" " " " " 10 or 20 ft.	60.00	65.09	63.34	....	63.64	71.72
iding, Lining and Roofing, 1x6, No. 1, 5 ft.	74.00[1]	65.50	59.75	....	62.63	74.00
" " " " " 8 ft.	68.25[3]	58.00[1]	53.50	....	53.50	58.00
" " " " " 12 and 14 ft.	75.50	68.75[1]	....	....	75.50	68.75
" " " " " 16 ft.	75.50	68.75[1]	80.00[3]	....	75.50	71.00
" " " " " 9 or 18 ft.	71.49	64.14	68.33	....	71.49	65.00
" " " " " 10 or 20 ft.	72.50[3]	65.09	63.34	....	63.64	71.14
iding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	37.65	....	....	....	37.65	39.50
" " " " " 10 to 20 ft.	45.19	42.00[2]	....	....	45.19	42.13[1]
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	39.25[1]	....	53.60	....	53.60	46.46
" " " " 2 to 3 inch, 10 & 20 ft.	....	58.00[2]	53.60	....	53.60	49.42
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	53.00[1]	....	....	....	53.00[1]	53.00
" " " 1¾ inch, 10 & 20 ft	53.00[1]	....	....	....	53.00[1]	53.00
" " " 2 to 3 inch, 9 & 18 ft.	....	44.00	....	....	44.00	52.00[3]
" " " 2 to 3 inch 10 & 20 ft.	....	52.00	....	....	52.00	52.00[3]
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	39.10[3]	39.10[3]	39.10[3]
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	41.00[3]
BOARDS, SHIPLAP AND GROOVED ROOFING						
oards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	58.70	43.00	....	....	58.29	53.62
" " " " other lengths.	55.91	49.30	72.30	72.50[2]	52.20	65.25
" " 1x10, " 14 and 16 ft.	54.84	45.50[1]	....	....	54.84	47.57
" " " " other lengths.	56.58	47.32	76.34	....	53.71	59.02
" " 1x12, " 14 and 16 ft.	56.41	63.05	58.00	....	60.16	56.87
" " " " other lengths.	56.49	55.44	74.07	112.50[3]	57.94	61.96
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	37.35	32.67	39.64	35.75[1]	36.18	40.70
" " 1x10, " "	38.30	35.36	40.25	38.33	38.26	40.05
" " 1x12, " "	39.97	38.89	38.30	48.00	39.20	43.45
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	35.65	38.00[1]	33.43	33.64[1]	35.14	34.85
" " 1x10, " "	37.12	33.13	36.75	33.64[1]	36.28	35.22
" " 1x12, " "	34.65	32.51	52.72	31.00	41.56	37.11
hiplap, 1 x 8, No. 1, 14 and 16 ft.	58.45	58.00[1]	64.00	....	59.51	60.28
" " " other lengths.	61.76	43.78	67.25	....	52.89	50.64
" 1x10, " 14 and 16 ft.	57.10	49.50[1]	....	....	57.10	49.80
" " " other lengths.	55.61	46.16	67.62[2]	....	50.48	49.83
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
hiplap, 1x 8, No. 2, all lengths.	38.57	33.42	40.69	35.50	37.76	42.34
" 1x10, " "	40.85	33.42	37.57	35.00	35.84	39.53
" 1x12, " "	....	....	....	....	....	....
hiplap, 1x 8, No. 3, all lengths.	33.65	26.52	28.10	35.00[2]	27.98	40.85
" 1x10, " "	33.65	28.00	32.14	35.00[1]	32.02	34.50
" 1x12, " "	37.00	36.50[1]	....	....	37.00	36.43
rooved Roofing, 1x10, No. 1, 14 and 16 ft.	55.55	....	....	....	55.55	65.25[1]
" " " " other lengths.	55.60	....	....	....	55.60	50.25
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
ll No. 4—all widths and lengths.	12.95	....	19.46[1]	....	12.95	19.41

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
1x4, S 1 S, No. 1, 16 ft.	57.63	52.41	....	....	53.69	63.90
“ “ “ other lengths	52.01	50.22	74.34	....	51.55	65.89
“ “ No. 2, all lengths	32.54	31.71	39.35	33.50 [2]	33.18	37.90
“ “ No. 3, “	31.46	25.42	33.00	....	30.13	32.82
1x4, C. M., No. 1, 16 ft.	49.50	....	....	....	49.50	71.57 [2]
“ “ “ other lengths	57.13	....	....	....	57.13	55.50
“ “ No. 2, all lengths	37.50 [1]	....	....	....	37.50 [1]	37.50
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	58.60	53.11	63.50 [1]	....	56.87	53.49
“ “ “ other lengths	52.19	45.73	74.80	68.54 [2]	52.36	57.06
“ “ No. 2, all lengths	38.60	33.81	39.68	35.34	35.34	38.87
“ “ No. 3, “	33.22	26.55	32.02	....	31.67	34.54
1x6, C. M., No. 1, 16 ft.	57.57	59.00 [2]	....	....	57.57	51.38
“ “ “ other lengths	59.90	46.00	....	66.62 [3]	53.45	53.75
“ “ No. 2, all lengths	35.13	28.47	....	35.07	30.52	39.83
“ “ No. 3, “	38.05 [2]	29.00	....	33.00	31.67	37.26 [1]
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	41.85	34.28	41.34	39.50	36.16	41.74
“ “ “ 12 ft.	39.85	35.69	37.65	39.50	36.53	40.92
“ “ “ 14 ft.	40.72	36.18	39.32	46.00 [3]	37.29	40.52
“ “ “ 16 ft.	41.58	35.53	39.21	31.00	36.75	40.26
“ “ “ 18 ft.	41.47	38.12	40.01	....	39.27	41.55
“ “ “ 20 ft.	41.96	38.19	40.01	....	39.28	43.44
“ “ “ 22 ft.	43.83	39.60	47.25 [1]	....	39.92	44.25
“ “ “ 24 ft.	46.86	39.49	47.25 [1]	....	40.09	44.12
2x 6, No. 1, S 1 S 1 E, 10 ft.	38.29	35.84	41.63	38.50	40.71	38.63
“ “ “ 12 ft.	39.10	32.44	37.26	33.42	34.25	38.31
“ “ “ 14 ft.	38.68	33.97	37.26	33.00	35.38	38.28
“ “ “ 16 ft.	40.15	34.05	40.10	33.75	36.84	39.47
“ “ “ 18 ft.	37.51	33.14	41.63	....	33.91	40.84
“ “ “ 20 ft.	41.01	35.52	41.63	47.75 [1]	37.58	41.44
“ “ “ 22 ft.	43.52	37.75	49.00	....	39.15	42.51
“ “ “ 24 ft.	43.38	36.69	49.00	....	39.63	42.09
2x 8, No. 1, S 1 S 1 E, 10 ft.	41.88	43.00 [1]	42.53	....	42.48	41.71
“ “ “ 12 ft.	39.20	39.35	42.71	39.50	40.05	40.26
“ “ “ 14 ft.	39.48	36.65	41.02	37 91 [2]	38.70	41.09
“ “ “ 16 ft.	42.88	37.79	40.05	39.50	39.51	42.11
“ “ “ 18 ft.	43.17	35.16	42.53	48.75 [1]	36.05	41.41
“ “ “ 20 ft.	43.48	37.72	42.53	....	40.10	41.50
“ “ “ 22 ft.	46 30	39.53	41.85	....	40.79	46.77
“ “ “ 24 ft.	47.50	41.89	41.85	....	43.22	41.85
2x10, No. 1, S 1 S 1 E, 10 ft.	35.83	45.00	44.77	....	43.20	43.03
“ “ “ 12 ft.	39.52	37.94	46.49	....	40 68	43.50
“ “ “ 14 ft.	40.74	34.99	46.49	48.00 [3]	36.40	40 89
“ “ “ 16 ft.	44.72	36.34	41.13	48.25 [1]	38.60	43 58
“ “ “ 18 ft.	43.80	35.60	44.77	49.25 [1]	36.06	40.56
“ “ “ 20 ft.	44.71	35.96	44.77	49.25 [1]	38 80	42.14
“ “ “ 22 ft.	47.78	38.96	46.08	46.00 [3]	40.60	46.47
“ “ “ 24 ft.	43.62	40.20	46.08	....	41.07	46.30
2x12, No. 1, S 1 S 1 E, 10 ft.	41.00	39.80	43.96	....	43.66	44.80
“ “ “ 12 ft.	40.26	38.64	41.58	....	39 68	43.37
“ “ “ 14 ft.	43.04	37.93	41.58	....	40.61	43.02
“ “ “ 16 ft.	45 91	37.02	44.50	50.25 [1]	39.62	43.10
“ “ “ 18 ft.	46.11	40.95	43.96	45.50	42.88	44.94
“ “ “ 20 ft.	45.60	40 29	43.96	....	42.68	45 27
“ “ “ 22 ft.	47.54	43.45	41.92	....	44.54	49.15
“ “ “ 24 ft.	48.29	42.27	41.92	45.50	43.39	50.67
2x 4, No. 2, S 1 S 1 E, 10 ft.	40.35	33.62	32.05	....	35.50	38.35
“ “ “ 12 ft.	39.90	31.96	31.83	....	33.80	40.60
“ “ “ 14 ft.	39.01	32.09	30.68	....	32.82	39.15
“ “ “ 16 ft.	40.84	32.42	31.50	....	34.35	40.35
“ “ “ 18 ft.	40.94	34.90	37.06	....	37.38	39 45
“ “ “ 20 ft.	41.37	34.99	37.06	....	37.12	42.72
“ “ “ 22 ft.	48.00 [1]	48.00 [3]	49.00 [1]	....	48.97 [1]	48 97
“ “ “ 24 ft.	45.00	48.00 [3]	49.00 [1]	....	45.00	48.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	33.28	32.10	38.60	....	38.16	34.83
“ “ “ 12 ft.	37.62	38.91	29.52	....	33.13	35.38
“ “ “ 14 ft.	36.32	32.34	29.52	....	35.03	35.32
“ “ “ 16 ft.	36.53	28.22	39.47	....	33.16	36.49
“ “ “ 18 ft.	37.40	33.24	38.60	....	34.56	40.13
“ “ “ 20 ft.	36.17	31.42	38.60	....	32.29	39.79
“ “ “ 22 ft.	39.61 [1]	39 00	43.20	....	39.88	46.26
“ “ “ 24 ft.	39.83 [1]	39.00	43.20	....	39.88	39.83

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	37.52	28.42	35.68	41.00[1]	32.79	40.04
" " " 12 ft.	36 05	27.55	31.68	....	31.30	38.44
" " " 14 ft.	37 17	31.40	36.54	....	35.99	37.52
" " " 16 ft.	38 10	31.39	30 00	....	35.13	39.51
" " " 18 ft.	39 07	36.17	35.68	32.00[1]	38.05	32.04
" " " 20 ft.	38.75	34.20	35.68	....	36.68	43.71
" " " 22 ft.	....	45 00[1]	42.61[2]	....	45.00[1]	45.00
" " " 24 ft.	....	45.00[1]	42.61[2]	....	45.00[1]	45.00
2x10, No. 2, S 1 S 1 E, 10 ft.	37.53	31.55	41.70	....	40.62	49 01[1]
" " " 12 ft.	36.50	31.54	36.34	....	33.20	41.48
" " " 14 ft.	38 25	27.94	36.34	30.50	33.52	41.14
" " " 16 ft.	42 59	33.40	33.96	....	34.44	42 53
" " " 18 ft.	41.50	35.25	41.70	....	38.55	34.50
" " " 20 ft.	41.43	35.43	41.70	....	36 53	40 55
" " " 22 ft.	....	38 78	51.00[1]	....	38.78	51.00
" " " 24 ft.	....	38.78	51.00[1]	....	38.78	51.00
2x12, No. 2, S 1 S 1 E, 10 ft.	37.00	26.75	40 32[2]	42.00[1]	27.44	42.84
" " " 12 ft.	39.13	26.98	43.75[2]	....	28.88	42.94
" " " 14 ft.	39 75	29.16	43.75[2]	....	30.09	42.00
" " " 16 ft.	36.68	31.04	43.98[3]	....	33.71	42.79
" " " 18 ft.	43.25	38.00	40.32[2]	....	39.50	42.41[1]
" " " 20 ft.	43.25	37.27	40.32[2]	....	38.87	42.27[1]
" " " 22 ft.	....	38.00	44.75[3]	....	38.00	44.75[2]
" " " 24 ft.	....	38.00	44.75[3]	....	38.00	44.75[2]
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	24.88	23.19	30.50	24.89	24.25	27.76
PATENT LATH						
4 and 6 ft.	36 52	35.44	41.71[2]	....	35.92	37.85
8 and 10 ft.	39.31	40.00	....	....	39.60	34 63
12 ft. and longer	43.00	....	....	....	43.00	44.00[1]
PLASTERING LATH						
⅜x1½-4, No. 1	6.43	7.15	7.47	7.51	7.07	7.44
" No. 2	5.18	4.90[1]	6.26	4.81[1]	5.57	5.01
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	43 99	37 97	41.36	31.50[1]	41.26	44.34
" " 22-24 ft.	45 47	41.50	40.05	....	44.88	44 49
" " 26 ft.	40 75[1]	....	46.59	....	46.59	48 57
" " 28 ft.	57 29[2]	....	46 59	....	46 59	49.96
" " 30 ft.	55.90	47 20[3]	46.12	....	46 97	57.22
" " over 30 ft.	48 58	46 33[3]	52.75	....	48.99	55.41
4x4 to 8x8, Heart (85%+), up to 20 ft.	46 99	48 06	....	....	47.92	50.13
" " " 22-24 ft.	60 50	47.02	....	....	54.97	51.14
" " " 26 ft.	51 50[1]	52.50	....	....	52 50	51.50
" " " 28 ft.	57 06	....	....	....	57 06	58 00[3]
" " " 30 ft.	65 50[3]	51 00	....	....	51 00	52 00
" " " over 30 ft.	51 50	51 00	....	....	51.49	57.32
3 & 4x10, No. 1, up to 20 ft.	51.07	47 00[1]	....	....	51.07	47.72
" " 22-24 ft.	48 98[1]	47 00[1]	....	....	48 88[1]	48 88
" " 26 ft.	48 00	58.00[3]	....	....	48 00	52.75
" " 28 ft.	48 00	....	....	....	48 00	54 21[1]
" " 30 ft.	52 50	....	....	....	52.50	54 00[1]
" " over 30 ft.	57.53[1]	60 00[3]	....	....	57.53[1]	57.53
3 & 4x10, Heart (85%+), up to 20 ft.	46 55	52 50[1]	....	54 20[2]	46 55	52 91
" " " 22-24 ft.	....	....	....	55.00[2]	55.00[2]	55 00[1]
" " " 26 ft.	....	....	....	....	....	57 56[3]
" " " 28 ft.	52 50[3]	....	....	....	52.50[3]	52.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	65.00[3]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
6x10, to 10x10, No. 1, up to 20 ft.	45.30	44.50	46.22	....	46.05	52.15
“ “ 22-24 ft.	48.23[1]	46.00	47.37	....	46.98	51.52
“ “ 26 ft.	58.50[1]	51.00[2]	50.66	....	50.66	51.70
“ “ 28 ft.	49.00[3]	....	50.66	....	50.66	51.44
“ “ 30 ft.	51.00	53.00	63.00	....	59.65	56.06
“ “ over 30 ft.	52.52	52.00	57.00	....	52.83	59.64
6x10 to 10x10, Heart (85%+), up to 20 ft.	50.50	52.50	....	....	51.72	55.96
“ “ “ 22-24 ft.	52.50	53.59[1]	....	....	52.50	53.59
“ “ “ 26 ft.	....	54.00[1]	....	....	54.00[1]	54.00
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	58.50[1]	....	....	....	58.50[1]	58.50
“ “ “ over 30 ft.	....	....	....	....	....	65.00[3]
3 & 4x12, No 1, up to 20 ft.	53.74	49.86	....	40.00[2]	52.69	54.47
“ “ 22 24 ft.	54.00	51.00	....	45.00[2]	53.92	51.58
“ “ 26 ft.	....	....	....	....	....	58.00[3]
“ “ 28 ft.	56.50[1]	....	....	....	56.50[1]	56.50
“ “ 30 ft.	59.41	54.00	....	....	59.00	59.54[2]
“ “ over 30 ft.	58.61	60.00	....	....	58.87	58.36
3 & 4x12, Heart (85%+), up to 20 ft.	60.50[1]	55.30	....	....	55.30	55.90
“ “ “ 22-24 ft.	57.00	55.00	....	....	56.51	54.29[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	65.25[3]
“ “ “ over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	50.94	50.64	46.96	....	48.31	52.71
“ “ 22-24 ft.	47.33	....	51.31	....	47.93	56.31
“ “ 26 ft.	57.50	....	52.29	....	56.29	52.78
“ “ 28 ft.	52.18	....	51.83	....	52.18	52.93
“ “ 30 ft.	55.31	54.00	57.00	....	54.91	55.40
“ “ over 30 ft.	57.45	60.85	62.50[1]	....	58.29	57.32
6x12 to 12x12, Heart (85%+), up to 20 ft.	55.26	56.52	....	....	56.08	57.14
“ “ “ 22-24 ft.	55.91	....	....	....	55.91	52.50
“ “ “ 26 ft.	58.50[3]	....	....	....	58.50[3]	58.50[2]
“ “ “ 28 ft.	62.50[1]	....	....	....	62.50[1]	62.50
“ “ “ 30 ft.	59.56	....	....	....	59.56	63.50
“ “ “ over 30 ft.	57.00	63.50[2]	....	....	57.00	68.48
2x14 to 4x14, No. 1, up to 20 ft.	52.94	39.87	....	....	41.46	62.93
“ “ 22-24 ft.	68.95[1]	49.17	....	....	49.17	58.48
“ “ 26 ft.	68.95[1]	55.97	....	....	55.97	58.34
“ “ 28 ft.	70.95[1]	59.50	....	....	59.50	70.95
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	56.16[1]	55.00	51.80	....	52.06	56.49
“ “ 22-24 ft.	61.41[1]	....	60.96	....	60.96	60.81
“ “ 26 ft.	58.51[1]	....	61.85	....	61.85	60.74
“ “ 28 ft.	59.96[1]	....	62.50[1]	....	59.96[1]	59.96
“ “ 30 ft.	71.00[2]	....	76.00[2]	....	75.55[2]	75.55[1]
“ “ over 30 ft.	67.75	....	76.00[2]	....	67.75	58.43
6x14 to 14x14, Heart (85%+), up to 20 ft.	61.50[1]	....	....	....	61.50[1]	61.50
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	77.25[3]
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
6x16 & Up, No. 1, up to 20 ft.	59.64	....	59.83	....	59.82	64.46
" " 22-24 ft.	56.63	....	63.00	....	62.33	61.08
" " 26 ft.	62.03[1]	....	65.00[1]	....	62.18[1]	62.18
" " 28 ft.	65.50	....	65.00[1]	....	65.50	65.50
" " 30 ft.	66.50	....	73.50	....	71.75	70.21
" " over 30 ft.	70.76	....	73.50	....	70.76	73.46
6x16 & Up, Heart (85%+), up to 20 ft.	83.50[2]	....	....	....	83.50[2]	83.50[1]
" " " 22-24 ft.	74.50[3]	....	....	....	74.50[3]	74.50[2]
" " " 26 ft.	74.50[3]	....	....	....	74.50[3]	74.50[2]
" " " 28 ft.	63.50[3]	....	....	....	63.50[3]	63.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	79.18[1]	....	....	....	79.18[1]	79.18
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	54.25[2]	....	....	....	54.25[2]	54.25[1]
" " 28 ft.	....	69.25	....	....	69.25	71.50[2]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	70.00	....	....	....	70.00	....
16 inhc, Heart (85%+), up to 20 ft.	....	60.00[1]	....	....	60.00[1]	60.00
" " " 22-24 ft.	65.36[1]	....	....	....	65.36[1]	65.36
" " " 26 ft.	68.50[2]	....	....	....	68.50[2]	68.50[1]
" " " 28 ft.	69.25	65.00	....	....	66.50	66.25
" " " 30 ft.	71.50[2]	....	....	....	71.50[2]	71.50[1]
" " " 32 ft.	....	70.00[1]	....	....	70.00[1]	70.00
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	58.08[2]	....	56.69	50.00[2]	56.69	51.56
" " " 36 ft.	58.60[2]	58.70[1]	56.69	46.62	46.62	53.96
" " " 37-38 ft.	58.00[1]	....	57.61	48.75[2]	57.61	56.07
" " " 40 ft.	60.12[2]	60.00[1]	57.61	....	57.61	60.00
" " " 41-42 ft.	61.39	65.50	....	....	62.71	60.12[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	61.29[2]	....	....	....	61.29[2]	61.29[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	62.50	....	....	....	62.50	....
Up to 10 inch, Sq. E. 34 ft.	57.00	60.00[3]	55.00[1]	56.00[2]	57.00	56.11
" " " 36 ft.	55.50[2]	64.00[2]	55.00[1]	60.00[1]	60.00[1]	60.00
" " " 37-38 ft.	58.00[1]	....	50.75[1]	54.00[2]	51.22[1]	51.22
" " " 40 ft.	58.50	....	50.75[1]	....	58.50	59.50
" " " 41-42 ft.	59.50[1]	....	....	....	59.50[1]	59.50
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	62.15[3]
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	60.50[3]
" " " " 41-42 ft.	....	....	....	....	....	60.50[3]
Up to 12 inch, Sq. E., 34 ft.	64.75[1]	....	58.00[1]	....	58.89[1]	58.89
" " " 36 ft.	52.25	65.48[2]	58.00[1]	62.50[1]	52.25	62.50
" " " 37-38 ft.	63.25	....	59.09[1]	65.00[2]	63.25	58.91
" " " 40 ft.	72.38[2]	....	59.09[1]	....	59.09[1]	59.09
" " " 41-42 ft.	65.50[1]	....	....	60.00[3]	65.50[1]	65.50
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	68.25[3]	....	....	....	68.25[3]	68.25[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
“ “ “ 36 ft.	....	70.00	....	72.50[2]	70.00	72.50[1]
“ “ “ 37-38 ft.	69.00[1]	....	65.00[1]	....	65.52[1]	65.52
“ “ “ 40 ft.	74.50[2]	....	70.00[2]	....	74.50[2]	74.50[1]
“ “ “ 41-42 ft.	74.50[2]	....	....	....	74.50[2]	74.50[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	60.00[3]
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	59.18[3]
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	60.00[3]
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	43.63	....	....	....	43.63	42.55
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	45.53	52.00	47.00[1]	....	45.58	42.54
“ “ Heart, (85%+), 6x8–8	46.44	47.03	50.00[1]	50.00[2]	46.86	48.17
“ “ Sq. E., “ 7x9–8	....	....	....	....	....	....
“ “ Heart, “ 7x9–8	....	52.00	....	....	52.00	....
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
“ “ Heart,	48.17[1]	....	....	....	48.17[1]	48.17
Paving Stock, S 1 S	....	36.00	35.57[1]	....	36.00	35.57
“ “ Rough	38.00[2]	40.00[3]	....	....	38.00[2]	38.00[1]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	123.34	....	....	....	123.34	138.83
Miscellaneous	90.00	48.81	....	38.21[1]	50.11	42.96
MISCELLANEOUS STOCK						
Silo Stock	52.00[1]	55.56[2]	55.00[1]	....	53.54[1]	53.54
Grain Doors	37.71	....	35.00	....	37.59	35.70
Miscellaneous, B and B	112.74	78.23	79.96	61.50	91.73	103 06
“ No. 1	69.72	35.40	43.57	62.71	44.32	50.54
“ No. 2	52.94	36.33	36.71	34.39	36.32	40.20
“ No. 3	38.79	25.72	33.61	27.61	29.03	30.58
Shorts, B and B	67.25	60.00[1]	....	....	67.25	60.00
“ No. 1	33.05	31.75	....	....	33.03	36.27
“ No. 2	....	31.16	....	....	31.16	29.16
“ No. 3	....	26.00	....	....	26.00	28.78[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weigh
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weig
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	50
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	70
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	90
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	100
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	110
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	120
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	140
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	150
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	170
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	180
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	190
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	200
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	210
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	220
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	230
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	240
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	250
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	260
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	270
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	280
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	300
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	320
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	330
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	340
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	350
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	360
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	380
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	420
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	450

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5 00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

June 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending June 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued June 28, 1920

No. 97

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	116.33	....	....	....	116.33	119.61
" " C "	110.00	....	....	....	110.00	118.00[1]
" " D "	93.25[2]	....	....	....	93.25[2]	93.25[2]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	84.20	....	....	....	84.20	81.84
" " C "	....	....	....	....	....	88.50[2]
" " D "	89.00[1]	....	....	....	89.00[1]	89.00
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	40.00	....	....	....	40.00	45.00
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	142.00[1]	142.00[1]	142.00
Edge Grain, A "	....	120.00[1]	140.00[2]	141.00	141.00	120.00
" " B "	....	125.00[1]	128.30	120.25	123.67	131.54
" " B and Better "	....	115.00	....	120.00[1]	115.00	118.77
" " C "	....	118.00[2]	101.50	77.00	85.17	120.50
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	66.50	50.00[1]	66.50	50.00
Flat " A "	....	....	....	113.55[2]	113.55[2]	113.55[1]
" " B "	....	....	....	106.68[2]	106.68[2]	106.68[1]
" " B and Better "	....	82.08	86.67	88.75	86.40	89.02
" " C "	....	....	....	....	....	88.50[2]
" " D "	....	....	....	....	....	....
No. 1 Common "	....	65.00	73.61	73.00	72.93	69.18
No. 2 " "	....	....	34.76	47.50	35.43	41.25
No. 3 " "	....	....	25.75[1]	26.30[1]	26.09[1]	26.09
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	....	....	....
Edge Grain, A "	....	125.00[2]	135.00[1]	136.27[2]	135.00[1]	135.00
" " B "	....	120.00[2]	94.47	131.50[2]	94.47	126.33
" " B and Better "	102.93	109.87	100.25[2]	139.25[2]	103.63	107.28
" " C "	87.50[1]	105.00[1]	123.75	122.50[2]	123.75	95.00
" " D "	75.00	....	....	....	75.00	....
" " No. 2 "	....	47.85[2]	57.75	....	57.75	85.00
Flat " A "	95.00[2]	105.00[2]	....	92.50	92.50	95.00[1]
" " B "	....	75.25	....	89.50[2]	75.25	72.50
" " B and Better "	79.09	70.54	72.81	61.92	73.31	78.40
" " C "	75.00	67.50	....	....	70.91	87.00[1]
" " D "	62.62	....	....	....	62.62	66.31
No. 1 Common "	....	67.00	59.59	58.67	59.45	64.52
No. 2 " "	42.89	37.09	35.35	32.99	36.45	38.57
No. 3 " "	....	....	25.08	24.77	25.04	24.86
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	58.62	60.60	60.79	77.25[2]	60.14	61.95
" " No. 1 Common	52.50	65.00[2]	42.54	....	47.87	50.00
" " No. 2 "	38.92[1]	....	36.71[2]	....	38.92[1]	38.92
" " No. 3 "	....	....	26.00[1]	....	26.00[1]	26.00
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	66.37	70.46	65.74	60.00[1]	66.62	66.16
" " No. 1 Common	57.45	55.48[1]	63.38	55.00[1]	60.25	60.28
" " No. 2 "	39.36	39.50	36.64	32.50[1]	38.41	37.18
" " No. 3 "	....	....	33.50	....	33.50	25.00[1]
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	81.25[1]	80.00[2]	77.17	....	77.17	83.83
" " No. 1 Common	70.00	70.00	70.00	....	70.00	75.00
" " No. 2 "	....	49.00[2]	36.25	....	36.25	38.00
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	82.36	87.50	....	101.07[2]	83.68	85.91
" " No. 1 Common	73.10	56.00[1]	....	....	73.10	56.00
" " No. 2 "	39.00	....	....	....	39.00	47.25
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	....	106.75[2]	80.59	....	80.59	89.02
" " No. 1 Common	71.00[2]	....	67.13	....	67.13	74.28
" " No. 2 "	....	....	38.16	....	38.16	39.91
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	70.25	72.75[2]	56.12[1]	....	70.25	55.61
" No. 1 Common	46.00[1]	65.00[2]	82.25[1]	....	55.68[1]	55.68
" No. 2 "	....	....	43.42	42.50[2]	43.42	33.88[1]

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
Drop Siding, ¾x3¼ or 5¼,	A	....	....	....	....	....	....
" "	B	....	....	....	....	....	....
" "	B and Better	69.05	68.55	57.40	72.00[3]	67.17	70.32
" "	No. 1 Common	65.80	56.89	61.55	55.00[1]	60.36	66.88
" "	No. 2 "	37.65	38.00	39.61	34.00	39.13	40.69
" "	No. 3 "	....	....	24.00	36.00[3]	24.00	30.25
FINISH							
1x 4 inch,	A	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better	89.67	85.74	83.48	117.25[2]	87.73	92.56
1x 6 inch,	"	89.70	88.94	85.17	118.25[2]	88.39	91.58
1x 8 inch,	"	86.24	92.17	87.30	119.25[2]	86.96	92.90
1x 5 and 10 inch,	"	98.86	93.00	93.84	122.25[2]	96.23	98.46
1x12 inch,	"	98.94	95.63	94.49	126.25[2]	96.65	96.84
1¼x4 to 12 inch,	"	105.73	99.94	98.08	132.25[2]	100.95	105.35
1½ and 2x4 to 12 inch,	"	105.33	109.25[2]	94.83	....	95.14	95.06
1⅝ inch,	"	90.00[1]	100.53[3]	....	....	90.00[1]	90.00
1x 6 to 12 inch,	"	....	....	....	....	....	....
1x 4 inch,	C	81.00	78.00[1]	80.00[2]	....	81.00	78.75
1x 6 inch,	"	74.50	76.50[1]	....	....	74.50	82.80
1x 8 inch,	"	96.00	75.00[1]	80.00[2]	....	96.00	85.70
1x 5 and 10 inch,	"	95.02	77.12[1]	80.00[2]	....	95.02	85.48
1x12 inch,	"	89.10[1]	105.00[2]	....	....	89.10[1]	89.10
1¼x4 to 12 inch,	"	87.00	....	....	....	87.00	104.80
1½ and 2x4 to 12 inch,	"	107.78[1]	....	....	....	107.78[1]	107.78
1⅝ inch,	"	....	....	....	....	....	....
1x 6 to 12 inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better, Rough	94.00	....	100.00[2]	....	94.00	82.75
1x 6 inch,	" "	94.00	80.92[1]	86.29[1]	77.17[2]	94.00	84.38
1x 8 inch,	" "	99.00	79.62[1]	91.90[1]	78.83[2]	99.00	83.04
1x 5 and 10 inch,	" "	101.00	78.40[1]	96.66[1]	76.50[2]	101.00	90.84
1x12 inch,	" "	103.00	82.53[1]	100.91[1]	78.25[2]	103.00	84.92
1¼x4 to 12 inch,	" "	108.28	98.00[1]	112.90[1]	97.00[2]	108.28	111.60
1½ and 2x4 to 12 inch,	" "	112.25	....	110.13	....	110.22	107.12
1⅝ inch,	" "	....	100.00[2]	....	....	100.00[2]	100.00[1]
1x 6 to 12 inch,	" "	....	....	....	....	....	....
CASING AND BASE							
From 4 and 6 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	103.81	90.00	108.44	....	105.55	104.25
From 8 and 10 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	99.55	104.25	99.78	....	99.77	104.98
MOULDINGS (% Discount)							
1½ inch and Smaller		....	....	....	....	....	....
1¾ inch and Larger		....	....	....	....	....	....
DOOR AND WINDOW JAMBS							
A	B. M	....	....	....	....	....	....
B	"	....	....	....	....	....	....
B and Better,	"	108.71	95.00[1]	112.90	....	111.23	108.20
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	65.00[1]	74.75[3]	76.00	....	76.00	73.38
" " " " "	8 ft.	62.00	60.00	70.00[1]	....	60.65	74.78
" " " " "	12 and 14 ft.	90.00[1]	88.00[2]	....	....	90.00[1]	90.00
" " " " "	16 ft.	74.25[3]	103.50	85.00	....	97.17	74.25[2]
" " " " "	9 or 18 ft.	83.00	89.50[1]	91.00	....	85.04	91.36
" " " " "	10 or 20 ft.	81.32	100.00[2]	81.45	....	81.37	98.46

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
iding, Lining and Roofing, 1x4, No. 1, 5 ft.	53.75	65.50[1]	67.00	....	56.40	62.63
" " " " " 8 ft.	....	45.00	53.50[1]	....	45.00	53.50
" " " " " 12 and 14 ft.	50.00	68.75[2]	....	....	50.00	68.75[1]
" " " " " 16 ft.	....	69.00	60.00	....	66.35	68.75[1]
" " " " " 9 or 18 ft.	70.50	64.14[1]	59.50	....	68.30	66.72
" " " " " 10 or 20 ft.	60.00[1]	65.09[1]	63.34[1]	....	63.64[1]	63.64
iding, Lining and Roofing, 1x6, No. 1, 5 ft.	53.75	65.50[1]	67.00	....	53.75	62.63
" " " " " 8 ft.	....	45.00	53.50[1]	....	45.00	53.50
" " " " " 12 and 14 ft.	75.50[1]	68.75[2]	....	....	75.50[1]	75.50
" " " " " 16 ft.	75.50[1]	69.00[1]	60.00	....	66.35	75.50
" " " " " 9 or 18 ft.	71.49[1]	64.14	59.50	....	59.50	71.49
" " " " " 10 or 20 ft.	....	65.09[1]	63.34[1]	....	63.64[1]	63.64
iding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	44.50	....	....	....	44.50	37.65
" " " " " 10 to 20 ft.	44.50	38.00	....	....	42.73	45.19
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	39.25[2]	60.00	45.60	....	48.39	53.60
" " " " 2 to 3 inch, 10 & 20 ft.	....	60.00	45.60	....	60.00	53.60
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	53.00[2]	....	....	....	53.00[2]	53.00[1]
" " " 1¾ inch, 10 & 20 ft	53.00[2]	....	....	....	53.00[2]	53.00[1]
" " " 2 to 3 inch, 9 & 18 ft.	....	46.88	....	....	46.88	44.00
" " " 2 to 3 inch 10 & 20 ft.	....	55.48	....	....	55.48	52.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	39.10[3]
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
oards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	50.29	43.00[1]	....	....	50.29	58.29
" " " " other lengths.	55.38	49.30[1]	69.09	72.50[3]	55.89	52.20
" " 1x10, " 14 and 16 ft.	55.51	45.50[2]	....	....	55.51	54.84
" " " " other lengths.	53.92	51.33	70.03	....	58.89	53.71
" " 1x12, " 14 and 16 ft.	57.54	63.05[1]	68.54	....	60.92	60.16
" " " " other lengths.	56.01	55.01	63.30	....	58.44	57.94
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	33.23	34.78	35.29	33.57	33.58	36.18
" " 1x10, " "	33.76	37.82	36.28	32.50	34.60	38.26
" " 1x12, " "	37.54	35.58	38.55	32.65	37.00	39.20
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	29.01	28.41	31.59	33.64[2]	29.48	35.14
" " 1x10, " "	29.28	31.37	33.00	33.64[2]	29.62	36.28
" " 1x12, " "	30.64	31.12	32.28	28.50	31.19	41.56
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	52.40	47.83	64.00[1]	....	51.00	59.51
" " " other lengths.	53.96	54.60	71.77	....	56.51	52.89
" 1x10, " 14 and 16 ft.	57.10[1]	49.50[2]	80.00	....	80.00	57.10
" " " other lengths.	57.25	51.33	80.00	....	56.44	50.48
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	35.08	33.49	36.69	35.81	35.56	37.76
" 1x10, " "	35.53	32.94	37.27	34.38	34.96	35.84
" 1x12, " "	....	....	....	31.00	31.00	....
hiplap, 1x 8, No. 3, all lengths.	33.00	26.52[1]	32.84	35.00[3]	32.72	27.98
" 1x10, " "	33.65[1]	29.00	32.14	35.00[3]	30.02	32.02
" 1x12, " "	35.00	36.50[2]	....	....	35.00	37.00
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	52.46	55.25	....	....	52.98	55.55
" " " " other lengths.	54.31	50.88	....	....	52.91	55.60
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	22.56	....	19.62	....	22.02	12.95

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
1x4, S 1 S, No. 1, 16 ft.	53.34	52.41[1]	....	....	53.34	56.39
“ “ “ other lengths	51.66	49.84	61.50	....	51.45	51.55
“ “ No. 2, all lengths	31.50	31.12	34.47	33.50[3]	31.65	33.18
“ “ No. 3, “	29.04	24.23	27.10	....	27.37	30.13
1x4, C. M., No. 1, 16 ft.	49.50[1]	....	....	....	49.50[1]	49.50
“ “ “ other lengths	54.94	....	....	....	54.94	57.13
“ “ No. 2, all lengths	37.50[2]	....	....	....	37.50[2]	37.50[1]
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	56.60	49.31	75.00	....	55.88	56.87
“ “ “ other lengths	55.93	47.71	62.06	68.54[3]	50.53	52.36
“ “ No. 2, all lengths	32.18	37.54	36.53	30.50	32.96	35.34
“ “ No. 3, “	30.06	25.15	35.56	....	29.96	31.67
1x6, C. M., No. 1, 16 ft.	48.16	59.00[3]	....	....	48.16	57.57
“ “ “ other lengths	49.79	46.00[1]	....	....	49.79	53.45
“ “ No. 2, all lengths	31.38	34.61	....	31.75	31.72	30.52
“ “ No. 3. “	38.05[3]	27.35	....	33.00[1]	27.35	31.67
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	38.50	37.34	35.68	32.00	36.47	36.16
“ “ “ 12 ft.	38.51	35.87	36.32	39.50[1]	36.86	36.53
“ “ “ 14 ft.	36.98	36.52	36.80	....	36.76	37.29
“ “ “ 16 ft.	35.65	35.94	37.34	31.00[1]	36.14	36.75
“ “ “ 18 ft.	37.32	39.00	37.50	....	38.06	39.27
“ “ “ 20 ft.	40.74	38.47	37.50	....	39.19	39.28
“ “ “ 22 ft.	44.48	39.03	47.25[2]	....	39.90	39.92
“ “ “ 24 ft.	43.58	39.44	47.25[2]	....	40.91	40.09
2x 6, No. 1, S 1 S 1 E, 10 ft.	35.41	34.27	35.06	38.50[1]	35.13	40.71
“ “ “ 12 ft.	36.85	33.94	32.67	33.42[1]	34.87	34.25
“ “ “ 14 ft.	37.27	33.73	32.67	33.00[1]	35.97	35.38
“ “ “ 16 ft.	37.06	32.79	35.54	43.25	35.65	36.84
“ “ “ 18 ft.	36.67	36.18	35.06	....	36.40	33.91
“ “ “ 20 ft.	34.66	35.52	35.06	47.75[2]	35.13	37.58
“ “ “ 22 ft.	43.02	37.55	39.71	....	40.62	39.15
“ “ “ 24 ft.	42.15	37.14	39.71	....	40.30	39.63
2x 8, No. 1, S 1 S 1 E, 10 ft.	37.35	38.05	37.82	....	37.79	42.48
“ “ “ 12 ft.	37.28	34.08	41.15	39.50[1]	35.59	40.05
“ “ “ 14 ft.	38.06	36.14	41.23	42.25	42.22	38.70
“ “ “ 16 ft.	36.97	37.62	41.05	44.25	38.09	39.51
“ “ “ 18 ft.	38.34	36.44	37.82	48.75[2]	37.17	36.05
“ “ “ 20 ft.	38.93	38.81	37.82	45.25	39.01	40.10
“ “ “ 22 ft.	45.92	39.26	39.13	....	39.99	40.79
“ “ “ 24 ft.	40.40	38.74	39.13	....	39.68	43.22
2x10, No. 1, S 1 S 1 E, 10 ft.	37.41	35.33	37.98	....	37.68	43.20
“ “ “ 12 ft.	39.05	37.25	35.21	43.00	37.44	40.68
“ “ “ 14 ft.	37.18	35.18	46.49[1]	43.00	36.57	36.40
“ “ “ 16 ft.	40.06	34.70	36.63	45.00	37.22	38.60
“ “ “ 18 ft.	36.29	37.27	37.98	46.00	36.93	36.06
“ “ “ 20 ft.	36.37	38.89	37.98	46.00	37.80	38.80
“ “ “ 22 ft.	47.33	39.16	47.54	....	42.33	40.60
“ “ “ 24 ft.	40.23	38.01	47.54	....	38.75	41.07
2x12, No. 1, S 1 S 1 E, 10 ft.	40.81	39.80[1]	38.69	....	38.75	43.66
“ “ “ 12 ft.	36.74	40.68	42.79	....	38.44	39.68
“ “ “ 14 ft.	42.44	36.96	42.79	....	40.28	40.61
“ “ “ 16 ft.	41.73	41.01	43.57	50.25[2]	41.81	39.62
“ “ “ 18 ft.	42.71	37.50	38.69	45.50[1]	40.25	42.88
“ “ “ 20 ft.	42.95	40.37	38.69	....	42.06	42.68
“ “ “ 22 ft.	49.75	40.76	48.25	....	41.87	44.54
“ “ “ 24 ft.	41.93	43.86	48.25	45.50[1]	42.44	43.39
2x 4, No. 2, S 1 S 1 E, 10 ft.	39.37	35.71	29.16	....	33.85	35.50
“ “ “ 12 ft.	37.51	32.23	29.67	....	31.81	33.80
“ “ “ 14 ft.	36.64	33.45	28.13	....	31.26	32.82
“ “ “ 16 ft.	40.77	34.55	29.96	28.00	31.71	34.35
“ “ “ 18 ft.	38.99	34.15	32.39	....	34.76	37.38
“ “ “ 20 ft.	39.58	35.98	32.39	....	37.05	37.12
“ “ “ 22 ft.	42.25	....	49.00[2]	....	42.25	48.97[1]
“ “ “ 24 ft.	42.25	....	49.00[2]	....	42.25	45.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	37.97	34.13	33.44	....	35.52	38.16
“ “ “ 12 ft.	35.19	30.86	27.56	....	28.88	33.13
“ “ “ 14 ft.	36.16	30.71	27.56	....	33.93	35.03
“ “ “ 16 ft.	35.84	30.73	28.28	30.00	29.97	33.16
“ “ “ 18 ft.	37.00	33.83	33.44	....	34.56	34.56
“ “ “ 20 ft.	36.38	33.00	33.44	....	33.73	32.29
“ “ “ 22 ft.	39.61[2]	34.00	39.25	....	36.63	39.88
“ “ “ 24 ft.	39.83[2]	34.00	39.25	....	36.63	39.88

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	34.62	33.86	39.04	41.00[2]	37.16	32.79
" " " 12 ft.	35.56	34.11	31.52	....	34.58	31.30
" " " 14 ft.	34.26	32.75	38.00	....	34.02	35 99
" " " 16 ft.	36.35	34.05	30 00[1]	....	35.25	35.13
" " " 18 ft.	34.07	33.34	39.04	32.00[2]	33.75	38 05
" " " 20 ft.	34.35	33.49	39.04	....	33.82	36.68
" " " 22 ft.	....	39.90	39.14	....	39.26	45.00[1]
" " " 24 ft.	42.50	39.90	39.14	....	42.50	45.00[1]
2x10, No. 2, S 1 S 1 E, 10 ft.	36.11	31.55[1]	41.25	....	38.73	40.62
" " " 12 ft.	40.68	31.54[1]	35.43	....	39.40	33.20
" " " 14 ft.	33.76	27.94[1]	35.43	42.00	36.38	33.52
" " " 16 ft.	36.23	31.29	33.96[1]	....	33.73	34.44
" " " 18 ft.	33.22	35.75	41.25	....	34.37	38.55
" " " 20 ft.	37.54	36.78	41.25	42.00	37.55	36.53
" " " 22 ft.	....	41.00	51.00[2]	....	41.00	38.78
" " " 24 ft.	43.50	41.00	51.00[2]	....	43.50	38.78
2x12, No. 2, S 1 S 1 E, 10 ft.	38.25	26.75[1]	40.32[3]	42.00[2]	38.25	27.44
" " " 12 ft.	33.92	37.75	43.75[3]	....	34.47	28 88
" " " 14 ft.	39.75[1]	38.69	43.75[3]	....	38.69	30.09
" " " 16 ft.	40.00	34.95	....	31.50	34.20	33.71
" " " 18 ft.	40.00	36.72	40.32[3]	....	39.55	39.50
" " " 20 ft.	40.00	37.43	40.32[3]	42.00	38.48	38.87
" " " 22 ft.	....	43.60	....	....	43.60	38.00
" " " 24 ft.	45.00	43.60	....	....	45.00	38.00
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	24.25	23.04	30.50[1]	22.03	23.02	24.25
PATENT LATH						
4 and 6 ft.	33.55	35.44[1]	41.71[3]	....	33.55	35.92
8 and 10 ft.	34.84	40.00[1]	....	....	34.84	39.60
12 ft. and longer	35.17	....	....	....	35.17	43.00
PLASTERING LATH						
⅜x1½-4, No. 1	5.77	6.43	6.50	7.25	6.25	7.07
" No. 2	4.21	4.90[2]	4.17	4.55	4.21	5.57
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	45.09	41.62	40.39	46.01	42.02	41.26
" " 22-24 ft.	44.24	43.00	44.85	49.75	43.55	44.88
" " 26 ft.	48.80	....	47.51	....	47.79	46.59
" " 28 ft.	57.29[2]	....	47.51	....	47.51	46.59
" " 30 ft.	55 90[1]	....	50.00	....	50.00	46.97
" " over 30 ft.	58.50	48.00	53.75	....	50.76	48.99
4x4 to 8x8, Heart (85%+), up to 20 ft.	48.36	43.00	....	....	47.43	47.92
" " " 22-24 ft.	59.75	47 02[1]	....	....	59.75	54.97
" " " 26 ft.	51.50[2]	52.50[1]	....	....	52.50[1]	52.50
" " " 28 ft.	59.75	....	....	....	59.75	57.06
" " " 30 ft.	....	46.00	....	....	46.00	51.00
" " " over 30 ft.	51.50[1]	51.00[1]	....	....	51.49[1]	51.49
3 & 4x10, No. 1, up to 20 ft.	43.10	51.63	....	....	48.77	51.07
" " 22-24 ft.	50.23	47.00[2]	....	....	50.23	48.88[1]
" " 26 ft.	48.00[1]	....	....	....	48.00[1]	48.00
" " 28 ft.	48 00[1]	52.00	....	....	52.00	48.00
" " 30 ft.	52.50[1]	56.00	....	....	56 00	52.50
" " over 30 ft.	53.50	....	....	....	53.50	57.53[1]
3 & 4x10, Heart (85%+), up to 20 ft.	55.50	52.50[3]	....	54.20[3]	55.50	46.55
" " " 22-24 ft.	52.80	....	....	55.00[3]	52 80	55.00[2]
" " " 26 ft.	53.50	....	....	....	53.50	....
" " " 28 ft.	....	....	....	....	....	52.50[3]
" " " 30 ft.	59.50	....	....	....	59.50	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
6x10, to 10x10, No. 1, up to 20 ft.	51.76	46.00	46.31	....	48.37	46.05
" " 22-24 ft.	48.23[2]	46.00[1]	48.93	....	48.93	46.98
" " 26 ft.	58.50[2]	51.00[3]	53.06	....	53.06	50.66
" " 28 ft.	....	....	53.06	....	53.06	50.66
" " 30 ft.	51.00[1]	53.00[1]	53.00	....	53.00	59.65
" " over 30 ft.	54.22	52.00[1]	51.44	....	51.94	52.83
6x10 to 10x10, Heart (85%+), up to 20 ft.	54.50	52.50[1]	....	....	54.50	51.72
" " " 22-24 ft.	52.50[1]	53.59[2]	....	....	52.50[1]	52.50
" " " 26 ft.	....	54.00[2]	....	....	54.00[2]	54.00[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	58.50	....	....	....	58.50	58.50[1]
" " " over 30 ft.	59.75	....	....	....	59.75	....
3 & 4x12, No. 1, up to 20 ft.	58.97	45.00	....	40.00[3]	57.41	52.69
" " 22 24 ft.	54.00[1]	45.00	....	45.00[3]	45.00	53.92
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	56.50[2]	....	....	....	56.50[2]	56.50[1]
" " 30 ft.	59.41[1]	54.00[1]	....	....	59.00[1]	59.00
" " over 30 ft.	58.50	60.00[1]	....	....	58.50	58.87
3 & 4x12, Heart (85%+), up to 20 ft.	54.00	55.30[1]	....	....	54.00	55.30
" " " 22-24 ft.	60.50	55.00[1]	....	....	60.50	56.51
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	60.30	....	....	....	60.30	....
" " " over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	56.30	50.10	51.13	....	52.65	48.31
" " 22-24 ft.	65.40	52.00	54.24	....	59.92	47.93
" " 26 ft.	57.32	....	53.89	....	54.10	56.29
" " 28 ft.	56.63	55.00	53.89	....	56.22	52.18
" " 30 ft.	55.31[1]	54.00	56.55	....	55.57	54.91
" " over 30 ft.	65.25	57.00	60.29	....	60.67	58.29
6x12 to 12x12, Heart (85%+), up to 20 ft.	59.50	56.52[1]	....	....	59.50	56.08
" " " 22-24 ft.	55.91[1]	....	....	....	55.91[1]	55.91
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	62.50[2]	....	....	....	62.50[2]	62.50[1]
" " " 30 ft.	63.50	....	....	....	63.50	59.56
" " " over 30 ft.	66.49	63.50[3]	....	....	66.49	57.00
2x14 to 4x14, No. 1, up to 20 ft.	61.03	39.87[1]	....	....	61.03	41.46
" " 22-24 ft.	50.00	49.17[1]	....	....	50.00	49.17
" " 26 ft.	68.95[2]	55.97[1]	....	....	55.97[1]	55.97
" " 28 ft.	70.95[2]	59.50[1]	....	....	59.50[1]	59.50
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	63.50	....	....	....	63.50	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	54.77	55.00[1]	56.03	....	55.65	52.06
" " 22-24 ft.	61.41[2]	....	60.54	....	60.54	60.96
" " 26 ft.	58.51[2]	....	64.08	....	64.08	61.85
" " 28 ft.	59.96[2]	....	64.08	....	64.08	59.96[1]
" " 30 ft.	71.00[3]	....	69.50	....	69.50	75.55[2]
" " over 30 ft.	50.63	....	77.25	....	68.37	67.75
6x14 to 14x14, Heart (85%+), up to 20 ft.	61.50[2]	....	....	....	61.50[2]	61.50[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	68.50	....	....	....	68.50	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
6x16 & Up, No. 1, up to 20 ft.	57.00	....	55.16	....	56.92	59.82
" " 22-24 ft.	56 63[1]	....	63.00[1]	....	62.33[1]	62.33
" " 26 ft.	67.92	....	70.00	....	69.77	62.18[1]
" " 28 ft.	70.00	....	70.00	....	70.00	65.50
" " 30 ft.	66.50[1]	....	73.50[1]	....	71.75[1]	71.75
" " over 30 ft.	70.76[1]	....	73.50[1]	....	70.76[1]	70.76
6x16 & Up, Heart (85%+), up to 20 ft.	83.50[2]	....	....	....	83.50[2]	83.50[2]
" " " 22-24 ft.	....	....	....	....	....	74.50[2]
" " " 26 ft.	....	....	....	....	....	74.50[2]
" " " 28 ft.	....	....	....	....	....	63.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	79.18[2]	....	....	....	79.18[2]	79.18[1]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	64.00	....	....	64.00	....
" " 22-24 ft.	....	57.38	....	....	57.38	....
" " 26 ft.	54.25[2]	....	....	....	54.25[2]	54.25[2]
" " 28 ft.	68.75	59.58	....	....	67.02	69.25
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	70.00[1]	63.05	....	....	63.05	70.00
16 inhc, Heart (85%+), up to 20 ft.	....	60.00[2]	....	....	60.00[2]	60.00[1]
" " " 22-24 ft.	65.36[2]	....	....	....	65.36[2]	65.36[1]
" " " 26 ft.	68.50[2]	....	....	....	68.50[2]	68.50[2]
" " " 28 ft.	69.25[1]	67.59	....	....	67.59	66.50
" " " 30 ft.	71.50[2]	....	....	....	71.50[2]	71.50[2]
" " " 32 ft.	....	70.00[2]	....	....	70.00[2]	70.00[1]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	48.50	....	50.50	50.00[2]	50.20	56.69
" " " 36 ft.	56.50	50.12	50.50	46.62[1]	50.59	46.62
" " " 37-38 ft.	58.00[2]	....	58.25	48.75[2]	58.25	57.61
" " " 40 ft.	60.12[2]	55.00	58.25	....	55.00	57.61
" " " 41-42 ft.	61.39[1]	56.00	....	....	56.00	62.71
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	61.29[2]	....	....	....	61.29[2]	61.29[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	62.50[1]	....	....	....	62.50[1]	62.50
Up to 10 inch, Sq. E. 34 ft.	57.00[1]	....	55.00[2]	56.00[2]	57.00[1]	57.00
" " " 36 ft.	55.50[2]	51.20	55.00[2]	60.00[2]	51.20	60.00[1]
" " " 37-38 ft.	56.25	....	60.25	54.00[2]	58.92	51 22[1]
" " " 40 ft.	58.50[1]	52.00	60.25	....	52.00	58.50
" " " 41-42 ft.	59.50[2]	....	....	....	59.50[2]	59.50[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	64 75[2]	....	58.00[2]	....	58.89[2]	58.89[1]
" " " 36 ft.	52.25[1]	58.00	58 00[2]	62 50[2]	58 00	52.25
" " " 37-38 ft.	62.25	....	60.33	65.00[2]	60.58	63.25
" " " 40 ft.	72.38[2]	....	60.33	....	60.33	59 09[1]
" " " 41-42 ft.	65.50[2]	....	....	....	65.50[2]	65.50[1]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	68.25[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
Up to 14 inch, Sq. E., 34 ft.	....	....	65.56	....	65.56	....
" " " 36 ft.	....	70.00[1]	65.56	72.50	72.50	70.00
" " " 37-38 ft.	69.00[2]	....	68.11	....	68.11	65.52[1]
" " " 40 ft.	74.50[3]	....	68.11	....	68.11	74.50[2]
" " " 41-42 ft.	74.50[3]	....	....	....	74.50[3]	74.50[2]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	53.00	....	....	53.00	....
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	47.84	....	....	....	47.84	43.63
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	45.53[1]	48.64	47.00[2]	....	48.64	45.58
" " Heart, (85%+), 6x8–8.	50.24	48.00	50.00[2]	50.00[3]	50.20	46.86
" " Sq. E., " 7x9–8.	....	....	....	....	....	....
" " Heart, " 7x9–8.	....	52.00[1]	....	....	52.00[1]	52.00
Bridge Ties, Sq. E., 7x9 & up.	....	....	....	....	....	....
" " Heart,	48.17[2]	....	....	....	48.17[2]	48.17[1]
Paving Stock, S 1 S.	....	36.00[1]	35.57[2]	....	36.00[1]	36.00
" " Rough.	38.00[3]	....	....	....	38.00[3]	38.00[2]
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship " Flat Grain.	123.34[1]	....	....	....	123.34[1]	123.34
Miscellaneous.	90.00[1]	47.06	....	43.47	46.47	50.11
MISCELLANEOUS STOCK						
Silo Stock.	52.00[2]	55.00	55.00[2]	60.83	58.18	53.54[1]
Grain Doors.	37.71[1]	....	35.00[1]	....	37.59[1]	37.59
Miscellaneous, B and B.	78.81	73.18	85.00	61.50[1]	76.45	91.73
" No. 1.	51.03	38.06	39.58	60.83	43.06	44.32
" No. 2.	37.87	40.57	33.30	35.18	34.50	36.32
" No. 3.	37.00	36.00	26.73	22.13	28.65	29.03
Shorts B and B.	59.21	60.00[2]	....	....	59.21	67.25
" No. 1.	26.24	32.07	....	....	27.39	33.03
" No. 2.	....	25.94	....	....	25.94	31.16
" No. 3.	....	26.00[1]	....	....	26.00[1]	26.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4 75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5 00	5.00	5.25	5.25	5 25	5 50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3 25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5 00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5 50	5.75	5.75	5.75	6.00	6 00	6.00	6.00	6.25	6.25	6 25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6 25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8 25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

JUL 14 1920
University

REPORT OF SALES

June 30, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending June 30, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued July 8, 1920

No. 98

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	120.00	....	....	....	120.00	....
" " B "	....	....	....	....	....	....
" " B and Better "	112 97	....	....	....	112.97	116.33
" " C "	110.00[1]	....	....	....	110.00[1]	110.00
" " D "	....	....	....	....	....	93 25[3]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	76.02	....	....	....	76.02	84.20
" " C "	....	....	....	....	....	....
" " D "	81.00	....	....	....	81.00	89.00[1]
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	40.00[1]	....	....	....	40.00[1]	40.00
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	142.00[2]	142.00[2]	142.00[1]
Edge Grain, A "	....	120.00[2]	140.00[3]	141.00[1]	141.00[1]	141.00
" " B "	....	125.00[2]	125.50	124.70	125.17	123.67
" " B and Better "	....	102.42	....	120.00[2]	102.42	115.00
" " C "	....	118.00[3]	101.50[1]	77.00[1]	85.17[1]	85.17
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	66.50[1]	60.00	60.00	66.50
Flat " A "	....	....	....	113.55[3]	113.55[3]	113.55[2]
" " B "	....	....	....	106.68[3]	106.68[3]	106.68[2]
" " B and Better "	....	82.33	82.46	83.00	82.52	86.40
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	65.00[1]	63.64	71.86	68.70	72.93
No. 2 " "	....	....	33.97	42.75	35.40	35.43
No. 3 " "	....	....	24.64	23.50	23.76	26.09[1]
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	135.00[2]	....	135.00[2]	135.00[1]
" " B "	....	120.00[3]	100.80	....	100.80	94.47
" " B and Better "	96.22	92.85	....	....	95.68	103.63
" " C "	71.96	85.00	105.33	....	92.56	123.75
" " D "	75.00[1]	....	....	....	75.00[1]	75.00
" " No. 2 "	....	47.85[3]	51.25	....	51.25	57.75
Flat " A "	110.00	....	....	92.50[1]	110.00	92.50
" " B "	....	80.41	....	89.50[3]	80.41	75.25
" " B and Better "	66.66	68.91	67.90	68.90	67.54	73.31
" " C "	67.00	62.00	....	....	65.85	70.91
" " D "	56.72	59.00	....	....	56.77	62.62
No. 1 Common "	....	59.31	56.81	59.23	57.94	59.45
No. 2 " "	33.93	42.50	32.41	31.82	32.62	36.45
No. 3 " "	....	....	23.02	25.34	23.83	25.04
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	56.69	60.60[1]	57.01	77.25[3]	56.85	60.14
" " No. 1 Common	48.00	....	55.14	....	53.80	47.87
" " No. 2 "	38.92[2]	....	32.90	....	32 90	38.92[1]
" " No. 3 "	....	....	20.00	....	20.00	26.00[1]
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	60.69	61.61	60.47	61.15	60.93	66.62
" " No. 1 Common	55.61	60.00	55.22	51.91	54.83	60.25
" " No. 2 "	31.49	37.00	31.65	30.90	31.53	38.41
" " No. 3 "	....	....	33.50[1]	....	33.50[1]	33.50
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	85.00	70.00	73.47	....	71.28	77.17
" " No. 1 Common	55.00	70.00[1]	70.00[1]	....	55.00	70.00
" " No. 2 "	....	....	47.86	....	47.86	36.25
" " No. 3 "	....	....	27.00	....	27.00	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	77.00	87 50[1]	....	77.50	77.26	83 08
" " No. 1 Common	73.10[1]	56.00[2]	....	....	73 10[1]	73 10
" " No. 2 "	37.00	....	....	....	37.00	39.00
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	....	106.75[3]	80.31	....	80.31	80.59
" " No. 1 Common	71.00[3]	....	62.38	....	62.38	67.13
" " No. 2 "	....	....	36.84	38.00	36.85	38.16
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	49.16	49.25	56.12[2]	....	49.20	70.25
" No. 1 Common	46.00[2]	65.00[3]	82.25[2]	40.00	40.00	55.68[1]
" No. 2 "	....	....	28.50	30.00	28.94	43.42

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Drop Siding, ¾x3¼ or 5¼,	A	....	....	....	....	....	....
“ “	B	....	....	....	....	....	....
“ “	B and Better	60.37	68.13	61.99	64.00	63.33	67.17
“ “	No. 1 Common	58.00	47.54	55.45	56.94	55.82	60.36
“ “	No. 2 “	35.75	37.13	35.26	34.50	35.50	39.13
“ “	No. 3 “	....	....	27.00	....	27.00	24.00
FINISH							
1x 4 inch,	A	....	....	....	....	....	....
1x 6 inch,	“	....	....	....	....	....	....
1x 8 inch,	“	....	....	....	....	....	....
1x 5 and 10 inch,	“	....	....	....	....	....	....
1x12 inch,	“	....	....	....	....	....	....
1¼x4 to 12 inch,	“	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	“	....	....	....	....	....	....
1⅝ inch,	“	....	....	....	....	....	....
1x 4 inch,	B	....	....	....	....	....	....
1x 6 inch,	“	....	....	....	....	....	....
1x 8 inch,	“	....	....	....	....	....	....
1x 5 and 10 inch,	“	....	....	....	....	....	....
1x12 inch,	“	....	....	....	....	....	....
1¼x4 to 12 inch,	“	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	“	....	....	....	....	....	....
1⅝ inch,	“	....	....	....	....	....	....
1x 4 inch,	B and Better	82.44	78.29	76.73	117.25[3]	79.96	87.73
1x 6 inch,	“	85.12	77.80	80.96	118.25[3]	82.34	88.39
1x 8 inch,	“	84.50	73.97	86.10	119.25[3]	82.56	86.96
1x 5 and 10 inch,	“	87.48	77.78	82.83	122.25[3]	84.62	96.23
1x12 inch,	“	93.86	77.87	95.28	126.25[3]	92.62	96.65
1¼x4 to 12 inch,	“	93.16	85.05	92.42	132.25[3]	91.76	100.95
1½ and 2x4 to 12 inch,	“	84.70	109.25[3]	94.88	....	92.50	95.14
1⅝ inch,	“	90.00[2]	....	....	....	90.00[2]	90.00[1]
1x 6 to 12 inch,	“	....	....	....	....	....	....
1x 4 inch,	C	73.75	70.00	80.00[3]	....	70.34	81.00
1x 6 inch,	“	74.50[1]	70.00	60.75	....	65.38	74.50
1x 8 inch,	“	96.00[1]	70.00	60.50	....	66.83	96.00
1x 5 and 10 inch,	“	95.02[1]	70.25	60.50	....	67.81	95.02
1x12 inch,	“	89.10[2]	70.25	62.75	....	66.50	89.10[1]
1¼x4 to 12 inch,	“	87.00[1]	....	....	....	87.00[1]	87.00
1½ and 2x4 to 12 inch,	“	107.78[2]	....	86.50	....	86.50	107.78[1]
1⅝ inch,	“	....	....	....	....	....	....
1x 6 to 12 inch,	“	....	....	....	....	....	....
1x 4 inch,	B and Better, Rough	94.00[1]	....	100.00[3]	....	94.00[1]	94.00
1x 6 inch,	“ “	80.64	66.18	91.43	77.17[3]	77.30	94.00
1x 8 inch,	“ “	77.04	67.36	83.13	78.83[3]	74.84	99.00
1x 5 and 10 inch,	“ “	76.59	55.50	117.53	76.50[3]	104.02	101.00
1x12 inch,	“ “	81.69	55.50	92.37	78.25[3]	85.44	103.00
1¼x4 to 12 inch,	“ “	85.75	78.97	99.47	97.00[3]	93.28	108.28
1½ and 2x4 to 12 inch,	“ “	99.69	....	91.63	....	94.47	110.22
1⅝ inch,	“ “	....	100.00[3]	....	....	100.00[3]	100.00[2]
1x 6 to 12 inch,	“ “	....	....	....	....	....	....
CASING AND BASE							
From 4 and 6 inch stock, B. M.,	A	....	....	....	....	....	....
“	B	....	....	....	....	....	....
“	B and Better	95.77	100.60	96.08	....	96.26	105.55
From 8 and 10 inch stock, B. M.,	A	....	....	....	....	....	....
“	B	....	....	....	....	....	....
“	B and Better	94.02	97 64	99.82	....	95.17	99.77
MOULDINGS (% Discount)							
1½ inch and Smaller		....	....	....	....	....	....
1¾ inch and Larger		....	....	....	....	....	....
DOOR AND WINDOW JAMBS							
A	B. M	....	....	....	....	....	....
B	“	....	....	....	....	....	....
B and Better,	“	102.78	95.00[2]	96.16	....	101.55	111.23
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	65.00[2]	....	53.50	....	53.50	76.00
“ “ “ “ “	8 ft.	62.00[1]	60 00[1]	75.00	....	75.00	60.65
“ “ “ “ “	12 and 14 ft.	92.50	88.00[3]	....	....	92.50	90.00[1]
“ “ “ “ “	16 ft.	96.00	103.50[1]	85.00[1]	....	96.00	97.17
“ “ “ “ “	9 or 18 ft.	85.14	85.00	82.74	....	84.39	85.04
“ “ “ “ “	10 or 20 ft.	85.20	85 00	81.38	....	84.28	81.37

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	57.58	50.00	48.92	....	52.86	56.40
" " " " " 8 ft.	....	49.00	53.50 [2]	....	49.00	45.00
" " " " " 12 and 14 ft.	65.63	68.75 [3]	....	....	65.63	50.00
" " " " " 16 ft.	....	69.00 [1]	75.50	....	75.50	66.35
" " " " " 9 or 18 ft.	73.24	60.75	58.35	....	64.40	68.30
" " " " " 10 or 20 ft.	82.07	53.73	75.00	....	57.48	63.64 [1]
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	61.96	50.00	48.92	....	61.96	53.75
" " " " " 8 ft.	....	49.00	53.50 [2]	....	49.00	45.00
" " " " " 12 and 14 ft.	59.85	68.75 [3]	....	....	59.85	75.50 [1]
" " " " " 16 ft.	50.25	69.00 [2]	75.50	....	50.25	66 35
" " " " " 9 or 18 ft.	74.38	64.14 [1]	58.35	....	74.38	59.50
" " " " " 10 or 20 ft.	60.38	53.73	75.00	....	60.38	63.64 [1]
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	33.40	....	....	....	33.40	44.50
" " " " " 10 to 20 ft.	37.92	22.00	....	....	34.45	42.73
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	39.25 [3]	60.00 [1]	47.54	49.00	47.61	48.39
" " " " 2 to 3 inch, 10 & 20 ft.	....	60.00 [1]	47.54	30.00	30.00	60.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	53.00 [3]	....	....	....	53.00 [3]	53.00 [2]
" " " 1¾ inch, 10 & 20 ft.	53.00 [3]	....	....	....	53.00 [3]	53.00 [2]
" " " 2 to 3 inch, 9 & 18 ft.	....	46.56	....	34.00	45.78	46.88
" " " 2 to 3 inch 10 & 20 ft.	....	43.45	....	....	43.45	55.48
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	54.34	45.25	60.54	....	51.46	50.29
" " " " other lengths.	48.84	47.49	70.06	56.00	50.06	55.89
" " 1x10, " 14 and 16 ft.	45.99	51.00	....	....	46.23	55.51
" " " " other lengths.	45.70	47.51	66.06	59.84	48.67	58.89
" " 1x12, " 14 and 16 ft.	53.22	54.47	68.54 [1]	....	53.77	60.92
" " " " other lengths.	51.72	53.94	63.62	73.00	54.22	58.44
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	30.99	32.77	33.15	34.24	31.56	33.58
" " 1x10, " "	31.68	32.72	33.25	35.28	32.45	34.60
" " 1x12, " "	35.62	35.27	35.41	35.09	35.44	37.00
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	26.12	27.90	29.30	33.64 [3]	26.99	29.48
" " 1x10, " "	26.49	28.26	28.72	33.64 [3]	27.08	29.62
" " 1x12, " "	30.24	28.25	29.69	29.22	29.57	31.19
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	50.02	47.83 [1]	47.00	....	49.21	51.00
" " " other lengths.	48.14	46.58	71.77 [1]	....	47.32	56.51
" 1x10, " 14 and 16 ft.	49.40	49.50 [3]	80.00 [1]	....	49.40	80.00
" " " other lengths.	45.95	33.75	80.00 [1]	....	45.83	56.44
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	32.53	32.77	34.46	36.95	33.18	35.56
" 1x10, " "	31.78	31.43	34.43	34.86	32.73	34.96
" 1x12. " "	....	....	....	31.00 [1]	31.00 [1]	31.00
Shiplap, 1x 8, No. 3, all lengths.	28.73	32.65	28.71	28.54	28.78	32.72
" 1x10, " "	32.87	29.00 [1]	29.50	35.00 [3]	31.40	30 02
" 1x12, " "	35.00 [1]	36.50 [3]	....	....	35.00 [1]	35.00
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	52.46 [1]	55.25 [1]	....	....	52.98 [1]	52.98
" " " " other lengths.	54.31 [1]	50.88 [1]	....	....	52.91 [1]	52.91
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	15.36	....	16.02	....	15.41	22.02

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
1x4, S 1 S, No. 1, 16 ft.	48.60	52.41[2]	....	....	48.60	53.34
" " " other lengths	46.70	43.47	64.35	....	45.79	51.45
" " No. 2, all lengths	29.04	29.61	30.82	32.00	29.45	31.65
" " No. 3, "	26.21	27.16	25.89	30.13	26.83	27.37
1x4, C. M., No. 1, 16 ft.	49.50[2]	....	....	....	49.50[2]	49.50[1]
" " " other lengths	54.94[1]	....	....	....	54.94[1]	54.94
" " No. 2, all lengths	29.92	....	....	....	29.92	37.50[2]
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	48.08	54.60	61.82	....	51.89	55.88
" " " other lengths	47.73	48.06	65.16	65.00	50.15	50.53
" " No. 2, all lengths	30.68	31.73	34.57	31.48	31.47	32.96
" " No. 3, "	26.68	24.47	27.91	....	26.86	29.96
1x6, C. M., No. 1, 16 ft.	51.74	....	....	....	51.74	48.16
" " " other lengths	41.10	45.00	....	....	44.10	49.79
" " No. 2, all lengths	30.18	31.31	....	31.50	30.53	31.72
" " No. 3, "	....	24.00	....	33.14	31.39	27.35
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	37.47	35.62	33.12	32.00[1]	36.07	36.47
" " " 12 ft.	35.86	34.37	33.39	39.50[2]	34.67	36.86
" " " 14 ft.	34.93	34.57	33.71	....	34.58	36.76
" " " 16 ft.	37.18	36.00	36.10	32.00	36.18	36.14
" " " 18 ft.	37.08	36.12	36.10	32.00	36.19	38.06
" " " 20 ft.	36.73	36.48	36.10	....	36.57	39.19
" " " 22 ft.	42.00	37.28	47.25[3]	....	38.80	39.90
" " " 24 ft.	40.02	37.50	47.25[3]	....	38.43	40.91
2x 6, No. 1, S 1 S 1 E, 10 ft.	33.25	41.68	32.11	38.50[2]	32.95	35.13
" " " 12 ft.	31.67	33.51	34.26	33.42[2]	32.89	34.87
" " " 14 ft.	31.84	32.32	34.26	33.00[2]	32.05	35.97
" " " 16 ft.	32.96	33.69	35.69	43.25[1]	33.77	35.65
" " " 18 ft.	33.49	33.24	32.11	....	33.40	36.40
" " " 20 ft.	33.39	36.94	32.11	47.75[3]	35.44	35.13
" " " 22 ft.	35.88	35.22	37.09	....	35.51	40.62
" " " 24 ft.	37.09	35.25	37.09	....	35.85	40.30
2x 8, No. 1, S 1 S 1 E, 10 ft.	37.54	34.05	35.78	....	35.68	37.79
" " " 12 ft.	34.43	35.11	35.88	39.50[2]	34.87	35.59
" " " 14 ft.	35.20	35.11	35.60	42.25[1]	35.25	42.22
" " " 16 ft.	35.79	36.16	40.11	44.25[1]	37.47	38.09
" " " 18 ft.	37.09	35.98	35.78	48.75[3]	36.48	37.17
" " " 20 ft.	36.24	35.94	35.78	45.25[1]	36.07	39.01
" " " 22 ft.	37.97	36.80	39.68	....	38.07	39.99
" " " 24 ft.	38.98	39.49	39.68	....	39.33	39.68
2x10, No. 1, S 1 S 1 E, 10 ft.	37.68	32.93	36.26	....	36.94	37.68
" " " 12 ft.	34.92	37.37	33.03	43.00[1]	34.62	37.44
" " " 14 ft.	36.44	36.55	33.03	43.00[1]	36.49	36.57
" " " 16 ft.	38.18	35.39	36.99	45.00[1]	37.52	37.22
" " " 18 ft.	37.67	35.77	36.26	46.00[1]	36.60	36.93
" " " 20 ft.	37.23	36.63	36.26	46.00[1]	36.81	37.80
" " " 22 ft.	39.53	35.69	42.80	....	37.35	42.33
" " " 24 ft.	38.86	36.00	42.80	....	36.73	38.75
2x12, No. 1, S 1 S 1 E, 10 ft.	41.12	45.00	41.97	....	42.31	38.75
" " " 12 ft.	37.02	40.02	40.33	....	39.36	38.44
" " " 14 ft.	36.45	37.84	40.33	....	37.21	40.28
" " " 16 ft.	38.08	36.18	42.68	50.25[3]	38.18	41.81
" " " 18 ft.	39.05	37.30	41.97	45.50[2]	37.73	40.25
" " " 20 ft.	37.42	37.19	41.97	....	37.25	42.06
" " " 22 ft.	41.68	38.58	43.08	....	39.52	41.87
" " " 24 ft.	40.86	39.11	43.08	45.50[2]	39.27	42.44
2x 4, No. 2, S 1 S 1 E, 10 ft.	36.33	34.72	34.81	....	35.13	33.85
" " " 12 ft.	35.79	32.94	30.40	....	32.82	31.81
" " " 14 ft.	34.90	33.39	27.64	28.00	29.69	31.26
" " " 16 ft.	37.04	33.62	29.88	36.44	31.37	31.71
" " " 18 ft.	35.62	32.91	32.76	33.50	33.65	34.76
" " " 20 ft.	35.67	32.64	32.76	....	34.22	37.05
" " " 22 ft.	42.25[1]	....	49.00[3]	....	42.25[1]	42.25
" " " 24 ft.	42.25[1]	....	49.00[3]	....	42.25[1]	42.25
2x 6, No. 2, S 1 S 1 E, 10 ft.	30.26	31.23	30.45	....	30.56	35.52
" " " 12 ft.	30.08	30.09	29.89	27.00	29.94	28.88
" " " 14 ft.	30.01	30.35	29.89	29.80	30.13	33.93
" " " 16 ft.	31.84	30.19	28.23	30.41	30.48	29.97
" " " 18 ft.	30.05	31.78	30.45	....	30.72	34.56
" " " 20 ft.	30.47	30.51	30.45	....	30.48	33.73
" " " 22 ft.	39.61[3]	34.00[1]	37.50	....	37.50	36.63
" " " 24 ft.	38.83[3]	34.00[1]	37.50	....	37.50	36.63

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	33.62	30.88	31.58	41.00[2]	31.38	37.16
" " " 12 ft.	29.82	31.05	31.11	....	30.40	34.58
" " " 14 ft.	33.01	32.22	30.69	....	31.93	34.02
" " " 16 ft.	35.36	31.68	27.82	....	31.14	35.25
" " " 18 ft.	34.83	32.21	31.58	32.00[2]	33.10	33.75
" " " 20 ft.	34.89	32.69	31.58	....	33.30	33.82
" " " 22 ft.	....	39.90[1]	39.14[1]	....	39.26[1]	39.26
" " " 24 ft.	42.50[1]	39.90[1]	39.14[1]	....	42.50[1]	42.50
2x10, No. 2, S 1 S 1 E, 10 ft.	34.25	35.05	33.37	....	33.79	38.73
" " " 12 ft.	31.88	30.40	28.83	....	30.10	39.40
" " " 14 ft.	30.74	37.65	28.83	42.00[1]	32.92	36.38
" " " 16 ft.	32.43	32.50	27.93	....	30.92	33.73
" " " 18 ft.	33.32	33.52	33.58	....	33.37	34.37
" " " 20 ft.	32.10	32.63	33.58	42.00[1]	32.28	37.55
" " " 22 ft.	....	41.00[1]	41.95	....	41.95	41.00
" " " 24 ft.	43.50[1]	41.00[1]	41.95	....	41.95	43.50
2x12, No. 2, S 1 S 1 E, 10 ft.	38.25	34.75	....	42.00[2]	35.45	38.25
" " " 12 ft.	33.58	32.45	....	....	32.90	34.47
" " " 14 ft.	37.00	31.50	....	....	32.39	38.69
" " " 16 ft.	36.42	32.01	....	31.50[1]	32.40	34.20
" " " 18 ft.	34.35	36.17	....	....	35.02	39.55
" " " 20 ft.	36.00	33.26	....	42.00[1]	33.92	38.48
" " " 22 ft.	....	43.60[1]	....	....	43.60[1]	43.60
" " " 24 ft.	45.00[1]	43.60[1]	....	....	45.00[1]	45.00
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	23.37	19.47	30.50[2]	22.03[1]	22.82	23.02
PATENT LATH						
4 and 6 ft.	26.44	35.44[2]	....	....	26.44	33.55
8 and 10 ft.	25.88	40.00[2]	....	....	25.88	34.84
12 ft. and longer	24.75	....	....	....	24.75	35.17
PLASTERING LATH						
⅜x1½-4, No. 1	5.38	5.90	6.54	6.45	6.21	6.25
" No. 2	4.02	4.00	5.10	4.43	4.37	4.21
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	40.77	40.06	40.23	46.01[1]	40.27	42.02
" " 22-24 ft.	40.64	39.50	44.80	49.75[1]	43.50	43.55
" " 26 ft.	48.80[1]	....	57.00	....	57.00	47.79
" " 28 ft.	....	....	57.00	....	57.00	47.51
" " 30 ft.	55.90[2]	45.25	47.43	....	47.35	50.00
" " over 30 ft.	58.50[1]	48.00[1]	50.50	....	50.50	50.76
4x4 to 8x8, Heart (85%+), up to 20 ft.	46.24	44.63	....	....	45.48	47.43
" " " 22-24 ft.	46.63	44.67	....	....	45.20	59.75
" " " 26 ft.	51.50[2]	52.50[2]	....	....	52.50[2]	52.50[1]
" " " 28 ft.	59.75[1]	....	....	....	59.75[1]	59.75
" " " 30 ft.	....	46.00[1]	....	....	46.00[1]	46.00
" " " over 30 ft.	51.50[2]	51.00[2]	....	....	51.49[2]	51.49[1]
3 & 4x10, No. 1, up to 20 ft.	44.34	38.18	....	....	39.64	48.77
" " 22-24 ft.	50.23[1]	41.76	....	....	41.76	50.23
" " 26 ft.	48.00[2]	....	....	....	48.00[2]	48.00[1]
" " 28 ft.	48.00[2]	52.00[1]	....	....	52.00[1]	52.00
" " 30 ft.	52.50[2]	56.00[1]	....	....	56.00[1]	56.00
" " over 30 ft.	53.50[1]	....	....	....	53.50[1]	53.50
3 & 4x10, Heart (85%+), up to 20 ft.	47.10	48.50	....	....	47.27	55.50
" " " 22-24 ft.	47.50	50.00	....	....	48.75	52.80
" " " 26 ft.	53.50[1]	....	....	....	53.50[1]	53.50
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	59.50[1]	....	....	....	59.50[1]	59.50
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
6x10, to 10x10, No. 1, up to 20 ft.	42.37	46.20	48.36	....	47.15	48.37
“ “ 22-24 ft.	47.47	46.35	48.94	....	47.78	48.93
“ “ 26 ft.	36.25	46.00	48.42	....	47.60	53.06
“ “ 28 ft.	55.50	....	48.42	....	55.00	53.06
“ “ 30 ft.	51.00[2]	53.00[2]	54.50	....	54.50	53.00
“ “ over 30 ft.	55.10	52.00[2]	55.83	....	55.18	51.94
6x10 to 10x10, Heart (85%+), up to 20 ft.	54.50[1]	49.38	....	....	49.38	54.50
“ “ “ 22-24 ft.	52.50[2]	47.00	....	....	47.00	52.50[1]
“ “ “ 26 ft.	....	54.00[3]	....	....	54.00[3]	54.00[2]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	58.50[1]	....	....	....	58.50[1]	58 50
“ “ “ over 30 ft.	59.75[1]	....	....	....	59.75[1]	59.75
3 & 4x12, No. 1, up to 20 ft.	52.49	48.72	....	....	50.64	57.41
“ “ 22 24 ft.	52.50	45.54	....	....	45.65	45.00
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	61.50	....	....	....	61.50	56.50[2]
“ “ 30 ft.	59.41[2]	51.00	....	....	51.00	59.00[1]
“ “ over 30 ft.	63.60	60.00[2]	....	....	63.60	58.50
3 & 4x12, Heart (85%+), up to 20 ft.	54.00[1]	53.00	....	....	53.00	54.00
“ “ “ 22-24 ft.	48.00	55.00[2]	....	....	48.00	60.50
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	60.30[1]	....	....	....	60.30[1]	60.30
“ “ “ over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	45.76	48.66	48.58	....	48.45	52.65
“ “ 22-24 ft.	65.40[1]	49.00	50.90	....	50.69	59.92
“ “ 26 ft.	57.32[1]	....	55.54	....	55.54	54.10
“ “ 28 ft.	56.63[1]	55.00[1]	55.54	....	55.54	56.22
“ “ 30 ft.	55.31[2]	54.00[1]	57.76	....	57.76	55.57
“ “ over 30 ft.	59.46	57.00[1]	60.29[1]	....	59.46	60.67
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.63	49.41	....	....	51.47	59.50
“ “ “ 22-24 ft.	55.91[2]	51.00	....	....	51.00	55.91[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	62.50[3]	53.00	....	....	53.00	62.50[2]
“ “ “ 30 ft.	63.50[1]	....	....	....	63.50[1]	63 50
“ “ “ over 30 ft.	66.49[1]	58.00	....	....	58.00	66.49
2x14 to 4x14, No. 1, up to 20 ft.	53.61	50.47	....	....	52.11	61.03
“ “ 22-24 ft.	50.00[1]	49.17[2]	....	....	50.00[1]	50.00
“ “ 26 ft.	68.95[3]	49.00	....	....	49 00	55.97[1]
“ “ 28 ft.	70.95[3]	59.50[2]	....	....	59.50[2]	59.50[1]
“ “ 30 ft.	57.31	....	....	....	57.31	....
“ “ over 30 ft.	63.50[1]	....	....	....	63.50[1]	63.50
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	64.35	55.00[2]	53.30	....	55.39	55 65
“ “ 22-24 ft.	61.41[3]	....	59.19	....	59.19	60.54
“ “ 26 ft.	64.75	....	59.20	....	59.64	64.08
“ “ 28 ft.	59.96[3]	....	59.20	....	59.20	64.08
“ “ 30 ft.	....	....	56.27	....	56.27	69.50
“ “ over 30 ft.	64.75	....	77.25[1]	....	64.75	68.37
6x14 to 14x14, Heart (85%+), up to 20 ft.	61.50[3]	54.00	....	....	54.00	61.50[2]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	68.50[1]	....	....	....	68.50[1]	68.50
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
6x16 & Up, No. 1, up to 20 ft.	57.00[1]	....	55.95	....	55.95	56.92
" " 22-24 ft.	56.63[2]	....	59.00	....	59.00	62.33[1]
" " 26 ft.	67.92[1]	....	70.00[1]	....	69.77[1]	69.77
" " 28 ft.	70.00[1]	....	70.00[1]	....	70.00[1]	70.00
" " 30 ft.	66.50[2]	....	73.50[3]	....	71.75[2]	71.75[1]
" " over 30 ft.	73.50	....	73.50[2]	....	73.50	70.76[1]
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	83.50[3]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	79.18[3]	....	....	....	79.18[3]	79.18[2]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	64.00[1]	....	....	64.00[1]	64.00
" " 22-24 ft.	....	57.38[1]	....	....	57.38[1]	57.38
" " 26 ft.	....	....	....	....	....	54.25[3]
" " 28 ft.	68.75[1]	62.50	....	....	62.50	67.02
" " 30 ft.	....	66.00	....	....	66.00	....
" " 32 ft.	70.00[2]	63.05[1]	....	....	63.05[1]	63.05
16 inhc, Heart (85%+), up to 20 ft.	....	60.00[3]	....	....	60.00[3]	60.00[2]
" " " 22-24 ft.	65.36[3]	....	....	....	65.36[3]	65.36[2]
" " " 26 ft.	70.00	....	....	....	70.00	68.50[3]
" " " 28 ft.	65.50	67.59[1]	....	....	65.50	67.59
" " " 30 ft.	....	....	....	....	....	71.50[3]
" " " 32 ft.	....	70.00[3]	....	....	70.00[3]	70.00[2]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	48.50[1]	57.00	48.00	....	51.68	50.20
" " " 36 ft.	56.50[1]	56.54	48.00	46.62[3]	56.54	50.59
" " " 37-38 ft.	58.00[3]	....	51.00	....	51.00	58.25
" " " 40 ft.	....	52.36	51.00	....	52.36	55.00
" " " 41-42 ft.	61.39[3]	56.00[1]	....	....	56.00[1]	56.00
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	61.29[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	62.50[2]	....	....	....	62.50[2]	62.50[1]
Up to 10 inch, Sq. E. 34 ft.	52.50	57.25	51.00	....	53.04	57.00[1]
" " " 36 ft.	....	51.00	51.00	60.00[3]	51.00	51.20
" " " 37-38 ft.	56.25[1]	....	44.00	....	44.00	58.92
" " " 40 ft.	58.50[2]	53.00	44.00	....	53.00	52.00
" " " 41-42 ft.	59.50[3]	....	....	....	59.50[3]	59.50[2]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	64.75[3]	....	57.96	....	57.96	58.89[2]
" " " 36 ft.	52.25[2]	56.00	57.96	62.50[3]	56.00	58.00
" " " 37-38 ft.	62.25[1]	....	61.90	....	61.90	60.58
" " " 40 ft	....	....	61.90	....	61.90	60.33
" " " 41-42 ft.	72.75	....	....	....	72.75	65.50[2]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Up to 14 inch, Sq. E., 34 ft.	....	....	65.74	....	65.74	65.56
“ “ “ 36 ft.	....	70.00[2]	65.74	72.50[1]	65.74	72.50
“ “ “ 37-38 ft.	69.00[3]	....	69.00	....	69.00	68.11
“ “ “ 40 ft.	....	....	69.00	....	69.00	68.11
“ “ “ 41-42 ft.	....	....	....	....	....	74.50[3]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	48.25	....	....	48.25	....
“ “ 14 ft.	....	50.46	....	....	50.46	....
“ “ 16 ft.	....	54.00	....	....	54.00	....
12x14, Heart (85%+), 12 ft.	57.00	....	....	....	57.00	....
“ “ “ 14 ft.	57.00	53.00[1]	....	....	57.00	53.00
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	57.50	....	....	....	57.50	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	41.77	....	....	....	41.77	47.84
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	45.00	45.93	47.00[3]	....	45.69	48.64
“ “ Heart, (85%+), 6x8–8.	51.63	48.00[1]	50.00[3]	....	51.63	50.20
“ “ Sq. E., “ 7x9–8.	....	....	....	....	....	....
“ “ Heart, “ 7x9–8.	....	52.00[2]	....	....	52.00[2]	52.00[1]
Bridge Ties, Sq. E., 7x9 & up.	....	....	....	....	....	....
“ “ Heart,	48.17[3]	....	....	....	48.17[3]	48.17[2]
Paving Stock, S 1 S.	....	36.00[2]	35.57[3]	34.00	34.00	36.00[1]
“ “ Rough.	....	....	....	....	....	38.00[3]
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship “ Flat Grain.	123.34[2]	....	....	....	123.34[2]	123.34[1]
Miscellaneous.	90.00[2]	51.19	....	32.17	41.60	46.47
MISCELLANEOUS STOCK						
Silo Stock.	52.00[3]	55.00[1]	50.67	60.83[1]	50.67	58.18
Grain Doors.	34.75	....	35.00[2]	....	34.75	37.59[1]
Miscellaneous, B and B.	93.56	72.22	71.93	76.57	75.91	76.45
“ No. 1.	51.30	48.20	41.30	56.91	47.27	43.06
“ No. 2.	37.45	34.06	34.24	34.38	34.32	34.50
“ No. 3.	26.42	25.16	24.82	29.74	26.31	28.65
Shorts B and B.	61.50	60.00[3]	....	....	61.50	59.21
“ No. 1.	27.60	32.07[1]	....	....	27.60	27.39
“ No. 2.	....	27.67	....	....	27.67	25.94
“ No. 3.	....	26.00[2]	....	....	26.00[2]	26.00[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12 00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

July 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending July 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued July 19, 1920

No. 99

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	120.00[1]	....	....	....	120.00[1]	120.00
" " B "	....	....	....	....	....	....
" " B and Better "	108.66	....	....	....	108.66	112.97
" " C "	88.78	....	....	....	88.78	110.00[1]
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	69.51	....	....	....	69.51	76.02
" " C "	....	....	....	....	....	....
" " D "	65.00	....	....	....	65.00	81.00
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	33.00	....	....	....	33.00	40.00[1]
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	142.00[3]	142.00[3]	142.00[2]
Edge Grain, A "	....	120.00[3]	....	141.00[2]	141.00[2]	141.00[1]
" " B "	....	115.00	115.41	117.13	116.58	125.17
" " B and Better "	....	116.00	....	118.68	118.60	102.42
" " C "	....	....	101.50[2]	77.00[2]	85.17[2]	85.17[1]
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	64.38	54.00	60.72	60.00
Flat " A "	....	....	....	....	....	113.55[3]
" " B "	....	68.00	....	....	68.00	106.68[3]
" " B and Better "	....	73.95	79.41	76.77	77.95	82.52
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	65.00	61.38	69.25	62.19	68.70
No. 2 " "	....	....	33.69	37.60	34.61	35.40
No. 3 " "	....	....	24.64[1]	23.50[1]	23.76[1]	23.76
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	104.25	....	104.25	135.00[2]
" " B "	....	....	92.64	107.00	99.63	100.80
" " B and Better "	96.00	92.37	....	111.50	95.64	95.68
" " C "	74.04	85.00[1]	105.33[1]	92.50	75.44	92.56
" " D "	75.00[2]	....	....	....	75.00[2]	75.00[1]
" " No. 2 "	....	....	51.25[1]	....	51.25[1]	51.25
Flat " A "	110.00[1]	....	....	92.50[2]	110.00[1]	110.00
" " B "	67.01	65.61	....	....	66.63	80.41
" " B and Better "	65.82	65.39	64.79	70.21	65.95	67.54
" " C "	60.70	65.86	....	....	62.12	65.85
" " D "	52.54	49.00	....	....	52.44	56.77
No. 1 Common "	....	56.05	56.49	58.46	57.10	57.94
No. 2 " "	34.54	35.69	32.07	31.67	33.05	32.62
No. 3 " "	....	....	25.22	24.99	25.10	23.83
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	57.97	60.60[2]	57.23	....	57.70	56.85
" " No. 1 Common	48.34	....	53.62	....	50.36	53.80
" " No. 2 "	38.92[3]	30.00	29.91	....	29.93	32.90
" " No. 3 "	....	....	20.00[1]	....	20.00[1]	20.00
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	59.80	57.89	58.04	61.15[1]	59.04	60.93
" " No. 1 Common	53.95	58.46	53.52	51.62	53.86	54.83
" " No. 2 "	33.36	37.14	31.24	29.29	32.86	31.53
" " No. 3 "	....	....	33.50[2]	....	33.50[2]	33.50[1]
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	69.78	70.00[1]	70.12	..	70.03	71.28
" " No. 1 Common	55.00[1]	70.00[2]	70.00[2]	....	55.00[1]	55.00
" " No. 2 "	....	....	47.86[1]	....	47.86[1]	47.86
" " No. 3 "	....	....	27.00[1]	....	27.00[1]	27.00
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	67.55	87.50[2]	....	76.87	69.70	77.26
" " No. 1 Common	62.38	56.00[3]	....	..	62.38	73.10[1]
" " No. 2 "	37.00[1]	....	....	....	37.00[1]	37.00
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	77.78	73.00	66.90	..	69.16	80.31
" " No. 1 Common	....	....	62.20	....	62.20	62.38
" " No. 2 "	....	....	36.48	38.00[1]	36.48	36.85
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	47.52	49.25[1]	56.12[3]	....	47.52	49.20
" No. 1 Common	46.00[3]	....	82.25[3]	40.00[1]	40.00[1]	40.00
" No. 2 "	....	....	28.50[1]	30.00[1]	28.94[1]	28.94

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
Drop Siding, ¾x3¼ or 5¼, A.	....	....	....	....	....	..
" " B.	....	....	....	....	....	....
" " B and Better	59.61	57.47	56.33	70.50	69.00	63.33
" " No. 1 Common	51.97	53.97	54.41	56.94[1]	53.72	55.82
" " No. 2 "	33.13	31.44	37.38	32.00	33.75	35.50
" " No. 3 "	....	....	27.00[1]	27.00	27.00	27.00
FINISH						
1x 4 inch, A.	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B.	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	78.20	77.31	76.28	80.25	77.94	79.96
1x 6 inch, "	80.00	82.00	81.41	83.92	80.52	82.34
1x 8 inch, "	81.67	80.20	81.87	82.25	81.63	82.56
1x 5 and 10 inch, "	86.36	87.24	87.90	84.25	86.78	84.62
1x12 inch, "	85.76	86.62	91.01	89.25	87.61	92.62
1¼x4 to 12 inch, "	91.24	90.42	94.99	93.53	91.80	91.76
1½ and 2x4 to 12 inch, "	87.87	....	95.06	....	91.39	92.50
1⅝ inch, "	69.87	100.00	....	....	70.02	90.00[2]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C.	81.00	70.00[1]	....	....	81.00	70.34
1x 6 inch, "	79.62	70.00[1]	58.50	....	60.29	65.38
1x 8 inch, "	86.50	70.00[1]	60.50[1]	....	86.50	66.83
1x 5 and 10 inch, "	87.04	70.25[1]	60.50[1]	....	87.04	67.81
1x12 inch, "	86.00	70.25[1]	62.75[1]	....	86.00	66.50
1¼x4 to 12 inch, "	88.00	....	....	....	88.00	87.00[1]
1½ and 2x4 to 12 inch, "	107.78[3]	....	86.50[1]	....	86.50[1]	86.50
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	94.00[2]	....	....	....	94.00[2]	94.00[1]
1x 6 inch, " "	79.25	78.10	91.43[1]	77.25	77.90	77.30
1x 8 inch, " "	77.70	78.10	79.25	78.25	78.64	74.84
1x 5 and 10 inch, " "	77.58	78.10	85.25	80.25	79.62	104.02
1x12 inch, " "	77.15	78.10	77.00	85.25	78.48	85.44
1¼x4 to 12 inch, " "	84.75	89.07	79.90	....	81.08	93.28
1½ and 2x4 to 12 inch, " "	82.08	....	83.20	....	82.84	94.47
1⅝ inch, " "	....	79.50	....	....	79.50	100.00[3]
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A.	....	....	....	....	....	....
" B.	....	....	....	....	....	....
" B and Better	89.17	100.60[1]	88.45	....	88.89	96.26
From 8 and 10 inch stock, B. M., A.	....	....	....	....	....	....
" B.	....	....	....	....	....	....
" B and Better	90.90	68.50	89.09	....	89.90	95.17
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	83.87	92.50	95.75	....	88.87	101.55
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	65.00[3]	....	70.43	....	70.43	53.50
" " " " " 8 ft.	60.19	60.00[2]	75.00[1]	....	60.19	75.00
" " " " " 12 and 14 ft.	92.50[1]	85.34	....	....	85.34	92.50
" " " " " 16 ft.	96.00[1]	95.25	80.32	....	86.72	96.00
" " " " " 9 or 18 ft.	82.00	82.66	82.74[1]	....	82.18	84.39
" " " " " 10 or 20 ft.	79.75	90.86	69.25	....	82.98	84.28

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	50.92	52.50	48.50	....	50.62	52.86
" " " " " 8 ft.	....	49.00	45.00	....	45.67	49.00
" " " " " 12 and 14 ft.	65.63[1]	73.25	....	....	73.25	65.63
" " " " " 16 ft.	....	69.00[2]	75.50[1]	....	75.50[1]	75.50
" " " " " 9 or 18 ft.	73.58	63.59	57.50	....	64.25	64.40
" " " " " 10 or 20 ft.	60.00	55.78	75.00[1]	....	56.90	57.48
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	61.96[1]	52.50	48.50	....	50.45	61.96
" " " " " 8 ft.	....	49.00	45.00	....	45.67	49.00
" " " " " 12 and 14 ft.	59.85[1]	73.25	....	....	73.25	59.85
" " " " " 16 ft.	50.25[1]	69.00[3]	75.50[1]	....	50.25[1]	50.25
" " " " " 9 or 18 ft.	74.38[1]	63.59	57.50	....	60.62	74.38
" " " " " 10 or 20 ft.	60.38[1]	55.78	75.00[1]	....	55.78	60.38
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	37.66	....	....	....	37.66	33.40
" " " " " 10 to 20 ft.	33.62	22.00[1]	....	....	33.62	34.45
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	60.00[2]	47.54[1]	49.00[1]	47.61[1]	47.61
" " " " 2 to 3 inch, 10 & 20 ft.	....	60.00[2]	47.54[1]	30.00[1]	30.00[1]	30.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	53.00[3]
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	53.00[3]
" " " 2 to 3 inch. 9 & 18 ft.	....	43.17	....	30.00	42.89	45.78
" " " 2 to 3 inch 10 & 20 ft.	....	44.76	....	....	44.76	43.45
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	46.68	46.00	60.54[1]	....	46.51	51.46
" " " " other lengths.	50.04	47.56	64.51	59.13	50.86	50.06
" " 1x10, " 14 and 16 ft.	48.18	50.00	51.75	....	48.35	46.23
" " " " other lengths.	49.61	46.24	63.06	59.84[1]	49.62	48.67
" " 1x12, " 14 and 16 ft.	51.33	55.00	67.50	....	52.04	53.77
" " " " other lengths.	50.76	51.45	63.56	73.00[1]	52.49	54.22
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	31.80	31.08	33.09	31.73	32.09	31.56
" " 1x10, " "	32.64	31.16	34.04	31.61	32.80	32.45
" " 1x12, " "	34.66	36.18	34.57	33.51	34.81	35.44
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	27.57	25.86	29.30[1]	....	27.23	26.99
" " 1x10, " "	27.24	26.43	28.97	....	27.38	27.08
" " 1x12, " "	28.07	26.93	30.51	29.22[1]	28.31	29.57
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	47.90	47.83[2]	52.00	....	48.05	49.21
" " " other lengths.	47.76	45.47	50.08	....	46.32	47.32
" 1x10, " 14 and 16 ft.	45.60	....	80.00[2]	....	45.60	49.40
" " " other lengths.	46.20	45.25	55.71	50.00	48.10	45.83
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	31.77	33.65	32.95	35.00	32.35	33.18
" 1x10, " "	30.82	31.48	31.88	34.86[1]	31.15	32.73
" 1x12, " "	....	....	....	31.00[2]	31.00[2]	31.00[1]
Shiplap, 1x 8, No. 3, all lengths.	27.02	26.99	27.40	28.54[1]	27.02	28.78
" 1x10, " "	28.18	30.00	29.94	....	28.77	31.40
" 1x12, " "	27.20	....	....	....	27.20	35.00[1]
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	46.41	49.54	....	....	48.52	52.98[1]
" " " " other lengths.	46.70	47.18	....	....	46.82	52.91[1]
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	15.50	....	15.75	....	15.70	15.41

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
1x4, S 1 S, No. 1, 16 ft.	48.04	49.00	....	....	48.43	48.60
" " " other lengths	47.06	41.71	59.94	....	45.25	45.79
" " No. 2, all lengths	28.99	27.08	27.44	27.00	28.31	29.45
" " No. 3, "	24.41	25.00	25.97	30.13[1]	24.74	26.83
1x4, C. M., No. 1, 16 ft.	49.50[3]	....	....	....	49.50[3]	49.50[2]
" " " other lengths	46.50	....	....	....	46.50	54.94[1]
" " No. 2, all lengths	29.92[1]	....	....	....	29.92[1]	29.92
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	49.21	47.67	61.98	....	49.26	51.89
" " " other lengths	48.43	46.58	65.65	55.00	48.63	50.15
" " No. 2, all lengths	31.01	30.84	32.85	30.08	31.11	31.47
" " No. 3, "	27.59	25.09	27.01	....	27.24	26.86
1x6, C. M., No. 1, 16 ft.	51.19	....	....	....	51.19	51.74
" " " other lengths	48.56	45.15	....	....	47.76	44.10
" " No. 2, all lengths	30.88	30.31	....	31.00	30.76	30.53
" " No. 3, "	34.50	25.82	....	33.14[1]	26.07	31.39
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	34.74	34.80	33.77	32.00[2]	34.56	36.07
" " " 12 ft.	34.66	34.86	32.24	39.50[3]	34.38	34.67
" " " 14 ft.	34.47	34.54	33.76	....	34.39	34.58
" " " 16 ft.	35.79	36.33	36.41	32.00[1]	35.99	36.18
" " " 18 ft.	36.32	36.43	35.71	35.00	36.14	36.19
" " " 20 ft.	36.84	36.20	35.71	35.00	36.67	36.57
" " " 22 ft.	41.67	39.75	....	....	40.48	38.80
" " " 24 ft.	40.40	39.47	....	....	40.01	38.43
2x 6, No. 1, S 1 S 1 E, 10 ft.	31.90	31.94	33.68	38.50[3]	32.98	32.95
" " " 12 ft.	32.61	32.02	30.02	30.50	31.35	32.89
" " " 14 ft.	33.79	32.04	30.02	30.50	32.19	32.05
" " " 16 ft.	33.48	32.72	33.21	30.00	33.09	33.77
" " " 18 ft.	34.44	33.64	33.68	33.50	34.29	33.40
" " " 20 ft.	33.87	34.64	33.68	33.50	34.10	35.44
" " " 22 ft.	37.57	36.41	43.53	....	38.42	35.51
" " " 24 ft.	38.48	35.72	43.53	....	37.26	35.85
2x 8, No. 1, S 1 S 1 E, 10 ft.	33.10	35.68	34.30	35.00	34.51	35.68
" " " 12 ft.	32.88	34.46	32.46	39.50[3]	33.12	34.87
" " " 14 ft.	34.01	34.86	33.48	42.25[2]	34.01	35.25
" " " 16 ft.	35.22	35.69	31.98	44.25[2]	34.55	37.47
" " " 18 ft.	36.12	36.34	34.30	34.50	36.18	36.48
" " " 20 ft.	35.69	35.02	34.30	45.25[2]	35.50	36.07
" " " 22 ft.	41.53	39.16	40.77	....	39.82	38.07
" " " 24 ft.	39.88	39.64	40.77	....	39.72	39.33
2x10, No. 1, S 1 S 1 E, 10 ft.	35.27	39.25	37.60	....	37.15	36.94
" " " 12 ft.	34.88	37.03	32.67	43.00[2]	34.36	34.62
" " " 14 ft.	35.50	35.64	32.67	35.66	35.55	36.49
" " " 16 ft.	37.33	35.16	38.67	34.27	37.16	37.52
" " " 18 ft.	36.86	39.35	37.60	46.00[2]	37.98	36.60
" " " 20 ft.	37.70	37.84	37.60	46.00[2]	37.76	36.81
" " " 22 ft.	39.87	39.72	41.20	....	39.91	37.35
" " " 24 ft.	38.47	38.35	41.20	....	38.43	36.73
2x12, No. 1, S 1 S 1 E, 10 ft.	36.71	46.50	38.61	39.50	38.38	42.31
" " " 12 ft.	36.88	37.74	43.49	37.50	38.28	39.36
" " " 14 ft.	36.87	36.52	43.49	37.50	36.77	37.21
" " " 16 ft.	39.03	37.97	39.41	39.50	38.77	38.18
" " " 18 ft.	38.41	37.75	38.61	45.50[3]	38.16	37.73
" " " 20 ft.	39.62	38.24	38.61	....	39.09	37.25
" " " 22 ft.	41.71	40.63	45.28	....	41.84	39.52
" " " 24 ft.	40.54	41.65	45.28	45.50[3]	40.76	39.27
2x 4, No. 2, S 1 S 1 E, 10 ft.	34.12	31.00	29.47	....	31.63	35.13
" " " 12 ft.	33.45	31.42	33.25	....	32.80	32.82
" " " 14 ft.	33.93	32.47	31.60	28.00[1]	33.04	29.69
" " " 16 ft.	35.54	33.00	33.25	36.44[1]	34.32	31.37
" " " 18 ft.	36.33	33.69	34.55	33.50[1]	34.80	33.65
" " " 20 ft.	34.77	32.99	34.55	....	33.76	34.22
" " " 22 ft.	40.50	33.50	....	....	36.24	42.25[1]
" " " 24 ft.	40.50	33.50	....	....	40.50	42.25[1]
2x 6, No. 2, S 1 S 1 E, 10 ft.	32.46	31.00	29.80	....	30.37	30.56
" " " 12 ft.	30.16	29.15	31.07	27.00[1]	30.11	29.94
" " " 14 ft.	32.17	30.03	31.07	29.80[1]	31.29	30.13
" " " 16 ft.	31.83	30.76	33.23	30.41[1]	31.92	30.48
" " " 18 ft.	32.97	31.92	29.80	....	32.64	30.72
" " " 20 ft.	32.49	31.35	29.80	....	31.98	30.48
" " " 22 ft.	40.00	33.86	35.50	....	35.41	37.50
" " " 24 ft.	40.00	33.86	35.50	....	40.00	37.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
2x 8, No. 2, S 1 S 1 E, 10 ft.	31.00	33.06	32.92	....	31.74	31.38
" " " 12 ft.	32.11	32.00	29.63	....	31.26	30.40
" " " 14 ft.	31.56	31.17	33.35	....	31.94	31.93
" " " 16 ft.	33.49	31.94	28.74	....	32.84	31.14
" " " 18 ft.	32.57	34.32	32.92	....	33.23	33.10
" " " 20 ft.	33.22	32.94	32.92	....	33.10	33.30
" " " 22 ft.	....	39.90[2]	35.85	....	35.85	39.26[1]
" " " 24 ft.	42.50[2]	39.90[2]	35.85	....	35.85	42.50[1]
2x10, No. 2, S 1 S 1 E, 10 ft.	34.25[1]	32.75	31.00	....	31.19	33.79
" " " 12 ft.	32.96	32.75	36.00	....	33.46	30.10
" " " 14 ft.	31.77	32.53	36.00	42.00[2]	31.96	32.92
" " " 16 ft.	33.67	30.84	27.93	....	31.56	30.92
" " " 18 ft.	33.92	34.38	31.00	....	34.27	33.37
" " " 20 ft.	35.25	34.50	31.00	42.00[2]	34.61	32.28
" " " 22 ft.	....	36.50	35.09	....	35.28	41.95
" " " 24 ft.	43.50[2]	36.50	35.00	....	35.28	41.95
2x12, No. 2, S 1 S 1 E, 10 ft.	38.25[1]	34.75	25.56	....	29.24	35.45
" " " 12 ft.	35.47	34.33	36.00	....	35.23	32.90
" " " 14 ft.	36.11	34.74	36.00	....	35.33	32.39
" " " 16 ft.	37.19	33.52	34.00	31.50[2]	34.92	32.40
" " " 18 ft.	34.80	34.27	25.56	....	34.37	35.02
" " " 20 ft.	37.29	34.15	25.56	42.00[2]	35.27	33.92
" " " 22 ft.	....	43.60[2]	....	....	43.60[2]	43.60[1]
" " " 24 ft.	45.00[2]	43.60[2]	....	....	45.00[2]	45.00[1]
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	21.77	23.40	21.06	22.03[2]	21.79	22.82
PATENT LATH						
4 and 6 ft.	28.23	30.00	....	....	28.34	26.44
8 and 10 ft.	31.88	37.45	....	....	33.03	25.88
12 ft. and longer	31.50	....	....	....	31.50	24.75
PLASTERING LATH						
⅜x1½–4, No. 1	5.47	5.85	6.12	6.27	5.94	6.21
" No. 2	4.37	4.00[1]	4.70	6.51	4.90	4.37
⅜x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	39.97	39.83	40.29	46.01[2]	40.01	40.27
" " 22-24 ft.	41.84	40.62	34.49	49.75[2]	36.61	43.50
" " 26 ft.	48.80[2]	....	43.54	....	43.54	57.00
" " 28 ft.	....	41.50	43.54	....	41.50	57.00
" " 30 ft.	55.90[3]	43.93	45.06	....	44.49	47.35
" " over 30 ft.	49.59	46.00	46.95	....	47.96	50.50
4x4 to 8x8, Heart (85%+), up to 20 ft.	46.92	46.69	....	....	46.71	45.48
" " " 22-24 ft.	46.63[1]	42.00	....	....	42.00	45.20
" " " 26 ft.	....	52.50[3]	....	....	52.50[3]	52.50[2]
" " " 28 ft.	59.75[2]	....	....	....	59.75[2]	59.75[1]
" " " 30 ft.	....	55.39	....	....	55.39	46.00[1]
" " " over 30 ft.	51.50[3]	51.00[3]	....	....	51.49[3]	51.49[2]
3 & 4x10, No. 1, up to 20 ft.	49.08	41.22	....	....	43.65	39.64
" " 22-24 ft.	50.23[2]	42.90	....	....	42.90	41.76
" " 26 ft.	48.00[3]	....	....	....	48.00[3]	48.00[2]
" " 28 ft.	48.00[3]	52.00[2]	....	....	52.00[2]	52.00[1]
" " 30 ft.	52.50[3]	48.00	....	....	48.00	56.00[1]
" " over 30 ft.	53.50[2]	....	....	....	53.50[2]	53.50[1]
3 & 4x10, Heart (85%+), up to 20 ft.	47.10[1]	45.76	....	....	45.76	47.27
" " " 22-24 ft.	47.50[1]	50.00[1]	....	....	48.75[1]	48.75
" " " 26 ft.	53.50[2]	....	....	....	53.50[2]	53.50[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	59.50[2]	....	....	....	59.50[2]	59.50[1]
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
6x10, to 10x10, No. 1, up to 20 ft.	47.72	43.07	43.68	....	47.20	47.15
“ “ 22-24 ft.	48.32	38.00	43.97	....	42.52	47.78
“ “ 26 ft.	45.90	46.00	44.61	....	44.82	47.60
“ “ 28 ft.	56.73	39.50	44.61	....	48.15	55.00
“ “ 30 ft.	51.00[3]	53.00[3]	41.73	....	41.73	54.50
“ “ over 30 ft.	51.63	52.00[3]	47.92	....	48.42	55.18
6x10 to 10x10, Heart (85%+), up to 20 ft.	46.00	41.50	....	....	42.55	49.38
“ “ “ 22-24 ft.	52.50[3]	47.00[1]	....	....	47.00[1]	47.00
“ “ “ 26 ft.	....	....	....	....	....	54.00[3]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	58.50[2]	....	....	....	58.50[2]	58.50[1]
“ “ “ over 30 ft.	59.75[2]	....	....	....	59.75[2]	59.75[1]
3 & 4x12, No. 1, up to 20 ft.	50.74	46.42	....	....	47.75	50.64
“ “ 22 24 ft.	55.49	46.50	....	....	52.24	45.65
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	61.50[1]	....	....	....	61.50[1]	61.50
“ “ 30 ft.	59.41[3]	51.00[1]	....	....	51.00[1]	51.00
“ “ over 30 ft.	67.25	60.00[3]	....	....	67.25	63.60
3 & 4x12, Heart (85%+), up to 20 ft.	54.00[2]	46.50	....	....	46.50	53.00
“ “ “ 22-24 ft.	48.00[1]	46.00	....	....	46.00	48.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	60.30[2]	....	....	....	60.30[2]	60.30[1]
“ “ “ over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	67.71	42.10	47.10	....	50.04	48.45
“ “ 22-24 ft.	65.40[2]	49.00[1]	47.80	....	47.80	50.69
“ “ 26 ft.	57.32[2]	....	49.01	....	49.01	55.54
“ “ 28 ft.	56.63[2]	55.00[2]	49.01	....	49.01	55.54
“ “ 30 ft.	55.31[3]	54.00[2]	44.80	....	44.80	57.76
“ “ over 30 ft.	59.46[1]	69.00	52.04	....	55.22	59.46
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.63[1]	49.41[1]	....	....	51.47[1]	51.47
“ “ “ 22-24 ft.	55.91[3]	51.00[1]	....	....	51.00[1]	51.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	53.00[1]	....	....	53.00[1]	53.00
“ “ “ 30 ft.	63.50[2]	....	....	....	62.50[2]	63.50[1]
“ “ “ over 30 ft.	66.49[2]	58.00[1]	....	....	58.00[1]	58.00
2x14 to 4x14, No. 1, up to 20 ft.	56.50	50.44	....	....	50.98	52.11
“ “ 22-24 ft.	74.50	43.34	....	....	53.73	50.00[1]
“ “ 26 ft.	....	49.00[1]	....	....	49.00[1]	49.00
“ “ 28 ft.	....	59.50[3]	....	....	59.50[3]	59.50[2]
“ “ 30 ft.	57.31[1]	56.75	....	....	56.75	57.31
“ “ over 30 ft.	63.50[2]	....	....	....	63.50[2]	63.50[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	59.52	55.00[3]	52.55	....	53.98	55.39
“ “ 22-24 ft.	57.50	....	55.75	....	55.92	59.19
“ “ 26 ft.	67.70	....	58.25	....	63.82	59.64
“ “ 28 ft.	....	....	58.25	....	58.25	59.20
“ “ 30 ft.	72.00	....	32.25	....	52.52	56.27
“ “ over 30 ft.	64.75[1]	....	32.25	....	32.25	64.75
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	54.00[1]	....	....	54.00[1]	54.00
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	52.00	....	....	52.00	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	52.00	....	....	52.00	....
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	68.50[2]	....	....	....	68.50[2]	68.50[1]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
6x16 & Up, No. 1, up to 20 ft.	67.32	....	65.75	....	66 46	55 95
" " 22-24 ft.	56 63[3]	....	59 00[1]	....	59 00[1]	59 00
" " 26 ft.	67.92[2]	....	70.75	....	70 75	69 77[1]
" " 28 ft.	72.25	....	70.75	....	72.25	70 00[1]
" " 30 ft.	66.50[3]	....	73 50[3]	....	71 75[3]	71 75[2]
" " over 30 ft.	73.50[1]	....	73 50[3]	....	73 50[1]	73 50
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	79.18[3]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	64 00[2]	....	....	64.00[2]	64 00[1]
" " 22-24 ft.	....	57.38[2]	....	....	57.38[2]	57.38[1]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	55.25	55 50	....	..	55.42	62 50
" " 30 ft.	....	66.00[1]	....	....	66 00[1]	66 00
" " 32 ft.	70 00[3]	63.05[2]	....	....	63.05[2]	63 05[1]
16 inhc, Heart (85%+), up to 20 ft.	....	....	....	....	..	60 00[3]
" " " 22-24 ft.	....	....	....	....	....	65 36[3]
" " " 26 ft.	70.00[1]	....	....	....	70 00[1]	70 00
" " " 28 ft.	65.50[1]	67.59[2]	....	....	65.50[1]	65 50
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	70 00[3]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	48.50[2]	57 00[1]	52 25	....	52.25	51 68
" " " 36 ft.	56.50[2]	56.54[1]	52 25	46.62[3]	52.25	56 54
" " " 37-38 ft.	....	....	52.50	....	52 50	51 00
" " " 40 ft.	....	52.36[1]	55.00	....	55 00	52 36
" " " 41-42 ft.	61.39[3]	56.00[2]	....	....	56.00[2]	56.00[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	62.50[3]	....	....	....	62.50[3]	62 50[2]
Up to 10 inch, Sq. E. 34 ft.	52.50[1]	57 25[1]	51 00[1]	50.00	50.00	53 04
" " " 36 ft.	....	51.00[1]	51.00[1]	50.00	50.00	51 00
" " " 37-38 ft.	56 25[2]	....	44 00[1]	....	44 00[1]	44 00
" " " 40 ft.	58 50[3]	53.00[1]	57.50	....	57 50	53 00
" " " 41-42 ft.	....	....	....	....	....	59 50[3]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	57 96[1]	....	57 96[1]	57 96
" " " 36 ft.	52.25[3]	56 00[1]	57 96[1]	....	56 00[1]	56 00
" " " 37-38 ft.	62 25[2]	62 50	61 90[1]	....	62 50	61 90
" " " 40 ft.	....	....	61 90[1]	....	61 90[1]	61 90
" " " 41-42 ft.	72.75[1]	....	....	....	72 75[1]	72 75
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
Up to 14 inch, Sq. E., 34 ft.	....	....	65.74[1]	....	65.74[1]	65.74
" " " 36 ft.	....	60.00	65.74[1]	65.17	65.08	65.74
" " " 37-38 ft.	....	....	69.00[1]	....	69.00[1]	69.00
" " " 40 ft.	....	62.00	69.00[1]	70.00	68.94	69.00
" " " 41-42 ft.	....	64.00	....	....	64.00	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	54.00	....	....	54.00	48.25
" " 14 ft.	....	54.00	....	....	54.00	50.46
" " 16 ft.	....	54.00[1]	....	....	54.00[1]	54.00
12x14, Heart (85%+), 12 ft.	57.00[1]	....	....	....	57.00[1]	57.00
" " " 14 ft.	57.00[1]	53.00[2]	....	....	57.00[1]	57.00
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	57.50[1]	....	....	....	57.50[1]	57.50
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	41.72	....	....	....	41.72	41.77
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	45.00[1]	45.30	....	....	45.30	45.69
" " Heart, (85%+), 6x8–8	51.63[1]	46.50	....	....	46.50	51.63
" " Sq. E., " 7x9–8	....	....	....	....	....	....
" " Heart, " 7x9–8	....	52.00[3]	....	....	52.00[3]	52.00[2]
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	....	....	....	....	....	48.17[3]
Paving Stock, S 1 S	....	38.00	38.00	34.00[1]	38.00	34.00
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	120.90	....	....	....	120.90	123.34[2]
Miscellaneous	90.00[3]	51.02	....	29.55	48.26	41.60
MISCELLANEOUS STOCK						
Silo Stock	....	50.00	45.25	60.83[2]	49.21	50.67
Grain Doors	34.75[1]	....	28.50	....	28.50	34.75
Miscellaneous, B and B	77.64	77.06	63.50	93.46	72.36	75.91
" No. 1	48.20	45.84	42.61	54 82	46.36	47.27
" No. 2	42.61	28.40	32.03	31.02	31.61	34.32
" No. 3	20.87	28.97	28.29	27.55	27.59	26.31
Shorts B and B	37.00	46.70	....	....	44.48	61.50
" No. 1	28.50	35.15	....	....	29.17	27.60
" No. 2	....	40.34	....	....	40.34	27.67
" No. 3	....	27.98	....	....	27.98	26.00[2]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

July 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending July 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1·E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued July 29, 1920

No. 100

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A "	120.00[2]	....	....	....	120.00[2]	120.00[1]
" " B "	....	....	....	....	....	....
" " B and Better "	112.84	....	....	....	112.84	108.66
" " C "	88.78[1]	....	....	....	88.78[1]	88.78
" " D "	100.00	....	....	....	100.00	....
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	68.20	....	....	....	68.20	69.51
" " C "	....	....	....	....	....	....
" " D "	58.16	....	....	....	58.16	65.00
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	38.58	....	....	....	38.58	33.00
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	....	....	142.00[2]
Edge Grain, A "	....	....	....	120.57	120.57	141.00[2]
" " B "	....	115.00[1]	119.07	121.05	120.50	116.58
" " B and Better "	....	114.16	....	118.68[1]	114.16	118.60
" " C "	....	....	99.03	90.85	94.02	85.17[2]
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	64.38[1]	54.00[1]	60.72[1]	60.72
Flat " A "	....	....	....	91.25	91.25	....
" " B "	....	68.00[1]	....	88.35	88.35	68.00
" " B and Better "	....	67.83	76.35	75.67	73.93	77.95
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	65.00[1]	62.22	72.55	64.66	62.19
No. 2 " "	....	....	34.08	36.67	34.22	34.61
No. 3 " "	....	....	22.00	28.00	23.00	23.76[1]
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	115.50	....	115.50	104.25
" " B "	....	....	108.00	107.00[1]	108.00	99.63
" " B and Better "	98.05	97.64	....	65.00	93.88	95.64
" " C "	76.58	74.53	76.25	92.50[1]	75.97	75.44
" " D "	68.00	....	....	....	68.00	75.00[2]
" " No. 2 "	....	....	52.50	....	52.50	51.25[1]
Flat " A "	110.00[2]	....	....	92.50[3]	110.00[2]	110.00[1]
" " B "	67.79	66.76	....	....	66.81	66.63
" " B and Better "	63.89	66.01	64.13	66.02	64.43	65.95
" " C "	60.34	60.00	....	....	60.10	62.12
" " D "	52.61	50.00	....	....	51.92	52.44
No. 1 Common "	....	58.49	55.61	54.43	55.85	57.10
No. 2 " "	34.84	34.72	32.48	31.82	32.82	33.05
No. 3 " "	....	....	24.78	24.62	24.73	25.10
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	53.55	58.00	55.03	63.18	55.59	57.70
" " No. 1 Common	53.61	....	53.19	....	53.29	50.36
" " No. 2 "	....	30.00[1]	32.46	....	32.46	29.93
" " No. 3 "	....	....	20.00[2]	....	20.00[2]	20.00[1]
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	59.72	59.04	59.28	65.00	59.47	59.04
" " No. 1 Common	53.06	48.22	53.05	51.38	52.02	53.86
" " No. 2 "	33.66	32.18	30.75	39.93	31.19	32.86
" " No. 3 "	....	....	15.00	....	15.00	33.50[2]
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	66.23	70.00[2]	68.60	....	67.90	70.03
" " No. 1 Common	57.73	55.37	57.87	....	57.47	55.00[1]
" " No. 2 "	33.00	....	32.00	....	32.32	47.86[1]
" " No. 3 "	....	....	27.00[2]	....	27.00[2]	27.00[1]
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	70.48	70.00	....	78.80	70.87	69.70
" " No. 1 Common	57.30	75.00	....	....	68.14	62.38
" " No. 2 "	37.00[2]	....	....	....	37.00[2]	37.00[1]
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	86.14	73.00[1]	71.68	....	73.00	69.16
" " No. 1 Common	....	....	58.05	....	58.05	62.20
" " No. 2 "	....	....	38.39	38.00[2]	38.39	36.48
BEVEL SIDING						
Bevel Siding, A	....	....	33.45	....	33.45	....
" B	....	....	....	....	....	....
" B and Better	48.68	46.50	54.25	....	48.46	47.52
" No. 1 Common	45.00	50.00	40.18	40.00	41.16	40.00[1]
" No. 2 "	26.25	....	30.29	30.00[2]	30.18	28.94[1]

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	61.49	62.76	59.97	70.50[1]	61.55	69.00
" " No. 1 Common	57.06	53.32	54.41	56.94[2]	54.79	53.72
" " No. 2 "	32.68	33.17	34.84	34.17	34.09	33.75
" " No. 3 "	....	....	24.26	23.00	24.21	27.00
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	78.88	77.48	76.19	80.25	77.98	77.94
1x 6 inch, "	82.02	78.70	82.28	81.25	80.58	80.52
1x 8 inch, "	79.73	78.21	82.61	82.25	79.75	81.63
1x 5 and 10 inch, "	89.40	83.61	91.66	84.25	87.24	86.78
1x12 inch, "	89.45	83.64	91.48	88.25	87.63	87.61
1¼x4 to 12 inch, "	99.86	96.00	99.67	86.82	98.06	91.80
1½ and 2x4 to 12 inch, "	96.21	95.13	91.92	75.92	89.22	91.39
1⅝ inch, "	81.83	93.00	....	....	86.30	70.02
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	70.43	81.00	....	68.75	71.11	81.00
1x 6 inch, "	72.52	70.00[2]	58.50[1]	66.25	69.46	60.29
1x 8 inch, "	86.50[1]	84.00	60.50[2]	66.25	72.17	86.50
1x 5 and 10 inch, "	83.00	79.40	78.25	68.75	78.41	87.04
1x12 inch, "	86.00[1]	70.00	62.75[2]	68.75	69.38	86.00
1¼x4 to 12 inch, "	88.00[1]	....	....	81.50	81.50	88.00
1½ and 2x4 to 12 inch, "	....	....	86.50[2]	....	86.50[2]	86.50[1]
1⅝ inch, "	....	65.00	....	....	65.00	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	94.00[3]	....	....	....	94.00[3]	94.00[2]
1x 6 inch, " "	85.50	78.10[1]	76.70	82.25	81.26	77.90
1x 8 inch, " "	75.00	78.10[1]	79.15	78.25[1]	78.00	78.64
1x 5 and 10 inch, " "	80.00	78.10[1]	87.01	80.25[1]	86.47	79.62
1x12 inch, " "	82.75	78.10[1]	89.66	85.25[1]	88.84	78.48
1¼x4 to 12 inch, " "	95.00	89.07[1]	80.88	....	87.87	81.08
1½ and 2x4 to 12 inch, " "	87.42	81.00	77.66	....	78.46	82.84
1⅝ inch, " "	....	79.50[1]	....	....	79.50[1]	79.50
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	89.61	88.01	91.28	....	89.64	88.89
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	90.08	89.69	87.93	....	89.19	89.90
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	88.25	102.00	91.28	....	91.70	88.87
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	....	70.43[1]	....	70.43[1]	70.43
" " " " " 8 ft.	60.01	58.25	70.00	....	59.78	60.19
" " " " " 12 and 14 ft.	92.50[2]	85.34[1]	....	....	85.34[1]	85.34
" " " " " 16 ft.	96.00[2]	74.00	80.32[1]	....	74.00	86.72
" " " " " 9 or 18 ft.	80.50	81.60	74.00	....	80.18	82.18
" " " " " 10 or 20 ft.	75.00	75.00	69.25[1]	....	75.00	82.98

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	50.00	46.50	55.00	....	49.19	50.62
“ “ “ “ “ 8 ft.	....	55.00	57.00	....	55.38	45.67
“ “ “ “ “ 12 and 14 ft.	65.63[2]	73.25[1]	....	....	73.25[1]	73.25
“ “ “ “ “ 16 ft.	....	55.00	70.00	....	70.00	75.50[1]
“ “ “ “ “ 9 or 18 ft.	62.15	63.59[1]	62.91	....	62.40	64.25[1]
“ “ “ “ “ 10 or 20 ft.	57.39	57.49	75.00[2]	....	57.46	56.90
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	58.83	46.50	55.00	....	58.83	50.45
“ “ “ “ “ 8 ft.	65.00	55.00	57.00	....	65.00	45.67
“ “ “ “ “ 12 and 14 ft.	59.85[2]	73.25[1]	....	....	73.25[1]	73.25
“ “ “ “ “ 16 ft.	65.00	55.00	70.00	....	65.00	50.25[1]
“ “ “ “ “ 9 or 18 ft.	67.00	63.59[1]	62.91	....	67.00	60.62
“ “ “ “ “ 10 or 20 ft.	62.02	57.49	75.00[2]	....	62.02	55.78
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	27.25	....	....	....	27.25	37.66
“ “ “ “ “ 10 to 20 ft.	34.60	35.35	....	....	34.88	33.62
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 2 to 3 inch, 9 & 18 ft.	....	60.00[3]	47.25	49.00[2]	47.25	47.61[1]
“ “ “ “ 2 to 3 inch, 10 & 20 ft.	....	60.00[3]	47.25	30.00[2]	47.25	30.00[1]
“ No. 1, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft	47.11	....	....	....	47.11	....
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	48.00	....	44.55	45.47	42.89
“ “ “ 2 to 3 inch 10 & 20 ft.	....	43.00	....	44.55	43.00	44.76
“ No. 2, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	32.50	....	....	....	32.50	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	47.09	49.70	60.54[2]	....	48.21	46.51
“ “ “ “ other lengths.	49.58	48.31	57.73	60.00	50.61	50.86
“ “ 1x10, “ 14 and 16 ft.	47.23	50.00[1]	51.33	....	47.73	48.35
“ “ “ “ other lengths.	52.22	47.20	56.95	59.84[2]	50.43	49.62
“ “ 1x12, “ 14 and 16 ft.	51.93	52.82	57.00	....	52.22	52.04
“ “ “ “ other lengths.	51.84	53.67	60.00	73.00[3]	54.01	52.49
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	33.41	33.71	33.45	33.28	33.52	32.09
“ “ 1x10, “ “	33.84	35.57	34.87	33.16	34.02	32.80
“ “ 1x12, “ “	36.52	35.70	34.31	35.58	35.70	34.81
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	28.52	27.50	30.13	....	28.81	27.23
“ “ 1x10, “ “	28.95	26.96	30.42	....	29.38	27.38
“ “ 1x12, “ “	28.99	26.98	29.44	29.22[2]	28.95	28.31
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	47.37	46.84	50.00	....	47.34	48.05
“ “ “ other lengths.	48.31	46.63	78.00	48.66	47.63	46.32
“ 1x10, “ 14 and 16 ft.	44.21	....	80.00[3]	....	44.21	45.60
“ “ “ other lengths.	46.25	47.47	55.71[1]	50.00	47.73	48.10
“ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	34.78	32.96	35.01	34.88	34.48	32.35
“ 1x10, “ “	33.87	31.88	34.08	34.43	33.17	31.15
“ 1x12, “ “	....	....	....	30.50	30.50	31.00[2]
Shiplap, 1x 8, No. 3, all lengths.	28.16	26.28	29.13	28.54[2]	28.05	27.02
“ 1x10, “ “	30.67	26.15	29.74	....	27.70	28.77
“ 1x12, “ “	30.75	....	....	....	30.75	27.20
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	53.50	49.54[1]	....	....	53.50	48.52
“ “ “ “ other lengths.	50.75	45.75	....	....	47.11	46.82
“ “ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ “ other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	14.96	....	18.88	....	15.32	15.70

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
1x4, S 1 S, No. 1, 16 ft.	49.86	49.00[1]	....	....	49.86	48.43
“ “ “ other lengths	49.40	45.98	61.91	64.50	50.72	45.25
“ “ No. 2, all lengths	30.50	28.15	30.83	27.33	29.51	28.31
“ “ No. 3, “	27.33	24.61	26.43	30.13[2]	25.39	24.74
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	49.50[3]
“ “ “ other lengths	46.50[1]	....	....	....	46.50[1]	46.50
“ “ No. 2, all lengths	29.92[2]	....	....	....	29.92[2]	29.92[1]
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	50.44	45.78	51.78	....	50.94	49.26
“ “ “ other lengths	51.15	47.71	57.13	55.00[1]	50.28	48.63
“ “ No. 2, all lengths	33.04	31.37	32.62	32.96	32.57	31.11
“ “ No. 3, “	27.92	26.00	29.28	29.06	27.30	27.24
1x6, C. M., No. 1, 16 ft.	50.05	....	....	....	50.05	51.19
“ “ “ other lengths	49.51	41.57	....	....	44.30	47.76
“ “ No. 2, all lengths	33.01	31.38	....	34.27	32.71	30.76
“ “ No. 3, “	26.53	25.35	....	25.50	25.88	26.07
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	37.46	35.80	33.92	32.00[3]	36.06	34.56
“ “ “ 12 ft.	37.58	34.29	34.01	....	35.59	34.38
“ “ “ 14 ft.	37.05	34.98	31.73	....	35.03	34.39
“ “ “ 16 ft.	39.08	36.68	34.59	32.00[2]	37.17	35.99
“ “ “ 18 ft.	38.91	37.53	34.83	35.00[1]	37.35	36.14
“ “ “ 20 ft.	39.23	37.53	34.83	35.00[1]	38.19	36.67
“ “ “ 22 ft.	38.01	38.42	....	....	38.23	40.48
“ “ “ 24 ft.	41.24	39.82	....	....	40.20	40.01
2x 6, No. 1, S 1 S 1 E, 10 ft.	36.92	33.81	33.87	....	34.70	32.98
“ “ “ 12 ft.	35.37	32.70	32.11	30.50[1]	33.18	31.35
“ “ “ 14 ft.	37.52	33.51	32.11	30.50[1]	35.95	32.19
“ “ “ 16 ft.	36.87	33.58	33.36	30.00[1]	34.71	33.09
“ “ “ 18 ft.	39.49	36.51	33.87	33.50[1]	38.56	34.29
“ “ “ 20 ft.	36.49	35.42	33.87	33.50[1]	35.93	34.10
“ “ “ 22 ft.	39.33	36.93	37.16	....	38.90	38.42
“ “ “ 24 ft.	39.57	38.11	37.16	....	38.75	37.26
2x 8, No. 1, S 1 S 1 E, 10 ft.	37.99	34.94	35.68	35.00[1]	35.86	34.51
“ “ “ 12 ft.	35.92	33.66	33.55	35.00	34.52	33.12
“ “ “ 14 ft.	38.65	34.92	33.90	35.00	36.05	34.01
“ “ “ 16 ft.	38.43	35.34	34.15	44.25[3]	36.04	34.55
“ “ “ 18 ft.	37.65	35.95	35.68	34.50[1]	36.82	36.18
“ “ “ 20 ft.	37.75	35.20	35.68	45.25[3]	37.18	35.50
“ “ “ 22 ft.	40.38	40.98	38.19	....	39.22	39.82
“ “ “ 24 ft.	40.76	38.90	38.19	....	39.72	39.72
2x10, No. 1, S 1 S 1 E, 10 ft.	37.40	34.45	36.58	....	36.40	37.15
“ “ “ 12 ft.	35.43	35.66	33.27	43.00[3]	34.32	34.36
“ “ “ 14 ft.	39.50	35.89	33.27	35.66[1]	38.59	35.55
“ “ “ 16 ft.	39.42	34.27	34.85	34.27[1]	35.97	37.16
“ “ “ 18 ft.	38.76	37.62	36.58	46.00[3]	38.12	37.98
“ “ “ 20 ft.	38.64	37.78	36.58	46.00[3]	38.19	37.76
“ “ “ 22 ft.	41.25	40.56	39.49	....	40.00	39.91
“ “ “ 24 ft.	41.21	39.50	39.49	....	39.89	38.43
2x12, No. 1, S 1 S 1 E, 10 ft.	39.69	39.63	38.35	39.50[1]	38.44	38.38
“ “ “ 12 ft.	38.82	36.62	38.67	37.50[1]	38.09	38.28
“ “ “ 14 ft.	40.95	36.41	38.67	37.50[1]	39.86	36.77
“ “ “ 16 ft.	40.73	36.72	39.06	40.50	38.67	38.77
“ “ “ 18 ft.	41.89	39.88	38.35	41.50	40.85	38.16
“ “ “ 20 ft.	41.57	40.18	38.35	....	40.65	39.09
“ “ “ 22 ft.	42.41	41.11	41.25	....	41.47	41.84
“ “ “ 24 ft.	43.70	42.23	41.25	....	42.78	40.76
2x 4, No. 2, S 1 S 1 E, 10 ft.	34.25	32.61	33.27	36.25	33.36	31.63
“ “ “ 12 ft.	34.56	31.84	27.55	36.25	30.80	32.80
“ “ “ 14 ft.	34.16	32.08	32.50	28.00[2]	32.57	33.04
“ “ “ 16 ft.	36.11	32.04	33.46	32.85	33.07	34.32
“ “ “ 18 ft.	35.57	34.34	34.95	38.25	35.06	34.80
“ “ “ 20 ft.	34.22	34.50	34.95	....	34.36	33.76
“ “ “ 22 ft.	40.50[1]	34.98	....	....	34.98	36.24
“ “ “ 24 ft.	40.50[1]	34.98	....	....	34.98	40.50
2x 6, No. 2, S 1 S 1 E, 10 ft.	30.86	28.07	35.22	34.25	32.93	30.37
“ “ “ 12 ft.	31.82	28.22	31.70	27.00[2]	30.48	30.11
“ “ “ 14 ft.	32.01	29.58	31.70	32.25	30.10	31.29
“ “ “ 16 ft.	32.76	28.84	31.51	30.41[2]	30.27	31.92
“ “ “ 18 ft.	33.24	30.53	35.22	34.98	31.52	32.64
“ “ “ 20 ft.	32.63	31.95	35.22	35.25	32.28	31.98
“ “ “ 22 ft.	32.00	34.70	37.37	. .	34.74	35.41
“ “ “ 24 ft.	40.00[1]	34.70	37.37	....	35.46	40.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	32.28	27.93	32.43	35.25	31.99	31.74
" " " 12 ft.	33.01	30.00	31.34	....	30.46	31.26
" " " 14 ft.	33.36	30.37	29.55	....	30.07	31.94
" " " 16 ft.	34.81	30.56	28.35	28.75	29.62	32.84
" " " 18 ft.	35.28	31.56	32.43	....	32.61	33.23
" " " 20 ft.	35.20	33.23	32.43	....	33.87	33.10
" " " 22 ft.	....	39.90[3]	40.00	....	40.00	35.85
" " " 24 ft.	42.50[3]	39.90[3]	40.00	....	40.00	35.85
2x10, No. 2, S 1 S 1 E, 10 ft.	33.50	27.23	34.90	34.75	33.03	31.19
" " " 12 ft.	33.43	28.90	32.15	....	31.87	33.46
" " " 14 ft.	33.37	28.06	32.15	29.75	30.77	31.96
" " " 16 ft.	34.81	33.54	32.46	28.00	32.02	31.56
" " " 18 ft.	35.50	31.55	34.90	34.75	32.45	34.27
" " " 20 ft.	35.50	33.18	34.90	42.00[3]	33.49	34.61
" " " 22 ft.	....	37.00	35.09[1]	....	37.00	35.28
" " " 24 ft.	43.50[3]	37.00	35.00[1]	....	37.00	35.28
2x12, No. 2, S 1 S 1 E, 10 ft.	34.63	28.00	38.87	38.75	36.15	29.24
" " " 12 ft.	37.17	29.20	33.88	....	32.76	35.23
" " " 14 ft.	35.73	28.93	33.88	30.75	31.43	35.33
" " " 16 ft.	38.07	31.00	34.25	28.61	31.34	34.92
" " " 18 ft.	37.14	30.29	38.87	37.75	33.49	34.37
" " " 20 ft.	37.02	31.17	38.87	42.00[3]	34.51	35.27
" " " 22 ft.	....	39.00	....	....	39.00	43.60[2]
" " " 24 ft.	45.00[3]	39.00	....	....	39.00	45.00[2]
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	22.58	22.06	27.66	18.00	25.06	21.79
PATENT LATH						
4 and 6 ft.	29.93	30.72	....	....	30.05	28.34
8 and 10 ft.	31.36	32.86	....	....	31.45	33.03
12 ft. and longer	33.21	34.00	....	....	33.22	31.50
PLASTERING LATH						
⅜x1½-4, No. 1	5.98	5.76	6.30	5.58	6.14	5.94
" No. 2	4.26	4.16	4.21	5.45	4.27	4.90
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	42.97	39.68	40.09	46.01[3]	40.75	40.01
" " 22-24 ft.	45.86	43.30	43.54	49.75[3]	43.79	36.61
" " 26 ft.	48.80[3]	46.00	47.49	....	47.46	43.54
" " 28 ft.	....	43.00	47.49	....	43.00	41.50
" " 30 ft.	44.13	44.00	46.50	....	45.07	44.49
" " over 30 ft.	56.65	46.00[1]	46.80	....	49.02	47.96
4x4 to 8x8, Heart (85%+), up to 20 ft.	45.48	44.66	....	....	44.96	46.71
" " " 22-24 ft.	46.63[2]	43.57	....	....	43.57	42.00
" " " 26 ft.	....	....	....	....	....	52.50[3]
" " " 28 ft.	59.75[3]	....	....	....	59.75[3]	59.75[2]
" " " 30 ft.	....	50.18	....	....	50.18	55.39
" " " over 30 ft.	....	....	....	....	....	51.49[2]
3 & 4x10, No. 1, up to 20 ft.	45.51	42.34	....	....	45.06	43.65
" " 22-24 ft.	52.50	42.90[1]	....	....	52.50	42.90
" " 26 ft.	....	....	....	....	....	48.00[3]
" " 28 ft.	61.67	52.00[3]	....	....	61.67	52.00[2]
" " 30 ft.	....	48.00[1]	....	....	48.00[1]	48.00
" " over 30 ft.	57.00	....	....	....	57.00	53.50[2]
3 & 4x10, Heart (85%+), up to 20 ft.	49.50	50.00	....	....	49.53	45.76
" " " 22-24 ft.	47.50[2]	50.00[2]	....	....	48.75[2]	48.75[1]
" " " 26 ft.	53.50[3]	....	....	....	53.50[3]	53.50[2]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	59.50[3]	....	....	....	59.50[3]	59.50[2]
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
6x10, to 10x10, No. 1, up to 20 ft.	46.14	44.33	44.13	....	44.52	47.20
" " 22-24 ft.	48.32[1]	47.00	46.19	....	46.20	42.52
" " 26 ft.	45.90[1]	49.25	48.04	....	48.12	44.82
" " 28 ft.	56.73[1]	49.00	48.04	....	49.00	48.15
" " 30 ft.	48.50	....	50.63	....	50.40	41.73
" " over 30 ft.	51.63[1]	....	51.06	....	51.06	48.42
6x10 to 10x10, Heart (85%+), up to 20 ft.	46.00[1]	53.53	....	....	53.53	42.55
" " " 22-24 ft.	....	54.00	....	....	54.00	47.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	58.50[3]	....	....	....	58.50[3]	58.50[2]
" " " over 30 ft.	59.75[3]	....	....	....	59.75[3]	59.75[2]
3 & 4x12, No 1, up to 20 ft.	52.04[1]	50.00	....	....	51.89	47.75
" " 22 24 ft.	55.49	57.00	....	....	57.00	52.24
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	61.50[2]	....	....	....	61.50[2]	61.50[1]
" " 30 ft.	....	51.00[2]	....	....	51.00[2]	51.00[1]
" " over 30 ft.	67.25[1]	....	....	....	67.25[1]	67.25
3 & 4x12, Heart (85%+), up to 20 ft.	54.00[3]	52.00	....	....	52.00	46.50
" " " 22-24 ft.	48.00[2]	58.50	....	....	58.50	46.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	60.30[3]	....	....	....	60.30[3]	60.30[2]
" " " over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	49.12	42.10[1]	47.49	....	48.18	50.04
" " 22-24 ft.	65.40[3]	49.00[2]	47.22	....	47.22	47.80
" " 26 ft.	57.32[3]	....	49.67	....	49.67	49.01
" " 28 ft.	56.63[3]	55.00[3]	49.67	....	49.67	49.01
" " 30 ft.	....	54.00[3]	52.04	....	52.04	44.80
" " over 30 ft.	59.46[2]	52.00	52.04	....	52.00	55.22
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.63[2]	55.97	....	....	55.97	51.47[1]
" " " 22-24 ft.	....	56.00	....	....	56.00	51.00[1]
" " " 26 ft.	....	58.00	....	....	58.00	....
" " " 28 ft.	....	59.00	....	....	59.00	53.00[1]
" " " 30 ft.	63.50[3]	....	....	....	63.50[3]	63.50[2]
" " " over 30 ft.	66.49[3]	58.00[2]	....	....	58.00[2]	58.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	56.50[1]	49.12	....	....	49.12	50.98
" " 22-24 ft.	74.50[1]	43.34	....	....	53.73	53.73
" " 26 ft.	....	49.00[2]	....	....	49.00[2]	49.00[1]
" " 28 ft.	....	....	....	....	....	59.50[3]
" " 30 ft.	57.31[2]	56.75[1]	....	....	56.75[1]	56.75
" " over 30 ft.	63.50[3]	....	....	....	63.50[3]	63.50[2]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	50.84	....	55.36	....	53.75	53.98
" " 22-24 ft.	57.50[1]	....	54.88	....	54.88	55.92
" " 26 ft.	67.70[1]	....	56.79	....	56.79	63.82
" " 28 ft.	....	....	56.79	....	56.79	58.25
" " 30 ft.	72.00[1]	....	62.11	....	62.11	52.52
" " over 30 ft.	64.75[2]	....	62.11	....	62.11	32.25
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	58.00	....	....	58.00	54.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	52.00[1]	....	....	52.00[1]	52.00
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	52.00[1]	....	....	52.00[1]	52.00
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	68.50[3]	....	....	....	68.50[3]	68.50[2]
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
6x16 & Up, No. 1, up to 20 ft.	45.50	....	63.71	....	52.25	66.46
" " 22-24 ft.	....	....	65.54	....	65.54	59.00[1]
" " 26 ft.	67.92[3]	....	67.45	....	67.45	70.75
" " 28 ft.	72.25[1]	....	67.45	....	67.45	72.25
" " 30 ft.	....	....	74.60	....	74.60	71.75[3]
" " over 30 ft.	73.50[2]	....	70.44	....	70.44	73.50[1]
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	64.00[3]	....	....	64.00[3]	64.00[2]
" " 22-24 ft.	....	57.38[3]	....	....	57.38[3]	57.38[2]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	67.50	63.00	....	....	63.88	55.42
" " 30 ft.	....	65.00	....	....	65.00	66.00[1]
" " 32 ft.	....	63.05[3]	....	....	63.05[3]	63.05[2]
16 inhc, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	70.00[2]	....	....	..	70.00[2]	70.00[1]
" " " 28 ft.	65.50[2]	67.59[3]	....	....	65.50[2]	65.50[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	48.50[3]	57.00[2]	50.86	....	50.86	52.25
" " " 36 ft.	51.00	56.54[2]	50.86	50.00	50.71	52.25
" " " 37-38 ft.	....	....	47.22	50.00	47.38	52.50
" " " 40 ft.	....	52.36[2]	47.22	....	47.22	55.00
" " " 41-42 ft.	....	56.00[3]	....	....	56.00[3]	56.00[2]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	62.50[3]
Up to 10 inch, Sq. E. 34 ft.	52.50[2]	57.25[2]	51.00[2]	50.00[1]	50.00[1]	50.00
" " " 36 ft.	50.75	51.00[2]	51.00[2]	51.00	50.78	50.00
" " " 37-38 ft.	56.25[3]	....	57.00	....	57.00	44.00[1]
" " " 40 ft.	....	53.00[2]	58.46	....	58.46	57.50
" " " 41-42 ft.	57.56	....	....	....	57.56	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	59.48	....	59.48	57.96[1]
" " " 36 ft.	....	56.00[2]	59.48	61.96	61.96	56.00[1]
" " " 37-38 ft.	52.50	62.50[1]	61.90[2]	....	52.50	62.50
" " " 40 ft.	....	....	61.90[2]	....	61.90[2]	61.90[1]
" " " 41-42 ft.	72.75[2]	....	....	....	72.75[2]	72.75[1]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
Up to 14 inch, Sq. E., 34 ft.	....	65.74[2]	....	....	65.74[2]	65.74[1]
" " " 36 ft.	....	65.50	65.74[2]	70.00	66.22	65.08
" " " 37-38 ft.	....	....	69.00[2]	70.00	70.00	69.00[1]
" " " 40 ft.	....	66.50	69.00[2]	70.00[1]	66.50	68.94
" " " 41-42 ft.	....	64.00[1]	....	....	64.00[1]	64.00
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	54.00[1]	....	....	54.00[1]	54.00
" " 14 ft.	....	54.00[1]	....	....	54.00[1]	54.00
" " 16 ft.	....	54.00[2]	....	....	54.00[2]	54.00[1]
12x14, Heart (85%+), 12 ft.	57.00[2]	....	....	....	57.00[2]	57.00[1]
" " " 14 ft.	57.00[2]	53.00[3]	....	....	57.00[2]	57.00[1]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	57.50[2]	....	....	....	57.50[2]	57.50[1]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	41.61	....	....	....	41.61	41.72
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	45.00[2]	45.30[1]	....	....	45.30[1]	45.30
" " Heart, (85%+), 6x8–8	49.47	51.27	....	....	49.92	46.50
" " Sq. E., " 7x9–8	....	46.64	45.75	....	46.52	....
" " Heart, " 7x9–8	....	....	....	....	....	52.00[3]
Bridge Ties, Sq. E., 7x9 & up	51.50	....	....	....	51.50	....
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	....	35.00	32.50	34.00[2]	34.44	38.00
" " Rough	36.00	....	....	....	36.00	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	139.75	....	....	....	139.75	120.90
Miscellaneous	....	46.16	....	48.01	46.47	48.26
MISCELLANEOUS STOCK						
Silo Stock	44.00	50.00[1]	50.75	60.83[3]	45.04	49.21
Grain Doors	39.03	....	28.50[1]	....	39.03	28.50
Miscellaneous, B and B	83.28	80.87	74.76	93.46[1]	80.89	72.36
" No. 1	53.03	42.88	34.23	44.92	40.46	46.36
" No. 2	35.39	32.43	32.77	31.44	31.76	31.61
" No. 3	19.00	25.28	28.38	25.00	27.13	27.59
Shorts B and B	57.37	51.96	....	....	52.84	44.48
" No. 1	27.44	26.76	....	....	27.39	29.17
" No. 2	....	27.47	....	....	27.47	40.34
" No. 3	....	23.50	....	....	23.50	27.98

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3 25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2,00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

July 31, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending July 31, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued August 10, 1920

No. 101

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″	....	....	....	....	....	....
Edge Grain, A "	120.00[3]	....	....	....	120.00[3]	120.00[2]
" " B "	....	....	....	....	....	....
" " B and Better "	113.84	....	....	....	113.84	112.84
" " C "	100.00	....	....	....	100.00	88.78[1]
" " D "	65.50	....	....	....	65.50	100.00
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	68.75	....	....	....	68.75	....
" " B and Better "	69.15	....	....	....	69.15	68.20
" " C "	58.00	....	....	....	58.00	....
" " D "	56.45	....	....	....	56.45	58.16
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	35.99	....	....	....	35.99	38.58
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″	....	....	150.50	131.09	132.20	....
Edge Grain, A "	....	....	....	125.96	125.96	120.57
" " B "	....	115.00[2]	116.44	122.06	117.68	120.50
" " B and Better "	....	115.70	....	110.00	113.94	114.16
" " C "	....	....	97.29	91.49	94.95	94.02
" " D "	....	....	67.75	....	67.75	....
" " No. 2 "	....	....	64.38[2]	52.25	52.25	60.72[1]
Flat " A "	....	....	....	89.67	89.67	91.25
" " B "	....	68.00[2]	....	75.00	75.00	88.35
" " B and Better "	....	65.75	77.40	77.99	77.53	73.93
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	65.00	64.51	82.14	67.39	64.66
No. 2 " "	....	....	34.51	41.00	34.83	34.22
No. 3 " "	....	....	23.25	28.00[1]	23.25	23.00
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″	....	....	97.50	....	97.50	....
Edge Grain, A "	....	....	115.50[1]	....	115.50[1]	115.50
" " B "	....	100.00	105.20	107.00[2]	104.10	108.00
" " B and Better "	99.83	96.29	....	65.00[1]	98.88	93.88
" " C "	73.48	74.53[1]	91.00	92.50[2]	76.98	75.97
" " D "	70.90	....	84.75	....	82.77	68.00
" " No. 2 "	....	....	53.99	....	53.99	52.50
Flat " A "	110.00[3]	....	....	79.00	79.00	110.00[2]
" " B "	67.27	68.03	....	....	67.64	66.81
" " B and Better "	64.82	65.05	66.68	64.12	65.29	64.43
" " C "	58.64	60.00	....	....	59.21	60.10
" " D "	53.57	50.00	....	....	53.12	51.92
No. 1 Common "	....	54.04	56.49	59.82	56.32	55.85
No. 2 " "	36.30	34.54	33.36	33.11	34.06	32.82
No. 3 " "	....	....	24.57	24.62[1]	24.57	24.73
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	54.99	55.50	56.03	59.19	55.85	55.59
" " No. 1 Common	46.83	45.00	53.05	50.00	51.31	53.29
" " No. 2 "	30.28	30.00[2]	32.34	26.25	30.13	32.46
" " No. 3 "	....	....	20.00[3]	....	20.00[3]	20.00[2]
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	60.05	59.67	59.13	64.00	59.70	59.47
" " No. 1 Common	51.45	50.85	49.56	57.40	51.29	52.02
" " No. 2 "	31.42	30.78	32.79	33.75	32.17	31.19
" " No. 3 "	....	....	15.00[1]	....	15.00[1]	15.00
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	78.64	68.00	71.33	....	72.46	67.90
" " No. 1 Common	56.00	51.05	58.01	....	57.15	57.47
" " No. 2 "	33.00[1]	....	39.19	....	39.19	32.32
" " No. 3 "	....	....	27.00[3]	....	27.00[3]	27.00[2]
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	69.65	68.00	76.33	79.50	71.34	70.87
" " No. 1 Common	60.79	75.00[1]	67.40	62.58	61.38	68.14
" " No. 2 "	37.00[3]	....	43.94	....	43.94	37.00[2]
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	73.00	73.00[2]	76.33	....	73.00	73.00
" " No. 1 Common	....	....	67.40	....	67.40	58.05
" " No. 2 "	....	....	47.50	38.00[3]	47.50	38.39
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	48.35	57.00	57.33	....	51.06	48.46
" No. 1 Common	35.25	53.43	42.21	40.00[1]	42.94	41.16
" No. 2 "	26.25[1]	....	34.00	30.00[3]	34.00	30.18

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	59.62	63.57	58.57	70.50[2]	59.98	61.55
" " No. 1 Common	55.35	55.75	53.28	55.00	53.97	54.79
" " No. 2 "	33.40	37.49	36.43	34.73	35.14	34.09
" " No. 3 "	....	....	22.45	23.00[1]	22.45	24.21
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	80.51	78.53	75.41	85.04	78.30	77.98
1x 6 inch, "	83.46	81.72	76.01	84.54	80.06	80.58
1x 8 inch, "	83.04	81.92	79.99	79.04	81.30	79.75
1x 5 and 10 inch, "	89.65	85.22	81.28	84.56	85.97	87.24
1x12 inch, "	90.35	87.19	85.21	83.18	87.20	87.63
1¼x4 to 12 inch, "	98.67	94.65	92.73	94.93	95.69	98.06
1½ and 2x4 to 12 inch, "	91.43	97.72	93.36	89.87	92.83	89.22
1⅝ inch, "	80.09	96.00	....	....	80.82	86.30
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	79.74	81.00[1]	....	68.75[1]	79.74	71.11
1x 6 inch, "	80.59	70.25	81.00	66.25[1]	79.04	69.46
1x 8 inch, "	80.97	70.25	70.00	66.25[1]	74.39	72.17
1x 5 and 10 inch, "	83.72	75.25	83.17	68.75[1]	81.63	78.41
1x12 inch, "	84.20	75.25	82.04	68.75[1]	82.10	69.38
1¼x4 to 12 inch, "	88.00[2]	....	90.40	81.50[1]	90.40	81.50
1½ and 2x4 to 12 inch, "	....	....	89.75	....	89.75	86.50[2]
1⅝ inch, "	....	75.50	....	....	75.50	65.00
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	74.79	....	76.50	....	75.38	94.00[3]
1x 6 inch, " "	80.00	80.00	90.50	77.98	78.95	81.26
1x 8 inch, " "	80.42	78.10[2]	77.25	83.25	80.46	78.00
1x 5 and 10 inch, " "	80.00[1]	78.10[2]	83.65	80.25[2]	83.65	86.47
1x12 inch, " "	82.75[1]	78.10[2]	86.39	85.25[2]	86.39	88.84
1¼x4 to 12 inch, " "	100.77	89.07[2]	77.12	92.25	80.87	87.87
1½ and 2x4 to 12 inch, " "	87.42[1]	81.00[1]	86.19	....	86.19	78.46
1⅝ inch, " "	....	79.50[2]	....	....	79.50[2]	79.50[1]
1x 6 to 12 inch, " "	....	....	....	78.00	78.00	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	92.97	89.42	92.54	90.41	92.10	89.64
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	93.24	90.20	92.69	92.00	92.58	89.19
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	96.44	93.63	90.50	92.75	93.58	91.70
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	....	60.00	....	60.00	70.43[1]
" " " " " 8 ft.	60.35	58.25[1]	70.00[1]	....	60.35	59.78
" " " " " 12 and 14 ft.	92.50[3]	80.00	....	....	80.00	85.34[1]
" " " " " 16 ft.	83.00	80.00	80.32[2]	....	83.00	74.00
" " " " " 9 or 18 ft.	81.54	81.60[1]	74.00[1]	....	81.54	80.18
" " " " " 10 or 20 ft.	75.00	75.00	69.25[2]	....	75.00	75.00

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	49.50	49.13	50.00	....	49.53	49.19
" " " " " 8 ft.	....	74.00	62.93	....	68.24	55.38
" " " " " 12 and 14 ft.	65.63[3]	75.00	....	....	75.00	73.25[1]
" " " " " 16 ft.	....	55.00[1]	69.00	....	69.00	70.00
" " " " " 9 or 18 ft.	65.00	63.74	75.00	....	65.22	62.40
" " " " " 10 or 20 ft.	57.39[1]	62.22	75.00[3]	....	62.22	57.46
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	58.83[1]	49.13	50.00	....	49.53	58.83
" " " " " 8 ft.	65.00[1]	74.00	62.93	....	68.24	65.00
" " " " " 12 and 14 ft.	59.85[3]	75.00	....	....	75.00	73.25[1]
" " " " " 16 ft.	65.00[1]	55.00[1]	69.00	....	69.00	65.00
" " " " " 9 or 18 ft.	67.00[1]	63.74	75.00	....	65.22	67.00
" " " " " 10 or 20 ft.	62.02[1]	62.22	75.00[3]	....	62.22	62.02
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	37.72	30.00	....	....	35.99	27.25
" " " " " 10 to 20 ft.	34.57	33.35	....	....	34.35	34.88
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	55.00	....	....	....	55.00	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	49.00	47.25[1]	49.00[3]	49.00	47.25
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	47.25[1]	30.00[3]	47.25[1]	47.25
" No. 1, " 1⅝ inch, 9 & 18 ft.	37.00	....	....	....	37.00	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	55.00	....	....	....	55.00	....
" " " 1¾ inch, 10 & 20 ft	47.11[1]	....	....	....	47.11[1]	47.11
" " " 2 to 3 inch, 9 & 18 ft	50.00	48.00[1]	45.00	32.00	42.87	45.47
" " " 2 to 3 inch 10 & 20 ft.	....	43.00[1]	45.00	44.55[1]	45.00	43.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	32.50[1]	....	....	....	32.50[1]	32.50
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	48.00	49.70[1]	62.50	....	50.42	48.21
" " " " other lengths.	47.95	48.99	58.47	60.00	51.52	50.61
" " 1x10, " 14 and 16 ft.	48.91	50.00[2]	66.17	....	53.96	47.73
" " " " other lengths.	48.48	48.34	55.64	60.39	49.97	50.43
" " 1x12, " 14 and 16 ft.	52.70	54.99	71.60	....	54.30	52.22
" " " " other lengths.	53.76	52.84	53.84	59.00	53.56	54.01
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	34.24	34.44	34.45	33.20	34.21	33.52
" " 1x10, " "	35.13	33.92	33.69	32.55	34.00	34.02
" " 1x12, " "	38.29	35.26	34.71	34.23	35.95	35.70
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	27.92	27.50[1]	29.29	....	28.26	28.81
" " 1x10, " "	28.94	26.96[1]	29.08	....	29.04	29.38
" " 1x12, " "	27.59	28.20	30.61	29.22[3]	28.69	28.95
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	47.89	48.76	50.00[1]	....	48.42	47.34
" " " other lengths.	48.54	47.58	49.36	48.66[1]	48.23	47.63
" 1x10, " 14 and 16 ft.	47.05	....	....	....	47.05	44.21
" " " other lengths.	48.76	47.68	55.00	50.00[1]	49.12	47.73
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	34.69	34.23	34.97	34.27	34.64	34.48
" 1x10, " "	36.53	34.74	35.79	36.37	35.67	33.17
" 1x12, " "	....	....	....	30.50[1]	30.50[1]	30.50
Shiplap, 1x 8, No. 3, all lengths.	26.67	29.80	29.03	28.25	28.47	28.05
" 1x10, " "	27.24	27.56	30.51	28.25	28.87	27.70
" 1x12, " "	29.22	....	....	....	29.22	30.75
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	49.91	49.00	....	....	49.52	53.50
" " " " other lengths.	51.41	45.75[1]	....	....	51.41	47.11
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	15.66	....	15.39	....	15.61	15.32

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
1x4, S 1 S, No. 1, 16 ft.	49.25	49.00[2]	....	....	49.25	49.86
“ “ “ other lengths	48.65	47.42	56.71	64.50[1]	49.74	50.72
“ “ No. 2, all lengths	30.37	29.64	32.25	28.39	30.24	29.51
“ “ No. 3, “	27.79	25.00	27.31	30.13[3]	27.57	25.39
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
“ “ “ other lengths	49.50	....	....	....	49.50	46.50[1]
“ “ No. 2, all lengths	29.69	....	....	....	29.69	29.92[2]
“ “ No. 3, “	25.00	....	....	24.50	24.75	....
1x6, S 1 S, No. 1, 16 ft.	49.56	49.17	56.29	....	50.18	50.94
“ “ “ other lengths	50.46	51.32	61.64	55.00[2]	53.34	50.28
“ “ No. 2, all lengths	33.68	33.87	35.35	32.51	33.98	32.57
“ “ No. 3, “	26.31	26.00	28.47	29.06[1]	26.82	27.30
1x6, C. M., No. 1, 16 ft.	54.50	49.63	....	....	52.06	50.05
“ “ “ other lengths	51.18	41.93	....	....	44.57	44.30
“ “ No. 2, all lengths	33.33	31.77	....	34.71	33.27	32.71
“ “ No. 3, “	25.50	25.35[1]	....	28.14	27.05	25.88
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	36.56	37.22	35.53	....	36.56	36.06
“ “ “ 12 ft.	36.86	35.53	36.81	39.00	36.31	35.59
“ “ “ 14 ft.	36.80	35.67	34.80	....	35.81	35.03
“ “ “ 16 ft.	37.26	37.22	37.52	32.00[3]	37.34	37.17
“ “ “ 18 ft.	39.25	37.43	37.10	42.00	38.05	37.35
“ “ “ 20 ft.	39.58	37.96	37.10	42.00	38.81	38.19
“ “ “ 22 ft.	43.62	39.91	43.25	....	40.94	38.23
“ “ “ 24 ft.	41.38	39.88	43.25	....	40.39	40.20
2x 6, No. 1, S 1 S 1 E, 10 ft.	34.59	34.41	35.71	....	35.45	34.70
“ “ “ 12 ft.	34.88	33.49	33.57	30.50[2]	34.13	33.18
“ “ “ 14 ft.	34.83	32.02	33.57	30.50[2]	33.74	35.95
“ “ “ 16 ft.	35.82	33.85	35.69	30.00[2]	35.28	34.71
“ “ “ 18 ft.	37.43	36.13	35.71	33.50[2]	36.97	38.56
“ “ “ 20 ft.	37.22	35.82	35.71	33.50[2]	36.63	35.93
“ “ “ 22 ft.	40.86	36.80	39.11	....	39.08	38.90
“ “ “ 24 ft.	40.00	37.30	39.11	....	38.95	38.75
2x 8, No. 1, S 1 S 1 E, 10 ft.	36.64	36.25	36.24	35.00[2]	36.26	35.86
“ “ “ 12 ft.	36.35	35.74	34.12	35.00[1]	35.16	34.52
“ “ “ 14 ft.	36.94	35.06	35.23	35.00[1]	35.87	36.05
“ “ “ 16 ft.	38.65	36.98	35.29	....	35.67	36.04
“ “ “ 18 ft.	38.73	37.54	36.24	34.50[2]	38.42	36.82
“ “ “ 20 ft.	38.91	37.32	36.24	40.25	40.31	37.18
“ “ “ 22 ft.	40.51	40.14	42.27	....	40.66	39.22
“ “ “ 24 ft.	40.60	40.50	42.27	....	40.57	39.72
2x10, No. 1, S 1 S 1 E, 10 ft.	38.21	36.00	37.71	....	37.73	36.40
“ “ “ 12 ft.	38.03	36.41	34.31	37.50	36.06	34.32
“ “ “ 14 ft.	37.85	36.97	34.31	37.50	37.43	38.59
“ “ “ 16 ft.	40.53	38.41	39.38	39.70	39.33	35.97
“ “ “ 18 ft.	42.21	38.73	37.71	40.70	40.66	38.12
“ “ “ 20 ft.	40.43	40.28	37.71	41.25	40.38	38.19
“ “ “ 22 ft.	46.75	40.87	43.36	....	43.79	40.00
“ “ “ 24 ft.	43.04	40.79	43.36	....	41.73	39.89
2x12, No. 1, S 1 S 1 E, 10 ft.	41.25	38.50	40.24	39.50[2]	40.21	38.44
“ “ “ 12 ft.	39.06	38.48	38.82	39.50	38.85	38.09
“ “ “ 14 ft.	40.02	38.58	38.82	39.50	39.51	39.86
“ “ “ 16 ft.	40.35	40.60	38.04	41.70	39.92	38.67
“ “ “ 18 ft.	38.79	41.30	40.24	42.50	40.10	40.85
“ “ “ 20 ft.	41.42	42.29	40.24	43.25	41.84	40.65
“ “ “ 22 ft.	48.25	43.72	51.01	....	46.90	41.47
“ “ “ 24 ft.	43.97	42.93	51.01	....	43.74	42.78
2x 4, No. 2, S 1 S 1 E, 10 ft.	35.00	33.08	36.33	36.25[1]	34.56	33.36
“ “ “ 12 ft.	34.68	31.99	34.13	31.50	33.22	30.80
“ “ “ 14 ft.	34.83	32.14	33.85	31.50	33.57	32.57
“ “ “ 16 ft.	36.53	33.56	34.06	33.50	35.16	33.07
“ “ “ 18 ft.	36.63	34.48	34.80	38.25[1]	35.44	35.06
“ “ “ 20 ft.	34.77	34.10	34.80	....	34.39	34.36
“ “ “ 22 ft.	40.50[2]	37.00	32.00	....	36.29	34.98
“ “ “ 24 ft.	40.50[2]	37.00	32.00	....	36.29	34.98
2x 6, No. 2, S 1 S 1 E, 10 ft.	33.24	36.00	33.78	34.25[1]	33.90	32.93
“ “ “ 12 ft.	32.20	33.43	32.02	27.00[3]	32.36	30.48
“ “ “ 14 ft.	31.40	33.17	32.02	32.25[1]	31.68	30.10
“ “ “ 16 ft.	31.25	33.18	33.58	30.41[3]	32.02	30.27
“ “ “ 18 ft.	32.48	33.94	33.78	34.98[1]	33.05	31.52
“ “ “ 20 ft.	32.92	33.92	33.78	35.25[1]	33.37	32.28
“ “ “ 22 ft.	45.00	34.70[1]	33.56	....	37.20	34.74
“ “ “ 24 ft.	40.00[2]	34.70[1]	33.56	....	33.56	35.46

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	34.90	29.50	33.62	35.25 [1]	32.54	31.99
" " " 12 ft.	33.83	33.03	38.11	....	34.30	30.46
" " " 14 ft.	34.56	33.90	33.42	....	34.14	30.07
" " " 16 ft.	35.71	35.65	34.66	28.75 [1]	35.04	29.62
" " " 18 ft.	35.11	35.30	33.62	....	35.21	32.61
" " " 20 ft.	34.53	35.35	33.62	....	34.85	33.87
" " " 22 ft.	....	35 50	40.00 [1]	....	35.50	40.00
" " " 24 ft.	....	35.50	40.00 [1]	....	35.50	40.00
2x10, No. 2, S 1 S 1 E, 10 ft.	34.20	35.00	38.34	34.75 [1]	36.24	33.03
" " " 12 ft.	33.74	33.50	32.57	....	33.51	31.87
" " " 14 ft.	33.13	35.11	32.57	29.75 [1]	33.72	30.77
" " " 16 ft.	37.14	35.00	33.80	28.00 [1]	35.81	32.02
" " " 18 ft.	35.74	36.50	38.34	34.75 [1]	35.93	32.45
" " " 20 ft.	33.89	36.00	38.34	....	34.58	33.49
" " " 22 ft.	....	37 00 [1]	35.09 [2]	....	37.00 [1]	37.00
" " " 24 ft.	....	37.00 [1]	35.00 [2]	....	37.00 [1]	37.00
2x12, No. 2, S 1 S 1 E, 10 ft.	34.63 [1]	28.00 [1]	36.74	38.75 [1]	36.74	36.15
" " " 12 ft.	35.31	29.20 [1]	37.08	....	35.96	32.76
" " " 14 ft.	34.88	28.93 [1]	37.08	30.75 [1]	34.88	31.43
" " " 16 ft.	36.31	35.06	33.97	28.61 [1]	35.25	31.34
" " " 18 ft.	36.45	30.29 [1]	36.74	37.75 [1]	36.45	33.49
" " " 20 ft.	41.31	38.50	36.74	....	39.75	34.51
" " " 22 ft.	....	39.00 [1]	....	....	39.00 [1]	39.00
" " " 24 ft.	....	39.00 [1]	....	....	39.00 [1]	39.00
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E. all lengths	22.27	22.76	25.21	18.00 [1]	23.32	25.06
PATENT LATH						
4 and 6 ft.	31.03	30.72 [1]	....	....	31.03	30.05
8 and 10 ft.	31.83	32.25	....	....	31.94	31.45
12 ft. and longer	31.88	34.00 [1]	....	....	31.88	33.22
PLASTERING LATH						
3/8x1½–4, No. 1	6.15	6.05	6.73	6.10	6.48	6.14
" No. 2	4.14	4.50	4.80	5.45 [1]	4.33	4.27
3/8x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	40.94	41.94	41.45	45.75	41.35	40.75
" " 22-24 ft.	39.47	44.44	45.08	....	40.16	43.79
" " 26 ft.	37.66	40.00	48.50	....	43.46	47.46
" " 28 ft.	....	43.00 [1]	48.50	....	48.50	43.00
" " 30 ft.	44.13 [1]	47.00	48.35	....	48.00	45.07
" " over 30 ft.	45 00	46.00 [2]	46.06	....	45.28	49.62
4x4 to 8x8, Heart (85%+), up to 20 ft.	44.67	48.96	....	....	46.68	44 96
" " " 22-24 ft.	45.46	45.00	....	....	45.43	43.57
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	59.75 [3]
" " " 30 ft.	....	58.00	....	....	58.00	50.18
" " " over 30 ft.	....	60.67	....	....	60.67	....
3 & 4x10, No. 1, up to 20 ft.	42.38	45.19	....	41.13	42.24	45 06
" " 22-24 ft.	45.00	45.00	....	....	44.99	52.50
" " 26 ft.	46 16	....	....	....	46.16	....
" " 28 ft.	61 67 [1]	....	....	....	61.67 [1]	61.67
" " 30 ft.	....	48.00 [2]	....	....	48.00 [2]	48 00 [1]
" " over 30 ft.	44.00	....	....	....	44.00	57.00
3 & 4x10, Heart (85%+), up to 20 ft.	49.87	48.11	....	....	49.59	49 53
" " " 22-24 ft.	47.50 [3]	50.00 [3]	....	....	48.75 [3]	48 75 [2]
" " " 26 ft.	....	....	....	....	....	53.50 [3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	59.50 [3]
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
6x10, to 10x10, No. 1, up to 20 ft.	41.82	41.63	45.24	47.75	42.93	44.52
“ “ 22-24 ft.	42.09	43.00	47.01	....	42.14	46.20
“ “ 26 ft.	42.48	49.25[1]	52.50	....	44.15	48.12
“ “ 28 ft.	56.73[2]	49.00[1]	52.50	....	52.50	49.00
“ “ 30 ft.	48.50[1]	46.00	56.75	....	56.64	50.40
“ “ over 30 ft.	51.63[2]	67.25	51.06[1]	....	67.25	51.06
6x10 to 10x10, Heart (85%+), up to 20 ft.	46.00[2]	48.00	....	....	48.00	53.53
“ “ “ 22-24 ft.	....	54.00[1]	....	....	54.00[1]	54.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	58.50[3]
“ “ “ over 30 ft.	....	....	....	....	....	59.75[3]
3 & 4x12, No. 1, up to 20 ft.	48.21	46.70	....	....	47.86	51.89
“ “ 22 24 ft.	49.88	57.00[1]	....	....	49.88	57.00
“ “ 26 ft.	51.25	....	....	....	51.25	....
“ “ 28 ft.	61.50[3]	....	....	....	61.50[3]	61.50[2]
“ “ 30 ft.	....	51.00[3]	....	....	51.00[3]	51.00[2]
“ “ over 30 ft.	46.00	....	....	....	46.00	67.25[1]
3 & 4x12, Heart (85%+), up to 20 ft.	54.88	57.93	....	....	56.32	52.00
“ “ “ 22-24 ft.	48.00[3]	58.50[1]	....	....	58.50[1]	58.50
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	60.30[3]
“ “ “ over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	47.47	46.72	50.81	57.63	48.67	48.18
“ “ 22-24 ft.	47.56	48.27	49.20	....	47.74	47.22
“ “ 26 ft.	49.09	49.54	39.25	....	47.03	49.67
“ “ 28 ft.	51.14	50.63	39.25	....	51.06	49.67
“ “ 30 ft.	51.31	51.75	59.00	....	53.95	52.04
“ “ over 30 ft.	59.46[3]	54.25	52.04[1]	....	54.25	52.00
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.67	51.56	....	58.00	54.77	55.97
“ “ “ 22-24 ft.	....	56.00[1]	....	....	56.00[1]	56.00
“ “ “ 26 ft.	....	58.00[1]	....	....	58.00[1]	58.00
“ “ “ 28 ft.	....	59.00[1]	....	....	59.00[1]	59.00
“ “ “ 30 ft.	....	60.00	....	....	60.00	63.50[3]
“ “ “ over 30 ft.	....	58.00[3]	....	....	58.00[3]	58.00[2]
2x14 to 4x14, No. 1, up to 20 ft.	56.50[2]	55.25	....	....	55.25	49.12
“ “ 22-24 ft.	74.50[2]	43.34[1]	....	....	53.73[1]	53.73
“ “ 26 ft.	....	49.00[3]	....	....	49.00[3]	49.00[2]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	57.31[3]	56.75[2]	....	....	56.75[2]	56.75[1]
“ “ over 30 ft.	....	61.69	....	....	61.69	63.50[3]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	62.00	....	....	62.00	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	52.30	52.10	56.30	....	52.73	53.75
“ “ 22-24 ft.	52.06	53.00	54.88[1]	....	52.07	54.88
“ “ 26 ft.	53.75	....	56.79[1]	....	53.75	56.79
“ “ 28 ft.	....	54.00	56.79[1]	....	54.00	56.79
“ “ 30 ft.	72.00[2]	55.00	62.11[1]	....	55.00	62.11
“ “ over 30 ft.	64.75[3]	....	62.11[1]	....	62.11[1]	62.11
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	58.00[1]	....	....	58.00[1]	58.00
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	52.00[2]	....	....	52.00[2]	52.00[1]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	52.00[2]	....	....	52.00[2]	52.00[1]
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	68.50[3]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
6x16 & Up, No. 1, up to 20 ft.	45.50[1]	....	62.59	....	62.59	62.25
" " 22-24 ft.	57.00	....	65.54[1]	....	57.00	65.54
" " 26 ft.	....	....	70.00	....	70.00	67.45
" " 28 ft.	72.25[2]	....	70.00	....	70.00	67.45
" " 30 ft.	....	....	74.60[1]	....	74.60[1]	● 74.60
" " over 30 ft.	73.50[3]	....	70.44[1]	....	70.44[1]	70.44
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	64.00[3]
" " 22-24 ft.	....	....	....	....	....	57.38[3]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	60.89	60.00	72.75	....	62.86	63.88
" " 30 ft.	....	65.00	....	....	65.00	65.00
" " 32 ft.	....	....	....	....	....	63.05[3]
16 inhc, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	70.00[3]	....	....	....	70.00[3]	70.00[2]
" " " 28 ft.	65.50[3]	....	....	....	65.50[3]	65.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	57.00[2]	50.86[1]	....	50.86[1]	50.86
" " " 36 ft.	50.13	56.54[3]	50.86[1]	50.00[1]	50.13	50.71
" " " 37-38 ft.	....	....	65.00	50.00[1]	65.00	47.38
" " " 40 ft.	....	52.36[3]	47.22[1]	....	47.22[1]	47.22
" " " 41-42 ft.	....	....	....	....	....	56.00[3]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	52.50[3]	57.25[3]	51 00[3]	50.00[2]	50.00[2]	50.00[1]
" " " 36 ft.	53.00	51.00[3]	51.00[2]	51.00[1]	53.00	50 78
" " " 37-38 ft.	....	....	57.00[1]	....	57.00[1]	57.00
" " " 40 ft.	....	53.00[3]	58.46[1]	....	58.46[1]	58.46
" " " 41-42 ft.	57.56[1]	....	....	....	57.56[1]	57.56
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	59.48[1]	....	59.48[1]	59.48
" " " 36 ft.	57.52	56 00[2]	60.00	61.96[1]	58.25	61 96
" " " 37-38 ft.	52.50[1]	62.50[2]	61 90[3]	....	52.50[1]	52.50
" " " 40 ft.	....	....	61.90[3]	....	61.90[3]	61 90[2]
" " " 41-42 ft.	72.75[2]	....	....	....	72.75[3]	72.75[2]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
Up to 14 inch, Sq. E., 34 ft.	....	65.74[3]	....	....	65.74[3]	65.74[2]
“ “ “ 36 ft.	....	65.50[1]	65.74[3]	65.00	65.00	66.22
“ “ “ 37-38 ft.	....	....	69.00[3]	70.00[1]	70.00[1]	70.00
“ “ “ 40 ft.	....	66.50[1]	69.00[3]	70.00[2]	66.50[1]	66.50
“ “ “ 41-42 ft.	....	64.00[2]	....	....	64.00[2]	64.00[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	54.00[2]	....	....	54.00[2]	54.00[1]
“ “ 14 ft.	....	54.00[2]	....	....	54.00[2]	54.00[1]
“ “ 16 ft.	....	54.00[3]	....	....	54.00[3]	54.00[2]
12x14, Heart (85%+), 12 ft.	57.00[3]	....	....	....	57.00[3]	57.00[2]
“ “ “ 14 ft.	57.00[3]	....	60.75	....	60.75	57.00[2]
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	53.50	....	....	....	53.50	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	57.50[3]	....	....	....	57.50[3]	57.50[2]
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	41.61[1]	....	....	....	41.61[1]	41.61
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	43.00	45.30[2]	....	....	43.00	45.30[1]
“ “ Heart, (85%+), 6x8–8.	45.50	51.27[1]	....	....	45.50	49.92
“ “ Sq. E., “ 7x9–8.	53.50	46.64[1]	45.75[1]	50.50	53.05	46.52
“ “ Heart, “ 7x9–8.	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up.	53.70	....	....	....	53.70	51.50
“ “ Heart,	....	....	....	....	....	....
Paving Stock, S 1 S.	....	35.00[1]	32.50[1]	34.00[3]	34.44[1]	34.44
“ “ Rough.	42.00	....	40.00	....	41.02	36.00
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship “ Flat Grain.	139.75	....	....	....	139.75	139.75
Miscellaneous.	52.37	50.62	41.72	38.79	51.24	46.47
MISCELLANEOUS STOCK						
Silo Stock.	46.00	50.00[2]	50.75[1]	....	46.00	45.04
Grain Doors.	36.64	....	28.50[2]	....	36.64	39.03
Miscellaneous, B and B.	108.72	79.86	75.75	73.43	85.07	80.89
“ No. 1.	53.45	47.44	46.32	61.82	48.75	40.46
“ No. 2.	42.65	32.85	35.17	38.72	35.95	31.76
“ No. 3.	27.00	28.00	28.61	25.91	27.89	27.13
Shorts B and B.	66.54	63.27	....	....	63.56	52.84
“ No. 1.	24.13	33.63	....	....	24.33	27.39
“ No. 2.	....	28.89	....	....	28.89	27.47
“ No. 3.	....	23.50[1]	....	....	23.50[1]	23.50

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4 00	4 25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7 00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

August 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending August 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued August 19, 1920

No. 102

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
Heart Face, Edge Grain, B and Better, 13/16x2¼″....	....	....	....	....	....	....
Edge Grain, A "	115.00	....	....	....	115.00	120.00[3]
" " B "	....	....	....	....	....	....
" " B and Better "	116.12	....	....	....	116.12	113.84
" " C "	69.75	....	....	....	69.75	100.00
" " D "	79.70	....	....	....	79.70	65.50
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	68.75[1]	....	....	....	68.75[1]	68.75
" " B and Better "	67.53	....	....	....	67.53	69.15
" " C "	58.00[1]	....	....	....	58.00[1]	58.00
" " D "	56.46	....	....	....	56.46	56.45
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	34.50	....	....	....	34.50	35.99
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″....	....	....	135.10	129.87	130.02	132.20
Edge Grain, A "	....	....	125.25	125.30	125.30	125.96
" " B "	....	115.00[3]	118.82	122.05	121.08	117.68
" " B and Better "	....	112.25	....	110.00[1]	112.25	113.94
" " C "	....	100.00	103.59	102.87	102.44	94.95
" " D "	....	....	67.75[1]	....	67.75[1]	67.75
" " No. 2 "	....	....	66.28	55.00	64.98	52.25
Flat " A "	....	....	....	91.50	91.50	89.67
" " B "	....	68.00[3]	....	89.25	89.25	75.00
" " B and Better "	....	72.09	76.49	80.12	77.04	77.53
" " C "	....	58.00	....	....	58.00	....
" " D "	....	48.00	....	....	48.00	....
No. 1 Common "	....	49.45	63.84	73.08	64.89	67.39
No. 2 " "	....	37.00	33.90	36.58	35.05	34.83
No. 3 " "	....	....	31.05	26.84	28.95	23.25
Heart Face, Edge Grain, B and Better, 13/16x3¼″.....	....	....	97.50[1]	121.50	121.50	97.50
Edge Grain, A "	100.00	....	115.50[2]	113.00	105.00	115.50[1]
" " B "	....	97.75	102.94	110.00	103.25	104.10
" " B and Better "	97.96	96.20	....	65.00[2]	97.36	98.88
" " C "	71.11	73.57	91.00[1]	92.50[3]	72.55	76.98
" " D "	76.15	....	84.75[1]	....	76.15	82.77
" " No. 2 "	....	....	61.50	....	61.50	53.99
Flat " A "	....	....	....	79.00[1]	79.00[1]	79.00
" " B "	63.93	66.50	....	....	64.69	67.64
" " B and Better "	65.65	65.76	65.74	65.14	65.66	65.29
" " C "	59.16	60.00[1]	....	....	59.16	59.21
" " D "	53.58	50.00	....	....	53.54	53.12
No. 1 Common "	....	52.52	56.26	62.90	56.02	56.32
No. 2 " "	36.65	35.03	34.00	33.61	34.73	34.06
No. 3 " "	....	....	24.71	22.54	23.82	24.57
CEILING						
Ceiling, ½x3¼″, A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	55.78	55.50[1]	53.67	59.19[1]	54.12	55.85
" " No. 1 Common....................	51.46	48.00	49.81	50.00[1]	50.18	51.31
" " No. 2 "	33.75	30.00[3]	31.59	31.24	31.81	30.13
" " No. 3 "	....	....	....	....	....	20.00
Ceiling, ⅝x3¼″, A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	60.02	59.34	57.85	64.00[1]	59.31	59.70
" " No. 1 Common....................	52.04	50.15	53.31	60.00	52.44	51.29
" " No. 2 "	30.28	31.28	32.99	32.64	31.05	32.17
" " No. 3 "	....	....	25.00	....	25.00	15.00[1]
Ceiling, ¾x3¼″, A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	67.61	68.00[1]	69.91	....	67.95	72.46
" " No. 1 Common....................	59.78	51.05[1]	64.78	....	63.02	57.15
" " No. 2 "	42.00	....	43.26	....	43.12	39.19
" " No. 3 "	....	....	....	....	....	27.00[3]
PARTITION						
Partition, ¾x3¼″, A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	71.25	68.00[1]	72.90	80.18	72.25	71.34
" " No. 1 Common....................	63.25	57.35	63.25	75.25	61.26	61.38
" " No. 2 "	....	....	36.35	....	36.35	43.94
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	73.00[1]	73.00[3]	72.90	....	72.90	73.00
" " No. 1 Common....................	55.00	....	63.25	....	55.00	67.40
" " No. 2 "	....	....	36.35	....	36.35	47.50
BEVEL SIDING						
Bevel Siding, A....................	....	....	....	....	....	....
" B....................	....	....	....	....	....	....
" B and Better....................	52.18	57.00[1]	57.33[1]	....	52.18	51.06
" No. 1 Common....................	52.88	53.43[1]	42.21[1]	40.00[3]	52.88	42.94
" No. 2 "	42.89	....	34.00[1]	....	42.89	34.00

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	61.08	63.20	59.26	70.50[3]	60.90	59.98
“ “ No. 1 Common	54.88	53.02	52.92	52.50	53.47	53.97
“ “ No. 2 “	34.14	36.31	35.66	37.50	35.28	35.14
“ “ No. 3 “	....	....	25.24	23.00[2]	25.24	22.45
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	80.40	78.04	77.38	85.04[1]	79.42	78.30
1x 6 inch, “	83.19	82.90	75.73	75.54	79.30	80.06
1x 8 inch, “	85.04	82.08	79.66	76.83	80.77	81.30
1x 5 and 10 inch, “	90.79	85.72	84.29	77.84	86.41	85.97
1x12 inch, “	91.80	87.48	88.75	82.00	90.04	87.20
1¼x4 to 12 inch, “	101.18	93.11	87.89	88.52	92.82	95.69
1½ and 2x4 to 12 inch, “	101.34	97.72[1]	87.06	93.00	88.51	92.83
1⅝ inch, “	80.09[1]	96.00[1]	....	....	80.82[1]	80.82
1x 6 to 12 inch, “	....	....	76.02	71.00	75.85	....
1x 4 inch, C	72.32	80.00[2]	....	68.75[2]	72.32	79.74
1x 6 inch, “	66.25	64.75	81.00[1]	66.25[2]	66.04	79.04
1x 8 inch, “	75.31	70.25[1]	70.00[1]	66.25[2]	75.31	74.39
1x 5 and 10 inch, “	73.28	69.75	83.17[1]	68.75[2]	72.70	81.63
1x12 inch, “	79.75	75.25[1]	82.04[1]	68.75[2]	79.75	82.10
1¼x4 to 12 inch, “	88.00[3]	....	90.40[1]	81.50[2]	90.40[1]	90.40
1½ and 2x4 to 12 inch, “	....	....	68.25	....	68.25	89.75
1⅝ inch, “	....	75.50[1]	....	....	75.50[1]	75.50
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	66.50	75.00	76.50	....	73.13	75.38
1x 6 inch, “ “	80.00[1]	80.00[1]	76.15	76.75	76.59	78.95
1x 8 inch, “ “	80.42[1]	78.10[3]	83.25	85.75	85.02	80.46
1x 5 and 10 inch, “ “	80.00[2]	80.00	88.85	80.25[3]	86.64	83.65
1x12 inch, “ “	82.75[2]	78.10[3]	84.76	85.25[3]	84.76	86.39
1¼x4 to 12 inch, “ “	90.45	90.00	90.73	92.25[1]	90.63	80.87
1½ and 2x4 to 12 inch, “ “	95.00	90.00	90.71	87.00	92.22	86.19
1⅝ inch, “ “	....	79.50[3]	....	....	79.50[3]	79.50[2]
1x 6 to 12 inch, “ “	....	....	79.47	75.00	76.81	78.00
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	93.58	90.00	86.98	90.41[1]	91.52	92.10
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	93.47	90.34	90.26	92.00[1]	92.04	92.58
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	98.25	93.63[1]	93.73	92.75[1]	96.23	93.58
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	....	60.00[1]	....	60.00[1]	60.00
“ “ “ “ “ 8 ft.	60.35[1]	58.25[2]	70.00[2]	....	60.35[1]	60.35
“ “ “ “ “ 12 and 14 ft.	....	75.00	....	....	75.00	80.00
“ “ “ “ “ 16 ft.	83.00[1]	80.00[1]	80.32[3]	....	83.00[1]	83.00
“ “ “ “ “ 9 or 18 ft.	83.00	82.51	75.04	....	80.29	81.54
“ “ “ “ “ 10 or 20 ft.	80.00	75.00	85.75	....	79.89	75.00

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	55.00	48.17	60.75	....	50.51	49.53
" " " " " 8 ft.	....	74.00[1]	52.92	....	52.92	68.24
" " " " " 12 and 14 ft.	....	50.00	....	....	50.00	75.00
" " " " " 16 ft.	....	50.00	69.00[1]	....	50.00	69.00
" " " " " 9 or 18 ft.	70.00	59.00	55.00	....	62.62	65.22
" " " " " 10 or 20 ft.	58.53	56.50	61.50	....	58.17	62.22
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	58.83[2]	48.17	60.75	....	49.86	49.53
" " " " " 8 ft.	65.00[2]	74.00[1]	52.92	....	52.92	68.24
" " " " " 12 and 14 ft.	....	50.00	....	....	50.00	75.00
" " " " " 16 ft.	65.00	50.00	69.00[1]	....	65.00	69.00
" " " " " 9 or 18 ft.	68.02	59.00	65.00	....	68.02	65.22
" " " " " 10 or 20 ft.	65.00	56.50	61.50	....	65.00	62.22
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	30.63	30.00[1]	....	....	30.63	35.99
" " " " " 10 to 20 ft.	31.32	33.43	....	....	32.56	34.35
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	51.50	....	....	....	51.50	55.00
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	41.50	47.25[2]	....	41.50	49.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	47.25[2]	....	47.25[2]	47.25[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	37.00[1]	....	....	....	37.00[1]	37.00
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	48.00	....	....	....	48.00	55.00
" " " 1¾ inch, 10 & 20 ft	47.11[2]	....	....	....	47.11[2]	47.11[1]
" " " 2 to 3 inch, 9 & 18 ft	50.00[1]	51.25	48.00	32.00[1]	48.41	42.87
" " " 2 to 3 inch 10 & 20 ft.	....	43.00[2]	45.00[1]	44.55[2]	45.00[1]	45.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	32.50[2]	....	....	....	32.50[2]	32.50[1]
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	47.32	49.70[2]	50.00	....	57.73	50.42
" " " " other lengths.	53.49	47.27	61.97	66.30	49.54	51.52
" " 1x10, " 14 and 16 ft.	50.21	51.50	66.17[1]	....	50.41	53.96
" " " " other lengths.	49.00	49.63	56.82	67.14	51.00	49.97
" " 1x12, " 14 and 16 ft.	53.83	53.28	71.60[1]	....	53.72	54.30
" " " " other lengths.	53.39	52.75	68.08	72.50	54.33	53.56
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	33.36	34.10	34.41	32.01	33.53	34.21
" " 1x10, " "	34.59	34.42	35.68	33.38	34.85	34.00
" " 1x12, " "	36.86	34.72	37.81	34.69	36.19	35.95
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	29.58	29.76	29.55	....	29.60	28.26
" " 1x10, " "	29.63	32.18	29.29	31.75	30.09	29.04
" " 1x12, " "	26.93	28.21	31.98	28.20	28.43	28.69
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	50.10	50.00	56.00	....	51.41	48.42
" " " other lengths.	48.89	49.77	55.59	48.66[2]	49.36	48.23
" 1x10, " 14 and 16 ft.	51.05	....	....	....	51.05	47.05
" " " other lengths.	49.17	45.48	55.00[1]	50.00[2]	47.29	49.12
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	34.94	34.04	35.20	35.92	34.99	34.64
" 1x10, " "	34.84	33.98	35.36	33.94	34.60	35.67
" 1x12, " "	....	....	....	39.00	39.00	30.50[1]
Shiplap, 1x 8, No. 3, all lengths.	28.42	28.70	30.61	29.97	30.05	28.47
" 1x10, " "	29.86	38.43	29.36	28.25[1]	31.44	28.87
" 1x12, " "	28.25	....	....	....	28.25	29.22
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	52.75	49.00[1]	....	....	52.75	49.52
" " " " other lengths.	52.80	48.94	32.00	....	45.93	51.41
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	15.11	....	20.93	....	17.53	15.61

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
1x4, S 1 S, No. 1, 16 ft.	51.07	50.00	....	....	50.98	49.25
" " " other lengths	50.36	47.81	60.85	64.00	50.27	49.74
" " No. 2, all lengths	30.18	29.09	29.23	28.39	29.78	30.24
" " No. 3, "	26.04	25.68	29.13	29.00	26.33	27.57
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	53.00	....	....	....	53.00	49.50
" " No. 2, all lengths	32.17	....	....	....	32.17	29.69
" " No. 3, "	25.00[1]	....	....	24.50[1]	24.75[1]	24.75
1x6, S 1 S, No. 1, 16 ft.	51.62	50.88	63.75	....	51.96	50.18
" " " other lengths	50.44	47.75	62.21	63.12	54.52	53.34
" " No. 2, all lengths	33.35	32.46	36.61	31.50	33.59	33.98
" " No. 3, "	27.24	27.03	27.63	29.50	27.35	26.82
1x6, C. M., No. 1, 16 ft.	52.67	49.63[1]	....	....	52.67	52.06
" " " other lengths	49.91	49.32	....	65.00	49.80	44.57
" " No. 2, all lengths	32.74	33.10	....	33.29	32.84	33.27
" " No. 3, "	28.89	25.19	....	28.14[1]	27.95	27.05
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	38.39	37.45	36.16	....	37.54	36.56
" " " 12 ft.	38.05	38.43	35.28	39.00[1]	37.63	36.31
" " " 14 ft.	38.19	36.03	35.37	....	36.44	35.81
" " " 16 ft.	39.49	37.64	35.73	28.50	37.97	37.34
" " " 18 ft.	39.96	38.38	36.24	42.00[1]	38.21	38.05
" " " 20 ft.	39.84	38.68	36.24	42.00[1]	36.85	38.81
" " " 22 ft.	42.22	41.10	37.25	....	40.84	40.94
" " " 24 ft.	42.58	40.77	37.25	....	41.55	40.39
2x 6, No. 1, S 1 S 1 E, 10 ft.	35.72	36.07	37.60	....	37.18	35.45
" " " 12 ft.	36.30	34.12	33.41	30.50[3]	34.34	34.13
" " " 14 ft.	34.91	34.57	33.41	30.50[3]	34.80	33.74
" " " 16 ft.	35.92	35.83	35.77	30.00[3]	35.86	35.28
" " " 18 ft.	36.76	36.54	37.60	33.50[3]	36.71	36.97
" " " 20 ft.	38.19	36.64	37.60	33.50[3]	37.57	36.63
" " " 22 ft.	41.08	39.34	40.06	....	39.91	39.08
" " " 24 ft.	39.39	38.61	40.06	....	39.05	38.95
2x 8, No. 1, S 1 S 1 E, 10 ft.	37.05	37.53	37.79	35.00[3]	37.61	36.26
" " " 12 ft.	35.83	34.70	35.48	35.00[2]	35.35	35.16
" " " 14 ft.	37.13	36.57	40.36	35.00[2]	38.59	35.87
" " " 16 ft.	38.40	37.69	36.65	....	37.62	35.67
" " " 18 ft.	38.41	38.14	37.79	34.50[3]	38.36	38.42
" " " 20 ft.	38.92	37.96	37.79	40.25[1]	38.53	40.31
" " " 22 ft.	43.65	38.59	34.48	....	38.15	40.66
" " " 24 ft.	42.62	39.67	34.48	....	40.83	40.57
2x10, No. 1, S 1 S 1 E, 10 ft.	38.67	36.63	41.25	....	41.19	37.73
" " " 12 ft.	38.52	38.29	39.68	37.50[1]	39.20	36.06
" " " 14 ft.	36.46	37.58	39.68	37.50[1]	36.86	37.43
" " " 16 ft.	38.73	37.36	39.97	39.70[1]	38.52	39.33
" " " 18 ft.	40.93	39.42	41.25	40.70[1]	40.24	40.66
" " " 20 ft.	39.38	39.41	41.25	41.25[1]	39.39	40.38
" " " 22 ft.	40.24	39.32	40.78	....	40.34	43.79
" " " 24 ft.	42.86	36.29	40.78	....	41.42	41.73
2x12, No. 1, S 1 S 1 E, 10 ft.	40.56	38.50[1]	41.39	39.50[3]	41.38	40.21
" " " 12 ft.	39.53	39.10	37.46	39.50[1]	38.50	38.85
" " " 14 ft.	40.56	38.20	37.46	39.50[1]	38.91	39.51
" " " 16 ft.	41.44	38.72	39.70	41.70[1]	40.04	39.92
" " " 18 ft.	42.61	40.84	41.39	42.50[1]	41.86	40.10
" " " 20 ft.	39.81	40.44	41.39	43.25[1]	40.20	41.84
" " " 22 ft.	48.00	43.01	44.83	....	44.72	46.90
" " " 24 ft.	42.76	42.43	44.83	....	42.68	43.74
2x 4, No. 2, S 1 S 1 E, 10 ft.	34.59	32.96	35.70	36.25[2]	34.60	34.56
" " " 12 ft.	34.24	32.40	34.53	31.50[1]	33.72	33.22
" " " 14 ft.	34.61	31.72	33.34	31.50[1]	33.47	33.57
" " " 16 ft.	36.00	32.66	31.29	33.50	33.70	35.16
" " " 18 ft.	36.98	35.51	35.48	38.25[2]	36.29	35.44
" " " 20 ft.	36.71	35.72	35.48	....	36.33	34.39
" " " 22 ft.	42.25	37.00[1]	32.00[1]	....	42.25	36.29
" " " 24 ft.	43.25	37.00[1]	32.00[1]	....	43.25	36.29
2x 6, No. 2, S 1 S 1 E, 10 ft.	30.37	33.00	33.65	34.25[2]	32.99	33.90
" " " 12 ft.	31.74	31.46	33.13	....	32.68	32.36
" " " 14 ft.	31.57	31.01	33.13	32.25[2]	31.29	31.68
" " " 16 ft.	32.91	31.97	30.72	....	31.53	32.02
" " " 18 ft.	33.36	32.52	33.65	34.98[2]	33.01	33.05
" " " 20 ft.	33.56	33.16	33.65	35.25[2]	33.43	33.37
" " " 22 ft.	45.00[1]	33.00	38.85	....	38.33	37.20
" " " 24 ft.	40.00[3]	33.00	38.85	....	38.33	33.56

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	33.50	33.50	38.04	35.25[2]	34.68	32.54
" " " 12 ft.	30.34	32.46	34.49	....	31.93	34.30
" " " 14 ft.	31.26	31.36	34.87	....	32.81	34.14
" " " 16 ft.	33.23	33.49	35.53	28.75[2]	34.22	35.04
" " " 18 ft.	34.03	35.35	38.04	....	34.47	35.21
" " " 20 ft.	35.08	35.90	38.04	....	35.53	34.85
" " " 22 ft.	30.00	36.75	40.00[2]	....	34.70	35.50
" " " 24 ft.	33.92	36.75	40.00[2]	....	33.92	35.50
2x10, No. 2, S 1 S 1 E, 10 ft.	30.56	35.00[1]	32.55	34.75[2]	30.88	36.24
" " " 12 ft.	31.34	36.00	36.06	....	32.65	33.51
" " " 14 ft.	32.15	36.00	36.06	29.75[2]	32.81	33.72
" " " 16 ft.	36.20	33.25	33.00	28.00[2]	33.46	35.81
" " " 18 ft.	34.94	35.85	32.55	34.75[2]	35.19	35.93
" " " 20 ft.	34.02	34.63	32.55	....	34.37	34.58
" " " 22 ft.	30.00	37.00	42.25	....	36.10	37.00[1]
" " " 24 ft.	30.00	37.00	42.25	....	30.00	37.00[1]
2x12, No. 2, S 1 S 1 E, 10 ft.	37.29	28.00[2]	29.35	38.75[2]	31.73	36.74
" " " 12 ft.	31.52	37.00	36.93	....	36.82	35.96
" " " 14 ft.	32.47	36.38	36.93	30.75[2]	33.58	34.88
" " " 16 ft.	35.48	35.19	34.92	28.61[2]	35.26	35.25
" " " 18 ft.	33.74	35.60	31.47	37.75[2]	35.51	36.45
" " " 20 ft.	34.39	35.62	31.47	....	34.68	39.75
" " " 22 ft.	....	39.00	....	....	39.00	39.00[1]
" " " 24 ft.	....	39.00	....	....	39.00	39.00[1]
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E. all lengths	22.41	21.00	22.26	22.00	22.27	23.32
PATENT LATH						
4 and 6 ft.	30.35	30.72[2]	....	....	30.35	31.03
8 and 10 ft.	29.40	32.25[1]	....	....	9.40	31.94
12 ft. and longer	32.00	34.00[2]	....	....	22.00 3	31.88
PLASTERING LATH						
⅜x1½-4, No. 1	6.25	5.99	6.67	5.01	6.31	6.48
" No. 2	4.02	4.03	5.19	4.05	4.48	4.33
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	40.27	41.72	44.11	28.50	39.99	41.35
" " 22-24 ft.	43.04	44.64	40.58	....	42.50	40.16
" " 26 ft.	42.88	40.00[1]	43.42	....	43.35	43.46
" " 28 ft.	42.47	47.00	43.42	....	42.94	48.50
" " 30 ft.	49.50	48.00	45.91	....	47.84	48.00
" " over 30 ft.	64.38	46.00[2]	53.48	....	61.51	45.28
4x4 to 8x8, Heart (85%+), up to 20 ft.	47.31	51.42	....	....	49.70	46.68
" " " 22-24 ft.	45.46[1]	43.59	....	....	43.59	45.43
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	58.00[1]	....	....	58.00[1]	58.00
" " " over 30 ft.	59.33	60.67[1]	....	....	59.33	60.67
3 & 4x10, No. 1, up to 20 ft.	45.23	43.05	....	41.13[1]	45.09	42.24
" " 22-24 ft.	44.76	43.00[1]	....	....	44.76	44.99
" " 26 ft.	45.00	....	....	....	45.00	46.16
" " 28 ft.	61.67[2]	....	....	....	61.67[2]	61.67[1]
" " 30 ft.	....	48.00[2]	....	....	48.00[2]	48.00[2]
" " over 30 ft.	44.00[1]	....	....	....	44.00[1]	44.00
3 & 4x10, Heart (85%+), up to 20 ft.	50.99	49.00	....	....	50.86	49.59
" " " 22-24 ft.	....	....	....	....	....	48.75[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
6x10, to 10x10, No. 1, up to 20 ft.	41.57	40.94	44.08	47.75[1]	42.50	42.93
" " 22-24 ft.	46.04	43.00[1]	45.71	....	45.92	42.14
" " 26 ft.	42.48[1]	49.25[2]	49.14	....	49.14	44.15
" " 28 ft.	56.73[3]	49.00[2]	49.14	....	49.14	52.50
" " 30 ft.	45.00	46.00[1]	51.56	....	50.35	56.64
" " over 30 ft.	53.00	67.25[1]	51.06[2]	....	53.00	67.25
6x10 to 10x10, Heart (85%+), up to 20 ft.	46.00[3]	50.00	....	....	50.00	48.00
" " " 22-24 ft.	....	51.00	....	....	51.00	54.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	56.00	....	....	....	56.00	....
3 & 4x12, No. 1, up to 20 ft.	48.17	47.32	....	35.00	45.97	47.86
" " 22 24 ft.	52.00	57.00[2]	....	....	52.00	49.88
" " 26 ft.	51.25[1]	....	....	....	51.25[1]	51.25
" " 28 ft.	....	....	....	....	....	61.50[3]
" " 30 ft.	....	....	....	....	....	51.00[3]
" " over 30 ft.	46.00[1]	....	....	....	46.00[1]	46.00
3 & 4x12 Heart (85%+), up to 20 ft.	54.88[1]	55.00	....	....	55.00	56.32
" " " 22-24 ft.	....	58.50[2]	....	....	58.50[2]	58.50[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	60.00	....	....	....	60.00	....
6x12 to 12x12, No. 1, up to 20 ft.	47.16	49.44	49.57	57.63[1]	48.72	48.67
" " 22-24 ft.	48.34	50.46	50.86	....	49.50	47.74
" " 26 ft.	49.09[1]	50.00	42.48	....	43.06	47.03
" " 28 ft.	51.14[1]	50.63[1]	39.25[1]	....	51.06[1]	51.06
" " 30 ft.	51.31[1]	51.75[1]	56.00	....	56.00	53.95
" " over 30 ft.	51.00	59.25	60.12	....	52.52	54.25
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.67[1]	55.00	....	58.00[1]	55.00	54.77
" " " 22-24 ft.	....	56 00[2]	....	....	56.00[2]	56.00[1]
" " " 26 ft.	....	58.00[2]	....	....	58.00[2]	58.00[1]
" " " 28 ft.	....	59.00[2]	....	....	59.00[2]	59.00[1]
" " " 30 ft.	....	60.00[1]	....	....	60.00[1]	60.00
" " " over 30 ft.	62.28	60.00	....	....	61.81	58.00[3]
2x14 to 4x14, No. 1, up to 20 ft.	56.50[3]	65.00	....	....	65.00	55.25
" " 22-24 ft.	74.50[3]	43.34[2]	....	....	53.73[2]	53.73[1]
" " 26 ft.	....	....	....	....	....	49.00[3]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	56.75[3]	....	....	56.75[3]	56.75[2]
" " over 30 ft.	56.50	61.69[1]	....	....	56.50	61.69
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	62.00[1]	....	....	62.00[1]	62.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	51.93	55.00	55.14	....	52.68	52.73
" " 22-24 ft.	52.06[1]	53.00[1]	58.50	....	58.50	52.07
" " 26 ft.	53.75[1]	....	56.79[2]	....	53.75[1]	53.75
" " 28 ft.	....	54.00[1]	56.79[2]	....	54.00[1]	54.00
" " 30 ft.	72.00[3]	55.00[1]	61.75	....	61.75	55.00
" " over 30 ft.	66.08	74.00	62.11[2]	....	66.71	62.11[1]
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	58.00[2]	....	....	58.00[2]	58.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	52.00[3]	....	....	52.00[3]	52.00[2]
" " 22-24 ft.	....	55.00	....	....	55.00	....
" " 26 ft.	....	56.00	....	....	56.00	52.00[2]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
6x16 & Up, No. 1, up to 20 ft.	51.17	....	64.38	....	55.66	62.59
" " 22-24 ft.	57.00[1]	....	65.50	....	65.50	57.00
" " 26 ft.	....	....	66.88	....	66.88	70.00
" " 28 ft.	72.25[3]	....	66.88	....	66.88	70.00
" " 30 ft.	....	....	74.60[2]	....	74.60[2]	74.60[1]
" " over 30 ft.	....	....	70.44[2]	....	70.44[2]	70.44[1]
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	64.00	....	....	....	64.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	...	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	65.00	....	....	....	65.00	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	60.89[1]	60.00[1]	72.75[1]	....	62.86[1]	62.86
" " 30 ft.	....	65.00[1]	....	....	65.00[1]	65.00
" " 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	65.00	....	....	....	65.00	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	..	70.00[3]
" " " 28 ft.	....	....	....	....	....	65.50[3]
" " " 30 ft.	67.00	....	....	....	67.00	....
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	47.98	....	50.44	....	49.86	50.86[1]
" " " 36 ft.	50.13[1]	....	50.44	50.00[2]	50.44	50.13
" " " 37-38 ft.	....	....	49.00	50.00[2]	49.00	55.00
" " " 40 ft.	53.15	....	50.00	....	51.71	47.22[1]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 9 inch, Heart (85%+), 34 ft.	58.60	....	....	....	58.00	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	62.00	....	....	....	62.00	....
" " " " 41-42 ft.	64.00	....	....	....	64.00	....
Up to 10 inch, Sq. E. 34 ft.	47.56	....	54.50	50.00[3]	47.81	50.00[2]
" " " 36 ft.	53.00[1]	....	54.50	51.00[2]	54.50	53.00
" " " 37-38 ft.	....	....	62.00	....	62.00	57.00[1]
" " " 40 ft.	54.61	....	62.00	....	54.61	58.46[1]
" " " 41-42 ft.	57.56[2]	....	....	....	57.56[2]	57.56[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	51.11	....	59.48[2]	....	51.11	59.48[1]
" " " 36 ft.	57.00	....	60.00[1]	61.96[2]	57.00	58.25
" " " 37-38 ft.	52.50[2]	62.50[3]	....	....	52.50[2]	52.50[1]
" " " 40 ft.	61.46	....	....	....	61.46	61.90[3]
" " " 41-42 ft.	....	....	....	....	....	72.75[3]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	65.74[3]
“ “ “ 36 ft.	....	65.50[2]	....	65.00[1]	65.00[1]	65.00
“ “ “ 37-38 ft.	....	56.50	....	70.00[2]	56.50	70.00[1]
“ “ “ 40 ft.	....	66.50[2]	....	70.00[3]	66.50[2]	66.50[1]
“ “ “ 41-42 ft.	....	64.00[3]	....	....	64.00[3]	64.00[2]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	51.00	....	....	51.00	54.00[2]
“ “ 14 ft.	....	54.00[3]	....	....	54.00[3]	54.00[2]
“ “ 16 ft.	....	51.00	....	....	51.00	54.00[3]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	57.00[3]
“ “ “ 14 ft.	....	....	60.75[1]	....	60.75[1]	60.75
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	53.50[1]	....	....	....	53.50[1]	53.50
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	57.50[3]
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	41.61[2]	....	....	....	41.61[2]	41.61[1]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	43.86	47.75	37.00	....	43.88	43.00
“ “ Heart, (85%+), 6x8–8	55.12	51.27[2]	....	....	55.12	45.50
“ “ Sq. E., “ 7x9–8	46.00	42.59	45.75[2]	50.50[1]	43.75	53.05
“ “ Heart, “ 7x9–8	49.00	43.00	....	....	47.75	....
Bridge Ties, Sq. E., 7x9 & up	66.50	....	....	....	66.50	53.70
“ “ Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	....	40.00	39.75	....	39.85	34.44[1]
“ “ Rough	42.00[1]	....	40.00[1]	....	41.02[1]	41.02
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	139.75[1]	....	....	....	139.75[1]	139.75
Miscellaneous	52.37[1]	60.42	47.29	36.86	53.01	51.24
MISCELLANEOUS STOCK						
Silo Stock	46.00[1]	50.00[3]	50.75[2]	....	46.00[1]	46.00
Grain Doors	37.69	....	28.50[3]	....	37.69	36.64
Miscellaneous, B and B	100.87	76.34	79.93	90.08	92.63	85.07
“ No. 1	49.98	50.63	50.33	61.83	50.78	48.75
“ No. 2	46.22	34.08	32.54	31.99	33.28	35.95
“ No. 3	26.65	27.50	33.29	28.30	30.10	27.89
Shorts B and B	62.58	55.00	....	....	62.36	63.56
“ No. 1	26.49	41.64	....	....	28.73	24.33
“ No. 2	....	24.94	....	....	24.94	28.89
“ No. 3	....	23.50[2]	....	....	23.50[2]	23.50[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35		Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

August 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending August 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued August 30, 1920

No. 103

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″		....	....	....		
Edge Grain, A "	115.00[1]	....	....	....	115.00[1]	115.00
" " B "		....	....	....		....
" " B and Better "	117.00	....	....	....	117.00	116.12
" " C "	69.75[1]	....	....	....	69.75[1]	69.75
" " D "	81.45	....	....	....	81.45	79.70
" " No. 2 "	....	....	....	....	....	....
Flat " A "		....	....	....	....	....
" " B "	68.75[2]	....	....	....	68.75[2]	68.75[1]
" " B and Better "	72.97	....	....	....	72.97	67.53
" " C "	58.00[2]	....	....	....	58.00[2]	58.00[1]
" " D "	56.75	....	....	....	56.75	56.46
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	39.01	....	....	....	39.01	34.50
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″	....	....	135.10[1]	129.87[1]	130.02[1]	130.02
Edge Grain, A "	....	....	126.40	125.30[1]	126.40	125.30
" " B "	....	....	120.41	126.83	122.12	121.08
" " B and Better "	....	115.63	....	110.00[2]	115.63	112.25
" " C "	....	89.00	106.35	112.00	102.22	102.44
" " D "	....	....	67.75[2]	....	67.75[2]	67.75[1]
" " No. 2 "	....	....	75.00	55.00[1]	75.00	64.98
Flat " A "	....	....	....	100.44	100.44	91.50
" " B "	....	68.00	....	89.00	76.40	89.25
" " B and Better "	....	71.11	75.67	80.12[1]	75.37	77.04
" " C "	....	58.00[1]	....	....	58.00[1]	58.00
" " D "	....	48.00[1]	....	....	48.00[1]	48.00
No. 1 Common "	....	48.00	64.55	71.11	64.24	64.89
No. 2 " "	....	37.00[1]	36.09	34.00	35.47	35.05
No. 3 " "	....	....	28.00	22.00	25.00	28.95
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″	....	....	97.50[2]	121.50[1]	121.50[1]	121.50
Edge Grain, A "	100.00[1]	....	115.50[3]	113.00[1]	105.00	105.00
" " B "	....	97.75[1]	113.23	110.00[1]	113.23	103.25
" " B and Better "	96.58	99.84	....	65.00[3]	96.93	97.36
" " C "	89.83	73.57[1]	89.79	....	89.80	72.55
" " D "	67.25	....	84.75[2]	....	67.25	76.15
" " No. 2 "	....	....	58.58	....	58.58	61.50
Flat " A "	....	....	....	79.00[2]	79.00[2]	79.00[1]
" " B "	65.30	66.50[1]	....	....	65.30	64.69
" " B and Better "	66.16	65.39	66.51	65.00	66.08	65.66
" " C "	59.93	60.51	....	....	60.19	59.16
" " D "	55.07	50.28	....	....	54.92	53.54
No. 1 Common "	....	52.97	57.83	59.50	57.83	56.02
No. 2 " "	36.15	36.54	33.47	33.54	34.66	34.73
No. 3 " "	....	....	22.95	24.00	23.16	23.82
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	57.20	50.50	57.39	54.80	56.73	54.12
" " No. 1 Common	52.00	48.00[1]	50.84	48.00	50.62	50.18
" " No. 2 "	29.00		29.69	31.24[1]	29.58	31.81
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	60.92	60.62	61.68	66.25	61.17	59.31
" " No. 1 Common	50.91	51.90	54.57	63.00	52.62	52.44
" " No. 2 "	31.74	31.73	33.56	31.60	32.44	31.05
" " No. 3 "	....	....	20.00	....	20.00	25.00
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	70.00	65.00	66.91	....	67.24	67.95
" " No. 1 Common	59.78[1]	51.05[2]	67.00	....	67.00	63.02
" " No. 2 "	42.00[1]	....	36.03	....	36.03	43.12
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	70.38	67.00	72.90[1]	80.00	74.08	72.25
" " No. 1 Common	59.60	57.35[1]	63.25[1]	75.25	62.48	61.26
" " No. 2 "	41.12	....	36.35[1]	....	41.12	36.35
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	71.00		73.26	....	73.22	72.90
" " No. 1 Common	55.00[1]		67.30		67.30	55.00
" " No. 2 "	35.50		38.66		38.20	36.35
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	48.70	50.00	57.33[2]	....	48.86	52.18
" No. 1 Common	52.88[1]	53.43[2]	55.25	40.00[3]	55.25	52.88
" No. 2 "	42.89[1]	19.00	28.33	....	27.75	42.89

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	60.44	62.44	59.73	....	60.90	60.90
" " No. 1 Common	57.44	52.97	54.89	51.43	55.30	53.47
" " No. 2 "	34.48	34.95	35.34	34.67	34.97	35.28
" " No. 3 "	....	....	27.62	23.00[3]	27.62	25.24
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	81.88	81.78	79.49	85.04[2]	81.36	79.42
1x 6 inch, "	82.64	81.87	76.60	75.54[1]	81.29	79.30
1x 8 inch, "	83.52	82.46	78.44	76.83[1]	81.23	80.77
1x 5 and 10 inch, "	89.08	85.91	80.53	77.84[1]	86.16	86.41
1x12 inch, "	89.41	85.33	87.53	82.00[1]	88.20	90.04
1¼x4 to 12 inch, "	99.44	92.77	95.34	93.80	96.36	92.82
1½ and 2x4 to 12 inch, "	103.13	97.72[2]	98.36	93.00[1]	99.04	88.51
1⅝ inch, "	80.09[2]	97.00	....	....	97.00	80.82[1]
1x 6 to 12 inch, "	....	....	76.02[1]	71.00[1]	75.85[1]	75.85
1x 4 inch, C	76.04	81.00	....	68.75[3]	78.72	72.32
1x 6 inch, "	77.00	64.75[1]	70.00	66.25[3]	76.45	66.04
1x 8 inch, "	81.05	70.25[2]	70.00	66.25[3]	84.24	75.31
1x 5 and 10 inch, "	84.32	69.75[1]	82.12	68.75[3]	83.68	72.70
1x12 inch, "	90.00	75.25[2]	83.08	68.75[3]	88.50	79.75
1¼x4 to 12 inch, "	98.00	....	80.00	81.50[3]	89.43	90.40[1]
1½ and 2x4 to 12 inch, "	....	....	80.00	....	80.00	68.25
1⅝ inch, "	....	75.50[2]	....	....	75.50[2]	75.50[1]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	66.50[1]	75.00	77.50	....	75.72	73.13
1x 6 inch, " "	70.31	75.00	78.75	76.75[1]	70.71	76.59
1x 8 inch, " "	86.00	....	83.25[1]	85.75[1]	86.00	85.02
1x 5 and 10 inch, " "	96.00	80.00	93.75	....	84.25	86.64
1x12 inch, " "	96.00	82.00	94.75	....	90.64	84.76
1¼x4 to 12 inch, " "	90.45[1]	90.00	94.02	92.25[2]	93.97	90.63
1½ and 2x4 to 12 inch, " "	61.79	90.00[1]	95.13	87.00[1]	80.51	92.22
1⅝ inch, " "	....	64.76	....	....	64.76	79.50[3]
1x 6 to 12 inch, " "	....	....	79.47[1]	75.00[1]	76.81[1]	76.81
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	91.22	91.23	99.22	90.00	94.51	91.52
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	93.07	91.19	86.33	90.00	88.04	92.04
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	100 46	52 92	95.60	92.75[2]	68.91	96.23
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	....	65.00	....	65.00	60 00[1]
" " " " " 8 ft.	60.00	60.00	70.00[3]	....	60.00	60.35[1]
" " " " " 12 and 14 ft.	....	80.00	....	....	80.00	75.00
" " " " " 16 ft.	83.00[2]	80.00	....	....	80.00	83.00[1]
" " " " " 9 or 18 ft.	85.00	75.00	77.41	....	81.73	80.29
" " " " " 10 or 20 ft.	80.25	75.00[1]	85.75[1]	....	80.25	79.89

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	51.75	48.17[1]	52.21	....	51.93	50.51
" " " " " 8 ft.	....	74.00[2]	50.00	....	50.00	52.92
" " " " " 12 and 14 ft.	60.50	50.00[1]	....	....	60.50	50.00
" " " " " 16 ft.	....	50.00[1]	58.00	....	58.00	50.00
" " " " " 9 or 18 ft.	65.00	65.00	60.00	....	63.33	62.62
" " " " " 10 or 20 ft.	58.53[1]	60.00	58.50	....	59.15	58.17
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	58.83[3]	48.17[1]	52.21	....	52.21	49.86
" " " " " 8 ft.	65.00[3]	74.00[2]	50.00	....	50.00	52.92
" " " " " 12 and 14 ft.	....	50.00[1]	....	....	50.00[1]	50.00
" " " " " 16 ft.	54.00	50.00[1]	58.00	....	54.00	65.00
" " " " " 9 or 18 ft.	68.02[1]	65.00	60.00	....	63.33	68.02
" " " " " 10 or 20 ft.	65.00[1]	60.00	58.50	....	59.15	65.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	30.48	30.00[2]	....	....	30.48	30.63
" " " " " 10 to 20 ft.	33.61	40.00	....	....	33.78	32.56
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	51.50[1]	....	....	....	51.50[1]	51.50
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	41.50[1]	42.84	....	42.84	41.50
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	47.25[3]	....	47.25[3]	47.25[2]
" No. 1, " 1⅝ inch, 9 & 18 ft.	37.00[2]	....	....	....	37.00[2]	37.00[1]
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	48.00[1]	....	....	....	48.00[1]	48.00
" " " 1¾ inch, 10 & 20 ft	47.11[3]	....	....	....	47.11[3]	47.11[2]
" " " 2 to 3 inch, 9 & 18 ft.	50.00[2]	51.25[1]	48.00[1]	32.00[2]	48.41[1]	48.41
" " " 2 to 3 inch 10 & 20 ft.	....	43.00[3]	45.00[2]	44.55[3]	45.00[2]	45.00[1]
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	32.50[3]	....	....	....	32.50[3]	32.50[2]
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	48.22	49.00	60.00[1]	....	48.29	57.73
" " " " other lengths.	48.31	48.53	63.62	68.50	55.18	49.54
" " 1x10, " 14 and 16 ft.	49.92	50.00	66.17[2]	....	49.97	50.41
" " " " other lengths.	48.96	48.48	64.43	70.50	55.96	51.00
" " 1x12, " 14 and 16 ft.	53.45	55.10	74.08	....	56.38	53.72
" " " " other lengths.	54.36	54.32	64.21	73.50	56.46	54.33
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	35.23	33.91	34.79	30.00	34.77	33.53
" " 1x10, " "	34.50	33.75	34.43	33.95	34.00	34.85
" " 1x12, " "	35.89	36.93	35.73	32.81	35.61	36.19
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	28.99	30.72	28.79	....	29.24	29.60
" " 1x10, " "	28.76	26.05	29.19	31.75[1]	28.74	30.09
" " 1x12, " "	27.54	27.64	29.12	27.00	27.86	28.43
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	49.10	50.00[1]	55.00	....	49.27	51.41
" " " other lengths.	49.06	46.63	53.28	50.00	48.57	49.36
" 1x10, " 14 and 16 ft.	45.25	....	63.00	....	52.80	51.05
" " " other lengths.	50.31	51.12	52.85	50.00[3]	51.24	47.29
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	35.29	33.81	35.83	34.25	35.25	34.99
" 1x10, " "	34.83	34.81	34.35	33.00	34.64	34.60
" 1x12, " "	....	....	....	35.00	35.00	39.00
Shiplap, 1x 8, No. 3, all lengths.	27.40	30.71	30.74	27.00	28.69	30.05
" 1x10, " "	27.27	37.50	32.57	28.25[2]	31.45	31.44
" 1x12, " "	27.57	....	....	....	27.57	28.25
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	52.75[1]	49.00[2]	....	....	52.75[1]	52.75
" " " " other lengths.	51.40	50.70	32.00[1]	....	51.19	45.93
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	16.58	....	16.08	....	16.24	17.53

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
1x4, S 1 S, No. 1, 16 ft.	51.17	50.00[1]	....	....	51.17	50.98
“ “ “ other lengths.	50.54	5 .42	58.88	75.00	55.03	50.27
“ “ No. 2, all lengths.	31.81	29.55	30.12	26.50	30.78	29.78
“ “ No. 3, “	27.91	27.31	28.87	29.00[1]	28.21	26.33
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
“ “ “ other lengths.	53.00[1]	....	....	....	53.00[1]	53.00
“ “ No. 2, all lengths.	29.55	....	....	....	29 55	32.17
“ “ No. 3, “	25.00[2]	....	....	24.50[2]	24.75[2]	24.75[1]
1x6, S 1 S, No. 1, 16 ft.	52.56	50.88[1]	63.75[1]	....	52.56	51.96
“ “ “ other lengths.	51.68	49.26	58.18	65.50	54.02	54.52
“ “ No. 2, all lengths.	33.60	32.41	34.29	30.00	33.60	33.59
“ “ No. 3, “	25.93	25.55	28.24	29.50[1]	26.30	27.35
1x6, C. M., No. 1, 16 ft.	52.90	49.63[2]	....	....	52.90	52.67
“ “ “ other lengths.	50.61	52.70	....	65.00[1]	51.09	49.80
“ “ No. 2, all lengths.	34.00	32.93	....	34.36	33.68	32.84
“ “ No. 3. “	24.00	25.19[1]	....	28.14[2]	24.00	27.95
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	38.02	37.43	33.57	39.00	36.81	37.54
“ “ “ 12 ft.	37.73	36.96	36.85	39.00[2]	37.29	37.63
“ “ “ 14 ft.	37.93	37.36	35.64	....	37.07	36.44
“ “ “ 16 ft.	39.72	38.16	35.22	28.50[1]	38.97	37.97
“ “ “ 18 ft.	40.15	39.06	37.34	42.00[2]	39.18	38.21
“ “ “ 20 ft.	40.15	39.13	37.34	42.00[2]	39.62	36.85
“ “ “ 22 ft.	42.08	40.53	36.50	....	40.55	40.84
“ “ “ 24 ft.	42.21	40.25	36.50	....	41.03	41.55
2x 6, No. 1, S 1 S 1 E, 10 ft.	32.96	35.17	34.81	37.50	34.46	37.18
“ “ “ 12 ft.	34.91	35.10	34.34	....	34.73	34.34
“ “ “ 14 ft.	34.02	34.89	34.34	37.40	34.48	34.80
“ “ “ 16 ft.	34.83	36.70	36.74	39.32	35.85	35.86
“ “ “ 18 ft.	34.79	35.96	34.81	41.23	35.77	36.71
“ “ “ 20 ft.	35.84	36.35	34.81	38.50	36.02	37.57
“ “ “ 22 ft.	40.39	39.04	40.54	....	40 06	39.91
“ “ “ 24 ft.	40.11	38.87	40.54	....	39.52	39.05
2x 8, No. 1, S 1 S 1 E, 10 ft.	38.27	35.42	36.58	38.50	36.52	37.61
“ “ “ 12 ft.	37.44	36.15	35.24	35.00[3]	36.61	35.35
“ “ “ 14 ft.	37.31	36.50	35.98	38.50	36.71	38.59
“ “ “ 16 ft.	38.76	37.64	37.07	40.50	38.08	37.62
“ “ “ 18 ft.	39.34	36.19	36.58	....	37.39	38.36
“ “ “ 20 ft.	38.58	37.33	36.58	40.25[2]	38.01	38.53
“ “ “ 22 ft.	41.39	42.11	38.60	....	40.48	38.15
“ “ “ 24 ft.	41.48	40.71	38.60	....	41.05	40.83
2x10, No. 1, S 1 S 1 E, 10 ft.	37.95	38.00	37.70	....	37.71	41.19
“ “ “ 12 ft.	37.96	35.19	36.26	38.50	36.81	39.20
“ “ “ 14 ft.	38.25	37.49	36.26	38.50	38.10	36.86
“ “ “ 16 ft.	40.72	38.54	38.03	40.50	38.84	38.52
“ “ “ 18 ft.	42.08	37.65	37.70	40.70[2]	40.16	40.24
“ “ “ 20 ft.	41.22	39.28	37.70	41.25[2]	40.65	39.39
“ “ “ 22 ft.	42.62	41.22	43.07	....	42.30	40.34
“ “ “ 24 ft.	43.76	41.12	43.07	....	42.37	41.42
2x12, No. 1, S 1 S 1 E, 10 ft.	40.23	38.04	39.59	....	39.16	41.38
“ “ “ 12 ft.	39.98	39.58	36.68	40.50	38.96	38.50
“ “ “ 14 ft.	40.54	39.20	36.68	40.50	40.12	38.91
“ “ “ 16 ft.	41.05	39.12	44.54	42.50	41.36	40.04
“ “ “ 18 ft.	41.86	40.36	39.59	42.50[2]	41.24	41.86
“ “ “ 20 ft.	41.97	41.80	39.59	43.25[2]	41.90	40.20
“ “ “ 22 ft.	44.28	44.55	46.78	....	45.36	44.72
“ “ “ 24 ft.	45.83	43.07	46.78	....	44.34	42.68
2x 4, No. 2, S 1 S 1 E, 10 ft.	34.78	34.53	32.49	36.25[3]	33.94	34.60
“ “ “ 12 ft.	34.52	34.52	33.42	31.50[2]	34.29	33.72
“ “ “ 14 ft.	33.32	34.37	32.29	31.50[2]	33.22	33.47
“ “ “ 16 ft.	36.23	32.24	33.49	31.00	33.90	33.70
“ “ “ 18 ft.	35.96	35.91	34.52	32.00	35.01	36.29
“ “ “ 20 ft.	36.23	35.36	34.52	....	36.04	36.33
“ “ “ 22 ft.	39.75	37.00[2]	32.00[2]	....	39.75	42.25
“ “ “ 24 ft.	39.75	37.00[2]	32.00[2]	....	39 75	43.25
2x 6, No. 2, S 1 S 1 E, 10 ft.	31.50	31.20	35.76	34.25[3]	34.74	32.99
“ “ “ 12 ft.	31.81	32.25	28.92	....	31.14	32.68
“ “ “ 14 ft.	32.35	31.56	28.92	32.25[3]	32.02	31.29
“ “ “ 16 ft.	31.73	28.97	34.66	....	32.37	31.53
“ “ “ 18 ft.	34.76	33.65	35.76	34.98[3]	34.55	33.01
“ “ “ 20 ft.	33.33	32.74	35.76	35.25[3]	33.02	33.43
“ “ “ 22 ft.	39.25	33.00[1]	37.25	....	38.30	38.33
“ “ “ 24 ft.	....	33.00[1]	37.25	....	37.25	38.33

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	31.17	33.50[1]	33.74	35.25[3]	33.40	34.68
" " " 12 ft.	32.25	35.00	33.66	....	33.52	31.93
" " " 14 ft.	35.82	34.00	32.99	....	34.84	32.81
" " " 16 ft.	32.92	36.00	32.39	28.75[3]	33.98	34.22
" " " 18 ft.	34.86	37.05	33.74	....	36.54	34.47
" " " 20 ft.	33.57	33.76	33.74	....	33.66	35.53
" " " 22 ft.	32.75	31.25	40.11	....	39.30	34.70
" " " 24 ft.	32.75	31.25	40.11	....	32.75	33.92
2x10, No. 2, S 1 S 1 E, 10 ft.	34.25	35.00[2]	39.38	34.75[3]	39.17	30.88
" " " 12 ft.	35.18	27.75	35.17	....	35.00	32.65
" " " 14 ft.	34.23	29.50	35.17	29.75[3]	32.31	32.81
" " " 16 ft.	37.34	32.35	34.21	28.00[3]	34.26	33.46
" " " 18 ft.	39.23	35.85[1]	34.21	34.75[3]	39.23	35.19
" " " 20 ft.	37.62	35.34	34.21	....	36.06	34.37
" " " 22 ft.	30.00[1]	37.00[1]	40.66	....	40.66	36.10
" " " 24 ft.	30.00[1]	37.00[1]	40.66	....	40.66	30.00
2x12, No. 2, S 1 S 1 E, 10 ft.	36.25	28.00[3]	37.43	38.75[3]	37.39	31.73
" " " 12 ft.	37.08	37.50	34.50	....	35.42	36.82
" " " 14 ft.	36.72	37.52	34.50	30.75[3]	37.02	33.58
" " " 16 ft.	40.37	40.50	32.52	28.61[3]	33.73	35.26
" " " 18 ft.	40.49	38.00	37.43	37.75[3]	38.76	35.51
" " " 20 ft.	37.36	40.50	37.43	....	38.41	34.68
" " " 22 ft.	43.00	39.00[1]	41.46	....	41.67	39.00
" " " 24 ft.	....	39.00[1]	41.46	....	41.46	39.00
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	21.92	23.50	26.25	22.00[1]	22.41	22.27
PATENT LATH						
4 and 6 ft.	28.75	31.85	....	....	28.95	30.35
8 and 10 ft.	28.14	34.78	....	....	29.19	29.40
12 ft. and longer	34.64	34.00[3]	....	....	34.64	32.00
PLASTERING LATH						
⅜x1½-4, No. 1	6.20	6.22	6.75	4.76	6.26	6.31
" No. 2	4.46	4.03[1]	4.53	4.05[1]	4.51	4.48
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	42.84	42.44	40.57	28.50[1]	41.72	39.99
" " 22-24 ft.	44.48	44.61	43.06	....	44.12	42.50
" " 26 ft.	50.50	49.00	41.80	....	44.97	43.35
" " 28 ft.	48.29	48.33	41.80	....	48.31	42.94
" " 30 ft.	44.66	49.17	34.75	....	44.58	47.84
" " over 30 ft.	51.43	46.00	52.75	....	52.20	61.51
4x4 to 8x8, Heart (85%+), up to 20 ft.	45.26	46.79	....	....	45.92	49.70
" " " 22-24 ft.	42.13	49.25	....	....	48.07	43.59
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	59.50	....	....	59.50	58.00[1]
" " " over 30 ft.	59.33[1]	51.00	....	....	51.00	59.33
3 & 4x10, No. 1, up to 20 ft.	47.26	41.50	....	41.13[2]	47.13	45.09
" " 22-24 ft.	46.19	43.00[2]	....	....	46.19	44.76
" " 26 ft.	49.49	....	....	....	49.49	45.00
" " 28 ft.	61.67[3]	....	....	....	61.67[3]	61.67[2]
" " 30 ft.	50.50	....	....	....	50.50	48.00[3]
" " over 30 ft.	51.88	....	....	....	51.88	44.00[1]
3 & 4x10, Heart (85%+), up to 20 ft.	47.59	48.30	....	....	47.68	50.86
" " " 22-24 ft.	....	48.20	....	....	48.20	....
" " " 26 ft.	....	50.00	....	....	50.00	....
" " " 28 ft.	....	51.00	....	....	51.00	....
" " " 30 ft.	53.75	....	....	....	53.75	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
6x10, to 10x10, No. 1, up to 20 ft.	46.24	43.75	43.82	47.75[2]	44.63	42.50
“ “ 22-24 ft.	46.67	44.00	43.32	....	43.39	45.92
“ “ 26 ft.	44.76	49.25[3]	49.66	....	48.93	49.14
“ “ 28 ft.	47.32	49.00[3]	49.66	....	47.32	49.14
“ “ 30 ft.	47.37	46.00[2]	54.00	....	48.36	50.35
“ “ over 30 ft.	51.48	67.25[2]	56.33	....	52.66	53.00
6x10 to 10x10, Heart (85%+), up to 20 ft.	....	55.00	....	....	55.00	50.00
“ “ “ 22-24 ft.	....	51.00[1]	....	....	51.00[1]	51.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	56.00[1]	....	....	....	56.00[1]	56.00[1]
3 & 4x12, No 1, up to 20 ft.	47.97	45.03	....	35.00[1]	47.70	45.97
“ “ 22 24 ft.	47.97	47.00	....	....	47.94	52.00
“ “ 26 ft.	51.25[2]	....	....	....	51.25[2]	51.25[1]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	51.95	....	....	....	51.95	46.00[1]
3 & 4x12, Heart (85%+), up to 20 ft.	56.00	47.00	....	....	49.42	55.00
“ “ “ 22-24 ft.	....	58.00	....	....	58.00	58.50[2]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	60.00[1]	....	....	....	60.00[1]	60.00
6x12 to 12x12, No. 1, up to 20 ft.	47.29	38.75	47.93	57.63[2]	47.82	48.72
“ “ 22-24 ft.	49.14	50.46[1]	51.81	....	50.71	49.50
“ “ 26 ft.	47.17	50.00[1]	51.13	....	48.60	43.06
“ “ 28 ft.	47.70	50.63[2]	51.13	....	47.70	51.06[1]
“ “ 30 ft.	50.12	51.75[2]	51.22	....	50.59	56.00
“ “ over 30 ft.	52.20	59.25[1]	56.83	....	53.30	52.52
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.12	55.00[1]	....	58.00[2]	54.12	55.00
“ “ “ 22-24 ft.	57.00	56.00[3]	....	....	57.00	56.00[2]
“ “ “ 26 ft.	53.75	58.00[3]	....	....	53.75	58.00[2]
“ “ “ 28 ft.	....	59.00[3]	....	....	59.00[3]	59.00[2]
“ “ “ 30 ft.	....	60.00[2]	....	....	60.00[2]	60.00[1]
“ “ “ over 30 ft.	62.28[1]	60.00[1]	....	....	61.81[1]	61.81
2x14 to 4x14, No. 1, up to 20 ft.	47.25	47.33	....	....	47.30	65.00
“ “ 22-24 ft.	57.30	50.00	....	....	53.51	53.73[2]
“ “ 26 ft.	51.25	52.00	....	....	51.51	....
“ “ 28 ft.	52.25	....	....	....	52.25	....
“ “ 30 ft.	....	....	....	....	....	56.75[3]
“ “ over 30 ft.	56.50[1]	61.69[2]	....	....	56.50[1]	56.50
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	62.00[2]	....	....	62.00[2]	62.00[1]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	50.50	55.00[1]	59.01	....	58.11	52.68
“ “ 22-24 ft.	50.50	53.00[2]	63.40	....	57.85	58.50
“ “ 26 ft.	50.50	....	56.79[3]	....	50.50	53.75[1]
“ “ 28 ft.	50.50	54.00[2]	56.79[3]	....	50.50	54.00[1]
“ “ 30 ft.	50.50	55.00[2]	62.75	....	52.46	61.75
“ “ over 30 ft.	54.94	74.00[1]	62.11[3]	....	54.94	66.71
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	58.00[3]	....	....	58.00[3]	58.00[2]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	52.00[3]
“ “ 22-24 ft.	....	55.00[1]	....	....	55.00[1]	55.00
“ “ 26 ft.	....	56.00[1]	....	....	56.00[1]	56.00
“ 28 ft.	....	....	....	....	....	....
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
6x16 & Up, No. 1, up to 20 ft.	51.17[1]	....	63.49	....	63.49	55.66
" " 22-24 ft.	50.50	....	62.61	....	51.79	65.50
" " 26 ft.	50.50	....	61.28	....	60.15	66.88
" " 28 ft.	....	....	61.28	....	61.28	66.88
" " 30 ft.	....	....	65.63	....	65.63	74.60[2]
" " over 30 ft.	50.68	....	70.44[3]	....	50.68	70.44[2]
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	64.00[1]	....	70.00	....	70.00	64.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	60.60	....	....	....	60.60	....
" " 22-24 ft.	60.00	....	....	....	60.00	65.00
" " 26 ft.	60.89[2]	60.00[2]	72.75[2]	....	62.86[2]	62.86[1]
" " 28 ft.	65.30	65.00[2]	70.00	....	66.36	65.00[1]
" " 30 ft.	65.96	....	....	....	65.96	....
" " 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	60.00	....	....	....	60.00	65.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	60.00	....	....	....	60.00	....
" " " 30 ft.	67.00[1]	....	....	....	67.00[1]	67.00
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	50.00	....	50.44[1]	....	50.00	49.86
" " " 36 ft.	49.90	....	50.44[1]	50.00	49.98	50.44
" " " 37-38 ft.	53.75	....	53.42	50.00[3]	53.43	49.00
" " " 40 ft.	52.04	....	53.42	....	52.04	51.71
" " " 41-42 ft.	52.04	....	....	....	52.04	....
Up to 9 inch, Heart (85%+), 34 ft.	58.00[1]	....	....	....	58.00[1]	58.00
" " " " 36 ft.	64.00	....	....	....	64.00	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	62.00[1]	....	....	....	62.00[1]	62.00
" " " " 41-42 ft.	64.00[1]	....	....	....	64.00[1]	64.00
Up to 10 inch, Sq. E. 34 ft.	47.56[1]	....	54.50[1]	....	47.81[1]	47.81
" " " 36 ft.	52.78	....	54.50[1]	52.00	52.37	54.50
" " " 37-38 ft.	....	....	62.00[1]	....	62.00[1]	62.00
" " " 40 ft.	52.00	....	62.00[1]	....	52.00	54.61
" " " 41-42 ft.	52.00	....	....	....	52.00	57.56[2]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	51.11[1]	....	59.48[3]	....	51.11[1]	51.11
" " " 36 ft.	55.00	....	60.00[2]	54.26	54.29	57.00
" " " 37-38 ft.	52.50[3]	....	....	....	52.50[3]	52.50[2]
" " " 40 ft.	62.64	....	....	....	62.64	61.46
" " " 41-42 ft.	62.64	75.00	....	....	75.00	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
" " " 36 ft.	....	65.50[3]	....	65.00	65.00	65.00[1]
" " " 37-38 ft.	70.00	56.50[1]	....	70.00	70.00	56.50
" " " 40 ft.	....	66.50[3]	....	70.47	70.47	66.50[2]
" " " 41-42 ft.	....	....	....	....	....	64.00[3]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	51.00[1]	....	....	51.00[1]	51.00
" " 14 ft.	....	....	....	....	....	54.00[3]
" " 16 ft.	....	51.00[1]	....	....	51.00[1]	51.00
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	60.75[2]	....	60.75[2]	60.75[1]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	53.50[2]	....	....	....	53.50[2]	53.50[1]
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	63.00	....	....	....	63.00	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	41.61[3]	....	....	....	41.61[3]	41.61[2]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	43.86[1]	47.75[1]	37.00[1]	....	43.88[1]	43.88
" " Heart, (85%+), 6x8–8.	49.00	51.27[3]	....	....	49.00	55.12
" " Sq. E., " 7x9–8.	48.00	42.59[1]	45.75[3]	50.50[2]	48.00	43.75
" " Heart, " 7x9–8.	49.00[1]	43.00[1]	....	....	47.75[1]	47.75
Bridge Ties, Sq. E., 7x9 & up.	66.50[1]	....	....	....	66.50[1]	66.50
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S.	....	40.00[1]	36.77	....	36.77	39.85
" " Rough.	42.00[2]	....	40.00[2]	....	41.02[2]	41.02[1]
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship " Flat Grain.	130.87	....	....	....	130.87	139.75[1]
Miscellaneous.	52.37[2]	48.97	47.29[1]	36.81	38.68	53.01
MISCELLANEOUS STOCK						
Silo Stock.	46.00[2]	....	50.75[3]	....	46.00[2]	46.00[1]
Grain Doors.	36.08	....	....	....	36.08	37.69
Miscellaneous, B and B.	102.10	60.86	77.96	82.30	69.44	92.63
" No. 1.	51.89	43.16	37.98	64.50	46.42	50.78
" No. 2.	41.19	31.05	34.22	33.25	37.31	33.28
" No. 3.	23.75	25.26	27.79	25.38	26.54	30.10
Shorts B and B.	62.79	38.92	....	....	52.00	62.36
" No. 1.	25.75	34.00	....	....	25.83	28.73
" No. 2.	....	25.85	....	....	25.85	24.94
" No. 3.	....	28.00	....	....	28.00	23.50[2]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000'	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	[illegible]	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

August 31, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending August 31, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Sept. 9, 1920

No. 104

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A “	115.00[2]	....	....	....	115.00[2]	115.00[1]
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	118.35	....	....	....	118.35	117.00
“ “ C “	100.00	....	....	....	100.00	69.75[1]
“ “ D “	81.45[1]	....	....	....	81.45[1]	81.45
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	68.75[3]	....	....	....	68.75[3]	68.75[2]
“ “ B and Better “	68.76	....	....	....	68.76	72.97
“ “ C “	61.50	....	....	....	61.50	58.00[2]
“ “ D “	59.95	....	....	....	59.95	56.75
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	36.00	....	....	....	36.00	39.01
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	135.10[2]	127.00	127.00	130.02[1]
Edge Grain, A “	....	....	129.00	125.30[2]	129.00	126.40
“ “ B “	....	....	122.21	124.25	122.26	122.12
“ “ B and Better “	....	112.85	....	127.50	118.64	115.63
“ “ C “	....	100.00	102.47	113.25	104.06	102.22
“ “ D “	....	....	67.75[3]	....	67.75[3]	67.75[2]
“ “ No. 2 “	....	....	65.40	55.00[2]	65.40	75.00
Flat “ A “	....	....	....	92.00	92.00	100.44
“ “ B “	....	67.50	....	89.00[1]	67.50	76.40
“ “ B and Better “	....	75.00	77.28	62.50	76.20	75.37
“ “ C “	....	58.00[2]	....	....	58.00[2]	58.00[1]
“ “ D “	....	48.00[2]	....	....	48.00[2]	48.00[1]
No. 1 Common “	....	55.00	63.32	60.00	62.38	64.24
No. 2 “ “	....	37.00	37.47	37.66	51.63	35.47
No. 3 “ “	....	....	19.75	22.00[1]	19.75	25.00
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	97.50[3]	121.50[2]	121.50[2]	121.50[1]
Edge Grain, A “	100.00[2]	....	117.29	113.00[2]	117.29	105.00
“ “ B “	....	97.75[2]	112.10	110.00[2]	112.10	113.23
“ “ B and Better “	96.02	99.43	....	109.00	97.94	96.93
“ “ C “	68.00	73.57[2]	94.00	....	84.26	89.80
“ “ D “	67.25[1]	....	84.75[3]	....	67.25[1]	67.25
“ “ No. 2 “	....	....	55.64	....	55.64	58.58
Flat “ A “	71.00	....	....	79.00[3]	71.00	79.00[2]
“ “ B “	65.00	65.33	....	65.35	65.15	65.30
“ “ B and Better “	65.84	65.64	66.58	65.04	65.92	66.08
“ “ C “	59.50	60.00	....	56.25	59.25	60.19
“ “ D “	55.24	50.63	....	53.00	55.26	54.92
No. 1 Common “	....	55.23	57.89	54.91	56.88	57.83
No. 2 “ “	36.97	38.00	33.86	32.40	34.38	34.66
No. 3 “ “	....	....	24.32	24.00[1]	24.32	23.16
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	57.14	50.50[1]	55.10	60.00	55.67	56.73
“ “ No. 1 Common	53.25	48.00[2]	50.74	48.00[1]	50.77	50.62
“ “ No. 2 “	29.00[1]	....	31.58	31.00	31.52	29.58
“ “ No. 3 “	....	....	....	....	....	....
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	61.94	60.24	61.48	66.25[1]	60.90	61.17
“ “ No. 1 Common	57.75	51.63	53.27	46.00	53.58	52.62
“ “ No. 2 “	32.79	33.46	33.17	32.20	33.02	32.44
“ “ No. 3 “	....	....	21.47	....	21.47	20.00
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	66.33	65.00[1]	78.39	....	76.30	67.24
“ “ No. 1 Common	59.78[2]	51.05[3]	59.75	....	59.75	67.00
“ “ No. 2 “	42.00[2]	....	36.75	....	36.75	36.03
“ “ No. 3 “	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	69.71	67.39	72.90[2]	55.00	68.27	74.08
“ “ No. 1 Common	62.00	57.35[2]	63.25[2]	75.25[1]	62.00	62.48
“ “ No. 2 “	28.25	....	36.35[2]	35.00	34.44	41.12
Partition, ¾x5¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	85.00	80.00	76.13	....	77.08	73.22
“ “ No. 1 Common	77.00	....	65.11	....	65.91	67.30
“ “ No. 2 “	37.75	....	37.17	....	37.58	38.20
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	50.00	50.00	57.33[2]	....	50.00	48.86
“ No. 1 Common	52.88[2]	53.43[3]	44.53	....	44.53	55.25
“ No. 2 “	34.00	19.00[1]	28.89	....	30.27	27.75

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	64.14	65.97	60.64	57.50	63.31	60.90
“ “ No. 1 Common	53.30	56.45	57.31	51.00	55.31	55.30
“ “ No. 2 “	34.85	35.57	34.96	37.36	35.10	34.97
“ “ No. 3 “	....	....	25.42	....	25.42	27.62
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	81.27	83.47	80.00	85.04[3]	82.27	81.36
1x 6 inch, “	84.11	82.10	78.22	86.50	82.65	81.29
1x 8 inch, “	86.07	84.67	87.44	87.50	86.08	81.23
1x 5 and 10 inch, “	91.59	87.84	81.90	77.84[2]	87.48	86.16
1x12 inch, “	93.90	88.86	86.09	75.00	87.64	88.20
1¼x4 to 12 inch, “	103.17	98.03	98.76	93.80[1]	99.97	96.36
1½ and 2x4 to 12 inch, “	85.93	91.12	91.01	93.00[2]	88.86	99.04
1⅝ inch, “	80.09[3]	97.00	....	....	97.00	97.00
1x 6 to 12 inch, “	....	....	76.02[2]	71.00[2]	75.85[2]	75.85[1]
1x 4 inch, C	77.54	81.00	....	....	79.06	78.72
1x 6 inch, “	78.27	77.36	70.00[1]	....	77.82	76.45
1x 8 inch, “	75.60	81.75	67.50	....	75.79	84.24
1x 5 and 10 inch, “	78.43	88.00	69.47	....	76.91	83.68
1x12 inch, “	79.59	89.72	74.50	....	82.68	88.50
1¼x4 to 12 inch, “	98.00[1]	....	71.96	....	71.96	89.43
1½ and 2x4 to 12 inch, “	....	....	80.00[1]	....	80.00[1]	80.00
1⅝ inch, “	....	75.50[3]	....	....	75.50[3]	75.50[2]
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	66.50[2]	75.00[1]	77.50[1]	....	75.72[1]	75.72
1x 6 inch, “ “	70.31[1]	73.72	81.25	69.89	73.11	70.71
1x 8 inch, “ “	86.00[1]	73.72	82.25	82.25	81.64	86.00
1x 5 and 10 inch, “ “	96.00[1]	73.72	93.75[1]	....	73.72	84.25
1x12 inch, “ “	96.00[1]	73.72	94.75[1]	....	73.72	90.64
1¼x4 to 12 inch, “ “	90.45[2]	78.72	87.97	83.25	84.14	93.97
1½ and 2x4 to 12 inch, “ “	82.50	90.00[2]	85.77	87.00[2]	83.52	80.51
1⅝ inch, “ “	....	87.00	....	....	87.00	64.76
1x 6 to 12 inch, “ “	....	....	79.47[2]	75.00[2]	76.81[2]	76.81[1]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	94.24	94.50	110.46	100.00	105.12	94.51
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	94.14	94.59	103.47	100.00	99.02	88.04
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	94.67	52.92[1]	87.75	92.75[3]	93.76	68.91
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	54.00	....	65.00[1]	....	54.00	65.00
“ “ “ “ “ 8 ft.	60.00[1]	74.00	81.26	....	79.50	60.00
“ “ “ “ “ 12 and 14 ft.	....	80.00[1]	....	....	80.00[1]	80.00
“ “ “ “ “ 16 ft.	83.00[3]	80.00[1]	....	....	80.00[1]	80.00
“ “ “ “ “ 9 or 18 ft.	80.00	84.00	78.25	....	88.76	81.73
“ “ “ “ “ 10 or 20 ft.	80.00	68.00	70.00	....	73.53	80.25

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	53.00	50.00	52.21[1]	....	52.95	51.93
" " " " " 8 ft.	....	49.65	50.00[1]	....	49.65	50.00
" " " " " 12 and 14 ft.	60.50[1]	55.53	....	....	55.53	60.50
" " " " " 16 ft.	....	55.00	58.00[1]	....	55.00	58.00
" " " " " 9 or 18 ft.	65.00[1]	65.06	62.50	....	64.83	63.33
" " " " " 10 or 20 ft.	60.00	59.47	62.50	....	59.81	59.15
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	....	50.00	52.21[1]	....	50.00	52.21
" " " " " 8 ft.	....	50.88	50.00[1]	....	50.88	50.00
" " " " " 12 and 14 ft.	....	55.53	....	....	55.53	50.00[1]
" " " " " 16 ft.	54.00[1]	55.00	58.00[1]	....	55.00	54.00
" " " " " 9 or 18 ft.	67.56	64.20	62.50	....	67.56	63.33
" " " " " 10 or 20 ft.	67.44	58.00	62.50	....	67.44	59.15
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	30.25	30.00[3]	....	....	30.25	30.48
" " " " " 10 to 20 ft.	32.78	34.77	....	....	33.36	33.78
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	51.50[2]	....	....	....	51.50[2]	51.50[1]
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	41.50[2]	49.63	....	49.63	42.84
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	49.63	....	49.63	47.25[3]
" No. 1, " 1⅝ inch, 9 & 18 ft.	37.00[3]	....	....	....	37.00[3]	37.00[2]
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	39.58	....	....	....	39.58	48.00[1]
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	47.11[3]
" " " 2 to 3 inch, 9 & 18 ft.	50.00[3]	50.00	48.00[2]	32.00[3]	50.00	48.41[1]
" " " 2 to 3 inch 10 & 20 ft.	....	53.23	45.00[3]	....	53.23	45.00[2]
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	32.50[3]
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	52.58	49.00[1]	60.00[2]	....	52.58	48.29
" " " " other lengths.	50.47	47.85	57.65	57.35	57.56	55.18
" " 1x10, " 14 and 16 ft.	45.94	50.00[1]	66.17[3]	....	45.94	49.97
" " " " other lengths.	50.70	48.61	63.77	70.50[1]	53.33	55.96
" " 1x12, " 14 and 16 ft.	53.53	55.67	74.08[1]	....	53.75	56.38
" " " " other lengths.	55.40	54.98	62.22	73.50	56.78	56.46
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	36.33	34.91	35.71	33.19	35.48	34.77
" " 1x10, " "	34.95	36.32	36.71	31.55	35.48	34.00
" " 1x12, " "	36.68	37.14	34.68	32.16	35.52	35.61
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	27.48	29.75	29.05	26.19	28.49	29.24
" " 1x10, " "	27.95	27.00	29.46	31.75[2]	28.78	28.74
" " 1x12, " "	28.37	28.93	30.08	27.00[1]	29.14	27.86
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	48.36	47.91	57.75	....	48.81	49.27
" " " other lengths.	49.90	49.48	54.84	50.00[1]	50.93	48.57
" 1x10, " 14 and 16 ft.	44.50	50.00	63.00[1]	....	45.00	52.80
" " " other lengths.	50.50	42.63	52.85[1]	....	42.77	51.24
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	34.96	35.15	34.57	37.50	34.92	35.25
" 1x10, " "	34.81	35.29	36.41	33.00[1]	35.79	34.64
" 1x12, " "	....	....	....	35.00[1]	35.00[1]	35.00
Shiplap, 1x 8, No. 3, all lengths.	27.15	31.17	29.17	27.00[1]	28.69	28.69
" 1x10, " "	27.27[1]	26.00	29.39	28.25[3]	28.08	31.45
" 1x12, " "	28.40	....	....	....	28.40	27.57
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	52.75[1]	49.00[1]	....	....	52.75[2]	52.75[1]
" " " " other lengths.	53.16	50.07	32.00[2]	....	51.84	51.19
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	16.58[1]	....	24.89	....	24.89	16.24

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
1x4, S 1 S, No. 1, 16 ft.	51.84	50.00[2]	....	....	51.84	51.17
“ “ “ other lengths	51.43	50.29	59.60	60.50	54.28	55.03
“ “ No. 2, all lengths	32.13	32.65	32.28	30.00	32.26	30.78
“ “ No. 3, “	26.51	25.47	26.74	29.00[2]	26.65	28.21
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
“ “ “ other lengths	42.75	....	....	....	42.75	53.00[1]
“ “ No. 2, all lengths	29.25	....	....	....	29.25	29.55
“ “ No. 3, “	25.00[3]	....	....	24.50[3]	24.75[3]	24.75[2]
1x6, S 1 S, No. 1, 16 ft.	52.58	50.75	63.75[2]	....	52.41	52.56
“ “ “ other lengths	51.89	47.91	60.95	67.88	53.42	54.02
“ “ No. 2, all lengths	35.19	34.25	33.98	31.02	34.15	33.60
“ “ No. 3, “	27.59	28.71	27.56	29.50[2]	27.64	26.30
1x6, C. M., No. 1, 16 ft.	55.55	52.00	....	....	55.26	52.90
“ “ “ other lengths	52.75	50.66	....	65.00[2]	51.48	51.09
“ “ No. 2, all lengths	36.27	31.62	....	34.02	34.09	33.68
“ “ No. 3, “	26.50	25.19[2]	....	26.25	26.43	24.00
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	38.49	35.91	34.56	39.00[1]	36.17	36.81
“ “ “ 12 ft.	38.36	37.54	32.84	37.00	35.99	37.29
“ “ “ 14 ft.	38.25	37.13	35.22	37.00	37.18	37.07
“ “ “ 16 ft.	40.14	39.19	34.13	38.50	37.83	38.97
“ “ “ 18 ft.	40.51	39.90	35.82	39.50	38.71	39.18
“ “ “ 20 ft.	40.51	40.03	35.82	39.50	40.24	39.62
“ “ “ 22 ft.	42.12	39.87	45.25	....	40.80	40.55
“ “ “ 24 ft.	41.57	40.48	45.25	....	40.71	41.03
2x 6, No. 1, S 1 S 1 E, 10 ft.	36.63	35.37	37.94	37.50[1]	37.70	34.46
“ “ “ 12 ft.	35.09	34.52	30.74	....	33.36	34.73
“ “ “ 14 ft.	35.40	34.71	30.74	37.40[1]	35.01	34.48
“ “ “ 16 ft.	36.77	35.88	34.16	39.32[1]	35.94	35.85
“ “ “ 18 ft.	36.45	37.44	37.58	41.23[1]	37.00	35.77
“ “ “ 20 ft.	37.03	37.06	37.58	38.50[1]	37.05	36.02
“ “ “ 22 ft.	38.26	38.76	36.97	....	37.95	40.06
“ “ “ 24 ft.	39.35	39.03	36.97	....	39.13	39.52
2x 8, No. 1, S 1 S 1 E, 10 ft.	37.03	33.27	35.47	38.50[1]	35.35	36.52
“ “ “ 12 ft.	36.76	34.55	35.13	....	35.71	36.61
“ “ “ 14 ft.	37.21	35.24	35.18	38.50[1]	35.91	36.71
“ “ “ 16 ft.	37.34	36.51	37.97	40.50[1]	37.39	38.08
“ “ “ 18 ft.	39.67	36.75	35.65	....	37.99	37.39
“ “ “ 20 ft.	39.69	36.70	35.65	40.25[3]	37.67	38.01
“ “ “ 22 ft.	41.24	39.82	40.39	....	40.21	40.48
“ “ “ 24 ft.	40.73	40.27	40.39	....	40.38	41.05
2x10, No. 1, S 1 S 1 E, 10 ft.	39.08	38.00[1]	42.03	....	41.96	37.71
“ “ “ 12 ft.	37.97	34.87	35.17	38.50[1]	35.81	36.81
“ “ “ 14 ft.	36.33	35.54	35.17	38.50[1]	36.15	38.10
“ “ “ 16 ft.	40.17	39.07	39.19	40.50[1]	39.30	38.81
“ “ “ 18 ft.	38.36	39.39	40.96	40.70[3]	38.55	40.16
“ “ “ 20 ft.	40.17	39.06	40.96	41.25[3]	39.65	40.65
“ “ “ 22 ft.	42.88	39.03	42.15	....	41.10	42.30
“ “ “ 24 ft.	40.91	39.82	42.15	....	40.11	42.37
2x12, No. 1, S 1 S 1 E, 10 ft.	40.20	38.20	39.44	....	39.42	39.16
“ “ “ 12 ft.	40.80	38.23	37.77	40.50[1]	38.22	38.96
“ “ “ 14 ft.	40.22	39.06	37.77	40.50[1]	39.50	40.12
“ “ “ 16 ft.	42.58	40.68	40.03	42.50[1]	40.91	41.36
“ “ “ 18 ft.	43.68	41.12	39.44	42.50[3]	42.14	41.24
“ “ “ 20 ft.	43.40	41.88	39.44	43.25[3]	42.35	41.90
“ “ “ 22 ft.	49.37	43.27	42.75	....	44.16	45.36
“ “ “ 24 ft.	42.95	44.85	42.75	....	43.26	44.34
2x 4, No. 2, S 1 S 1 E, 10 ft.	35.87	35.14	33.71	29.00	34.66	33.94
“ “ “ 12 ft.	34.78	35.10	32.11	31.50[3]	33.93	34.29
“ “ “ 14 ft.	34.64	35.00	34.81	34.50	35.06	33.22
“ “ “ 16 ft.	35.67	36.43	37.53	36.50	36.36	33.90
“ “ “ 18 ft.	36.25	36.32	35.79	32.00[1]	36.14	35.01
“ “ “ 20 ft.	36.94	36.73	35.79	....	36.78	36.04
“ “ “ 22 ft.	39.75[1]	41.50	32.00[3]	....	41.50	39.75
“ “ “ 24 ft.	39.75[1]	41.50	32.00[3]	....	41.50	39.75
2x 6, No. 2, S 1 S 1 E, 10 ft.	31.00	33.00	34.38	35.50	34.31	34.74
“ “ “ 12 ft.	32.17	32.52	30.66	33.50	31.17	31.14
“ “ “ 14 ft.	30.73	32.10	30.66	33.50	31.29	32.02
“ “ “ 16 ft.	32.20	34.39	26.03	34.25	29.47	32.37
“ “ “ 18 ft.	33.60	33.74	35.16	36.50	33.71	34.55
“ “ “ 20 ft.	32.14	32.85	35.16	36.50	32.70	33.02
“ “ “ 22 ft.	39.25[1]	39.00	37.25[1]	....	39.00	38.30
“ “ “ 24 ft.	....	39.00	37.25[1]	....	39.00	37.25

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	31.17[1]	33.50[2]	34.20	....	34.20	33.40
" " " 12 ft.	33.50	34.38	32.43	34.50	33.29	33.52
" " " 14 ft.	33.28	34.40	31.04	....	32.19	34.84
" " " 16 ft.	33.94	35.63	34.13	36.50	34.61	33.98
" " " 18 ft.	35.45	36.00	34.23	37.50	35.97	36.54
" " " 20 ft.	35.50	36.32	34.23	37.50	35.69	33.66
" " " 22 ft.	32.75[1]	37.50	40.11[1]	....	37.50	39.30
" " " 24 ft.	32.75[1]	37.50	40.11[1]	....	37.50	32.75
2x10, No. 2, S 1 S 1 E, 10 ft.	34.25[1]	35.25	36.66	....	36.65	39.17
" " " 12 ft.	30.97	35.25	32.90	....	32.74	35.00
" " " 14 ft.	32.98	33.25	34.75	....	33.08	32.31
" " " 16 ft.	34.30	36.93	37.05	....	36.61	34.26
" " " 18 ft.	34.69	35.25	37.95	....	36.08	39.23
" " " 20 ft.	35.76	36.83	37.95	....	36.67	36.06
" " " 22 ft.	30.00[2]	39.25	42.78	....	42.43	40.66
" " " 24 ft.	30.00[2]	39.25	42.78	....	42.43	40.66
2x12, No. 2, S 1 S 1 E, 10 ft.	36.25[1]	....	35.41	....	35.41	37.39
" " " 12 ft.	37.08[1]	36.00	37.03	31.00	34.64	35.42
" " " 14 ft.	37.00	36.00	37.03	31.00	33.45	37.02
" " " 16 ft.	36.31	39.25	34.15	38.50	34.85	33.73
" " " 18 ft.	36.02	39.25	35.41	....	36.33	38.76
" " " 20 ft.	35.18	39.25	35.41	....	36.03	38.41
" " " 22 ft.	43.00[1]	41.25	42.50	....	42.29	41.67
" " " 24 ft.	....	41.25	42.50	....	41.88	41.46
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E, all lengths	23.24	25.73	26.25[1]	22.00[2]	24.72	22.41
PATENT LATH						
4 and 6 ft.	28.50	31.00	33.08	....	32.06	28.95
8 and 10 ft.	28.14[1]	34.78[1]	....	....	29.19[1]	29.19
12 ft. and longer	34.64[1]	....	....	....	34.64[1]	34.64
PLASTERING LATH						
⅜x1½-4, No. 1	6.51	6.45	6.69	5.08	6.45	6.26
" No. 2	4.50	5.05	4.46	2.98	4.17	4.51
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	39.94	41.78	44.06	28.50[2]	42.98	41.72
" " 22-24 ft.	38.80	42.51	43.99	....	40.08	44.12
" " 26 ft.	50.50[1]	45.00	47.35	....	47.09	44.97
" " 28 ft.	48.00	48.33[1]	47.35	....	48.00	48.31
" " 30 ft.	44.66[1]	47.30	53.23	....	52.27	44.58
" " over 30 ft.	58.50	50.25	53.23	....	51.00	52.20
4x4 to 8x8, Heart (85%+), up to 20 ft.	43.64	43.75	....	....	43.68	45.92
" " " 22-24 ft.	42.13[1]	49.25[1]	....	....	48.07[1]	48.07
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	59.50[1]	....	....	59.50[1]	59.50
" " " over 30 ft.	59.33[2]	51.00[1]	....	....	51.00[1]	51.00
3 & 4x10, No. 1, up to 20 ft.	42.09	44.56	....	41.13[3]	42.92	47.13
" " 22-24 ft.	46.19[1]	47.00	....	....	47.00	46.19
" " 26 ft.	49.49[1]	....	....	....	49.49[1]	49.49
" " 28 ft.	62.50	....	....	....	62.50	61.67[3]
" " 30 ft.	50.50[1]	....	....	....	50.50[1]	50.50
" " over 30 ft.	51.88[1]	....	....	....	51.88[1]	51.88
3 & 4x10, Heart (85%+), up to 20 ft.	47.59[1]	53.00	....	....	53.00	47.68
" " " 22-24 ft.	....	48.20[1]	....	....	48.20[1]	48.20
" " " 26 ft.	....	50.00[1]	....	....	50.00[1]	50.00
" " " 28 ft.	....	51.00[1]	....	....	51.00[1]	51.00
" " " 30 ft.	53.75[1]	....	....	....	53.75[1]	53.75
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
6x10, to 10x10, No. 1, up to 20 ft.	46.34	44.00	46.04	47.75[3]	45.48	44.63
" " 22-24 ft.	46.67[1]	45.82	48.64	....	48.08	43.39
" " 26 ft.	44.76[1]	49.25	49.80	....	49.73	48.93
" " 28 ft.	47.32[1]	....	49.80	....	49.80	47.32
" " 30 ft.	50.00	46.00[3]	53.42	....	52.43	48.36
" " over 30 ft.	52.00	65.00	57.18	....	57.24	52.66
6x10 to 10x10, Heart (85%+), up to 20 ft.	....	55.00[1]	....	....	55.00[1]	55.00
" " " 22-24 ft.	49.00	51.00[2]	....	....	49.00	51.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	56.00[2]	....	....	....	56.00[2]	56.00[1]
3 & 4x12, No 1, up to 20 ft.	44.69	47.11	....	35.00[2]	46.77	47.70
" " 22 24 ft.	47.97[1]	47.11	....	....	47.11	47.94
" " 26 ft.	51.25[3]	....	....	....	51.25[3]	51.25[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	51.95[1]	65.00	....	....	65.00	51.95
3 & 4x12, Heart (85%+), up to 20 ft.	56.00[1]	55.52	....	....	55.52	49.42
" " " 22-24 ft.	....	60.00	....	....	60.00	58.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	60.00[2]	....	....	....	60.00[2]	60.00[1]
6x12 to 12x12, No. 1, up to 20 ft.	47.62	48.56	50.13	57.63[3]	49.91	47.82
" " 22-24 ft.	51.00	47.00	51.57	....	52.04	50.71
" " 26 ft.	51.00	48.00	55.20	....	52.03	48.60
" " 28 ft.	47.70[1]	50.63[3]	55.20	....	55.20	47.70
" " 30 ft.	51.83	57.50	54.13	....	52.17	50.59
" " over 30 ft.	57.00	59.25[2]	59.44	....	58.48	53.30
6x12 to 12x12, Heart (85%+), up to 20 ft.	56.57	58.00	....	58.00[3]	56.88	54.12
" " " 22-24 ft.	57.00[1]	50.75	....	....	50.75	57.00
" " " 26 ft.	53.75[1]	65.00	....	....	65.00	53.75
" " " 28 ft.	....	....	....	....	....	59.00[3]
" " " 30 ft.	....	60.00[3]	....	....	60.00[3]	60.00[2]
" " " over 30 ft.	62.28[2]	60.00[2]	....	....	61.81[2]	61.81[1]
2x14 to 4x14, No. 1, up to 20 ft.	47.25[1]	52.03	....	....	52.03	47.30
" " 22-24 ft.	57.30[1]	51.00	....	....	51.00	53.51
" " 26 ft.	51.25[1]	54.00	....	....	54.00	51.51
" " 28 ft.	52.25[1]	....	....	....	52.25[1]	52.25
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	56.50[2]	61.69[3]	....	....	56.50[2]	56.50[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	62.00[3]	....	....	62.00[3]	62.00[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	56.28	52.60	52.06	....	52.71	58.11
" " 22-24 ft.	66.00	53.00[3]	54.03	....	62.08	57.85
" " 26 ft.	50.50[1]	......	59.50	....	59.50	50.50
" " 28 ft.	50.50[1]	54.00[3]	59.50	....	59.50	50.50
" " 30 ft.	50.50[1]	55.00[3]	63.50	....	63.50	52.46
" " over 30 ft.	66.29	85.00	74.50	....	68.58	54.94
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	58.00[3]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	58.00	....	....	58.00	....
" " 22-24 ft.	....	55.00[2]	....	....	55.00[2]	55.00[1]
" " 26 ft.	....	56.00[2]	....	....	56.00[2]	56.00[1]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	65.00	....	....	65.00	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
6x16 & Up, No. 1, up to 20 ft.	60.93	....	65.81	....	62.10	65.49
" " 22-24 ft.	50.50[1]	....	62.31	....	62.31	51.79
" " 26 ft.	50.50[1]	....	61.28[1]	....	60.15[1]	60.15
" " 28 ft.	75.00	....	61.28[1]	....	75.00	61.28
" " 30 ft.	80.00	....	70.00	....	76.19	65.63
" " over 30 ft.	50.68[1]	....	70.00	....	70.00	50.68
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	64.00[2]	....	70.00[1]	....	70.00[1]	70.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	60.60[1]	....	....	....	60.60[1]	60.60
" " 22-24 ft.	60.00[1]	60.00	....	....	60.00[1]	60.00
" " 26 ft.	60.89[3]	60.00[3]	72.75[2]	....	62.86[3]	62.86[2]
" " 28 ft.	65.30[1]	60.00	70.00[1]	....	60.00	66.36
" " 30 ft.	65.96[1]	....	....	....	65.96[1]	65.96
" " 32 ft.	....	60.00	....	....	60.00	....
16 inhc, Heart (85%+), up to 20 ft.	60.00[1]	....	....	....	60.00[1]	60.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	67.00	....	73.00	....	69.44	....
" " " 28 ft.	68.00	....	....	....	68.00	60.00
" " " 30 ft.	67.00[2]	....	....	....	67.00[2]	67.00[1]
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	50.00	50.00	53.33	....	50.61	50.00
" " " 36 ft.	50.43	51.91	53.33	50.00[1]	51.22	49.98
" " " 37-38 ft.	58.41	....	53.50	....	55.44	53.43
" " " 40 ft.	52.04[1]	52.46.	62.00	....	52.46	52.04
" " " 41-42 ft.	52.04[1]	57.00	....	....	57.00	52.04
Up to 9 inch, Heart (85%+), 34 ft.	58.00[2]	....	....	....	58.00[2]	58.00[1]
" " " " 36 ft.	64.00[1]	....	....	....	64.00[1]	64.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	62.00[2]	....	....	....	62.00[2]	62.00[1]
" " " " 41-42 ft.	64.00[2]	....	....	....	64.00[2]	64.00[1]
Up to 10 inch, Sq. E. 34 ft.	55.52	....	56.95	....	56.14	47.81[1]
" " " 36 ft.	52.14	52.40	56.95	52.50	52.30	52.37
" " " 37-38 ft.	....	....	62.00[2]	....	62.00[2]	62.00[1]
" " " 40 ft.	57.17	....	62.00[2]	....	57.17	52.00
" " " 41-42 ft.	57.17	63.00	....	....	63.00	52.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	51.11[2]	....	60.78	....	60.78	51.11[1]
" " " 36 ft.	56.84	60.00	60.78	57.50	57.80	54.29
" " " 37-38 ft.	61.00	60.00	65.00	....	63.10	52.50[3]
" " " 40 ft.	68.50	64.00	....	....	66.11	62.64
" " " 41-42 ft.	58.50	75.00[1]	....	....	68.50	75.00
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
“ “ “ 36 ft.	64.50	60.00	....	65.00[1]	63.35	65.00
“ “ “ 37-38 ft.	70.00[1]	56.50[2]	....	70.00[1]	70.00[1]	70.00
“ “ “ 40 ft.	62.00	65.67	....	70.47[1]	64.16	70.47
“ “ “ 41-42 ft.	62.00	....	....	....	62.00	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	51.00[2]	....	....	51.00[2]	51.00[1]
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	51.00[2]	....	....	51.00[2]	51.00[1]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	62.00	....	60.75[3]	....	62.00	60.75[2]
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	53.50[3]	....	....	....	53.50[3]	53.50[2]
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	63.00[1]	....	....	....	63.00[1]	63.00
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	37.80	....	....	....	37.80	41.61[3]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	43.86[2]	47.75[2]	37.00[2]	....	43.88[2]	43.88[1]
“ “ Heart, (85%+), 6x8–8	41.00	....	....	....	41.00	49.00
“ “ Sq. E., “ 7x9–8	48.00[1]	42.59[2]	....	50.50[3]	48.00[1]	48.00
“ “ Heart, “ 7x9–8	49.00[2]	43.00[2]	....	....	47.75[2]	47.75[1]
Bridge Ties, Sq. E., 7x9 & up	66.50[2]	....	....	....	66.50[2]	66.50[1]
“ “ Heart,	42.00	....	....	....	42.00	....
Paving Stock, S 1 S	....	36.00	37.73	....	36.73	36.77
“ “ Rough	42.00[3]	....	40.00[3]	....	41.02[3]	41.02[2]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	130.00	....	....	....	130.00	130.87
Miscellaneous	52.37[3]	46.57	47.29[2]	49.50	46.88	38.68
MISCELLANEOUS STOCK						
Silo Stock	46.00[3]	....	50.50	....	50.50	46.00[2]
Grain Doors	36.08[1]	....	....	....	36.08[1]	36.08
Miscellaneous, B and B	77.49	69.68	77.64	75.22	75.78	69.44
“ No. 1	56.48	48.99	38.44	62.50	45.54	46.42
“ No. 2	31.44	34.57	36.23	35.62	34.23	37.31
“ No. 3	22.25	26.94	26.87	23.25	26.12	26.54
Shorts B and B	64.83	38.92[1]	....	....	64.83	52.00
“ No. 1	28.18	34.00	....	....	28.27	25.83
“ No. 2	....	25.00	....	....	25.00	25.85
“ No. 3	....	29.86	....	....	29.86	28.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weigh
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3 00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

September 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending September 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling, and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
Plastering Lath, dry	550

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Sept. 20, 1920

No. 105

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A "	115.00[2]	....	....	....	115.00[3]	115.00[2]
" " B "	....	....	....	....	....	....
" " B and Better "	120.83	....	....	....	120.83	118.35
" " C "	69.00	....	....	....	69.00	100.00
" " D "	69.00	....	....	....	69.00	81.45[1]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	68.75[2]
" " B and Better "	67.26	....	....	....	67.26	68.76
" " C "	61.50[1]	....	....	....	61.50[1]	61.50
" " D "	57.00	....	....	....	57.00	59.95
No. 1 Common "	....	....	......	....	....	....
No. 2 " "	38.31	....	....	....	38.31	36.00
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	135.10[2]	127.00[1]	127.00[1]	127.00
Edge Grain, A "	....	....	129.00[1]	131.00	131.00	129.00
" " B "	....	....	117.79	122.00	118.56	122.26
" " B and Better "	101.62	118.33	....	121.66	112.00	118.64
" " C "	74.75	100.00[1]	98.72	105.00	100.02	104.06
" " D "	....	....	....	....	....	67.75[2]
" " No. 2 "	....	....	57.94	55.00[2]	57.94	65.40
Flat " A "	....	....	....	92.00[1]	92.00[1]	92.00
" " B "	63.00	67.50[1]	....	89.00[2]	63.00	67.50
" " B and Better "	65.88	68.00	76.89	73.00	69.54	76.20
" " C "	60.06	58.00[2]	....	....	60.06	58.00[2]
" " D "	54.18	48.00[2]	....	....	54.18	48.00[2]
No. 1 Common "	....	55.00[1]	61.45	72.00	62.29	62.38
No. 2 " "	35.32	35.25	35.73	31.00	35.40	51.63
No. 3 " "	....	....	19.75[1]	22.00[2]	19.75[1]	19.75
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	121.50[2]	121.50[2]	121.50[2]
Edge Grain, A "	100.00[2]	....	120.00	119.00	119.67	117.29
" " B "	....	102.75	83.30	110.00[2]	94.90	112.10
" " B and Better "	98.76	99.40	....	109.00[1]	99.04	97.94
" " C "	71.10	73.57[2]	101.15	....	81.30	84.26
" " D "	67.25[2]	....	....	....	67.25[2]	67.25[1]
" " No. 2 "	....	....	56.00	....	56.00	55.64
Flat " A "	70.00	....	....	....	70.0	71.00
" " B "	63.20	64.33	....	65.35[1]	63.46	65.15
" " B and Better "	65.84	64.94	65.37	75.75	65.50	65.92
" " C "	60.00	60.00	....	56.25[1]	60.00	59.25
" " D "	53.74	53.59	....	53.00[1]	53.72	55.26
No. 1 Common "	....	57.47	57.66	51.91	55.70	56.88
No. 2 " "	34.97	43.66	33.18	31.49	33.51	34.38
No. 3 " "	....	37.80	28.37	24.33	28.29	24.32
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	58.06	50.50[2]	56.24	62.25	56.82	55.67
" " No. 1 Common	50.00	48.00[2]	53.02	38.00	52.00	50.77
" " No. 2 "	33.33	....	31.36	28.00	30.32	31.52
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	59.95	59.76	58.41	55.00	59.30	60.90
" " No. 1 Common	50.02	52.95	52.33	60.35	51.72	53.58
" " No. 2 "	31.59	31.33	33.12	32.20[1]	32.48	33.02
" " No. 3 "	....	....	21.47[1]	....	21.47[1]	21.47
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	69.10	65.00[2]	70.45	....	69.82	76.30
" " No. 1 Common	61.50	61.50	64.14	....	62.65	59.75
" " No. 2 "	42.00[2]	....	36.75[1]	....	36.75[1]	36.75
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	73.00	67.39[1]	72.90[2]	77.40	75.66	68.27
" " No. 1 Common	59.00	59.00	63.25[2]	75.25[2]	59.00	62.00
" " No. 2 "	28.25[1]	....	36.35[2]	37.15	37.15	34.44
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	68.00	68.00	74.14	....	74.08	77.08
" " No. 1 Common	77.00[1]	....	59.48	57.00	58.94	65.91
" " No. 2 "	37.75[1]	....	34.81	....	34.81	37.58
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	45.31	57.50	....	....	52.09	50.00
" No. 1 Common	52.88[2]	....	41.55	40.00	41.00	44.53
" No. 2 "	40.67	19.00[2]	30.28	30.00	32.10	30.27

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	59.79	63.53	63.40	60.43	60.72	63.31
" " No. 1 Common	53.24	55.00	55.68	65.00	54.80	55.31
" " No. 2 "	33.36	34.25	34.84	34.65	34.23	35.10
" " No. 3 "	....	....	22.55	....	22.55	25.42
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	83.38	79.58	81.15	....	81.80	82.27
1x 6 inch, "	83.86	81.74	82.15	88.00	83.22	82.65
1x 8 inch, "	84.72	82.88	84.46	89.75	84.28	86.08
1x 5 and 10 inch, "	90.12	85.70	89.61	94.00	88.91	87.48
1x12 inch, "	90.66	86.16	93.08	99.00	90.19	87.64
1¼x4 to 12 inch, "	102.97	92.54	97.44	103.75	97.34	99.97
1½ and 2x4 to 12 inch, "	107.54	91.12[1]	95.93	75.00	95.60	88.86
1⅝ inch, "	75.00	97.00[1]	....	....	75.00	97.00
1x 6 to 12 inch, "	....	....	76.02[3]	71.00[3]	75.85[3]	75.85[2]
1x 4 inch, C	74.50	81.00[1]	....	....	74.50	79.06
1x 6 inch, "	72.82	77.36[1]	86.00	....	76.20	77.82
1x 8 inch, "	77.65	81.75[1]	86.00	....	79.24	75.79
1x 5 and 10 inch, "	80.30	88.00[1]	95.00	....	81.10	76.91
1x12 inch, "	76.55	89.72[1]	95.00	....	85.92	82.68
1¼x4 to 12 inch, "	98.00[2]	....	101.00	....	101.00	71.96
1½ and 2x4 to 12 inch, "	....	....	96.00	....	96.00	80.00[1]
1⅝ inch, "	....	....	....	....	....	75.50[3]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	66.50[3]	75.00[2]	77.50[2]	....	75.72[2]	75.72[1]
1x 6 inch, " "	70.31[2]	73.72[1]	80.89	72.49	75.00	73.11
1x 8 inch, " "	86.00[2]	73.72[1]	79.63	63.00	72.94	81.64
1x 5 and 10 inch, " "	96.00[2]	73.72[1]	80.25	....	80.25	73.72
1x12 inch, " "	96.00[2]	73.72[1]	85.00	....	85.00	73.72
1¼x4 to 12 inch, " "	108.00	76.60	102.50	92.33	85.10	84.14
1½ and 2x4 to 12 inch, " "	111.00	84.13	89.20	96.25	86.94	83.52
1⅝ inch, " "	....	87.00[1]	....	....	87.00[1]	87.00
1x 6 to 12 inch, " "	....	....	79.47[3]	75.00[3]	76.81[3]	76.81[2]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	90.44	89.20	90.52	100.00[1]	90.13	105.12
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	91.96	92.54	93.12	100.00[1]	92.62	99.02
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	100.40	52.92[2]	94.50	....	98.94	93.76
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	55.00	65.00	65.00[2]	....	60.00	54.00
" " " " " 8 ft.	60.00[2]	74.00[1]	81.26[1]	50.00	50.00	79.50
" " " " " 12 and 14 ft.	....	80.00[2]	....	....	80.00[2]	80.00[1]
" " " " " 16 ft.	....	80.00[2]	80.00	....	80.00	80.00[1]
" " " " " 9 or 18 ft.	81.00	84.00[1]	80.42	....	80.66	88.76
" " " " " 10 or 20 ft.	80.00[1]	68.00[1]	94.27	....	94.27	73.53

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	53.00[1]	54.00	52.21[2]	....	54.00	52.95
“ “ “ “ “ 8 ft.	50.00	49.65[1]	50.00[2]	....	50.00	49.65
“ “ “ “ “ 12 and 14 ft.	60.50[2]	52.50	....	....	52.50	55.53
“ “ “ “ “ 16 ft.	....	55.00[1]	58.00[2]	....	55.00[1]	55.00
“ “ “ “ “ 9 or 18 ft.	65.00	60.00	61.20	....	62.44	64.83
“ “ “ “ “ 10 or 20 ft.	60.00[1]	60.00	62.50[1]	....	60.00	59.81
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	....	50.00[1]	52.21[2]	....	50.00[1]	50.00
“ “ “ “ “ 8 ft.	....	50.88[1]	50.00[2]	....	50.88[1]	50.88
“ “ “ “ “ 12 and 14 ft.	47.20	52.50	....	....	47.20	55.53
“ “ “ “ “ 16 ft.	54.00[2]	55.00[1]	58.00[2]	....	55.00[1]	55.00
“ “ “ “ “ 9 or 18 ft.	65.00	60.00	62.50[1]	....	65.00	67.56
“ “ “ “ “ 10 or 20 ft.	67.44[1]	60.00	62.50[1]	....	60.00	67.44
Siding, Lining & Roofing, 4 and 6″, No. 2, 5 to 9 ft.	30.23	....	....	....	30.23	30.25
“ “ “ “ “ 10 to 20 ft.	30.32	32.00	....	30.00	30.35	33.36
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 9 & 18 ft.	51.50[3]	....	....	....	51.50[3]	51.50[2]
“ “ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 2 to 3 inch, 9 & 18 ft.	....	41.50[3]	49.63[1]	30.00	30.00	49.63
“ “ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	49.63[1]	....	49.63[1]	49.63
“ No. 1, “ 1⅝ inch, 9 & 18 ft.	37.00	40.00	....	....	39.58	37.00[3]
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	49.35	....	....	....	49.35	39.58
“ “ “ 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	50.00[1]	48.00[3]	....	50.00[1]	50.00
“ “ “ 2 to 3 inch 10 & 20 ft.	....	53.23[1]	....	....	53.23[1]	53.23
“ No. 2, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	44.61	49.00[2]	60.00[3]	....	44.61	52.58
“ “ “ “ other lengths.	47.64	52.12	58.08	57.35[1]	48.54	57.56
“ “ 1x10, “ 14 and 16 ft.	48.68	51.50	....	....	49.18	45.94
“ “ “ “ other lengths.	51.25	50.01	56.37	70.50[2]	52.26	53.33
“ “ 1x12, “ 14 and 16 ft.	53.32	57.00	74.08[2]	....	53.42	53.75
“ “ “ “ other lengths.	54.72	55.18	63.18	73.50	55.76	56.78
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	32.48	31.60	32.89	34.00	32.44	35.48
“ “ 1x10, “ “	33.29	34.75	34.85	32.05	34.01	35.48
“ “ 1x12, “ “	35.27	36.16	35.08	32.63	35.39	35.52
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	26.00	28.00	28.04	26.79	27.14	28.49
“ “ 1x10, “ “	27.32	27.00[1]	27.96	31.75[3]	27.81	28.78
“ “ 1x12, “ “	27.11	28.06	29.34	27.00[2]	27.91	29.14
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	41.51	47.91[1]	57.75[1]	....	41.51	48.81
“ “ “ other lengths.	46.75	49.61	58.53	50.00[2]	47.72	50.93
“ 1x10, “ 14 and 16 ft.	52.46	50.00[1]	63.00[2]	....	52.46	45.00
“ “ “ other lengths.	43.05	42.63[1]	52.85[2]	69.00	43.41	42.77
“ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ other lengths.	....	....	....			....
Shiplap, 1x 8, No. 2, all lengths.	33.68	34.74	34.82	32.92	34.00	34.92
“ 1x10, “ “	33.28	33.94	34.39	29.00	33.61	35.79
“ 1x12, “ “	....	....	....	35.00[2]	35.00[2]	35.00[1]
Shiplap, 1x 8, No. 3, all lengths.	28.38	28.44	30.02	32.50	29.38	28.69
“ 1x10, “ “	28.62	29.00	29.79	29.00	29.53	28.08
“ 1x12, “ “	26.46	....	....	....	26.46	28.40
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	51.76	....	....	....	51.76	52.75[2]
“ “ “ “ other lengths.	52.00	50.07[1]	32.00[3]	....	52.00	51.84
“ “ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ “ other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	13.25	....	17.41	....	16.37	24.89

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Averag Previou Report Aug. 3
1x4, S 1 S, No. 1, 16 ft.	51.40	50.00[3]	....	....	51.40	51.8
" " " other lengths	50.85	48.64	62.20	66.53	52.54	54.2
" " No. 2, all lengths	30.45	30.39	28.07	30.00[1]	29.55	32.2
" " No. 3, "	24.70	26.00	28.08	29.00[3]	24.94	26.6
1x4, C. M., No. 1, 16 ft.	52.50	....	....	....	52.50	....
" " " other lengths	51.50	....	....	....	51.50	42.7
" " No. 2, all lengths	30.00	....	....	....	30.00	29.2
" " No. 3, "	....	....	....	....	....	24.7
1x6, S 1 S, No. 1, 16 ft.	45.48	50.66	63.75[3]	....	45.99	52.4
" " " other lengths	48.91	49.15	57.46	65.50	51.62	53.4
" " No. 2, all lengths	31.64	31.74	33.57	34.62	32.19	34.1
" " No. 3, "	25.41	28.71[1]	27.30	29.50[3]	25.60	27.6
1x6, C. M., No. 1, 16 ft.	48.39	52.00[1]	....	....	48.39	55.2
" " " other lengths	53.95	50.66[1]	....	65.00[3]	53.95	51.4
" " No. 2, all lengths	31.12	32.47	....	33.40	31.60	34.0
" " No. 3, "	27.63	24.75	....	23.00	28.93	26.4
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	37.59	36.55	36.30	39.00[2]	36.97	36.1
" " " 12 ft.	35.26	36.29	35.00	37.00[1]	35.53	35.9
" " " 14 ft.	35.98	36.15	34.50	33.75	35.52	37.1
" " " 16 ft.	36.20	37.23	35.82	38.50[1]	36.50	37.8
" " " 18 ft.	37.87	38.49	36.52	39.50[1]	37.80	38.7
" " " 20 ft.	37.72	38.30	36.52	39.50[1]	38.03	40.2
" " " 22 ft.	42.49	42.00	45.25[1]	....	42.33	40.8
" " " 24 ft.	42.81	40.72	45.25[1]	....	41.84	40.7
2x 6, No. 1, S 1 S 1 E, 10 ft.	36.60	34.87	33.33	37.50[2]	34.51	37.7
" " " 12 ft.	32.41	34.82	32.91	....	32.92	33.3
" " " 14 ft.	31.60	35.06	32.91	37.40[2]	32.50	35.0
" " " 16 ft.	32.80	35.78	34.52	39.32[2]	33.80	35.9
" " " 18 ft.	34.95	36.56	33.33	41.23[2]	35.61	37.0
" " " 20 ft.	35.21	36.37	33.33	38.50[2]	35.58	37.0
" " " 22 ft.	38.59	39.69	40.41	....	39.46	37.9
" " " 24 ft.	39.27	38.92	40.41	....	39.09	39.1
2x 8, No. 1, S 1 S 1 E, 10 ft.	35.64	35.66	36.52	38.50[2]	36.41	35.3
" " " 12 ft.	35.96	33.80	34.61	....	35.01	35.7
" " " 14 ft.	37.05	35.45	33.35	38.50[2]	35.91	35.9
" " " 16 ft.	37.54	38.02	36.11	40.50[2]	37.27	37.3
" " " 18 ft.	38.91	36.97	36.52	....	38.40	37.9
" " " 20 ft.	38.60	36.93	36.52	....	37.94	37.6
" " " 22 ft.	40.24	40.84	37.61	....	38.63	40.2
" " " 24 ft.	40.29	41.35	37.61	....	40.63	40.3
2x10, No. 1, S 1 S 1 E, 10 ft.	39.16	38.00[2]	35.87	....	36.28	41.9
" " " 12 ft.	36.91	36.25	36.03	38.50[2]	36.35	35.8
" " " 14 ft.	37.34	36.85	36.03	38.50[2]	37.19	36.1
" " " 16 ft.	39.12	39.21	37.38	40.50[2]	38.87	39.3
" " " 18 ft.	40.10	38.66	35.87	....	39.54	38.5
" " " 20 ft.	38.18	39.74	35.87	....	38.94	39.6
" " " 22 ft.	43.82	42.00	42.15[1]	....	42.53	41.1
" " " 24 ft.	42.16	41.01	42.15[1]	....	41.91	40.1
2x12, No. 1, S 1 S 1 E, 10 ft.	36.19	38.20[1]	40.25	....	39.87	39.4
" " " 12 ft.	39.38	36.16	37.75	40.50[2]	37.46	38.2
" " " 14 ft.	40.74	37.04	37.75	34.50	37.06	39.5
" " " 16 ft.	42.27	38.22	44.55	42.50[2]	41.61	40.9
" " " 18 ft.	43.20	40.28	40.25	35.75	40.54	42.1
" " " 20 ft.	43.81	40.64	40.25	....	42.01	42.3
" " " 22 ft.	45.92	43.47	43.07	....	43.99	44.
" " " 24 ft.	46.58	41.16	43.07	....	43.17	43.2
2x 4, No. 2, S 1 S 1 E, 10 ft.	31.76	34.72	36.72	29.00[1]	34.27	34.
" " " 12 ft.	33.54	33.61	33.43	30.75	33.29	33.9
" " " 14 ft.	32.81	32.90	33.87	30.75	32.73	35.
" " " 16 ft.	32.35	33.96	33.86	29.90	32.41	36.3
" " " 18 ft.	35.58	35.32	36.23	30.89	35.08	36.
" " " 20 ft.	32.93	36.71	36.23	29.25	34.09	36.7
" " " 22 ft.	39.75[2]	41.50[1]	....	....	41.50[1]	41.5
" " " 24 ft.	39.75[2]	41.50[1]	....	....	41.50[1]	41.5
2x 6, No. 2, S 1 S 1 E, 10 ft.	29.25	34.50	33.33	35.50[1]	33.46	34.3
" " " 12 ft.	30.19	29.65	31.54	33.50[1]	30.59	31.
" " " 14 ft.	29.06	30.87	31.54	30.00	30.09	31.2
" " " 16 ft.	28.20	30.42	32.71	34.25[1]	29.98	29.4
" " " 18 ft.	34.33	33.79	33.33	36.50[1]	34.09	33.7
" " " 20 ft.	31.95	32.49	33.33	36.50[1]	32.30	32.7
" " " 22 ft.	39.25[2]	39.00[1]	41.00	....	41.00	39.0
" " " 24 ft.	....	39.00[1]	41.00	....	41.00	39.

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	38.25	34.00	29.12	....	29.71	34 20
" " " 12 ft.	29.94	30.25	31.63	34.50[1]	30.30	33 29
" " " 14 ft.	30.13	33.56	35.41	....	32.11	32 19
" " " 16 ft.	31.79	33.26	33.82	36.50[1]	32 66	34 61
" " " 18 ft.	32.76	33 49	29.12	37 50[1]	33.07	35 97
" " " 20 ft.	35.21	35.04	29.12	37 50[1]	35.11	35 69
" " " 22 ft.	32.75[2]	37.50[1]	40 11[2]	....	37.50[1]	37 50
" " " 24 ft.	32.75[2]	37.50[1]	40.11[2]	....	37.50[1]	37 50
2x10, No. 2, S 1 S 1 E, 10 ft.	34.00	35 25[1]	34.49	28.25	32.63	36 65
" " " 12 ft.	33.15	35 25[1]	34.50	28.25	32.64	32.74
" " " 14 ft.	33.62	32.00	34.50	....	33 45	33 08
" " " 16 ft.	34.41	34.94	33 39	....	34.07	36 61
" " " 18 ft.	31.75	34.00	34.49	28 25	30.31	36 08
" " " 20 ft.	34.31	36 83[1]	34.49	28.25	30.21	36 67
" " " 22 ft.	30.00[2]	39 25[1]	42.78[1]	....	42 43[1]	42.43
" " " 24 ft.	30.00[2]	39.25[1]	42.78[1]	....	42.43[1]	42 43
2x12, No. 2, S 1 S 1 E, 10 ft.	29.75	34.50	35.27	....	34.68	35.41
" " " 12 ft.	30.91	35.17	32.32	31.00[1]	32.40	34 64
" " " 14 ft.	30.91	35.75	32.32	31.00[1]	33.48	33.45
" " " 16 ft.	32.25	35.39	32.00	27.00	32.47	34 85
" " " 18 ft.	29.75	38.50	35.27	....	34.12	36.33
" " " 20 ft.	31.46	36.39	35.27	....	35.07	36 03
" " " 22 ft.	43.00[2]	37.00	42.50[1]	....	37.00	42.29
" " " 24 ft.	....	37.00	42.50[1]	....	37.00	41.88
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E, all lengths	23.01	25 00	20.75	18 25	23.88	24.72
PATENT LATH						
4 and 6 ft.	25.00	31.00[1]	33.00	....	28.00	32.06
8 and 10 ft.	29.20	33.25	....	....	30.13	29 19[1]
12 ft. and longer	33.25	....	....	....	33.25	34.64[1]
PLASTERING LATH						
⅜x1½-4, No. 1	6.18	6.21	6.53	5.06	6.10	6.45
" No. 2	4.35	5.05[1]	4.42	5.84	4.72	4.17
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	42.80	39.84	40.36	28.50[2]	41.20	42.98
" " 22-24 ft.	42.65	47.22	42.19	....	43 91	40.08
" " 26 ft.	46 37	45 00[1]	44.71	....	45 00	47 09
" " 28 ft.	48 00[1]	48.33[2]	44.71	....	44.71	48 00
" " 30 ft.	47 52	46 33	53 23[1]	....	47.34	52 27
" " over 30 ft.	50.65	54.04	53.23[1]	....	51.03	51.00
4x4 to 8x8, Heart (85%+), up to 20 ft.	45.59	48 21	....	....	46.53	43 68
" " " 22-24 ft.	57.11	50.14	....	....	53.74	48 07[1]
" " " 26 ft.	....	53.00	....	....	53 00	....
" " " 28 ft.	53.84	55.50	....	....	54.26	....
" " " 30 ft.	....	57 00	....	....	57.00	59 50[1]
" " " over 30 ft.	56.69	51.00[2]	....	....	56.69	51.00[1]
3 & 4x10, No. 1, up to 20 ft.	43.26	47 36	....	....	43 85	42 92
" " 22-24 ft.	45.87	47.00[1]	....	....	45 87	47 00
" " 26 ft.	47 08	....	....	....	47 08	49 49[1]
" " 28 ft.	62 50[1]	....	....	....	62 50[1]	62 50
" " 30 ft.	50 50[2]	....	....	....	50 50[2]	50 50[1]
" " over 30 ft.	64.06	....	....	....	64.06	51 88[1]
3 & 4x10, Heart (85%+), up to 20 ft.	49.51	52.00	....	....	49 81	53 00
" " " 22-24 ft.	....	48 20[2]	....	....	48 20[2]	48 20[1]
" " " 26 ft.	....	50 00[2]	....	....	50 00[2]	50 00[1]
" " " 28 ft.	....	51.00[2]	....	....	51.00[2]	51.00[1]
" " " 30 ft.	53.75[2]	....	....	....	53.75[2]	53 75[1]
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
6x10, to 10x10, No. 1, up to 20 ft.	42.93	45.50	45.96	....	43.52	45.48
" " 22-24 ft.	46.67[2]	46.50	45.08	....	45.19	48.08
" " 26 ft.	43.21	47.50	48.24	....	46.80	49.73
" " 28 ft.	47.32[2]	....	48.24	....	48.24	49.80
" " 30 ft.	50.00[1]	49.50	49.00	....	49.14	52.43
" " over 30 ft.	52.18	65.00[1]	53.50	....	52.19	57.24
6x10 to 10x10, Heart (85%+), up to 20 ft.	47.00	53.50	....	....	47.36	55.00[1]
" " " 22-24 ft.	49.00[1]	55.00	....	....	55.00	49.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	55.00	....	....	55.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	56.00[3]	60.50	....	....	60.50	56.00[2]
3 & 4x12, No 1, up to 20 ft.	50.39	33.32	....	35.00[3]	47.54	46.77
" " 22 24 ft.	50.43	47.11[1]	....	....	50.43	47.11
" " 26 ft.	55.50	....	....	....	55.50	51.25[3]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	51.95[2]	65.00[1]	....	....	65.00[1]	65.00
3 & 4x12, Heart (85%+), up to 20 ft.	53.44	57.00	....	....	54.58	55.52
" " " 22-24 ft.	....	59.00	....	....	59.00	60.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	60.00[3]	....	....	....	60.00[3]	60.00[2]
6x12 to 12x12, No. 1, up to 20 ft.	45.94	48.25	48.78	....	48.29	49.91
" " 22-24 ft.	49.63	48.50	52.29	....	50.78	52.04
" " 26 ft.	51.09	48.00[1]	52.09	....	51.48	52.03
" " 28 ft.	54.00	....	52.09	....	54.00	55.20
" " 30 ft.	49.00	57.50[1]	55.10	....	53.62	52.17
" " over 30 ft.	58.51	59.25[3]	55.10	....	58.51	58.48
6x12 to 12x12, Heart (85%+) up to 20 ft.	56.32	54.25	....	....	56.29	56.88
" " " 22-24 ft.	59.63	60.00	....	....	59.65	50.75
" " " 26 ft.	53.75[2]	65.00[1]	....	....	65.00[1]	65.00
" " " 28 ft.	....	55.00	....	....	55.00	....
" " " 30 ft.	....	....	....	....	....	60.00[3]
" " " over 30 ft.	62.28[3]	60.00[3]	....	....	61.81[3]	61.81[2]
2x14 to 4x14, No. 1, up to 20 ft.	62.31	52.03[1]	....	....	62.31	52.03
" " 22-24 ft.	57.30[2]	51.00[1]	....	....	51.00[1]	51.00
" " 26 ft.	51.25[2]	54.00[1]	....	....	54.00[1]	54.00
" " 28 ft.	52.25[2]	....	....	....	52.25[2]	52.25[1]
" " 30 ft.	65.00	....	....	....	65.00	....
" " over 30 ft.	56.50[3]	....	....	....	56.50[3]	56.50[2]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	62.00[3]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	51.62	50.50	48.56	....	50.15	52.71
" " 22-24 ft.	50.00	....	47.67	....	49.10	62.08
" " 26 ft.	50.50	....	59.50[1]	....	59.50[1]	59.50
" " 28 ft.	50.50[2]	....	59.50[1]	....	59.50[1]	59.50
" " 30 ft.	50.50[2]	....	63.50[1]	....	63.50[1]	63.50
" " over 30 ft.	62.00	85.00[1]	71.00	....	68.78	68.58
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	70.00	....	....	70.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	83.71	58.00[1]	....	....	83.71	58.00
" " 22-24 ft.	....	55.00[3]	....	....	55.00[3]	55.00[2]
" " 26 ft.	....	56.00[3]	....	....	5 .00[3]	56.00[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	65.00[1]	....	....	65.00[1]	65.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
6x16 & Up, No. 1, up to 20 ft.	61.07	....	57.88	....	58.19	62.10
" " 22-24 ft.	50.50[2]	....	71.00	....	71.00	62.31
" " 26 ft.	50.50[2]	....	72.34	....	72.34	60 15[1]
" " 28 ft.	75 00[1]	....	72.34	....	72.34	75.00
" " 30 ft.	80 00[1]	....	56.50	....	56.50	76.19
" " over 30 ft.	66.00	....	56.50	....	66.00	70.00
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	64.00[3]	....	70.00[2]	....	70.00[2]	70.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	60.60[2]	....	....	....	60.60[2]	60.60[1]
" " 22-24 ft.	60.00[2]	60.00[1]	....	....	60.00[2]	60 00[1]
" " 26 ft.	....	....	....	....	....	62.86[3]
" " 28 ft.	65.30[2]	56.50	70.00[2]	....	56.50	60.00
" " 30 ft.	65.96[2]	....	....	....	65.96[2]	65.96[1]
" " 32 ft.	....	60.00[1]	....	....	60.00[1]	60.00
16 inhe, Heart (85%+), up to 20 ft.	66.00	....	....	....	66.00	60.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	67.00[1]	....	73.00[1]	....	69.44[1]	69.44
" " " 28 ft.	68.00[1]	....	....	....	68 00[1]	68.00
" " " 30 ft.	67.00[3]	....	....	....	67.00[3]	67.00[2]
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	50.00[1]	50.00[1]	53.33[1]	....	50.61[1]	50.61
" " " 36 ft.	50.43[1]	51.91[1]	53.33[1]	50.00[2]	51.22[1]	51.22
" " " 37-38 ft.	58.00	....	49.51	....	52.01	55.44
" " " 40 ft.	52.04[2]	52.46[1]	49.51	....	49.51	52.46
" " " 41-42 ft.	52.04[2]	57.00[1]	....	....	57.00[1]	57.00
Up to 9 inch, Heart (85%+), 34 ft.	58.00[3]	....	....	....	58.00[3]	58.00[2]
" " " " 36 ft.	64.00[2]	....	....	....	64.00[2]	64.00[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	62.00[3]	....	....	....	62.00[3]	62.00[2]
" " " " 41-42 ft.	64.00[3]	....	....	....	64.00[3]	64.0)[2]
Up to 10 inch, Sq. E. 34 ft.	55.52[1]	....	56.95[1]	....	56.14[1]	56.14
" " " 36 ft.	54.00	52.40[1]	56.95[1]	52.00	53.02	52.30
" " " 37-38 ft.	57.00	....	62.00[3]	....	57.00	62 00[2]
" " " 40 ft.	53.00	....	62.00[3]	....	53.00	57 17
" " " 41-42 ft.	53.00	63.00[1]	....	....	53.00	63.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	56.78	....	....	....	56.78	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	51.11[3]	....	64.00	....	64.00	60.78
" " " 36 ft.	56.84[1]	60 00[1]	64.00	57.50[1]	64.00	57.80
" " " 37-38 ft.	61.00[1]	60.00[1]	65.00	....	65.00	63.10
" " " 40 ft.	68 50[1]	64 00[1]	48.00	....	48.00	66.11
" " " 41-42 ft.	68.50[1]	75.00[2]	....	....	68.50[1]	68.50
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
Up to 14 inch, Sq. E., 34 ft.	....	....	66.26	....	66.26	....
" " " 36 ft.	59.00	60.00[1]	66.26	65.00[2]	59.00	63.35
" " " 37-38 ft.	70.00[2]	56.50[3]	72.00	70.00[2]	72.00	70.00[1]
" " " 40 ft.	72.00	65.57[1]	72.00	70.47[2]	72.00	64.16
" " " 41-42 ft.	72.00	....	....	....	72.00	62.00
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	51.00[3]	....	....	51.00[3]	51.00[2]
" " 14 ft.	....	56.00	....	....	56.00	....
" " 16 ft.	....	51.00[3]	....	....	51.00[3]	51.00[2]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	62.00	....	....	....	62.00	62.00
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	53.50[3]
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	63.00[2]	....	....	....	63.00[2]	63.00[1]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	..	....	....	....	....
" " " 30 "	37.80[1]	....	....	..	37.80[1]	37.80
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	41.08	41.80	37.00[3]	....	41.68	43.88[2]
" " Heart, (85%+), 6x8–8	52.00	....	....	....	52.00	41.00
" " Sq. E., " 7x9–8	48.00[2]	42.59[3]	....	....	48.00[2]	48.00[1]
" " Heart, " 7x9–8	49.00[3]	43.00[3]	....	....	47.75[3]	47.75[2]
Bridge Ties, Sq. E., 7x9 & up	66.50[3]	....	....	....	66.50[3]	66.50[2]
" " Heart,	49.58	....	....	....	49.58	42.00
Paving Stock, S 1 S	....	36.00[1]	37.73[1]	....	36.73[1]	36.73
" " Rough	....	....	....	....	....	41.02[3]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	130.00[1]	....	....	....	130.00[1]	130.00
Miscellaneous	54.50	50.09	48.05	61.85	51.79	46.88
MISCELLANEOUS STOCK						
Silo Stock	....	....	50.50[1]	....	50.50[1]	50.50
Grain Doors	36.00	....	....	....	36.00	36.08[1]
Miscellaneous, B and B	106.82	78.80	77.64[1]	85.21	89.28	75.78
" No. 1	49.89	57.34	41.98	50.05	45.54	45.54
" No. 2	36.09	30.93	33.54	30.04	32.29	34.23
" No. 3	22.00	29.43	28.15	27.16	28.04	26.13
Shorts B and B	64.83[1]	38.92[2]	....	....	64.83[1]	64.83
" No. 1	24.00	37.50	....	....	24.49	28.27
" No. 2	....	24.11	....	....	24.11	25.00
" No. 3	....	25.50	....	....	25.50	29.86

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

eight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
200	8.25	8,50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

ght	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
00	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
00	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
00	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
00	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
00	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
00	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
00	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
00	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
00	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

September 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending September 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Sept. 30, 1920

No. 106

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	115.00[2]
" " B "	....	....	....	....	....	....
" " B and Better "	114.28	....	....	....	114.28	120.83
" " C "	97.75	....	....	....	97.75	69.00
" " D "	64.06	....	....	....	64.06	69.00
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	66.94	....	....	....	66.94	67.26
" " C "	61.50[2]	....	....	....	61.50[2]	61.50[1]
" " D "	55.09	....	....	....	55.09	57.00
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	38.31[1]	....	....	....	38.31[1]	38.31
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	121.25	121.25	127.00[1]
Edge Grain, A "	....	....	124.50	126.33	125.50	131.00
" " B "	....	....	113.08	122.00[1]	113.08	118.56
" " B and Better "	101.62	117.71	....	112.00	115.40	112.00
" " C "	74.75[1]	100.00[2]	90.25	105.00[1]	90.25	100.02
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	65.00	50.00	53.28	57.94
Flat " A "	....	....	....	86.00	86.00	92.00[1]
" " B "	63.00[1]	68.00	....	86.75	74.25	63.00
" " B and Better "	65.88[1]	68.00[1]	73.68	72.73	73.26	69.54
" " C "	60.06[1]	....	....	....	60.06[1]	60.06
" " D "	54.18[1]	....	....	....	54.18[1]	54.18
No. 1 Common "	....	55.00[2]	60.76	65.66	62.44	62.29
No. 2 " "	35.32[1]	35.56	34.75	31.22	33.58	35.40
No. 3 " "	....	....	23.00	23.30	23.27	19.75[1]
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	121.50[3]
Edge Grain, A "	....	....	119.00	119.00	119.00	119.67
" " B "	....	102.75[1]	111.10	....	111.10	94.90
" " B and Better "	92.32	97.19	....	108.18	96.00	99.04
" " C "	71.10[1]	....	94.73	....	94.73	81.30
" " D "	62.50	....	....	....	62.50	67.25[2]
" " No. 2 "	....	....	58.20	....	58.20	56.00
Flat " A "	70.00[1]	....	....	....	70.00[1]	70.00
" " B "	63.98	64.23	....	65.35[2]	64.18	63.46
" " B and Better "	63.64	64.95	62.43	62.50	63.46	65.50
" " C "	61.20	60.00	....	56.25[2]	60.75	60.00
" " D "	54.00	52.11	....	53.00[2]	53.92	53.72
No. 1 Common "	....	53.99	53.78	51.58	53.00	55.70
No. 2 " "	34.11	35.72	31.91	31.09	33.55	33.51
No. 3 " "	....	37.80[1]	22.69	20.56	21.27	28.29
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	57.52	52.20	52.28	53.00	52.74	56.82
" " No. 1 Common	49.00	....	47.84	55.00	49.03	52.00
" " No. 2 "	33.33[1]	....	28.12	28.00[1]	28.12	30.32
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	58.80	58.77	56.51	57.50	58.22	59.30
" " No. 1 Common	51.00	49.00	54.97	55.59	53.60	51.72
" " No. 2 "	30.88	30.48	31.52	30.00	31.13	32.48
" " No. 3 "	....	....	20.00	....	20.00	21.47[1]
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	68.15	65.00[3]	69.75	....	68.32	69.82
" " No. 1 Common	61.50[1]	61.50[1]	65.50	....	65.50	62.65
" " No. 2 "	....	....	36.75[2]	....	36.75[2]	36.75[1]
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	69.80	67.39[2]	....	67.50	68.28	75.66
" " No. 1 Common	53.00	59.00[1]	....	65.00	60.50	59.00
" " No. 2 "	28.25[2]	....	....	37.15[1]	37.15[1]	37.15
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	70.00	68.00[1]	70.51	70.00	70.47	74.08
" " No. 1 Common	77.00[2]	....	66.16	57.00[1]	66.16	58.94
" " No. 2 "	37.75[2]	....	33.76	....	33.76	34.81
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	47.04	56.96	....	....	47.87	52.09
" No. 1 Common	....	....	46.99	40.00[1]	46.99	41.00
" No. 2 "	40.67[1]	19.00[3]	26.50	30.00[1]	26.50	32.10

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	58.80	63.04	59.11	48.83	58.94	60.72
" " No. 1 Common	52.24	57.13	54.24	60.89	53.92	54.80
" " No. 2 "	33.31	40.42	34.28	32.67	33.93	34.23
" " No. 3 "	....	....	25.44	....	25.44	22.55
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	76.87	84.58	75.78	....	78.36	81.80
1x 6 inch, "	79.68	82.37	80.71	70.00	80.12	83.22
1x 8 inch, "	80.48	85.00	80.90	75.00	81.26	84.28
1x 5 and 10 inch, "	84.62	87.09	83.26	75.00	84.70	88.91
1x12 inch, "	84.10	89.83	84.27	80.00	84.72	90.19
1¼x4 to 12 inch, "	92.76	96.89	92.30	103.75[1]	93.02	97.34
1½ and 2x4 to 12 inch, "	86.57	91.12[2]	88.46	75.00	84.96	95.60
1⅝ inch, "	73.61	85.00	....	....	81.42	75.00
1x 6 to 12 inch, "	....	....	....	....	....	75.85[3]
1x 4 inch, C	74.50[1]	81.00	....	....	81.00	74.50
1x 6 inch, "	77.85	77.36[2]	86.00[1]	....	77.85	76.20
1x 8 inch, "	78.50	81.75[2]	86.00[1]	....	78.50	79.24
1x 5 and 10 inch, "	81.76	88.00[2]	95.00[1]	....	81.76	81.10
1x12 inch, "	76.55[1]	89.72[2]	95.00[1]	....	85.92[1]	85.92
1¼x4 to 12 inch, "	98.00[3]	....	73.17	....	73.17	101.00
1½ and 2x4 to 12 inch, "	....	....	70.25	....	70.25	96.00
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	67.75	75.00[3]	77.50[3]	....	67.75	75.72[2]
1x 6 inch, " "	71.42	73.72[2]	69.46	79.00	71.62	75.00
1x 8 inch, " "	71.42	73.72[2]	74.40	79.00	75.44	72.94
1x 5 and 10 inch, " "	72.31	73.72[2]	89.00	....	81.10	80.25
1x12 inch, " "	72.31	73.72[2]	77.56	....	76.82	85.00
1¼x4 to 12 inch, " "	92.00	75.75	91.19	77.00	76.83	85.10
1½ and 2x4 to 12 inch, " "	92.27	80.00	88.43	80.00	86.44	86.94
1⅝ inch, " "	....	75.93	....	78.33	76.54	87.00[1]
1x 6 to 12 inch, " "	....	....	....	....	....	76.81[3]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	88.12	92.15	81.96	100.00[2]	87.69	90.13
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	89.54	92.75	87.16	100.00[2]	89.22	92.62
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	87.66	92.00	94.50[1]	88.00	89.18	98.94
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	55.00	65.00[1]	65.00[3]	....	55.00	60.00
" " " " " 8 ft.	59.61	58.62	68.50	50.00[1]	61.11	50.00
" " " " " 12 and 14 ft.	....	65 00	....	....	65.00	80.00[2]
" " " " " 16 ft.	....	80.00[3]	80.00[1]	....	80.00[1]	80.00
" " " " " 9 or 18 ft.	70.10	79.39	77.30	....	75.68	80.66
" " " " " 10 or 20 ft	66.08	69.11	76.67[1]	....	69.36	94.27

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	45.00	54.00[1]	65.00	....	49.13	54.00
" " " " " 8 ft.	46.47	50.91	50.00[3]	....	48.14	50.00
" " " " " 12 and 14 ft.	60.50[3]	55.00	....	....	55.00	52.50
" " " " " 16 ft.	....	50.00	58.00[3]	....	50.00	55.00[1]
" " " " " 9 or 18 ft.	61.88	60.00	65.49	....	63.34	62.44
" " " " " 10 or 20 ft.	52.42	60.00[1]	62.50[2]	....	52.42	60.00
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	48.19	50.00[2]	65.00	....	48.19	50.00[1]
" " " " " 8 ft.	60.00	50.91	50.00[3]	....	60.00	50.88[1]
" " " " " 12 and 14 ft.	45.75	55.00	....	....	45.75	47.20
" " " " " 16 ft.	56.00	50.00	58.00[3]	....	56.00	55.00[1]
" " " " " 9 or 18 ft.	58.00	60.00	65.49	....	58.00	65.00
" " " " " 10 or 20 ft.	50.00	60.00[1]	62.50[2]	....	50.00	60.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	27.49	....	....	....	27.49	30.23
" " " " " 10 to 20 ft.	28.98	26.81	....	30.00[1]	27.39	30.35
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	51.50[3]
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	....	45.50	30.00[1]	45.50	30.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	45.50	....	45.50	49.63[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	32.00	40.00[1]	....	....	32.00	39.58
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	55.00	....	....	....	55.00	49.35
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch. 9 & 18 ft	44.25	45.00	....	....	44.44	50.00[1]
" " " 2 to 3 inch 10 & 20 ft.	....	38.83	38.25	....	38.04	53.23[1]
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch. 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	46.43	49.00[3]	....	....	46.43	44.61
" " " " other lengths.	44.27	48.18	52.20	59.32	46.38	48.54
" " 1x10, " 14 and 16 ft.	46.03	51.50[1]	....	....	46.03	49.18
" " " " other lengths.	46.01	45.95	54.88	60.63	48.39	52.26
" " 1x12, " 14 and 16 ft.	49.92	52.94	71.00	....	50.70	53.42
" " " " other lengths.	49.73	53.47	61.44	68.50	50.94	55.76
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	31.34	32.59	34.04	36.77	32.76	32.44
" " 1x10, " "	32.32	33.51	34.92	37.69	33.84	34.01
" " 1x12, " "	33.55	35.88	35.12	31.16	34.75	35.39
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	25.25	24.04	29.09	26.79[1]	26.08	27.14
" " 1x10, " "	25.40	24.41	27.78	29.20	25.25	27.81
" " 1x12, " "	25.97	23.87	29.13	27.00[3]	27.57	27.91
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	45.18	47.91[2]	48.50	....	45.59	41.51
" " " other lengths.	44.68	47.51	50.54	50.00[3]	45.71	47.72
" 1x10, " 14 and 16 ft.	45.38	48.98	63.00[3]	....	46.44	52.46
" " " other lengths.	45.05	50.01	52.85[3]	69.00[1]	47.28	43.41
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	32.23	33.22	32.54	32.70	32.52	34.00
" 1x10, " "	31.32	33.70	33.15	34.71	32.14	33.61
" 1x12, " "	....	....	....	35.00[3]	35.00[3]	35.00[2]
Shiplap, 1x 8, No. 3, all lengths.	26.90	26.63	27.42	32.50[1]	27.14	29.38
" 1x10, " "	27.24	26.95	28.38	29.00[1]	27.55	29.53
" 1x12, " "	26.46[1]	....	....	....	26.46[1]	26.46
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	46.14	....	....	....	46.14	51.76
" " " " other lengths.	46.75	50.07[2]	....	....	46.75	52.00
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	14.62	..	15.25	....	14.96	16.37

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
1x4, S 1 S, No. 1, 16 ft.	47.20	....	....	....	47.20	51.40
“ “ “ other lengths	45.71	47.66	67.99	60.50	46.73	52.54
“ “ No. 2, all lengths	27.98	29.02	31.13	24.50	28.61	29.55
“ “ No. 3, “	23.50	24.36	25.49	23.00	24.23	24.94
1x4, C. M., No. 1, 16 ft.	52.50[1]	....	....	....	52.50[1]	52.50
“ “ “ other lengths	37.00	....	....	....	37.00	51.50
“ “ No. 2, all lengths	28.25	....	....	....	28.25	30.00
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	47.38	50.57	63.63	....	47.95	45.99
“ “ “ other lengths	46.17	48.44	62.21	60.50	47.80	51.62
“ “ No. 2, all lengths	29.75	35.24	32.95	28.27	30.57	32.19
“ “ No. 3, “	23.68	25.40	27.81	....	24.89	25.60
1x6, C. M., No. 1, 16 ft.	46.73	52.00[2]	...	....	46.73	48.39
“ “ “ other lengths	45.27	48.00	....	....	45.32	53.95
“ “ No. 2, all lengths	30.11	31.57	....	34.00	30.48	31.60
“ “ No. 3, “	25.50	24.18	....	23.00[1]	24.79	28.93
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	34.57	35.57	33.09	39.00[3]	34.61	36.97
“ “ “ 12 ft.	34.09	36.77	32.15	37.00[2]	34.74	35.53
“ “ “ 14 ft.	34.30	33.83	30.38	33.75	33.48	35.52
“ “ “ 16 ft.	35.37	35.08	33.66	38.50[2]	34.96	36.50
“ “ “ 18 ft.	35.67	37.67	35.56	39.50[2]	36.17	37.80
“ “ “ 20 ft.	35.78	37.84	35.56	39.50[2]	36.42	38.03
“ “ “ 22 ft.	39.40	34.64	45.25[2]	....	36.36	42.33
“ “ “ 24 ft.	39.93	40.34	45.25[2]	....	40.03	41.84
2x 6, No. 1, S 1 S 1 E, 10 ft.	33.98	33.75	34.44	31.75	34.16	34.51
“ “ “ 12 ft.	32.40	32.32	31.53	31.75	32.12	32.92
“ “ “ 14 ft.	32.87	32.74	31.53	37.40[3]	32.81	32.50
“ “ “ 16 ft.	33.98	32.71	32.97	39.33[3]	33.40	33.80
“ “ “ 18 ft.	34.52	35.02	34.15	41.23[3]	34.62	35.61
“ “ “ 20 ft.	34.52	34.58	34.15	38.50[3]	34.55	35.58
“ “ “ 22 ft.	36.85	33.94	41.34	....	35.58	39.46
“ “ “ 24 ft.	38.09	35.39	41.34	....	36.51	39.09
2x 8, No. 1, S 1 S 1 E, 10 ft.	33.79	33.00	35.35	31.75	34.62	36.41
“ “ “ 12 ft.	32.57	33.06	35.27	....	33.63	35.01
“ “ “ 14 ft.	33.97	33.35	34.92	38.50[3]	34.01	35.91
“ “ “ 16 ft.	34.12	33.28	36.38	31.75	34.29	37.27
“ “ “ 18 ft.	36.26	35.75	35.35	....	36.18	38.40
“ “ “ 20 ft.	34.90	34.94	35.35	....	34.91	37.94
“ “ “ 22 ft.	40.13	36.10	40.10	....	38.24	38.63
“ “ “ 24 ft.	39.00	40.73	40.10	....	39.90	40.63
2x10, No. 1, S 1 S 1 E, 10 ft.	33.73	33.70	34.63	....	34.28	36.28
“ “ “ 12 ft.	33.64	32.72	36.54	38.50[3]	34.58	36.35
“ “ “ 14 ft.	33.74	32.18	36.54	38.50[3]	33.17	37.19
“ “ “ 16 ft.	35.88	35.34	38.63	40.50[3]	36.13	38.87
“ “ “ 18 ft.	34.96	35.07	34.63	....	35.01	39.54
“ “ “ 20 ft.	35.99	38.13	34.63	....	36.18	38.94
“ “ “ 22 ft.	39.94	39.18	41.66	....	40.08	42.53
“ “ “ 24 ft.	42.74	41.86	41.66	....	42.45	41.91
2x12, No. 1, S 1 S 1 E, 10 ft.	35.10	32.00	37.75	....	36.89	39.87
“ “ “ 12 ft.	36.64	38.40	36.08	40.50[3]	36.83	37.46
“ “ “ 14 ft.	35.06	37.31	36.08	34.50	35.33	37.06
“ “ “ 16 ft.	37.01	39.93	33.58	42.50[3]	36.03	41.61
“ “ “ 18 ft.	36.55	38.80	37.75	35.75[1]	37.05	40.54
“ “ “ 20 ft.	37.99	37.55	37.75	....	37.79	42.01
“ “ “ 22 ft.	43.35	42.05	45.54	....	43.53	43.99
“ “ “ 24 ft.	40.92	44.50	45.54	....	42.01	43.17
2x 4, No. 2, S 1 S 1 E, 10 ft.	32.51	31.89	36.45	29.00[2]	32.39	34.27
“ “ “ 12 ft.	31.47	30.37	33.93	27.00	30.63	33.29
“ “ “ 14 ft.	31.02	31.19	23.94	27.03	28.69	32.73
“ “ “ 16 ft.	32.06	29.86	26.80	27.85	28.64	32.41
“ “ “ 18 ft.	32.20	34.52	32.18	30.89[1]	33.09	35.08
“ “ “ 20 ft.	32.75	32.93	32.18	29.25[1]	32.83	34.09
“ “ “ 22 ft.	34.00	34.50	....	....	34.12	41.50[1]
“ “ “ 24 ft.	34.00	34.50	....	....	34.00	41.50[1]
2x 6, No. 2, S 1 S 1 E, 10 ft.	29.85	30.75	31.00	35.50[2]	30.94	33.46
“ “ “ 12 ft.	30.31	30.15	28.40	28.75	29.83	30.59
“ “ “ 14 ft.	27.90	30.29	28.40	27.25	28.78	30.09
“ “ “ 16 ft.	31.22	29.47	30.04	26.35	29.84	29.98
“ “ “ 18 ft.	31.61	49.86	31.00	36.50[2]	39.14	34.09
“ “ “ 20 ft.	30.63	30.84	31.00	36.50[2]	30.72	32.30
“ “ “ 22 ft.	39.25[3]	32.54	38.50	....	36.04	41.00
“ “ “ 24 ft.	....	32.54	38.50	....	36.04	41.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	38.25[1]	32.00	33.23	....	32.62	29.71
" " " 12 ft.	27.81	29.70	33.53	28.75	30.28	30.30
" " " 14 ft.	27.46	30.35	31.08	28.75	29.69	32.11
" " " 16 ft.	29.26	31.65	33.14	27.75	31.98	32.66
" " " 18 ft.	32.25	31.25	33.23	32.75	31.89	33.07
" " " 20 ft.	32.22	31.38	33.23	37.50[2]	31.60	35.11
" " " 22 ft.	32.75[3]	33.70	37.00	....	34.08	37.50[1]
" " " 24 ft.	32.75[3]	33.70	37.00	....	34.08	37.50[1]
2x10, No. 2, S 1 S 1 E, 10 ft.	32.25	34.00	35.13	28.25[1]	35.03	32.63
" " " 12 ft.	32.06	33.46	34.54	28.25[1]	34.05	32.64
" " " 14 ft.	29.45	30.58	34.54	....	30.36	33.45
" " " 16 ft.	27.78	32.77	37.49	....	32.05	34.07
" " " 18 ft.	31.49	31.00	34.30	28.25[1]	31.30	30.31
" " " 20 ft.	32.07	31.38	34.30	28.25[1]	31.61	30.21
" " " 22 ft.	36.00	34.00	39.58	....	37.54	42.43[1]
" " " 24 ft.	....	34.00	39.58	....	37.66	42.43[1]
2x12, No. 2, S 1 S 1 E, 10 ft.	29.75[1]	32.50	34.24	....	34.13	34.68
" " " 12 ft.	29.81	29.50	29.15	31.00[2]	29.40	32.40
" " " 14 ft.	32.66	32.63	29.15	32.00	32.58	33.48
" " " 16 ft.	33.87	34.09	31.91	32.00	33.32	32.47
" " " 18 ft.	37.94	34.50	34.24	33.50	37.56	34.12
" " " 20 ft.	34.77	34.10	34.24	....	34.28	35.07
" " " 22 ft.	43.00[2]	37.88	44.40	....	40.54	37.00
" " " 24 ft.	....	37.88	44.40	....	40.54	37.00
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	18.97	21.66	20.75[1]	18.25[1]	19.74	23.88
PATENT LATH						
4 and 6 ft.	24.77	32.33	33.00[1]	....	25.17	28.00
8 and 10 ft.	27.90	31.00	....	....	28.09	30.13
12 ft. and longer	27.24	31.00	....	....	27.48	33.25
PLASTERING LATH						
⅜x1½-4, No. 1	5.83	6.13	6.40	5.35	6.11	6.10
" No. 2	3.78	5.05[2]	4.29	3.84	4.18	4.72
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	39.69	41.12	39.87	....	39.91	41.20
" " 22-24 ft.	45.98	40.00	43.67	....	44.86	43.91
" " 26 ft.	55.22	45.00[2]	49.41	....	50.07	45.00
" " 28 ft.	48.00[2]	44.50	49.41	....	44.50	44.71
" " 30 ft.	50.97	45.50	52.94	....	51.32	47.34
" " over 30 ft.	51.70	54.04[1]	52.42	....	51.76	51.03
4x4 to 8x8, Heart (85%+), up to 20 ft.	45.07	45.54		....	45.19	46.53
" " " 22-24 ft.	57.11[1]	46.00	....	....	46.00	53.74
" " " 26 ft.	....	53.00[1]		....	53.00[1]	53.00
" " " 28 ft.	53.84[1]	55.50[1]	....	....	54.26[1]	54.26
" " " 30 ft.		47.40	....		47.40	57.00
" " " over 30 ft.	56.69[1]	51.00[3]	....	....	56.69[1]	56.69
3 & 4x10, No. 1, up to 20 ft.	42.46	43.60		....	42.55	43.85
" " 22-24 ft.	45.87[1]	42.33	....	....	42.33	45.87
" " 26 ft.	47.08[1]			....	47.08[1]	47.08
" " 28 ft.	62.50[2]	....	....	....	62.50[2]	62.50[1]
" " 30 ft.	50.50[3]				50.50[3]	50.50[2]
" " over 30 ft.	56.78	....	....	....	56.78	64.06
3 & 4x10, Heart (85%+), up to 20 ft.	46.11	52.17			46.94	49.81
" " " 22-24 ft.		48.20[3]	....	....	48.20[3]	48.20[2]
" " " 26 ft.		50.00[3]			50.00[3]	50.00[2]
" " " 28 ft.	....	51.00[2]	....	....	51.00[3]	51.00[2]
" " " 30 ft.	53.75[3]			....	53.75[3]	53.75[2]
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
6x10, to 10x10, No. 1, up to 20 ft.	45.57	52.10	47.25	....	46.97	43.52
" " 22-24 ft.	47.54	47.00	43.67	....	46.94	45.19
" " 26 ft.	43.21[1]	46.00	47.00	....	46.63	46.80
" " 28 ft.	50.01	....	47.00	....	50.01	48.24
" " 30 ft.	50.71	49.50[1]	51.53	....	51.26	49.14
" " over 30 ft.	55.05	65.00[2]	53.50[1]	....	55.05	52.19
6x10 to 10x10, Heart (85%+), up to 20 ft.	51.52	53.50[1]	....	....	51.52	47.36
" " " 22-24 ft.	49.00[2]	55.00[1]	....	....	55.00[1]	55.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	55.00[1]	....	....	55.00[1]	55.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	60.50[1]	....	....	60.50[1]	60.50
3 & 4x12, No 1, up to 20 ft.	46.57	48.75	....	....	47.33	47.54
" " 22 24 ft.	51.22	48.50	....	....	50.96	50.43
" " 26 ft.	53.00	....	....	....	53.00	55.50
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	53.00	....	....	....	53.00	....
" " over 30 ft.	56.52	65.00[2]	....	....	56.52	65.00[1]
3 & 4x12, Heart (85%+), up to 20 ft.	53.96	48.96	....	....	52.14	54.58
" " " 22-24 ft.	....	59.00[1]	....	....	59.00[1]	59.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	60.00[3]
6x12 to 12x12, No. 1, up to 20 ft.	47.55	47.18	49.65	....	49.37	48.29
" " 22-24 ft.	49.92	48.50[1]	51.41	....	50.36	50.78
" " 26 ft.	51.09[1]	49.00	46.63	....	46.75	51.48
" " 28 ft.	54.00[1]	....	46.63	....	46.63	54.00
" " 30 ft.	60.02	57.50[2]	60.18	....	60.11	53.62
" " over 30 ft.	55.03	....	61.00	....	55.09	58.51
6x12 to 12x12, Heart (85%+), up to 20 ft.	41.75	54.50	....	....	43.31	56.29
" " " 22-24 ft.	59.63[1]	46.00	....	....	46.00	59.65
" " " 26 ft.	53.75[3]	65.00[2]	....	....	65.00[2]	65.00[1]
" " " 28 ft.	47.75	55.00[1]	....	....	47.75	55.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	61.81[3]
2x14 to 4x14, No. 1, up to 20 ft.	59.98	50.00	....	....	59.20	62.31
" " 22-24 ft.	57.30[3]	51.00[2]	....	....	51.00[2]	51.00[1]
" " 26 ft.	51.25[3]	54.00[2]	....	....	54.00[2]	54.00[1]
" " 28 ft.	59.00	....	....	....	59.00	52.25[2]
" " 30 ft.	65.00[1]	65.00	....	....	65.00	65.00
" " over 30 ft.	....	....	....	....	....	56.50[3]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	64.00	....	....	64.00	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	56.40	50.00	55.25	....	55.81	50.15
" " 22-24 ft.	52.28	51.44	52.00	....	51.38	49.10
" " 26 ft.	50.50[1]	52.33	58.25	....	56.28	59.50[1]
" " 28 ft.	56.50	....	58.25	....	56.50	59.50[1]
" " 30 ft.	50.50[3]	....	63.50[2]	....	63.50[2]	63.50[1]
" " over 30 ft.	61.88	85.00[2]	75.00	....	62.28	68.78
6x14 to 14x14, Heart (85%+), up to 20 ft.	64.00	....	....	....	64.00	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	70.00[1]	....	....	70.00[1]	70.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	83.71[1]	58.00[2]	....	....	83.71[1]	83.71
" " 22-24 ft.	....	....	....	....	....	55.00[3]
" " 26 ft.	....	....	....	....	....	56.00[3]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	65.00[2]	....	....	65.00[2]	65.00[1]
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
6x16 & Up, No. 1, up to 20 ft.	56.50	....	60.00	....	59.53	58.19
〃 〃 22-24 ft.	50.50[3]	....	69.50	....	69.50	71.00
〃 〃 26 ft.	50.50[3]	....	72.34[1]	....	72.34[1]	72.34
〃 〃 28 ft.	75.00[2]	....	72.34[1]	....	72.34[1]	72.34
〃 〃 30 ft.	68.81	....	56.50[1]	....	68.81	56.50
〃 〃 over 30 ft.	67.56	....	56.50[1]	....	67.56	66.00
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
〃 〃 〃 22-24 ft.	....	....	....	....	....	....
〃 〃 〃 26 ft.	....	....	....	....	....	....
〃 〃 〃 28 ft.	....	....	70.00[3]	....	70.00[3]	70.00[2]
〃 〃 〃 30 ft.	....	....	....	....	....	....
〃 〃 〃 over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
〃 〃 22-24 ft.	....	....	....	....	....	....
〃 〃 26 ft.	....	....	....	....	....	....
〃 〃 28 ft.	....	....	....	....	....	....
〃 〃 30 ft.	....	....	....	....	....	....
〃 〃 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
〃 〃 〃 22-24 ft.	....	....	....	....	....	....
〃 〃 〃 26 ft.	....	....	....	....	....	....
〃 〃 〃 28 ft.	....	....	....	....	....	....
〃 〃 〃 30 ft.	....	....	....	....	....	....
〃 〃 〃 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	60.60[3]	....	....	....	60.60[3]	60.60[2]
〃 〃 22-24 ft.	60.00[3]	60.00[2]	....	....	60.60[3]	60.00[2]
〃 〃 26 ft.	....	....	....	....	....	....
〃 〃 28 ft.	65.30[3]	56.50[1]	70.00[3]	....	56.50[1]	56.50
〃 〃 30 ft.	65.96[3]	55.00	....	....	65.00	65.96[2]
〃 〃 32 ft.	....	60.00[2]	....	....	60.00[2]	60.00[1]
16 inhc, Heart (85%+), up to 20 ft.	66.00[1]	....	....	....	66.00[1]	66.00
〃 〃 〃 22-24 ft.	....	....	....	....	....	....
〃 〃 〃 26 ft.	67.00[2]	....	72.00	....	72.00	69.44[1]
〃 〃 〃 28 ft.	65.00	66.00	....	....	65.47	68.00[1]
〃 〃 〃 30 ft.	....	....	....	....	....	67.00[3]
〃 〃 〃 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	52.69	43.75	53.33[2]	....	46.28	50.61[1]
〃 〃 〃 36 ft.	50.43[2]	51.13	53.33[2]	50.00[3]	51.13	51.22[1]
〃 〃 〃 37-38 ft.	53.00	52.00	52.00	....	52.03	52.01
〃 〃 〃 40 ft.	52.04[3]	58.00	52.00	....	58.00	49.51
〃 〃 〃 41-42 ft.	52.04[3]	54.00	....	....	54.00	57.00[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	58.00[3]
〃 〃 〃 〃 36 ft.	64.00[3]	....	....	....	64.00[3]	64.00[2]
〃 〃 〃 〃 37-38 ft.	....	....	....	....	....	....
〃 〃 〃 〃 40 ft.	....	....	....	....	....	62.00[3]
〃 〃 〃 〃 41-42 ft.	....	....	....	....	....	64.00[3]
Up to 10 inch, Sq. E. 34 ft.	55.52[2]	....	56.95[2]	....	56.14[2]	56.14[1]
〃 〃 〃 36 ft.	50.00	52.40[2]	56.95[2]	52.00[1]	50.00	53.02
〃 〃 〃 37-38 ft.	56.97	54.60	....	58.00	55.64	57.00
〃 〃 〃 40 ft.	53.00[1]	63.00	....	....	63.00	53.00
〃 〃 〃 41-42 ft.	53.00[1]	63.00[2]	....	....	53.00[1]	53.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
〃 〃 〃 〃 36 ft.	56.78[1]	....	....	....	56.78[1]	56.78
〃 〃 〃 〃 37-38 ft.	....	....	52.00	....	52.00	....
〃 〃 〃 〃 40 ft.	....	....	....	....	....	....
〃 〃 〃 〃 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	59.69	....	55.84	....	56.42	64.00
〃 〃 〃 36 ft.	55.00	55.00	55.84	57.50[2]	55.00	64.00
〃 〃 〃 37-38 ft.	61.00[2]	60.00[2]	57.00	....	57.00	65.00
〃 〃 〃 40 ft.	68.50[2]	64.00[2]	60.00	....	60.00	48.00
〃 〃 〃 41-42 ft.	68.50[2]	75.00[3]	....	....	68.50[2]	68.50[1]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
〃 〃 〃 〃 36 ft.	....	....	....	....	....	....
〃 〃 〃 〃 37-38 ft.	....	....	....	....	....	....
〃 〃 〃 〃 40 ft.	....	....	....	....	....	....
〃 〃 〃 〃 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
Up to 14 inch, Sq. E., 34 ft.	....	....	66.26[1]	....	66.26[1]	66.26
“ “ “ 36 ft.	59.00[1]	60.00[2]	66.26[1]	65.00[3]	59.00[1]	59.00
“ “ “ 37-38 ft.	65.00	62.00	72.00[1]	70.00[3]	62.82	72.00
“ “ “ 40 ft.	72.00[1]	65.57[2]	72.00[1]	70.47[3]	72.00[1]	72.00
“ “ “ 41-42 ft.	72.00[1]	....	....	....	72.00[1]	72.00
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	51.00[3]
“ “ 14 ft.	57.00	56.00[1]	....	....	57.00	56.00
“ “ 16 ft.	....	....	....	....	....	51.00[3]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	62.00[1]	....	....	....	62.00[1]	62.00
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	63.00[3]	....	....	....	63.00[3]	63.00[2]
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	40.50	....	....	....	40.50	37.80[1]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	40.00	41.80[1]	....	44.25	41.89	41.68
“ “ Heart, (85%+), 6x8–8.	55.96	53.00	....	....	53.42	52.00
“ “ Sq. E., “ 7x9–8.	48.00[3]	....	....	....	48.00[3]	48.00[2]
“ “ Heart, “ 7x9–8.	....	....	....	....	....	47.75[3]
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	66.50[3]
“ “ Heart,	49.58[1]	....	....	....	49.58[1]	49.58
Paving Stock, S 1 S.	....	35.00	30.00	....	34.17	36.73[1]
“ “ Rough	36.00	35.00	....	....	35.63	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	130.00[2]	....	....	....	130.00[2]	130.00[1]
Miscellaneous	79.74	56.76	47.46	40.55	54.07	51.79
MISCELLANEOUS STOCK						
Silo Stock	....	....	50 50[2]	....	50.50[2]	50.50[1]
Grain Doors	36.00[1]	....	....	....	36.00[1]	36.00
Miscellaneous, B and B.	91.10	88.39	70.32	66 89	81.82	89.28
“ No. 1	51.85	44.49	44.89	35.76	44.76	45.54
“ No. 2	30.09	38.54	31.80	31.55	31.74	32.29
“ No. 3	17.18	28.33	25.76	25.72	25.39	28.04
Shorts B and B.	50.94	38.92[3]	....	....	50.94	64.83[1]
“ No. 1	30.83	29.11	....	....	30.78	24.49
“ No. 2	....	22.97	....	....	22.97	24.11
“ No. 3	....	20.35	....	....	20.35	25.50

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

September 30, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending September 30, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Item	Weight	Item	Weight
Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Item	Weight	Item	Weight
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

Item	Weight	Item	Weight
2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Oct. 11, 1920

No. 107

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	113.60	....	....	....	113.60	114.28
" " C "	97.75[1]	....	....	....	97.75[1]	97.75
" " D "	71.00	....	....	....	71.00	64.06
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	67.65	....	....	....	67.65	66.94
" " C "	61.50[3]	....	....	....	61.50[3]	61.50[2]
" " D "	60.90	....	....	....	60.90	55.09
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	29.71	....	....	....	29.71	38.31[1]
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	121.25[1]	121.25[1]	121.25
Edge Grain, A "	....	....	125.50	126.33[1]	125.50	125.50
" " B "	....	....	109.97	118.37	110.80	113.08
" " B and Better "	101.62	112.75	....	112.00[1]	112.75	115.40
" " C "	74.75[2]	97.75	90.25	93.00	91.22	90.25
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	56.65	51.00	53.42	53.28
Flat " A "	....	....	....	86.00[1]	86.00[1]	86.00
" " B "	63.00[2]	68.00[1]	....	86.75[1]	74.25[1]	74.25
" " B and Better "	65.88[2]	71.00	68.92	71.50	69.20	73.26
" " C "	60.06[2]	....	....	....	60.06[2]	60.06[1]
" " D "	54.18[2]	....	....	....	54.18[2]	54.18[1]
No. 1 Common "	....	53.00	60.70	65.66[1]	60.50	62.44
No. 2 " "	35.32[2]	37.00	34.33	32.31	33.44	33.58
No. 3 " "	....	....	23.00	20.50	21.96	23.27
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	119.00	119.00	....
Edge Grain, A "	110.00	....	119.00	119.00	118.57	119.00
" " B "	....	102.00	114.14	114.00	113.52	111.10
" " B and Better "	95.00	93.90	....	108.18[1]	94.80	96.00
" " C "	78.68	70.00	95.75	....	73.86	94.73
" " D "	70.25	....	....	....	70.25	62.50
" " No. 2 "	....	....	56.03	....	56.03	58.20
Flat " A "	70.00	....	....	....	70.00	70.00[1]
" " B "	62.83	61.88	....	73.75	63.22	64.18
" " B and Better "	61.58	62.81	61.76	63.21	61.97	63.46
" " C "	55.92	60.00[1]	....	56.25[3]	55.92	60.75
" " D "	51.72	52.11[1]	....	53.00[3]	51.72	53.92
No. 1 Common "	....	51.56	51.42	54.24	51.70	53.00
No. 2 " "	31.22	33.65	31.09	30.07	31.02	33.55
No. 3 " "	....	....	22.07	18.76	20.24	21.27
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	53.58	55.75	53.61	58.75	53.92	52.74
" " No. 1 Common	50.00	45.00	47.82	55.00[1]	47.22	49.03
" " No. 2 "	33.33[2]	29.00	28.87	28.00[2]	28.88	28.12
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	57.34	57.14	54.14	57.57	56.41	58.22
" " No. 1 Common	48.83	54.50	51.08	58.00	50.66	53.60
" " No. 2 "	29.62	30.31	29.89	30.71	29.99	31.13
" " No. 3 "	....	....	19.73	19.00	19.67	20.00
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	69.86	....	66.62	69.00	68.80	68.32
" " No. 1 Common	61.50[2]	61.50[2]	65.50[1]	....	65.50[1]	65.50
" " No. 2 "	....	....	33.25	....	33.25	36.75[2]
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	69.40	67.39[2]	....	67.50[1]	69.40	68.28
" " No. 1 Common	53.00[1]	59.00[2]	....	65.00[1]	60.50[1]	60.50
" " No. 2 "	30.75	....	....	37.15[2]	30.75	37.15[1]
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	70.61	68.00[2]	69.45	70.00[1]	69.55	70.47
" " No. 1 Common	77.00[3]	48.00	51.74	57.00[2]	50.10	66.16
" " No. 2 "	37.75[3]	33.50	36.93	....	36.72	33.76
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	44.67	56.96[1]	54.48	....	45.77	47.87
" No. 1 Common	40.00	....	45.22	40.00[2]	44.28	46.99
" No. 2 "	40.67[2]	....	33.63	30.00[2]	33.63	26.50

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	57.32	59.80	55.83	47.00	56.88	58.94
" " No. 1 Common	48.91	48.85	50.56	34.06	47.02	53.92
" " No. 2 "	30.85	32.23	31.76	30.36	31.62	33.93
" " No. 3 "	....	....	23.84	....	23.84	25.44
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	73.74	75.73	78.12	90.50	74.66	78.36
1x 6 inch, "	72.80	78.62	80.22	86.50	74.96	80.12
1x 8 inch, "	72.74	79.51	73.64	87.50	74.02	81.26
1x 5 and 10 inch, "	79.86	83.82	84.40	89.50	81.78	84.70
1x12 inch, "	77.02	88.50	80.83	80.00[1]	79.52	84.72
1¼x4 to 12 inch, "	92.28	94.63	92.15	101.00	92.48	93.02
1½ and 2x4 to 12 inch, "	91.66	91.12[3]	88.34	75.00[1]	88.46	84.96
1⅝ inch, "	83.00	75.00	....	....	78.30	81.42
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	63.30	81.00[1]	....	....	63.30	81.00
1x 6 inch, "	63.71	77.36[3]	86.00[2]	....	63.71	77.85
1x 8 inch, "	60.00	81.75[3]	56.00	....	57.65	78.50
1x 5 and 10 inch, "	65.60	88.00[3]	57.00	....	62.78	81.76
1x12 inch, "	66.46	89.72[3]	79.75	....	72.24	85.92[1]
1¼x4 to 12 inch, "	....	....	73.17[1]	....	73.17[1]	73.17
1½ and 2x4 to 12 inch, "	....	....	70.25[1]	....	70.25[1]	70.25
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	67.00	....	....	....	67.00	67.75
1x 6 inch, " "	71.42[1]	75.00	72.00	79.00[1]	71.12	71.62
1x 8 inch, " "	71.42[1]	75.00	75.00	79.00[1]	75.00	75.44
1x 5 and 10 inch, " "	72.31[1]	75.00	77.00	....	75.32	81.10
1x12 inch, " "	76.75	73.72[3]	72.12	67.25	72.04	76.82
1¼x4 to 12 inch, " "	92.00[1]	75.00	94.94	70.00	80.14	76.83
1½ and 2x4 to 12 inch, " "	78.50	80.00[1]	93.58	70.00	78.46	86.44
1⅝ inch, " "	....	89.00	....	78.33[1]	89.00	76.54
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	84.27	92.15[1]	89.56	100.00[3]	84.77	87.69
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	83.54	91.00	92.12	100.00[3]	85.00	89.22
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	79.00	92.00[1]	87.96	88.00[1]	87.56	89.18
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	55.50	65.00[2]	....	....	55.50	55.00
" " " " " 8 ft.	59.61[1]	50.00	68.50[1]	50.00[2]	50.00	61.11
" " " " " 12 and 14 ft.	....	65.00	....	....	65.00	65.00
" " " " " 16 ft.	....	....	69.50	....	69.50	80.00
" " " " " 9 or 18 ft.	70.00	73.75	70.00	....	71.12	75.68
" " " " " 10 or 20 ft	64.40	66.67	70.00	....	65.28	69.36

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	45.00	47.50	55.00	....	46.13	49.13
" " " " " 8 ft.	41.52	45.25	....	....	42.19	48.14
" " " " " 12 and 14 ft.	43.69	55.00 [1]	....	....	43.69	55.00
" " " " " 16 ft.	40.94	48.50	65.00	....	44.96	50.00
" " " " " 9 or 18 ft.	56.02	64.00	65.49 [1]	....	56.90	63.34
" " " " " 10 or 20 ft.	49.83	60.00 [2]	62.50 [3]	....	49.83	52.42
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	49.00	47.50	55.00	....	49.00	48.19
" " " " " 8 ft.	60.00 [1]	45.25	....	....	45.25	60.00
" " " " " 12 and 14 ft.	45.75 [1]	55.00 [1]	....	....	45.75 [1]	45.75
" " " " " 16 ft.	56.00 [1]	48.50	65.00	....	60.50	56.00
" " " " " 9 or 18 ft.	54.50	64.00	65.49 [1]	....	54.50	58.00
" " " " " 10 or 20 ft.	50.00	60.00 [2]	62.50 [3]	....	50.00	50.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	24.97	....	....	....	24.97	27.49
" " " " " 10 to 20 ft.	31.89	26.17	....	30.00 [2]	26.46	27.39
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	....	52.44	30.00 [2]	52.44	45.50
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	40.00	....	40.00	45.50
" No. 1, " 1⅝ inch, 9 & 18 ft.	32.00 [1]	40.00 [2]	....	....	32.00 [1]	32.00
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	49.40	....	....	....	49.40	55.00
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	44.25 [1]	48.00	....	....	48.00	44.00
" " " 2 to 3 inch 10 & 20 ft.	....	48.00	36.25 [1]	....	48.00	38.04
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	42.97	44.08	61.00	....	44.45	46.43
" " " " other lengths.	42.84	44.35	54.30	56.75	45.05	46.38
" " 1x10, " 14 and 16 ft.	45.90	45.75	....	....	45.85	46.03
" " " " other lengths.	44.18	43.68	59.40	55.16	49.49	48.39
" " 1x12, " 14 and 16 ft.	47.74	45.00	71.00 [1]	....	47.66	50.70
" " " " other lengths.	48.36	49.41	60.21	56.50	50.22	50.94
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	29.57	31.23	29.76	25.50	29.78	32.76
" " 1x10, " "	29.52	31.68	32.16	37.69 [1]	31.23	33.84
" " 1x12, " "	31.68	32.52	33.99	29.19	32.36	34.75
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	23.46	27.50	28.15	26.79 [2]	24.78	26.08
" " 1x10, " "	24.02	27.56	27.12	29.20 [1]	25.40	25.25
" " 1x12, " "	24.97	24.44	28.10	....	26.30	27.57
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	45.96	47.91 [3]	48.50 [1]	....	45.96	45.59
" " " other lengths.	43.93	45.53	48.00	....	44.43	45.71
" 1x10, " 14 and 16 ft.	45.38 [1]	48.98 [1]	....	....	46.44 [1]	46.44
" " " other lengths.	46.90	46.21	49.48	69.00 [2]	48.25	47.28
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	29.91	30.41	32.14	36.50	30.61	32.52
" 1x10, " "	29.04	30.27	31.69	27.14	29.78	32.14
" 1x12, " "	....	....	....	....	....	35.00 [3]
Shiplap, 1x 8, No. 3, all lengths.	23.11	26.08	25.45	32.50 [2]	24.48	27.14
" 1x10, " "	25.66	27.00	26.40	29.00 [2]	26.48	27.55
" 1x12, " "	24.50	....	....	....	24.50	26.46 [1]
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	46.14 [1]	....	....	....	46.14 [1]	46.14
" " " " other lengths.	41.25	50.07 [3]	....	....	41.25	46.75
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	18.60	....	14.50	....	17.23	14.96

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
1x4, S 1 S, No. 1, 16 ft.	46.29	44.00	....	....	45.99	47.20
“ “ “ other lengths	43.32	45.28	57.02	57.75	44.76	46.73
“ “ No. 2, all lengths	26.12	28.63	29.38	24.50[1]	26.85	28.61
“ “ No. 3, “	22.48	23.92	27.02	23.00[1]	22.73	24.23
1x4, C. M., No. 1, 16 ft.	52.50[2]	....	....	....	52.50[2]	52.50[1]
“ “ “ other lengths	44.00	....	....	....	44.00	37.00
“ “ No. 2, all lengths	25.00	....	....	....	25.00	28.25
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	45.12	47.28	59.00	....	46.27	47.95
“ “ “ other lengths	45.21	45.23	54.96	57.25	48.38	47.80
“ “ No. 2, all lengths	28.82	28.57	31.30	27.79	29.41	30.57
“ “ No. 3, “	23.42	25.40[1]	27.57	....	24.50	24.89
1x6, C. M., No. 1, 16 ft.	41.25	52.00[3]	....	....	41.25	46.73
“ “ “ other lengths	44.18	45.91	....	....	44.41	45.32
“ “ No. 2, all lengths	28.64	29.56	....	29.73	29.14	30.48
“ “ No. 3. “	25.50[1]	22.75	....	20.55	21.21	24.79
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	31.66	32.38	35.08	....	32.37	34.61
“ “ “ 12 ft.	31.25	32.33	33.81	37.75	32.03	34.74
“ “ “ 14 ft.	31.97	32.76	32.01	31.00	32.12	33.48
“ “ “ 16 ft.	32.50	32.69	32.63	31.00	32.56	34.96
“ “ “ 18 ft.	33.75	33.82	32.02	39.50[3]	33.33	36.17
“ “ “ 20 ft.	33.73	34.04	32.02	39.50[3]	33.80	36.42
“ “ “ 22 ft.	37.01	37.10	45.25[3]	....	37.04	36.36
“ “ “ 24 ft.	35.98	37.71	45.25[3]	....	36.56	40.03
2x 6, No. 1, S 1 S 1 E, 10 ft.	30.28	32.61	32.25	31.75[1]	31.93	34.16
“ “ “ 12 ft.	29.89	29.89	35.16	31.75[1]	32.74	32.12
“ “ “ 14 ft.	29.69	30.57	35.16	....	29.96	32.81
“ “ “ 16 ft.	27.70	31.21	31.10	....	29.14	33.40
“ “ “ 18 ft.	30.41	31.99	32.25	....	31.39	34.62
“ “ “ 20 ft.	31.27	32.56	32.25	31.00	31.89	34.55
“ “ “ 22 ft.	33.13	34.35	35.47	....	34.19	35.58
“ “ “ 24 ft.	33.14	35.99	35.47	....	34.02	36.51
2x 8, No. 1, S 1 S 1 E, 10 ft.	29.08	31.70	34.90	31.75[1]	29.50	34.62
“ “ “ 12 ft.	31.43	31.36	33.78	....	32.02	33.63
“ “ “ 14 ft.	32.50	31.55	32.80	....	32.23	34 01
“ “ “ 16 ft.	32.73	33.24	32.60	31.75[1]	33.03	34.29
“ “ “ 18 ft.	32.99	36.20	34.90	....	35.06	36.18
“ “ “ 20 ft.	32.83	33.34	34.90	....	33.07	34.91
“ “ “ 22 ft.	36.95	35.13	38.89	....	36.58	38.24
“ “ “ 24 ft.	35.27	37.78	38.89	....	36.58	39.90
2x10, No. 1, S 1 S 1 E, 10 ft.	31.70	34.15	36.18	....	35.63	34.28
“ “ “ 12 ft.	33.05	31.83	35.56	....	33.55	34.58
“ “ “ 14 ft.	31.59	32.24	35.56	....	31.93	33.17
“ “ “ 16 ft.	33.46	35.19	34.00	....	34.07	36.13
“ “ “ 18 ft.	35.43	33.84	34.00	....	34.96	35.01
“ “ “ 20 ft.	33.67	36.46	34.00	....	35.28	36.18
“ “ “ 22 ft.	34.73	34.79	39.88	....	35.45	40.08
“ “ “ 24 ft.	37.55	35.18	39.88	....	35.39	42.45
2x12, No. 1, S 1 S 1 E, 10 ft.	34.28	32.87	39.31	....	35.86	36.89
“ “ “ 12 ft.	34.82	34.47	38.99	....	36.77	36.83
“ “ “ 14 ft.	34.10	36.19	38.99	34.50[1]	34.57	35.33
“ “ “ 16 ft.	36.96	36.67	38.57	....	37.52	36.03
“ “ “ 18 ft.	36.04	48.45	39.31	35.75[2]	37.05	37.05
“ “ “ 20 ft.	36.49	36.86	39.31	....	36.62	37.79
“ “ “ 22 ft.	37.82	39.43	40.74	....	39.66	43.53
“ “ “ 24 ft.	39.77	38.10	40.74	....	38.38	42.01
2x 4, No. 2, S 1 S 1 E, 10 ft.	29.39	31.82	32.19	29.00[3]	30.57	32.39
“ “ “ 12 ft.	28.46	30.88	31.57	27.00[1]	29.54	30.63
“ “ “ 14 ft.	28.63	39.30	30.61	26.00	31.49	28.69
“ “ “ 16 ft.	29.90	30.45	29.67	27.85[1]	29.94	28.64
“ “ “ 18 ft.	28.90	32.91	38.69	30.89[2]	31.58	33.09
“ “ “ 20 ft.	29.35	33.29	38.69	29.25[2]	30.65	32.83
“ “ “ 22 ft.	37.50	34.50[1]	34.75	....	35.85	34.12
“ “ “ 24 ft.	35.50	34.50[1]	34.75	....	35.50	34.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	26.05	28.00	29.56	25.00	27.95	30.94
“ “ “ 12 ft.	26.86	27.41	29.76	28.75[1]	27.66	29.83
“ “ “ 14 ft.	27.60	28.92	29.76	25.00	27.53	28.78
“ “ “ 16 ft.	26.74	29.58	31.16	25.00	28.02	29.84
“ “ “ 18 ft.	27.24	31.29	29.80	36.50[3]	28.15	39.14
“ “ “ 20 ft.	27.28	27.50	29.80	36.50[3]	27.33	30.72
“ “ “ 22 ft.	29.75	32.54[1]	38.50[1]	....	29.75	36.04
“ “ “ 24 ft	....	32.54[1]	38.50[1]	....	36.04[1]	36.04

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	27.02	27.75	32.34	....	29.75	32.62
" " " 12 ft.	25.79	29.92	30.00	28.75[1]	26.78	30.28
" " " 14 ft.	25.95	29.58	31.21	28.75[1]	27.63	29.69
" " " 16 ft.	26.02	30.13	31.84	27.75[1]	28.95	31.98
" " " 18 ft.	26.95	33.50	32.34	32.75[1]	27.93	31.89
" " " 20 ft.	28.63	32.94	32.34	37.50[3]	29.68	31.60
" " " 22 ft.	....	33.70[1]	37.00[1]	....	34.08[1]	34.08
" " " 24 ft.	37.00	33.70[1]	37.00[1]	....	37.00	34.08
2x10, No. 2, S 1 S 1 E, 10 ft.	25.50	32.25	32.00	28.25[2]	29.55	35.03
" " " 12 ft.	27.11	32.63	34.54[1]	28.25[2]	28.92	34.05
" " " 14 ft.	26.27	30.58[1]	34.54[1]	....	26.27	30.36
" " " 16 ft.	28.31	29.33	34.25	....	29.78	32.05
" " " 18 ft.	28.38	34.84	32.00	28.25[2]	33.49	31.30
" " " 20 ft.	28.70	30.84	32.00	28.25[2]	30.20	31.61
" " " 22 ft.	36.00[1]	34.00	39.58[1]	....	34.00	37.54
" " " 24 ft.	....	34.00	39.58[1]	....	34.00	37.66
2x12, No. 2, S 1 S 1 E, 10 ft.	27.09	29.75	33.43	....	32.91	34.13
" " " 12 ft.	31.66	34.00	29.15[1]	31.00[3]	32.02	29.40
" " " 14 ft.	30.00	32.37	29.15[1]	32.00[1]	30.52	32.58
" " " 16 ft.	31.73	32.34	35.75	32.00[1]	31.98	33.32
" " " 18 ft.	32.28	32.48	33.43	33.50[1]	32.39	37.56
" " " 20 ft.	33.29	31.93	33.43	....	32.44	34.28
" " " 22 ft.	....	35.00	44.40[1]	....	35.00	40.54
" " " 24 ft.	....	35.00	44.40[1]	....	35.00	40.54
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E, all lengths	19.77	25.30	20.75[2]	27.43	21.19	19.74
PATENT LATH						
4 and 6 ft.	21.67	21.75	28.00	....	22.40	25.17
8 and 10 ft.	25.37	23.75	....	....	25.32	28.09
12 ft. and longer	28.83	31.00[1]	....	....	28.83	27.48
PLASTERING LATH						
⅜x1½–4, No. 1	5.77	5.79	6.32	5.15	5.73	6.11
" No. 2	3.95	4.50	4.62	3.24	4.30	4.18
⅜x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	37.81	40.47	39.78	....	39.03	39.91
" " 22-24 ft.	36.49	35.59	43.35	....	37.37	44.86
" " 26 ft.	55.22[1]	45.00[3]	54.86	....	54.86	50.07
" " 28 ft.	48.00[3]	44.50[1]	54.86	....	54.86	44.50
" " 30 ft.	44.85	45.50[1]	47.47	....	46.40	51.32
" " over 30 ft.	49.30	54.04[2]	45.00	....	49.08	51.76
4x4 to 8x8, Heart (85%+), up to 20 ft.	45.78	45.72	....	....	45.73	45.19
" " " 22-24 ft.	45.24	44.23	....	....	44.42	46.00
" " " 26 ft.	....	53.00[2]	....	....	53.00[2]	53.00[1]
" " " 28 ft.	53.84[2]	46.00	....	....	46.00	54.26[1]
" " " 30 ft.	44.30	47.40[1]	....	....	44.30	47.40
" " " over 30 ft.	49.00	....	....	....	49.00	56.69[1]
3 & 4x10, No. 1, up to 20 ft.	41.77	45.50	....	....	42.11	42.55
" " 22-24 ft.	46.40	44.00	....	....	46.14	42.33
" " 26 ft.	45.80	....	....	....	45.80	47.08[1]
" " 28 ft.	62.50[3]	....	....	....	62.50[3]	62.50[2]
" " 30 ft.	....	....	....	....	....	50.50[3]
" " over 30 ft.	51.38	....	....	....	51.38	56.78
3 & 4x10, Heart (85%+), up to 20 ft.	45.60	52.00	....	....	48.16	46.94
" " " 22-24 ft.	49.13	....	....	....	49.13	48.20[3]
" " " 26 ft.	....	....	....	....	....	50.00[3]
" " " 28 ft.	....	....	....	....	....	51.00[3]
" " " 30 ft.	....	....	....	....	....	53.75[3]
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
6x10, to 10x10, No. 1, up to 20 ft.	44.22	46.05	44.55	....	44.82	46.97
" " 22-24 ft.	36.27	40.31	46.36	....	40.72	46.94
" " 26 ft.	43.21[2]	44.50	49.63	....	49.36	46.63
" " 28 ft.	50.01[1]	....	49.63	....	49.63	50.01
" " 30 ft.	50.71[1]	49.50[2]	50.25	....	50.25	51.26
" " over 30 ft.	48.02	65.00[3]	50.00	....	49.67	55.05
6x10 to 10x10, Heart (85%+), up to 20 ft.	51.52[1]	46.34	....	....	46.34	51.52
" " " 22-24 ft.	49.00[3]	47.00	....	....	47.00	55.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	49.65	55.00[2]	....	....	49.65	55.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	60.50[2]	....	....	60.50[2]	60.50[1]
3 & 4x12, No 1, up to 20 ft.	47.79	49.80	....	....	48.21	47.33
" " 22 24 ft.	42.80	48.50[1]	....	....	42.80	50.96
" " 26 ft.	41.50	....	....	....	41.50	53.00
" " 28 ft.	52.50	....	....	....	52.50	....
" " 30 ft.	55.50	....	....	....	55.50	53.00
" " over 30 ft.	56.00	65.00[3]	....	....	56.00	56.52
3 & 4x12, Heart (85%+), up to 20 ft.	57.35	44.33	....	....	46.39	52.14
" " " 22-24 ft.	61.36	59.00[2]	....	....	61.36	59.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	46.40	47.18[1]	50.87	....	49.78	49.37
" " 22-24 ft.	46.34	46.00	51.75	....	50.97	50.36
" " 26 ft.	45.80	49.00[1]	54.67	....	54.18	46.75
" " 28 ft.	54.46	....	54.67	....	54.46	46.63
" " 30 ft.	45.80	57.50[3]	57.81	....	56.34	60.11
" " over 30 ft.	54.30	....	60.50	....	54.32	55.09
6x12 to 12x12, Heart (85%+), up to 20 ft.	51.53	51.00	....	....	51.26	43.31
" " " 22-24 ft.	53.45	46.00[1]	....	....	53.45	46.00
" " " 26 ft.	56.76	65.00[3]	....	....	56.76	65.00[2]
" " " 28 ft.	53.00	55.00[2]	....	....	53.00	47.75
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, No. 1, up to 20 ft.	59.98[1]	48.00	....	....	48.00	59.20
" " 22-24 ft.	58.58	52.00	....	....	56.62	51.00[2]
" " 26 ft.	....	53.50	....	....	53.50	54.00[2]
" " 28 ft.	59.00[1]	....	....	....	59.00[1]	59.00
" " 30 ft.	65.00[2]	65.00[1]	....	....	65.00[1]	65.00
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	64.00[1]	....	....	64.00[1]	64.00
" " " 22-24 ft.	....	57.00	....	....	57.00	....
" " " 26 ft.	....	57.00	....	....	57.00	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	45.93	50.00	53.68	....	52.75	55.81
" " 22-24 ft.	49.50	63.00	53.69	....	54.74	51.38
" " 26 ft.	50.50[2]	52.33[1]	57.25	....	57.25	56.28
" " 28 ft.	56.50[1]	....	57.25	....	57.25	56.50
" " 30 ft.	....	....	57.25	....	57.25	63.50[2]
" " over 30 ft.	71.00	85.00[3]	64.00	....	66.27	62.28
6x14 to 14x14, Heart (85%+), up to 20 ft.	53.00	....	....	....	53.00	64.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	70.00[2]	....	....	70.00[2]	70.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	83.71[2]	58.00[3]	....	....	83.71[2]	83.71[1]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	65.00[3]	....	....	65.00[3]	65.00[2]
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
6x16 & Up, No. 1, up to 20 ft.	64.74	60.00	63.96	....	62.63	59.53
" " 22-24 ft.	46.25	....	55.06	....	51.11	69.50
" " 26 ft.	....	....	64.53	....	64.53	72.34[1]
" " 28 ft.	75.00[3]	....	64.53	....	64.53	72.34[1]
" " 30 ft.	68.81[1]	....	56.50[2]	....	68.81[1]	68.81
" " over 30 ft.	67.56[1]	....	56.50[2]	....	67.56[1]	67.56
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	70.00[3]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	66.25	....	....	....	66.25	60.60[3]
" " 22-24 ft.	....	....	....	....	....	60.00[3]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	56.50[2]	67.25	....	67.25	56.50[1]
" " 30 ft.	....	65.00[1]	....	....	65.00[1]	65.00
" " 32 ft.	....	60.00[3]	....	....	60.00[3]	60.00[2]
16 inhc, Heart (85%+), up to 20 ft.	57.00	....	....	....	57.00	66.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	67.76	....	72.00[1]	....	67.76	72.00
" " " 28 ft.	65.00[1]	66.74	60.00	....	64.66	65.47
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	52.69[1]	43.75[1]	53.33[3]	....	46.28[1]	46.28
" " " 36 ft.	54.24	58.98	53.33[3]	....	57.79	51.13
" " " 37-38 ft.	53.00[1]	55.00	51.62	....	53.25	52.03
" " " 40 ft.	55.92	58.00[1]	51.62	....	55.92	58.00
" " " 41-42 ft.	56.00	56.00	....	....	56.00	54.00
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	53.00	....	....	....	53.00	64.00[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	55.52[3]	....	56.95[3]	....	56.14[3]	56.14[2]
" " " 36 ft.	59.00	63.18	56.95[3]	52.00[2]	61.90	50.00
" " " 37-38 ft.	57.00	59.81	....	58.00[1]	59.64	55.64
" " " 40 ft.	53.00[2]	63.00[1]	....	....	63.00[1]	63.00
" " " 41-42 ft.	55.70	63.00[3]	....	....	55.70	53.00[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	56.78[2]	....	....	....	56.78[2]	56.78[1]
" " " " 37-38 ft.	....	....	52.00[1]	....	52.00[1]	52.00
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	59.69[1]	....	55.84[1]	....	56.42[1]	56.42
" " " 36 ft.	64.00	55.00	55.84[1]	60.00	60.70	55.00
" " " 37-38 ft.	60.00	60.00	65.00	....	60.10	57.00
" " " 40 ft.	62.46	64.00[3]	60.00[1]	....	62.46	60.00
" " " 41-42 ft.	62.46	....	....	....	62.46	68.50[2]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
Up to 14 inch, Sq. E., 34 ft.	....	64.00	66.26[2]	....	64.00	66.26[1]
" " " 36 ft.	59.00[2]	60.00[3]	66.26[2]	....	59.00[2]	59.00[1]
" " " 37-38 ft.	65.00[1]	62.00[1]	72.00[2]	....	62.82[1]	62.82
" " " 40 ft.	72.00[2]	69.00	72.00[2]	....	69.00	72.00[1]
" " " 41-42 ft.	69.00	70.00	....	....	70.00	72.00[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	56.00	....	....	....	56.00	....
" " 14 ft.	57.00[1]	56.00[2]	....	....	57.00[1]	57.00
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	62.00[2]	....	....	....	62.00[2]	62.00[1]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	63.00[3]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	38.44	....	....	....	38.44	40.50
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	57.00	50.00	....	44.25[1]	51.62	41.89
" " Heart, (85%+), 6x8–8	55.96[1]	50.00	....	....	50.00	53.42
" " Sq. E., " 7x9–8	....	....	....	....	....	48.00[3]
" " Heart, " 7x9–8	....	....	....	....	....	....
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	49.58[2]	....	....	....	49.58[2]	49.58[1]
Paving Stock, S 1 S	....	35.00[1]	33.17	....	33.17	34.17
" " Rough	36.00[1]	35.00[1]	....	....	35.63[1]	35.63
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	125.50[3]	....	....	....	125.50[3]	130.00[2]
Miscellaneous	79.74[1]	62.56	48.06	32.30	55.60	54.07
MISCELLANEOUS STOCK						
Silo Stock	....	....	50.50[3]	....	50.50[3]	50.50[2]
Grain Doors	35.65	....	....	....	35.65	36.00[1]
Miscellaneous, B and B	68.28	75.87	74.41	66.89[1]	72.83	81.82
" No. 1	50.16	43 78	41.27	36.05	44.18	44.76
" No. 2	33.53	30.25	29.97	28.45	30.01	31.74
" No. 3	26.54	24.96	21.91	25.00	23.59	25.39
Shorts B and B	64.50	....	....	....	64.50	50.94
" No. 1	25.84	23.96	32.50	....	27.04	30.78
" No. 2	....	25.47	....	....	25.47	22.97
" No. 3	....	20.35[1]	....	....	20.35[1]	20.35

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	·9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3:75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50					

Southern Pine Association

REPORT OF SALES

October 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending October 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1.800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Oct. 16, 1920

No. 108

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	113.40	....	....	....	113 40	113.60
" " C "	97.75[2]	....	....	....	97.75[2]	97.75[1]
" " D "	67.00	....	....	....	67.00	71.00
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	61.18	....	....	....	61.18	67.65
" " C "	....	....	....	....	....	61.50[3]
" " D "	60.90[1]	....	....	....	60.90[1]	60.90
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	25.50	....	....	....	25.50	29.71
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	121.25[2]	121.25[2]	121.25[1]
Edge Grain, A "	....	....	125.50[1]	126.33[2]	125.50[1]	125.50
" " B "	....	....	109.71	118.37[1]	109.71	110.80
" " B and Better "	101.62[1]	112.75[1]	....	112.00[2]	112.75[1]	112.75
" " C "	74.75[3]	97.75[1]	107.00	73.00	86.08	91.22
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	56.65[1]	45.00	45.00	53.42
Flat " A "	....	....	....	86.00[2]	86.00[2]	86.00[1]
" " B "	63.00[3]	68.00[2]	....	82.75	82.75	74.25[1]
" " B and Better "	65.88[3]	71.00[1]	65.70	67.00	65.82	69.20
" " C "	60.06[3]	....	....	....	60.06[3]	60.06[2]
" " D "	54.18[3]	....	....	....	54.18[3]	54.18[2]
No. 1 Common "	....	53.00[1]	50.61	56.51	53.87	60.50
No. 2 " "	35.32[3]	45.00	32.63	30.21	31.26	33.44
No. 3 " "	....	....	19.03	20.00	19.18	21.96
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	119.00[1]	119.00[1]	119.00
Edge Grain, A "	93.00	....	119.00[1]	119.00[1]	93.00	118.57
" " B "	....	102.00[1]	103.64	114.00[1]	103.64	113.52
" " B and Better "	91.88	93.90[1]	....	108.18[2]	91.88	94.80
" " C "	78.68[1]	70.00[1]	94.00	....	94.00	73.86
" " D "	70.25[1]	....	....	....	70.25[1]	70.25
" " No. 2 "	....	....	56.03[1]	....	56.03[1]	56.03
Flat " A "	70.00[1]	....	....	....	70.00[1]	70.00
" " B "	62 83[1]	62.50	....	73.75[1]	62.50	63.22
" " B and Better "	58.49	62.49	57.21	56.42	58.10	61.97
" " C "	55 92[1]	60.00[2]	....	....	55.92[1]	55.92
" " D "	48.04	52.11[2]	....	....	48.04	51.72
No. 1 Common "	....	50.55	48.42	56.50	48.91	51.70
No. 2 " "	30.46	31.96	28.46	27.98	28.82	31.02
No. 3 " "	....	....	19.95	19.50	19.81	20 24
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	54.96	54.00	49.78	58.75[1]	50.59	53.92
" " No. 1 Common	46.86	45 00[1]	47.58	55.00[2]	47.42	47.22
" " No. 2 "	33.33[3]	29.00	28.87[1]	28.00[3]	29.00	28.88
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	53.93	55.98	54.73	57.57[1]	54.50	56.41
" " No. 1 Common	45 00	47.42	48.27	58.00[1]	47.19	50.66
" " No. 2 "	26.47	29.00	27.72	28.80	28.54	29.99
" " No. 3 "	....	....	18.00	19.00[1]	18.00	19.67
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	59.66	....	65.06	69.00[1]	60.68	68.80
" " No. 1 Common	55.75	61.50[3]	54.25	....	55.32	65.50[1]
" " No. 2 "	31.75	....	33.25[1]	....	31.75	33.25
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	69 40[1]	....	....	67.50[3]	69.40[1]	69.40
" " No. 1 Common	53.00[2]	59.00[3]	....	65 00[2]	60.50[2]	60.50[1]
" " No. 2 "	30 75[1]	31 00	....	37.15[3]	31.00	30.75
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	70.61[1]	68 00[3]	66.39	70 00[2]	66.39	69.55
" " No. 1 Common	....	48 00[1]	57.77	57.00[3]	57.77	50 10
" " No. 2 "	....	33 50[1]	34.85	....	34.85	36 72
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	52.50	56.96[2]	54 48[1]	....	52.50	45 77
" No. 1 Common	40 00[1]	....	29 29	40 00[3]	29.29	44.28
" No. 2 "	40 67[3]	....	33.63[1]	30.00[3]	33.63[1]	33.63

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	55.73	58.03	56.40	47.00	57.28	56.88
" " No. 1 Common	48.15	48.85[1]	49.22	34.06[1]	48.78	47.02
" " No. 2 "	28.44	31.50	29.93	28.00	29.35	31.62
" " No. 3 "	....	....	28.75	....	28.75	23.84
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	73.92	70.50	73.68	90.50[1]	73.76	74.66
1x 6 inch, "	71.74	77.32	64.67	90.50	70.96	74.96
1x 8 inch, "	71.08	77.29	66.02	87.50[1]	70.37	74.02
1x 5 and 10 inch, "	75.33	81.61	74.52	89.50[1]	75.66	81.78
1x12 inch, "	74.25	80.33	74.77	80.00[2]	74.58	79.52
1¼x4 to 12 inch, "	84.46	92.48	83.22	101.00[1]	84.04	92.48
1½ and 2x4 to 12 inch, "	86.43	....	87.16	75.00[2]	87.01	88.46
1⅝ inch, "	83.00[1]	75.00[1]	....	....	78.30[1]	78.30
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	63.75	81.00[2]	....	....	63.75	63.30
1x 6 inch, "	60.00	....	86.00[3]	....	60.00	63.71
1x 8 inch, "	60.98	....	56.00[1]	....	60.98	57.65
1x 5 and 10 inch, "	60.00	62.00	57.00[1]	....	60.80	62.78
1x12 inch, "	60.00	70.25	79.75[1]	....	68.54	72.24
1¼x4 to 12 inch, "	....	64.92	73.17[2]	....	64.92	73.17[1]
1½ and 2x4 to 12 inch, "	....	....	70.25[2]	....	70.25[2]	70.25[1]
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	87.50	....	69.59	....	73.68	67.00
1x 6 inch, " "	72.25	75.00[1]	67.56	67.51	68.18	71.12
1x 8 inch, " "	72.25	68.50	77.56	83.25	72.16	75.00
1x 5 and 10 inch, " "	72.25	75.00[1]	81.04	85.25	77.98	75.32
1x12 inch, " "	72.25	68.50	73.51	70.00	71.80	72.04
1¼x4 to 12 inch, " "	88.25	75.00[1]	70.82	70.00[1]	83.28	80.14
1½ and 2x4 to 12 inch, " "	78.50[1]	78.50	86.32	70.00[1]	83.05	78.46
1⅝ inch, " "	....	78.50	....	78.33[2]	78.50	89.00
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	83.70	92.15[2]	90.00	....	84.01	84.77
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	82.76	91.00[1]	86.12	....	83.90	85.00
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	106.25	92.00[2]	87.96[1]	88.00[2]	106.25	87.56
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	56.25	65.00[3]	53.25	....	55.56	55.50
" " " " " 8 ft.	59.61[2]	50.00[1]	68.50[2]	50.00[3]	50.00[1]	50.00
" " " " " 12 and 14 ft.	....	65:00[1]	....	....	65.00[1]	65.00
" " " " " 16 ft.	....	....	69.50[1]	....	69.50[1]	69.50
" " " " " 9 or 18 ft.	70.00	73.75[1]	67.50	....	68.34	71.12
" " " " " 10 or 20 ft.	64.40[1]	60.00	53.25	....	57.75	65.28

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	45.00[1]	47.50[1]	55.00[1]	....	46.13[1]	46.13
" " " " " 8 ft.	41.52[1]	45.25[1]	....	....	42.19[1]	42.19
" " " " " 12 and 14 ft.	43.69[1]	55.00[2]	....	....	43.69[1]	43.69
" " " " " 16 ft.	40.94[1]	71.00	65.00[1]	....	71.00	44.96
" " " " " 9 or 18 ft.	61.62	65.00	65.49[2]	....	62.19	56.90
" " " " " 10 or 20 ft.	49.83[1]	60.00[3]	....	....	49.83[1]	49.83
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	49.00[1]	47.50[1]	55.00[1]	....	49.00[1]	49.00
" " " " " 8 ft.	60.00[2]	45.25[1]	....	....	45.25[1]	45.25
" " " " " 12 and 14 ft.	40.00	55.00[2]	....	....	40.00	45.75[1]
" " " " " 16 ft.	40.00	71.00	65.00[1]	....	40.00	60.50
" " " " " 9 or 18 ft.	50.00	65.00	65.49[2]	....	50.00	54.50
" " " " " 10 or 20 ft.	40.00	60.00[3]	....	....	40.00	50.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	28.47	....	....	....	28.47	24.97
" " " " " 10 to 20 ft.	28.68	30.00	....	30.00[3]	28.97	26.46
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	....	52.44[1]	30.00[3]	52.44[1]	52.44
" " " " 2 to 3 inch, 10 & 20 ft.	....	57.00	40.00[1]	....	57.00	40.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	32.00[2]	40.00[3]	....	....	32.00[2]	32.00[1]
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	35.73	....	....	....	35.73	49.40
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	44.25[2]	45.00	....	....	45.00	48.00
" " " 2 to 3 inch 10 & 20 ft	....	45.00	36.25[2]	....	45.00	48.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	40.05	40.00	61.00[1]	....	40.01	44.45
" " " " other lengths.	37.60	48.96	53.94	48.30	44.95	45.05
" " 1x10, " 14 and 16 ft.	41.94	45.75[1]	....	....	41.94	45.85
" " " " other lengths.	41.64	43.10	47.23	48.75	44.60	49.49
" " 1x12, " 14 and 16 ft.	44.96	45.00[1]	71.00[2]	....	44.96	47.66
" " " " other lengths.	44.48	48.69	56.28	48.75	47.58	50.22
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	27.06	30.68	27.65	30.68	27.19	29.78
" " 1x10, " "	26.69	29.94	30.96	31.97	28.74	31.23
" " 1x12, " "	29.64	31.46	32.24	33.00	31.01	32.36
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	22.57	23.50	24.22	26.65	23.45	24.78
" " 1x10, " "	21.57	21.42	23.97	22.25	22.24	25.40
" " 1x12, " "	22.24	24.30	25.23	22.25	23.13	26.30
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	40.64	....	48.50[2]	....	40.64	45.96
" " " other lengths.	40.52	44.18	43.00	....	41.92	44.43
" 1x10, " 14 and 16 ft.	43.78	48.98[2]	....	....	43.78	46.44[1]
" " " other lengths.	43.42	46.21[1]	49.48[1]	69.00[3]	43.42	48.25
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	27.37	29.12	29.44	30.00	28.58	30.61
" 1x10, " "	27.64	28.74	28.42	27.14[1]	27.84	29.78
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	23.39	30.50	25.59	19.75	24.20	24.48
" 1x10, " "	21.58	27.00[1]	29.67	24.50	26.52	26.48
" 1x12, " "	22.75	....	....	....	22.75	24.50
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	43.11	....	....	....	43.11	46.14[1]
" " " " other lengths.	42.14	....	....	....	42.14	41.25
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	18.60[1]	....	13.34	....	13.34	17.23

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
1x4, S 1 S, No. 1, 16 ft.	39.81	44.00[1]	....	....	39.81	45.99
" " " other lengths	40.30	41.15	48.73	57.75[1]	41.15	44.76
" " No. 2, all lengths	23.41	26.79	26.54	23.50	25.15	26.85
" " No. 3, "	18.76	18.75	25.11	21.00	19.59	22.73
1x4, C. M., No. 1, 16 ft.	52.50[3]	....	....	....	52.50[3]	52.50[2]
" " " other lengths	39.25	....	....	....	39.25	44.00
" " No. 2, all lengths	22.25	....	....	....	22.25	25.00
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	40.75	49.43	59.00[1]	....	40.75	46.27
" " " other lengths	45.57	42.71	61.75	59.33	47.51	48.38
" " No. 2, all lengths	25.60	27.97	32.38	33.13	26.98	29.41
" " No. 3, "	21.57	23.00	23.42	24.50	22.07	24.50
1x6, C. M., No. 1, 16 ft.	34.63	....	....	....	34.63	41.25
" " " other lengths	42.98	40.57	....	....	42.64	44.41
" " No. 2, all lengths	26.42	25.94	....	29.73[1]	26.30	29.14
" " No. 3, "	22.27	23.51	....	18.00	21.99	21.21
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	30.75	31.39	31.21	....	30.98	32.37
" " " 12 ft.	30.42	30.91	34.47	37.75[1]	31.32	32.03
" " " 14 ft.	30.36	31.76	30.48	31.00[1]	30.95	32.12
" " " 16 ft.	31.29	32.07	32.51	31.00[1]	31.65	32.56
" " " 18 ft.	32.17	31.75	31.51	....	32.00	33.33
" " " 20 ft.	31.86	32.42	31.51	....	32.09	33.80
" " " 22 ft.	33.53	35.41	36.00	....	34.46	37.04
" " " 24 ft.	33.44	34.49	36.00	....	34.00	36.56
2x 6, No. 1, S 1 S 1 E, 10 ft.	27.96	27.95	28.86	31.75[2]	28.46	31.93
" " " 12 ft.	27.17	29.29	28.65	31.75[2]	28.07	32.74
" " " 14 ft.	27.13	30.05	28.65	....	27.66	29.96
" " " 16 ft.	27.95	31.16	31.28	....	29.69	29.14
" " " 18 ft.	29.06	30.75	28.86	....	29.95	31.39
" " " 20 ft.	30.14	31.08	28.66	31.00[1]	30.36	31.89
" " " 22 ft.	31.38	32.23	33.15	....	32.08	34.19
" " " 24 ft.	31.22	33.60	33.15	....	32.56	34.02
2x 8, No. 1, S 1 S 1 E, 10 ft.	28.32	28.25	33.41	31.75[2]	29.84	29.50
" " " 12 ft.	29.55	29.62	33.74	....	30.03	32.02
" " " 14 ft.	30.55	39.56	31.32	....	30.42	32.23
" " " 16 ft.	31.94	33.75	31.06	35.00	33.38	33.03
" " " 18 ft.	31.82	32.73	33.41	....	32.05	35.06
" " " 20 ft.	31.32	33.52	33.41	....	32.46	33.07
" " " 22 ft.	32.20	37.83	33.91	....	35.14	36.58
" " " 24 ft.	33.20	35.62	33.91	....	34.16	36.58
2x10, No. 1, S 1 S 1 E, 10 ft.	30.56	34.15[1]	31.62	....	31.24	35.63
" " " 12 ft.	32.78	30.12	31.83	....	32.20	33.55
" " " 14 ft.	33.26	32.20	31.83	....	32.92	31.93
" " " 16 ft.	34.44	36.78	30.89	....	35.00	34.07
" " " 18 ft.	33.42	32.50	31.62	....	33.30	34.96
" " " 20 ft.	33.76	33.37	31.62	....	33.69	35.28
" " " 22 ft.	35.31	40.00	35.88	....	36.13	35.45
" " " 24 ft.	35.55	37.96	35.88	....	~~36.48~~	35.39
2x12, No. 1, S 1 S 1 E, 10 ft.	36.00	35.75	31.62	....	31.91	35.86
" " " 12 ft.	36.63	31.81	33.40	38.00	34.49	36.77
" " " 14 ft.	34.88	32.73	33.40	38.00	34.40	34.57
" " " 16 ft.	37.01	35.20	36.97	....	36.83	37.52
" " " 18 ft.	34.00	34.74	31.62	41.00	34.49	37.05
" " " 20 ft.	34.23	35.49	31.62	41.00	34.72	36.62
" " " 22 ft.	33.60	37.84	39.91	....	37.98	39.66
" " " 24 ft.	38.16	40.25	39.91	....	39.00	38.38
2x 4, No. 2, S 1 S 1 E, 10 ft.	24.56	26.23	31.82	....	25.69	30.57
" " " 12 ft.	24.36	26.90	31.57[1]	27.00[2]	24.82	29.54
" " " 14 ft.	22.93	25.17	32.04	26.00[1]	23.18	31.49
" " " 16 ft.	26.02	26.93	26.75	27.85[2]	26.23	29.94
" " " 18 ft.	28.50	27.18	26.21	30.89[3]	27.31	31.58
" " " 20 ft.	28.68	27.42	26.21	29.25[3]	27.93	30.65
" " " 22 ft.	37.50[1]	34.50[2]	34.75[1]	....	35.85[1]	35.85
" " " 24 ft.	35.50[1]	34.50[2]	34.75[1]	....	35.50[1]	35.50
2x 6, No. 2, S 1 S 1 E, 10 ft.	22.84	28.00	26.79	25.00[1]	25.79	27.95
" " " 12 ft.	22.58	23.67	23.52	28.75[2]	23.19	27.66
" " " 14 ft.	23.88	24.29	23.52	25.00[1]	23.99	27.53
" " " 16 ft.	24.69	26.19	27.12	25.00[1]	25.53	28.02
" " " 18 ft.	24.73	29.00	26.79	....	26.13	28.15
" " " 20 ft.	24.72	25.62	26.79	....	24.98	27.33
" " " 22 ft.	25.15	32.54[2]	35.00	....	30.04	29.75
" " " 24 ft.	25.11	32.54[2]	35.00	....	25.11	36.04[1]

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
2x 8, No. 2, S 1 S 1 E, 10 ft.	27.02[1]	27.75[1]	30.75	....	30.75	29.75
" " " 12 ft.	23.92	26 87	27 83	28.75[2]	25.72	26.78
" " " 14 ft.	25 00	26.08	29.44	28.75[2]	26.24	27.63
" " " 16 ft.	26.89	28.78	28 87	27 75[2]	27.96	28.95
" " " 18 ft.	25.77	28.85	30.75	32 75[2]	28.28	27.93
" " " 20 ft.	26.19	27.01	30.75	....	26.64	29.68
" " " 22 ft.	26.75	34.00	37.00	....	30.24	34.08[1]
" " " 24 ft.	37.00[1]	34.00	37.00	....	35.50	37.00
2x10, No. 2, S 1 S 1 E, 10 ft.	27.50	32 25[1]	31.29	28 25[3]	30.26	29.55
" " " 12 ft.	26.45	27 00	30.40	28.25[3]	28 53	28.92
" " " 14 ft.	25.34	27.37	30.40	....	27 00	26 27
" " " 16 ft.	27.87	30.74	34.16	....	29.63	29.78
" " " 18 ft.	29.87	27.22	31.29	28 25[3]	28.51	33.49
" " " 20 ft.	26.89	30.84[1]	31.29	28.25[3]	26.89	30.20
" " " 22 ft.	36.00[2]	33.25	34.92	....	33.99	34.00
" " " 24 ft.	....	33.25	34.92	....	33.99	34.00
2x12, No. 2, S 1 S 1 E, 10 ft.	27.09[1]	29.75[1]	35.47	....	35.47	32.91
" " " 12 ft.	27.97	28.83	31.65	....	29.39	32.02
" " " 14 ft.	28 00	27.75	31.65	32.00[2]	27.91	30.52
" " " 16 ft.	31.06	27.54	33.63	38.00	29.44	31.98
" " " 18 ft.	32.25	27.75	35.47	33.50[2]	28.94	32.39
" " " 20 ft.	32.28	29.93	35.47	....	30.98	32.44
" " " 22 ft.	35.50	35.00[1]	36.00	....	35.93	35.00
" " " 24 ft.	....	35.00[1]	36.00	....	36.00	35.00
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	20.52	18.71	20.75[3]	21.18	20.44	21.19
PATENT LATH						
4 and 6 ft.	19.94	21.75[1]	28.00[1]	....	19.94	22.40
8 and 10 ft.	23 10	27.00	....	....	23.45	25.32
12 ft. and longer	24.59	31.00[2]	....	....	24.59	28.83
PLASTERING LATH						
⅜x1½-4, No. 1	5.62	5.82	5.86	5.15[1]	5.79	5.73
" No. 2	4.00	4.50[1]	3.86	2.00	3.65	4.30
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	40 01	34.98	40.15	....	39.54	39.03
" " 22-24 ft.	39.92	36.41	43.08	....	37 90	37.37
" " 26 ft.	52.00	....	45.00	....	50.91	54.86
" " 28 ft.	....	46.59	45.00	....	46.59	54.86
" " 30 ft.	44.85[1]	45 50[2]	47.31	....	47.31	46.40
" " over 30 ft.	49.30[1]	54.04[3]	47.31	....	47.31	49.08
4x4 to 8x8, Heart (85%+), up to 20 ft.	41 97	45.04	....	....	44.29	45.73
" " " 22-24 ft.	45.24[1]	51 00	....	....	51.00	44.42
" " " 26 ft.	....	53 00[3]	....	....	53 00[3]	53.00[2]
" " " 28 ft.	53.84[3]	46.00[1]	....	....	46.00[1]	46.00
" " " 30 ft.	44.34	47.40[2]	....	....	44.34	44.30
" " " over 30 ft.	49 00[1]	....	....	....	49.00[1]	49.00
3 & 4x10, No. 1, up to 20 ft.	44.17	46.48	....	....	44 46	42.11
" " 22-24 ft.	45.09	44.00[1]	....	....	45.09	46.14
" " 26 ft.	45.80	....	....	....	45.80	45.80
" " 28 ft.	....	....	....	....	....	62.50[3]
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	45.80	....	....	....	45.80	51.38
3 & 4x10, Heart (85%+), up to 20 ft.	44 00	48 75	....	....	46.40	48.16
" " " 22-24 ft.	49.13[1]	51.00	....	....	51.00	49.13
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
6x10, to 10x10, No. 1, up to 20 ft.	42.29	47.23	44.26	....	43.24	44.82
" " 22-24 ft.	41.00	46.81	44.25	....	45.73	40.72
" " 26 ft.	43.21[3]	54.00	49.63[1]	....	54.00	49.36
" " 28 ft.	50.01[2]	....	49.63[1]	....	49.63[1]	49.63
" " 30 ft.	50.71[2]	49.50[3]	50.25[1]	....	50.25[1]	50.25
" " over 30 ft.	48.02[1]	....	50.00[1]	....	49.67[1]	49.67
6x10 to 10x10, Heart (85%+), up to 20 ft.	45.11	54.00	....	....	46.42	46.34
" " " 22-24 ft.	....	47.00[1]	....	....	47.00[1]	47.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	49.65[1]	55.00[3]	....	....	49.65[1]	49.65
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	59.00	60.50[3]	....	....	59.00	60.50[2]
3 & 4x12, No. 1, up to 20 ft.	47.33	44.50	....	....	46.13	48.21
" " 22 24 ft.	49.67	48.50[2]	....	....	49.67	42.80
" " 26 ft.	41.50[1]	....	....	....	41.50[1]	41.50
" " 28 ft.	52.50[1]	....	....	....	52.50[1]	52.50
" " 30 ft.	55.50[1]	....	....	....	55.50[1]	55.50
" " over 30 ft.	56.00[1]	....	....	....	56.00[1]	56.00
3 & 4x12, Heart (85%+), up to 20 ft.	37.75	48.04	....	....	44.69	46.39
" " " 22-24 ft.	61.36[1]	59.00[3]	....	....	61.36[1]	61.36
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	46.51	44.50	42.94	....	46.38	49.78
" " 22-24 ft.	46.59	46.00[1]	48.25	....	47.35	50.97
" " 26 ft.	48.13	49.00[2]	53.00	....	51.30	54.18
" " 28 ft.	54.46[1]	46.50	53.00	....	46.50	54.46
" " 30 ft.	47.87	47.50	53.00	....	50.18	56.34
" " over 30 ft.	54.25	71.00	48.62	....	50.02	54.32
6x12 to 12x12, Heart (85%+), up to 20 ft.	51.53[1]	41.25	....	....	41.25	51.26
" " " 22-24 ft.	53.45[1]	42.25	....	....	42.25	53.45
" " " 26 ft.	56.76[1]	....	....	....	56.76[1]	56.76
" " " 28 ft.	53.00[1]	55.00[3]	....	....	53.00[1]	53.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	65.00	....	....	....	65.00	....
2x14 to 4x14, No. 1, up to 20 ft.	46.85	48.20	....	....	47.07	48.00
" " 22-24 ft.	58.58[1]	52.00[1]	....	....	56.62[1]	56.62
" " 26 ft.	51.00	53.50[1]	....	....	51.00	53.50
" " 28 ft.	59.00[2]	64.00	....	....	64.00	59.00[1]
" " 30 ft.	65.00[3]	65.00[2]	....	....	65.00[2]	65.00[1]
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	65.00	....	....	65.00	64.00[1]
" " " 22-24 ft.	....	57.00[1]	....	....	57.00[1]	57.00
" " " 26 ft.	....	57.00[1]	....	....	57.00[1]	57.00
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	51.06	50.00[1]	46.59	....	50.52	52.75
" " 22-24 ft.	49.50[1]	63.00[1]	53.69[1]	....	54.74[1]	54.74
" " 26 ft.	54.00	52.33[2]	57.25[1]	....	54.00	57.25
" " 28 ft.	56.50[2]	....	57.25[1]	....	57.25[1]	57.25
" " 30 ft.	....	....	57.25[1]	....	57.25[1]	57.25
" " over 30 ft.	71.00[1]	....	64.00[1]	....	66.27[1]	66.27
6x14 to 14x14, Heart (85%+), up to 20 ft.	53.00[1]	59.00	....	....	59.00	53.00
" " " 22-24 ft.	....	60.00	....	....	60.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	70.00[3]	....	....	70.00[3]	70.00[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	83.71[3]	60.00	....	....	60.00	83.71[2]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" 28 ft.	....	65.00	....	....	65.00	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	65.00[3]
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
6x16 & Up, No. 1, up to 20 ft.	50.41	60.00[1]	63.96[1]	....	50.41	62.63
" " 22-24 ft.	46.25	....	55 06[1]	....	51.11[1]	51.11
" " 26 ft.	....	....	64 53[1]	....	64 53[1]	64.53
" " 28 ft.	....	....	64.53[1]	....	64.53[1]	64 53
" " 30 ft.	68.81[2]	....	56.50[3]	....	68.81[2]	68 81[1]
" " over 30 ft.	74.40	....	56.50[3]	....	74.40	68 81[1]
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	63.00	....	....	....	63.00	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	66.25[1]	....	....	....	66.25[1]	66.25
" " 22-24 ft.	62.00	....	....	....	62.00	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	60.00	56 50[3]	67.25[1]	....	60.00	67.25
" " 30 ft.	65.68	65.00[2]	....	....	65.68	65.00[1]
" " 32 ft.	....	....	....	....	....	60.00[3]
16 inhc, Heart (85%+), up to 20 ft.	57.00[1]	....	....	....	57.00[1]	57.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	67.76[1]	....	72.00[2]	....	67.76[1]	67.76
" " " 28 ft.	65.00	65.00	60.00[1]	....	65.00	64.66
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	52 69[2]	43.75[2]	47.60	....	47.60	46.28[1]
" " " 36 ft.	50.50	52 00	47.60	45.00	50.23	57.79
" " " 37-38 ft.	53.00[2]	55 00[1]	51.62[1]	45.00	45.00	53.25
" " " 40 ft.	45.31	58 00[2]	51.62[1]	....	45.31	55.92
" " " 41-42 ft.	56.00[1]	56.00[1]	....	....	56.00[1]	56.00
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	53.00	....	....	....	53.00	53.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	......
" " " " 41-42 ft.	....	....	....	....	....	
Up to 10 inch, Sq. E. 34 ft.	....	....	60.00	....	60.00	56.14[3]
" " " 36 ft.	51 75	52.00	60.00	50.00	51.28	61.90
" " " 37-38 ft.	57 00[1]	59 81[1]	....	58.00[2]	59.64[1]	59.64
" " " 40 ft.	53 50	63.00[2]	....	....	53 50	63 00[1]
" " " 41-42 ft.	53 50	....	....	....	53.50	55.70
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	56.78[3]	....	....	....	56 78[3]	56 78[2]
" " " " 37-38 ft.	....	....	52.00[2]	....	52.00[2]	52.00[1]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	59 69[2]	....	62 00	....	62 00	56 42[1]
" " " 36 ft.	64 00[1]	55 00[1]	62.00	60 00[1]	62.00	60 70
" " " 37-38 ft.	60 00[1]	60 00[1]	65 00[1]	....	60 10[1]	60.10
" " " 40 ft.	59.25	....	60.00[2]	....	59.25	62.46
" " " 41-42 ft.	59.25	....	....	....	59 25	62 46
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	...
" " " " 37-38 ft.	....	....	....	....	....	...
" " " " 40 ft.	...	....	...	....	....	..
" " " " 41-42 ft.	...	....	..	....	....	...

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
Up to 14 inch, Sq. E., 34 ft.	....	64.00[1]	66.26[3]	....	64.00[1]	64.00
“ “ “ 36 ft.	61.75	....	66.26[3]	....	61.75	59.00[2]
“ “ “ 37-38 ft.	65.00[2]	62.00[2]	72.00[3]	....	62.82[2]	82.82[1]
“ “ “ 40 ft.	53.80	69.00[1]	72.00[3]	....	53.80	69.00
“ “ “ 41-42 ft.	53.80	70.00[1]	....	....	53.80	70.00
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	56.00[1]	53.00	....	....	53.00	56.00
“ “ 14 ft.	52.00	56.00[3]	....	....	52.00	57.00[1]
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	54.67	....	....	....	54.67	62.00[2]
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	..
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	38.00	....	....	....	38.00	38.44
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	42.00	50.00[1]	....	44.25[2]	42.00	51.62
“ “ Heart, (85%+), 6x8–8	49.06	50.00	....	....	49.28	50.00
“ “ Sq. E., “ 7x9–8	43.00	....	....	....	43.00	....
“ “ Heart, “ 7x9–8	49.43	....	....	....	49.43	....
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
“ “ Heart,	49.58[3]	....	....	....	49.58[3]	49.58[2]
Paving Stock, S 1 S	....	35.00[2]	32.75	....	32.75	33.17
“ “ Rough	36.00[2]	35.00[2]	....	....	35.63[2]	35.63[1]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	119.75	....	....	....	119.75	125.50[3]
Miscellaneous	42.40	43.50	51.16	34.17	41.10	55.60
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	50.50[3]
Grain Doors	22.00	....	....	....	22.00	35.65
Miscellaneous, B and B	80.21	77.88	68.62	66.89[2]	79.05	72.83
“ No. 1	45.73	39.37	34.25	53.77	39.33	44.18
“ No. 2	34.60	30.15	29.68	31.17	30.19	30.01
“ No. 3	22.40	24.96[1]	21.97	21.47	21.89	23.59
Shorts B and B	57.00	....	....	....	57.00	64.50
“ No. 1	23.87	30.36	32.50[1]	....	23.95	27.04
“ No. 2	....	24.31	....	....	24.31	25.47
“ No. 3	....	26.00	....	....	26.00	20.35[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3 00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6 25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	[illegible]	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

October 20, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending October 20, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)
DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
Plastering Lath, dry	550

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Oct. 29, 1920

No. 109

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
Heart Face, Edge Grain, B and Better, $1\frac{3}{16}$x$2\frac{1}{4}$"	....	....	....	....	....	....
Edge Grain, A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	101.50	....	....	....	101.50	113.40
“ “ C “	74.75	....	....	....	74.75	97.75[2]
“ “ D “	67.00[1]	....	....	....	67.00[1]	67.00
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	59.10	....	....	....	59.10	61.18
“ “ C “	....	....	....	....	....	....
“ “ D “	34.00	....	....	....	34.00	60.90[1]
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	28.07	....	....	....	28.07	25.50
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $1\frac{3}{16}$x$2\frac{1}{2}$"	....	....	....	83.00	83.00	121.25[2]
Edge Grain, A “	....	....	118.69	119.38	119.06	125.50[1]
“ “ B “	....	....	110.98	105.87	110.12	109.71
“ “ B and Better “	101.62[2]	100.13	....	108.07	103.55	112.75[1]
“ “ C “	....	74.50	88.70	73.00[1]	84.83	86.08
“ “ D “	....	....	....	....	....	....
“ “ No. 2 “	....	....	65.53	45.00[1]	65.53	45.00
Flat “ A “	....	....	....	86.00[3]	86.00[3]	86.00[2]
“ “ B “	....	68.00	....	82.75[1]	68.00	82.75
“ “ B and Better “	....	72.25	68.09	69.63	68.51	65.82
“ “ C “	....	....	....	....	....	60.06[3]
“ “ D “	....	....	....	....	....	54.18[3]
No. 1 Common “	....	53.00[2]	57.00	50.00	56.08	53.87
No. 2 “ “	....	28.00	28.22	27.77	28.12	31.26
No. 3 “ “	....	....	19.03[1]	14.00	14.00	19.18
Heart Face, Edge Grain, B and Better, $1\frac{3}{16}$x$3\frac{1}{4}$"	....	....	....	119.00[2]	119.00[2]	119.00[1]
Edge Grain, A “	93.00[1]	....	119.00[2]	119.00[2]	93.00[1]	93.00
“ “ B “	....	102.00[2]	97.66	114.00[2]	97.66	103.64
“ “ B and Better “	85.37	85.98	....	89.38	85.94	91.88
“ “ C “	67.63	69.50	94.00[1]	....	68.00	94.00
“ “ D “	70.25[2]	....	....	....	70.25[2]	70.25[1]
“ “ No. 2 “	....	....	56.03[2]	....	56.03[2]	56.03[1]
Flat “ A “	70.00[2]	....	....	....	70.00[2]	70.00[1]
“ “ B “	52.95	57.09	....	73.75[2]	54.77	62.50
“ “ B and Better “	53.91	56.89	53.09	54.31	54.36	58.10
“ “ C “	52.13	60.00[3]	....	....	52.13	55.92[1]
“ “ D “	41.73	48.31	....	....	42.72	48.04
No. 1 Common “	....	42.16	46.07	46.45	45.81	48.91
No. 2 “ “	27.29	29.63	27.75	27.07	27.61	28.82
No. 3 “ “	....	....	18.42	16.06	17.44	19.81
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	45.50	54.00[1]	47.68	58.75[2]	46.47	50.59
“ “ No. 1 Common	39.75	48.00	46.18	55.00[3]	45.92	47.42
“ “ No. 2 “	....	29.00[1]	27.46	....	27.46	29.00
“ “ No. 3 “	....	....	....	....	....	....
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	48.75	51.93	50.52	50.16	50.10	54.50
“ “ No. 1 Common	40.30	45.72	46.36	43.00	43.35	47.19
“ “ No. 2 “	25.34	30.00	26.40	24.00	25.78	28.54
“ “ No. 3 “	....	....	18.00[1]	19.00[2]	18.00[1]	18.00
Ceiling, ¾x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	65.15	....	50.00	69.00[2]	64.45	60.68
“ “ No. 1 Common	55.15	63.00	54.25[1]	....	56.80	55.32
“ “ No. 2 “	31.75[1]	....	33.25[2]	....	31.75[1]	31.75
“ “ No. 3 “	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A		....		....	....	
“ “ B		....	....	....	....	....
“ “ B and Better	61.45	52.50	....	70.50	63.59	69.40[1]
“ “ No. 1 Common	52.75			65.00[3]	52.75	60.50[2]
“ “ No. 2 “	30.75[2]	31.00[1]		....	31.00[1]	31.00
Partition, ¾x5¼", A	....	....		....		....
“ “ B		....			....	....
“ “ B and Better	80.00		60.14	70.00[3]	61.17	66.29
“ “ No. 1 Common	65.00	42.05	46.00	....	46.28	57.77
“ “ No. 2 “	....	33.50[2]	29.68	....	29.68	34.85
BEVEL SIDING						
Bevel Siding, A					....	
“ B					....	....
“ B and Better	39.93	56.96[3]	50.95	....	44.17	52.50
“ No. 1 Common	40.00	40.00	31.93	30.00	32.78	29.29
“ No. 2 “	30.25		24.17	20.00	25.66	33.63[1]

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	48.81	52.53	55.49	65.50	50.69	57.28
" " No. 1 Common	45.48	40.96	44.59	43.21	44.46	48.78
" " No. 2 "	25.40	30.62	28.80	28.59	27.26	29.35
" " No. 3 "	....	....	15.00	....	15.00	28.75
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	......	....	....
1x 4 inch, B and Better	64.76	65.50	73.31	82.50	66.05	73.76
1x 6 inch, "	66.19	67.64	68.70	78.50	66.76	70.96
1x 8 inch, "	66.23	71.52	69.90	57.00	68.20	70.37
1x 5 and 10 inch, "	68.37	73.76	61.01	68.25	67.69	75.66
1x12 inch, "	70.44	75.85	71.00	71.75	71.49	74.58
1¼x4 to 12 inch, "	74.58	79.76	66.67	95.00	71.94	84.04
1½ and 2x4 to 12 inch, "	73.23	82.00	72.10	75.00[3]	70.39	87.01
1⅝ inch, "	83.00[2]	74.00	....	....	74.00	78.30[1]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	52.50	81.00[3]	....	....	52.50	63.75
1x 6 inch, "	72.00	....	....	....	72.00	60.00
1x 8 inch, "	60.98[1]	60.00	54.25	....	59.67	60.98
1x 5 and 10 inch, "	66.30	62.00[1]	64.00	....	65.37	60.80
1x12 inch, "	60.00	70.25[1]	60.00	....	60.00	68.54
1¼x4 to 12 inch, "	72.50	64.92[1]	73.17[3]	....	72.50	64.92
1½ and 2x4 to 12 inch, "	....	74.00	80.00	....	76.00	70.25[2]
1⅝ inch, "	....	69.00	....	....	69.00	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	63.00	....	69.59	56.00	59.00	73.68
1x 6 inch, " "	60.29	75.00[2]	65.22	55.83	59.54	68.18
1x 8 inch, " "	61.96	68.50[1]	68.80	56.50	60.64	72.16
1x 5 and 10 inch, " "	61.96	75.00[2]	70.07	85.25[1]	66.92	77.98
1x12 inch, " "	65.29	69.50	73.22	70.00[1]	65.92	71.80
1¼x4 to 12 inch, " "	68.38	63.72	76.95	70.00[2]	71.80	83.28
1½ and 2x4 to 12 inch, " "	61.95	66.64	79.98	70.00[2]	70.74	83.05
1⅝ inch, " "	....	78.50[1]	....	78.33[3]	78.50[1]	78.50
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	74.06	77.57	81.87	....	75.29	84.01
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	75.30	80.07	79.78	....	77.18	83.90
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	80.90	92.00[3]	87.96[2]	88.00[3]	80.90	106.25
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	57.75	....	53.25[1]	....	57.75	55.56
" " " " " 8 ft.	48.60	58.00	68.50[3]	....	49.75	50.00[1]
" " " " " 12 and 14 ft.	48.00	65.00[2]	....	....	48.00	65.00[1]
" " " " " 16 ft.	....	....	69.50[2]	....	69.50[2]	69.50[1]
" " " " " 9 or 18 ft.	61.93	66.67	72.00	....	65.09	68.34
" " " " " 10 or 20 ft.	58.60	60.00	53.25[1]	....	59.14	57.75

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	45.00[2]	47.50[2]	53.00	....	53.00	46.13[1]
" " " " " 8 ft.	41 52[2]	40.00	....	..	40.00	42.19[1]
" " " " " 12 and 14 ft.	43.69[2]	47.00	....	....	47.00	43.69[1]
" " " " " 16 ft.	40 94[2]	71.00[1]	51.62	....	51.62	71.00
" " " " " 9 or 18 ft.	49 73	61.58	63.03	....	60.90	62.19
" " " " " 10 or 20 ft.	47.50	49.68	52.93	....	49.76	49.83[1]
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	35.00	47.50[2]	53.00	....	35.00	49.00[1]
" " " " " 8 ft.	60.00[3]	40.00	....	....	40.00	45 25[1]
" " " " " 12 and 14 ft.	40 00[1]	47.00	....	....	47.00	40.00
" " " " " 16 ft.	40.11	71.00[1]	51.62	....	40.11	40 00
" " " " " 9 or 18 ft.	44.50	61.58	63.03	....	44.50	50 00
" " " " " 10 or 20 ft.	40.00[1]	49.68	52.93	....	50.08	40.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	25.08	....	....	....	25.08	28.47
" " " " " 10 to 20 ft.	26.00	30.00[1]	....	....	26.00	28.97
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	42.38	38.19	....	40.21	52.44[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	44.00	38.19	....	44.00	57.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	32.00[3]	....	....	....	32.00[3]	32.00[2]
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	25.25	....	....	....	25.25	35.73
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	52.50	45.00[1]	....	....	52.50	45.00
" " " 2 to 3 inch 10 & 20 ft.	52.50	38.45	36.25[3]	....	38.45	45.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	37.67	40.00[1]	61.00[2]	....	37.67	40.01
" " " " other lengths.	36.96	41.34	43.56	42.78	40.74	44.95
" " 1x10, " 14 and 16 ft.	34.21	45.75[2]	52.75	....	38.59	41.94
" " " " other lengths.	36.39	40.56	49.59	46.50	40.55	44.60
" " 1x12, " 14 and 16 ft.	39.03	45.00[2]	65.00	....	40.26	44.96
" " " " other lengths.	40.03	44.60	57.85	34.43	42.98	47.58
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	23.15	28.38	27.37	26.46	24.41	27.19
" " 1x10, " "	21.64	31.35	26.06	26.42	23.14	28.74
" " 1x12, " "	25.88	28.79	29.80	27.26	27.39	31.01
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	18.51	24.00	24.36	21.00	21.38	23.45
" " 1x10, " "	18.53	22.04	22.92	26.00	21.11	22.24
" " 1x12, " "	19.95	22.12	25.93	22.25[1]	23.62	23.13
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	36.96	....	48.50[3]	....	36.96	40.64
" " " other lengths.	33.69	40.82	43.00[1]	....	33.99	41 92
" 1x10, " 14 and 16 ft.	40.06	48.98[3]	....	....	40.06	43.78
" " " other lengths.	39.13	39.82	51.94	....	40.30	43.42
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	...	....
Shiplap, 1x 8, No. 2, all lengths.	23.93	25.65	29.34	26.69	25.52	28.58
" 1x10, " "	22.85	25.23	26.93	27.14[2]	24.08	27.84
" 1x12, " "	....	....	....	30.00	30.00	....
Shiplap, 1x 8, No. 3, all lengths.	21.16	20.08	27.14	19.75[1]	23.65	24.20
" 1x10, " "	21.78	27.00[2]	21.44	24.50[1]	21.66	26 52
" 1x12, " "	19.27	....	....	....	19.27	22.75
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	43.11[1]	...	....	....	43.11[1]	43.11
" " " " other lengths.	43.27	...	....	....	43.27	42.14
" " 1x12, " 14 and 16 ft.	....	...	...	..	....	....
" " " " other lengths.	....	...	...	..	....	...
All No. 4—all widths and lengths.	10.91	...	17.68	....	15.00	13.34

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
1x4, S 1 S, No. 1, 16 ft.	34.51	44.00[2]	....	....	34.51	39.81
" " " other lengths	35.38	40.00	46.84	57.75[2]	35.85	41.15
" " No. 2, all lengths	22.22	25.65	26.62	23.50[1]	23.40	25.15
" " No. 3, "	15.82	16.29	20.38	21.00[1]	17.34	19.59
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	52.50[3]
" " " other lengths	42.75	....	....	....	42.75	39.25
" " No. 2, all lengths	24.98	....	....	....	24.98	22.25
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	35.28	47.00	38.00	....	38.66	40.75
" " " other lengths	38.92	48.04	46.06	44.91	43.71	47.51
" " No. 2, all lengths	21.95	24.54	28.04	25.00	24.99	26.98
" " No. 3, "	18.85	16.79	20.91	24.50[1]	18.84	22.07
1x6, C. M., No. 1, 16 ft.	38.14	44.89	....	....	41.20	34.63
" " " other lengths	36.74	43.56	....	....	40.31	42.64
" " No. 2, all lengths	23.13	23.47	....	26.53	23.74	26.30
" " No. 3, "	22.27[1]	23.51[1]	....	18.00[1]	21.99[1]	21.99
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	28.01	30.25	30.58	....	28.62	30.98
" " " 12 ft.	27.38	30.37	29.82	28.16	28.09	31.32
" " " 14 ft.	27.53	35.77	27.72	29.02	28.86	30.95
" " " 16 ft.	28.34	29.96	27.12	31.00[2]	28.35	31.65
" " " 18 ft.	28.66	30.74	28.72	....	29.17	32.00
" " " 20 ft.	28.47	30.64	28.72	....	28.93	32.09
" " " 22 ft.	29.44	33.39	36.00[1]	....	31.64	34.46
" " " 24 ft.	30.26	30.91	36.00[1]	....	30.55	34.00
2x 6, No. 1, S 1 S 1 E, 10 ft.	25.91	28.00	26.86	31.75[3]	26.77	28.46
" " " 12 ft.	25.56	27.89	26.12	24.75	25.95	28.07
" " " 14 ft.	25.58	26.85	26.12	24.80	25.90	27.66
" " " 16 ft.	25.97	27.44	26.09	25.67	26.37	29.69
" " " 18 ft.	27.31	30.33	26.09	....	27.35	29.95
" " " 20 ft.	26.73	28.87	26.09	31.00[2]	27.35	30.36
" " " 22 ft.	29.31	31.05	33.14	....	31.22	32.08
" " " 24 ft.	28.60	31.27	33.14	....	29.68	32.56
2x 8, No. 1, S 1 S 1 E, 10 ft.	26.12	29.49	32.66	31.75[3]	31.62	29.84
" " " 12 ft.	26.54	29.05	29.79	....	27.55	30.03
" " " 14 ft.	26.11	28.38	28.14	25.75	27.22	30.42
" " " 16 ft.	28.40	29.26	30.32	26.92	29.09	33.38
" " " 18 ft.	28.75	30.29	32.66	30.25	29.12	32.05
" " " 20 ft.	30.49	29.21	32.66	30.25	30.21	32.46
" " " 22 ft.	33.25	29.18	34.81	....	30.47	35.14
" " " 24 ft.	30.24	32.52	34.81	....	31.58	34.16
2x10, No. 1, S 1 S 1 E, 10 ft.	26.86	29.99	34.82	....	32.55	31.24
" " " 12 ft.	27.51	29.98	30.72	26.75	29.08	32.20
" " " 14 ft.	27.09	30.01	30.72	26.75	28.11	32.92
" " " 16 ft.	29.93	30.65	28.91	28.02	30.03	35.00
" " " 18 ft.	30.25	30.62	28.91	31.75	30.36	33.30
" " " 20 ft.	29.52	31.82	28.91	31.75	30.43	33.69
" " " 22 ft.	32.61	31.13	36.50	....	32.95	36.13
" " " 24 ft.	33.09	34.88	36.50	....	33.92	36.48
2x12, No. 1, S 1 S 1 E, 10 ft.	30.50	31.50	34.51	....	32.85	31.91
" " " 12 ft.	28.65	33.18	31.25	31.65	30.74	34.49
" " " 14 ft.	30.12	34.08	31.25	31.50	30.73	34.40
" " " 16 ft.	32.43	34.15	34.15	33.50	34.50	36.83
" " " 18 ft.	34.17	36.29	34.15	34.54	34.66	34.49
" " " 20 ft.	31.49	34.10	34.15	34.60	32.78	34.72
" " " 22 ft.	34.65	38.56	38.96	....	36.31	37.98
" " " 24 ft.	33.97	35.75	38.96	....	34.13	39.00
2x 4, No. 2, S 1 S 1 E, 10 ft.	26.00	25.54	29.19	27.50	26.43	25.69
" " " 12 ft.	23.66	23.87	28.66	22.50	23.95	24.82
" " " 14 ft.	23.50	27.08	26.62	25.50	25.22	23.18
" " " 16 ft.	25.02	25.74	28.66	27.50	25.92	26.23
" " " 18 ft.	23.92	25.96	28.20	28.50	25.67	27.31
" " " 20 ft.	24.72	27.77	28.20	....	25.68	27.93
" " " 22 ft.	37.50[2]	34.50[3]	34.75[2]	....	35.85[2]	35.85[1]
" " " 24 ft.	35.50[2]	34.50[3]	34.75[2]	....	35.50[2]	35.50[1]
2x 6, No. 2, S 1 S 1 E, 10 ft.	20.95	28.00[1]	30.52	25.00[2]	29.43	25.79
" " " 12 ft.	21.35	21.98	24.70	22.50	22.59	23.19
" " " 14 ft.	20.99	21.62	24.70	22.50	21.11	23.99
" " " 16 ft.	22.70	23.22	26.45	24.50	23.64	25.53
" " " 18 ft.	23.86	25.08	30.52	....	24.03	26.13
" " " 20 ft.	23.36	23.35	30.52	22.00	22.99	24.98
" " " 22 ft.	25.15[1]	27.75	30.41	....	29.35	30.04
" " " 24 ft.	25.11[1]	27.75	30.41	....	29.35	25.11

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
2x 8 No. 2, S 1 S 1 E, 10 ft.	23.96	27.75[2]	31.20	25.50	30.70	30.75
" " " 12 ft.	23.20	24.12	26.68	23.50	25.50	25.72
" " " 14 ft.	22.79	24.06	26.45	23.50	24.09	26.24
" " " 16 ft.	25.11	23.63	25.14	25.50	24.94	27.96
" " " 18 ft.	25.74	23.37	31.20	26.50	25.68	28.28
" " " 20 ft.	25.72	26.48	31.20	...	25.87	26.64
" " " 22 ft.	26.75[1]	34.00[1]	28.85		28.85	30.24
" " " 24 ft.	37.00[2]	34.00[1]	28.85	...	28.85	35.50
2x10, No. 2, S 1 S 1 E, 10 ft.	27.50[1]	32.25[2]	33.22	27.00	33.17	30.26
" " " 12 ft.	20.00	27.00	25.54	25.00	25.04	28.53
" " " 14 ft.	24.81	27.00	25.54	25.00	25.05	27.00
" " " 16 ft.	23.91	24.59	30.24	27.00	25.37	29.63
" " " 18 ft.	24.53	26.34	30.57	28.00	26.17	28.51
" " " 20 ft.	25.19	25.42	30.57	28.00	25.33	26.89
" " " 22 ft.	36.00[3]	33.25[1]	34.92[1]	...	33.99[1]	33.99
" " " 24 ft.	...	33.25[1]	34.92[1]	....	33.99[1]	33.99
2x12, No. 2, S 1 S 1 E, 10 ft.	22.00	29.75[2]	30.68	33.00	30.93	35.47
" " " 12 ft.	22.00	28.00	30.35	31.00	29.67	29.39
" " " 14 ft.	22.00	25.69	30.35	29.80	27.49	27.91
" " " 16 ft.	25.36	25.59	34.46	30.00	28.19	29.44
" " " 18 ft.	25.99	25.18	30.68	33.50[3]	25.54	28.94
" " " 20 ft.	26.90	24.67	30.68	...	25.47	30.98
" " " 22 ft.	35.50[1]	30.00	36.00[1]	...	30.00	35.93
" " " 24 ft.	....	30.00	36.00[1]	....	30.00	36.00
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3. S 1 S 1 E, all lengths	14.83	19.75	....	13.25	16.55	20.44
PATENT LATH						
4 and 6 ft.	22.07	21.75[2]	26.25	...	22.45	19.94
8 and 10 ft.	22.16	27.00[1]	....	....	22.16	23.45
12 ft. and longer	22.25	31.00[3]	....	....	22.25	24.59
PLASTERING LATH						
3/8x1 1/2-4, No. 1	4.89	4.87	5.37	5.27	5.23	5.79
" No. 2	3.03	2.53	3.51	3.18	3.23	3.65
3/8x1 1/2-3, No. 1	...	....	...	....	...	...
" No. 2	...	....	...	....	...	...
5/8x1 1/2-4, No. 1	...	...	...	....	...	...
" No. 2	...	...	...	....	...	....
5/8x1 1/2-3, No. 1	...	...	...	....	...	...
" No. 2	...	...	...	...	...	...
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	34.65	35.09	36.34	.	35.57	39.54
" " 22-24 ft.	43.40	39.75	37.36	.	41.05	37.90
" " 26 ft.	52.00[1]	39.75	45.96	.	45.80	50.91
" " 28 ft.	47.00	47.00	45.96		47.00	46.59
" " 30 ft.	44.85[2]	45.50[3]	44.81		44.81	47.31
" " over 30 ft.	50.00	49.74	50.92	....	49.92	47.31
4x4 to 8x8, Heart (85%+), up to 20 ft.	44.92	46.19			45.25	44.29
" " " 22-24 ft.	58.00	49.91		.	52.30	51.00
" " " 26 ft.			.	.		53.00[3]
" " " 28 ft.		46.00[2]			46.00[2]	46.00[1]
" " " 30 ft.	46.50	46.50	...	. .	46.50	44.34
" " " over 30 ft.	59.50	.		. .	59.50	49.00[1]
3 & 4x10, No. 1, up to 20 ft.	40.61	43.63		.	41.16	44.46
" " 22-24 ft.	40.53	53.00			41.83	45.09
" " 26 ft.	45.80[1]	54.00	...		54.00	45.80
" " 28 ft.	.	55.00	.	.	55.00	....
" " 30 ft.	45.25			.	45.25	.
" " over 30 ft.	45.80[1]		. .		45.80[1]	45.80
3 & 4x10, Heart (85%+), up to 20 ft.	44.00[1]	49.11		.	49.11	46.40
" " " 22-24 ft.	49.13[2]	51.00[1]	. .		51.00[1]	51.00
" " " 26 ft.					. .	.
" " " 28 ft.			. .		...	...
" " " 30 ft.		.	. .		. .	...
" " " over 30 ft.	. .	.	. .	. .	. .	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
x10, to 10x10, No. 1, up to 20 ft.	39.43	42.08	39.82	....	40.24	43.24
“ “ 22-24 ft.	40.84	37.33	44.20	....	41.94	45.73
“ “ 26 ft.	....	54.00[1]	49.26	....	49.26	54.00
“ “ 28 ft.	50.01[3]	....	48.00	....	48.00	49.63[1]
“ “ 30 ft.	50.71[3]	....	53.09	....	53.09	50.25[1]
“ “ over 30 ft.	48.02[2]	....	53.09	....	53.09	49.67[1]
x10 to 10x10, Heart (85%+), up to 20 ft.	54.00	55.00	....	....	54.19	46.42
“ “ “ 22-24 ft.	....	47.00[2]	....	....	47.00[2]	47.00[1]
“ “ “ 26 ft.	54.25	....	....	....	54.25	....
“ “ “ 28 ft.	49.65[2]	....	....	....	49.65[2]	49.65[1]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	59.00[1]	....	....	....	59.00[1]	59.00
& 4x12, No 1, up to 20 ft.	44.30	46.13	....	....	45.24	46.13
“ “ 22 24 ft.	54.77	44.00	....	....	51.86	49.67
“ “ 26 ft.	41.50[2]	....	....	....	41.50[2]	41.50[1]
“ “ 28 ft.	52.50[2]	....	....	....	52.50[2]	52.50[1]
“ “ 30 ft.	55.50[2]	....	....	....	55.50[2]	55.50[1]
“ “ over 30 ft.	56.00[2]	....	....	....	56.00[2]	56.00[1]
& 4x12, Heart (85%+), up to 20 ft.	37.75[1]	52.00	....	....	52.00	44.69
“ “ “ 22-24 ft.	61.36[2]	....	....	....	61.36[2]	61.36[1]
“ “ “ 26 ft.	....	56.00	....	....	56.00	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
x12 to 12x12, No. 1, up to 20 ft.	42.57	44.47	44.92	....	44.48	46.38
“ “ 22-24 ft.	46.00	45.00	42.50	....	43.18	47.35
“ “ 26 ft.	48.13[1]	49.00[3]	53.18	....	53.18	51.30
“ “ 28 ft.	45.25	46.50[1]	53.18	....	45.25	46.50
“ “ 30 ft.	50.00	47.50[1]	45.54	....	47.56	50.18
“ “ over 30 ft.	55.00	71.00[1]	57.75	....	55.73	50.02
x12 to 12x12, Heart (85%+), up to 20 ft.	52.50	41.25[1]	....	....	52.50	41.25
“ “ “ 22-24 ft.	53.45[2]	42.25[1]	....	....	42.25[1]	42.25
“ “ “ 26 ft.	56.76[2]	....	....	....	56.76[2]	56.76[1]
“ “ “ 28 ft.	53.00[2]	....	....	....	53.00[2]	53.00
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	65.00[1]	....	....	....	65.00[1]	65.00
14 to 4x14, No. 1, up to 20 ft.	46.85[1]	47.63	....	....	47.63	47.07
“ “ 22-24 ft.	58.58[2]	55.00	....	....	55.00	56.62[1]
“ “ 26 ft.	51.00[2]	53.50[2]	....	....	51.00[1]	51.00
“ “ 28 ft.	59.00[3]	64.00[1]	....	....	64.00[1]	64.00
“ “ 30 ft.	....	65.00[3]	....	....	65.00[3]	65.00[2]
“ “ over 30 ft.	....	....	....	....	....	....
14 to 4x14, Heart (85%+), up to 20 ft.	....	65.00[1]	....	....	65.00[1]	65.00
“ “ “ 22-24 ft.	....	57.00[2]	....	....	57.00[2]	57.00[1]
“ “ “ 26 ft.	....	57.00[2]	....	....	57.00[2]	57.00[1]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
14 to 14x14, No. 1, up to 20 ft.	51.06[1]	42.50	47.99	....	47.32	50.52
“ “ 22-24 ft.	48.25	63.00[2]	53.69[2]	....	48.25	54.74[1]
“ “ 26 ft.	54.00[1]	52.33[3]	64.50	....	64.50	54.00
“ “ 28 ft.	56.50[3]	....	64.50	....	64.50	57.25[1]
“ “ 30 ft.	....	....	69.00	....	69.00	57.25[1]
“ “ over 30 ft.	71.00[2]	....	58.45	....	58.45	66.27[1]
14 to 14x14, Heart (85%+), up to 20 ft.	53.00[2]	59.00[1]	....	....	59.00[1]	59.00
“ “ “ 22-24 ft.	....	60.00[1]	....	....	60.00[1]	60.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	70.00[3]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
16 to 4x16, No. 1, up to 20 ft.	....	60.00[1]	....	....	60.00[1]	60.00
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ 28 ft.	....	65.00[1]	....	....	65.00[1]	65.00
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oc. 10
6x16 & Up, No. 1, up to 20 ft.	62.37	60.00[2]	53.62	....	59.63	50.41
" " 22-24 ft.	59.82	....	61.75	....	60.13	51.11[1]
" " 26 ft.	....	....	57.22	....	57.22	64.53[1]
" " 28 ft.	....	....	57.22	....	57.22	64.53[1]
" " 30 ft.	53.73	....	70.00	....	62.15	68.81[2]
" " over 30 ft.	62.00	....	70.00	....	63.05	74.40
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	63.00[1]	....	....	....	63.00[1]	63.00
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	66.25[2]	....	....	....	66.25[2]	66.25[1]
" " 22-24 ft.	62.00[1]	....	....	....	62.00[1]	62.00
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	60.00[1]	63.50	67.25[2]	....	63.50	60.00
" " 30 ft.	65.68[1]	64.72	....	....	64.72	65.68
" " 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	57.00[2]	....	....	....	57.00[2]	57.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	67.76[2]	....	72.00[3]	....	67.76[2]	67.76[1]
" " " 28 ft.	65.00[1]	61.28	55.00	....	60.58	65.00
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	52.69[3]	43.75[3]	48.50	....	48.50	47.60
" " " 36 ft.	55.50	50.85	48.63	45.00[1]	51.81	50.23
" " " 37-38 ft.	53.00[3]	55.00[2]	45.00	45.00[1]	45.00	45.00
" " " 40 ft.	56.67	55.12	45.00	....	55.23	45.31
" " " 41-42 ft.	57.00	56.00	....	....	56.29	56.00[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	53.00[1]	....	....	....	53.00[1]	53.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	52.76	....	52.76	60.00
" " " 36 ft.	50.00	50.63	52.76	50.00[1]	50.31	51.28
" " " 37-38 ft.	57.00[2]	59.81[2]	54.00	58.00[3]	54.00	59.64[1]
" " " 40 ft.	55.00	54.50	54.00	....	54.86	53.50
" " " 41-42 ft.	53.50[1]	56.00	....	....	56.00	53.50
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	55.50	....	....	....	55.50	56.78[3]
" " " " 37-38 ft.	....	....	52.00[3]	....	52.00[3]	52.00[2]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	59.69[3]	....	58.00	....	58.00	62.00
" " " 36 ft.	64.00[2]	59.59	58.00	60.00[2]	59.59	62.00
" " " 37-38 ft.	60.00[2]	60.00	65.00[2]	....	60.00	60.10[1]
" " " 40 ft.	61.00	....	60.00[3]	....	61.00	59.25
" " " 41-42 ft.	58.00	....	....	....	58.00	59.25
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
Up to 14 inch, Sq. E., 34 ft.	....	64.00[2]	....	....	64.00[2]	64.00[1]
“ “ “ 36 ft.	61.75[1]	60.00	....	64.00	62.27	61.75
“ “ “ 37-38 ft.	65.00[3]	62.00[3]	....	....	62.82[3]	62.82[2]
“ “ “ 40 ft.	63.00	64.00	....	69.00	64.77	53.80
“ “ “ 41-42 ft.	65.00	66.00	....	....	65.62	53.80
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	56.00[2]	53.00[1]	....	....	53.00[1]	53.00
“ “ 14 ft.	52.00[1]	50.00	....	....	50.00	52.00
“ “ 16 ft.	....	50.00	....	....	50.00	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	54.67[1]	....	....	....	54.67[1]	54.67
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	52.50	....	....	52.50	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	35.67	....	....	....	35.67	38.00
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	40.00	50.00[2]	....	44.25[3]	40.00	42.00
“ “ Heart, (85%+), 6x8–8	49.69	49.50	....	....	49.67	49.28
“ “ Sq. E., “ 7x9–8	43.67	....	....	....	43.67	43.00
“ “ Heart, “ 7x9–8	50.00	44.33	....	....	45.82	49.43
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
“ “ Heart,	....	....	....	....	....	49.58[3]
Paving Stock, S 1 S	....	40.00	34.48	....	37.07	32.75
“ “ Rough	36.00[3]	35.00[3]	....	....	35.63[3]	35.63[2]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	119.75[1]	....	....	....	119.75[1]	119.75
Miscellaneous	48.61	63.01	55.63	35.00	52.04	41.10
MISCELLANEOUS STOCK						
ilo Stock	....	....	....	....	....	....
Grain Doors	22.00[1]	....	....	....	22.00[1]	22.00
Miscellaneous, B and B	90.20	95.09	63.01	70.50	72.75	79.05
“ No. 1	43.54	39.73	36.13	46.58	39.81	39.33
“ No. 2	40.95	38.18	27.31	26.32	29.15	30.19
“ No. 3	22.40[1]	16.21	25.16	19.21	20.86	21.89
Shorts B and B	49.49	....	....	....	49.49	57.00
“ No. 1	22.35	20.00	32.50[2]	....	22.17	23.95
“ No. 2	....	20.64	....	....	20.64	24.31
“ No. 3	....	21.50	....	....	21.50	26.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5 25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2 75	3.00	3 25	3 50	3 50	3 75	4 00	4.25	4 50	4.75	5 00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1 25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.55	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

October 31, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending October 31, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Nov. 8, 1920

No. 110

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	100 55	....	....	....	100 55	101.50
" " C "	75.00	....	....	....	75.00	74 75
" " D "	55.24	....	....	....	55.24	67.00[1]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	55.00	....	....	....	55.00	....
" " B and Better "	56.34	....	....	....	56.34	59.10
" " C "	....	....	....	....	....	....
" " D "	41.50	....	....	....	41.50	34.00
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	25.10	....	....	....	25.10	28.07
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	83.00[1]	83.00[1]	83.00
Edge Grain, A "	....	....	98.00	119.38[1]	98.00	119.06
" " B "	....	....	97.65	100.00	97.92	110.12
" " B and Better "	101.62[3]	96.72	....	100.00	97.08	103.55
" " C "	....	74.50[1]	74.68	73.00[2]	74.68	84.83
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	48.05	40.00	45.09	65.53
Flat " A "	....	....	....	....	....	86 00[3]
" " B "	....	55.00	....	62.00	59.09	68.00
" " B and Better "	....	51.25	62.81	66.86	62.44	68.51
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	53.00[3]	52.50	51.28	51.93	56 08
No. 2 " "	....	28.00[1]	27.72	27.08	27.36	28.12
No. 3 " "	....	....	19.67	14.00[1]	19.67	14.00
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	119.00[3]	119.00[3]	119.00[2]
Edge Grain, A "	93.00[2]	....	119.00[3]	119.00[3]	93.00[2]	93.00[1]
" " B "	....	102.00[3]	91.72	114.00[3]	91.72	97.66
" " B and Better "	85.38	94 77	....	89.38[1]	88.26	85.94
" " C "	67.63[1]	67.50	83.84	....	81.71	68.00
" " D "	54.75	....	....	....	54.75	70.25[2]
" " No. 2 "	....	....	45.00	....	45.00	56.03[2]
Flat " A "	70 00[3]	....	....	....	70.00[3]	70 00[2]
" " B "	52.24	52.60	....	73.75[3]	52.40	54.77
" " B and Better "	51.09	51.85	53.14	47.67	51.42	54.36
" " C "	48.00	....	....	....	48.00	52.13
" " D "	40.55	42.68	....	....	40.67	42.72
No. 1 Common "	....	42.39	43.87	47.23	44.40	45.81
No. 2 " "	24.75	26.48	24.44	22.96	24.16	27.61
No. 3 " "	....	....	12.65	12.65	12.65	17.44
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	45.52	54.00[2]	45.95	42.30	45.12	46.47
" " No. 1 Common	39.75[1]	48 00[1]	42.97	....	42.97	45.92
" " No. 2 "	....	29.00[2]	21.70	....	21.70	27.46
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	46.19	48.18	50.41	50.00	47.97	50.10
" " No. 1 Common	38.58	40.75	43.06	33.06	40.67	43.35
" " No. 2 "	21.41	30.25	23.59	24 00[1]	22.88	25.78
" " No. 3 "	....	....	18.00[2]	19.00[3]	18.00[2]	18.00[1]
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	54.96	51.00	62.69	69.00[3]	57 78	64.45
" " No. 1 Common	55 15[1]	53 00	49 50	....	51 06	56 80
" " No. 2 "	31 75[2]	....	33 25[3]	....	31.75[2]	31.75[1]
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	58 37	57 00	....	70.50	59 04	63 59
" " No. 1 Common	52 75[1]	....	....	....	52 75[1]	52.75
" " No. 2 "	30 75[3]	31 00[2]	....	....	31 00[2]	31 00[1]
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	62 25	....	65 49	....	61 99	61 17
" " No. 1 Common	65 00[1]	37 00	49 38	....	44 96	46 28
" " No. 2 "	....	33 50[3]	25 81	....	25 81	29 68
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	39 93[1]	....	50 95[1]	....	44 17[1]	44.17
" No. 1 Common	30 67	40.00[1]	29 92	30 00[1]	29 98	32.78
" No. 2 "	25.17	....	21.28	17.25	20.26	25.66

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	46.75	49.93	46.98	65.50[1]	47.58	50.69
“ “ No. 1 Common	41.13	44.89	43.74	45.50	43.17	44.46
“ “ No. 2 “	24.78	25.99	26.11	24.69	25.53	27.26
“ “ No. 3 “	....	....	16.50	....	16.50	15.00
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	..	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	60.56	64.12	70.00	86.50	62.35	66.05
1x 6 inch, “	64.21	67.26	59.16	60.03	62.44	66.76
1x 8 inch, “	62.35	65.46	64.05	86.50	63.60	68.20
1x 5 and 10 inch, “	66.69	71.15	65.23	67.12	67.46	67.69
1x12 inch, “	66.02	65.23	68.14	62.50	66.66	71.49
1¼x4 to 12 inch, “	73.18	79.62	77.25	61.31	72.59	71 94
1½ and 2x4 to 12 inch, “	75.82	82.00[1]	67.25	....	74.00	70.39
1⅝ inch, “	50.00	70.75	....	....	60.38	74.00
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, C	52.50[1]	....	....	....	52.50[1]	52.50
1x 6 inch, “	55.50	....	60.00	....	58.41	72.00
1x 8 inch, “	60.98[2]	60.00[1]	51.75	....	51.75	59.67
1x 5 and 10 inch, “	62.20	62.00[2]	57.25	....	61.09	65.37
1x12 inch, “	55.00	70.25[2]	57.16	....	56.80	60.00
1¼x4 to 12 inch, “	71.00	64.92[2]	63.75	....	64.96	72.50
1½ and 2x4 to 12 inch, “	....	74.00[1]	63.75	....	63.75	76.00
1⅝ inch, “	....	69.00[1]	....	....	69.00[1]	69.00
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	86.00	....	69.59[1]	56.00[1]	86.00	59.00
1x 6 inch, “ “	54.75	66.00	48.68	52.25	54.37	59.54
1x 8 inch, “ “	58.80	68.50[2]	56.00	56.50[1]	58.62	60.64
1x 5 and 10 inch, “ “	54.75	75.00[3]	61.35	85.25[2]	60.59	66.92
1x12 inch, “ “	54.75	69.50[1]	54.50	70.00[2]	54.59	65.92
1¼x4 to 12 inch, “ “	73.47	63.72[1]	75.24	70.00[3]	74 70	71.80
1½ and 2x4 to 12 inch, “ “	64.24	66.64[1]	76.43	70.00[3]	71.84	70.74
1⅝ inch, “ “	....	78.50[2]	....	....	78.50[2]	78.50[1]
1x 6 to 12 inch, “ “	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	72.28	83.08	57.00	....	71.06	75.29
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	72.44	80.88	77.20	....	75.34	77.18
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	72.94	80.00	69 75	....	73.50	80 90
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	50.50	55.42	75.00	....	54.86	57 75
“ “ “ “ “ 8 ft.	48.60[1]	44.75	70.00	....	51.40	49.75
“ “ “ “ “ 12 and 14 ft.	48.00[1]	65.00[3]	....	....	48.00[1]	48 00
“ “ “ “ “ 16 ft.	....	....	69.50[3]	....	69.50[3]	69.50[2]
“ “ “ “ “ 9 or 18 ft.	62.20	64.56	74.64	....	70.56	65.09
“ “ “ “ “ 10 or 20 ft.	60.50	60.00[1]	53.25[2]	....	60.50	59.14

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	45.00[3]	47.50[3]	53.00[1]	....	53.00[1]	53.00
" " " " " 8 ft.	41.52[3]	40.00[1]	....	....	40.00[1]	40.00
" " " " " 12 and 14 ft.	43.69[3]	47.00[1]	....	....	47.00[1]	47.00
" " " " " 16 ft.	40.94[3]	71.00[2]	51.62[1]	....	51.62[1]	51.62
" " " " " 9 or 18 ft.	60.00	67.56	68.00	....	64.88	60.90
" " " " " 10 or 20 ft.	47.50[1]	49.68[1]	52.93[1]	....	49.76[1]	49.76
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	38.51	47.50[3]	53.00[1]	....	38.51	35.00
" " " " " 8 ft.	....	40.00[1]	....	....	40.00[1]	40.00
" " " " " 12 and 14 ft.	36.00	47.00[1]	....	....	36.00	47.00
" " " " " 16 ft.	40.11[1]	71.00[2]	51.62[1]	....	40.11[1]	40.11
" " " " " 9 or 18 ft.	44.50[1]	67.56	68.00	....	67.64	61.80[1]
" " " " " 10 or 20 ft.	45.00	49.68[1]	52.93[1]	....	45.00	50.08
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	22.65	....	....	....	22.65	25.08
" " " " " 10 to 20 ft.	23.22	27.00	....	....	23.64	26.00
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	42.38[1]	32.29	....	32.29	40.21
" " " " 2 to 3 inch, 10 & 20 ft.	....	41.50	32.29	....	41.50	44.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	32.00[3]
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	25.25[1]	....	....	....	25.25[1]	25.25
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	52.50[1]	45.00[2]	....	....	52.50[1]	52.50
" " " 2 to 3 inch 10 & 20 ft.	52.50[1]	50.00	....	....	50.00	38.45
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	34.31	40.00[2]	61.00[3]	....	34.31	37.67
" " " " other lengths.	39.71	38.57	45.29	40.00	42.18	40.74
" " 1x10, " 14 and 16 ft.	36.93	45.75[3]	48.40	....	40.60	38.59
" " " " other lengths.	35.71	37.26	45.16	39.33	42.69	40.55
" " 1x12, " 14 and 16 ft.	40.14	42.00	48.77	....	42.54	40.26
" " " " other lengths.	40.49	42.12	50.12	43.26	43.36	42.98
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	22.45	23.68	24.63	23.24	23.43	24.41
" " 1x10, " "	23.02	24.92	26.06	23.40	24.37	23.14
" " 1x12, " "	24.56	26.27	26.38	25.81	25.73	27.39
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	18.45	15.66	20.05	18.92	18.65	21.38
" " 1x10, " "	18.53	22.04[1]	21.11	22.00	19.24	21.11
" " 1x12, " "	18.77	16.95	22.04	23.00	19.63	23.62
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	37.35	....	....	....	37.35	36.96
" " " other lengths.	37.88	38.56	42.00	37.50	38.15	33.99
" 1x10, " 14 and 16 ft.	40.06[1]	....	....	....	40.06[1]	40.06
" " " other lengths.	38.27	36.42	51.94[1]	....	37.07	40.30
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	22.86	22.61	24.67	22.57	23.23	25.52
" 1x10, " "	24.23	22.44	26.19	23.30	24.34	24.08
" 1x12, " "	....	....	....	30.00[1]	30.00[1]	30.00
Shiplap, 1x 8, No. 3, all lengths.	17.08	18.25	20.36	16.55	17.56	23.65
" 1x10, " "	17.02	16.72	21.53	20.00	18.73	21.66
" 1x12, " "	18.50	18.50	....	....	18.50	19.27
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	37.36	....	....	....	37.36	43.11[1]
" " " " other lengths.	37.36	36.70	....	....	37.15	43.27
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	8.62	....	13.57	....	9.52	15.00

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
1x4, S 1 S, No. 1, 16 ft.	35.72	43.00	....	....	36.28	34.51
" " " other lengths	34.83	38.68	39.56	42.00	38.28	35.85
" " No. 2, all lengths	20.28	20.35	17.93	16.96	19.95	23.40
" " No. 3, "	17.02	15.56	17.29	21.00[2]	16.59	17.34
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	36.00	....	....	....	36.00	42.75
" " No. 2, all lengths	24.98[1]	....	....	....	24.98[1]	24.98
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	36.18	47.00	45.00	....	38.26	38.66
" " " other lengths	35.70	32.69	42.63	44.91[1]	37.88	43.71
" " No. 2, all lengths	21.55	22.26	25.17	25.63	22.45	24.99
" " No. 3, "	17.45	17.75	15.76	24.50[2]	17.12	18.84
1x6, C. M., No. 1, 16 ft.	36.15	47.00	....	....	40.17	41.20
" " " other lengths	37.16	34.35	....		36.41	40.31
" " No. 2, all lengths	22.28	20.29	....	22.63	21.59	23.74
" " No. 3, "	16.93	17.81	....	18.00[2]	17.36	21.99[1]
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	25.62	28.59	28.42	....	27.29	28.62
" " " 12 ft.	25.19	25.70	25.57	28.16[1]	25.47	28.09
" " " 14 ft.	25.67	26.17	25.82	29.02[1]	25.85	28.86
" " " 16 ft.	26.84	27.31	25.89	31.00[3]	26.90	28.35
" " " 18 ft.	26.83	27.07	29.39	....	27.10	29.17
" " " 20 ft.	27.83	28.36	29.39	....	28.07	28.93
" " " 22 ft.	29.92	29.09	36.00[2]	....	29.36	31.64
" " " 24 ft.	30.32	29.38	36.00[2]	....	29.82	30.55
2x 6, No. 1, S 1 S 1 E, 10 ft.	22.76	24.80	27.81	21.22	26.79	26.77
" " " 12 ft.	25.01	23.85	27.28	19.26	25.79	25.95
" " " 14 ft.	24.02	22.79	27.28	24.80[1]	23.65	25.90
" " " 16 ft.	24.55	25.10	25.52	30.63	25.25	26.37
" " " 18 ft.	24.55	25.15	25.52	32.50	25.24	27.35
" " " 20 ft.	24.86	25.90	25.52	32.50	25.61	27.35
" " " 22 ft.	28.39	29.03	27.00	....	28.78	31.22
" " " 24 ft.	27.93	28.07	27.00	....	28.01	29.68
2x 8, No. 1, S 1 S 1 E, 10 ft.	23.68	24.86	28.47	....	27.22	31.62
" " " 12 ft.	23.92	25.98	25.88	....	24.96	27.55
" " " 14 ft.	23.56	24.95	28.10	25.75[1]	24.67	27.22
" " " 16 ft.	26.54	26.43	30.50	32.50	28.09	29.09
" " " 18 ft.	26.20	26.71	27.22	30.25[1]	26.41	29.12
" " " 20 ft.	25.85	27.74	27.22	30.25[1]	26.61	30.21
" " " 22 ft.	28.73	28.97	31.31	....	29.77	30.47
" " " 24 ft.	28.99	30.05	31.31	....	29.65	31.58
2x10, No. 1, S 1 S 1 E, 10 ft.	24.08	25.87	27.01	....	26.44	32.55
" " " 12 ft.	24.69	26.15	25.93	31.50	25.58	29.08
" " " 14 ft.	23.64	25.16	25.93	31.50	24.19	28.11
" " " 16 ft.	26.56	28.18	25.70	33.50	27.73	30.03
" " " 18 ft.	27.86	29.19	27.01	31.75[1]	28.36	30.36
" " " 20 ft.	27.69	28.80	27.01	31.75[1]	28.13	30.43
" " " 22 ft.	30.99	30.11	27.00	....	30.42	32.95
" " " 24 ft.	29.85	29.82	27.00	....	29.84	33.92
2x12, No. 1, S 1 S 1 E, 10 ft.	29.31	27.50	33.29	....	32.67	32.85
" " " 12 ft.	29.69	28.03	27.07	31.65[1]	28.57	30.74
" " " 14 ft.	26.15	27.13	27.07	31.50[1]	26.48	30.73
" " " 16 ft.	28.65	29.76	31.19	22.50	29.10	34.50
" " " 18 ft.	29.54	30.66	33.29	34.54[1]	29.89	34.66
" " " 20 ft.	29.66	30.83	33.29	37.50	30.96	32.78
" " " 22 ft.	33.03	33.17	39.00	....	33.21	36.31
" " " 24 ft.	30.85	33.49	39.00	....	32.33	34.13
2x 4, No. 2, S 1 S 1 E, 10 ft.	20.82	21.12	23.46	27.50[1]	21.31	26.43
" " " 12 ft.	20.57	21.66	21.88	22.50[1]	20.91	23.95
" " " 14 ft.	20.49	21.21	22.89	25.50[1]	20.83	25.22
" " " 16 ft.	22.00	23.04	23.20	27.50[1]	22.40	25.92
" " " 18 ft.	22.15	23.32	24.51	28.50[1]	22.76	25.67
" " " 20 ft.	22.17	22.61	24.51	....	22.26	25.68
" " " 22 ft.	24.68	25.00	34.75[3]	....	24.81	35.85[2]
" " " 24 ft.	24.67	25.00	34.75[3]	....	24.67	35.50[2]
2x 6, No. 2, S 1 S 1 E, 10 ft.	19.12	19.85	30.28	25.00[3]	26.96	29.43
" " " 12 ft.	18.62	19.11	23.33	22.50[1]	19.10	22.59
" " " 14 ft.	18.35	19.22	23.33	22.50[1]	18.52	21.11
" " " 16 ft.	20.72	20.58	20.76	18.00	20.38	23.64
" " " 18 ft.	20.68	20.50	30.28	....	20.66	24.03
" " " 20 ft.	20.74	20.55	30.28	22.00[1]	20.70	22.99
" " " 22 ft.	23.65	30.00	30.41[1]	....	25.06	29.35
" " " 24 ft.	23.65	30.00	30.41[1]	....	23.65	29.35

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
x 8, No. 2, S 1 S 1 E, 10 ft.	18.92	20.75	25.42	25.50[1]	20.88	30.70
" " " 12 ft.	19.32	22.00	21.50	23.50[1]	19.54	25.50
" " " 14 ft.	19.81	21.50	25.73	23.50[1]	21.10	24.09
" " " 16 ft.	20.91	19.67	20.61	19.00	20.28	24.94
" " " 18 ft.	21.46	19.50	25.42	26.50[1]	21.36	25.68
" " " 20 ft.	21.69	20.13	25.42	....	21.27	25.87
" " " 22 ft.	26.75[2]	34.00[2]	30.14	....	30.14	28.85
" " " 24 ft.	37.00[3]	34.00[2]	30.14	....	30.14	28.85
x10, No. 2, S 1 S 1 E, 10 ft.	18.00	32.25[3]	21.43	27.00[1]	20.85	33.17
" " " 12 ft.	20.59	25.50	20.38	25.00[1]	20.55	25.04
" " " 14 ft.	19.37	22.00	20.38	25.00[1]	19.49	25.05
" " " 16 ft.	21.22	21.33	20.26	27.00[1]	20.72	25.37
" " " 18 ft.	21.98	23.61	21.43	28.00[1]	22.28	26.17
" " " 20 ft.	24.77	22.80	21.43	28.00[1]	24.23	25.33
" " " 22 ft.	....	33.25[2]	34.92[2]	....	33.99[2]	33.99[1]
" " " 24 ft.	....	33.25[2]	34.92[2]	....	33.99[2]	33.99[1]
x12, No. 2, S 1 S 1 E, 10 ft.	22.00[1]	29.75[3]	22.49	33.00[1]	22.49	30.93
" " " 12 ft.	22.09	23.00	30.00	31.00[1]	22.84	29.67
" " " 14 ft.	22.40	23.00	30.00	29.80[1]	22.58	27.49
" " " 16 ft.	25.33	26.33	28.18	20.00	23.67	28.19
" " " 18 ft.	26.21	23.44	22.49	....	24.74	25.54
" " " 20 ft.	26.04	29.19	22.49	....	27.40	25.47
" " " 22 ft.	33.50	26.85	36.00[2]	....	28.64	30.00
" " " 24 ft.	27.75	26.85	36.00[2]	....	27.75	30.00
o. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
l No 3, S 1 S 1 E, all lengths	15.18	13.31	....	13.00	13.59	16.55
PATENT LATH						
and 6 ft.	18.21	20.72	26.25[1]	....	18.67	22.45
and 10 ft.	20.21	26.70	....	....	20.76	22.16
ft. and longer	20.78	....	....	....	20.78	22.25
PLASTERING LATH						
x1½–4, No. 1	4.63	4.80	5.46	4.51	5.03	5.23
" No. 2	3.34	2.40	2.99	2.08	3.03	3.23
x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4 to 8x8, No. 1, up to 20 ft.	33.25	34.58	33.90	....	33.83	35.57
" " 22-24 ft.	32.49	39.49	38.09	....	35.59	41.05
" " 26 ft.	52.00[2]	39.75[1]	45.68	....	45.68	45.80
" " 28 ft.	47.00	46.83	45.68	....	46.92	47.00
" " 30 ft.	44.85[3]	56.00	47.75	....	48.67	44.81
" " over 30 ft.	50.00	49.74[1]	39.58	....	49.33	49.92
4 to 8x8, Heart (85%+), up to 20 ft.	42.52	40.44	....	....	41.80	45.25
" " " 22-24 ft.	58.00[1]	49.91[1]	....	....	52.30[1]	52.30
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	46.00[3]	....	....	46.00[3]	46.00[2]
" " " 30 ft.	52.50	46.50[1]	....	....	52.50	46.50
" " " over 30 ft.	59.63	....	....	....	59.63	59.50
& 4x10, No. 1, up to 20 ft.	38.04	40.77	....	....	38.94	41.16
" " 22-24 ft.	40.53[1]	39.00	....	....	39.00	41.83
" " 26 ft.	45.80[2]	40.00	....	....	40.00	54.00
" " 28 ft.	....	55.00[1]	....	....	55.00[1]	55.00
" " 30 ft.	44.00	....	....	....	44.00	45.25
" " over 30 ft.	45.80[2]	....	....	....	45.80[2]	45.80[1]
& 4x10, Heart (85%+), up to 20 ft.	44.83	45.00	....	....	44.87	49.11
" " " 22-24 ft.	49.13[3]	51.00[2]	....	....	51.00[2]	51.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
6x10, to 10x10, No. 1, up to 20 ft.	37.74	41.83	41.94	....	41.25	40.24
“ “ 22-24 ft.	37.69	40.29	41.06	....	38.57	41.94
“ “ 26 ft.	34.50	54.00[2]	47.37	....	38.49	49.26
“ “ 28 ft.	....	44.00	47.37	....	44.00	48.00
“ “ 30 ft.	....	....	45.17	....	45.17	53.09
“ “ over 30 ft.	51.86	....	52.29	....	51.94	53.09
6x10 to 10x10, Heart (85%+), up to 20 ft.	43.45	55.00[1]	....	....	43.45	54.19
“ “ “ 22-24 ft.	....	47.00[3]	....	....	47.00[3]	47.00[2]
“ “ “ 26 ft.	54.25[1]	58.00	....	....	58.00	54.25
“ “ “ 28 ft.	49.65[3]	....	....	....	49.65[3]	49.65[2]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	59.00[2]	....	....	....	59.00[2]	59.00[1]
3 & 4x12, No 1, up to 20 ft.	31.02	46.28	....	....	38.10	45.24
“ “ 22 24 ft.	43.03	44.00[1]	....	....	43.03	51.86
“ “ 26 ft.	48.00	....	....	....	48.00	41.50[2]
“ “ 28 ft.	52.50[3]	....	....	....	52.50[3]	52.50[2]
“ “ 30 ft.	49.00	....	....	....	49.00	55.50[2]
“ “ over 30 ft.	56.00[3]	....	....	....	56.00[3]	56.00[2]
3 & 4x12, Heart (85%+), up to 20 ft.	37.75[2]	50.00	....	....	50.00	52.00
“ “ “ 22-24 ft.	61.36[3]	....	....	....	61.36[3]	61.36[2]
“ “ “ 26 ft.	....	56.00[1]	....	....	56.00[1]	56.00
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	47.39	40.32	45.50	....	45.45	44.48
“ “ 22-24 ft.	43.09	44.00	39.44	....	41.68	43.18
“ “ 26 ft.	42.75	....	49.76	....	49.20	53.18
“ “ 28 ft.	42.75	46.50[2]	49.76	....	42.75	45.25
“ “ 30 ft.	42.75	48.00	48.38	....	48.06	47.56
“ “ over 30 ft.	45.00	71.00[2]	61.00	....	47.67	55.73
6x12 to 12x12, Heart (85%+), up to 20 ft.	54.65	55.00	....	....	54.72	52.50
“ “ “ 22-24 ft.	48.00	48.00	....	....	48.00	42.25[1]
“ “ “ 26 ft.	56.76[3]	....	....	....	56.76[3]	56.76[2]
“ “ “ 28 ft.	53.00[3]	58.00	....	....	58.00	53.00[3]
“ “ “ 30 ft.	....	59.33	....	....	59.33	....
“ “ “ over 30 ft.	62.94	....	....	....	62.94	65.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	28.25	47.63[1]	....	....	28.25	47.63
“ “ 22-24 ft.	30.25	55.00[1]	....	....	30.25	55.00
“ “ 26 ft.	31.25	53.50[3]	....	....	31.25	51.00[1]
“ “ 28 ft.	32.25	64.00[2]	....	....	32.25	64.00[1]
“ “ 30 ft.	33.25	....	....	....	33.25	65.00[3]
“ “ over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	65.00[2]	....	....	65.00[2]	65.00[1]
“ “ “ 22-24 ft.	....	57.00[3]	....	....	57.00[3]	57.00[2]
“ “ “ 26 ft.	....	57.00[3]	....	....	57.00[3]	57.00[2]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	63.00	....	....	63.00	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	48.00	50.25	47.99[1]	....	49.75	47.32
“ “ 22-24 ft.	47.50	63.00[3]	53.69[3]	....	47.50	48.25
“ “ 26 ft.	54.00[2]	....	64.50[1]	....	64.50[1]	64.50
“ “ 28 ft.	....	....	64.50[1]	....	64.50[1]	64.50
“ “ 30 ft.	....	....	51.00	....	51.00	69.00
“ “ over 30 ft.	48.00	....	55.75	....	50.03	58.45
6x14 to 14x14, Heart (85%+), up to 20 ft.	53.00[3]	59.00[2]	....	....	59.00[2]	59.00[1]
“ “ “ 22-24 ft.	....	60.00[2]	....	....	60.00[2]	60.00[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	64.00	....	....	64.00	....
2x16 to 4x16, No. 1, up to 20 ft.	....	60.00	....	....	60.00	60.00[1]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ 28 ft.	....	65.00[2]	....	....	65.00[2]	65.00[1]
“ 30 ft.	....	....	....	....	....	....
“ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.		....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
8x16 & Up, No. 1, up to 20 ft.	73.03	60.00[3]	53.62[1]	....	73.03	59.63
" " 22-24 ft.	54.25	....	38.00	....	53.27	60.13
" " 26 ft.	....	....	51.00	....	51.00	57.22
" " 28 ft.	....	....	51.00	....	51.00	57.22
" " 30 ft.	63.00	....	70.00[1]	....	63.00	62.15
" " over 30 ft.	65.69	....	70.00[1]	....	65.69	63.05
8x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	63.00[2]	....	....	....	63.00[2]	63.00[1]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	66.25[3]	....	....	....	66.25[3]	66.25[2]
" " 22-24 ft.	62.00[2]	....	....	....	62.00[2]	62.00[1]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	65.00	63.50[1]	67.25[3]	....	65.00	63.50
" " 30 ft.	65.68[2]	64.72[1]	....	....	64.72[1]	64.72
" " 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	63.00	....	....	....	63.00	57.00[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	67.76[3]	....	65.00	....	65.00	67.76[2]
" " " 28 ft.	65.00	61.28[1]	55.00[1]	....	65.00	60.58
" " " 30 ft.	68.00	....	....	....	68.00	....
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	49.75	....	40.18	....	41.20	48.50
" " " 36 ft.	54.50	50.85[1]	40.18	35.00	38.84	51.81
" " " 37-38 ft.	....	55.00[3]	44.98	36.00	42.02	45.00
" " " 40 ft.	58.50	50.00	44.98	....	50.75	55.23
" " " 41-42 ft.	57.00[1]	56.00[1]	....	....	56.29[1]	56.29
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	55.50	....	....	....	55.50	53.00[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	52.76[1]	....	52.76[1]	52.76
" " " 36 ft.	50.00	50.72	52.76[1]	50.00[2]	50.42	50.31
" " " 37-38 ft.	57.00[3]	59.81[3]	46.00	....	46.00	54.00
" " " 40 ft.	55.00[1]	54.50[1]	46.00	....	46.00	54.86
" " " 41-42 ft.	53.50[2]	56.00[1]	....	....	56.00[1]	56.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	55.50[1]	....	....	....	55.50[1]	55.50
" " " " 37-38 ft.	....	....	....	....	....	52.00[3]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	55.75	....	56.89	....	56.72	58.00
" " " 36 ft.	64.00[3]	59.00[1]	56.89	60.00[3]	56.89	59.59
" " " 37-38 ft.	60.00[3]	60.00	48.50	....	55.94	60.00
" " " 40 ft.	61.00[1]	....	48.50	....	48.50	61.00
" " " 41-42 ft.	58.00[1]	....	....	....	58.00[1]	58.00
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
Up to 14 inch, Sq. E., 34 ft.	....	64.00[3]	....	....	64.00[3]	64.00[2]
“ “ “ 36 ft.	61.75[2]	60.00[1]	....	64.00[1]	62.27[1]	62.27
“ “ “ 37-38 ft.	57.00	....	52.50	....	55.84	62.82[3]
“ “ “ 40 ft.	63.00[1]	64.00[1]	52.50	69.00[1]	52.50	64.77
“ “ “ 41-42 ft.	65.00[1]	66.00[1]	....	....	65.62[1]	65.62
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	56.00[3]	53.00[2]	....	....	53.00[2]	53.00[1]
“ “ 14 ft.	52.00[2]	50.00[1]	....	....	50.00[1]	50.00
“ “ 16 ft.	....	50.00[1]	....	....	50.00[1]	50.00
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	57.00	....	....	....	57.00	54.67[1]
“ “ “ 16 ft.	57.00	....	....	....	57.00	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	55.00	....	....	55.00	52.50
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	35.67[1]	....	....	....	35.67[1]	35.67
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	40.00	50.00[3]	....	....	40.00	40.00
“ “ Heart, (85%+), 6x8–8	48.00	49.50[1]	....	....	48.00	49.67
“ “ Sq. E., “ 7x9–8	43.93	....	....	....	43.93	43 67
“ “ Heart, “ 7x9–8	50.00[1]	44.33[1]	....	....	45.82[1]	45.82
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
“ “ Heart,	51.00	....	....	....	51.00	....
Paving Stock, S 1 S	....	40.00[1]	34.48[1]	50.00	50.00	37.07
“ “ Rough	....	....	....	....	....	35.63[3]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	119.75[2]	....	....	....	119.75[2]	119.75[1]
Miscellaneous	48.61[1]	40.13	31.02	51.00	43.99	52.04
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	22.00[2]	....	....	....	22.00[2]	22.00[1]
Miscellaneous, B and B	76.90	54.69	58.13	70.50[1]	61.72	72.75
“ No. 1	37.72	46.98	32.23	37.02	37.07	39.81
“ No. 2	25.70	33.52	24.04	22.85	24.62	29.15
“ No. 3	20.50	17.00	19.84	17.52	18.62	20.86
Shorts B and B	64.68	....	....	....	64.68	49.49
“ No. 1	22.72	28.17	32.50[3]	....	22.84	22.17
“ No. 2	....	15.68	....	....	15.68	20.64
“ No. 3	....	21.50[1]	....	....	21.50[1]	21.50

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5 25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2 75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1 25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7,75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

November 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending November 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Nov. 18, 1920

No. 111

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	95.56	....	....	....	95.56	100.55
" " C "	75 00[1]	....	....	....	75.00[1]	75.00
" " D "	55.24[1]	....	....	....	55.24[1]	55.24
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	55 00[1]	....	....	....	55.00[1]	55.00
" " B and Better "	56.08	....	....	....	56.08	56.34
" " C "	....	....	....	....	....	....
" " D "	41.50[1]	....	....	....	41.50[1]	41.50
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	35.50	....	....	....	35.50	25.10
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	83.00[2]	83.00[2]	83.00[1]
Edge Grain, A "	....	....	98.00[1]	119.38[2]	98.00[1]	98.00
" " B "	....	....	105.98	109.75	106.10	97.92
" " B and Better "	....	98.50	....	100.00[1]	98.50	97.08
" " C "	....	60.75	60.00	73.00[3]	60.16	74.68
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	44.75	44.90	44.82	45.09
Flat " A "	....	....	....	....	....	....
" " B "	....	47.50	....	61.25	52.66	59.09
" " B and Better "	....	55.00	56.36	61.23	57.07	62.44
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	39.25	50.01	49.24	49.37	51.93
No. 2 " "	....	28.00[2]	23.02	22.29	22.91	27.36
No. 3 " "	....	....	15.00	15.81	15.38	19.67
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	....	....	119.00[3]
Edge Grain, A "	91.00	....	....	....	91.00	93.00[2]
" " B "	....	....	83.94	....	83.94	91.72
" " B and Better "	77.56	88.00	....	89.38[2]	78.25	88.26
" " C "	67.63[2]	67.50[1]	83.84[1]	....	81.71[1]	81.71
" " D "	54.75[1]	....	....	....	54.75[1]	54.75
" " No. 2 "	....	....	45.00[1]	....	45.00[1]	45.00
Flat " A "	58.00	....	....	....	58.00	70.00[3]
" " B "	52.00	52.00	....	....	52.00	52.40
" " B and Better "	49.62	49.86	48.57	49.02	49.21	51.42
" " C "	47.75	48.00	....	....	47.98	48.00
" " D "	41.07	42.82	....	....	41.39	40.67
No. 1 Common "	....	40.86	39.85	37.56	39.42	44.40
No. 2 " "	27.03	25.23	21.20	20.08	21.92	24.16
No. 3 " "	....	....	13.98	14.77	14.29	12.65
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	40.56	46.67	44.90	43.83	43.29	45.12
" " No. 1 Common	37.75	48.00[2]	39.07	....	38.80	42.97
" " No. 2 "	....	29.00[3]	20.51	....	20.51	21.70
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	43.75	46.62	46.14	43.50	44.78	47.97
" " No. 1 Common	37.92	38.02	38.94	40.00	38.56	40.67
" " No. 2 "	21.28	23.15	21.28	24.00[2]	21.35	22.88
" " No. 3 "	....	....	18.00[3]	....	18.00[3]	18.00[2]
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	54 96[1]	54.50	52.20	....	52.80	57.78
" " No. 1 Common	55.15[2]	53.00[1]	49.50[1]	....	51.06[1]	51.06
" " No. 2 "	31.75[3]	....	....	....	31.75[3]	31.75[2]
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	47.66	57.00[1]	....	61.17	48.66	59.04
" " No. 1 Common	52.75[2]	....	....	55.00	55.00	52.75[1]
" " No. 2 "	....	31.00[3]	....	....	31.00[3]	31.00[2]
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	61.60	....	56.25	54.50	59.73	61.99
" " No. 1 Common	65.00[2]	37.00[1]	40.00	....	40.00	44.96
" " No. 2 "	....	....	24.40	....	24.40	25.81
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	43.31	32.50	50 95[2]	....	39.98	44.17[1]
" No. 1 Common	32.00	32.00	32 00	30.00[2]	32.00	29.98
" No. 2 "	25.25	....	21.55	17.25[1]	21.92	20.26

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	45.65	46.36	43.52	51.64	43.67	47.58
“ “ No. 1 Common	38.48	43.72	39.08	36.36	38.66	43.17
“ “ No. 2 “	23.66	24.97	24.28	22.14	24.01	25.53
“ “ No. 3 “	....	....	16.30	16.00	16.12	16.50
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	59.72	56.60	58.48	86.50[1]	58.90	62.35
1x 6 inch, “	62.86	50.72	58.44	60.03[1]	58.52	62.44
1x 8 inch, “	61.57	62.82	60.47	86.50[1]	61.05	63.60
1x 5 and 10 inch, “	63.97	66.28	66.38	67.12[1]	65.04	67.46
1x12 inch, “	64.06	65.28	66.22	62.50[1]	65.15	66.66
1¼x4 to 12 inch, “	70.38	70.56	70.10	60.00	70.07	72.59
1½ and 2x4 to 12 inch, “	67.93	81.00	68.62	....	68.67	74.00
1⅝ inch, “	49.72	81.00	....	....	59.33	60.38
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, C	58.50	....	....	....	58.50	52.50[1]
1x 6 inch, “	58.00	....	51.75	....	55.50	58.41
1x 8 inch, “	56.33	60.00[2]	49.03	....	50.87	51.75
1x 5 and 10 inch, “	60.24	62.00[3]	47.90	....	52.63	61.09
1x12 inch, “	55.00[1]	70.25[3]	51.17	....	51.17	56.80
1¼x4 to 12 inch, “	71.00[1]	64.92[3]	52.00	....	52.00	64.96
1½ and 2x4 to 12 inch, “	....	74.00[2]	56.54	....	56.54	63.75
1⅝ inch, “	....	69.00[2]	....	....	69.00[2]	69.00[1]
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	86.00[1]	....	69.59[2]	56.00[2]	86.00[1]	86.00
1x 6 inch, “ “	64.08	66.00[1]	58.00	51.57	54.92	54.37
1x 8 inch, “ “	62.00	68.50[3]	56.01	54.57	56.31	58.62
1x 5 and 10 inch, “ “	69.20	....	62.55	55.00	65.75	60.59
1x12 inch, “ “	68.43	69.50[2]	57.17	56.71	61.67	54.59
1¼x4 to 12 inch, “ “	75.00	55.50	66.32	73.00	63.40	74.70
1½ and 2x4 to 12 inch, “ “	58.24	66.64[2]	74.63	....	68.91	71.84
1⅝ inch, “ “	....	70.00	....	....	70.00	78.50[2]
1x 6 to 12 inch, “ “	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	71.50	73.00	76.39	....	73.64	71.06
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	72.57	73.00	69.56	....	70.10	75.34
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	72.84	80.00[1]	57.87	....	64.96	73.50
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	50.50[1]	55.42[1]	50.00	....	50.00	54.86
“ “ “ “ “ 8 ft.	48.60[2]	44.75[1]	70.00[1]	....	51.40[1]	51.40
“ “ “ “ “ 12 and 14 ft.	48.00[2]	....	....	....	48.00[2]	48.00[1]
“ “ “ “ “ 16 ft.	....	....	....	....	....	69.50[3]
“ “ “ “ “ 9 or 18 ft.	65.77	63.36	60.42	....	63.55	70.56
“ “ “ “ “ 10 or 20 ft.	58.70	60.00	55.00	....	58.02	60.50

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	....	37.27	46.50	....	39.34	53.00[1]
" " " " " 8 ft.	....	40.00[2]	....	....	40.00[2]	40.00[1]
" " " " " 12 and 14 ft.	....	47.00[2]	....	....	47.00[2]	47.00[1]
" " " " " 16 ft.	....	71.00[3]	50.00	....	50.00	51.62[1]
" " " " " 9 or 18 ft.	62.00	57.76	68.00[1]	....	59.37	64.88
" " " " " 10 or 20 ft.	42.50	49.68[2]	40.00	....	42.15	49.76[1]
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	38.51[1]	37.27	46.50	....	39.34	38.51
" " " " " 8 ft.	....	40.00[2]	....	....	40.00[2]	40.00[1]
" " " " " 12 and 14 ft.	36.00[1]	47.00[2]	....	....	36.00[1]	36.00
" " " " " 16 ft.	40.11[2]	71.00[3]	50.00	....	50.00	40.11[1]
" " " " " 9 or 18 ft.	62.00	57.76	68.00[1]	....	59.37	67.64
" " " " " 10 or 20 ft.	42.25	49.68[2]	40.00	....	42.25	45.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	23.43	....	....	....	23.43	22 65
" " " " " 10 to 20 ft.	24.61	29.00	....	....	25.50	23.64
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	..	42.38[2]	32.29[1]	....	32.29[1]	32.29
" " " " 2 to 3 inch, 10 & 20 ft.	....	41.50[1]	32.29[1]	....	41.50[1]	41.50
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	33.00	....	....	....	33.00	....
" " " 1¾ inch, 9 & 18 ft.	25.25[2]	....	....	....	25.25[2]	25.25[1]
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	52.50[2]	38.00	....	....	38.00	52.50[1]
" " " 2 to 3 inch 10 & 20 ft.	52.50[2]	33.37	....	....	33.37	50.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	36.56	43.50	....	....	37.89	34.31
" " " " other lengths.	35.31	35.83	38.71	42.00	37.25	42.18
" " 1x10, " 14 and 16 ft.	35.59	....	51.25	....	39.03	40.60
" " " " other lengths.	35.74	34.47	41.05	30.57	36.26	42.69
" " 1x12, " 14 and 16 ft.	41.29	42.00	48.77[1]	....	41.32	42.54
" " " " other lengths.	39.97	39.87	42.20	45.00	40.47	43.36
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	21.58	21.51	22.61	22.56	22.18	23.43
" " 1x10, " "	28.07	20.75	22.95	21.99	23.53	24.37
" " 1x12, " "	24.63	24.86	24.48	21.81	24.23	25.73
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	17.57	13.60	17.62	18.92[1]	16.70	18.65
" " 1x10, " "	18.52	13.68	17.36	15.50	16.42	19.24
" " 1x12, " "	16.72	14.88	18.08	16.33	16.78	19.63
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	37.46	36.00	....	....	36.38	37.35
" " " other lengths.	35.06	35.57	37.34	37.19	35.72	38.15
" 1x10, " 14 and 16 ft.	37.50	....	....	....	37.50	40.06[1]
" " " other lengths.	35.15	37.75	51.94[2]	....	35.35	37.07
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	22.59	21.69	22.57	22.36	22.50	23.23
" 1x10, " "	22.41	21.08	23.11	20.36	22.07	24.34
" 1x12, " "	....	....	....	30.00[2]	30.00[2]	30.00[1]
Shiplap, 1x 8, No. 3, all lengths.	17.67	17.04	17.92	16.88	17.44	17.56
" 1x10, " "	18.14	16.29	18.00	15.50	17.65	18.73
" 1x12, " "	18.25	18.50[1]	....	....	18.25	18.50
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	37 36[1]	....	....	....	37.36[1]	37.36
" " " " other lengths.	37.00	37.50	....	....	37.26	37.15
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	10.75	....	13.57[1]	....	10.75	9.52

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
1x4, S 1 S, No. 1, 16 ft.	34.78	36.00	....	....	34.85	36.28
" " " other lengths	34.41	34.19	36.21	42.00 [1]	34.51	38.28
" " No. 2, all lengths	19.10	19.51	21.31	16.96 [1]	19.85	19.95
" " No. 3, "	14.77	14.94	15.69	21.00 [3]	15.46	16.59
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	35.75	....	....	....	35.75	36.00
" " No. 2, all lengths	20.50	....	....	....	20.50	24.98 [1]
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	40.58	38.35	40.73	....	40.31	38.26
" " " other lengths	36.87	41.07	35.73	46.25	38.40	37.88
" " No. 2, all lengths	21.25	21.19	23.26	19.00	22.16	22.45
" " No. 3, "	17.20	13.97	16.48	18.00	16.25	17.12
1x6, C. M., No. 1, 16 ft.	36.93	37.50	....	....	37.13	40.17
" " " other lengths	35.70	35.72	....	47.50	36.04	36.41
" " No. 2, all lengths	21.82	20.05	....	21.91	21.19	21.59
" " No. 3, "	13.82	18.00	....	18.00 [3]	15.28	17.36
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	26.26	25.54	25.38	27.10	25.78	27.29
" " " 12 ft.	25.11	25.10	24.06	25.16	24.78	25.47
" " " 14 ft.	24.93	24.28	23.86	27.50	24.28	25.85
" " " 16 ft.	26.16	25.28	24.81	29.50	28.41	26.90
" " " 18 ft.	27.23	26.97	25.05	22.00	25.88	27.10
" " " 20 ft.	27.64	26.97	25.05	....	27.36	28.07
" " " 22 ft.	30.18	27.75	36.00 [3]	....	28.85	29.36
" " " 24 ft.	31.97	27.29	36.00 [3]	....	28.88	29.82
2x 6, No. 1, S 1 S 1 E, 10 ft.	25.09	24.03	24.72	20.00	24.76	26.79
" " " 12 ft.	23.16	22.54	22.34	18.50	22.65	25.79
" " " 14 ft.	23.76	23.60	22.34	26.50	23.72	23.65
" " " 16 ft.	24.27	24.50	23.53	26.50	23.64	25.25
" " " 18 ft.	25.06	24.39	24.72	32.50 [1]	24.85	25.24
" " " 20 ft.	24.82	24.71	24.72	32.50 [1]	24.79	25.61
" " " 22 ft.	26.87	27.68	25.54	....	26.81	28.78
" " " 24 ft.	26.47	27.27	25.54	....	26.85	28.01
2x 8, No. 1, S 1 S 1 E, 10 ft.	25.50	24.50	29.69	21.00	29.23	27.22
" " " 12 ft.	24.54	24.98	26.60	....	25.73	24.96
" " " 14 ft.	24.21	24.23	23.84	25.50	24.05	24.67
" " " 16 ft.	25.75	26.17	24.80	27.50	25.45	28.09
" " " 18 ft.	26.86	26.62	29.69	30.25 [2]	26.78	26.41
" " " 20 ft.	26.52	27.21	29.69	30.25 [2]	26.73	26.61
" " " 22 ft.	28.62	28.69	26.94	....	28.38	29.77
" " " 24 ft.	28.73	28.88	26.94	....	28.79	29.65
2x10, No. 1, S 1 S 1 E, 10 ft.	27.13	26.00	24.22	....	24.31	26.44
" " " 12 ft.	25.28	24.18	26.89	27.00	26.20	25.58
" " " 14 ft.	25.64	25.67	26.89	27.00	25.67	24.19
" " " 16 ft.	27.15	26.77	26.93	28.75	27.05	27.73
" " " 18 ft.	27.79	28.01	24.22	30.75	27.96	28.36
" " " 20 ft.	27.97	26.63	24.22	31.75 [2]	27.46	28.13
" " " 22 ft.	31.10	29.51	27.00 [1]	....	30.27	30.42
" " " 24 ft.	30.86	32.77	27.00 [1]	....	31.65	29.84
2x12, No. 1, S 1 S 1 E, 10 ft.	25.53	28.39	27.65	22.00	27.37	32.67
" " " 12 ft.	26.72	27.63	24.37	31.65 [2]	25.72	28.57
" " " 14 ft.	26.82	28.10	24.37	31.50 [2]	27.24	26.48
" " " 16 ft.	29.10	29.95	20.47	22.50 [1]	24.57	29.10
" " " 18 ft.	30.63	30.01	27.65	34.54 [2]	30.44	29.89
" " " 20 ft.	30.17	28.20	27.65	37.50 [1]	29.78	30.96
" " " 22 ft.	33.26	30.30	30.50	....	30.99	33.21
" " " 24 ft.	32.59	35.89	30.50	....	34.85	32.33
2x 4, No. 2, S 1 S 1 E, 10 ft.	20.43	19.65	21.41	20.00	20.42	21.31
" " " 12 ft.	19.79	19.45	18.90	22.00	19.48	20.91
" " " 14 ft.	20.49	19.64	22.41	21.21	20.56	20.83
" " " 16 ft.	21.75	20.16	23.43	22.56	21.72	22.40
" " " 18 ft.	22.72	21.74	22.18	28.50 [2]	22.25	22.76
" " " 20 ft.	22.22	21.74	22.18	....	21.99	22.26
" " " 22 ft.	24.50	25.00 [1]	....	....	24.50	24.81
" " " 24 ft.	24.50	25.00 [1]	....	....	24.50	24.67
2x 6, No. 2, S 1 S 1 E, 10 ft.	18.21	13.70	22.52	21.00	19.09	26.96
" " " 12 ft.	18.46	18.65	18.88	19.67	18.74	19.10
" " " 14 ft.	18.38	18.02	18.88	19.88	18.29	18.52
" " " 16 ft.	20.36	19.82	21.47	18.50	20.29	20.38
" " " 18 ft.	20.02	20.16	22.52	....	20.09	20.66
" " " 20 ft.	20.17	20.16	22.52	22.00 [2]	20.16	20.70
" " " 22 ft.	22.52	30.00 [1]	27.21	....	25.71	25.06
" " " 24 ft.	20.50	30.00 [1]	27.21	....	25.71	23.65

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	20.03	19.50	22.94	25.50[2]	21.88	20.88
" " " 12 ft.	18.77	18.59	26.18	23 50[2]	19.87	19.54
" " " 14 ft.	19 21	19.94	21.22	19.00	19.86	21.10
" " " 16 ft.	20.65	21.33	23.33	21.80	21.29	20.28
" " " 18 ft.	21.07	19.20	29.94	22.00	20.22	21.36
" " " 20 ft.	19.85	21.55	22.94	....	20.99	21.27
" " " 22 ft.	26.75[3]	21.22	30.14[1]	....	21.22	30.14
" " " 24 ft.	...	21.22	30.14[1]	....	21.22	30.14
2x10, No. 2, S 1 S 1 E, 10 ft.	20.50	....	23.70	27.00[2]	23.59	20.85
" " " 12 ft.	19.90	20.15	20.17	22.00	20.16	20.55
" " " 14 ft.	20.38	20.24	20.17	22.00	20.44	19.49
" " " 16 ft.	21.90	22.32	22.16	27.00[2]	22.09	20.72
" " " 18 ft.	21.53	21.87	23.70	28 00[2]	21.73	22.28
" " " 20 ft.	22.22	22.38	23.70	28.00[2]	22.27	24.23
" " " 22 ft.	....	33.25[3]	34.92[3]	....	33.99[3]	33.99[2]
" " " 24 ft.	27.35	33.25[3]	34.92[3]	....	27.35	33.99[2]
2x12, No. 2, S 1 S 1 E, 10 ft.	22.00[2]	....	26.43	33.00[2]	26.43	22.49
" " " 12 ft.	22.00	22.50	24.20	31.00[2]	23.85	22.84
" " " 14 ft.	22.02	24.00	24.20	22.00	22.13	22.58
" " " 16 ft.	26.22	23.44	27.07	22.00	24.10	23.67
" " " 18 ft.	25.32	26.22	26.43	22.00	25.15	24.74
" " " 20 ft.	25.07	23.23	26.43	....	24.27	27.40
" " " 22 ft.	28.25	26 85[1]	36 00[3]	....	28.25	28.64
" " " 24 ft.	30.50	26.85[1]	36.00[3]	....	30.50	27.75
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	16.50	12.97	....	18.06	15.85	13.59
PATENT LATH						
4 and 6 ft.	18.30	20.00	26.25[2]	....	18.54	18.67
8 and 10 ft.	20.82	26.70[1]	....	....	20.82	20.76
12 ft. and longer	20.00	....	....	....	20.00	20.78
PLASTERING LATH						
3/8x1½-4, No. 1	4.54	4.62	5.00	4.26	4.85	5.03
" No. 2	3.25	2.40[1]	3.14	2.75	3.06	3.03
3/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	32.80	32.17	32.05	....	32.29	33.83
" " 22-24 ft.	31.71	38.25	37.93	....	35.32	35.59
" " 26 ft.	53.00	39.75[2]	37.42	....	38.35	45.68
" " 28 ft.	47.00[1]	46 83[1]	37.42	....	37.42	46.92
" " 30 ft.	....	56 00[1]	38.85	....	38.85	48.67
" " over 30 ft.	50.00[1]	49.74[2]	46.90	....	46.90	49.33
4x4 to 8x8, Heart (85%+), up to 20 ft.	42.39	44.37	....	....	42.36	41.80
" " " 22-24 ft.	49.73	43.44	....	....	46.24	52.30[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	46.00[3]
" " " 30 ft.	52 50[1]	46.50[2]	....	....	52.50[1]	52.50
" " " over 30 ft.	55.61	....	....	....	55.61	59.63
3 & 4x10, No. 1, up to 20 ft.	40.77	40.77[1]	....	....	40.77	38.94
" " 22-24 ft.	40 53[2]	39 00[1]	....	....	39 00[1]	39.00
" " 26 ft.	45.80[3]	40.00[1]	....	....	40.00[1]	40.00
" " 28 ft.	.	55.00[2]	....	....	55.00[2]	55.00[1]
" " 30 ft.	44 00[1]	....	....	....	44.00[1]	44.00
" " over 30 ft.	36.37	....	....	....	36.37	45.80[2]
3 & 4x10, Heart (85%+), up to 20 ft.	44.42	40.00	....	....	44.23	44.87
" " " 22-24 ft.	....	51.00[3]	....	....	51.00[3]	51.00[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
6x10, to 10x10, No. 1, up to 20 ft.	40.13	40.25	35.55	....	35.96	41.25
" " 22-24 ft.	44.14	40.29[1]	38.57	....	42.97	38.57
" " 26 ft.	46.00	54.00[3]	47.21	....	46.38	38.49
" " 28 ft.	....	44.00[1]	47.21	....	47.21	44.00
" " 30 ft.	....	....	44.25	....	44.25	45.17
" " over 30 ft.	49.00	....	48.53	....	48.83	51.94
6x10 to 10x10, Heart (85%+), up to 20 ft.	53.18	42.00	....	....	47.28	43.45
" " " 22-24 ft.	....	....	....	....	....	47.00[3]
" " " 26 ft.	54.25[2]	58.00[1]	....	....	58.00[1]	58.00[1]
" " " 28 ft.	....	....	....	....	....	49.65[3]
" " " 30 ft.	61.25	....	....	....	61.25	....
" " " over 30 ft.	60.23	....	....	....	60.23	59.00[2]
3 & 4x12, No 1, up to 20 ft.	41.82	38.50	....	....	40.03	38.10
" " 22 24 ft.	50.50	44.00[2]	....	....	50.50	43.03
" " 26 ft.	48.00[1]	....	....	....	48.00[1]	48.00
" " 28 ft.	....	....	....	....	....	52.50[3]
" " 30 ft.	49.00[1]	48.00	....	....	48.00	49.00
" " over 30 ft.	45.50	....	....	....	45.50	56.00[3]
3 & 4x12, Heart (85%+), up to 20 ft.	47.11	49.25	....	....	47.19	50.00
" " " 22-24 ft.	....	....	....	....	....	61.36[3]
" " " 26 ft.	....	56.00[2]	....	....	56.00[2]	56.00[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	47.28	40.00	40.97	....	41.10	45.45
" " 22-24 ft.	45.25	43.79	46.82	....	45.77	41.68
" " 26 ft.	44.16	....	31.00	....	36.86	49.20
" " 28 ft.	42.75[1]	46.50[3]	31.00	....	31.00	42.75
" " 30 ft.	50.21	48.00[1]	48.38[1]	....	50.21	48.06
" " over 30 ft.	62.17	71.00[3]	61.00[1]	....	62.17	47.67
6x12 to 12x12, Heart (85%+), up to 20 ft.	49.10	44.00	....	....	45.49	54.72
" " " 22-24 ft.	48.00[1]	48.00[1]	....	....	48.00[1]	48.00
" " " 26 ft.	....	....	....	....	....	56.76[3]
" " " 28 ft.	....	58.00[1]	....	....	58.00[1]	58.00
" " " 30 ft.	....	59.33[1]	....	....	59.33[1]	59.33
" " " over 30 ft.	49.10	....	....	....	49.10	62.94
2x14 to 4x14, No. 1, up to 20 ft.	28.25[1]	40.00	....	....	40.00	28.25
" " 22-24 ft.	30.25[1]	55.00[2]	....	....	30.25[1]	30.25
" " 26 ft.	31.25[1]	....	....	....	31.25[1]	31.25
" " 28 ft.	32.25[1]	64.00[3]	....	....	32.25[1]	32.25
" " 30 ft.	33.25[1]	....	....	....	33.25[1]	33.25
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	65.00[3]	....	....	65.00[3]	65.00[2]
" " " 22-24 ft.	....	....	....	....	....	57.00[3]
" " " 26 ft.	....	....	....	....	....	57.00[3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	63.00[1]	....	....	63.00[1]	63.00
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	44.15	50.25[1]	48.96	....	45.49	49.75
" " 22-24 ft.	47.50[1]	....	53.00	....	53.00	47.50
" " 26 ft.	54.00[3]	....	64.50[2]	....	64.50[2]	64.50[1]
" " 28 ft.	....	....	64.50[2]	....	64.50[2]	64.50[1]
" " 30 ft.	....	....	60.00	....	60.00	51.00
" " over 30 ft.	48.00[1]	....	61.00	....	61.00	50.03
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	59.00[3]	....	....	59.00[3]	59.00[2]
" " " 22-24 ft.	....	60.00[3]	....	....	60.00[3]	60.00[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	64.00[1]	....	....	64.00[1]	64.00
2x16 to 4x16, No. 1, up to 20 ft.	....	48.00	....	....	48.00	60.00
" " 22-24 ft.	....	49.00	....	....	49.00	....
" " 26 ft.	....	50.00	....	....	50.00	....
" 28 ft.	....	65.00[3]	....	....	65.00[3]	65.00[2]
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
6x16 & Up, No. 1, up to 20 ft.	44.15	....	54.31	....	45.34	73.03
" " 22-24 ft.	54.25[1]	....	55.33	....	55.33	53.27
" " 26 ft.	44.15	....	60.50	....	50.72	51.00
" " 28 ft.	....	....	60.50	....	60.50	51.00
" " 30 ft.	43.79	....	67.00	....	53.38	63.00
" " over 30 ft.	72.52	....	70.00[2]	....	72.52	65.69
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	63.00[3]	....	....	....	63.00[3]	63.00[2]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	60.00	....	....	....	60.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	66.25[3]
" " 22-24 ft.	62.00[3]	....	....	....	62.00[3]	62.00[2]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	65.00[1]	65.00	....	....	65.00	65.00
" " 30 ft.	65.58[3]	60.00	....	....	60.00	64.72[1]
" " 32 ft.	....	....	....	....	....	....
16 inhc, Heart (85%+), up to 20 ft.	63.00[1]	....	....	....	63.00[1]	63.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	65.00[1]	....	65.00[1]	65.00
" " " 28 ft.	65.00[1]	61.28[2]	55.00[2]	....	65.00[1]	65.00
" " " 30 ft.	68.00	....	....	....	68.00	68.00
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	49.75[1]	....	27.50	....	27.50	41.20
" " " 36 ft.	45.00	53.00	27.50	35.00[1]	46.04	38.84
" " " 37-38 ft.	47.00	....	45.00	34.00	45.57	42.02
" " " 40 ft.	58.50[1]	50.00[1]	45.00	....	45.00	50.75
" " " 41-42 ft.	50.00	56.00[2]	....	....	50.00	56.29[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	55.50[1]	....	....	....	55.50[1]	55.50
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	52.76[2]	....	52.76[2]	52.76[1]
" " " 36 ft.	50.00[1]	50.72[1]	52.76[2]	36.00	36.00	50.42
" " " 37-38 ft.	49.45	....	46.00[1]	....	49.45	46.00
" " " 40 ft.	55.00[2]	54.50[2]	46.00[1]	....	46.00[1]	46.00
" " " 41-42 ft.	53.50[3]	56.00[2]	....	....	56.00[2]	56.00[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	55.50[2]	....	....	....	55.50[2]	55.50[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	55.75[1]	....	56.89[1]	....	56.72[1]	56.72
" " " 36 ft.	....	59.00	56.89[1]	38.00	40.10	56.89
" " " 37-38 ft.	....	60.00[1]	48.50[1]	....	55.94[1]	55.94
" " " 40 ft.	61.00[2]	....	48.50[1]	....	48.50[1]	48.50
" " " 41-42 ft.	58.00[2]	....	....	....	58.00[2]	58.00[1]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	55.00	....	....	....	55.00	....
" " " " 40 ft.	71.00	....	....	....	71.00	....
" " " " 41-42 ft.	71.00	....	....	....	71.00	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	64.00[3]
" " " 36 ft.	61.75[3]	60.00[2]	....	64.00[2]	62.27[2]	62.27[1]
" " " 37-38 ft.	57.00[1]	....	52.50[1]	....	55.84[1]	55.84
" " " 40 ft.	63.00[2]	64.00[2]	52.50[1]	69.00[2]	52.50[1]	52.50
" " " 41-42 ft.	65.00[2]	66.00[2]	....	....	65.62[2]	65.62[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	68.00	....	....	....	68.00	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	72.00	....	....	....	72.00	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	53.00[3]	....	....	53.00[3]	53.00[2]
" " 14 ft.	52.00[3]	50.00[2]	....	....	50.00[2]	50.00[1]
" " 16 ft.	....	50.00[2]	....	....	50.00[2]	50.00[1]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	57.00[1]	....	....	....	57.00[1]	57.00
" " " 16 ft.	57.00[1]	....	....	....	57.00[1]	57.00
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	55.00[1]	....	....	55.00[1]	55.00
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	33.42	....	....	....	33.42	35.67[1]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	40.00	....	....	....	40.00	40.00
" " Heart, (85%+), 6x8–8.	48.00	49.50[2]	....	....	48.00	48.00
" " Sq. E., " 7x9–8.	44.00	....	....	....	44.00	43.93
" " Heart, " 7x9–8.	48.00	49.00	....	....	48.87	45.82[1]
Bridge Ties, Sq. E., 7x9 & up.	....	....	....	....	....	....
" " Heart,	52.00	....	....	....	52.00	51.00
Paving Stock, S 1 S.	....	40.00[2]	34.48[2]	50.00[1]	50.00[1]	50.00
" " Rough.	....	....	....	....	....	....
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship " Flat Grain.	128.24	....	....	....	128.24	119.75[2]
Miscellaneous.	47.64	43.85	44.79	60.41	47.04	43.99
MISCELLANEOUS STOCK						
Silo Stock.	....	....	....	....	....	....
Grain Doors.	22.00[3]	....	....	....	22.00[3]	22.00[2]
Miscellaneous, B and B.	79.11	60.00	54.60	64.08	62.38	61.72
" No. 1.	42.12	43.98	32.38	31.46	38.57	37.07
" No. 2.	25.71	20.72	20.99	19.63	20.96	24.62
" No. 3.	20.08	17.38	16.16	13.00	17.42	18.62
Shorts, B and B.	54.38	....	....	....	54.38	64.68
" No. 1.	21.45	32.95	....	....	22.24	22.84
" No. 2.	....	16.96	....	....	16.96	15.68
" No. 3.	....	21.50[2]	....	....	21.50[2]	21.50[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5 25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7 00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3300
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

November 30, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending November 30, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800

Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Dec. 8, 1920

No. 113

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″....	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	90.92	....	....	....	90.92	95.19
" " C "	75.00[3]	....	....	....	75.00[3]	75.00[2]
" " D "	60.00	....	....	....	60.00	55.24[2]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	55.00[3]	....	....	....	55.00[3]	55.00[2]
" " B and Better "	51.62	....	....	....	51.62	51.23
" " C "	....	....	....	....	....	....
" " D "	44.75	....	....	....	44.75	48.31
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	31.50	....	....	....	31.50	36.00
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″....	....	....	....	115.50	115.50	84.00
Edge Grain, A "	....	....	108.81	106.25	108.12	110.81
" " B "	....	....	91.72	97.00	92.90	98.11
" " B and Better "	....	91.70	....	89.00	96.66	99.13
" " C "	....	59.10[1]	65.00	72.50[1]	65.00	62.82
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	36.25	44.90[2]	36.25	37.79
Flat " A "	....	....	....	68.00[1]	68.00[1]	68.00
" " B "	....	55.00[1]	....	62.75	62.75	58.94
" " B and Better "	....	52.87	54.12	54.27	53.92	57.69
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	39.25[2]	42.68	36.11	41.67	45.77
No. 2 " "	....	25.10[1]	24.17	21.00	23.69	22.98
No 3 " "	....	....	14.66	14.25	14.50	13.31
Heart Face, Edge Grain, B and Better, 13/16x3¼″.....	....	....	....	....	....	....
Edge Grain, A "	76.69[1]	....	....	....	76.69[1]	76.69
" " B "	....	....	78.76	51.00	73.06	80.46
" " B and Better "	74.66	80.76[1]	....	83.00	76.92	76.93
" " C "	48.25[1]	67.50[3]	68.75	....	68.75	48.25
" " D "	55.00[1]	....	....	....	55.00[1]	55.00
" " No. 2 "	....	....	31.25	....	31.25	43.71
Flat " A "	58.00[2]	....	....	....	58.00[2]	58.00[1]
" " B "	52.00[1]	52.00	....	51.00	51.28	51.87
" " B and Better "	45.26	48.21	45.51	45.59	45.63	47.00
" " C "	49.33	48.00	....	....	48.85	48.00
" " D "	37.61	43.00	....	....	37.76	39.90
No. 1 Common "	....	38.85	38.58	38.03	38.50	37.36
No. 2 " "	23.54	24.80	20.93	19.44	21.06	21.71
No. 3 " "	....	....	12.07	11.00	11.84	13.15
CEILING						
Ceiling, ½x3¼″, A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	44.25	40.00	43.15	49.35	43.20	42.82
" " No. 1 Common....................	43.00	33.50	37.64	38.75	37.93	38.63
" " No. 2 "	22.50[1]	....	20.27	....	20.27	21.70
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼″, A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	42.34	46.06	42.29	48.84[1]	42.86	44.88
" " No. 1 Common....................	35.60	37.23	36.90	39.60[1]	36.75	37.71
" " No. 2 "	20.13	21.81	21.38	22.60[1]	21.22	21.74
" " No. 3 "	....	....	11.15	....	11.15	12.87
Ceiling, ¾x3¼″, A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	48.34	54.50[2]	42.33	....	45.60	50.20
" " No. 1 Common....................	50.21[1]	53.00[3]	45.00[1]	....	48.47[1]	48.47
" " No. 2 "	21.25	....	24.25	....	22.93	30.00
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	50.16	50.00	51.13	55.50	51.57	54.22
" " No. 1 Common....................	44.25	....	45.12	40.00	42.95	44.25
" " No. 2 "	30.00[1]	....	20.07	....	20.07	30.00
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	40.00	66.00	49.38	54.50[2]	49.83	47.52
" " No. 1 Common....................	....	37.00[3]	41.24	....	41.24	42.20
" " No. 2 "	....	....	21.85	22.00[1]	21.85	22.12
BEVEL SIDING						
Bevel Siding, A....................	....	....	....	....	....	....
" B....................	....	....	....	....	....	....
" B and Better....................	37.10[1]	32.50[2]	....	....	37.10[1]	37.10
" No. 1 Common....................	32.00[2]	32.00[2]	31.73	....	31.73	31.30
" No. 2 "	25.25	....	21.09	17.25[3]	21.47	20.78

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	43.57	44.69	42.91	51.64[2]	43.49	44.46
" " No. 1 Common	37.76	37.74	35.77	37.20	36.71	38.82
" " No. 2 "	22.62	25.98	22.54	22.08	22.70	24.20
" " No. 3 "	....	....	13.00	16.00[2]	13.00	17.59
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	54.96	58.98	63.31	86.50[3]	57.82	52.91
1x 6 inch, "	59.12	64.03	60.22	54.45[1]	59.85	58.52
1x 8 inch, "	58.52	63.55	58.54	57.78[1]	58.93	61.40
1x 5 and 10 inch, "	61.74	60.87	63.02	50.00	61.82	63.07
1x12 inch, "	61.24	64.56	65.52	66.44[1]	63.24	63.36
1¼x4 to 12 inch, "	70.35	71.87	64.66	56.46[1]	67.45	69.04
1½ and 2x4 to 12 inch, "	71.38	81.00[2]	68.82	....	69.12	69.90
1⅝ inch, "	48.45	66.50	....	....	50.54	52.66
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	53.00	....	51.00	....	52.33	47.66
1x 6 inch, "	49.50[1]	....	51.75[2]	....	49.50[1]	49.50
1x 8 inch, "	48.02[1]	....	55.75	....	55.75	48.02
1x 5 and 10 inch, "	51.00	....	55.75	....	54.80	54.32
1x12 inch, "	48.94[1]	65.50	73.50	....	66.10	48.94
1¼x4 to 12 inch, "	71.00[1]	....	51.75	....	51.75	59.88
1½ and 2x4 to 12 inch, "	....	....	56.54[2]	....	56.54[2]	56.54[1]
1⅝ inch, "	....	....	....	....	....	69.00[3]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	86.00[3]	....	....	....	86.00[3]	86.00[2]
1x 6 inch, " "	64.08[2]	55.00[1]	58.00[2]	50.00	50.00	50.83
1x 8 inch, " "	62.00[2]	....	59.00	55.00	55.92	52.50
1x 5 and 10 inch, " "	69.20[2]	....	63.00	55.00[2]	63.00	63.85
1x12 inch, " "	68.43[2]	....	63.71	56.71[2]	63.71	61.67[1]
1¼x4 to 12 inch, " "	61.78	65.00[1]	68.31	73.00[2]	65.99	58.38
1½ and 2x4 to 12 inch, " "	58.24[2]	71.00	71.73	....	71.42	61.84
1⅝ inch, " "	....	75.00	....	....	75.00	70.00[1]
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	63.39	74.25[1]	70.52	65.50	64.80	68.60
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	65.80	67.25[1]	69.17	65.50	66.68	69.72
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	68.32	80.00[3]	73.33	....	75.38	68 59
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	37.25	55.42[3]	50.00[2]	....	37.25	50.00[1]
" " " " " 8 ft.	44.25	45.00[1]	43.00	....	43.15	44.21
" " " " " 12 and 14 ft.	50.50[1]	....	....	....	50.50[1]	50.50
" " " " " 16 ft.	50.50[1]	....	....	....	50.50[1]	50.50
" " " " " 9 or 18 ft.	57.14	60.00	60.00[1]	....	57.38	58 53
" " " " " 10 or 20 ft.	56.65	56.66	52.00	....	55.12	60.00

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 29
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	40.00[1]	34.00	46.50[2]	....	34.00	40.00
" " " " " 8 ft.	35.00[1]	...	....	....	35.00[1]	35.00
" " " " " 12 and 14 ft.	35.00[1]	....	....	....	35.00[1]	35.00
" " " " " 16 ft.	35.00[1]	...	50.00[2]	....	35.00[1]	35.00
" " " " " 9 or 18 ft.	40.25	57.76[2]	68.00[3]	....	40.25	38.13
" " " " " 10 or 20 ft.	40.25	35.00[1]	40.00[2]	....	40.25	44.38
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	33.25	34.00	46.50[2]	....	33.25	36.50
" " " " " 8 ft.	....	....	....	....	....	40.00[3]
" " " " " 12 and 14 ft.	36.00[3]	....	....	....	36.00[3]	36.00[2]
" " " " " 16 ft.	36.00	....	50.00[2]	....	36.00	34.50
" " " " " 9 or 18 ft.	38.20[1]	57.76[2]	68.00[3]	....	38.20[1]	38.20
" " " " " 10 or 20 ft.	35.59[1]	35.00[1]	40.00[2]	....	35.59[1]	35.59
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	18.93	....	....	....	18.93	21.67
" " " " " 10 to 20 ft.	22.63[1]	27.60	....	....	27.60	21.98
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	...	..	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	45.00[1]	54.00	43.00	....	52.94	43.51
" " " " 2 to 3 inch, 10 & 20 ft.	....	41.50[3]	43.00	....	43.00	41.50[2]
" No. 1, " 1⅝ inch, 9 & 18 ft.	28.50	....	....	....	28.50	33.00
" " " 1⅝ inch, 10 & 20 ft.	33.00[2]	....	....	....	33.00[2]	33.00[1]
" " " 1¾ inch, 9 & 18 ft.	36.00	....	....	....	36.00	25.25[3]
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	38.00[2]	....	....	38.00[2]	38.00[1]
" " " 2 to 3 inch 10 & 20 ft.	28.00	40.69	....	....	37.54	38.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	36.50	43.50[2]	41.00	....	39.60	36.18
" " " " other lengths.	36.47	33.10	35.48	42.00[2]	35.51	37.22
" " 1x10, " 14 and 16 ft.	34.30	....	51.25[2]	....	34.30	37.30
" " " " other lengths.	34.77	34.89	41.48	37.50	36.77	36.93
" " 1x12, " 14 and 16 ft.	37.89	42.25[1]	37.50	....	37.86	40.37
" " " " other lengths.	38.81	42.73	38.00	37.00[1]	39.19	41.32
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	19.51	19.58	22.68	20.12	21.27	21.20
" " 1x10, " "	20.50	21.93	23.97	20.76	21.94	21.46
" " 1x12, " "	22.06	23.37	22.61	21.35	22.30	23.38
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	14.49	13.50	17.70	18.92[3]	16.05	15.52
" " 1x10, " "	17.29	15.46	17.88	20.25	17.20	15.28
" " 1x12, " "	15.49	17.42	18.33	18.25	17.82	15.72
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	33.00	37.50	....	....	34.29	36.63
" " " other lengths.	32.44	36.82	39.04	38.00[1]	35.50	36.63
" 1x10, " 14 and 16 ft.	37.00	37.50[1]	....	....	37.00	37.50
" " " other lengths.	32.42	38.50	35.04	....	33.99	36.09
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	20.14	21.71	21.91	21.13	21.32	21.20
" 1x10, " "	20.68	21.85	21.40	21.84	21.29	22.51
" 1x12, " "	....	....	....	....	....	30.00[3]
Shiplap, 1x 8, No. 3, all lengths.	17.39	15.15	17.38	16.39	16.84	17.10
" 1x10, " "	14.77	20.58[1]	18.01	15.50[2]	16.82	20.12
" 1x12, " "	18.50	18.50	....	....	18.50	18.50
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	39.50	...	....	....	39.50	39.00
" " " " other lengths.	39.50	37.12[1]	....	....	39.50	38.00
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	...	....	....	....	....	....
All No. 4—all widths and lengths.	11.44	....	9.28	....	9.36	10.40

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
1x4, S 1 S, No. 1, 16 ft.	33.53	36.00[2]	....	....	33.53	33.78
" " " other lengths	34.02	35.10	42.65	30.50	35.87	35.89
" " No. 2, all lengths	17.80	18.42	21.12	18.91	18.78	17.95
" " No. 3, "	13.07	13.00	15.63	15.50[1]	14.75	15.42
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	24.39[1]	....	....	....	24.39[1]	24.39
" " No. 2, all lengths	20.46[1]	....	....	....	20.46[1]	20.46
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	35.28	33.75	40.73[2]	....	35.07	34.97
" " " other lengths	36.95	32.60	40.03	46.25[2]	37.01	37.49
" " No. 2, all lengths	18.74	21.75	22.27	19.28[1]	19.98	20.33
" " No. 3, "	13.63	13.50	16.25	17.75	15.90	15.79
1x6, C. M., No. 1, 16 ft.	31.75	37.50[2]	....	....	31.75	37.03
" " " other lengths	33.92	34.44	....	47.50[2]	34.20	35.18
" " No. 2, all lengths	19.01	19.33	....	21.69	19.27	20.33
" " No. 3, "	17.32	16.57[1]	....	....	17.32	16.57
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	24.44	24.04	24.19	27.10[2]	24.85	23.34
" " " 12 ft.	24.51	25.63	23.51	23.50[1]	24.34	24.15
" " " 14 ft.	24.13	24.96	22.07	27.50[2]	23.15	24.15
" " " 16 ft.	24.54	25.08	24.01	29.50[2]	24.41	25.39
" " " 18 ft.	25.65	26.32	24.57	26.50[1]	25.45	25.94
" " " 20 ft.	25.42	26.31	24.57	30.50[1]	25.95	27.45
" " " 22 ft.	28.65	28.24	25.75	....	28.19	29.91
" " " 24 ft.	32.00	28.07	25.75	....	29.50	29.42
2x 6, No. 1, S 1 S 1 E, 10 ft.	22.96	22.05	27.72	20.00[2]	22.74	24.28
" " " 12 ft.	20.98	22.72	21.19	22.00[1]	21.30	21.67
" " " 14 ft.	20.89	22.64	21.19	26.50[2]	21.56	22.72
" " " 16 ft.	21.55	23.10	21.87	26.50[2]	22.14	22.94
" " " 18 ft.	24.12	24.44	27.72	24.50[1]	24.29	25.85
" " " 20 ft.	24.59	25.02	27.72	32.50[3]	24.81	25.79
" " " 22 ft.	27.61	26.69	27.06	....	27.05	27.05
" " " 24 ft.	27.70	26.76	27.06	....	26.96	26.83
2x 8, No. 1, S 1 S 1 E, 10 ft.	28.28	25.16	24.68	23.00[1]	25.17	24.37
" " " 12 ft.	22.92	24.52	22.12	19.25	22.90	23.56
" " " 14 ft.	22.60	24.32	22.75	25.50[2]	23.04	23.70
" " " 16 ft.	24.54	25.47	23.70	27.50	24.64	24.27
" " " 18 ft.	24.53	27.16	24.68	24.75	25.94	26.43
" " " 20 ft.	26.14	27.10	24.68	24.75	26.69	27.28
" " " 22 ft.	28.50	29.34	29.10	....	29.29	27.90
" " " 24 ft.	28.34	29.37	29.10	....	29.14	27.96
2x10, No. 1, S 1 S 1 E, 10 ft.	22.68	27.25	26.01	....	25.99	30.32
" " " 12 ft.	23.47	25.47	23.51	27.00[2]	23.73	25.16
" " " 14 ft.	23.40	25.69	23.51	31.50[1]	24.67	25.44
" " " 16 ft.	25.02	26.98	24.48	33.50[1]	25.80	27.17
" " " 18 ft.	25.17	26.88	26.01	34.50[1]	26.86	29.65
" " " 20 ft.	27.10	27.23	26.01	34.50[1]	27.20	26.74
" " " 22 ft.	29.00	29.24	29.25	....	29.23	28.92
" " " 24 ft.	29.57	30.17	29.25	....	30.15	28.64
2x12, No. 1, S 1 S 1 E, 10 ft.	30.80	28.00	27.49	33.50[1]	27.66	28.78
" " " 12 ft.	26.02	26.07	25.98	25.25	25.99	26.66
" " " 14 ft.	25.37	26.88	25.98	30.00[1]	26.15	26.88
" " " 16 ft.	28.44	28.98	23.16	22.50[3]	26.76	28.44
" " " 18 ft.	28.02	28.65	27.49	26.25	28.21	31.76
" " " 20 ft.	28.36	29.05	27.49	26.25	28.62	29.00
" " " 22 ft.	30.16	31.09	26.34	....	29.06	31.45
" " " 24 ft.	30.95	33.31	26.34	....	32.33	31.74
2x 4, No. 2, S 1 S 1 E, 10 ft.	20.39	19.79	18.19	20.00[2]	18.69	20.71
" " " 12 ft.	18.26	19.53	19.27	21.75[1]	18.96	20.22
" " " 14 ft.	19.38	18.96	17.95	20.00	18.61	20.34
" " " 16 ft.	19.36	20.15	19.17	20.00	19.44	20.61
" " " 18 ft.	22.43	21.39	20.66	22.00[1]	21.18	22.11
" " " 20 ft.	22.15	21.01	20.66	22.50	21.48	21.76
" " " 22 ft.	24.50[2]	23.50	23.17	....	23.36	24.80
" " " 24 ft.	24.50[2]	23.50	23.17	....	23.36	24.80
2x 6, No. 2, S 1 S 1 E, 10 ft.	18.79[1]	17.75	18.83	21.00[2]	18.80	20.14
" " " 12 ft.	17.44	17.72	16.90	17.00	17.52	17.60
" " " 14 ft.	16.82	17.49	16.90	18.00	17.11	18.15
" " " 16 ft.	18.57	17.34	17.93	17.00	17.96	19.48
" " " 18 ft.	20.62	19.17	18.83	....	19.84	19.98
" " " 20 ft.	19.55	19.40	18.83	....	19.48	20.11
" " " 22 ft.	33.00	21.72	24.00	....	25.56	23.05
" " " 24 ft.	23.00	21.72	24.00	22.00[1]	23.00	22.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	19.20	18.62	20.65	....	20.56	20.26
" " " 12 ft.	16.00	19.00	17.49	18.00	17.11	18.74
" " " 14 ft.	19.75	20.57	17.55	19.00[2]	17.90	19.21
" " " 16 ft.	19.26	20.20	18.00	21.80[2]	18.46	20.22
" " " 18 ft.	21.70	21.00	20.69	22.00[2]	21.47	21.38
" " " 20 ft.	21.30	20.44	20.69	....	20.81	20.58
" " " 22 ft.	23.92	23.50	27.00	....	24.05	24.34
" " " 24 ft.	24.49	23.50	27.00	22.00[1]	24.49	22.00
2x10, No. 2, S 1 S 1 E, 10 ft.	19.46[1]	23.00[1]	20.72	18.00[1]	20.73	20.08
" " " 12 ft.	20.00	20.50	18.42	18.00[1]	18.56	20.83
" " " 14 ft.	20.00	18.40	18.42	22.00[2]	18.57	19.89
" " " 16 ft.	21.16	24.00	20.59	....	20.78	23.66
" " " 18 ft.	20.25[1]	23.75	20.72	....	23.75	21.60
" " " 20 ft.	24.00	22.20	20.72	....	22.89	22.11
" " " 22 ft.	....	23.50	27.13	....	26.92	24.83
" " " 24 ft.	26.00	23.50	27.13	....	26.00	24.83
2x12, No. 2, S 1 S 1 E, 10 ft.	22.33[1]	22.50	22.76	....	22.75	26.16
" " " 12 ft.	22.14	26.00	22.18	....	22.34	24.39
" " " 14 ft.	22.70	23.04	22.18	22.00[2]	22.92	20.40
" " " 16 ft.	23.14	23.55	20.51	22.00[2]	21.77	24.30
" " " 18 ft.	22.28	25.17	22.76	22.00[1]	23.45	23.50
" " " 20 ft.	24.23	23.54	22.76	22.00[1]	23.93	22.65
" " " 22 ft.	24.50	24.50	25.64[1]	....	24.50	24.78
" " " 24 ft.	30.50[2]	24.50	25.64	....	24.50	24.78
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	14.44	12.08[1]	....	12.50	13.88	13.99
PATENT LATH						
4 and 6 ft.	17.34	20.00[2]	17.00	....	17.28	17.54
8 and 10 ft.	19.00	26.70[3]	17.50	....	18.85	19.08
12 ft. and longer	19.78	....	22.50	....	19.92	18.91
PLASTERING LATH						
⅜x1½-4, No. 1	4.52	4.25	4.25	4.00	4.26	4.32
" No. 2	3.03	2.40[3]	3.01	2.75[2]	3.02	3.32
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	36.47	31.28	31.87	....	33.09	31.35
" " 22-24 ft.	37.35	32.51	36.28	....	34.95	34.06
" " 26 ft.	53.00[2]	33.00	41.00	....	33.53	42.68
" " 28 ft.	44.00	46.83[3]	41.00	....	44.00	43.32
" " 30 ft.	47.25[1]	56.00[3]	38.00	....	38.00	45.45
" " over 30 ft.	38.44[1]	....	49.50[1]	....	39.11[1]	39.11
4x4 to 8x8, Heart (85%+), up to 20 ft.	41.19	38.99	....	....	39.25	41.35
" " " 22-24 ft.	48.25	42.02	....	....	43.82	44.87
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	54.90	....	....	....	54.90	52.50
" " " over 30 ft.	48.00	65.00[1]	....	....	48.00	65.00
3 & 4x10, No. 1, up to 20 ft.	40.09	35.31	....	....	38.48	39.34
" " 22-24 ft.	42.95	39.00	....	....	41.10	39.00[2]
" " 26 ft.	44.46	40.00[3]	....	....	44.46	40.00[2]
" " 28 ft.	....	....	....	....	....	55.00[3]
" " 30 ft.	44.00[3]	....	....	....	44.00[3]	44.00[2]
" " over 30 ft.	44.00[1]	43.92	....	....	43.92	44.00
3 & 4x10, Heart (85%+), up to 20 ft.	44.00	43.46	....	....	43.52	43.56
" " " 22-24 ft.	....	46.00	....	....	46.00	....
" " " 26 ft.	....	47.00	....	....	47.00	....
" " " 28 ft.	....	48.00	....	....	48.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	52.00	....	....	....	52.00	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
6x10, to 10x10, No. 1, up to 20 ft.	43.08	36.88	36.90	....	37.75	38.38
" " 22-24 ft.	45.73	39.00	38.45	....	41.27	40.64
" " 26 ft.	46.00[2]	40.04	41.22	....	40.79	40.94
" " 28 ft.	36.00[1]	44.00[1]	41.22	....	41.22	36.38
" " 30 ft.	42.17[1]	....	49.74	....	49.74	47.02
" " over 30 ft.	44.00	49.00[1]	49.74	....	44.00	42.97
6x10 to 10x10, Heart (85%+), up to 20 ft.	40.93	57.00	....	....	43.08	51.36
" " " 22-24 ft.	41.00[1]	....	....	....	41.00[1]	41.00
" " " 26 ft.	....	58.00[3]	....	....	58.00[3]	58.00[2]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	61.25[2]	....	....	....	61.25[2]	61.25[1]
" " " over 30 ft.	60.23[2]	....	....	....	60.23[2]	60.23[1]
3 & 4x12, No 1, up to 20 ft.	42.52	42.31	....	....	42.39	43.08
" " 22 24 ft.	43.08	43.00	....	....	43.03	35.85
" " 26 ft.	48.00[3]	....	....	....	48.00[3]	48.00[2]
" " 28 ft.	48.00	....	....	....	48.00	44.00
" " 30 ft.	44.00	48.00[2]	....	....	44.00	43.96
" " over 30 ft.	56.49[1]	....	....	....	56.49[1]	56.49
3 & 4x12, Heart (85%+), up to 20 ft.	52.92	47.00[1]	....	....	52.92	47.00
" " " 22-24 ft.	56.44	....	....	....	56.44	....
" " " 26 ft.	....	....	....	....	....	56.00[3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	60.53	....	....	....	60.53	....
6x12 to 12x12, No. 1, up to 20 ft.	44.65	46.60	38.87	....	41.46	41.75
" " 22-24 ft.	41.76	43.00	34.46	....	38.50	40.26
" " 26 ft.	46.62	43.50	45.34	....	45.18	37.11
" " 28 ft.	44.00	....	45.34	....	44.00	43.79
" " 30 ft.	43.22[1]	45.00	45.34	....	45.30	45.22
" " over 30 ft.	43.76	51.00	50.43	....	44.75	47.73
6x12 to 12x12, Heart (85%+), up to 20 ft.	46.78	46.83	....	....	46.81	47.41
" " " 22-24 ft.	49.00[1]	47.50	....	....	47.50	49.00
" " " 26 ft.	51.00	48.50	....	....	50.34	....
" " " 28 ft.	....	49.00	....	....	49.00	58.00[2]
" " " 30 ft.	....	52.29	....	....	52.29	59.33[2]
" " " over 30 ft.	49.10[2]	56.18[1]	....	....	56.18[1]	56.18
2x14 to 4x14, No. 1, up to 20 ft.	50.50	37.86[1]	....	....	50.50	37.86
" " 22-24 ft.	30.25[3]	40.67[1]	....	....	40.67[1]	40.67
" " 26 ft.	31.25[3]	34.00	....	....	34.00	45.00
" " 28 ft.	40.00	....	....	....	40.00	32.25[2]
" " 30 ft.	33.25[3]	....	....	....	33.25[3]	33.25[2]
" " over 30 ft.	65.00[1]	....	....	....	65.00[1]	65.00
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	52.00	....	....	52.00	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	63.00[3]	....	....	63.00[3]	63.00[2]
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	49.30	43.31	46.35	....	46.39	51.39
" " 22-24 ft.	47.50[3]	....	47.00	....	47.00	53.00[1]
" " 26 ft.	53.00[1]	....	52.21	....	52.21	52.60
" " 28 ft.	....	....	52.21	....	52.21	51.28
" " 30 ft.	44.00	....	60.00[2]	....	44.00	42.16
" " over 30 ft.	44.00	67.25[1]	65.00[1]	....	44.00	53.41
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	52.29	....	....	52.29	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	55.75	....	....	55.75	....
" " " 30 ft.	....	50.00	....	....	50.00	....
" " " over 30 ft.	....	67.00	....	....	67.00	64.00[2]
2x16 to 4x16, No. 1, up to 20 ft.	55.75	52.33	....	....	53.23	48.00[1]
" " 22-24 ft.	....	49.00[2]	....	....	49.00[2]	49.00[1]
" " 26 ft.	....	50.00[2]	....	....	50.00[2]	50.00[1]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
6x16 & Up, No. 1, up to 20 ft.	49.74	....	50.81	....	50.19	51.91
" " 22-24 ft.	48.80	....	52.44	....	50.63	52.96
" " 26 ft.	44.15[2]	....	54.96	....	54.96	50.72[1]
" " 28 ft.	58.00	....	54.96	....	58.80	60.50[1]
" " 30 ft.	43.79[2]	62.00	64.00	....	63.92	47.87
" " over 30 ft.	47.73	62.00	57.50	....	49.76	47.32
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	66.00[1]	....	....	....	66.00[1]	66.00
" " " over 30 ft.	68.35[1]	....	....	....	68.35[1]	68.35
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	60.00	58.55	....	....	59.14	60.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	51.00[1]	....	....	....	51.00[1]	51.00
" " 22-24 ft.	61.75	57.30	....	....	59.73	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	65.00[3]	57.00[1]	65.00	....	65.00	57.00
" " 30 ft.	57.00	60.00[2]	....	....	57.00	61.53
" " 32 ft.	....	62.50	....	....	62.50	....
16 inhc, Heart (85%+), up to 20 ft.	63.00[3]	....	....	....	63.00[3]	63.00[2]
" " " 22-24 ft.	60.00[1]	....	....	....	60.00[1]	60.00
" " " 26 ft.	....	....	65.00[3]	....	65.00[3]	65.00[2]
" " " 28 ft.	65.00[3]	57.53	....	....	57.53	65.00
" " " 30 ft.	68.00[2]	....	....	....	68.00[2]	68.00[1]
" " " 32 ft	....	62.50	....	....	62.50	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	49.75[3]	....	40.78	....	40.78	43.38
" " " 36 ft.	45.11	50.03	40.78	35.00[3]	46.20	48.51
" " " 37-38 ft.	46.79	47.20	40.74	40.29[1]	44.53	44.58
" " " 40 ft.	56.00[1]	56.00	40.74	....	56.00	56.00
" " " 41-42 ft.	48.00	58.00	....	....	51.70	51.61
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	55.50[3]	....	....	....	55.50[3]	55.50[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	....	42.50[1]	42.50[1]	42.50
" " " 36 ft.	45.05	55.67	....	36.00[2]	45.30	53.70
" " " 37-38 ft.	48.30	48.36	46.00[3]	....	48.32	49.98
" " " 40 ft.	47.00	56.06	46.00[3]	60.00[1]	47.85	60.00
" " " 41-42 ft.	47.00	....	....	....	47.00	56.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	55.50[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	62.00[1]	....	....	....	62.00	62.00
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	55.75[3]	....	52.00	....	52.00	50.40
" " " 36 ft.	56.02[1]	54.00	52.06	38.00[2]	54.00	56.02
" " " 37-38 ft.	56.00	58.88	48.50[3]	....	57.23	55.60
" " " 40 ft.	....	60.00	48.50[3]	....	60.00	48.50[2]
" " " 41-42 ft.	....	....	....	....	....	58.00[3]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	55.00[2]	....	....	....	55.00[2]	55.00[1]
" " " " 40 ft.	71.00[2]	....	....	....	71.00[2]	71.00[1]
" " " " 41-42 ft.	71.00[2]	....	....	....	71.00[2]	71.00[1]

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
" " " 36 ft.	55.00	....	....	65.00[1]	55.00	65.00
" " " 37-38 ft.	59.00	....	52.50[3]	....	59.00	58.50
" " " 40 ft.	60.00	....	52.50[3]	....	60.00	52.50[2]
" " " 41-42 ft.	60.00	....	....	....	60.00	65.62[3]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	55.64[1]	....	....	....	55.64[1]	55.64
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	59.00[1]	....	....	....	59.00[1]	59.00
" " " " 41-42 ft.	59.00[1]	....	....	....	59.00[1]	59.00
CAPS						
12x14, Sq. E. 12 ft.	43.00	....	....	....	43.00	....
" " 14 ft.	....	48.00[1]	....	....	48.00[1]	48.00
" " 16 ft.	....	....	....	....	....	50.00[3]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	50.00[1]	48.00	....	....	48.00	50.00
" " " 16 ft.	57.00[3]	....	....	....	57.00[3]	57.00[2]
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	52.64	....	....	52.64	55.00[2]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	36.00	....	....	....	36.00	32.47
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	40.00	40.00	....	....	40.00	40.00
" " Heart, (85%+), 6x8–8	45.86[1]	....	....	....	45.86[1]	45.86
" " Sq. E., " 7x9–8	38.50	37.23	....	....	37.63	45.04
" " Heart, " 7x9–8	43.78	45.18	....	....	44.79	45.03
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	45.47[1]	45.00	....	....	45.00	45.47
Paving Stock, S 1 S	....	....	30.00[1]	23.96[1]	27.47[1]	27.47
" " Rough	....	30.00[1]	....	....	30.00[1]	30.00
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	128.24[2]	....	....	....	128.24[2]	128.24[1]
Miscellaneous	69.10[1]	42.13	44.21	19.84	36.82	42.35
MISCELLANEOUS STOCK						
Silo Stock	....	....	28.50	....	28.50	....
Grain Doors	29.25	....	....	....	29 25	30.00
Miscellaneous, B and B	62.90	35.61	57.35	69.74	54.88	68.14
" No. 1	35.36	27.89	23.05	39.74	26.06	34.14
" No. 2	26.62	19.98	21.44	23.29	21.50	20.99
" No. 3	15.84	14.98	15.18	17.20	15.66	15.50
Shorts B and B	50.44[1]	41.55[1]	....	....	45.05[1]	45.05
" No. 1	15.90	20.83	....	....	17.44	19.06
" No. 2	....	17.05	....	....	17.05	17.70
" No. 3	....	16.00[1]	....	....	16.00[1]	16.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 6 to 45½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.06	.06½	.07	.07½	.08	.08½	.09	.09½	.10	.10½	.11	.11½	.12	.12½	.13	.13½	.14	.14½	.15	.15½	Weight
500	.25	.25	.25	.50	.50	.50	.50	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	500
700	.50	.50	.50	.50	.50	.50	.75	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	700
900	.50	.50	.75	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.50	900
1000	.50	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1000
1100	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1100
1200	.75	.75	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1200
1400	.75	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	1400
1500	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	1500
1700	1.00	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	1700
1800	1.00	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.75	2.75	1800
1900	1.25	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	3.00	1900
2000	1.25	1.25	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.50	2.75	2.75	3.00	3.00	3.00	2000
2100	1.25	1.25	1.50	1.50	1.75	1.75	2.00	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	2100
2200	1.25	1.50	1.50	1.75	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	2.75	3.00	3.00	3.25	3.25	3.50	2200
2300	1.50	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	2300
2400	1.50	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.50	3.50	3.75	2400
2500	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.50	3.75	3.75	4.00	2500
2600	1.50	1.75	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	2600
2700	1.50	1.75	2.00	2.00	2.25	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.25	2700
2800	1.75	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.00	4.25	4.50	2800
3000	1.75	2.00	2.00	2.25	2.50	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.25	4.50	4.75	3000
3200	2.00	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	3200
3300	2.00	2.25	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.25	4.50	4.50	4.75	5.00	5.00	3300
3400	2.00	2.25	2.50	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	3400
3500	2.00	2.25	2.50	2.75	2.75	3.00	3.25	3.25	3.50	3.75	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.00	5.25	5.50	3500
3600	2.25	2.25	2.50	2.75	3.00	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	4.75	5.00	5.25	5.50	5.50	3600
3800	2.25	2.50	2.75	2.75	3.00	3.25	3.50	3.50	3.75	4.00	4.25	4.25	4.50	4.75	5.00	5.25	5.25	5.50	5.75	6.00	3800
4200	2.50	2.75	3.00	3.25	3.25	3.50	3.75	4.00	4.25	4.50	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.00	6.25	6.50	4200
4500	2.75	3.00	3 25	3.50	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	5.75	6.00	6.25	6.50	6.75	7.00	4500

Weight	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	.25	.25½	Weight
500	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	700
900	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	900
1000	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	2.50	2.50	1000
1100	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	1100
1200	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	1200
1400	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	1400
1500	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	1500
1700	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	1700
1800	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.50	1800
1900	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	4.75	1900
2000	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.00	2000
2100	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.25	2100
2200	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.50	2200
2300	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	5.75	2300
2400	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	2400
2500	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	2500
2600	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.75	2600
2700	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	7.00	2700
2800	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.25	2800
3000	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	3000
3200	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	3200
3300	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	3300
3400	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	8.50	8.75	3400
3500	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	8.75	9.00	3500
3600	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	9.00	9.25	3600
3800	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	9.50	9.75	3800
4200	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.50	10.75	4200
4500	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.25	11.50	4500

Weight	26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	.35	.35½	Weight
500	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	700
900	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	900
1000	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	1000
1100	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	4.00	1100
1200	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	1200
1400	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	1400
1500	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	1500
1700	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	1700
1800	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	1800
1900	5.00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.75	6.75	1900
2000	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.00	2000
2100	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	2100
2200	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	2200
2300	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	2300
2400	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	2400
2500	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2500
2600	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	2600
2700	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	2700
2800	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	9.75	10.00	2800
3000	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.75	3000
3200	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.25	3200
3300	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3300
3400	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3400
3500	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.50	3500
3600	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	3600
3800	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	13.25	13.50	3800
4200	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	15.00	4200
4500	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.75	16.00	4500

Weight	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	.45	.45½	Weight
500	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	700
900	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	900
1000	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	1000
1100	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	1100
1200	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	1200
1400	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	1400
1500	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	6.75	6.75	1500
1700	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	1700
1800	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1800
1900	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	1900
2000	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.00	2000
2100	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	2100
2200	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	2200
2300	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	2300
2400	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	2400
2500	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	2500
2600	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	2600
2700	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	2700
2800	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	2800
3000	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.75	3000
3200	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	3200
3300	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	14.75	15.00	3200
3400	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	15.25	15.50	3400
3500	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	15.75	16.00	3500
3600	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	16.25	16.50	3600
3800	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	17.00	17.25	3800
4200	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	19.00	19.00	4200
4500	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	20.25	20.50	4500

Southern Pine Association

REPORT OF SALES

December 10, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending December 10, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE (LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Dec. 20, 1920

No. 114

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg·	Birmingham	Average	Average Previous Report Nov. 30
Heart Face, Edge Grain, B and Better, 13/16x2¼"		....	....	....	....	....
Edge Grain, A "		....	....	....	....	....
" " B "		....	....	....	....	....
" " B and Better "	85.72		....	....	85.72	90.92
" " C "	62.50	....	....	....	62.50	75.00[3]
" " D "	60.00[1]	....	....	....	60.00[1]	60.00
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	55.00[3]
" " B and Better "	51.44	....	....	....	51.44	51.62
" " C "	....	....	....	....	....	....
" " D "	41.00	....	....	....	41.00	44.75
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	31.50[1]	....	....	....	31.50[1]	31.50
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	110.25	110.25	115.50
Edge Grain, A "	....	....	108.81[1]	106.25[1]	108.12[1]	108.12
" " B "	....	....	92.58	85.20	90.40	92.90
" " B and Better "	....	100.00	....	86.04	87.65	96.66
" " C "	....	59.10[2]	94.00	78.00	85.11	55.00
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	35.52	37.00	35.67	36.25
Flat " A "	....	....	....	68.00[2]	68.00[2]	68.00[1]
" " B "	....	55.00[2]	....	62.75[1]	62.75[1]	62.75
" " B and Better "	....	50.50	48.90	50.30	49.19	53.92
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	39.25[3]	41.87	48.10	44.19	41.67
No. 2 " "	....	10.00	21.78	20.22	21.02	23.69
No. 3 " "	....	....	11.00	14.25[1]	11.00	14.50
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	90.00	90.00	....
Edge Grain, A "	68.75	....	....	....	68.75	76.69[1]
" " B "	....	....	75.78	51.00[1]	75.78	73.06
" " B and Better "	84.78	80.76[2]	48.43	....	69.30	76.92
" " C "	48.25[2]	....	65.00	....	65.00	68.75
" " D "	55.00[2]	....	....	....	55.00[2]	55.00[1]
" " No. 2 "	....	....	30.42	....	30.42	31.25
Flat " A "	58.00[3]	....	....	....	58.00[3]	58.00[2]
" " B "	43.30	52.00[1]	....	51.00[1]	43.30	51.28
" " B and Better "	44.34	45.37	42.72	41.14	43.45	45.63
" " C "	49.33[1]	48.00[1]	....	....	48.85[1]	48.85
" " D "	37.93	43.00	....	....	38.02	37.76
No. 1 Common "	....	35.54	35.19	34.85	35.17	38.50
No. 2 " "	21.52	21.63	20.69	18.58	20.17	21.06
No. 3 " "	....		12.03	11.62	11.97	11.84
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B						
" " B and Better	38.07	40.00	42.04	40.50	41.18	43.20
" " No. 1 Common	43.60[1]	33.50[1]	35.32	38.75[1]	35.32	37.93
" " No. 2 "	22.50[2]	10.25	18.46	....	18.26	20.27
" " No. 3 "	....	....	....	....	....	....
Ceiling, ⅝x3¼", A		....	....	....	....	....
" " B						
" " B and Better	43.62	41.69	39.18	45.00	41.08	42.86
" " No. 1 Common	37.50	38.37	35.57	41.25	36.71	36.75
" " No. 2 "	19.82	21.81[1]	19.41	19.90	19.52	21.22
" " No. 3 "		....	15.25	....	15.25	11.15
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B						
" " B and Better	48.34[1]	54.50[3]	40.76	....	40.76	45.60
" " No. 1 Common	50.21[2]		45.00[2]	....	48.47[2]	48.47[1]
" " No. 2 "	21.25[1]		20.92	....	20.92	22.93
" " No. 3 "						
PARTITION						
Partition, ¾x3¼", A					....	....
" " B						
" " B and Better	42.95	50.00[1]	51.13[1]	50.00	43.60	51.57
" " No. 1 Common	44.25[1]		45.12[1]	48.57	48.57	42.95
" " No. 2 "	30.00[2]		20.07[1]		20.07[1]	20.07
Partition, ¾x5¼", A					....	....
" " B						
" " B and Better	40.00[1]	40.00	47.44	54.50[3]	47.39	49.83
" " No. 1 Common			41.96		41.96	41.24
" " No. 2 "		9.50	21.39	22.00[2]	21.28	21.85
BEVEL SIDING						
Bevel Siding, A			....	....	....	....
" B			....	....	....	....
" B and Better	33.50	32.00	....	....	32.86	37.10[1]
" No. 1 Common	32.00[3]	32.00[3]	31.73[1]	....	31.73[1]	31.73
" No. 2 "	25.25[1]		20.58		20.58	21.47

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	42.53	41.69	39.09	51.64[3]	40.70	43.49
“ “ No. 1 Common	36.63	38.61	33.86	37.20[1]	34.65	36.71
“ “ No. 2 “	24.81	22.07	22.70	21.93	22.87	22.70
“ “ No. 3 “	22.51	....	11.00	16.00[3]	19.98	13.00
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	53.64	53.37	53.68	....	53.62	57.82
1x 6 inch, “	58.03	56.19	54.85	54.45[2]	57.22	59.85
1x 8 inch, “	57.84	57.38	52.94	73.00	56.74	58.93
1x 5 and 10 inch, “	61.00	59.45	56.82	75.00	60.02	61.82
1x12 inch, “	60.92	62.33	60.25	75.00	61.50	63.24
1¼x4 to 12 inch, “	68.10	67.33	62.94	72.50	67.10	67.45
1½ and 2x4 to 12 inch, “	72.29	81.00[3]	60.62	83.50	64.84	69.12
1⅝ inch, “	50.37	70.00	....	....	51.86	50.54
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, C	45.17	....	51.00[1]	....	45.17	52.33
1x 6 inch, “	50.06	....	51.00	....	50.16	49.50[1]
1x 8 inch, “	50.75	....	53.44	....	51.77	55.75
1x 5 and 10 inch, “	53.20	....	56.85	....	53.84	54.80
1x12 inch, “	54.30	65.50[1]	73.50[1]	....	54.30	66.10
1¼x4 to 12 inch, “	71.00	....	55.00	....	63.00	51.75
1½ and 2x4 to 12 inch, “	56.25	....	56.54[3]	....	56.25	56.54[2]
1⅝ inch, “	....	....	....	....	....	....
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	....	....	....	....	....	86.00[3]
1x 6 inch, “ “	64.08[3]	55.00[2]	58.00[3]	47.00	47.00	50.00
1x 8 inch, “ “	52.25	....	49.00	46.00	46.79	55.92
1x 5 and 10 inch, “ “	52.25	....	56.00	55.00[3]	54.92	63.00
1x12 inch, “ “	52.25	68.00	58.00	56.71[3]	66.90	63.71
1¼x4 to 12 inch, “ “	64.38	55.40	59.84	73.00[3]	58.44	65.99
1½ and 2x4 to 12 inch, “ “	53.75	60.68	59.54	....	58.23	71.42
1⅝ inch, “ “	....	75.00[1]	....	....	75.00[1]	75.00
1x 6 to 12 inch, “ “	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	65.58	74.25[2]	65.00	65.50[1]	65.42	64.80
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	67.61	67.25[2]	66.81	65.50[1]	67.24	66.68
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	67.70	....	75.00	....	68.95	75.38
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	37.25[1]	....	50.00[3]	....	37.25[1]	37.25
“ “ “ “ “ 8 ft.	39.50	45.00[2]	43.00[1]	....	39.50	43.15
“ “ “ “ “ 12 and 14 ft.	50.50[2]	....	....	....	50.50[2]	50.50[1]
“ “ “ “ “ 16 ft.	50.50[2]	62.00	....	....	62.00	50.50[1]
“ “ “ “ “ 9 or 18 ft.	54.35	58.24	56.86	....	56.22	57.38
“ “ “ “ “ 10 or 20 ft.	55.40	55.83	50.00	....	55.08	55.12

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	32.00	33.25	32.30	....	32.52	34.00
" " " " " 8 ft.	35.00[2]	....	....	....	35.00[2]	35 00[1]
" " " " " 12 and 14 ft.	35 00[2]	....	....	....	35 00[2]	35.00[1]
" " " " " 16 ft.	35.00[2]	39.75	50 00[3]	....	39.75	35.00[1]
" " " " " 9 or 18 ft.	38.39	57.76[3]	46.00	....	42.19	40 25
" " " " " 10 or 20 ft.	35.90	35.00[2]	41.00	....	37.42	40.25
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	33.22	33.25	32.30	....	33.22	33.25
" " " " " 8 ft.	....	....	....	....	....	....
" " " " " 12 and 14 ft.	....	....	....	....	....	36.00[3]
" " " " " 16 ft.	36 00[1]	39.75	50.00[3]	....	39.75	36.00
" " " " " 9 or 18 ft.	38 20[2]	57.76[3]	46 00	....	46.00	38 20[1]
" " " " " 10 or 20 ft.	35.59[2]	35.00[2]	41.00	....	41.00	35.59[1]
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	17.58	....	....	....	17.58	18.93
" " " " " 10 to 20 ft.	14.42	10.00	....	....	14.11	27.60
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	45.00[2]	54.00[1]	35.00	....	35.00	52.94
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	43.00[1]	....	43.00[1]	43 00
" No. 1, " 1⅝ inch, 9 & 18 ft.	28.50[1]	....	....	....	28.50[1]	28.50
" " " 1⅝ inch, 10 & 20 ft.	33.00[3]	....	....	....	33.00[3]	33.00[2]
" " " 1¾ inch, 9 & 18 ft.	36.00[1]	....	....	....	36.00[1]	36.00
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	38.00[3]	....	....	38.00[3]	38.00[2]
" " " 2 to 3 inch 10 & 20 ft	28.00[1]	40.69[1]	....	....	37.54[1]	37.54
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	33.84	43.50[3]	41.00[1]	....	33.84	39.60
" " " " other lengths.	30.68	31.69	38.32	40.69	35.17	35.51
" " 1x10, " 14 and 16 ft.	33.45	....	51.25[3]	....	33.45	34.30
" " " " other lengths.	32.76	33.56	41.12	42.24	38 20	36.77
" " 1x12, " 14 and 16 ft.	38.01	42.00	52.00	....	38.34	37.86
" " " " other lengths.	38.90	38.27	44.55	51.52	40.59	39.19
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	17.65	21.39	21.32	19.22	19.21	21 27
" " 1x10, " "	18.58	20 40	21.71	21.11	20.14	21 94
" " 1x12, " "	20.84	21.20	22.94	21.44	21.86	22.30
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	14.16	14.54	18.00	12.00	15.22	16 05
" " 1x10, " "	15.52	13.70	16.42	20.25[1]	15.53	17 20
" " 1x12, " "	15.16	15.57	17.50	18.25[1]	16.05	17.82
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	34.50	37.50[1]	....	....	34.50	34.29
" " " other lengths.	32.63	31.76	33.99	38.00[2]	32.51	35.50
" 1x10, " 14 and 16 ft.	33.22	37 50[2]	....	....	33.22	37 00
" " " other lengths.	31.67	31.40	35.04[1]	....	31.60	33.99
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	18.85	19.75	21.79	21.01	20.00	21.32
" 1x10, " "	19.20	19.91	20.90	20.09	20.12	21.29
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	17.14	15.39	15.63	13.83	15.44	16.84
" 1x10, " "	16.65	13.11	12.71	15.50[3]	14.70	16 82
" 1x12, " "	18.52	18.00	....	....	18.19	18.50
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	37.00	....	....	....	37.00	39.50
" " " " other lengths.	37.09	37.12[2]	....	....	37.09	39.50
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	11.44[1]	....	8.56	....	8.56	9.36

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
1x4, S 1 S, No. 1, 16 ft.	30.27	36.00[3]	....	....	30.27	33.53
" " " other lengths	31.55	31.56	41.50	49.25	36.29	35.87
" " No. 2, all lengths	16.22	16.61	20.71	18.91[1]	17.18	18.78
" " No. 3, "	14.87	14.91	12.81	15.50[2]	13.97	14.75
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	24.39[2]	....	....	....	24.39[2]	24.39[1]
" " No. 2, all lengths	20.46[2]	....	....	....	20.46[2]	20.46[1]
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	32.10	40.25	40.00	....	35.17	35.07
" " " other lengths	34.41	32.58	41.61	39.25	35.24	37.01
" " No. 2, all lengths	16.97	17.29	20.38	20.80	17.66	19.98
" " No. 3, "	13.15	13.50[1]	14.95	17.75[1]	14.69	15.90
1x6, C. M., No. 1, 16 ft.	32.22	37.50[3]	....	....	32.22	31.75
" " " other lengths	37.90	30.00	....	47.50[3]	36.97	34.20
" " No. 2, all lengths	17.36	15.97	....	21.16	17.62	19.27
" " No. 3, "	17.32[1]	14.41	....	....	14.41	17.32
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	23.83	25.20	21.92	27.10[3]	23.11	24.85
" " " 12 ft.	23.18	23.29	22.09	23.50[2]	22.96	24.34
" " " 14 ft.	23.06	22.91	22.76	27.50[3]	22.94	23.15
" " " 16 ft.	23.89	24.71	22.66	18.00	22.17	24.41
" " " 18 ft.	25.28	25.35	24.32	26.50[2]	24.97	25.45
" " " 20 ft.	25.58	26.17	24.32	30.50[2]	25.79	25.95
" " " 22 ft.	27.05	27.25	27.49	....	27.17	28.19
" " " 24 ft.	27.80	27.27	27.49	....	27.59	29.50
2x 6, No. 1, S 1 S 1 E, 10 ft.	21.38	21.42	24.86	20.00[3]	24.47	22.74
" " " 12 ft.	21.00	21.04	21.00	22.00[2]	21.00	21.30
" " " 14 ft.	20.26	22.42	21.00	26.50[3]	20.76	21.56
" " " 16 ft.	21.18	22.70	21.31	31.00	22.27	22.14
" " " 18 ft.	23.50	24.06	24.86	28.00	24.73	24.29
" " " 20 ft.	23.11	23.64	24.86	28.00	23.22	24.81
" " " 22 ft.	26.07	26.00	29.21	....	27.29	27.05
" " " 24 ft.	26.20	26.57	29.21	....	26.36	26.96
2x 8, No. 1, S 1 S 1 E, 10 ft.	22.23	22.54	23.24	23.00[2]	23.07	25.17
" " " 12 ft.	21.78	22.86	23.17	19.25[1]	22.57	22.90
" " " 14 ft.	21.62	23.05	21.67	25.50[3]	21.75	23.04
" " " 16 ft.	21.93	25.15	26.21	30.00	25.22	24.64
" " " 18 ft.	23.60	24.27	23.21	24.75[1]	23.71	25.94
" " " 20 ft.	24.27	26.75	23.21	24.75[1]	25.36	26.69
" " " 22 ft.	28.23	25.57	25.96	....	26.46	29.29
" " " 24 ft.	24.96	26.30	25.96	....	25.51	29.14
2x10, No. 1, S 1 S 1 E, 10 ft.	22.58	27.25[1]	24.06	....	23.89	25.99
" " " 12 ft.	24.00	24.43	22.91	27.00[3]	23.29	23.73
" " " 14 ft.	23.62	24.83	22.91	31.50[2]	23.79	24.67
" " " 16 ft.	25.63	26.72	23.59	33.50[2]	24.92	25.80
" " " 18 ft.	27.16	26.75	24.06	34.50[2]	27.12	26.86
" " " 20 ft.	25.50	26.59	24.06	34.50[2]	25.89	27.20
" " " 22 ft.	23.86	27.20	27.87	....	27.17	29.23
" " " 24 ft.	26.64	26.99	27.87	....	26.91	30.15
2x12, No. 1, S 1 S 1 E, 10 ft.	26.11	28.00	26.75	33.50[2]	26.73	27.66
" " " 12 ft.	25.12	26.24	24.29	25.25[1]	24.78	25.99
" " " 14 ft.	24.28	27.32	24.29	30.00[2]	24.86	26.15
" " " 16 ft.	26.00	25.96	24.50	....	25.07	26.76
" " " 18 ft.	26.49	28.16	26.75	26.25[1]	27.14	28.21
" " " 20 ft.	27.54	28.68	26.75	26.25[1]	27.93	28.62
" " " 22 ft.	28.40	29.82	29.96	....	29.63	29.06
" " " 24 ft.	29.15	30.52	29.96	....	29.48	32.33
2x 4, No. 2, S 1 S 1 E, 10 ft.	18.11	18.65	19.12	20.00[3]	18.52	18.69
" " " 12 ft.	18.02	18.65	19.49	21.75[2]	18.65	18.96
" " " 14 ft.	18.96	19.50	19.62	20.00[1]	19.18	18.61
" " " 16 ft.	19.62	20.06	20.36	20.25	20.03	19.44
" " " 18 ft.	20.85	19.56	21.33	22.00[2]	21.05	21.18
" " " 20 ft.	20.59	20.13	21.33	22.50[1]	20.37	21.48
" " " 22 ft.	24.50[3]	20.14	23.17[1]	....	20.14	23.36
" " " 24 ft.	24.50[3]	20.14	23.17[1]	....	20.14	23.36
2x 6, No. 2, S 1 S 1 E, 10 ft.	15.78	20.40	17.85	21.00[3]	17.49	18.80
" " " 12 ft.	15.99	18.56	17.42	17.00[1]	16.62	17.52
" " " 14 ft.	16.39	18.35	17.42	18.00[1]	16.95	17.11
" " " 16 ft.	17.02	18.16	18.26	18.66	17.44	17.96
" " " 18 ft.	17.00	18.74	17.00	19.00	17.83	19.84
" " " 20 ft.	17.54	19.17	17.44	....	18.23	19.48
" " " 22 ft.	23.00	19.00	24.00[1]	....	20.85	25.56
" " " 24 ft.	23.00	19.00	24.00[1]	22.00[2]	23.00	23.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
2x 8, No. 2, S 1 S 1 E, 10 ft.	18.55	21.00	19.21	..	19.24	20 56
" " " 12 ft.	18.18	20 54	17.98	18 00[1]	18.28	17 11
" " " 14 ft.	18.02	20 05	17.24	19 00[3]	17.81	17 90
" " " 16 ft.	19.52	20 23	18.46	21 80[3]	19.08	18 46
" " " 18 ft.	20 77	20.75	19.21	22 00[1]	20.76	21 47
" " " 20 ft.	19.10	20 73	19.21	....	20 30	20 81
" " " 22 ft.	23.42	20.76	25.54	....	23.22	24 05
" " " 24 ft.	23.38	20.76	25.54	22 00[2]	23 38	24.49
2x10, No. 2, S 1 S 1 E, 10 ft.	17.71	18.03	19.61	18.00[2]	19.44	20.73
" " " 12 ft.	18.29	18.03	23 99	18.00[2]	21.84	18 56
" " " 14 ft.	18.23	18.03	23.99	22 00[3]	18 14	18.57
" " " 16 ft.	19 63	18.02	20 88	....	20.27	20.78
" " " 18 ft.	22.09	18.03	19.61	....	19.60	23.75
" " " 20 ft.	19.94	19.68	19.61	....	19.74	22 89
" " " 22 ft.	26.50	24.47	25.64[2]	....	25.05	26 92
" " " 24 ft.	26.50	24.47	25.64[2]	....	26.50	26.00
2x12, No. 2, S 1 S 1 E, 10 ft.	18.29	22.50[1]	20 36	....	20 25	22.75
" " " 12 ft.	19.71	17.25	19.65	....	19.55	22 34
" " " 14 ft.	19.88	19.75	19.65	22 00[3]	19.85	22.92
" " " 16 ft.	20.94	21.89	21.10	24.00	21.35	21.77
" " " 18 ft.	21.04	21.54	20 36	22 00[2]	21.25	23.45
" " " 20 ft.	20.79	20.75	20.36	22.00[2]	20.76	23 93
" " " 22 ft.	25.68	23.82	30.97	....	25.15	24.50
" " " 24 ft.	28.50	23.82	30.97	....	28.50	24.50
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E. all lengths	11.66	10.41	....	16.00	11.90	13 88
PATENT LATH						
4 and 6 ft.	15.91	20.00[3]	17.00[1]	....	15.91	17.28
8 and 10 ft.	16.75	....	17.50[1]	....	16.75	18.85
12 ft. and longer	16.91	....	22.50[1]	....	16.91	19.92
PLASTERING LATH						
3/8x1½-4, No. 1	4.41	3.49	4.07	3.28	4.02	4.26
" No. 2	3.33	....	2.72	1.90	2.57	3.02
3/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	32.06	33.44	30.97	....	31.49	33.09
" " 22-24 ft.	31.75	31.67	34 89	34.89	32 46	34 95
" " 26 ft.	35 50	33.00[1]	42.00	....	39.51	33.53
" " 28 ft.	44 00[1]	42.50	42.00	....	42.50	44 00
" " 30 ft.	47 25[2]	....	26.37	....	26 37	38.00
" " over 30 ft.	32.00	....	45.62	....	39.95	39.11[1]
4x4 to 8x8, Heart (85%+), up to 20 ft.	37.50	35 68	....	....	36.84	39 25
" " " 22-24 ft.	37.78	33 25	....	....	34.10	43.82
" " " 26 ft.	58.75	....	....	....	58.75	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	54.90[1]	50 51	....	....	50 51	54.90
" " " over 30 ft.	58.75	65.00[2]	....	....	58.75	48.00
3 & 4x10, No. 1, up to 20 ft.	37.34	38 64	....	....	37.83	38.48
" " 22-24 ft.	42.95[1]	39.00[1]	....	....	41.10[1]	41.10
" " 26 ft.	44.46[1]	....	....	....	44.46[1]	44.46
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	44.00[3]
" " over 30 ft.	44.00[2]	43.92[1]	....	....	43.92[1]	43.92
3 & 4x10, Heart (85%+), up to 20 ft.	40.92	40 71	....	....	40 86	43.52
" " " 22-24 ft.	44.00	38 55	....	....	39 99	46 00
" " " 26 ft.	....	47 00[1]	....	....	47 00[1]	47.00
" " " 28 ft.	....	48.00[1]	....	....	48 00[1]	48.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	52.00[1]	57 50	....	....	57.50	52.00

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
6x10, to 10x10, No. 1, up to 20 ft.	48.00	40.00	34.15	....	35.98	37.75
" " 22-24 ft.	45.73[1]	38.00	40.60	....	40.44	41.27
" " 26 ft.	46.00[3]	38.00	44.02	....	43.80	40.79
" " 28 ft.	36.00[2]	44.00[2]	44.02	....	44.02	41.22
" " 30 ft.	42.17[2]	....	44.63	....	44.63	49.74
" " over 30 ft.	45.48	49.00[2]	46.54	....	46.09	44.00
6x10 to 10x10, Heart (85%+), up to 20 ft.	41.00	39.31	....	....	39.75	43.08
" " " 22-24 ft.	47.53	36.75	....	....	45.30	41.00[1]
" " " 26 ft.	....	38.25	....	....	38.25	58.00[3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	61.25[3]	....	....	....	61.25[3]	61.25[2]
" " " over 30 ft.	54.21	....	....	....	54.21	60.23[2]
3 & 4x12, No 1, up to 20 ft.	36.27	31.47	....	....	34.57	42.39
" " 22 24 ft.	37.72	43.00[1]	....	....	37.72	43.03
" " 26 ft.	38.00	....	....	....	38.00	48.00[3]
" " 28 ft.	38.00	....	....	....	38.00	48.00
" " 30 ft.	44.00[1]	42.75	....	....	42.75	44.00
" " over 30 ft.	60.25	....	....	....	60.25	56.49[1]
3 & 4x12, Heart (85%+), up to 20 ft.	52.92[1]	52.00	....	....	52.00	52.92
" " " 22-24 ft.	48.81	53.00	....	....	49.24	56.44
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	60.53[1]	....	....	....	60.53[1]	60.53
6x12 to 12x12, No. 1, up to 20 ft.	34.62	46.60[1]	39.37	....	37.76	41.46
" " 22-24 ft.	36.89	43.00[1]	42.14	....	39.09	38.50
" " 26 ft.	36.85	43.50[1]	43.65	....	40.07	45.18
" " 28 ft.	39.83	....	43.65	....	39.83	44.00
" " 30 ft.	39.35	45.00[1]	46.33	....	44.08	45.30
" " over 30 ft.	46.95	48.32	49.52	....	47.89	44.75
6x12 to 12x12, Heart (85%+), up to 20 ft.	46.56	42.98	....	....	44.94	46.81
" " " 22-24 ft.	55.01	44.78	....	....	47.59	47.50
" " " 26 ft.	51.00[1]	41.75	....	....	41.75	50.34
" " " 28 ft.	60.25	49.00	....	....	55.29	49.00
" " " 30 ft.	....	46.90	....	....	46.90	52.29
" " " over 30 ft.	58.75	49.00	....	....	56.17	56.18[1]
2x14 to 4x14, No. 1, up to 20 ft.	64.25	51.75	....	....	62.32	50.50
" " 22-24 ft.	....	52.76	....	....	52.76	40.67[1]
" " 26 ft.	43.75	34.00[1]	....	....	43.75	34.00
" " 28 ft.	40.00[1]	....	....	....	40.00[1]	40.00
" " 30 ft.	....	....	....	....	....	33.25[3]
" " over 30 ft.	65.00[2]	....	....	....	65.00[2]	65.00[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	52.00[1]	....	....	52.00[1]	52.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	63.00[3]
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	39.35	43.31[1]	34.29	....	36.44	46.39
" " 22-24 ft.	42.30	....	52.00	....	46.06	47.00
" " 26 ft.	42.35	....	49.73	....	47.10	52.21
" " 28 ft.	42.82	....	49.73	....	42.82	52.21
" " 30 ft.	44.00[1]	....	60.00[3]	....	44.00[1]	44.00
" " over 30 ft.	44.82	67.25[2]	53.00	....	46.19	44.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	52.29[1]	....	....	52.29[1]	52.29
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	55.75[1]	....	....	55.75[1]	55.75
" " " 30 ft.	....	50.00[1]	....	....	50.00[1]	50.00
" " " over 30 ft.	....	67.00[1]	....	....	67.00[1]	67.00
2x16 to 4x16, No. 1, up to 20 ft.	55.75	52.33[1]	....	....	53.23[1]	53.23
" " 22-24 ft.	....	49.00[3]	....	....	49.00[3]	49.00[2]
" " 26 ft.	....	50.00[3]	....	....	50.00[3]	50.00[2]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
6x16 & Up, No. 1, up to 20 ft.	47.52	....	51.96	....	49.50	50 19
" " 22-24 ft.	48.43	....	52 50	....	49.12	50 63
" " 26 ft.	48.30	....	55.50	....	50.70	54 96
" " 28 ft.	50.35	....	55.50	....	50 35	58 80
" " 30 ft.	59.75	62.00[1]	58.00	....	58.16	63.92
" " over 30 ft.	58.18	62.00[1]	57 50[1]	....	58.18	49 76
6x16 & Up, Heart (85%+), up to 20 ft.	59.38	....	....	....	59.38	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	66.00[2]	....	....	....	66.00[2]	66 00[1]
" " " over 30 ft.	68 35[2]	....	....	....	68 35[2]	68 35[1]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	60.00[1]	60.00	....	....	60.00	59.14
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	51.00[2]	....	....	....	51 00[2]	51 00[1]
" " 22-24 ft.	61.75[1]	57.30[1]	....	....	59.73[1]	59.73
" " 26 ft.	60.00	....	....	....	60.00	....
" " 28 ft.	....	57 00[2]	65.00[1]	....	65.00[1]	65.00
" " 30 ft.	58.87	60 00[3]	....	....	58.87	57.00
" " 32 ft.	....	62.50[1]	....	....	62.50[1]	62.50
16 inhc, Heart (85%+), up to 20 ft.	....	....	....	....	....	63.00[3]
" " " 22-24 ft.	60.00[2]	....	....	....	60.00[2]	60.00[1]
" " " 26 ft.	....	....	....	....	....	65 00[3]
" " " 28 ft.	67.50	57.53[1]	....	....	67.50	57 53
" " " 30 ft.	65.00	....	....	....	65.00	68 00[2]
" " " 32 ft.	....	62 50[1]	....	....	62 50[1]	62 50
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	36.80	....	36.80	40 78
" " " 36 ft.	50.32	48.76	36.80	45.00	49.13	46 20
" " " 37-38 ft.	51.53	51.00	40.74[1]	40.29[2]	51.38	44.53
" " " 40 ft.	56.00[2]	56.00[1]	40.74[1]	....	56 00[1]	56.00
" " " 41-42 ft.	56.00	58.00[1]	....	....	56.00	51.70
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	55.50[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	45.27	42 50[2]	45.27	42 50[1]
" " " 36 ft.	50.00	49 00	45.27	36.00	49.21	45.30
" " " 37-38 ft.	48 30[1]	48 36[1]	40.00	....	40 00	48 32
" " " 40 ft.	54.00	54 00	40.00	60.00[2]	54.00	47 85
" " " 41-42 ft.	47.00[1]	....	....	....	47.00[1]	47.00
Up to 10 inch, Heart, (85%+), 34 ft.	51.00	....	....	....	51.00	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	62.00[2]	....	....	....	62 00[2]	62.00[1]
" " " " 41-42 ft.	55.00	....	....	....	55.00	....
Up to 12 inch, Sq. E., 34 ft.	58.00	....	49.54	....	50 28	52.00
" " " 36 ft.	56 02[2]	54 00[1]	49.54	54 00	54 00	54 00
" " " 37-38 ft.	56.00[1]	58 88[1]	....	....	57 23[1]	57 23
" " " 40 ft.	....	60 00[1]	....	....	60 00[1]	60.00
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	55 00[3]	....	....	....	55 00[3]	55 00[2]
" " " " 40 ft.	71.00[3]	....	....	....	71 00[3]	71 00[2]
" " " " 41-42 ft.	71 00[3]	....	....	....	71 00[3]	71.00[2]

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
Up to 14 inch, Sq. E., 34 ft.	....	....	45.38	....	45.38	....
“ “ “ 36 ft.	61.00	59.00	45.38	65.00[2]	60.04	55.00
“ “ “ 37-38 ft.	59.00[1]	....	52.00	....	52.00	59.00
“ “ “ 40 ft.	60.00[1]	....	52.00	....	52.00	60.00
“ “ “ 41-42 ft.	60.00[1]	....	....	....	60.00[1]	60.00
Up to 14 inch, Heart, (85%+), 34 ft.	59.00	....	....	....	59.00	....
“ “ “ “ 36 ft.	55.64[2]	....	....	....	55.64[2]	55.64[1]
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	59.00[2]	....	....	....	59.00[2]	59.00[1]
“ “ “ “ 41-42 ft.	66.00	....	....	....	66.00	59.00[1]
CAPS						
12x14, Sq. E. 12 ft.	43.00[1]	....	....	....	43.00[1]	43.00
“ “ 14 ft.	....	48.00[2]	....	....	48.00[2]	48.00[1]
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	44.00	....	....	44.00	....
“ “ “ 14 ft.	50.00[2]	48.00[1]	....	....	48.00[1]	48.00
“ “ “ 16 ft.	....	....	....	....	....	57.00[3]
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	52.64[1]	....	....	52.64[1]	52.64
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	36.00[1]	....	....	....	36.00[1]	36.00
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	40.00[1]	40.00[1]	....	38.00	38.00	40.00
“ “ Heart, (85%+), 6x8–8	35.17	....	....	....	35.17	45.86[1]
“ “ Sq. E., “ 7x9–8	50.30	35.00	....	39.32	42.72	37.63
“ “ Heart, “ 7x9–8	43.78[1]	45.18[1]	....	....	44.79[1]	44.79
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
“ “ Heart,	45.47[2]	45.00[1]	....	....	45.00[1]	45.00
Paving Stock, S 1 S	....	....	30.00[2]	23.96[2]	27.47[2]	27.47[1]
“ “ Rough	....	30.00[2]	....	....	30.00[2]	30.00[1]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	122.36	....	....	....	122.36	128.24[2]
Miscellaneous	33.12	57.77	34.81	19.00	42.03	36.82
MISCELLANEOUS STOCK						
Silo Stock	....	....	28.50[1]	....	28.50[1]	28.50
Grain Doors	29.25[1]	....	....	....	29.25[1]	29.25
Miscellaneous, B and B	56.15	49.75	45.52	59.70	50.28	54.88
“ No. 1	36.85	37.32	20.70	40.00	26.94	26.06
“ No. 2	24.86	21.51	19.68	18.77	19.88	21.50
“ No. 3	14.50	12.73	14.83	15.37	14.64	15.66
Shorts B and B	51.84	41.55[2]	....	....	51.84	45.05[1]
“ No. 1	16.00	17.49	....	....	16.17	17.44
“ No. 2	....	16.08	....	....	16.08	17.05
“ No. 3	...	16.00[2]	....	....	16.00[2]	16.00[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	21.	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	4.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

December 31, 1920

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending December 31, 1920, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Jan. 10, 1921

No. 116

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	80	2,000,000,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	197	5,123,947,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	80.88	....	....	....	80.88	85.06
" " C "	68.75	....	....	....	68.75	58.00
" " D "	38.00	....	....	....	38.00	60.00[2]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	46.50	....	....	....	46.50	46.69
" " C "	....	....	....	....	....	....
" " D "	39.60[1]	....	....	....	39.60[1]	39.60
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	20.42	....	....	....	20.42	20.83
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	110.25[2]	110.25[2]	110.25[1]
Edge Grain, A "	....	....	104.50[1]	105.50[1]	105.00[1]	105.00
" " B "	....	....	88.18	89.25[1]	88.18	86.06
" " B and Better "	....	85.83	....	89.90	88.88	87.70
" " C "	....	42.50[1]	60.50	78.00[2]	60.50	58.81
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	33.50	36.00	34.41	33.42
Flat " A "	....	....	....	60.00[1]	60.00[1]	60.00
" " B "	....	....	....	56.00	56.00	62.75[2]
" " B and Better "	46.28	46.00[1]	49.46	54.89[1]	8.47	51.33
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	41.00[1]	37.70	39.00	38.	39.36
No. 2 " "	....	20.67[1]	20.62	19.28[1]	20.62	21.89
No. 3 " "	....	....	11.75	11.00[1]	11.75	11.36
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	90.00[2]	90.00[2]	90.00[1]
Edge Grain, A "	68.75[2]	....	86.00	86.00[1]	86.00	87.76
" " B "	70.00	....	67.11	51.00[3]	67.70	70.00
" " B and Better "	67.59	67.84	48.43[2]	60.00	66.40	67.16
" " C "	57.25	....	64.40	....	62.36	51.15
" " D "	40.00	....	....	....	40.00	55.00[3]
" " No. 2 "	....	....	29.22[1]	....	29.22[1]	29.22
Flat " A "	....	....	....	55.50[1]	55.50[1]	55.50
" " B "	41.05	41.71	....	45.16[1]	41.18	43.50
" " B and Better "	39.86	42.73	41.60	41.56[1]	40.89	42.07
" " C "	35.40	48.00[3]	....	....	35.40	39.00
" " D "	34.27	33.00	....	....	34.12	34.35
No. 1 Common "	....	30.00	33.57	32.00	33.23	32.61
No. 2 " "	18.45	19.17	18.86	18.63	18.79	19.14
No. 3 " "	...	...	12.71	10.00	10.44	12.94
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	40.09	42.19	38.45	40.50[2]	40.06	41.05
" " No. 1 Common	33.00	15.25[1]	32.70	38.75[3]	32.77	34.15
" " No. 2 "	18.06	8.00[1]	17.79	....	17.86	18.07
" " No. 3 "	....	....	11.00[1]	....	11.00[1]	11.00
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.91	39.85	43.59	44.56[1]	39 '5	41.46
" " No. 1 Common	31.23	31.86	35.01	32.00	33.82	35.17
" " No. 2 "	18.11	19.25	19.92	17.30	18.73	18.71
" " No. 3 "	....	....	12.00[1]	....	12.00[1]	12.00
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	42.06	....	66.00[1]	....	42.06	66.00
" " No. 1 Common	....	....	30.00[1]	....	30.00[1]	30.00
" " No. 2 "	21.25[3]	....	20.50	....	20.50	15.00
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	47.46	51.29	51.13[3]	45.00	48.28	51.78
" " No. 1 Common	41.75	....	45.12[3]	43.13[1]	41.75	42.42
" " No. 2 "	....	....	20.07[3]	10.00[1]	10.00[1]	10.00
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	48.62	40.00[2]	46.22	....	46.36	46.41
" " No. 1 Common	46.50[1]	....	38.28	45.00[1]	38.28	40.29
" " No. 2 "	....	9.50[2]	22.39	....	22.39	23.08
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	30.40	28.00	40.00	....	32.57	35.15
" No. 1 Common	28.50[1]	22.00	26.00	....	23.20	28.50
" No. 2 "	21.25[1]	....	11.40[1]	....	15.92[1]	15.92

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	36.90	42.48	38.05	38.49[1]	38.24	39.76
" " No. 1 Common	29.99	30.83	31.99	31.00	31.22	33.76
" " No. 2 "	17.97	21.07	20.98	19.32	19.26	20.30
" " No. 3 "	22.51[2]	....	11.69[1]	....	11.69[1]	11.69
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	48.81	30.40	44.61	....	44 54	47.41
1x 6 inch, "	49.30	52.42	53.11	....	50.06	53.88
1x 8 inch, "	48.87	53.23	53.41	73.00[2]	49.60	53.90
1x 5 and 10 inch, "	52.80	55.52	58.69	75.00[2]	53 83	58.14
1x12 inch, "	53.98	56.12	55.81	62.00[1]	54.28	58.52
1¼x4 to 12 inch, "	62.13	67.42	64.72	76.00	63.55	68.64
1½ and 2x4 to 12 inch, "	60.61	66.36	61.28[1]	83.50[2]	61.99	61.54
1⅝ inch, "	54.86	59.00	....	....	54.98	49.50
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, C	40.28	....	51.75	....	43.15	43.15
1x 6 inch, "	44.24	46.00[1]	51.00[2]	....	44.24	41.51
1x 8 inch, "	41.83	48.00[1]	51.78[1]	....	41.83	48.66
1x 5 and 10 inch, "	44.93	....	55.00[1]	....	44.93	45.48
1x12 inch, "	48.82	65.50[3]	53.13[1]	....	48 82	49.11
1¼x4 to 12 inch, "	71.00[2]	....	50.00[1]	....	50.00[1]	50.00
1½ and 2x4 to 12 inch, "	54.00	....	....	....	54.00	56.25[1]
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	64.35	....	....	....	64.35	....
1x 6 inch, " "	47.25	52.44[1]	44.42	45.49[1]	44.71	47.73
1x 8 inch, " "	47.09	52.44[1]	44.00	45.49[1]	44.43	47.66
1x 5 and 10 inch, " "	47.79	56.14[1]	69.75	56.00[1]	66.94	55.30
1x12 inch, " "	53.68	68.00[2]	71.00	57.00[1]	60.34	57.40
1¼x4 to 12 inch, " "	63.67	56.44[1]	55.92	....	58.37	57.12
1½ and 2x4 to 12 inch, " "	61.76	60.00[1]	51.91	....	54.90	66.88
1⅝ inch, " "	....	65.00[1]	....	....	65.00[1]	65.00
1x 6 to 12 inch, " "	....	....	....	....	....	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	59.92	59.32	72.71[1]	57.00	59.54	64.40
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	59.60	61.25	64.38	57.00	60.45	66.26
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	67.00	....	60.00	....	63.02	75.75
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	37.09[1]	34.75[1]	43.50	....	43.50	36.07
" " " " " 8 ft.	34.17	....	35.00[1]	....	34.17	36.47
" " " " " 12 and 14 ft.	....	....	....	....	....	50.50[3]
" " " " " 16 ft.	42.50	42.50	....	....	42.50	62.00[1]
" " " " " 9 or 18 ft.	45 41	51 42[1]	56.86[2]	....	45.41	53.55
" " " " " 10 or 20 ft.	55.40[2]	55.83[2]	50.00[2]	....	55.08[2]	55.08[1]

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	32.00[2]	35.00[1]	32.30[2]	....	35.00[1]	35.00
" " " " " 8 ft.	....	....	18.75[1]	....	18.75[1]	18.75
" " " " " 12 and 14 ft.	....	....	....	....	....	35.00[3]
" " " " " 16 ft.	27.75	39.75[2]	....	....	27.75	39.75[1]
" " " " " 9 or 18 ft.	35.50	....	46.00[2]	....	35.50	42.19[1]
" " " " " 10 or 20 ft.	34.91[1]	....	41.00[2]	....	34.91[1]	34.91
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	33.00[1]	35.00[1]	32.30[2]	....	33.00[1]	33.00
" " " " " 8 ft.	....	....	18.75[1]	....	18.75[1]	18.75
" " " " " 12 and 14 ft.	35.00[1]	....	....	....	35.00[1]	35.00
" " " " " 16 ft.	36.00[3]	39.75[2]	....	....	39.75[2]	39.75[1]
" " " " " 9 or 18 ft.	35.50	....	46.00[2]	....	35.50	46.00[1]
" " " " " 10 or 20 ft.	34.06[1]	....	41.00[2]	....	34.06[1]	34.06
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	17.11	....	....	....	17.11	11.75
" " " " " 10 to 20 ft.	16.19	13.26	....	....	14.40	16.32
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	54.00[3]	30.78	....	30.78	35.00[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	30.78	....	30.78	4 00[2]
" No. 1, " 1⅝ inch, 9 & 18 ft.	28.50[3]	....	....	....	28.50[3]	28.50[2]
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	30.50	....	....	....	30.50	36.00[2]
" " " 1¾ inch, 10 & 20 ft	30.50	....	....	....	30.50	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	38.00[1]	20.00[1]	30.70[1]	30.70
" " " 2 to 3 inch 10 & 20 ft.	28.00[3]	31.00	38.00[1]	20.00[1]	31.00	30.70
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	31.37	....	42.00	....	33.74	29.66
" " " " other lengths.	29.87	32.83	40.59	33.27[1]	32.06	33.94
" " 1x10, " 14 and 16 ft.	35.45	....	....	....	35.45	31.51
" " " " other lengths.	30.11	32.13	41.62	35.33[1]	31.54	32.97
" " 1x12, " 14 and 16 ft.	36.73	33.00	36.00[1]	....	36.53	37.65
" " " " other lengths.	35.70	36.98	40.94	37.50	37.37	38.02
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	16.50	16.60	19.39	17.34	17.54	17.98
" " 1x10, " "	17.01	17.52	20.36	17.34	18.13	18.25
" " 1x12, " "	18.91	18.63	20.22	19.25	19.26	20.57
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	12.50	14.03	17.00	15.75[1]	13.57	14.40
" " 1x10, " "	12.92	9.83	15.62	15.50[1]	13.63	14.26
" " 1x12, " "	13.22	12.87	16.48	14.26[1]	14.85	14.94
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	31.06	37.50[2]	48.50[1]	....	31.06	38.13
" " " other lengths.	30.22	29.78	33.94	32. 1[1]	31. 0	33.22
" 1x10, " 14 and 16 ft.	31.50	....	....	....	31.50	33.37
" " " other lengths.	31.57	31.22	40.00	34.06[1]	33.40	32.42
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	17.02	17.12	19.22	18.89	17.68	18.37
" 1x10, " "	14.06	16.51	20.62	21.00	15.04	18.04
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	13.76	12.04	14.05	13.25	13.45	15.61
" 1x10, " "	11.91	12.75	10.50	10.50	11.53	15.52
" 1x12, " "	10.75	18.00[2]	....	....	10.75	17.00
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	37.25[1]	....	....	....	37.25[1]	37.25
" " " " other lengths.	31.00	....	....	....	31.00	35.76
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	7.25	....	8.00	....	7.85	8.78

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
1x4, S 1 S, No. 1, 16 ft.	28.97	....	....	...	28.97	31.24
" " " other lengths	29.84	29.66	35.63	30.35[1]	31.64	31.31
" " No. 2, all lengths	14.25	15.07	17.97	14.50	14.94	15.43
" " No. 3, "	11.77	10.75	13.94	13.00[1]	11.80	12.52
1x4, C. M., No. 1, 16 ft.	...	....	...	...	....	....
" " " other lengths	36.00[1]	...	....	....	36.00[1]	36.00
" " No. 2, all lengths	15.07	....	....	17.50[1]	15.07	16.07
" " No. 3, "	...	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	29.42	33.50[1]	39.59	....	29.84	33.02
" " " other lengths	31.07	30.12	41.96	32.38[1]	31.34	33.53
" " No. 2, all lengths	14.96	15.44	20.25	16.50	15.47	16.28
" " No. 3, "	11.91	12.00	14.15	16.50[1]	13.64	13.87
1x6, C. M., No. 1, 16 ft.	32.21	...	...	....	32.21	35.50
" " " other lengths	29.62	28.00	...	33.58[1]	29.25	31.97
" " No. 2, all lengths	15.40	16.34	....	17.41[1]	15.61	16.47
" " No. 3, "	13.96[1]	14.41[2]	....	9.68	9.68	11.28
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	19.12	21.36	20.78		19.76	22.47
" " " 12 ft.	20.03	21.35	20.44	....	20.36	21.70
" " " 14 ft.	19.68	21.34	21.70	....	20.25	20.98
" " " 16 ft.	20.89	21.65	21.19	18.00[2]	21.09	22.58
" " " 18 ft.	22.54	22.94	22.69	....	22.70	23.86
" " " 20 ft.	22.52	24.44	22.69	....	23.24	24.10
" " " 22 ft.	25.87	28.88	24.00	....	26.70	27.02
" " " 24 ft.	25.74	25.77	24.00	....	25.76	25.85
2x 6, No. 1, S 1 S 1 E, 10 ft.	16.84	20.79	19.95	....	18.47	23.87
" " " 12 ft.	16.97	21.44	20.60	22.50[1]	18.07	20.51
" " " 14 ft.	17.53	18.93	20.60	22.50[1]	17.67	20.50
" " " 16 ft.	17.63	19.75	22.30	24.50[1]	18.83	21.61
" " " 18 ft.	20.56	20.64	22.30	28.00[2]	20.58	22.29
" " " 20 ft.	20.07	20.44	22.30	28.00[2]	20.21	20.69
" " " 22 ft.	23.05	25.83	21.82	....	22.99	24.98
" " " 24 ft.	23.47	23.20	21.82	....	23.35	24.90
2x 8, No. 1, S 1 S 1 E, 10 ft.	17.56	20.75[1]	22.92	....	21.41	21.72
" " " 12 ft.	18.14	21.41	22.89	22.00	20.16	21.62
" " " 14 ft.	18.36	19.76	22.74	22.00	20.18	22.35
" " " 16 ft.	20.15	21.44	25.09	24.75[1]	21.55	22.60
" " " 18 ft.	21.21	20.90	25.09	26.50[1]	21.12	25.30
" " " 20 ft.	21.24	23.03	25.09	24.75[3]	21.77	22.39
" " " 22 ft.	22.85	25.67	25.51[1]	....	24.96	27.18
" " " 24 ft.	23.96	24.90	25.51[1]	....	24.65	28.26
2x10, No. 1, S 1 S 1 E, 10 ft.	25.34	22.00	25.84	....	25.74	24.13
" " " 12 ft.	20.63	21.66	23.32	....	22.14	21.48
" " " 14 ft.	20.08	21.56	23.32	23.50	20.67	23.00
" " " 16 ft.	21.14	22.77	23.13	26.00[1]	21.78	23.35
" " " 18 ft.	22.47	23.57	25.84	27.50[1]	22.73	26.4[illegible]
" " " 20 ft.	23.02	24.88	25.84	27.50[1]	23.78	25.22
" " " 22 ft.	25.42	25.75	26.16	....	25.88	27.37
" " " 24 ft.	25.38	25.04	26.16	....	25.19	28.71
2x12, No. 1, S 1 S 1 E, 10 ft.	23.80	25.00[1]	23.72	....	23.73	26.25
" " " 12 ft.	20.97	22.80	23.08	25.25[3]	22.22	23.12
" " " 14 ft.	21.25	24.12	23.08	....	22.15	24.60
" " " 16 ft.	22.60	23.93	29.26	....	23.80	24.89
" " " 18 ft.	23.42	27.56	23.72	26.25[3]	25.81	27.01
" " " 20 ft.	22.96	25.86	23.72	26.25[3]	24.00	25.40
" " " 22 ft.	27.81	30.55	35.50	....	29.42	29.79
" " " 24 ft.	27.99	29.71	35.50	....	28.32	30.61
2x 4, No. 2, S 1 S 1 E, 10 ft.	16.08	14.74	18.69	...	16.34	17.04
" " " 12 ft.	15.75	15.14	17.85	....	15.73	16.56
" " " 14 ft.	14.95	14.45	16.61	20.00[2]	14.88	17.18
" " " 16 ft.	16.59	15.29	19.91	20.25[2]	16.07	17.62
" " " 18 ft.	18.29	16.49	19.27	18.50	18.06	18.15
" " " 20 ft.	17.12	15.92	19.27	22.50[3]	16.37	18.45
" " " 22 ft.	22.25[2]	16.00	26.50	...	21.25	24.11
" " " 24 ft.	21.00	16.00	26.50	....	21.00	22.25
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.33	12.26	17.31	....	15.04	16.79
" " " 12 ft.	13.08	13.00	16.27	17.00[3]	13.38	15.25
" " " 14 ft.	13.28	12.97	16.27	18.00[3]	13.04	13.96
" " " 16 ft.	14.90	13.71	16.58	18.66[2]	14.62	15.67
" " " 18 ft.	15.16	14.09	17.31	19.00[2]	14.57	16.54
" " " 20 ft.	15.16	14.43	17.31	....	14.67	16.77
" " " 22 ft.	20.45	16.47	21.75[1]	....	17.62	21.98
" " " 24 ft.	21.50	16.47	21.75[1]	....	21.50	21.80

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	16.75	16.00	17.35	....	16.61	15.34
" " " 12 ft.	13.04	13.43	17.42	18.00[3]	13.35	16.39
" " " 14 ft.	15.59	13.55	16.65	...	14.10	17.18
" " " 16 ft.	16.69	14.38	16.64	....	14.87	16.50
" " " 18 ft.	16.75	15.44	17.35	17.50	16.56	17.34
" " " 20 ft.	18.25	15.97	17.35	....	16.18	18.65
" " " 22 ft.	22.25[1]	17.75	19.68	....	18.59	21.97
" " " 24 ft.	22.25[1]	17.75	19.68	....	18.59	22.25
2x10, No. 2, S 1 S 1 E, 10 ft.	17.50	15.47	17.62	....	16.53	17.34
" " " 12 ft.	16.44	14.29	18.79	....	17.20	17.80
" " " 14 ft.	16.82	14.22	18.79	....	14.45	17.21
" " " 16 ft.	18.44	15.92	18.60	....	17.33	18.20
" " " 18 ft.	17.93	15.83	17.62	....	16.21	19.84
" " " 20 ft.	18.56	16.92	17.62	....	17.68	18.64
" " " 22 ft.	26.50[2]	16.00	24.50[1]	....	16.00	24.50
" " " 24 ft.	25.25	16.00	24.50[1]	....	25.25	24.50
2x12, No. 2, S 1 S 1 E, 10 ft.	18.50	16.50	19.01	...	18.59	19.50
" " " 12 ft.	15.26	14.82	19.48	....	16.23	18.08
" " " 14 ft.	16.41	13.92	19.48	...	14.50	17.00
" " " 16 ft.	18.54	17.08	19.59	16.12[1]	17.98	18.43
" " " 18 ft.	18.82	18.20	19.01	....	18.41	20.52
" " " 20 ft.	18.94	17.77	19.01	....	18.14	19.89
" " " 22 ft.	18.75	20.54	21.00	....	19.79	23.73
" " " 24 ft.	28.50[2]	20.54	21.00	....	20.57	23.63
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	10.38	11.73	....	10.00[1]	10.57	10.44
PATENT LATH						
4 and 6 ft.	13.50	15.62	17.00[3]	....	13.86	13.45
8 and 10 ft.	15.39	17.00	17.50[3]	....	15.74	16.30
12 ft. and longer	13.57	....	22.50[3]	....	13.57	16.98
PLASTERING LATH						
⅜x1½-4. No. 1	3.63	3.82	3.74	3.17	3.68	3.91
" No. 2	2.60	....	2.40	1.90[2]	2.57	2.62
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	26.58	29.68	27.97	....	27.84	29.87
" " 22-24 ft.	28.18	31.00	28.35	34.89[2]	24.47	29.53
" " 26 ft.	35.50[2]	33.00[3]	25.50	....	25.50	32.78
" " 28 ft.	30.00	42.50[3]	25.50	....	30.00	32.78
" " 30 ft.	31.00	42.50[1]	26.50	....	30.10	32.38
" " over 30 ft.	36.82[1]	37.50	38.13	....	38.09	38.10
4x4 to 8x8, Heart (85%+), up to 20 ft.	29.79	36.14	....	....	33.32	40.54
" " " 22-24 ft.	39.25	41.87[1]	....	....	39.25	41.33
" " " 26 ft.	39.00	47.50[1]	....	....	39.00	47.50
" " " 28 ft.	....	45.00[1]	....	....	45.00[1]	45.00
" " " 30 ft.	54.90[3]	50.51[2]	....	....	50.51[2]	50.51[1]
" " " over 30 ft.	49.00[1]	....	....	....	49.00[1]	49.00
3 & 4x10, No. 1, up to 20 ft.	31.55	39.00	....	....	31.70	39.74
" " 22-24 ft.	42.95[3]	39.00[3]	....	....	41.10[3]	41.10[2]
" " 26 ft.	44.46[3]	....	....	....	44.46[3]	44.46[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	47.50[1]	....	....	....	47.50[1]	47.50
" " over 30 ft.	43.50[1]	....	....	....	43.50[1]	43.50
3 & 4x10, Heart (85%+), up to 20 ft.	34.45	45.00[1]	....	....	34.45	38.34
" " " 22-24 ft.	44.00[2]	44.50[1]	....	....	44.50[1]	44.50
" " " 26 ft.	....	47.00[3]	....	....	47.00[3]	47.00[2]
" " " 28 ft.	....	47.00[1]	....	....	47.00[1]	47.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	52.00[3]	57.50[2]	....	....	57.50[2]	57.50[1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
6x10, to 10x10, No. 1, up to 20 ft.	31.68	36.33	30.11	....	30.67	32.97
" " 22-24 ft.	34.10	38.00[2]	33.98	....	34.04	33.90
" " 26 ft.	32.50[1]	38.00[2]	34.39	....	34.39	40.33
" " 28 ft.	34.50	....	34.39	....	34.50	45.99
" " 30 ft.	....	....	37.75	....	37.75	27.65
" " over 30 ft.	45.48[2]	....	51.30	....	51.30	47.50
6x10 to 10x10, Heart (85%+), up to 20 ft.	43.84	42.00	....	....	43.30	47.82
" " " 22-24 ft.	45.00	42.00	....	....	43.38	49.25
" " " 26 ft.	....	38.25[2]	....	....	38.25[2]	38.25[1]
" " " 28 ft.	....	44.00[1]	....	....	44.00[1]	44.00
" " " 30 ft.	....	49.00[1]	....	....	49.00[1]	49.00
" " " over 30 ft.	54.21[2]	53.09[1]	....	....	53.09[1]	53.09
3 & 4x12, No 1, up to 20 ft.	36.98	37.88	....	....	37.11	37.41
" " 22 24 ft.	41.25	40.00[1]	....	....	41.25	40.73
" " 26 ft.	40.64[1]	....	....	....	40.64[1]	40.64
" " 28 ft.	48.00[1]	....	....	....	48.00[1]	48.00
" " 30 ft.	48.00[1]	42.75[2]	....	....	48.00[1]	48.00
" " over 30 ft.	43.51[1]	....	....	....	43.51[1]	43.51
3 & 4x12, Heart (85%+), up to 20 ft.	44.00	40.46	....	....	42.61	42.46
" " " 22-24 ft.	48.81[2]	41.00	....	....	41.00	46.83
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	50.00[1]	....	....	50.00[1]	50.00
" " " 30 ft.	....	52.00[1]	....	....	52.00[1]	52.00
" " " over 30 ft.	60.53[3]	55.00[1]	....	....	55.00[1]	55.00
6x12 to 12x12, No. 1, up to 20 ft.	38.41	39.17	35.79	....	36.32	37.61
" " 22-24 ft.	35.33	43.00[3]	41.50	....	36.38	40.48
" " 26 ft.	44.25	41.00	35.78	....	38.91	42.24
" " 28 ft.	39.25[1]	....	35.78	....	35.78	39.25
" " 30 ft.	44.00	45.00[3]	39.04	....	39.74	46.52
" " over 30 ft.	48.68	48.32[2]	49.23	....	48.85	41.76
6x12 to 12x12, Heart (85%+), up to 20 ft.	44.23[1]	47.00[1]	....	....	45.38[1]	45.38
" " " 22-24 ft.	47.00	50.55[1]	....	....	47.00	50.55
" " " 26 ft.	51.00[3]	41.75[2]	....	....	41.75[2]	41.75[1]
" " " 28 ft.	60.25[2]	49.00[2]	....	....	55.29[2]	55.29[1]
" " " 30 ft.	....	49.00[1]	....	....	49.00[1]	49.00
" " " over 30 ft.	58.75[2]	55.00[1]	....	....	55.00[1]	55.00
2x14 to 4x14, No. 1, up to 20 ft.	64.25[2]	51.75[2]	....	....	62.32[2]	62.32[1]
" " 22-24 ft.	....	52.76[2]	....	....	52.76[2]	52.76[1]
" " 26 ft.	35.25	34.00[3]	....	....	35.25	43.75[1]
" " 28 ft.	40.00[3]	....	....	....	40.00[3]	40.00[2]
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	65.00[3]
2x14 to 4x14, Heart (85%+), up to 20 ft.	34.47	56.50[1]	....	....	34.47	56.50
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	36.16	47.00	36.80	....	36.76	42.21
" " 22-24 ft.	42.30[2]	....	42.77	....	42.77	47.98
" " 26 ft.	42.35[2]	....	44.39	....	44.39	50.13
" " 28 ft.	42.82[2]	....	44.39	....	44.39	50.13
" " 30 ft.	44.00[3]	....	48.00	....	48.00	46.00
" " over 30 ft.	44.82[2]	....	65.21	....	65.21	46.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	48.23	....	....	48.23	56.50
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	55.75[3]	....	....	55.75[3]	55.75[2]
" " " 30 ft.	....	50.00[3]	....	....	50.00[3]	50.00[2]
" " " over 30 ft.	....	67.00[3]	....	....	67.00[3]	67.00[2]
2x16 to 4x16, No. 1, up to 20 ft.	55.75[2]	52.33[3]	....	....	53.23[3]	53.23[2]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
6x16 & Up, No. 1, up to 20 ft.	50.22	....	47.50	....	48.88	48.91
" " 22-24 ft.	45.07	....	49.50	....	47.93	52.14
" " 26 ft.	45.23[1]	....	53.96	....	53.96	56.16
" " 28 ft.	35.00	....	53.96	....	35.00	56.31
" " 30 ft.	59.75[2]	62.00[3]	57.50	....	57.50	56.99
" " over 30 ft.	58.18[2]	62.00[3]	57.50	....	57.50	56.99
6x16 & Up, Heart (85%+), up to 20 ft.	59.38[2]	....	....	....	59.38[2]	59.38[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	66.00[3]
" " " over 30 ft.	69.75	....	....	....	69.75	68.35[3]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	60.00[3]	60.00[2]	....	....	60.00[2]	60.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	51.00[3]
" " 22-24 ft.	61.75[3]	57.30[3]	....	....	59.73[3]	59.73[2]
" " 26 ft.	60.00[2]	....	....	....	60.00[2]	60.00[1]
" " 28 ft.	....	58.00[1]	65.00[3]	....	58.00[1]	58.00
" " 30 ft.	50.00	....	....	....	50.00	58.87[1]
" " 32 ft.	....	62.50[3]	....	....	62.50[3]	62.50[2]
16 inhc, Heart (85%+), up to 20 ft.	67.50[1]	....	....	....	67.50[1]	67.50
" " " 22-24 ft.	67.50[1]	....	....	....	67.50[1]	67.50
" " " 26 ft.	67.50[1]	....	....	....	67.50[1]	67.50
" " " 28 ft.	53.00	58.00	....	....	53.66	60.80
" " " 30 ft.	67.50[1]	....	....	....	67.50[1]	67.50
" " " 32 ft.	....	62.50[3]	....	....	62.50[3]	62.50[2]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	40.00	....	37.00	....	39.65	42.32
" " " 36 ft.	40.00	48.76[2]	37.00	45.00[2]	40.00	35.25
" " " 37-38 ft.	48.00	51.00[2]	36.00	....	42.09	39.40
" " " 40 ft.	....	56.00[3]	36.00	....	36.00	40.00
" " " 41-42 ft.	56.00[2]	58.00[3]	....	....	56.00[2]	56.00[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	40.00	49.00	50.00[1]	....	43.46	42.18
" " " 36 ft.	39.50	49.00[2]	50.00[1]	36.00[2]	39.50	39.50
" " " 37-38 ft.	41.50[1]	48.36[3]	40.00[1]	....	40.53[1]	40.53
" " " 40 ft.	43.50	54.00[1]	46.00[1]	....	43.50	50.20
" " " 41-42 ft.	43.50	....	....	....	43.50	43.50
Up to 10 inch, Heart, (85%+), 34 ft.	51.00[2]	....	....	....	51.00[2]	51.00[1]
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	62.00[3]
" " " " 41-42 ft.	55.00[2]	....	....	....	55.00[2]	55.00[1]
Up to 12 inch, Sq. E., 34 ft.	40.00	....	62.00	....	51.68	45.70
" " " 36 ft.	....	54.00[3]	62.00	54.00[2]	62.00	45.70
" " " 37-38 ft.	56.00[3]	58.88[3]	44.00[1]	....	44.00[1]	44.00
" " " 40 ft.	....	60.00[3]	....	....	60.00[3]	60.00[2]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Up to 14 inch, Sq. E., 34 ft.	....	57.00	45.00[1]	....	57.00	45.00
" " " 36 ft.	59.00	59.00	45.00[1]	65.00	61.45	45.00
" " " 37-38 ft.	59.00[3]	....	53.50[1]	....	53.50[1]	53.50
" " " 40 ft.	54.50	....	53.50[1]	....	54.50	53.50
" " " 41-42 ft.	54.50[1]	....	....	....	54.50[1]	54.50
Up to 14 inch, Heart, (85%+), 34 ft.	59.00[2]	....	....	....	59.00[2]	59.00[1]
" " " " 36 ft.	....	....	....	....	....	55.64[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	59.00[3]
" " " " 41-42 ft.	66.00[2]	....	....	....	66.00[2]	66.00[1]
CAPS						
12x14, Sq. E. 12 ft.	43.00[3]	....	....	....	43.00[3]	43.00[2]
" " 14 ft.	....	....	....	....	....	48.00[3]
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	44.00[2]	....	....	44.00[2]	44.00[1]
" " " 14 ft.	....	48.00[3]	....	....	48.00[3]	48.00[2]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	52.64[3]	....	....	52.64[3]	52.64[2]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	36.00[3]	....	....	....	36.00[3]	36.00[2]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	40 00	40.00[3]	....	38.00[2]	40.00	38.00[1]
" " Heart, (85%+), 6x8-8	45.00	....	....	....	45.00	35.17[1]
" " Sq. E., " 7x9-8	50.30[2]	35.00[2]	....	39.32[2]	42.72[2]	42.72[1]
" " Heart, " 7x9-8	47.00	45.18[3]	....	....	47.00	44.79[2]
Bridge Ties, Sq. E., 7x9 & up	....	45.00	....	....	45.00	....
" " Heart,	....	45.00[3]	....	....	45.00[3]	45.00[2]
Paving Stock, S 1 S	....	....	....	....	....	27.47[3]
" " Rough	....	....	....	....	....	30.00[3]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	119.25	....	....	....	119.25	120.00
Miscellaneous	32.67	33.08	37.48	47.5	35.66	44.79
MISCELLANEOUS STOCK						
Silo Stock	....	....	28.50[3]	....	28.50[3]	28.50[2]
Grain Doors	29.25[3]	....	....	....	29.25[3]	29.25[2]
Miscellaneous, B and B	77.13	49.00	50.00	59.70[2]	74.60	55.53
" No. 1	32.88	35.80	25.25	35.13	29.07	32.78
" No. 2	18.12	19.86	19.90	18.29	19.49	19.62
" No. 3	9.05	16.12	13.14	12 28	13.51	14.11
Shorts B and B	48.40	41.92	....	....	42.36	33.36
" No. 1	12.95	15.67	....	....	13.04	16.07
" No. 2	....	16.03	....	....	16.03	13.45
" No. 3	....	....	....	....	....	16.00[3]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1 00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3 75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5 50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
1500	6 75	7.00	7 25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	4.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3 75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3 75	3 75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4 50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5 50	5.50	5 75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7 50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12 00	12.25	12.50	12 50	12.75	13 00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200

ht	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
0	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
0	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
0	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
0	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
0	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
0	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
0	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
0	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
0	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
0	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
0	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
0	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
0	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
0	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
0	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
0	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
0	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
0	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
0	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
0	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
0	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
0	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
0	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
0	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
0	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
0	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
0	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
0	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
0	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

ght	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
0	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
00	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
0	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
00	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
00	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
00	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
00	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
00	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
00	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
00	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
00	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
00	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
00	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
00	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
00	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
00	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
00	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
00	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
00	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
00	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
00	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
00	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200

Southern Pine Association

REPORT OF SALES

January 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending January 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,10
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,40
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,90
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,00
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,10
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,60
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,80
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,40
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,50
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,70
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,40
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,80
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,50

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,50
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,50
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,80
Plastering Lath, dry	550	Byrkit Lath, dry	1,80

The average weights shown above are based upon test weights taken during 1915 on large quantities o each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Associatio

Southern Pine Association
New Orleans, La.
Issued Jan. 20, 1921

No. 117

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 31
leart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
dge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	77.44	....	....	....	77.44	80.88
" " C "	68.75[1]	....	....	....	68.75[1]	68.75
" " D "	38.00[1]	....	....	....	38.00[1]	38.00
" " No. 2 "	....	....	....	....	....	....
lat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	40.93	....	....	....	40.93	46.50
" " C "	....	....	....	....	....	....
" " D "	35.42	....	....	....	35.42	39.60[1]
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	18.67	....	....	....	18.67	20.42
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	110.25[3]	110.25[3]	110.25[2]
Edge Grain, A "	....	....	94.50	105.50[2]	94.50	105.00[1]
" " B "	....	84.00	84.19	89.25[2]	84.18	88.18
" " B and Better "	....	86.07	....	80.00	82.08	88.88
" " C "	....	42.50[2]	62.43	78.00[3]	62.43	60.50
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	34.81	36.00[1]	34.81	34.41
Flat " A "	....	....	....	60.00[2]	60.00[2]	60.00[1]
" " B "	....	....	....	56.00[1]	56 00[1]	56.00
" " B and Better "	46.28[1]	44.43	45.62	41.59	44.37	48.47
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	41.00[2]	35.70	33.37	35.20	38 16
No. 2 " "	....	20.67[2]	19.42	17.00	18.87	20.62
No. 3 " "	....	....	12.83	13.50	13 00	11.75
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	90.00[3]	90.00[3]	90.00[2]
Edge Grain, A "	68 75[3]	....	86.00[1]	86.00[2]	86.00[1]	86.00
" " B "	70.00[1]	66.00	72.01	....	70.92	67.70
" " B and Better "	63.30	57.87	48.43[3]	60.00[1]	62.31	66.40
" " C "	57.25[1]	50.00	64.40[1]	....	50.00	62.36
" " D "	40.00[1]	....	....	..	40.00[1]	40.00
" " No. 2 "	....	....	29.22[2]	....	29.22[2]	29.22[1]
Flat " A "	46.00	....	....	55.50[2]	46.00	55.50[1]
" " B "	40.00	41.14	....	45.16[2]	40.72	41.18
" " B and Better "	36.91	39.80	40.36	40.55	37.85	40.89
" " C "	34.30	32.50	....	....	33.97	35.40
" " D "	32.08	32.00	....	....	32 07	34.12
No. 1 Common "	....	30.67	32.16	33.97	32.26	33.23
No. 2 " "	17.77	17.87	18.39	18.29	18.24	18.79
No. 3 " "	....	....	11.65	10.00	10.59	10.44
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.83	42 19[1]	39.32	40.50[3]	38.72	40.06
" " No. 1 Common	29.84	25.00	30.10	....	29.50	32.77.
" " No. 2 "	15 70	15 50	17.15	....	16.14	17.86
" " No. 3 "	....	....	11 00[2]	....	11.00[2]	11.00[1]
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37 42	36.40	41.79	43.00	37.62	39.35
" " No. 1 Common	29.07	28.14	34.71	32.00[1]	30.48	33.82
" " No. 2 "	15 95	19.25[1]	17.81	18.00	17.20	18.73
" " No. 3 "	....	....	9.75	9.75	9.75	12.00[1]
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	43.62	....	66 00[2]	....	43.62	42.06
" " No. 1 Common	35.82	31.75	30 00[2]	....	35.57	30 00[1]
" " No. 2 "	....	....	20.50[1]	....	20.50[1]	20.50
" " No. 3 "	....	....	....	....	....	.
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	45 54	51 29[1]	...	45.00	45.54	48.28
" " No. 1 Common	33.90	47.31	..	43.13[2]	35 64	41.75
" " No. 2 "	19.00	....	....	24 00	19.84	10.00[1]
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	56 25	48 00	49.31	...	49.98	46.36
" " No. 1 Common	46 50[2]	....	39 80	45.00[2]	39 80	38.28
" " No. 2 "	....	9 50[3]	19 70	.	19.70	22 39
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	30.90	29.65	40 00[1]	....	30.57	32.57
" No. 1 Common	26.46	22.00[1]	26 00[1]	....	26.46	23.20
" No. 2 "	19.42	....	11.40[2]	....	19.42	15 92[1]

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	36.15	37.30	37.59	36.25	36.73	38.24
“ “ No. 1 Common	31.85	30.77	32.37	29.04	31.54	31.22
“ “ No. 2 “	16.85	16.41	19.70	19.42	18.16	19.26
“ “ No. 3 “	22.51[3]	....	10.00	12.25	10.81	11.69[1]
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	45.08	44.56	48.93	....	45.38	44.54
1x 6 inch, “	46.36	48.85	45.72	....	46.38	50.06
1x 8 inch, “	45.70	47.05	52.01	73.00[3]	46.95	49.60
1x 5 and 10 inch, “	49.91	48.63	52.38	75.00[3]	50.38	53.83
1x12 inch, “	49.72	53.31	53.22	62.00[2]	50.63	54.28
1¼x4 to 12 inch, “	57.26	58.29	68.78	76.00[1]	58.67	63.55
1½ and 2x4 to 12 inch, “	62.48	66.36[1]	65.13	83.50[3]	64.21	61.99
1⅝ inch, “	57.00	56.43	....	....	56.69	54.98
1x 6 to 12 inch, “	....	....	47.81	48.24	48.12	....
1x 4 inch, C	35.84	....	51.75[1]	....	35.84	43.15
1x 6 inch, “	43.13	46.00[2]	51.00[3]	....	43.13	44.24
1x 8 inch, “	42.96	48.00[2]	46.00	....	43.20	41.83
1x 5 and 10 inch, “	44.46	41.25	50.00	....	43.37	44.93
1x12 inch, “	45.98	50.00	50.00	....	48.34	48.82
1¼x4 to 12 inch, “	71.00[3]	....	50.00[2]	....	50.00[2]	50.00[1]
1½ and 2x4 to 12 inch, “	54.00[1]	....	....	....	54.00[1]	54.00
1⅝ inch, “	....	....	....	....	....	....
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	64.35[1]	....	47.50	....	47.50	64.35
1x 6 inch, “ “	38.34	46.00	38.81	37.50	38.36	44.71
1x 8 inch, “ “	39.11	46.00	39.30	37.50	39.04	44.43
1x 5 and 10 inch, “ “	46.66	48.00	69.75[1]	56.00[2]	46.67	66.94
1x12 inch, “ “	39.43	49.00	60.00	57.00[2]	40.45	60.34
1¼x4 to 12 inch, “ “	63.67[1]	62.25	58.93	....	59.41	58.37
1½ and 2x4 to 12 inch, “ “	63.97	60.00	68.94	....	66.52	54.90
1⅝ inch, “ “	....	65.00[2]	....	....	65.00[2]	65.00[1]
1x 6 to 12 inch, “ “	....	....	....	40.00	40.00	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	56.75	60.00	64.59	60.50	57.61	59.54
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	57.37	61.00	62.12	57.00[1]	60.76	60.45
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	66.12	68.00	60.00[1]	....	66.38	63.02
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	37.09[2]	34.75[2]	43.50[1]	....	43.50[1]	43.50
“ “ “ “ “ 8 ft.	34.17[1]	33.50	35.00[2]	....	33.50	34.17
“ “ “ “ “ 12 and 14 ft.	....	....	....	....	....	....
“ “ “ “ “ 16 ft.	42.50[1]	42.50[1]	....	....	42.50[1]	42.50
“ “ “ “ “ 9 or 18 ft.	49.25	51.42[2]	47.02	....	47.86	45.41
“ “ “ “ “ 10 or 20 ft.	55.40[3]	55.83[3]	50.00[3]	....	55.08[3]	55.08[2]

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 31
ding, Lining and Roofing, 1x4, No. 1, 5 ft.	32.00[3]	35.00[2]	32.30[3]	....	35.00[2]	35.00[1]
“ “ “ “ “ 8 ft.	....	....	18.75[2]	....	18.75[2]	18.75[1]
“ “ “ “ “ 12 and 14 ft.	....	....	....	....	....	....
“ “ “ “ “ 16 ft.	27.75[1]	39.75[3]	....	....	27.75[1]	27.75
“ “ “ “ “ 9 or 18 ft.	33.86	34.25	36.50	....	35.13	35.50
“ “ “ “ “ 10 or 20 ft.	32.00	....	41.00[3]	28.00	29.37	34.91[1]
iding, Lining and Roofing, 1x6, No. 1, 5 ft.	30.00	35.00[2]	32.30[3]	....	30.00	33.00[1]
“ “ “ “ “ 8 ft.	....	....	18.75[2]	....	18.75[2]	18.75[1]
“ “ “ “ “ 12 and 14 ft.	35.00[2]	....	....	....	35.00[2]	35.00[1]
“ “ “ “ “ 16 ft.	....	39.75[3]	....	....	39.75[3]	39.75[2]
“ “ “ “ “ 9 or 18 ft.	35.50[1]	34.25	46.00[3]	....	34.25	35.50
“ “ “ “ “ 10 or 20 ft.	34.06[2]	....	41.00[3]	28.00	28.00	34.06[1]
iding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	16.35	....	....	....	16.35	17.11
“ “ “ “ “ 10 to 20 ft.	18.36	1[illegible].28	....	....	16.72	14.40
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	30.78[1]	....	30.78[1]	30.78
“ “ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	30.78[1]	....	30.78[1]	30.78
“ No. 1, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	28.50[3]
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	30.50[1]	....	....	....	30.50[1]	30.50
“ “ “ 1¾ inch, 10 & 20 ft	30.50[1]	....	....	....	30.50[1]	30.50
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	....	27.00	20.00[2]	27.00	30.70[1]
“ “ “ 2 to 3 inch 10 & 20 ft.	....	33.22	25.00	20.00[2]	33.22	31.00
“ No. 2, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	30.11	....	42.00[1]	....	30.11	33.74
“ “ “ “ other lengths.	29.23	28.59	37.97	33.27[2]	31.22	32.06
“ “ 1x10, “ 14 and 16 ft.	30.39	....	....	....	30.39	35.45
“ “ “ “ other lengths.	31.12	31.38	39.46	35.33[2]	32.76	31.54
“ “ 1x12, “ 14 and 16 ft.	34.81	33.00[1]	35.00	....	34.84	36.53
“ “ “ “ other lengths.	33.95	34.34	42.16	37.50[1]	34.69	37.37
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	15.95	16.18	18.25	19.25	16.96	17.54
“ “ 1x10, “ “	16.76	15.98	20.23	19.62	17.93	18.13
“ “ 1x12, “ “	18.01	18.52	20.21	19.79	18.88	19.26
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	11.85	11.33	14.70	15.75[2]	12.58	13.57
“ “ 1x10, “ “	12.26	11.59	13.12	15.50[2]	12.16	13.63
“ “ 1x12, “ “	12.77	12.18	15.09	14.26[2]	13.21	14.85
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	29.25	....	40.50	....	30.12	31.06
“ “ “ other lengths.	28.97	28.96	40.50	28.00	29.02	31.00
“ 1x10, “ 14 and 16 ft.	30.47	....	45.00	....	31.04	31.50
“ “ “ other lengths.	29.02	30.88	28.35	33.06	30.21	33.40
“ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	16.64	16.47	13.96	19.70	16.56	17.68
“ 1x10, “ “	16.92	15.32	20.62[1]	21.00[1]	15.91	15.04
“ 1x12, “ “	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	12.19	11.00	14.05[1]	15.00	12.20	13.45
“ 1x10, “ “	11.40	10.25	10.50[1]	10.50[1]	10.59	11.53
“ 1x12, “ “	12.83	10.00	....	....	10.75	10.75
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	31.70	....	....	....	31.70	37.25[1]
“ “ “ “ other lengths.	31.74	31.50	....	....	31.69	31.00
“ “ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ “ other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	8.41	....	7.68	....	7.89	7.85

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 31
1x4, S 1 S, No. 1, 16 ft.	27.20	....	....	....	27.20	28.97
" " " other lengths	27.36	28.19	36.71	30.35[2]	29.65	31.64
" " No. 2, all lengths	12.79	13.22	18.05	14.50[1]	14.33	14.94
" " No. 3, "	10.43	11.84	14.80	13.00[2]	12.57	11.80
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	29.50	....	....	....	29.50	36.00[1]
" " No. 2, all lengths	14.50	....	....	17.50[2]	14.50	15.07
" " No. 3, "	14.00	....	....	....	14.00	....
1x6, S 1 S, No. 1, 16 ft.	31.18	36.10	40.00	....	33.81	29.84
" " " other lengths	33.81	29.49	35.23	32.38[2]	30.95	31.34
" " No. 2, all lengths	14.78	14.38	19.00	17.83	14.93	15.47
" " No. 3, "	10.54	10.21	14.29	14.75	11.01	13.64
1x6, C. M., No. 1, 16 ft.	28.39	....	....	....	28.39	32.21
" " " other lengths	28.14	29.13	....	33.58[2]	28.70	29.25
" " No. 2, all lengths	15.31	15.14	....	16.90	15.37	15.61
" " No. 3, "	9.28	11.25	....	9.68[1]	10.22	9.68
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	19.68	20.19	21.09	....	20.08	19.76
" " " 12 ft.	19.45	20.46	19.35	....	19.87	20.36
" " " 14 ft.	18.85	20.30	19.01	....	19.36	20.25
" " " 16 ft.	20.37	21.15	20.45	18.00[3]	20.64	21.09
" " " 18 ft.	21.36	22.27	21.58	....	21.75	22.70
" " " 20 ft.	21.43	22.55	21.58	....	21.96	23.24
" " " 22 ft.	22.40	24.88	24.00[1]	....	23.61	26.70
" " " 24 ft.	23.88	24.57	24.00[1]	....	24.20	25.76
2x 6, No. 1, S 1 S 1 E, 10 ft.	17.38	20.85	19.50	....	19.54	18.47
" " " 12 ft.	17.18	19.61	18.02	22.50[2]	18.37	18.07
" " " 14 ft.	17.26	20.02	18.02	22.50[2]	18.65	17.67
" " " 16 ft.	18.02	19.16	19.73	24.50[2]	18.72	18.83
" " " 18 ft.	18.91	19.99	19.50	28.00[3]	19.53	20.58
" " " 20 ft.	18.32	19.85	19.50	28.00[3]	18.14	20.21
" " " 22 ft.	22.57	22.27	21.23	....	21.99	22.99
" " " 24 ft.	23.45	22.82	21.23	....	23.19	23.35
2x 8, No. 1, S 1 S 1 E, 10 ft.	18.17	20.25	21.25	....	20.41	21.41
" " " 12 ft.	18.06	19.47	20.50	22.00[1]	18.59	20.16
" " " 14 ft.	18.08	19.89	19.24	22.00[1]	18.45	20.18
" " " 16 ft.	18.80	20.17	20.74	24.75[2]	19.56	21.55
" " " 18 ft.	20.26	20.80	21.25	26.50[2]	20.39	21.12
" " " 20 ft.	19.15	22.09	21.25	....	19.73	21.77
" " " 22 ft.	23.45	24.07	24.42	....	24.04	24.96
" " " 24 ft.	25.09	25.60	24.42	....	25.33	24.65
2x10, No. 1, S 1 S 1 E, 10 ft.	19.88	23.35	25.84[1]	....	20.11	25.74
" " " 12 ft.	19.35	20.00	20.64	....	19.64	22.14
" " " 14 ft.	19.79	20.35	20.64	23.50[1]	19.99	20.67
" " " 16 ft.	20.06	21.50	24.59	26.00[2]	20.90	21.78
" " " 18 ft.	20.87	23.67	22.31	27.50[2]	21.99	22.73
" " " 20 ft.	20.63	24.68	22.31	27.50[2]	21.75	23.78
" " " 22 ft.	24.61	26.25	24.97	....	25.46	25.88
" " " 24 ft.	27.75	25.12	24.97	....	25.55	25.19
2x12, No. 1, S 1 S 1 E, 10 ft.	21.16	19.12	26.83	....	22.02	23.73
" " " 12 ft.	21.64	25.17	26.59	....	23.76	22.22
" " " 14 ft.	21.52	23.29	26.59	....	22.48	22.15
" " " 16 ft.	22.69	23.35	24.12	....	23.04	23.80
" " " 18 ft.	23.51	23.93	26.83	....	23.74	25.81
" " " 20 ft.	21.87	26.93	26.83	....	24.52	24.00
" " " 22 ft.	27.29	28.16	35.50[1]	....	27.90	29.42
" " " 24 ft.	27.36	32.02	35.50[1]	....	30.77	28.32
2x 4, No. 2, S 1 S 1 E, 10 ft.	15.13	13.78	19.50	....	14.36	16.34
" " " 12 ft.	15.15	14.20	18.11	....	14.65	15.73
" " " 14 ft.	14.57	14.15	14.33	....	14.26	14.88
" " " 16 ft.	15.85	14.33	19.51	20.25[3]	15.24	16.07
" " " 18 ft.	17.42	16.37	18.09	18.00	17.10	18.06
" " " 20 ft.	17.06	16.18	18.09	....	16.57	16.37
" " " 22 ft.	22.25[2]	16.00[1]	26.50[1]	....	21.25[1]	21.25
" " " 24 ft.	21.00[1]	16.00[1]	26.50[1]	....	21.00[1]	21.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.60	14.00	16.10	....	15.37	15.04
" " " 12 ft.	12.29	12.83	16.75	....	13.52	13.38
" " " 14 ft.	12.83	13.14	16.75	....	13.01	13.04
" " " 16 ft.	13.65	13.44	15.95	18.66[3]	13.93	14.62
" " " 18 ft.	15.25	14.31	16.10	19.00[3]	14.62	14.57
" " " 20 ft.	16.55	14.24	16.10	....	15.17	14.67
" " " 22 ft.	20.00	16.00	21.75[2]	....	16.11	17.62
" " " 24 ft.	21.50[1]	16.00	21.75[2]	....	16.00	21.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	13.34	14.77	20.00	....	14.07	16 61
" " " 12 ft.	14.86	13.45	20.12	....	13.83	13.35
" " " 14 ft.	14.52	13.86	15.27	....	14.42	14.10
" " " 16 ft.	16.41	14.88	16 02	....	15.38	14 87
" " " 18 ft.	17 04	16.17	20 00	17.50[1]	16.36	16 56
" " " 20 ft.	16.47	15.73	20.00	....	16.02	16 18
" " " 22 ft.	20.75	18.11	19.68[1]	....	20.15	18.59
" " " 24 ft.	22 25[2]	18.11	19 68[1]	....	18.11	18.59
2x10, No. 2, S 1 S 1 E, 10 ft.	16.36	18 17	22.75	....	17.33	16 53
" " " 12 ft.	17.47	13.75	17.71	....	14.44	17 20
" " " 14 ft.	15.92	14.74	17.71	....	15.00	14 45
" " " 16 ft.	16 81	15 90	18.00	....	16 23	17 33
" " " 18 ft.	18.15	19.26	22.75	....	18 85	16 21
" " " 20 ft.	17.16	15 96	22.75	....	16.71	17 68
" " " 22 ft.	26.50[3]	17.77	24 50[2]	....	17.77	16 00
" " " 24 ft.	25 25[1]	17.77	24 50[2]	....	17.77	25.25
2x12, No. 2, S 1 S 1 E, 10 ft.	16.38	16 50[1]	22 18	....	21 49	18 59
" " " 12 ft.	16 10	14.25	18 68	....	15.31	16 23
" " " 14 ft.	15 57	14.75	18.68	....	15.08	14.50
" " " 16 ft.	17.73	15.80	17.63	16 12[2]	16.67	17 98
" " " 18 ft.	17.81	17.20	22.18	....	17.58	18 41
" " " 20 ft.	18.75	16.36	22 18	....	17.73	18 14
" " " 22 ft.	19 00	19.31	25.23	....	20.96	19.79
" " " 24 ft.	28.50[3]	19.31	25.23	....	21.72	20.57
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	9.72	9.57	....	11.50	9.82	10 57
PATENT LATH						
4 and 6 ft.	12 26	13.00	....	....	12.67	13.86
8 and 10 ft.	13 26	17.00[1]	....	....	13.26	15.74
12 ft. and longer	14.75	....	....	....	14.75	13.57
PLASTERING LATH						
⅜x1½-4, No. 1	3.51	3.57	3.85	3.46	3.71	3.68
" No. 2	2.23	....	2.31	2.80	2.41	2.57
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	26.53	28.49	26.99	....	27.14	27 84
" " 22-24 ft.	27.55	29.09	30.36	34.89[3]	29.43	24 47
" " 26 ft.	35.50[3]	34 00	32 46	....	32 52	25 50
" " 28 ft.	30 00[1]	32 00	32.46	....	32.00	30 00
" " 30 ft.	33 20	33 05	35 19	....	33.51	30 10
" " over 30 ft.	34 18	35.74	38 00	....	35.04	38 09
4x4 to 8x8, Heart (85%+), up to 20 ft.	38.21	40 81	....	....	39.28	33 32
" " " 22-24 ft.	40.84	41.87[2]	....	....	40.84	39 25
" " " 26 ft.	41 00	60 00	....	....	45 47	39 00
" " " 28 ft.	....	45 00[2]	....	....	45 00[2]	45 00[1]
" " " 30 ft.	....	50.51[3]	....	....	50 51[3]	50 51[2]
" " " over 30 ft.	40 00		....	....	40 00	49 00[1]
3 & 4x10, No. 1, up to 20 ft.	32.37	33 53	....	....	32 65	31 70
" " 22-24 ft.	34.69	35 00	....	....	34.73	41 10[3]
" " 26 ft.	....	36 00	....	....	36 00	44 46[3]
" " 28 ft.		....	....	....	....	....
" " 30 ft.	47 50[2]		....	....	47.50[2]	47 50[1]
" " over 30 ft.	43 50[2]		....	....	43 50[2]	43.50[1]
3 & 4x10, Heart (85%+), up to 20 ft.	36.40	40.50	....	....	39 30	34.45
" " " 22-24 ft.	44.00[3]	37 57	....	....	37.57	44.50[1]
" " " 26 ft.	....	....	....	....	....	47 00[3]
" " " 28 ft.	....	47 00[2]	....	....	47.00[2]	47.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	46.00	....	....	46.00	57.50[2]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 31
6x10, to 10x10, No. 1, up to 20 ft.	32.58	34.00	32.32	....	32.44	30.67
" " 22-24 ft.	30.70	33.50	35.18	....	32.56	34.04
" " 26 ft.	31.95	34.63	34.39[1]	....	33.21	34.39
" " 28 ft.	34.50[1]	38.25	34.39[1]	....	38.25	34.50
" " 30 ft.	....	....	39.82	....	39.82	37.75
" " over 30 ft.	45.48[3]	44.59	38.00	....	44.13	51.30
6x10 to 10x10, Heart (85%+), up to 20 ft.	36.64	38.63	....	....	37.32	43.30
" " " 22-24 ft.	45.00[1]	42.00[1]	....	....	43.38[1]	43.38
" " " 26 ft.	....	38.25[3]	....	....	38.25[3]	38.25[2]
" " " 28 ft.	....	44.00[2]	....	....	44.00[2]	44.00[1]
" " " 30 ft.	....	49.00[2]	....	....	49.00[2]	49.00[1]
" " " over 30 ft.	50.00	53.09[2]	....	....	50.00	53.09[1]
3 & 4x12, No 1, up to 20 ft.	36.42	35.25	....	....	36.09	37.11
" " 22-24 ft.	35.28	39.75	....	....	35.42	41.25
" " 26 ft.	37.00	37.00	....	....	37.00	40.64[1]
" " 28 ft.	41.50	....	....	....	41.50	48.00[1]
" " 30 ft.	41.50	43.75	....	....	41.85	48.00[1]
" " over 30 ft.	46.00	....	....	....	46.00	43.51[1]
3 & 4x12 Heart (85%+), up to 20 ft.	45.28	42.90	....	....	44.45	42.61
" " " 22-24 ft.	46.34	53.00	....	....	46.70	41.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	50.00[2]	....	....	50.00[2]	50.00[1]
" " " 30 ft.	....	52.00[2]	....	....	52.00[2]	52.00[1]
" " " over 30 ft.	....	55.00[2]	....	....	55.00[2]	55.00[1]
6x12 to 12x12, No. 1, up to 20 ft.	33.69	37.80	36.63	....	36.24	36.32
" " 22-24 ft.	34.98	....	36.49	....	36.22	36.38
" " 26 ft.	38.00	41.00[1]	37.99	....	38.00	38.91
" " 28 ft.	39.25[2]	....	37.99	....	37.99	35.78
" " 30 ft.	41.50	....	40.89	....	41.19	39.74
" " over 30 ft.	40.62	50.68	44.08	....	42.12	48.85
6x12 to 12x12, Heart (85%+), up to 20 ft.	43.34	42.60	....	....	43.23	45.38[1]
" " " 22-24 ft.	46.90	50.55[2]	....	....	46.90	47.00
" " " 26 ft.	....	41.75[3]	....	....	41.75[3]	41.75[2]
" " " 28 ft.	60.25[3]	49.00[3]	....	....	55.29[3]	55.29[2]
" " " 30 ft.	....	49.00[2]	....	....	49.00[2]	49.00[1]
" " " over 30 ft.	57.00	55.00[2]	....	....	57.00	55.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	42.45	39.50	....	....	41.75	62.32[2]
" " 22-24 ft.	....	36.48	....	....	36.48	52.76[2]
" " 26 ft.	35.25[1]	43.00	....	....	43.00	35.25
" " 28 ft.	....	....	....	....	....	40.00[3]
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	34.47[1]	50.00	....	....	50.00	34.47
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	33.16	47.00[1]	41.25	....	37.97	36.76
" " 22-24 ft.	42.30[3]	....	45.69	....	45.69	42.77
" " 26 ft.	42.35[3]	....	58.50	....	58.50	44.39
" " 28 ft.	41.50	....	58.50	....	41.50	44.39
" " 30 ft.	....	....	48.00[1]	....	48.00[1]	48.00
" " over 30 ft.	55.00	50.00	65.21[1]	....	51.92	65.21
6x14 to 14x14, Heart (85%+), up to 20 ft.	....	48.23[1]	....	....	48.23[1]	48.23
" " " 22-24 ft.	48.00	....	....	....	48.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	55.75[3]
" " " 30 ft.	....	....	....	....	....	50.00[3]
" " " over 30 ft.	....	....	....	....	....	67.00[3]
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	53.23[3]
" " 22-24 ft.	....	44.00	....	....	44.00	....
" " 26 ft.	....	46.00	....	....	46.00	....
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	....	....	....	....	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 31
6x16 & Up, No. 1, up to 20 ft.	32.50	48 00	46.29	....	40.68	48.88
" " 22-24 ft.	32.00	....	45.00	....	39.34	47.93
" " 26 ft.	45 23[2]	....	51.54	....	51.54	53 96
" " 28 ft.	32 50	....	51.54	....	32.50	35 00
" " 30 ft.	59 75[3]	....	51.00	....	51.00	57.50
" " over 30 ft.	60.00	....	55.50	....	57.55	57.50
6x16 & Up, Heart (85%+), up to 20 ft.	59.38[3]	....	....	....	59.38[3]	59 38[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	69.75[1]	....	....	....	69 75[1]	69.75
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	60.00[3]	....	....	60.00[3]	60 00[2]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	53.00	....	....	53 00	....
" " 22-24 ft.	....	55.00	....	....	55.00	59.73[3]
" " 26 ft.	60.00[3]	....	....	....	60 00[3]	60 00[2]
" " 28 ft.	....	58.00[2]	....	....	58 00[2]	58 00[1]
" " 30 ft.	50.00[1]	....	....	....	50.00[1]	50.00
" " 32 ft.	....	....	....	....	....	62.50[3]
16 inch, Heart (85%+), up to 20 ft.	67 50[2]	....	....	....	67.50[2]	67.50[1]
" " " 22-24 ft.	67.50[2]	....	52.00	....	52.00	67 50[1]
" " " 26 ft.	67.50[2]	....	53.00	....	53 00	67 50[1]
" " " 28 ft.	53 00[1]	58.00[1]	55.00	....	55.00	53 66
" " " 30 ft.	67.50[2]	....	....	....	67 50[2]	67 50[1]
" " " 32 ft.	....	....	....	....	....	62 50[3]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	40 00[1]	....	34.49	....	34 49	39 65
" " " 36 ft.	40 00[1]	55 00	34.49	38 00	39 94	40 00
" " " 37-38 ft.	48.00[1]	51 00[3]	34.36	....	34.36	42 09
" " " 40 ft.	....	59.00	42.74	....	43.72	36 00
" " " 41-42 ft.	56.00[3]	....	....	44 00	44.00	56 00[2]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	40.00[1]	49.00[1]	34.00	....	34.00	43.46
" " " 36 ft.	39.50[1]	52.00	34.00	36 00[3]	52 00	39 50
" " " 37-38 ft.	41 50[2]	....	40 00[2]	....	40.53[2]	40 53[1]
" " " 40 ft.	43 50[1]	54 00[2]	46.00[2]	....	43 50[1]	43.50
" " " 41-42 ft.	43 50[1]	....	....	....	43.50[1]	43.50
Up to 10 inch, Heart, (85%+), 34 ft.	51 00[3]	....	....	....	51.00[3]	51 00[2]
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	55 00[3]	....	....	....	55.00[3]	55.00[2]
Up to 12 inch, Sq. E., 34 ft.	40 00[1]	....	46 00	....	46.00	51 68
" " " 36 ft.	....	....	46 00	44 00	44 00	62.00
" " " 37-38 ft.	....	....	51.06	....	51 06	44 00[1]
" " " 40 ft.	....	....	....	....	....	50 00
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 31
Up to 14 inch, Sq. E., 34 ft.	....	57.00[1]	50.00	....	50.00	57.00
" " " 36 ft.	59.00[1]	59.00[1]	50 00	65.00[1]	50.00	61.45
" " " 37-38 ft.	....	....	53.50[2]	....	53.50[2]	53.50[1]
" " " 40 ft.	54.50[1]	....	53.50[2]	....	54.50[1]	54.50
" " " 41-42 ft.	54.50[2]	....	....	....	54.50[2]	54.50[1]
Up to 14 inch, Heart, (85%+), 34 ft.	59.00[3]	....	....	....	59.00[3]	59.00[2]
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	66.00[3]	....	....	....	66.00[3]	66.00[2]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	43.00[3]
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	44.00[3]	....	....	44.00[3]	44.00[2]
" " " 14 ft.	....	45.00	....	....	45.00	48.00[3]
" " " 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	52.64[3]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	36.00[3]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	32.34	....	....	38.00[3]	32.34	40.00
" " Heart, (85%+), 6x8–8.	39.54	40.77	....	....	39.76	45.00
" " Sq. E., " 7x9–8.	50.30	34.66	...	39.32[3]	34.66	42.72[2]
" " Heart, " 7x9–8.	47.00[1]	38.94	....	....	38.94	47.00
Bridge Ties, Sq. E., 7x9 & up.	....	45.00[1]	....	....	45.00[1]	45.00
" " Heart,	....	....	....	....	....	45.00[3]
Paving Stock, S 1 S.	....	....	....	....	....	....
" " Rough.	....	....	....	....	....	....
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship " Flat Grain.	120.50	....	....	....	120.50	119.25
Miscellaneous.	31.82	41.29	41.37	23.63	36.39	35.66
MISCELLANEOUS STOCK						
Silo Stock.	....	....	44.33	....	44.33	28.50[3]
Grain Doors.	14.00	....	....	....	14.00	29.25[3]
Miscellaneous, B and B.	57.73	53.11	41.27	38.47	53.82	74.60
" No. 1.	35.17	31.68	24.50	31.69	30.81	29.07
" No. 2.	14.96	15.52	18.04	17.24	17.14	19.49
" No. 3.	8.77	9.87	8.85	13.45	9.48	13.51
Shorts B and B.	35.35	31.57	....	....	34.77	42.36
" No. 1.	12.09	13.89	....	....	12.34	13.04
" No. 2.	....	11.28	....	....	11.28	16.03
" No. 3.	....	11.00	....	....	11.00	....

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	13.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weigh
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	450

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weig
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	50
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	70
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	90
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	100
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	110
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	120
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	140
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	150
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	170
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	180
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	190
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	200
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	210
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	220
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	230
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	240
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	250
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	260
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	270
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	280
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	300
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	320
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	330
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	340
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	350
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	360
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	380
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	420
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	450

Southern Pine Association

REPORT OF SALES

January 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending January 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Jan. 31, 1921

No. 118

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	71.53	....	....	....	71.53	....
" " B "	....	....	....	....	....	....
" " B and Better "	73 76	....	....	....	73.76	77.44
" " C "	49 50	....	....	....	49 50	68.75[1]
" " D "	33.13	....	....	....	33.13	38.00[1]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	36.00	....	....	....	36.00	....
" " B and Better "	38.60	....	....	....	38.60	40.93
" " C "	....	....	....	....	....	....
" " D "	36.32	....	....	....	36.32	35.42
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	18.36	....	....	....	18.36	18.67
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	93.08	93.08	110.25[3]
Edge Grain, A "	....	....	93.32	105.50[3]	93.32	94.50
" " B "	....	83.62	77.03	89.25[3]	77.49	84.18
" " B and Better "	....	81.04	....	76.55	78.49	82.08
" " C "	....	42.50[3]	46.03	....	46.03	62.43
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	34.81[1]	36.00[2]	34 81[1]	34.81
Flat " A "	....	....	....	60 00[3]	60.00[3]	60 00[2]
" " B "	....	39.50	....	56 00[2]	39.50	56 00[1]
" " B and Better "	46 28[2]	42.08	47.25	50.99	48 32	44.37
" " C "	....	44.25	....	....	44.25	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	41.00[3]	36.83	35.08	36.50	35 20
No. 2 " "	....	20.67[3]	20.26	21.07	20.35	18.87
No. 3 " "	....	....	8.00	8.00	8.00	13.00
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	....	....	90.00[3]
Edge Grain, A "	55.22	....	86.00[2]	86.00[3]	55.22	86.00[1]
" " B "	70 00[2]	66.17	70.00	....	69.02	70 92
" " B and Better "	57.87	68.18	....	65.50	60.61	62.31
" " C "	39.48	50.00[1]	60.64	....	50.03	50 00
" " D "	36.14	....	....	....	36.14	40 00[1]
" " No. 2 "	....	....	26.00	....	26.00	29 22[2]
Flat " A "	46 00[1]	....	....	55.50[3]	46 00[1]	46.00
" " B "	35.75	39.10	....	45.16[3]	36.99	40.72
" " B and Better "	35.78	36.62	37.04	35.60	36.18	37.85
" " C "	31.64	31.28	....	....	31 45	33.97
" " D "	31.45	30.74	....	....	30.89	32.07
No. 1 Common "	....	29.44	31.05	29.21	30.49	32.26
No. 2 " "	17.00	18.12	18.23	16.26	17.56	18.24
No. 3 " "	....	....	9.27	8.72	9 05	10.59
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.34	39.41	36.66	....	36.23	38.72
" " No. 1 Common	27.50	25 00[1]	34.61	....	34.08	29.50
" " No. 2 "	17.50	15.50[1]	17.27	....	17.30	16.14
" " No. 3 "	....	....	11.18	....	11.18	11.00[2]
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.80	36.78	36.93	35.00	35.68	37.62
" " No. 1 Common	28.60	29.49	31.73	28.00	29.50	30.48
" " No. 2 "	15.21	15.53	17.23	17.44	16.48	17.20
" " No. 3 "	....	....	7.00	9.75[1]	7.00	9.75
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	42.22	47.50	41.08	....	42.53	43.62
" " No. 1 Common	30.32	31.75[1]	30 00[3]	....	30.32	35.57
" " No. 2 "	....	....	20.50[2]	....	20.50[2]	20.50[1]
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	42 80	46.50	48.87	51.56	46.84	45.54
" " No. 1 Common	32 80	47.31[1]	40 00	30.50	35.84	35 64
" " No. 2 "	19 00[1]	....	21.68	18.50	21 28	19.84
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	46 25	48 00[1]	42 81	....	43.15	49 98
" " No. 1 Common	32.21	....	35 25	45 00[3]	32 63	39.80
" " No. 2 "	20.00	....	20.36	....	20 35	19 70
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	30.36	60.00	40 00[2]	....	47.03	30 57
" No. 1 Common	28 25	28 14	21 83	....	24 86	26.46
" No. 2 "	19 42[1]	....	14 68	....	14 68	19.42

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	33.47	34.43	35.73	40.00	34.23	36.73
“ “ No. 1 Common	28.79	29.54	30.20	35.41	29.58	31.54
“ “ No. 2 “	16.18	18.18	19.37	17.55	17.56	18.16
“ “ No. 3 “	....	....	12.08	12.25[1]	12.08	10.81
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	39.81	46.26	50.41	44.00	42.79	45.38
1x 6 inch, “	42.98	48.48	48.91	....	44.88	46.38
1x 8 inch, “	42.90	48.65	53.63	....	45.12	46.95
1x 5 and 10 inch, “	45.48	50.72	55.51	....	47.73	50.38
1x12 inch, “	45.32	51.81	60.70	51.00	48.63	50.63
1¼x4 to 12 inch, “	53.99	57.08	61.19	58.79	55.86	58.67
1½ and 2x4 to 12 inch, “	56.28	66.36[2]	63.34	....	60.36	64.21
1⅝ inch, “	44.53	58.36	....	50.00	48.48	56.69
1x 6 to 12 inch, “	....	....	47.81	56.00	56.00	48.12
1x 4 inch, C	37.66	....	40.50	....	38.80	35.84
1x 6 inch, “	38.71	46.00[3]	....	40.00	38.95	43.13
1x 8 inch, “	39.48	48.00[3]	40.50	40.00	39.52	43.20
1x 5 and 10 inch, “	42.12	41.25[1]	40.75	45.00	42.67	43.37
1x12 inch, “	41.34	50.00[1]	50.00[1]	45.00	41.34	48.34
1¼x4 to 12 inch, “	....	....	50.00[3]	....	50.00[3]	50.00[2]
1½ and 2x4 to 12 inch, “	48.00	....	....	....	48.00	54.00[1]
1⅝ inch, “	....	....	....	....	....	....
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	64.35[2]	....	43.00	....	43.00	47.50
1x 6 inch, “ “	38.56	49.64	37.00	36.62	38.22	38.36
1x 8 inch, “ “	38.56	45.93	38.18	36.62	38.56	39.04
1x 5 and 10 inch, “ “	39.50	51.93	52.50	56.00[3]	40.51	46.67
1x12 inch, “ “	39.27	51.07	57.67	57.00[3]	41.95	40.45
1¼x4 to 12 inch, “ “	48.25	53.35	51.35	....	51.31	59.41
1½ and 2x4 to 12 inch, “ “	51.36	68.50	56.33	60.00	55.98	66 52
1⅝ inch, “ “	....	65.00[3]	....	....	65.00[3]	65.00[2]
1x 6 to 12 inch, “ “	....	....	....	40.00	40.00	40.00
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	52.28	53.51	62.72	60.50[1]	55.08	57.61
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	54.19	56.28	62.06	57.00[2]	56.18	60.76
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	58.91	68.00[1]	67.02	....	63.60	66 38
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	37.09[3]	34.75[3]	35.00	....	35.00	43.50
“ “ “ “ “ 8 ft.	33.00	33.50[1]	38.50	....	35.50	33.50
“ “ “ “ “ 12 and 14 ft.	....	....	....	....	....	....
“ “ “ “ “ 16 ft.	43.00	42.50[2]	....	....	43.00	42.50[1]
“ “ “ “ “ 9 or 18 ft.	45.33	51.42[3]	47.02[1]	....	45.33	47.86
“ “ “ “ “ 10 or 20 ft.	....	40.00	....	....	40.00	55.08[3]

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 10
ding, Lining and Roofing, 1x4, No. 1, 5 ft.	....	25.14	....	....	25.14	35.00[2]
" " " " " 8 ft.	22.77	....	18.75[3]	....	22.77	18.75[2]
" " " " " 12 and 14 ft.	....	....	....	....	....	....
" " " " " 16 ft.	27.75[2]	....	....	....	27.75[2]	27.75[1]
" " " " " 9 or 18 ft.	33.86[1]	35.00	36.50[1]	....	35.00	35.13
" " " " " 10 or 20 ft.	30.00	....	....	28.00[1]	30.00	29.37
ding, Lining and Roofing, 1x6, No. 1, 5 ft.	30.00[1]	25.14	....	....	25.14	30.00
" " " " " 8 ft.	....	....	18.75[3]	....	18.75[3]	18.75[2]
" " " " " 12 and 14 ft.	35.00[3]	....	....	....	35.00[3]	35 00[2]
" " " " " 16 ft.	....	....	....	....	....	39.75[3]
" " " " " 9 or 18 ft.	35 50[2]	35.00	....	....	35.00	34.25
" " " " " 10 or 20 ft.	31.50	....	....	28.00[1]	31.50	28.00
ding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	16 40	18.39	....	....	17.35	16.35
" " " " " 10 to 20 ft.	17.16	17.98	....	....	17.33	16.72
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	34.00	....	....	....	34.00	....
" " " " 1¾ inch, 10 & 20 ft.	34.00	....	....	....	34.00	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	32.00	30.78[2]	....	32.00	30.78[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	32.00	30.78[2]	....	32.00	30.78[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	30.24	....	....	....	30.24	30.50[1]
" " " 1¾ inch, 10 & 20 ft	30.24	....	....	....	30.24	30.50[1]
" " " 2 to 3 inch, 9 & 18 ft.	....	35.00	30.00	20.00[3]	30.63	27.00
" " " 2 to 3 inch 10 & 20 ft.	....	33.22[1]	30.00	20.00[3]	30.00	33.22
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	18.00	18.00	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	18 00	18.00	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
oards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	28.56	....	42.00[2]	....	28.56	30.11
" " " " other lengths.	27.19	29.41	24.08	36.50	28.84	31.22
" " 1x10, " 14 and 16 ft.	30 28	....	....	....	30.28	30.39
" " " " other lengths.	27.86	29 31	37.07	37.50	29.34	32.76
" " 1x12, " 14 and 16 ft.	33.12	33 00[2]	35 00[1]	....	33.12	34.84
" " " " other lengths.	33.80	35 06	36.09	37.50[2]	34.42	34.69
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	15.14	15.38	17.62	17.97	16.20	16.96
" " 1x10, " "	15.77	15.36	17.91	17.88	16.54	17.93
" " 1x12, " "	18.03	16 99	18.98	17.74	17.98	18.88
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	11 01	12.00	13.52	15 75[3]	11.41	12.58
" " 1x10, " "	11.41	10 63	14.09	13.50	11.58	12 16
" " 1x12, " "	11.41	10.81	12.27	12.00	11.76	13.21
hiplap, 1 x 8, No. 1, 14 and 16 ft.	28.26	....	40.50[1]	....	28.26	30.12
" " " other lengths.	27.96	27 85	30.41	28.00[1]	28.68	29.02
" 1x10, " 14 and 16 ft.	29.53	32.00	45.00[1]	....	29.65	31.04
" " " other lengths.	28.52	28.90	28.55	33.00[1]	28.67	30.21
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
hiplap, 1x 8, No. 2, all lengths.	16 02	15.95	18 29	18.17	16 61	16.56
" 1x10, " "	15.80	15.34	17.49	17.31	16.01	15.91
" 1x12, " "	....	....	....	....	....	....
hiplap, 1x 8, No. 3, all lengths.	10.92	13.35	13.35	14.00	12.44	12.20
" 1x10, " "	11.96	11.88	12.52	11.00	12.03	10.59
" 1x12, " "	12 83[1]	10.20	....	....	10.20	10.75
rooved Roofing, 1x10, No. 1, 14 and 16 ft.	28.50	....	....	....	28.50	31.70
" " " " other lengths.	27.93	31.50[1]	....	....	27.93	31.69
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
ll No. 4—all widths and lengths.	6.63	....	8.00	....	7.07	7.89

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 10
1x4, S 1 S, No. 1, 16 ft.	29.18	....	....	....	29.18	27.20
" " " other lengths	29.35	28.72	32.91	30.35[3]	29.70	29.65
" " No. 2, all lengths	11.37	13.30	16.58	14.71	12.16	14.33
" " No. 3, "	9.25	8.78	12.74	13.00[3]	9.37	12.57
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	29.50[1]	....	....	....	29.50[1]	29.50
" " No. 2, all lengths	13.30	....	....	17.50[3]	13.30	14.50
" " No. 3, "	14.00[1]	....	....	....	14.00[1]	14.00
1x6, S 1 S, No. 1, 16 ft.	27.54	36.10[1]	40.00[1]	....	27.54	33.81
" " " other lengths	27.70	28.19	34.16	36.36	29.92	30.95
" " No. 2, all lengths	14.16	14.73	18.64	16.30	14.76	14.93
" " No. 3, "	9.81	8.88	13.67	13.50	10.29	11.01
1x6, C. M., No. 1, 16 ft.	28.87	....	....	....	28.87	28.39
" " " other lengths	27.28	27.44	....	29.00	27.43	28.70
" " No. 2, all lengths	14.73	14.51	....	16.61	14.67	15.37
" " No. 3. "	10.67	10.16	....	9.68[2]	10.48	10.22
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	20.27	20.01	19.16	....	19.92	20.08
" " " 12 ft.	19.60	19.79	18.48	....	19.42	19.87
" " " 14 ft.	19.64	20.17	19.03	25.00	19.72	19.36
" " " 16 ft.	20.65	19.89	20.40	....	20.32	20.64
" " " 18 ft.	22.02	20.71	20.73	....	21.06	21.75
" " " 20 ft.	21.31	21.80	20.73	28.00	21.63	21.96
" " " 22 ft.	22.69	24.09	24.00[2]	....	23.41	23.61
" " " 24 ft.	23.49	24.67	24.00[2]	....	24.14	24.20
2x 6, No. 1, S 1 S 1 E, 10 ft.	16.44	17.30	19.19	....	18.53	19.54
" " " 12 ft.	17.78	16.96	17.73	22.50[3]	17.55	18.37
" " " 14 ft.	18.04	17.31	17.73	22.50[3]	17.79	18.65
" " " 16 ft.	18.10	18.18	19.48	24.50[3]	18.38	18.72
" " " 18 ft.	19.32	18.94	19.19	....	19.14	19.53
" " " 20 ft.	18.77	18.33	19.19	....	18.54	18.14
" " " 22 ft.	21.43	21.35	21.03	....	21.33	21.99
" " " 24 ft.	22.15	21.52	21.03	....	21.74	23.19
2x 8, No. 1, S 1 S 1 E, 10 ft.	18.55	18.97	18.84	....	18.79	20.41
" " " 12 ft.	18.41	20.68	19.86	22.00[2]	19.74	18.59
" " " 14 ft.	18.53	18.31	19.46	22.00	18.65	18.45
" " " 16 ft.	20.28	18.54	18.84	24.00	19.38	19.56
" " " 18 ft.	20.54	20.61	18.03	26.50[3]	20.59	20.39
" " " 20 ft.	21.01	19.55	18.03	28.00	20.61	19.73
" " " 22 ft.	22.91	22.07	22.83	....	22.28	24.04
" " " 24 ft.	23.71	22.93	22.83	....	23.14	25.33
2x10, No. 1, S 1 S 1 E, 10 ft.	19.94	20.40	22.81	....	21.84	20.11
" " " 12 ft.	19.51	19.28	24.85	23.50[1]	20.34	19.64
" " " 14 ft.	19.64	19.58	24.85	23.50[2]	19.61	19.99
" " " 16 ft.	20.81	19.50	24.70	26.00[3]	20.45	20.90
" " " 18 ft.	21.62	20.67	22.81	27.50[3]	21.05	21.99
" " " 20 ft.	21.95	20.26	22.81	28.00	21.63	21.75
" " " 22 ft.	25.32	23.23	29.84	....	24.51	25.46
" " " 24 ft.	24.01	22.99	29.84	....	23.54	25.55
2x12, No. 1, S 1 S 1 E, 10 ft.	20.88	20.50	21.74	....	21.52	22.02
" " " 12 ft.	21.03	20.92	19.74	....	20.85	23.76
" " " 14 ft.	21.33	21.31	19.74	....	21.32	22.84
" " " 16 ft.	22.87	21.89	21.82	....	22.43	23.04
" " " 18 ft.	23.95	23.93	21.74	....	23.94	23.74
" " " 20 ft.	23.03	21.48	21.74	....	22.37	24.52
" " " 22 ft.	27.04	25.75	26.77	....	26.77	27.90
" " " 24 ft.	25.42	27.63	26.77	....	25.63	30.77
2x 4, No. 2, S 1 S 1 E, 10 ft.	15.78	14.25	17.51	....	15.18	14.36
" " " 12 ft.	15.36	13.75	18.38	....	14.73	14.65
" " " 14 ft.	15.18	13.76	14.81	....	14.41	14.26
" " " 16 ft.	15.84	14.08	18.28	....	15.22	15.24
" " " 18 ft.	17.04	16.06	18.36	18.00[1]	16.65	17.10
" " " 20 ft.	17.29	16.54	18.36	....	16.82	16.57
" " " 22 ft.	22.25[3]	17.00	27.00	....	22.00	21.25[1]
" " " 24 ft.	21.00[2]	17.00	27.00	....	22.00	21.00[1]
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.19	11.62	16.92	....	15.54	15.37
" " " 12 ft.	13.39	11.56	15.85	....	12.78	13.52
" " " 14 ft.	13.89	11.16	15.85	....	12.42	13.01
" " " 16 ft.	15.14	12.19	16.28	....	13.45	13.93
" " " 18 ft.	15.45	13.92	16.92	....	14.94	14.62
" " " 20 ft.	14.72	14.01	16.92	....	14.36	15.17
" " " 22 ft.	14.85	16.26	18.00	....	17.01	16.11
" " " 24 ft.	16.83	16.26	18.00	....	16.83	16.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	13.13	12.89	15.89	....	13.69	14.07
" " " 12 ft.	14.38	13.11	15.73	....	13.63	13.83
" " " 14 ft.	13.89	13.19	17.33	....	13.60	14.42
" " " 16 ft.	15.14	14.15	18.13	....	16.29	15.38
" " " 18 ft.	16.86	15.88	15.89	17.50[2]	16.70	16.36
" " " 20 ft.	16.76	15.28	15.89	....	15.80	16.02
" " " 22 ft.	15.50	17.39	21.50	....	18.13	20.15
" " " 24 ft.	15.50	17.39	21.50	....	15.50	18.11
2x10, No. 2, S 1 S 1 E, 10 ft.	14.09	13.80	17.05	....	15.26	17.33
" " " 12 ft.	15.36	13.16	15.19	....	14.01	14.44
" " " 14 ft.	15.63	13.41	15.19	....	13.84	15.00
" " " 16 ft.	16.82	15.66	17.58	....	16.28	16.23
" " " 18 ft.	17.57	15.67	17.05	....	16.15	18.85
" " " 20 ft.	17.76	15.47	17.05	....	16.44	16.71
" " " 22 ft.	20.00	18.00	22.50	....	19.55	17.77
" " " 24 ft.	15.25	18.00	22.50	....	15.25	17.77
2x12, No. 2, S 1 S 1 E, 10 ft.	16.06	16.50	17.34	....	17.17	21.49
" " " 12 ft.	16.18	14.96	25.17	....	17.99	15.31
" " " 14 ft.	16.96	14.90	25.17	....	15.60	15.08
" " " 16 ft.	17.13	16.67	18.46	16.12[3]	17.18	16.67
" " " 18 ft.	18.57	16.95	17.34	....	17.36	17.58
" " " 20 ft.	19.01	18.15	17.34	....	18.41	17.73
" " " 22 ft.	18.69	22.00	25.23[1]	....	19.47	20.96
" " " 24 ft.	19.34	22.00	25.23[1]	....	19.34	21.72
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	8.13	9.51	....	11.50[1]	8.49	9.82
PATENT LATH						
4 and 6 ft.	11.73	12.95	....	....	12.10	12.67
8 and 10 ft.	13.71	16.00	....	....	13.74	13.26
12 ft. and longer	14.36	....	....	....	14.36	14.75
PLASTERING LATH						
3/8x1½-4, No. 1	3.39	3.74	3.40	2.80	3.39	3.71
" No. 2	1.81	2.75	2.07	2.75	2.25	2.41
3/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	24.52	25.27	28.33	....	27.60	27.14
" " 22-24 ft.	28.49	23.52	25.02	....	25.75	29.43
" " 26 ft.	27.00	34.00	29.28	....	27.70	32.52
" " 28 ft.	35.67	32.00[1]	29.28	....	35.67	32.00
" " 30 ft.	32.63	33.05[1]	38.44	....	37.38	33.51
" " over 30 ft.	38.73	35.74[1]	38.21	....	38.28	35.04
4x4 to 8x8, Heart (85%+), up to 20 ft.	30.93	34.44	....	....	31.41	39.28
" " " 22-24 ft.	31.00	43.00	....	....	33.01	40.84
" " " 26 ft.	32.00	60.00[1]	....	....	32.00	45.47
" " " 28 ft.	....	45.00[3]	....	....	45.00[3]	45.00[2]
" " " 30 ft.	....	....	....	....	....	50.51[3]
" " " over 30 ft.	40.00[1]	....	....	....	40.00[1]	40.00
3 & 4x10, No. 1, up to 20 ft.	33.71	33.69	....	....	33.71	32.65
" " 22-24 ft.	34.69[1]	35.00	....	....	35.00	34.73
" " 26 ft.	37.80	36.00	....	....	37.20	36.00
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	38.00	....	....	....	38.00	47.50[2]
" " over 30 ft.	35.00	....	....	....	35.00	43.50[2]
3 & 4x10, Heart (85%+), up to 20 ft.	35.00	40.50[1]	....	....	35.00	39.30
" " " 22-24 ft.	35.14	37.57[1]	....	....	35.14	37.57
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	47.00[3]	....	....	47.00[3]	47.00[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	46.00[1]	....	....	46.00[1]	46.00

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 10
6x10, to 10x10, No. 1, up to 20 ft.	37.50	30.88	30.98	....	31.93	32.44
" " 22-24 ft.	27.83	32.54	34.64	....	31.83	32.56
" " 26 ft.	28.15	34.63[1]	28.66	....	28.39	33.21
" " 28 ft.	34.50[2]	31.50	28.66	....	31.50	38.25
" " 30 ft.	....	....	30.00	....	30.00	39.82
" " over 30 ft.	31.74	44.59[1]	41.50	....	32.91	44.13
6x10 to 10x10, Heart (85%$^{+}$), up to 20 ft.	35.00	40.75	....	....	35.83	37.32
" " " 22-24 ft.	45.00[2]	42.00[2]	....	....	43.38[2]	43.38[1]
" " " 26 ft.	....	....	....	....	....	38.25[3]
" " " 28 ft.	....	44.00[3]	....	....	44.00[3]	44.00[2]
" " " 30 ft.	....	49.00[3]	....	....	49.00[3]	49.00[2]
" " " over 30 ft.	50.00[1]	53.09[3]	....	....	50.00[1]	50.00
3 & 4x12, No 1, up to 20 ft.	34.11	35.25[1]	....	....	34.11	36.09
" " 22 24 ft.	37.17	37.00	....	....	37.02	35.42
" " 26 ft.	37.00[1]	37.00[1]	....	....	37.00[1]	37.00
" " 28 ft.	37.82	....	....	....	37.82	41.50
" " 30 ft.	41.50[1]	43.75[1]	....	....	41.85[1]	41.85
" " over 30 ft.	48.50	....	....	....	48.50	46.00
3 & 4x12, Heart (85%$^{+}$), up to 20 ft.	36.89	40.00	....	....	37.57	44.45
" " " 22-24 ft.	46.34[1]	53.00[1]	....	....	46.70[1]	46.70
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	50.00[3]	....	....	50.00[3]	50.00[2]
" " " 30 ft.	....	52.00[3]	....	....	52.00[3]	52.00[2]
" " " over 30 ft.	....	55.00[3]	....	....	55.00[3]	55.00[2]
6x12 to 12x12, No. 1, up to 20 ft.	36.00	42.50	33.32	....	33.52	36.24
" " 22-24 ft.	38.50	38.00	35.71	....	36.45	36.22
" " 26 ft.	36.00	41.00[2]	41.90	....	41.28	38.00
" " 28 ft.	39.25[3]	....	41.90	....	41.90	37.99
" " 30 ft.	41.50[1]	....	43.69	....	43.69	41.19
" " over 30 ft.	36.53	50.68[1]	58.00	....	36.69	42.12
6x12 to 12x12, Heart (85%$^{+}$), up to 20 ft.	38.78	41.33	....	....	39.19	43.23
" " " 22-24 ft.	46.90[1]	50.55[3]	....	....	46.90[1]	46.90
" " " 26 ft.	....	....	....	....	....	41.75[3]
" " " 28 ft.	....	....	....	....	....	55.29[3]
" " " 30 ft.	....	49.00[3]	....	....	49.00[3]	49.00[2]
" " " over 30 ft.	57.00[1]	55.00[3]	....	....	57.00[1]	57.00
2x14 to 4x14, No. 1, up to 20 ft.	38.00	42.25	....	....	41.38	41.75
" " 22-24 ft.	44.00	36.48[1]	....	....	44.00	36.48
" " 26 ft.	33.00	43.00[1]	....	....	33.00	43.00
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%$^{+}$), up to 20 ft.	34.47[2]	50.00[1]	....	....	50.00[1]	50.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	37.28	42.50	40.49	....	39.32	37.97
" " 22-24 ft.	....	....	45.01	....	45.01	45.69
" " 26 ft.	....	....	58.50[1]	....	58.50[1]	58.50
" " 28 ft.	41.50[1]	....	58.50[1]	....	41.50[1]	41.50
" " 30 ft.	....	....	48.00[2]	....	48.00[2]	48.00[1]
" " over 30 ft.	42.50	50.00[1]	62.06	....	45.33	51.92
6x14 to 14x14, Heart (85%$^{+}$), up to 20 ft.	48.00	48.23[2]	....	....	48.00	48.23[1]
" " " 22-24 ft.	48.00[1]	....	....	....	48.00[1]	48.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.71	....	....	....	47.71	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	44.00[1]	....	....	44.00[1]	44.00
" " 26 ft.	....	46.00[1]	....	....	46.00[1]	46.00
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	50.00	....	....	50.00	....
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%$^{+}$), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 10
6x16 & Up, No. 1, up to 20 ft.	39.02	48.00[1]	51.00	....	39.46	40.68
" " 22-24 ft.	33.00	....	49.50	....	38.66	39.34
" " 26 ft.	48.83	....	49.65	....	49.23	51.54
" " 28 ft.	50.68	....	49.65	....	50.68	32.50
" " 30 ft.	45.78	....	50.00	....	49.39	51.00
" " over 30 ft.	42.85	....	55.00	....	46.00	57.55
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	59.38[3]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	69.75[2]	....	....	....	69.75[2]	69.75[1]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	60.00[3]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	48.38	53.00[1]	....	....	48.38	53.00
" " 22-24 ft.	....	55.00[1]	....	....	55.00[1]	55.00
" " 26 ft.	....	....	53.00	....	53.00	60.00[3]
" " 28 ft.	51.37	50.00	....	....	50.64	58.00[2]
" " 30 ft.	50.00[2]	....	....	....	50.00[2]	50.00[1]
" " 32 ft.	....	55.00	....	....	55.00	....
16 inch, Heart (85%+), up to 20 ft.	67.50[3]	....	....	....	67.50[3]	67.50[2]
" " " 22-24 ft.	67.50[3]	....	52.00	....	52.00	52.00
" " " 26 ft.	67.50[3]	....	53.00[1]	....	53.00[1]	53.00
" " " 28 ft.	53.00[2]	58.00[2]	55.00[1]	....	55.00[1]	55.00
" " " 30 ft.	55.00	....	....	....	55.00	67.50[2]
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	40.00[2]	....	34.00	....	34.00	34.49
" " " 36 ft.	40.00[2]	55.00[1]	34.00	38.00[1]	34.00	39.94
" " " 37-38 ft.	48.00[2]	....	34.36[1]	....	34.36[1]	34.36
" " " 40 ft.	....	59.00[1]	42.74[1]	....	43.72[1]	43.72
" " " 41-42 ft.	....	....	....	44.00[1]	44.00[1]	44.00
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	48.00	....	....	48.00	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	40.00[2]	49.00[2]	34.00[1]	....	34.00[1]	34.00
" " " 36 ft.	39.50[2]	52.00[1]	34.00[1]	....	52.00[1]	52.00
" " " 37-38 ft.	41.50[3]	....	40.00[3]	....	40.53[3]	40.53[2]
" " " 40 ft.	43.50[2]	54.00[3]	46.00[3]	....	43.50[2]	43.50[1]
" " " 41-42 ft.	43.50[2]	....	....	....	43.50[2]	43.50[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	51.00[3]
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	55.00[3]
Up to 12 inch, Sq. E., 34 ft.	40.00[2]	....	46.00[1]	....	46.00[1]	46.00
" " " 36 ft.	....	....	46.00[1]	44.00[1]	44.00[1]	44.00
" " " 37-38 ft.	....	....	51.06[1]	....	51.06[1]	51.06
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 10
Up to 14 inch, Sq. E., 34 ft.	....	57.00[2]	50.00	....	50.00	50.00
" " " 36 ft.	59.00[2]	59.00[2]	50.00	65.00[2]	50.00	50.00
" " " 37-38 ft.	....	....	53.50[3]	....	53.50[3]	53.50[2]
" " " 40 ft.	54.50[2]	....	53.50[3]	....	54.50[2]	54.50[1]
" " " 41-42 ft.	54.50[3]	....	....	....	54.50[3]	54.50[2]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	59.00[3]
" " " " 36 ft.	....	59.00	....	....	59.00	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	66.00[3]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	44.00[3]
" " " 14 ft.	....	47.00	....	....	47.00	45.00
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	28.00	....	....	....	28.00	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	26.51	26.00	....	....	26.50	32.34
" " Heart, (85%+), 6x8–8	35.32	40.00	....	....	37.63	39.76
" " Sq. E., " 7x9–8	50.30[1]	34.66[1]	....	....	34.66[1]	34.66
" " Heart, " 7x9–8	47.00[2]	38.94[1]	....	....	38.94[1]	38.94
Bridge Ties, Sq. E., 7x9 & up	....	45.00[2]	....	....	45.00[2]	45.00[1]
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	26.00	26.00	30.00	....	26.33	....
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	133.40	....	....	....	133.40	120.50
Miscellaneous	30.00	37.95	33.97	35.07	35.14	36.39
MISCELLANEOUS STOCK						
Silo Stock	....	....	44.33[1]	....	44.33[1]	44.33
Grain Doors	14.00[1]	....	....	....	14.00[1]	14.00
Miscellaneous, B and B.	44.96	59.52	42.25	38.47[1]	46.10	53.82
" No. 1	30.15	27.61	23.75	30.12	27.07	30.81
" No. 2	18.69	15.15	17.37	19.39	17.64	17.14
" No. 3	13.74	12.67	12.62	11.16	11.96	9.48
Shorts B and B.	22.87	31.57[1]	....	....	22.87	34.77
" No. 1	12.64	12.13	....	....	12.59	12.34
" No. 2	....	12.85	....	....	12.85	11.28
" No. 3	....	13.00	....	....	13.00	11.00

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	16.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200

Southern Pine Association

REPORT OF SALES

January 31, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending January 31, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800

Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Feb. 9, 1921

No. 119

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 20
leart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″						
Edge Grain, A "	71.53[1]				71.53[1]	71.53
" " B "						
" " B and Better "	68.90				68.90	73.76
" " C "	49.81				49.81	49.50
" " D "	33.26				33.26	33.13
" " No. 2 "						
Flat " A "						
" " B "	36.00[1]				36.00[1]	36.00
" " B and Better "	37.47				37.47	38.60
" " C "						
" " D "	34.26				34.26	36.32
No. 1 Common "						
No. 2 " "	17.09				17.09	18.36
No. 3 " "						
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″				93.08[1]	93.08[1]	93.08
Edge Grain, A "			83.87	88.00	84.05	93.32
" " B "		72.00	74.21		74.15	77.49
" " B and Better "		76.37		65.00	74.94	78.49
" " C "			57.86		57.86	46.03
" " D "						
" " No. 2 "			30.56	24.00	29.76	34.81[1]
Flat " A "						60.00[3]
" " B "		36.00		56.00[3]	36.00	39.50
" " B and Better "	46.28[3]	37.65	43.94	40.60	42.45	48.32
" " C "		44.25[1]			44.25[1]	44.25
" " D "						
No. 1 Common "		36.00	32.72	35.47	33.20	36.50
No. 2 " "		17.06	18.62	17.07	17.89	20.35
No. 3 " "			12.00	10.50	11.73	8.00
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″						
Edge Grain, A "	55.22[1]		73.66	74.00	73.81	55.22
" " B "	70.00[3]	58.00	66.13		65.68	69.02
" " B and Better "	57.10	60.42		65.50[1]	57.52	60.61
" " C "	40.75	50.00[2]	60.91		53.80	50.03
" " D "	36.14[1]				36.14[1]	36.14
" " No. 2 "			30.46		30.46	26.00
Flat " A "	46.00[2]				46.00[2]	46.00[1]
" " B "	35.75[1]	37.02			37.02	36.29
" " B and Better "	35.20	35.68	35.61	37.51	35.59	36.18
" " C "	27.89	27.17			27.76	31.45
" " D "	27.69	25.05			27.31	30.89
No. 1 Common "		28.15	30.89	31.60	30.76	30.49
No. 2 " "	17.49	16.88	17.20	16.54	17.01	17.56
No. 3 " "			9.10	9.29	9.21	9.05
CEILING						
Ceiling, ½x3¼″, A						
" " B						
" " B and Better	34.90	39.41[1]	37.99	41.25	37.66	36.23
" " No. 1 Common	27.32	25.00[2]	31.09	27.50	29.13	34.08
" " No. 2 "	14.92	15.50[2]	16.67		16.25	17.30
" " No. 3 "			11.18[1]		11.18[1]	11.18
Ceiling, ⅝x3¼″, A						
" " B						
" " B and Better	33.86	34.27	36.86	35.84	34.56	35.68
" " No. 1 Common	27.97	28.28	30.48	30.12	29.01	29.50
" " No. 2 "	14.71	15.69	16.73	17.38	15.90	16.48
" " No. 3 "			8.00	9.75[2]	8.00	7.00
Ceiling, ¾x3¼″, A						
" " B						
" " B and Better	39.32	40.75	41.08[1]		40.13	42.53
" " No. 1 Common	33.70	31.75[2]	29.00		32.32	30.32
" " No. 2 "	20.00		20.00		20.00	20.50[2]
" " No. 3 "						
PARTITION						
Partition, ¾x3¼″, A						
" " B						
" " B and Better	39.65	40.46	48.87[1]	42.68	40.32	46.84
" " No. 1 Common	33.36	32.50	40.00[1]	38.45	35.71	35.84
" " No. 2 "	19.00[2]		21.68[1]	20.00	20.00	21.28
Partition, ¾x5¼″, A						
" " B						
" " B and Better	45.41	43.37	43.16	49.00	44.15	43.15
" " No. 1 Common	33.25	27.00	32.96		31.90	32.63
" " No. 2 "	20.00[1]		18.95		18.95	20.35
BEVEL SIDING						
Bevel Siding, A						
" B						
" B and Better	25.67	26.33	29.00		26.22	47.03
" No. 1 Common	28.25[1]	28.75	24.60		27.05	24.86
" No. 2 "	19.42[2]		13.44	14.00	13.66	14.68

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 20
Drop Siding, ¾x3¼ or 5¼, A.	....	....	....	....	....	....
" " B.	....	....	....	....	....	....
" " B and Better	33.28	33.56	33.53	38.45	33.57	34.23
" " No. 1 Common	29.08	29.43	30.10	30.95	29.67	29.58
" " No. 2 "	15.43	16.53	19.23	20.51	17.56	17.56
" " No. 3 "	....	....	10.00	9.69	9.76	12.08
FINISH						
1x 4 inch, A.	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B.	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	42.26	43.16	45.37	47.50	43.10	42.79
1x 6 inch, "	44.15	45.03	46.50	....	44.56	44.88
1x 8 inch, "	44.17	45.18	44.25	47.00	44.40	45.12
1x 5 and 10 inch, "	47.26	47.75	50.48	48.00	47.80	47.73
1x12 inch, "	47.46	47.57	51.32	55.00	48.25	48.63
1¼x4 to 12 inch, "	55.88	50.55	58.10	59.50	54.45	55.86
1½ and 2x4 to 12 inch, "	54.68	52.75	56.70	....	55.27	60.36
1⅝ inch, "	45.02	53.50	....	50.00 [1]	45.80	48.48
1x 6 to 12 inch, "	....	....	47.81 [1]	50.00	50.00	56.00
1x 4 inch, C.	36.19	40.13	48.00	....	38.43	38.80
1x 6 inch, "	35.45	35.16	48.00	40 00 [1]	35.88	38.95
1x 8 inch, "	36.32	36.75	40.50 [1]	40 00 [1]	36.38	39.52
1x 5 and 10 inch, "	38.87	38.49	56.00	45.00 [1]	39 39	42.67
1x12 inch, "	39.82	39.39	53.00	45.00 [1]	40.20	41.34
1¼x4 to 12 inch, "	53.00	....	....	....	53 00	50.00 [3]
1½ and 2x4 to 12 inch, "	42.00	....	56.50	....	43.32	48.00
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	64.35 [3]	....	43.00 [1]	40.25	40.25	43.00
1x 6 inch, " "	41.52	51.50	40.12	40.71	41.41	38.22
1x 8 inch, " "	41.66	51.73	48.90	41.89	43.29	38.56
1x 5 and 10 inch, " "	42.80	51.11	49.35	44.23	46.66	40.51
1x12 inch, " "	43.13	53.46	57.69	53.17	45.80	41.95
1¼x4 to 12 inch, " "	52.13	52.10	55.39	....	52.75	51.31
1½ and 2x4 to 12 inch, " "	52.22	57.50	52.60	60.00 [1]	52.48	55.98
1⅝ inch, " "	....	....	....	....	....	65.00 [3]
1x 6 to 12 inch, " "	....	....	....	41.73	41.73	40.00
CASING AND BASE						
From 4 and 6 inch stock, B. M., A.	....	....	....	....	....	....
" B.	....	....	....	....	....	....
" B and Better	51.21	55.96	55.64	60.50 [2]	52.32	55.08
From 8 and 10 inch stock, B. M., A.	....	....	....	....	....	....
" B.	....	....	....	....	....	....
" B and Better	51.97	52.06	55.37	57.00 [3]	52.29	56.18
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	55.00	68.00 [2]	69.00	....	66 32	63.60
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	41.00	....	35.00 [1]	....	41.00	35.00
" " " " " 8 ft.	33.00 [1]	33.00	75.00	....	52.09	35.50
" " " " " 12 and 14 ft.	....	36.50	....	....	36 50	....
" " " " " 16 ft.	43.00 [1]	36.50	....	....	36.50	43 00
" " " " " 9 or 18 ft.	41.00	52.00	47.02 [2]	....	50 17	45.33
" " " " " 10 or 20 ft.	....	40.00 [1]	75.00	....	75.00	40 00

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 20
iding, Lining and Roofing, 1x4, No. 1, 5 ft.	26.50	25.14[1]	....	....	26.50	25.14
" " " " " 8 ft.	29.50	13.97	....		17.35	22.77
" " " " " 12 and 14 ft.	29.50	....	....		29.50	....
" " " " " 16 ft.	29.50	.	.	.	29.50	27.75[2]
" " " " " 9 or 18 ft.	29.50	34.53	36.50[2]	....	33.71	35.00
" " " " " 10 or 20 ft.	31.26	30.82	.	28.00[2]	31.05	30.00
iding, Lining and Roofing, 1x6, No. 1, 5 ft.	30.00[2]	25.14[1]			25.14[1]	25.14
" " " " " 8 ft.	29.50	13.97			29.50	18.75[3]
" " " " " 12 and 14 ft.	30.25	....			30.25	35.00[3]
" " " " " 16 ft.		....	.			....
" " " " " 9 or 18 ft.	35.50[3]	34.53	....	....	34.53	35.00
" " " " " 10 or 20 ft.	32.00	30.82	.	28.00[2]	32.00	31.50
iding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	14.42	18.39[1]	.	.	14.42	17.35
" " " " " 10 to 20 ft.	15.07	15.22	.	.	15.09	17.33
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	.	....	.	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	34.00[1]	....	....	....	34.00[1]	34.00
" " " " 1¾ inch, 10 & 20 ft.	34.00[1]	....	....	....	34.00[1]	34.00
" " " " 2 to 3 inch, 9 & 18 ft.	....	30.00	30.78[3]	....	30.00	32.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	32.00[1]	30.78[3]	....	32.00[1]	32.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	30.24[1]	....	....	....	30.24[1]	30.24
" " " 1¾ inch, 10 & 20 ft	30.24[1]	....	....	....	30.24[1]	30.24
" " " 2 to 3 inch, 9 & 18 ft.	....	25.86	32.23	....	27.55	30.63
" " " 2 to 3 inch 10 & 20 ft.	.	25.86	32.23	....	27.55	30.00
" No 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	18.00[1]	18.00[1]	18.00
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	18.00[1]	18.00[1]	18.00
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	26.50	....	42.00[3]	.	26.50	28.56
" " " " other lengths	27.83	27.17	32.55	34.53	29.61	28.84
" " 1x10, " 14 and 16 ft.	29.96	29.25	....	....	29.59	30.28
" " " " other lengths	29.08	30.36	34.58	36.50	31.46	29.34
" " 1x12, " 14 and 16 ft.	33.32	30.00	35.00[2]	....	33.06	33.12
" " " " other lengths	33.80	33.11	31.56	41.00	33.17	34.42
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	16.16	14.57	16.73	17.93	15.86	16.20
" " 1x10, " "	16.63	15.41	17.51	17.76	16.75	16.54
" " 1x12, " "	18.28	17.30	18.35	17.66	18.25	17.98
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	11.30	10.22	11.43	12.37	11.14	11.41
" " 1x10, " "	11.33	10.85	11.80	13.50[1]	11.31	11.58
" " 1x12, " "	11.41	10.11	13.36	12.25	11.40	11.76
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	28.07	....	40.50[2]	....	28.07	28.26
" " " other lengths	28.46	28.39	33.00	28.00[2]	29.09	28.68
" 1x10, " 14 and 16 ft.	27.00	32.00[1]	45.00[2]	....	27.00	29.65
" " " other lengths	29.48	27.44	31.48	33.00[2]	28.31	28.67
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths	....	....	.	....	....	....
Shiplap, 1x 8, No. 2, all lengths	16.96	15.82	18.36	16.63	16.92	16.61
" 1x10, " "	16.63	15.32	17.55	16.87	16.40	16.01
" 1x12, " "	....	.	.	....	....	....
Shiplap, 1x 8, No. 3, all lengths	10.91	9.83	11.85	12.08	10.74	12.44
" 1x10, " "	11.74	11.05	11.77	12.08	11.48	12.03
" 1x12, " "	14.45	9.79	....	.	10.05	10.20
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	32.00	.	....		32.00	28.50
" " " " other lengths	32.69	31.50[2]	.	....	32.69	27.93
" " 1x12, " 14 and 16 ft.	....	....	.	.	....	....
" " " " other lengths	.	.	....	....	....	....
All No. 4—all widths and lengths	7.38		9.28	....	8.46	7.07

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 20
1x4, S 1 S, No. 1, 16 ft.	28.49	26.50	....	....	28.40	29.18
“ “ “ other lengths	27.90	27.23	28.87	....	27.55	29.70
“ “ No. 2, all lengths	11.26	11.05	15.83	13.22	11.36	12.16
“ “ No. 3, “	9.23	9.05	9.81	....	9.27	9.37
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
“ “ “ other lengths	27.00	....	....	....	27.00	29.50[1]
“ “ No. 2, all lengths	13.96	....	....	..	13.96	13.30
“ “ No. 3, “	14.00[2]	....	....	....	14.00[2]	14.00[1]
1x6, S 1 S, No. 1, 16 ft.	28.85	29.00	42.50	....	29.14	27.54
“ “ “ other lengths	27.91	27.53	30.66	34.24	28.86	29.92
“ “ No. 2, all lengths	15.05	14.13	17.03	16.61	15.15	14.76
“ “ No. 3, “	10.68	9.51	11.39	11.50	10.64	10.29
1x6, C. M., No. 1, 16 ft.	25.81	....	....	....	25.81	28.87
“ “ “ other lengths	27.30	27.29	....	27.33	27.30	27.43
“ “ No. 2, all lengths	15.17	14.06	....	17.84	14.84	14.67
“ “ No. 3. “	10.00	9.88	....	10.25	10.01	10.48
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.45	20.11	18.36	....	19.65	19.92
“ “ “ 12 ft.	21.19	19.63	19.71	....	20.01	19.42
“ “ “ 14 ft.	20.93	20.19	18.31	25.00[1]	19.71	19.72
“ “ “ 16 ft.	22.56	20.29	20.65	....	20.72	20.32
“ “ “ 18 ft.	22.58	21.13	21.31	....	21.53	21.06
“ “ “ 20 ft.	22.80	21.89	21.31	28.50	22.59	21.63
“ “ “ 22 ft.	24.98	22.97	24.00[3]	....	23.28	23.41
“ “ “ 24 ft.	24.52	22.96	24.00[3]	....	23.41	24.14
2x 6, No. 1, S 1 S 1 E, 10 ft.	18.16	17.74	18.98	....	18.79	18.53
“ “ “ 12 ft.	18.64	17.78	17.57	19.50	17.82	17.55
“ “ “ 14 ft.	18.49	17.89	17.57	19.50	18.11	17.79
“ “ “ 16 ft.	19.67	17.95	18.61	....	18.42	18.38
“ “ “ 18 ft.	20.01	19.07	18.98	....	19.43	19.14
“ “ “ 20 ft.	19.97	18.86	18.98	....	19.19	18.54
“ “ “ 22 ft.	22.74	20.94	22.16	....	21.67	21.33
“ “ “ 24 ft.	23.49	22.22	22.16	....	22.59	21.74
2x 8, No. 1, S 1 S 1 E, 10 ft.	19.98	19.83	20.39	....	20.34	18.79
“ “ “ 12 ft.	20.18	18.76	19.09	22.00[3]	19.06	19.74
“ “ “ 14 ft.	20.48	18.37	18.62	22 00[1]	18.76	18.65
“ “ “ 16 ft.	20.45	19.01	19.23	24.00[1]	19.39	19.38
“ “ “ 18 ft.	22.38	20.24	20.39	....	21.04	20.59
“ “ “ 20 ft.	22.32	19.61	20.39	28.00[1]	19.85	20.61
“ “ “ 22 ft.	24.73	21.86	21.84	....	22.00	22.28
“ “ “ 24 ft.	24.09	22.60	21.84	....	22.76	23.14
2x10, No. 1, S 1 S 1 E, 10 ft.	20.63	21.63	23.95	....	23.67	21.84
“ “ “ 12 ft.	20.55	20.15	20.11	21.50	20.23	20.34
“ “ “ 14 ft.	19.79	19.59	20.11	23.50[3]	19.62	19.61
“ “ “ 16 ft.	21.84	21.70	19.92	....	21.14	20.45
“ “ “ 18 ft.	22.79	21.79	23.95	....	22.11	21.05
“ “ “ 20 ft.	23.58	22.62	23.95	28.00[1]	22.81	21.63
“ “ “ 22 ft.	25.71	23.07	22.71	....	23.35	24.51
“ “ “ 24 ft.	25.95	23.29	22.71	....	23.87	23.54
2x12, No. 1, S 1 S 1 E, 10 ft.	20.83	22.64	22.95	....	22.87	21.52
“ “ “ 12 ft.	22.51	21.19	21.26	23.00	21.44	20.85
“ “ “ 14 ft.	22.57	20.78	21.26	....	21.22	21.32
“ “ “ 16 ft.	24.84	23.31	20.61	....	22.79	22.43
“ “ “ 18 ft.	25.15	23.41	22.95	23.00	24.04	23.94
“ “ “ 20 ft.	24.55	23.17	22.95	....	23.74	22.37
“ “ “ 22 ft.	28.06	27.06	25.24	....	26.71	26.77
“ “ “ 24 ft.	28.05	27.30	25.24	....	27.39	25.63
2x 4, No. 2, S 1 S 1 E, 10 ft.	16.31	14.63	17.41	....	15.21	15.18
“ “ “ 12 ft.	15.91	13.95	16.67	....	14.96	14.73
“ “ “ 14 ft.	16.19	14.15	16.40	....	14.86	14.41
“ “ “ 16 ft.	17.30	15.46	16.65	17.00	16.14	15.22
“ “ “ 18 ft.	17.29	16.69	18.38	17.95	17.34	16.65
“ “ “ 20 ft.	17.54	16.72	18.38	17.95	17.01	16 82
“ “ “ 22 ft.	....	18.88	30.00	....	21.10	22.00
“ “ “ 24 ft.	21.38	18.88	30.00	....	21.38	22.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.99	12.01	16.19	....	15.14	15.54
“ “ “ 12 ft.	13.57	12.84	15.95	....	14.58	12.78
“ “ “ 14 ft.	13.46	12.88	15.95	....	13.13	12.42
“ “ “ 16 ft.	13.81	13.40	14.92	15.72	14.14	13.45
“ “ “ 18 ft.	14.94	14.13	16.19	22.50	14.71	14.94
“ “ “ 20 ft.	14.68	14.09	16.19	22.50	14.34	14.36
“ “ “ 22 ft.	17.75	15.99	20.82	....	18.68	17.01
“ “ “ 24 ft.	18.23	15.99	20.82	....	18.23	16.83

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 20
x 8, No. 2, S 1 S 1 E, 10 ft.	14.53	13.97	17.21	....	15.55	13.69
" " " 12 ft.	14.92	13.69	15.36	20.50	14.29	13.63
" " " 14 ft.	15.08	14.06	16.90	20.50	14.92	13.60
" " " 16 ft.	16.98	14.47	16.75	22.50	16.04	16.29
" " " 18 ft.	17.07	15.76	17.21	17.50[3]	16.34	16.70
" " " 20 ft.	17.64	15.34	17.21	19.00	16.64	15.80
" " " 22 ft.	20.13	20.24	22.09	....	21.03	18.13
" " " 24 ft.	20.25	20.24	22.09	....	20.25	15.50
x10, No. 2, S 1 S 1 E, 10 ft.	15.80	14.50	20.03	....	17.66	15.26
" " " 12 ft.	15.82	15.89	17.91	....	16.34	14.01
" " " 14 ft.	15.64	14.76	17.91	....	15.09	13.84
" " " 16 ft.	16.40	16.68	17.70	....	16.74	16.28
" " " 18 ft.	16.47	15.78	20.03	....	15.98	16.15
" " " 20 ft.	17.58	16.71	20.03	....	16.95	16.44
" " " 22 ft.	20.00[1]	17.83	23.46	....	23.37	19.55
" " " 24 ft.	15.25[1]	17.83	23.46	....	23.37	15.25
2x12, No. 2, S 1 S 1 E, 10 ft.	16.06[1]	15.21	24.74	....	17.17	17.17
" " " 12 ft.	17.49	15.50	18.88	....	16.75	17.99
" " " 14 ft.	18.16	15.77	18.88	....	16.48	15.60
" " " 16 ft.	20.43	18.43	17.70	....	18.88	17.18
" " " 18 ft.	21.34	17.83	24.74	18.50	18.44	17.36
" " " 20 ft.	21.31	16.61	24.74	....	17.60	18.41
" " " 22 ft.	18.69[1]	20.70	23.19	....	21.98	19.47
" " " 24 ft.	24.00	20.70	23.19	....	24.00	19.34
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	9.56	8.46	....	12.50	9.18	8.49
PATENT LATH						
4 and 6 ft.	13.16	11.88	....	....	12.64	12.10
8 and 10 ft.	14.06	16.39	....	....	14.80	13.74
12 ft. and longer	15.82	....	....	....	15.82	14.36
PLASTERING LATH						
⅜x1½-4, No. 1	3.35	3.55	3.25	2.37	3.12	3.39
" No. 2	2.37	1.80	2.34	2.75[1]	2.27	2.25
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	26.82	26.22	26.11	....	26.35	27.60
" " 22-24 ft.	29.08	27.71	29.49	....	28.74	25.75
" " 26 ft.	34.00	30.08	33.06	....	33.18	27.70
" " 28 ft.	31.17	32.00[2]	33.06	....	31.17	35.67
" " 30 ft.	32.63[1]	33.89	34.50	....	33.92	37.38
" " over 30 ft.	38.73[1]	34.99	34.17	....	34.44	38.28
4x4 to 8x8, Heart (85%+), up to 20 ft.	30.13	30.98	....	....	30.63	31.41
" " " 22-24 ft.	30.58	32.57	....	....	31.92	33.01
" " " 26 ft.	32.00[1]	60.00[2]	....	....	32.00[1]	32.00
" " " 28 ft.	....	36.00	....	....	36.00	45.00[3]
" " " 30 ft.	....	33.00	....	....	33.00	....
" " " over 30 ft.	40.00[2]	....	....	....	40.00[2]	40.00[1]
3 & 4x10, No. 1, up to 20 ft.	28.43	31.62	....	....	29.52	33.71
" " 22-24 ft.	28.08	32.39	....	....	28.35	35.00
" " 26 ft.	34.00	34.50	....	....	34.01	37.20
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	31.29	....	....	....	31.29	38.00
" " over 30 ft.	35.50	....	....	....	35.50	35.00
3 & 4x10, Heart (85%+), up to 20 ft.	36.00	36.38	....	....	36.28	35.00
" " " 22-24 ft.	35.14[1]	36.75	....	....	36.75	35.14
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	47.00[3]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	46.00[2]	....	....	46.00[2]	46.00[1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 20
6x10, to 10x10, No. 1, up to 20 ft.	30.57	30.57	28.47	....	28.80	31.93
" " 22-24 ft.	28.55	32.54[1]	31.07	....	29.42	31.83
" " 26 ft.	28.00	33.37	33.16	....	30.44	28.39
" " 28 ft.	30.75	31.50[1]	33.16	....	30.75	31.50
" " 30 ft.	....	....	36.67	....	36.67	30.00
" " over 30 ft.	34.00	39.75	36.67	....	35.38	32.91
6x10 to 10x10, Heart (85%+), up to 20 ft.	38.28	37.19	....	....	37.69	35.83
" " " 22-24 ft.	45.00[3]	44.00	....	....	44.00	43.38[2]
" " " 26 ft.	....	37.00	....	....	37.00	....
" " " 28 ft.	....	....	....	....	....	44.00[3]
" " " 30 ft.	....	....	....	....	....	49.00[3]
" " " over 30 ft.	50.00[2]	50.00	....	....	50.00	50.00[1]
3 & 4x12, No 1, up to 20 ft.	35.75	35.75	....	....	35.75	34.11
" " 22 24 ft.	30.47	36.25	....	....	30.64	37.02
" " 26 ft.	32.50	37.00[2]	....	....	32.50	37.00[1]
" " 28 ft.	37.82[1]	38.75	....	....	38.75	37.82
" " 30 ft.	32.50	43.75[2]	....	....	32.50	41.85[1]
" " over 30 ft.	48.50[1]	42.75	....	....	42.75	48.50
3 & 4x12 Heart (85%+), up to 20 ft.	43.53	37.26	....	....	38.02	37.57
" " " 22-24 ft.	44.86	34.25	....	....	42.86	46.70[1]
" " " 26 ft.	45.00	....	....	....	45.00	....
" " " 28 ft.	....	....	....	....	....	50.00[3]
" " " 30 ft.	....	....	....	....	....	52.00[3]
" " " over 30 ft.	....	....	....	....	....	55.00[3]
6x12 to 12x12, No. 1, up to 20 ft.	33.40	33.20	34.91	....	34.64	33.52
" " 22-24 ft.	29.96	35.16	36.41	....	32.08	36.45
" " 26 ft.	29.40	40.00	37.31	....	31.01	41.28
" " 28 ft.	34.85	39.75	37.31	....	36.24	41.90
" " 30 ft.	38.00	41.38	45.17	....	41.53	43.69
" " over 30 ft.	33.68	50.68[2]	45.17	....	33.68	36.69
6x12 to 12x12, Heart (85%+), up to 20 ft.	40.30	37.33	....	....	37.74	39.19
" " " 22-24 ft.	45.00	36.25	....	....	43.32	46.90[1]
" " " 26 ft.	45.40	34.75	....	....	41.79	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	49.00[3]
" " " over 30 ft.	57.00[2]	50.25	....	....	50.25	57.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	38.00[1]	42.25[1]	....	....	41.38[1]	41.38
" " 22-24 ft.	44.00[1]	36.48[2]	....	....	44.00[1]	44.00
" " 26 ft.	33.00[1]	43.00[2]	....	....	33.00[1]	33.00
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	34.47[3]	42:00	....	....	42.00	50.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	37.55	42.50[1]	38.99	....	38.55	39.32
" " 22-24 ft.	33.70	....	45 01[1]	....	33.70	45.01
" " 26 ft.	33.59	....	49.00	....	34.51	58.50[1]
" " 28 ft.	41.50[2]	....	49.00	....	49.00	41.50[1]
" " 30 ft.	....	....	48.00[3]	....	48.00[3]	48.00[2]
" " over 30 ft.	34.82	44.00	62.06	....	35.13	45.33
6x14 to 14x14, Heart (85%+), up to 20 ft.	45.00	48.23[3]	....	....	45.00	48.00
" " " 22-24 ft.	48.00[2]	....	....	....	48.00[2]	48.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.71[1]	....	....	....	47.71[1]	47.71
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	44.00[2]	....	....	44.00[2]	44.00[1]
" " 26 ft.	....	46.00[2]	....	....	46.00[2]	46.00[1]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	50.00[1]	....	....	50.00[1]	50.00
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 20
6x16 & Up, No. 1, up to 20 ft.	40.75	48.00[2]	45.00	....	40.96	39.46
" " 22-24 ft.	36.50	....	49.50[1]	....	36.50	38.66
" " 26 ft.	38.75	....	51.09	....	42.26	49.23
" " 28 ft.	50.68[1]	....	51.09	....	51.09	50.68
" " 30 ft.	45.78[1]	....	50.00[1]	....	49.39[1]	49.39
" " over 30 ft.	33.21	....	55.00[1]	....	33.21	46.00
6x16 & Up, Heart (85%+), up to 20 ft.	44.74	....	....	....	44.74	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	69.75[3]	....	....	....	69.75[3]	69.75[2]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	60.00
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	48.38[1]	53.00[2]	....	....	48.38[1]	48.38
" " 22-24 ft.	....	55.00[2]	....	....	55.00[2]	55.00[1]
" " 26 ft.	....	....	53.00[1]	....	53.00[1]	53.00
" " 28 ft.	51.37[1]	50.00[1]	....	....	50.64[1]	50.64
" " 30 ft.	50.00[3]	....	....	....	50.00[3]	50.00[2]
" " 32 ft.	....	55.00[1]	....	....	55.00[1]	55.00
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	67.50[3]
" " " 22-24 ft.	....	....	52.00[1]	....	52.00[1]	52.00
" " " 26 ft.	....	....	53.00[2]	....	53.00[2]	53.00[1]
" " " 28 ft.	53.00	58.00[3]	55.00[2]	....	53.00	55.00[1]
" " " 30 ft.	55.32	....	....	....	55.32	55.00
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	40.00[3]	....	38.03	....	38.03	34.00
" " " 36 ft.	33.75	36.44	38.03	59.00	38.28	34.00
" " " 37-38 ft.	33.75	....	36.20	....	34.91	34.36[1]
" " " 40 ft.	....	45.66	35.00	....	45.66	43.72[1]
" " " 41-42 ft.	....	....	....	44.00[2]	44.00[2]	44.00[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	48.00[1]	....	....	48.00[1]	48.00
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	33.75	33.75	34.00[2]	....	33.75	34.00[1]
" " " 36 ft.	33.75	33.75	34.00[2]	....	33.75	52.00[1]
" " " 37-38 ft.	....	....	....	....	....	40.53[3]
" " " 40 ft.	39.00	45.50	....	....	41.56	43.50[2]
" " " 41-42 ft.	43.50[3]	....	....	....	43.50[3]	43.50[2]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	40.00[3]	....	44.32	....	44.32	46.00[1]
" " " 36 ft.	33.75	35.78	44.32	59.00	40.65	44.00[1]
" " " 37-38 ft.	....	....	51.06[2]	....	51.06[2]	51.06[1]
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 20
Up to 14 inch, Sq. E., 34 ft.	....	57.00[3]	50.00[1]	....	50.00[1]	50.00
" " " 36 ft.	59.00[3]	52.00	50.00[1]	65.00[3]	52.00	50.00
" " " 37-38 ft.	....	....	....	....	....	53.50[3]
" " " 40 ft.	49.00	....	....	....	49.00	54.50[2]
" " " 41-42 ft.	49.00	....	....	....	49.00	54.50[3]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	59.00[1]	....	....	59.00[1]	59.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	48.00	40.00	....	....	41.00	....
" " " 14 ft.	....	47.00[1]	....	....	47.00[1]	47.00
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	28.00[1]	....	....	....	28.00[1]	28.00
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	25.27	34.75	....	....	25.57	26.50
" " Heart, (85%+), 6x8–8	34.65	40.00[1]	....	....	34.65	37.63
" " Sq. E., " 7x9–8	50.30[2]	37.00	....	....	37.00	34.66[1]
" " Heart, " 7x9–8	47.00[3]	38.94[2]	....	....	38.94[2]	38.94[1]
Bridge Ties, Sq. E., 7x9 & up	....	45.00[3]	....	....	45.00[3]	45.00[2]
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	26.00	26.00[1]	30.00[1]	....	26.00	26.33
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	115.50	....	....	....	115.50	133.40
Miscellaneous	27.32	28.44	34.40	34.95	28.80	35.14
MISCELLANEOUS STOCK						
Silo Stock	....	....	29.59	29.50	29.55	44.33[1]
Grain Doors	14.00[2]	....	....	....	14.00[2]	14.00[1]
Miscellaneous, B and B	51.28	45.02	42.57	51.47	46.13	46.10
" No. 1	32.30	25.75	22.61	28.31	26.70	27.07
" No. 2	20.51	17.19	16.67	17.01	17.02	17.64
" No. 3	8.83	10.36	12.05	12.22	11.81	11.96
Shorts B and B	29.43	30.00	....	....	29.46	22.87
" No. 1	13.49	9.02	....	....	11.95	12.59
" No. 2	....	11.49	....	....	11.49	12.85
" No. 3	....	13.00[1]	....	....	13.00[1]	13.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	·5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4500

Southern Pine Association

REPORT OF SALES

February 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending February 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400
Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued Feb. 18, 1921

No. 120

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 31
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	71.53[2]	....	....	....	71.53[2]	71.53[1]
" " B "	....	....	....	....	....	....
" " B and Better "	68 42	....	....	....	68.42	68.90
" " C "	47.00	....	....	....	47.00	49.81
" " D "	43.50	....	....	....	43.50	33.26
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	35.00	....	....	....	35.00	36 00[1]
" " B and Better "	38.27	....	....	....	38.27	37.47
" " C "	....	....	....	....	....	....
" " D "	33.61	....	....	....	33.61	34.26
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	16.75	....	....	....	16.75	17.09
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	81.25	81.25	93.08[1]
Edge Grain, A "	....	....	80.00	88.00[1]	80.00	84.05
" " B "	....	72 00[1]	75.03	....	75.03	74.15
" " B and Better "	....	66.12	....	64.00	65.52	74.94
" " C "	....	....	54.32	....	54.32	57.86
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	29.57	24.00[1]	29.57	29.76
Flat " A "	....	....	....	....	....	....
" " B "	....	34.50	....	42.50	39.45	36.00
" " B and Better "	....	33.00	41.13	43.06	41.74	42.45
" " C "	....	44.25[2]	....	....	44.25[2]	44.25[1]
" " D "	....	....	....	....	....	....
No. 1 Common "	....	36 00[1]	31.93	31.37	31.71	33.20
No. 2 " "	....	.17.06[1]	16.70	16.00	16.10	17.89
No. 3 " "	....	....	12.00[1]	8.00	8.00	11.73
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	....	....	....
Edge Grain, A "	55.22[2]	....	73.66[1]	74.00[1]	73.81[1]	73.81
" " B "	....	55.00	57.85	....	57.51	65.68
" " B and Better "	56.70	55.00	54.03	50.00	56.30	57.52
" " C "	37.28	50.00[3]	39.00	....	37.65	53.80
" " D "	36.14[2]	....	....	....	36.14[2]	36.14[1]
" " No. 2 "	....	....	26.92	26.50	26 74	30.46
Flat " A "	46.00[3]	....	....	....	46.00[3]	46.00[2]
" " B "	34.62	31.50	35.00	....	34.25	37.02
" " B and Better "	34.98	34.30	34.00	35.55	34.61	35.59
" " C "	27.90	27.17[1]	28.04	....	27.93	27.76
" " D "	28.58	25.05[1]	25.27	....	28.05	27.31
No. 1 Common "	....	28.36	29.09	30.12	29.23	30.76
No. 2 " "	17.40	16.03	17.47	16.18	17.15	17.01
No. 3 " "	....	....	9.69	9.15	9 41	9.21
CEILING						
Ceiling, ½x3¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	35.66	35.00	32.36	41.25[1]	33.42	37.66
" " No. 1 Common..........	27.32[1]	25.00[3]	31.40	27.50[1]	31.40	29.13
" " No. 2 "	14 92[1]	15.50[3]	16.42	....	16.42	16.25
" " No. 3 "	....	....	8.00	....	8.00	11.18[1]
Ceiling, ⅝x3¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	33.98	33.26	34.41	38.00	33.94	34.56
" " No. 1 Common..........	28.20	25.11	30.26	30.95	28.49	29.01
" " No. 2 "	15.03	15.07	16.90	16.00	15.93	15.90
" " No. 3 "	....	....	8.00[1]	9.75[3]	8.00[1]	8.00
Ceiling, ¾x3¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	39.56	40.75[1]	41.08[2]	....	39.56	40.13
" " No. 1 Common..........	31.05	31.75[3]	29.00[1]	....	31.05	32.32
" " No. 2 "	20.00[1]	....	20.00[1]	....	20 00[1]	20.00
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	41.25	44.00	48 87[2]	42.68[1]	41.51	40 32
" " No. 1 Common..........	33.64	31.70	40.00[2]	38 45[1]	33.24	35.71
" " No. 2 "	16 75	....	21.68[2]	20.00[1]	16.75	20.00
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better..........	42.55	43 37[1]	38.03	49.00[1]	38.87	44.15
" " No. 1 Common..........	36.50	27.00[1]	34.58	....	34.59	31.90
" " No. 2 "	20 00[2]	....	18.55	....	18.55	18.95
BEVEL SIDING						
Bevel Siding, A..........	....	....	....	....	....	....
" B..........	....	....	....	....	....	....
" B and Better..........	28.93	25.50	30.00	....	28.85	26.22
" No. 1 Common..........	28.25[2]	28.00	24.82	21.93	24.69	27.05
" No. 2 "	18.25	....	13.30	14.50	14.42	13 66

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	33.36	33.90	34.40	37.00	33.63	33.57
“ “ No. 1 Common	29.56	28.62	28.68	30.76	29.11	29.67
“ “ No. 2 “	16.46	16.02	19.30	19.65	17.76	17.56
“ “ No. 3 “	....	....	11.18	10.47	10.71	9.76
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	41.27	39.96	41.92	47.50[1]	41.30	43.10
1x 6 inch, “	43.46	41.68	43.36	....	43.25	44.56
1x 8 inch, “	43.18	43.42	44.14	47.00[1]	43.41	44.40
1x 5 and 10 inch, “	46.36	45.74	46.66	48.00[1]	46.38	47.80
1x12 inch, “	47.07	45.80	48.59	55.00[1]	47.30	48.25
1¼x4 to 12 inch, “	55.13	54.40	51.58	59.50[1]	53.28	54.45
1½ and 2x4 to 12 inch, “	54.63	52.00	53.54	....	53.96	55.27
1⅝ inch, “	50.09	55.00	....	50.00[2]	54.14	45.80
1x 6 to 12 inch, “	....	....	47.81[2]	42.78	42.78	50.00
1x 4 inch, C	37.14	36.00	41.00	....	37.28	38.43
1x 6 inch, “	37.81	38.00	48.00[1]	40.00[2]	37.82	35.88
1x 8 inch, “	40.35	37.00	44.00	40.00[2]	40.37	36.38
1x 5 and 10 inch, “	41.79	41.00	49.34	45.00[2]	42.07	39.39
1x12 inch, “	42.83	43.33	48.00	45.00[2]	43.03	40.20
1¼x4 to 12 inch, “	53.00[1]	....	....	....	53.00[1]	53.00
1½ and 2x4 to 12 inch, “	45.25	....	56.50[1]	....	45.25	43.32
1⅝ inch, “	....	42.00	....	....	42.00	....
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	38.00	37.50	43.00[2]	40.25[1]	37.85	40.25
1x 6 inch, “ “	40.63	40.41	39.14	40.71[1]	40.26	41.41
1x 8 inch, “ “	42.01	43.16	39.33	41.89[1]	41.81	43.29
1x 5 and 10 inch, “ “	43.96	49.50	53.03	44.23[1]	51.49	46.66
1x12 inch, “ “	44.29	49.50	49.45	53.17[1]	45.94	45.80
1¼x4 to 12 inch, “ “	52.34	58.00	48.31	....	51.31	52.75
1½ and 2x4 to 12 inch, “ “	55.50	57.50[1]	51.43	60.00[2]	51.52	52.48
1⅝ inch, “ “	....	....	....	....	....	....
1x 6 to 12 inch, “ “	....	....	....	41.73[1]	41.73[1]	41.73
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	51.40	47.39	56.34	60.50[3]	52.04	52.32
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	52.12	47.52	58.85	....	53.78	52.29
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	56.33	68.00[3]	65.02	....	61.39	66.32
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	41.00[1]	....	35.00[2]	....	41.00[1]	41.00
“ “ “ “ “ 8 ft.	29.50	33.00[1]	75.00[1]	....	29.50	52.09
“ “ “ “ “ 12 and 14 ft.	....	36.50[1]	....	....	36.50[1]	36.50
“ “ “ “ “ 16 ft.	43.00[2]	36.50[1]	....	....	36.50[1]	36.50
“ “ “ “ “ 9 or 18 ft.	38.22	52.00[1]	39.50	....	38.33	50.17
“ “ “ “ “ 10 or 20 ft.	32.75	40.00[2]	75.00[1]	....	32.75	75.00

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	26.50[1]	25.14[2]	....	....	26.50[1]	26.50
" " " " " 8 ft.	29.50[1]	13.97[1]	....	....	17.35[1]	17.35
" " " " " 12 and 14 ft.	29.50[1]	....	....	....	29.50[1]	29.50
" " " " " 16 ft.	29.50[1]	....	....	....	29.50[1]	29.50
" " " " " 9 or 18 ft.	37.00	29.50	36.50[3]	....	30.06	33.71
" " " " " 10 or 20 ft.	27.00	30.82[1]	....	28.00[3]	27.00	31.05
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	26.64	25.14[2]	....	....	26.64	25.14[1]
" " " " " 8 ft.	32.25	13.97[1]	....	....	32.25	29.50
" " " " " 12 and 14 ft.	30.25[1]	....	....	....	30.25[1]	30.25
" " " " " 16 ft.	26.50	....	....	....	26.50	....
" " " " " 9 or 18 ft.	....	29.50	....	....	29.50	34.53
" " " " " 10 or 20 ft.	28.17	30.82[1]	....	28.00[3]	28.17	32.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	14.05	14.00	....	....	14.03	14.42
" " " " " 10 to 20 ft.	14.90	15.22[1]	....	....	14.90	15.09
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	34.00[2]	....	....	....	34.00[2]	34.00[1]
" " " " 1¾ inch, 10 & 20 ft.	34.00[2]	....	....	....	34.00[2]	34.00[1]
" " " " 2 to 3 inch, 9 & 18 ft.	....	30.00[1]	....	....	30.00[1]	30.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	30.24[2]	....	....	....	30.24[2]	30.24[1]
" " " 1¾ inch, 10 & 20 ft	30.24[2]	....	....	....	30.24[2]	34.24[1]
" " " 2 to 3 inch, 9 & 18 ft.	....	25.86[1]	30.00	....	30.00	27.55
" " " 2 to 3 inch 10 & 20 ft.	....	27.50	30.00	....	27.50	27.55
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	16.50	18.00[2]	16.50	18.00[1]
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	18.00[2]	18.00[2]	18.00[1]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	25.74	....	....	....	25.74	26.50
" " " " other lengths.	27.04	28.50	29.51	34.53[1]	27.67	29.61
" " 1x10, " 14 and 16 ft.	26.48	29.25[1]	....	....	26.48	29.59
" " " " other lengths.	27.44	27.00	31.80	36.50[1]	27.48	31.46
" " 1x12, " 14 and 16 ft.	33.43	30.00[1]	35.00[3]	....	33.43	33.06
" " " " other lengths.	32.98	34.63	32.61	41.00[1]	33.30	33.17
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	16.40	16.91	16.79	16.15	16.64	15.86
" " 1x10, " "	17.25	15.86	17.24	17.15	17.09	16.75
" " 1x12, " "	18.74	17.79	18.75	18.62	18.51	18.25
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	10.82	11.05	12.21	11.00	11.13	11.14
" " 1x10, " "	10.84	11.69	12.98	13.50[2]	11.51	11.31
" " 1x12, " "	11.08	11.89	12.53	12.25[1]	11.89	11.40
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	26.21	....	36.75	....	26.83	28.07
" " " other lengths.	26.63	27.04	31.17	28.00[3]	27.49	29.09
" 1x10, " 14 and 16 ft.	29.00	32.00[2]	45.00[3]	....	29.00	27.00
" " " other lengths.	28.71	28.00	31.48[1]	33.00[3]	28.65	28.31
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	17.06	16.51	17.16	15.86	16.92	16.92
" 1x10, " "	16.76	17.15	17.12	15.85	16.85	16.40
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	11.55	11.05	12.03	12.00	11.64	10.74
" 1x10, " "	10.56	11.40	11.34	10.76	10.97	11.48
" 1x12, " "	12.24	9.79[1]	....	....	12.24	10.05
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	29.10	....	....	....	29.10	32.00
" " " " other lengths.	30.60	31.75	....	....	30.83	32.69
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	7.38[1]	....	9.00	....	9.00	8.46

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 31
1x4, S 1 S, No. 1, 16 ft.	28.81	26.50[1]	....	....	28.81	28.40
" " " other lengths	27.71	27.00	27.30	....	27.55	27.55
" " No. 2, all lengths	11.21	11.48	15.86	13.22[1]	11.72	11.36
" " No. 3, "	9.03	9.07	9.05	....	9.05	9.27
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	27.75	....	....	....	27.75	27.00
" " No. 2, all lengths	11.54	....	....	....	11.54	13.96
" " No. 3, "	14.00[3]	....	....	....	14.00[3]	14.00[2]
1x6, S 1 S, No. 1, 16 ft.	27.43	29.00[1]	42.50[1]	....	27.43	29.14
" " " other lengths	27.48	28.15	29.83	30.31	28.82	28.86
" " No. 2, all lengths	15.38	15.51	16.58	18.33	16.05	15.15
" " No. 3, "	9.95	10.27	10.26	11.50[1]	10.10	10.64
1x6, C. M., No. 1, 16 ft.	27.75	....	....	....	27.75	25.81
" " " other lengths	27.65	25.92	....	27.33[1]	27.55	27.30
" " No. 2, all lengths	14.79	15.38	....	16.71	15.21	14.84
" " No. 3. "	8.98	10.12	....	9.20	9.29	10.01
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	22.33	20.12	21.30	....	21.27	19.65
" " " 12 ft.	21.31	19.58	20.52	....	20.06	20.01
" " " 14 ft.	21.49	19.54	20.36	25.00[2]	20.73	19.71
" " " 16 ft.	22.25	21.49	21.05	15.00	21.71	20.72
" " " 18 ft.	23.35	21.56	21.42	15.00	22.06	21.53
" " " 20 ft.	23.77	21.44	21.42	28.50[1]	22.32	22.59
" " " 22 ft.	24.28	22.24	24.00	....	22.82	23.28
" " " 24 ft.	24.59	22.90	24.00	....	23.45	23.41
2x 6, No. 1, S 1 S 1 E, 10 ft.	20.13	18.42	19.78	....	19.71	18.79
" " " 12 ft.	19.34	18.15	18.28	19.50[1]	18.73	17.82
" " " 14 ft.	19.51	17.71	18.28	19.50[1]	18.93	18.11
" " " 16 ft.	20.67	18.88	19.65	....	20.02	18.42
" " " 18 ft.	21.07	19.68	19.78	....	20.59	19.43
" " " 20 ft.	21.27	19.58	19.78	....	20.71	19.19
" " " 22 ft.	22.85	21.34	22.50	....	22.31	21.67
" " " 24 ft.	22.93	22.23	22.50	....	22.51	22.59
2x 8, No. 1, S 1 S 1 E, 10 ft.	19.53	20.40	21.51	23.00	21.37	20.34
" " " 12 ft.	19.73	19.90	18.25	....	19.09	19.06
" " " 14 ft.	20.38	19.83	18.33	22.00[2]	19.33	18.76
" " " 16 ft.	21.62	20.89	20.74	24.00[2]	21.22	19.39
" " " 18 ft.	21.63	21.97	21.51	....	21.72	21.04
" " " 20 ft.	21.96	21.79	21.51	28.00[2]	21.89	19.85
" " " 22 ft.	22.63	21.95	23.54	....	22.88	22.00
" " " 24 ft.	22.69	22.67	23.54	....	22.68	22.76
2x10, No. 1, S 1 S 1 E, 10 ft.	21.36	21.80	22.69	....	21.83	23.67
" " " 12 ft.	21.29	20.81	20.01	21.50[1]	20.48	20.23
" " " 14 ft.	21.25	20.88	20.01	....	21.14	19.62
" " " 16 ft.	22.47	23.59	20.64	....	22.69	21.14
" " " 18 ft.	22.73	23.22	22.69	....	23.00	22.11
" " " 20 ft.	22.18	23.11	22.69	28.00[2]	22.62	22.81
" " " 22 ft.	24.75	23.97	24.38	....	24.17	23.35
" " " 24 ft.	25.95[1]	24.19	24.38	....	24.19	23.87
2x12, No. 1, S 1 S 1 E, 10 ft.	25.15	24.00	24.99	....	24.99	22.87
" " " 12 ft.	22.86	23.16	21.28	23.00[1]	22.59	21.44
" " " 14 ft.	22.23	22.32	21.28	....	22.26	21.22
" " " 16 ft.	24.33	24.23	22.31	....	23.80	22.79
" " " 18 ft.	24.89	23.81	24.99	23.00[1]	24.49	24.04
" " " 20 ft.	24.21	25.33	24.99	....	24.46	23.74
" " " 22 ft.	26.42	26.35	26.02	....	26.23	26.71
" " " 24 ft.	26.34	27.30[1]	26.02	....	26.34	27.39
2x 4, No. 2, S 1 S 1 E, 10 ft.	16.16	15.33	16.50	....	16.04	15.21
" " " 12 ft.	15.67	15.33	16.82	....	15.87	14.96
" " " 14 ft.	15.75	15.15	16.74	....	15.57	14.86
" " " 16 ft.	17.91	16.68	18.61	16.00	17.55	16.14
" " " 18 ft.	18.32	17.30	17.87	19.00	17.85	17.34
" " " 20 ft.	18.15	16.99	17.87	17.95[1]	17.57	17.01
" " " 22 ft.	....	18.00	21.50	....	19.75	21.10
" " " 24 ft.	21.38[1]	18.00	21.50	....	19.75	21.38
2x 6, No. 2, S 1 S 1 E, 10 ft.	15.14	14.00	16.89	....	16.01	15.14
" " " 12 ft.	14.16	13.17	16.16	....	15.00	14.58
" " " 14 ft.	13.95	13.37	16.16	....	13.59	13.13
" " " 16 ft.	15.41	14.68	17.31	15.72[1]	15.97	14.14
" " " 18 ft.	15.37	14.72	16.89	22 50[1]	15.01	14.71
" " " 20 ft.	15.20	15.19	16.89	22.50[1]	15.20	14.34
" " " 22 ft.	18.34	20.75	18.39	....	18.48	18.68
" " " 24 ft.	18.00	20.75	18.39	....	18.00	18.23

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 31
2x8 No. 2, S 1 S 1 E, 10 ft.	15.71	16.00	16.89	....	16.88	15.55
" " " 12 ft.	14.32	16.00	16.21	20.50[1]	15.69	14.29
" " " 14 ft.	14.60	14.95	17.78	20.50[1]	15.58	14.92
" " " 16 ft.	18.83	15.78	17.04	22.50[1]	16.97	16.04
" " " 18 ft.	15.76	16.79	16.89	....	16.07	16.34
" " " 20 ft.	17.73	16.86	16.89	19.00[1]	17.44	16.64
" " " 22 ft.	20.50	20.24[1]	22.14	....	21.50	21.03
" " " 24 ft.	22.00	20.24[1]	22.14	....	22.00	20.25
2x10, No. 2, S 1 S 1 E, 10 ft.	17.17	14.50[1]	18.43	....	18.39	17.66
" " " 12 ft.	16.01	16.00	16.64	....	16.42	16.34
" " " 14 ft.	17.02	15.37	16.64	....	16.15	15.09
" " " 16 ft.	18.98	16.79	18.01	....	17.90	16.74
" " " 18 ft.	19.88	18.83	18.43	....	19.54	15.98
" " " 20 ft.	16.54	18.92	18.43	....	17.62	16.95
" " " 22 ft.	20.00[2]	17.83[1]	23.46[1]	....	23.37[1]	23.37
" " " 24 ft.	15.25[2]	17.83[1]	23.46[1]	....	23.37[1]	23.37
2x12, No. 2, S 1 S 1 E, 10 ft.	17.00	15.75	18.23	....	17.66	17.17
" " " 12 ft.	18.37	15.75	20.56	....	18.87	16.75
" " " 14 ft.	16.18	16.06	20.56	....	16.13	16.48
" " " 16 ft.	19.78	19.32	16.41	....	17.45	18.88
" " " 18 ft.	19.00	20.08	18.23	18.50[1]	19.81	18.44
" " " 20 ft.	21.50	20.50	18.23	....	21.30	17.60
" " " 22 ft.	18.69[2]	20.70[1]	23.19[1]	....	21.98[1]	21.98
" " " 24 ft.	24.00[1]	20.70[1]	23.19[1]	....	24.00[1]	24.00
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	8.42	9.20	....	12.50	10.66	9.18
PATENT LATH						
4 and 6 ft.	12.43	13.15	....	....	12.52	12.64
8 and 10 ft.	13.50	13.83	....	....	13.53	14.80
12 ft. and longer	13.75	....	....	....	13.75	15.82
PLASTERING LATH						
⅜x1½-4, No. 1	3.28	3.41	3.37	2.67	3.32	3.12
" No. 2	1.54	1.80	2.05	2.75[2]	1.84	2.27
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	25.22	27.64	24.17	....	25.05	26.35
" " 22-24 ft.	26.46	30.75	22.61	....	24.85	28.74
" " 26 ft.	33.75	32.00	26.60	....	27.13	33.18
" " 28 ft.	33.75	32.00[3]	26.60	....	33.75	31.17
" " 30 ft.	35.76	33.89[1]	23.82	....	29.85	33.92
" " over 30 ft.	34.66	34.99[1]	23.82	....	34.66	34.44
4x4 to 8x8, Heart (85%+), up to 20 ft.	30.41	30.35	....	....	30.41	30.63
" " " 22-24 ft.	28.48	34.40	....	....	31.30	31.92
" " " 26 ft.	32.00[2]	34.50	....	....	34.50	32.00[1]
" " " 28 ft.	....	34.00	....	....	34.00	36.00
" " " 30 ft.	....	33.00[1]	....	....	33.00[1]	33.00
" " " over 30 ft.	40.00[3]	....	....	....	40.00[3]	40.00[2]
3 & 4x10, No. 1, up to 20 ft.	29.29	30.22	....	....	29.42	29.52
" " 22-24 ft.	28.08[1]	32.39[1]	....	....	28.35[1]	28.35
" " 26 ft.	34.00[1]	34.50[1]	....	....	34.01[1]	34.01
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	31.29[1]	....	....	....	31.29[1]	31.29
" " over 30 ft.	35.50[1]	....	....	....	35.50[1]	35.50
3 & 4x10, Heart (85%+), up to 20 ft.	33.61	35.50	....	....	33.80	36.28
" " " 22-24 ft.	35.14[2]	37.50	....	....	37.50	36.75
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	46.00[3]	....	....	46.00[3]	46.00[2]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 31
6x10, to 10x10, No. 1, up to 20 ft.	31.07	31.00	29.27	....	29.48	28.80
" " 22-24 ft.	33.87	32.54[2]	32.43	....	32.52	29.42
" " 26 ft.	32.62	33.37[1]	31.25	....	31.44	30.44
" " 28 ft.	34.58	31.50[2]	31.25	....	34.58	30.75
" " 30 ft.	39.00	....	30.83	....	36.79	36.67
" " over 30 ft.	33.75	39.75[1]	30.83	....	33.75	35.38
6x10 to 10x10, Heart (85%+), up to 20 ft.	38.28[1]	43.66	....	....	43.66	37.69
" " " 22-24 ft.	....	44.00	....	....	44.00	44.00
" " " 26 ft.	....	37.00[1]	....	....	37.00[1]	37.00
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	40.00	50.00[1]	....	....	40.00	50.00
3 & 4x12, No 1, up to 20 ft.	35.08	31.13	....	....	33.43	35.75
" " 22 24 ft.	33.34	30.55	....	....	31.60	30.64
" " 26 ft.	32.50[1]	37.00[3]	....	....	32.50[1]	32.50
" " 28 ft.	37.25	38.75[1]	....	....	37.25	38.75
" " 30 ft.	32.50[1]	43.75[3]	....	....	32.50[1]	32.50
" " over 30 ft.	48.50[2]	42.75[1]	....	....	42.75[1]	42.75
3 & 4x12, Heart (85%+), up to 20 ft.	28.02	38.34	....	....	33.91	38.02
" " " 22-24 ft.	37.31	34.25[1]	....	....	37.31	42.86
" " " 26 ft.	45.00[1]	....	....	....	45.00[1]	45.00
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	30.68	31.00	29.17	....	29.52	34.64
" " 22-24 ft.	33.06	35.16[1]	31.38	....	32.14	32.08
" " 26 ft.	33.75	40.00[1]	31.92	....	32.45	31.01
" " 28 ft.	35.44	39.75[1]	31.92	....	35.44	36.24
" " 30 ft.	33.50	41.38[1]	38.00	....	36.88	41.53
" " over 30 ft.	51.60	50.68[3]	45.17	....	51.60	33.68
6x12 to 12x12, Heart (85%+), up to 20 ft.	40.30[1]	38.38	....	....	38.38	37.74
" " " 22-24 ft.	45.00[1]	36.25[1]	....	....	43.32[1]	43.32
" " " 26 ft.	45.40[1]	42.00	....	....	42.00	41.79
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	44.03	46.00	....	....	44.87	50.25
2x14 to 4x14, No. 1, up to 20 ft.	38.00[2]	42.25[2]	....	....	41.38[2]	41.38[1]
" " 22-24 ft.	44.00[2]	37.75	....	....	37.75	44.00[1]
" " 26 ft.	33.00[2]	43.00[3]	....	....	33.00[2]	33.00[1]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	42.00[1]	....	....	42.00[1]	42.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	44.50	....	....	44.50	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	31.00	42.50[2]	47.64	....	40.33	38.55
" " 22-24 ft.	33.70[1]	....	45.01[2]	....	33.70[1]	33.70
" " 26 ft.	33.59[1]	....	49.00[1]	....	34.51[1]	34.51
" " 28 ft.	41.50[3]	....	49.00[1]	....	49.00[1]	49.00
" " 30 ft.	....	....	....	....	....	48.00[3]
" " over 30 ft.	42.00	44.00[1]	62.06[1]	....	42.00	35.13
6x14 to 14x14, Heart (85%+), up to 20 ft.	45.00[1]	....	....	....	45.00[1]	45.00
" " " 22-24 ft.	48.00[3]	....	....	....	48.00[3]	48.00[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.71[2]	....	....	....	47.71[2]	47.71[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	36.00	....	....	36.00	....
" " 22-24 ft.	....	38.00	....	....	38.00	44.00[2]
" " 26 ft.	....	38.00	....	....	38.00	46.00[2]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	50.00[2]	....	....	50.00[2]	50.00[1]
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 31
6x16 & Up, No. 1, up to 20 ft.	40.00	48.00[3]	45.00[1]	....	40.00	40.96
" " 22-24 ft.	36.50[1]	....	37.00	....	37.00	36.50
" " 26 ft.	38.75[1]	....	51.09[1]	....	42.26[1]	42.26
" " 28 ft.	50.68[2]	....	51.09[1]	....	51.09[1]	51.09
" " 30 ft.	45.78[2]	....	50.00[2]	....	49.39[2]	49.39[1]
" " over 30 ft.	33.21[1]	....	55.00[2]	....	33.21[1]	33.21
6x16 & Up, Heart (85%+), up to 20 ft.	44.74[1]	....	....	....	44.74[1]	44.74
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	66.98	....	....	....	66.98	69.75[3]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	48.38[2]	53.00[3]	....	....	48.38[2]	48.38[1]
" " 22-24 ft.	....	55.00[3]	....	....	55.00[3]	55.00[2]
" " 26 ft.	....	....	53.00[2]	....	53.00[2]	53.00[1]
" " 28 ft.	48.00	50.00[2]	....	....	48.00	50.64[1]
" " 30 ft.	52.00	....	....	....	52.00	50.00[3]
" " 32 ft.	....	55.00[2]	....	....	55.00[2]	55.00[1]
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	52.00[2]	....	52.00[2]	52.00[1]
" " " 26 ft.	....	....	53.00[3]	....	53.00[3]	53.00[2]
" " " 28 ft.	53.00	....	55.00[3]	....	53.00	53.00
" " " 30 ft.	55.32[1]	....	....	....	55.32[1]	55.32
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	36.25	....	36.25	38.03
" " " 36 ft.	33.75[1]	36.44[1]	36.25	59.00[1]	36.25	38.28
" " " 37-38 ft.	33.75[1]	....	35.50	....	35.50	34.91
" " " 40 ft.	....	45.66[1]	35.00[1]	....	45.66[1]	45.66
" " " 41-42 ft.	....	....	....	44.00[3]	44.00[3]	44.00[2]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	48.00[2]	....	....	48.00[2]	48.00[1]
" " " " 40 ft.	42.00	....	....	....	42.00	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	33.75[1]	33.75[1]	34.00[3]	....	33.75[1]	33.75
" " " 36 ft.	33.75[1]	33.75[1]	34.00[3]	....	33.75[1]	33.75
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	39.00[1]	45.50[1]	....	....	41.56[1]	41.56
" " " 41-42 ft.	....	....	....	....	....	43.50[3]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	44.32[1]	....	44.32[1]	44.32
" " " 36 ft.	33.75[1]	35.78[1]	44.32[1]	59.00[1]	40.65[1]	40.65
" " " 37-38 ft.	....	....	51.06[2]	....	51.06[3]	51.06[2]
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	45.00	....	....	....	45.00	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Jan. 31
Up to 14 inch, Sq. E., 34 ft.	....	....	50.00[2]	....	50.00[2]	50.00[1]
“ “ “ 36 ft.	....	52.00[1]	50.00[2]	58.00	58.00	52.00
“ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ 40 ft.	49.00[1]	....	....	....	49.00[1]	49.00
“ “ “ 41-42 ft.	49.00[1]	....	....	....	49.00[1]	49.00
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	59.00[2]	....	....	59.00[2]	59.00[1]
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	48.00[1]	40.00[1]	....	....	41.00[1]	41.00
“ “ “ 14 ft.	....	47.00[2]	....	....	47.00[2]	47.00[1]
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	28.00[2]	....	....	....	28.00[2]	28.00[1]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	25.52	34.75[1]	....	....	25.52	25.57
“ “ Heart, (85%+), 6x8–8.	35.00	40.00[2]	....	....	35.00	34.65
“ “ Sq. E., “ 7x9–8.	50.30[3]	34.59	....	....	34.59	37.00
“ “ Heart, “ 7x9–8.	....	38.94[3]	....	....	38.94[3]	38.94[2]
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	45.00[3]
“ “ Heart,	....	....	....	....	....	....
Paving Stock, S 1 S.	26.00	26.00[2]	30.00[2]	....	26.00	26.00
“ “ Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	113.00	....	....	....	113.00	115.50
Miscellaneous	30.39	35.84	22.83	17.42	28.37	28.80
MISCELLANEOUS STOCK						
Silo Stock	....	....	29.59[1]	29.50[1]	29.55[1]	29.55
Grain Doors	14.00[3]	....	....	....	14.00[3]	14.00[2]
Miscellaneous, B and B.	51.17	45.00	45.79	51.47[1]	48.55	46.13
“ No. 1	30.38	34.81	22.83	31.73	27.20	26.70
“ No. 2	19.07	17.38	16.93	16.47	16.96	17.02
“ No. 3	8.06	9.95	10.43	9.76	10.16	11.81
Shorts B and B.	49.57	30.00[1]	....	....	49.57	29.46
“ No. 1	10.84	16.02	....	....	10.93	11.95
“ No. 2	....	12.25	12.27	....	12.26	11.49
“ No. 3	....	13.00[2]	10.50	....	10.50	13.00[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

February 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending February 20 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)
DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued March 1, 1921

No. 121

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 10
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	71.53[3]	....	....	....	71.53[3]	71.53[2]
" " B "	....	....	....	....	....	....
" " B and Better "	65.50	....	....	....	65.50	68.42
" " C "	51.50	....	....	....	51.50	47.00
" " D "	36.00	....	....	....	36.00	43.50
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	33.00	....	....	....	33.00	35.00
" " B and Better "	35.69	....	....	....	35.69	38.27
" " C "	....	....	....	....	....	....
" " D "	33.37	....	....	....	33.37	33.61
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	16.77	....	....	....	16.77	16.75
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	91.25	91.25	81.25
Edge Grain, A "	....	....	74.00	88.00[2]	74.00	80.00
" " B "	....	72.00[2]	69.76	....	69.76	75.03
" " B and Better "	....	67.85	....	64.86	66.48	65.52
" " C "	....	....	54.47	50.00	54.15	54.32
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	27.05	24.00[2]	27.05	29.57
Flat " A "	....	....	....	....	....	....
" " B "	....	34.50[1]	....	42.50[1]	39.45[1]	39.45
" " B and Better "	....	35.27	43.12	42.66	42.35	41.74
" " C "	....	44.25[3]	....	....	44.25[3]	44.25[2]
" " D "	....	....	....	....	....	....
No. 1 Common "	....	36.00[2]	32.34	33.92	32.69	31.71
No. 2 " "	....	16.75	19.12	17.01	18.52	16.10
No. 3 " "	....	....	9.50	13.18	12.05	8.00
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	91.25	91.25	....
Edge Grain, A "	56.70	....	68.00	74.00[2]	62.72	73.81[1]
" " B "	....	55.00[1]	51.96	....	51.96	57.51
" " B and Better "	55.26	54.30	54.03[1]	50.25	54.20	56.30
" " C "	43.62	....	42.84	46.50	43.49	37.65
" " D "	36.14[3]	....	....	....	36.14[3]	36.14[2]
" " No. 2 "	....	....	28.19	26.50[1]	28.19	26.74
lat " A "	....	....	....	....	....	46.00[3]
" " B "	33.14	34.50	35.00[1]	....	33.67	34.25
" " B and Better "	34.14	34.43	34.89	35.96	34.48	34.61
" " C "	28.72	30.05	28.04[1]	....	29.00	27.93
" " D "	27.89	26.89	25.27[1]	....	27.64	28.05
No. 1 Common "	....	27.65	29.11	29.90	28.92	29.23
No. 2 " "	16.89	17.28	16.78	16.21	16.78	17.15
No. 3 " "	....	....	9.31	9.65	9.42	9.41
CEILING						
eiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.09	34.50	34.31	41.25[2]	33.66	33.42
" " No. 1 Common	28.00	....	29.71	27.50[2]	29.62	31.40
" " No. 2 "	13.25	....	15.79	....	15.21	16.42
" " No. 3 "	....	....	8.00[1]	....	8.00[1]	8.00
eiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	32.92	32.24	32.62	34.66	32.82	33.94
" " No. 1 Common	27.07	25.48	30.13	30.70	27.83	28.49
" " No. 2 "	14.92	14.77	15.85	17.25	15.40	15.93
" " No. 3 "	....	....	8.50	....	8.50	8.00[1]
eiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.76	40.75[2]	39.03	....	37.90	39.56
" " No. 1 Common	31.55	....	31.20	34.00	31.65	31.05
" " No. 2 "	20.00[2]	....	17.50	....	17.50	20.00[1]
" " No. 3 "	....	....	....	....	....	....
PARTITION						
artition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	38.81	44.00[1]	48.87[3]	45.26	40.74	41.51
" " No. 1 Common	35.75	31.70[1]	40.00[3]	40.00	37.64	33.24
" " No. 2 "	16.75[1]	....	21.68[3]	20.00[2]	16.75[1]	16.75
artition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	45.92	42.50	40.37	49.00[2]	41.55	38.87
" " No. 1 Common	28.25	28.50	34.54	....	34.18	34.59
" " No. 2 "	15.75	....	17.30	....	17.28	18.55
BEVEL SIDING						
evel Siding, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" B and Better	32.59	27.96	30.00[1]	....	30.80	28.85
" No. 1 Common	28.25[3]	28.00	23.52	21.93[1]	24.00	24.69
" No. 2 "	18.25[1]	11.50	14.33	14.50[1]	12.76	14.42

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.48	33.34	34.81	38.28	34.02	33.63
" " No. 1 Common	28.47	28.88	29.57	30.87	29.27	29.11
" " No. 2 "	15.93	16.34	18.39	17.75	17.30	17.76
" " No. 3 "	....	....	11.87	10.47[1]	11.87	10.71
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	41.09	41.31	42.86	47.50[2]	41.36	41.30
1x 6 inch, "	43.24	42.99	47.45	....	43.91	43.25
1x 8 inch, "	43.32	42.32	45.49	47.00[2]	43.69	43.41
1x 5 and 10 inch, "	46.91	45.64	48.16	48.00[2]	46.92	46.38
1x12 inch, "	47.37	45.43	51.28	55.00[2]	47.96	47.30
1¼x4 to 12 inch, "	56.12	51.50	54.00	59.50[2]	54.62	53.28
1½ and 2x4 to 12 inch, "	55.82	55.07	55.08	....	55.27	53.96
1⅝ inch, "	47.36	48.50	....	50.00[3]	47.38	54.14
1x 6 to 12 inch, "	....	....	47.81[3]	44.00	44.00	42.78
1x 4 inch, C	34.60	35.50	34.00	....	35.01	37.28
1x 6 inch, "	36.20	37.80	40.00	40.00[3]	37.05	37.82
1x 8 inch, "	37.12	36.50	34.00	40.00[3]	36.40	40.37
1x 5 and 10 inch, "	41.45	40.87	26.16	45.00[3]	39.32	42.07
1x12 inch, "	39.37	44.00	39.00	45.00[3]	39.80	43.03
1¼x4 to 12 inch, "	53.03	....	....	....	53.03	53.00[1]
1½ and 2x4 to 12 inch, "	43.70	....	49.00	....	44.89	45.25
1⅝ inch, "	....	42.00[1]	....	....	42.00[1]	42.00
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	42.75	42.50	43.00[3]	40.25[2]	42.63	37.85
1x 6 inch, " "	39.98	41.00	42.62	40.71[2]	41.62	40.26
1x 8 inch, " "	39.60	40.67	42.32	41.89[2]	41.30	41.81
1x 5 and 10 inch, " "	39.28	41.41	47.56	44.23[2]	42.64	51.49
1x12 inch, " "	46.43	41.41	55.48	53.17[2]	47.52	45.94
1¼x4 to 12 inch, " "	52.34[1]	45.17	54.05	60.00	52.06	51.31
1½ and 2x4 to 12 inch, " "	58.75	52.50	52.30	59.90	54.24	51.52
1⅝ inch, " "	....	45.90	....	40.43	43.51	....
1x 6 to 12 inch, " "	....	....	....	41.73[2]	41.73[2]	41.73[1]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	50.43	49.79	54.40	....	51.02	52.04
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	51.06	50.77	54.60	....	52.13	53.78
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	58.56	50.60	55.13	....	54.72	61.39
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	34.50	33.14	40.00	....	34.19	41.00[1]
" " " " " 8 ft.	29.44	31.41	75.00[2]	....	30.46	29.50
" " " " " 12 and 14 ft.	44.00	36.50[2]	....	....	44.00	36.50[1]
" " " " " 16 ft.	29.00	36.50[2]	....	....	29.00	36.50[1]
" " " " " 9 or 18 ft.	36.47	37.00	37.83	37.00	36.76	38.33
" " " " " 10 or 20 ft.	32.93	40.00[3]	75.00[2]	....	32.93	32.75

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	26.50[2]	26.50	....	....	26.50	26.50[1]
" " " " " 8 ft.	29.50[2]	13.97[2]	....	....	17.35[2]	17.35[1]
" " " " " 12 and 14 ft.	29.50[2]	....	....	....	29.50[2]	29.50[1]
" " " " " 16 ft.	29.50[2]	26.25	....	....	26.25	29.50[1]
" " " " " 9 or 18 ft.	37.00[1]	29.50[1]	....	....	30.06[1]	30.06
" " " " " 10 or 20 ft.	33.00	27.58	....	....	28.16	27.00
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	26.62	26.50	....	27.50	26.62	26.64
" " " " " 8 ft.	32.25[1]	13.97[2]	....	....	32.25[1]	32.25
" " " " " 12 and 14 ft.	25.00	....	....	....	25.00	30.25[1]
" " " " " 16 ft.	26.37	26.25	....	27.50	26.54	26.50
" " " " " 9 or 18 ft.	27.75	29.50[1]	....	....	27.75	29.50
" " " " " 10 or 20 ft.	27.45	27.58	....	....	27.45	28.17
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	11.99	13.37	....	....	12.52	14.03
" " " " " 10 to 20 ft.	14.35	15.22[2]	....	....	14.35	14.90
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	34.00[3]	....	....	....	34.00[3]	34.00[2]
" " " " 1¾ inch, 10 & 20 ft.	34.00[3]	....	....	....	34.00[3]	34.00[2]
" " " " 2 to 3 inch, 9 & 18 ft.	....	33.00	32.00	....	32.55	30.00[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	32.00[3]	32.00	....	32.00	32.00[2]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	27.77	....	....	....	27.77	30.24[2]
" " " 1¾ inch, 10 & 20 ft	27.77	....	....	....	27.77	30.24[2]
" " " 2 to 3 inch, 9 & 18 ft	31.00	25.86[2]	29.58	....	30.08	30.00
" " " 2 to 3 inch 10 & 20 ft.	31.00	29.25	29.58	30.00	29.71	27.50
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	16.50[1]	18.00[3]	16.50[1]	16.50
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	18.00[3]	18.00[3]	18.00[2]
BOARDS, SHIPLAP AND GROOVED ROOFING						
oards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	26.72	....	....	....	26.72	25.74
" " " " other lengths.	27.81	26.81	32.83	34.50	29.39	27.67
" " 1x10, " 14 and 16 ft.	27.78	29.25[2]	30.50	....	29.06	26.48
" " " " other lengths.	27.72	27.35	33.58	36.50	30.26	27.48
" " 1x12, " 14 and 16 ft.	32.95	30.00	....	....	32.55	33.43
" " " " other lengths.	34.58	31.61	35.10	35.36	33.55	33.30
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	16.15	16.20	16.85	16.77	16.54	16.64
" " 1x10, " "	17.85	16.56	17.36	18.15	17.58	17.09
" " 1x12, " "	18.60	18.06	18.43	17.58	18.31	18.51
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	10.37	10.51	11.77	11.29	10.95	11.13
" " 1x10, " "	10.81	9.30	11.76	13.25	11.10	11.51
" " 1x12, " "	11.01	11.15	12.08	12.25[2]	11.51	11.89
hiplap, 1 x 8, No. 1, 14 and 16 ft.	27.50	....	36.75[1]	....	27.50	26.83
" " " other lengths.	26.88	27.19	30.69	24.00	27.58	27.49
" 1x10, " 14 and 16 ft.	27.79	32.00[3]	37.50	....	28.48	29.00
" " " other lengths.	29.12	26.95	29.42	....	27.88	38.65
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
hiplap, 1x 8, No. 2, all lengths	17.07	16.58	17.51	17.01	17.24	16.92
" 1x10, " "	17.17	16.92	16.91	17.82	17.03	16.85
" 1x12, " "	....	....	....	....	....	....
hiplap, 1x 8, No. 3, all lengths	11.13	11.05	12.62	11.50	11.73	11.64
" 1x10, " "	11.24	12.41	12.51	11.50	12.01	10.97
" 1x12, " "	12.80	9.79[2]	....	....	12.80	12.24
rooved Roofing, 1x10, No. 1, 14 and 16 ft.	29.83	....	....	....	29.83	29.10
" " " " other lengths.	29.48	27.50	....	....	28.68	30.83
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
ll No. 4—all widths and lengths	7.55	....	9.00[1]	....	7.55	9.00

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 10
1x4, S 1 S, No. 1, 16 ft.	27.22	26.50 [2]	....	....	27.22	28.81
" " " other lengths	26.89	25.28	31.44	....	27.60	27.55
" " No. 2, all lengths	11.74	11.00	14.48	18.67	11.74	11.72
" " No. 3, "	8.38	7.47	9.92	....	8.48	9.05
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	27.75 [1]	....	....	....	27.75 [1]	27.75
" " No. 2, all lengths	12.45	....	....	....	12.45	11.54
" " No. 3, "	....	....	....	....	....	14.00 [3]
1x6, S 1 S, No. 1, 16 ft.	27.74	27.83	42.50 [2]	....	27.75	27.43
" " " other lengths	27.63	25.66	32.02	30.31 [1]	28.89	28.82
" " No. 2, all lengths	15.35	15.11	16.80	16.72	15.84	16.05
" " No. 3, "	9.92	9.19	10.62	11.50	10.31	10.10
1x6, C. M., No. 1, 16 ft.	27.62	....	....	....	27.62	27.75
" " " other lengths	26.69	24.46	....	27.33 [2]	25.15	27.55
" " No. 2, all lengths	14.56	15.15	....	15.80	14.78	15.21
" " No. 3. "	8.59	9.69	....	11.83	8.90	9.29
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	22.34	18.78	19.72	....	19.83	21.27
" " " 12 ft.	22.04	18.57	18.64	....	19.04	20.06
" " " 14 ft.	21.59	18.38	19.81	25.00 [3]	19.22	20.73
" " " 16 ft.	23.58	20.51	21.01	15.00 [1]	21.07	21.71
" " " 18 ft.	24.21	21.09	21.66	19.00	21.40	22.06
" " " 20 ft.	23.67	20.75	21.66	28.50 [2]	21.30	22.32
" " " 22 ft.	24.75	22.09	25.07	....	22.47	22.82
" " " 24 ft.	27.66	24.41	25.07	....	24.72	23.45
2x 6, No. 1, S 1 S 1 E, 10 ft.	20.89	15.77	19.01	....	18.10	19.71
" " " 12 ft.	20.05	15.94	18.04	19.50 [2]	17.42	18.73
" " " 14 ft.	19.42	16.02	18.04	19.50 [2]	16.79	18.93
" " " 16 ft.	21.72	17.81	18.01	....	18.45	20.02
" " " 18 ft.	22.03	18.11	19.01	....	19.03	20.59
" " " 20 ft.	21.41	18.17	19.01	....	18.98	20.71
" " " 22 ft.	23.57	19.44	22.39	....	21.14	22.31
" " " 24 ft.	24.95	20.58	22.39	....	21.19	22.51
2x 8, No. 1, S 1 S 1 E, 10 ft.	19.33	18.30	20.68	23.00 [1]	20.37	21.37
" " " 12 ft.	20.33	18.17	18.59	....	18.54	19.09
" " " 14 ft.	20.86	18.18	18.42	22.00 [3]	18.52	19.33
" " " 16 ft.	23.08	17.80	20.25	24.00 [3]	19.43	21.22
" " " 18 ft.	22.12	20.08	20.68	....	20.60	21.72
" " " 20 ft.	22.33	20.19	20.68	28.00 [3]	20.93	21.89
" " " 22 ft.	25.40	21.52	23.73	....	22.07	22.88
" " " 24 ft.	22.30	21.11	23.73	....	21.37	22.68
2x10, No. 1, S 1 S 1 E, 10 ft.	18.75	20.06	21.18	....	21.09	21.83
" " " 12 ft.	21.16	17.88	19.92	21.50 [2]	19.12	20.48
" " " 14 ft.	20.83	17.20	19.92	....	18.29	21.14
" " " 16 ft.	23.30	19.37	20.61	....	20.39	22.69
" " " 18 ft.	23.76	20.57	21.18	....	21.29	23.00
" " " 20 ft.	23.99	20.00	21.18	28.00 [3]	20.59	22.62
" " " 22 ft.	26.80	19.63	23.02	....	21.82	24.17
" " " 24 ft.	27.79	20.81	23.02	....	22.02	24.19
2x12, No 1, S 1 S 1 E, 10 ft.	24.32	21.50	21.76	....	21.88	24.99
" " " 12 ft.	23.75	19.99	21.34	23.00 [2]	21.10	22.59
" " " 14 ft.	23.42	18.85	21.34	....	19.62	22.26
" " " 16 ft.	25.02	20.73	19.15	15.00	20.34	23.80
" " " 18 ft.	26.15	23.08	21.76	23.00 [2]	23.88	24.49
" " " 20 ft.	27.08	21.47	21.76	....	22.96	24.46
" " " 22 ft.	27.47	23.70	26.35	....	25.69	26.23
" " " 24 ft.	31.00	26.75	26.35	....	27.46	26.34
2x 4, No. 2, S 1 S 1 E, 10 ft.	16.21	14.79	16.53	....	15.95	16.04
" " " 12 ft.	16.47	13.55	15.68	....	15.01	15.87
" " " 14 ft.	16.30	13.92	15.43	....	14.91	15.57
" " " 16 ft.	17.34	16.04	16.50	16.00	16.62	17.55
" " " 18 ft.	18.68	17.86	17.09	18.89	17.98	17.85
" " " 20 ft.	18.83	17.74	17.09	17.95 [2]	18.01	17.57
" " " 22 ft.	21.75	19.00	21.50 [1]	....	19.75	19.75
" " " 24 ft.	21.75	19.00	21.50 [1]	....	21.75	19.75
2x 6, No. 2, S 1 S 1 E, 10 ft.	13.61	12.76	16.43	....	15.70	16.01
" " " 12 ft.	13.77	11.84	14.73	....	13.28	15.00
" " " 14 ft.	14.08	12.70	14.73	....	13.35	13.59
" " " 16 ft.	15.86	13.31	15.54	19.50	14.42	15.97
" " " 18 ft.	15.79	13.87	16.43	16.00	14.80	15.01
" " " 20 ft.	16.05	14.27	16.43	22.50 [2]	14.62	15.20
" " " 22 ft.	18.25	17.29	19.49	....	18.91	18.48
" " " 24 ft.	19.75	17.29	19.49	....	19.75	18.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 10
2x 8 No. 2, S 1 S 1 E, 10 ft.	15.22	13.27	16.66	....	16.38	16.88
“ “ “ 12 ft.	15.25	14.40	16.98	20.50 [2]	15.19	15.69
“ “ “ 14 ft.	14.99	13.12	15.11	20.50 [2]	14.17	15.58
“ “ “ 16 ft.	18.37	14.65	15.84	22.50 [2]	16.16	16.97
“ “ “ 18 ft.	19.43	15.89	16.66	....	17.82	16.07
“ “ “ 20 ft.	17.45	16.49	16.66	19.00 [2]	16.91	17.44
“ “ “ 22 ft.	20.50 [1]	19.57	20.34	....	19.98	21.50
“ “ “ 24 ft.	20.75	19.57	20.34	....	20.75	22.00
2x10, No. 2, S 1 S 1 E, 10 ft.	17.58	15.00	17.51	....	17.44	18.39
“ “ “ 12 ft.	15.84	14.93	16.94	15.00	16.03	16.42
“ “ “ 14 ft.	16.61	15.69	16.94	15.00	15.71	16.15
“ “ “ 16 ft.	18.93	16.45	17.08	15.00	17.17	17.90
“ “ “ 18 ft.	17.45	19.70	17.51	....	18.03	19.54
“ “ “ 20 ft.	18.01	15.18	17.51	....	16.01	17.62
“ “ “ 22 ft.	20.50	18.79	20.93	....	20.41	23.37 [1]
“ “ “ 24 ft.	20.50	18.79	20.93	....	20.50	23.37 [1]
2x12. No. 2, S 1 S 1 E, 10 ft.	16.50	14.00	18.00	....	17.23	17.66
“ “ “ 12 ft.	16.09	16.62	16.75	....	16.64	18.87
“ “ “ 14 ft.	17.43	15.96	16.75	16.00	16.36	16.13
“ “ “ 16 ft.	18.44	17.98	16.55	....	17.32	17.45
“ “ “ 18 ft.	19.48	18.41	18.00	19.00	18.98	19.81
“ “ “ 20 ft.	19.41	18.47	18.00	....	19.15	21.30
“ “ “ 22 ft.	20.50	20.75	21.85	....	21.02	21.98 [1]
“ “ “ 24 ft.	24.00 [2]	20.75	21.85	....	21.02	24.00 [1]
No 1. 2x4 to 2x12. 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	8.85	6.97	....	12.50 [1]	7.61	10.66
PATENT LATH						
4 and 6 ft.	11.48	12.47	....	....	11.76	12.52
8 and 10 ft.	12.93	13.83 [1]	....	13.50	13.10	13.53
12 ft and longer	13.97	....	....	....	13.97	13.75
PLASTERING LATH						
⅜x1½-4, No. 1	3.31	3.41	3.18	2.71	3.16	3.32
“ No. 2	1.53	1.80 [1]	1.91	2.91	1.89	1.84
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	25.06	25.38	24.60	....	24.92	25.05
“ “ 22-24 ft.	23.45	27.14	24.69	....	24.04	24.85
“ “ 26 ft.	33.75 [1]	32.00 [1]	24.25	....	24.25	27.13
“ “ 28 ft.	33.75 [1]	36.00	26.13	....	36.00	33.75
“ “ 30 ft.	23.25	41.00	23.82 [1]	....	26.80	29.85
“ “ over 30 ft.	34.66 [1]	42.00	23.82 [1]	....	42.00	34.66
4x4 to 8x8, Heart (85%+), up to 20 ft.	30.12	30.34	....	....	30.26	30.41
“ “ “ 22-24 ft.	33.15	29.94	....	....	32.24	31.30
“ “ “ 26 ft.	32.00 [2]	33.00	....	....	33.00	34.50
“ “ “ 28 ft.	....	35.00	....	....	35.00	34.00
“ “ “ 30 ft.	....	33.00 [2]	....	....	33.00 [2]	33.00 [1]
“ “ “ over 30 ft.	36.91	35.10	....	....	36.08	40.00 [3]
3 & 4x10, No. 1, up to 20 ft.	26.45	33.54	....	....	27.58	29.42
“ “ 22-24 ft.	24.67	29.25	....	....	24.72	28.35 [1]
“ “ 26 ft.	23.91	34.50 [2]	....	....	23.91	34.01 [1]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	37.75	....	....	....	37.75	31.29 [1]
“ “ over 30 ft.	35.50 [2]	....	....	....	35.50 [2]	35.50 [1]
3 & 4x10, Heart (85%+), up to 20 ft.	34.40	35.00	....	....	34.86	33.80
“ “ “ 22-24 ft.	32.50	37.50 [1]	....	....	32.50	37.50
“ “ “ 26 ft	....	....	....	....	....	....
“ “ “ 28 ft	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	46.00 [3]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 10
6x10, to 10x10, No. 1, up to 20 ft.	25.65	30.87	27.90	....	27.70	29.48
" " 22-24 ft.	24.50	31.00	32.83	....	27.44	32.52
" " 26 ft.	24.50	31.00	32.67	....	25.13	31.44
" " 28 ft.	24.50	31.50[3]	32.67	....	24.50	34.58
" " 30 ft.	27.70	....	35.00	....	27.93	36.79
" " over 30 ft.	26.94	39.75[2]	45.00	....	30.09	33.75
6x10 to 10x10, Heart (85%+), up to 20 ft.	33.24	30.00	....	....	32.31	43.66
" " " 22-24 ft.	....	44.00[1]	....	....	44.00[1]	44.00
" " " 26 ft.	....	37.00[2]	....	....	37.00[2]	37.00[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	40.00[1]	46.67	....	....	46.67	40.00
3 & 4x12, No 1, up to 20 ft.	29.30	31.19	....	....	30.10	33.43
" " 22 24 ft.	27.82	31.00	....	....	28.03	31.60
" " 26 ft.	26.50	....	....	....	26.50	32.50[1]
" " 28 ft.	37.25[1]	38.75[2]	....	....	37.25[1]	37.25
" " 30 ft.	32.50[2]	....	....	....	32.50[2]	32.50[1]
" " over 30 ft.	40.00	42.75[2]	....	....	40.00	42.75[1]
3 & 4x12 Heart (85%+), up to 20 ft.	36.49	35.80	....	....	36.08	33.91
" " " 22-24 ft.	37.31[1]	36.75	....	....	36.75	37.31
" " " 26 ft.	45.00[2]	....	....	....	45.00[2]	45.00[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	47.25	....	....	47.25	....
6x12 to 12x12, No. 1, up to 20 ft.	28.27	30.97	31.94	....	31.31	29.52
" " 22-24 ft.	37.38	36.00	34.79	....	35.07	32.14
" " 26 ft.	33.75[1]	36.00	37.54	....	37.07	32.45
" " 28 ft.	32.00	37.00	37.54	....	32.48	35.44
" " 30 ft.	44.33	38.00	40.26	....	40.62	36.88
" " over 30 ft.	42.57	40.00	45.52	....	43.00	51.60
6x12 to 12x12, Heart (85%+), up to 20 ft.	33.00	35.00	....	....	33.84	38.38
" " " 22-24 ft.	45.00[2]	40.00	....	....	40.00	43.32[1]
" " " 26 ft.	45.40[2]	42.00[1]	....	....	42.00[1]	42.00
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	44.03[1]	44.00	....	....	44.00	44.87
2x14 to 4x14, No. 1, up to 20 ft.	41.44	42.50	....	....	41.60	41.38[2]
" " 22-24 ft.	33.05	37.75[1]	....	....	33.05	37.75
" " 26 ft.	31.00	....	....	....	31.00	33.00[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	45.00	....	....	....	45.00	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	40.00	....	....	40.00	42.00[1]
" " " 22-24 ft.	....	40.00	....	....	40.00	....
" " " 26 ft.	....	44.50[1]	....	....	44.50[1]	44.50
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	33.42	36.21	35.86	....	35.50	40.33
" " 22-24 ft.	34.02	41.00	29.00	....	34.12	33.70[1]
" " 26 ft.	31.02	38.33	49.00[2]	....	32.52	34.51[1]
" " 28 ft.	31.00	....	49.00[2]	....	31.00	49.00[1]
" " 30 ft.	....	42.00	44.50	....	43.11	....
" " over 30 ft.	39.00	44.00[2]	60.00	....	48.00	42.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	38.00	....	....	....	38.00	45.00[1]
" " " 22-24 ft.	....	....	....	....	....	48.00[3]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.71[3]	....	....	....	47.71[3]	47.71[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	49.50	36.00[1]	....	....	49.50	36.00
" " 22-24 ft.	51.75	38.00[1]	....	....	51.75	38.00
" " 26 ft.	....	38.00[1]	....	....	38.00[1]	38.00
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	50.00[3]	....	....	50.00[3]	50.00[2]
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 10
6x16 & Up, No. 1, up to 20 ft.	40.00[1]	....	40.55	....	40.55	40.00
" " 22-24 ft.	36.50[2]	....	46.49	....	46.49	37.00
" " 26 ft.	38.75[2]	....	43.65	....	43.65	42.26[1]
" " 28 ft.	50.68[3]	....	51.09[2]	....	51.09[2]	51.09[1]
" " 30 ft.	45.78[3]	....	50.50	....	50.50	49.39[2]
" " over 30 ft.	33.21[2]	....	50.50	....	50.50	33.21[1]
6x16 & Up, Heart (85%+), up to 20 ft.	44.74[2]	....	....	....	44.74[2]	44.74[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	66.98[1]	....	....	....	66.98[1]	66.98
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	43.00	40.00	....	....	42.50	48.38[2]
" " 22-24 ft.	....	....	....	....	....	55.00[3]
" " 26 ft.	....	....	53.00[3]	....	53.00[3]	53.00[2]
" " 28 ft.	48.00[1]	50.00[3]	....	....	48.00[1]	48.00
" " 30 ft.	52.00[1]	....	....	....	52.00[1]	52.00
" " 32 ft.	....	55.00[3]	....	....	55.00[3]	55.00[2]
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	52.00[3]	....	52.00[3]	52.00[2]
" " " 26 ft.	....	....	....	....	....	53.00[3]
" " " 28 ft.	53.00[1]	48.00	....	....	48.00	53.00
" " " 30 ft.	55.32[2]	55.00	....	....	55.00	55.32[1]
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	32.50	....	32.50	36.25
" " " 36 ft.	36.00	36.44[2]	32.50	59.00[2]	36.00	36.25
" " " 37-38 ft.	33.75[2]	....	34.30	....	34.30	35.50
" " " 40 ft.	....	45.66[2]	34.30	....	34.30	45.66[1]
" " " 41-42 ft.	....	....	....	....	....	44.00[3]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	34.25	34.25	....
" " " " 37-38 ft.	....	48.00[3]	....	....	48.00[3]	48.00[2]
" " " " 40 ft.	42.00[1]	....	....	....	42.00[1]	42.00
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	33.75[2]	33.75[2]	39.00	....	39.00	33.75[1]
" " " 36 ft.	33.50	33.75[2]	39.00	....	33.50	33.75[1]
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	39.00[2]	45.50[2]	....	....	41.56[2]	41.56[1]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	34.25	34.25	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	44.32[2]	....	44.32[2]	44.32[1]
" " " 36 ft.	33.75[2]	35.78[2]	44.32[2]	59.00[2]	40.65[2]	40.65[1]
" " " 37-38 ft.	....	....	....	....	....	51.06[3]
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	45.00[1]	....	....	39.82	39.82	45.00
" " " " 37-38 ft.	....	....	....	36.25	36.25	....
" " " " 40 ft	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 10
Up to 14 inch, Sq. E., 34 ft.	....	....	50.00[3]	....	50.00[3]	50.00[2]
" " " 36 ft.	....	52.00[2]	50.00[3]	58.00[1]	58.00[1]	58.00
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	49.00[2]	....	....	....	49.00[2]	49.00[1]
" " " 41-42 ft.	49.00[2]	....	....	....	49.00[2]	49.00[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	59.00[3]	....	41.50	41.50	59.00[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	38.25	38.25	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	48.00[2]	40.00[2]	....	....	41.00[2]	41.00[1]
" " " 14 ft.	....	47.00[3]	....	....	47.00[3]	47.00[2]
" " " 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	28.00[3]	....	....	....	28.00[3]	28.00[2]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	26.58	27.00	....	....	26.75	25.52
" " Heart, (85%+), 6x8–8	31.10	34.75	....	....	31.35	35.00
" " Sq. E., " 7x9–8	....	34.59[1]	....	....	34.59[1]	34.59
" " Heart, " 7x9–8	....	34.50	....	....	34.50	38.94[3]
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	26.00[1]	26.00[3]	30.00[3]	....	26.00[1]	26.00
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	110.50	....	....	....	110.50	113.00
Miscellaneous	28.17	33.21	36.53	17.13	28.57	28.37
MISCELLANEOUS STOCK						
Silo Stock	....	....	46.00	29.50[2]	46.00	29.55[1]
Grain Doors	....	....	....	....	....	14.00[3]
Miscellaneous, B and B	46.24	46.15	44.41	51.47[2]	45.08	48.55
" No. 1	30.17	20.71	21.76	20.00	23.12	27.20
" No. 2	17.19	13.96	16.38	17.60	16.44	16.96
" No. 3	10.17	9.61	10.53	13.55	10.56	10.16
Shorts B and B	29.87	25.37	....	....	27.68	49.57
" No. 1	10.80	18.07	....	....	11.94	10.93
" No. 2	....	10.39	12.27[1]	....	10.39	12.26
" No. 3	....	9.27	10.50[1]	....	9.27	10.50

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	9.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

February 28, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eight days ending February 28 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

.This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the ast report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling, and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued March 10, 1921

No. 122

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	71.53[3]
" " B "	....	....	....	....	....	....
" " B and Better "	68.71	....	....	....	68.71	65.50
" " C "	63.32	....	....	....	63.32	51.50
" " D "	36.00[1]	....	....	....	36.00[1]	36.00
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	35.00	....	....	....	35.00	33.00
" " B and Better "	34.95	....	....	....	34.95	35.69
" " C "	....	....	....	....	....	....
" " D "	34.00	....	....	....	34.00	33.37
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	15.78	....	....	....	15.78	16.77
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	91.25[1]	91.25[1]	91.25
Edge Grain, A "	....	....	80.85	88.00[3]	80.85	74.00
" " B "	....	65.25	67.38	55.31	66.58	69.76
" " B and Better "	....	66.56	....	64.86[1]	66.56	66.48
" " C "	....	47.25	58.02	50.00[1]	57.63	54.15
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	28.83	24.00[3]	28.83	27.05
Flat " A "	....	....	....	....	....	....
" " B "	....	35.59	....	42.50[2]	35.59	39.45[1]
" " B and Better "	....	37.71	39.62	42.66[1]	39.14	42.35
" " C "	....	....	....	....	....	44.25[3]
" " D "	....	....	....	....	....	....
No. 1 Common "	....	35.00	32.47	31.00	32.49	32.69
No. 2 " "	....	17.00	17.73	15.75	17.41	18.52
No. 3 " "	....	....	9.50[1]	8.00	8.00	12.05
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	91.25[1]	91.25[1]	91.25
Edge Grain, A "	56.70[1]	....	63.23	74.00[3]	63.23	62.72
" " B "	....	58.62	61.18	....	60.58	51.96
" " B and Better "	54.70	56.50	54.03[2]	48.00	54.97	54.20
" " C "	50.31	52.00	36.17	46.50[1]	45.02	43.49
" " D "	35.93	....	....	....	35.93	36.14[3]
" " No. 2 "	....	....	23.36	26.50[2]	23.36	28.19
Flat " A "	....	....	....	....	....	....
" " B "	33.16	33.73	35.00[2]	....	33.42	33.67
" " B and Better "	33.80	33.96	33.40	32.90	33.71	34.48
" " C "	28.60	29.45	28.04[2]	....	28.82	29.00
" " D "	27.84	26.00	25.27[2]	....	27.62	27.64
No. 1 Common "	....	26.81	29.38	29.44	28.89	28.92
No. 2 " "	16.36	16.81	16.33	15.43	16.20	16.78
No. 3 " "	....	....	8.94	8.19	8.74	9.42
CEILING						
Ceiling, ½x3¼″, A		....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	32.76	34.50[1]	34.83	33.63	34.14	33.66
" " No. 1 Common	27.99	28.05	29.91	28.47	28.86	29.62
" " No. 2 "	14.75	....	16.65	....	16.49	15.21
" " No. 3 "	....	....	7.00	....	7.00	8.00[1]
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	32.78	33.03	33.85	30.10	33.03	32.82
" " No. 1 Common	27.83	26.22	28.62	28.16	28.07	27.83
" " No. 2 "	14.96	15.02	16.73	18.00	15.85	15.40
" " No. 3 "	....	....	7.95	....	7.95	8.50
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.76[1]	40.75[3]	39.15	....	39.15	37.90
" " No. 1 Common	34.00	....	31.33	34.00[1]	31.60	31.65
" " No. 2 "	20.00[3]	....	18.00	....	18.00	17.50
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	39.50	40.45	....	41.84	40.01	40.74
" " No. 1 Common	35.75[1]	32.43	....	37.58	35.65	37.64
" " No. 2 "	16.75[2]	22.00	....	20.00[3]	22.00	16.75[1]
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	45.23	42.50[1]	39.68	49.00[3]	39.94	41.55
" " No. 1 Common	28.25[1]	28.50	32.81	....	32.81	34.18
" " No. 2 "	15.75[1]	....	18.65	....	18.65	17.28
BEVEL SIDING						
Bevel Siding, A				....	....	....
" B				....	....	....
" B and Better	25.98	27.48	28.75	....	27.10	30.80
" No. 1 Common	22.12	22.54	20.19	22.50	21.11	24.00
" No. 2 "	14.75	15.92	15.00	14.50[2]	15.12	12.76

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	32.73	33.32	31.66	32.39	32.38	34.02
“ “ No. 1 Common	27.23	28.86	29.18	28.70	28.61	29.27
“ “ No. 2 “	16.34	17.20	17.93	17.86	17.37	17.30
“ “ No. 3 “	....	....	10.36	10.47[2]	10.36	11.87
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	40.07	39.57	41.82	45.50	40.38	41.36
1x 6 inch, “	42.13	42.43	42.59	48.12	42.41	43.91
1x 8 inch, “	42.12	43.51	43.31	48.17	42.81	43.69
1x 5 and 10 inch, “	44.60	46.85	47.29	45.20	45.68	46.92
1x12 inch, “	45.84	47.35	46.76	50.75	46.40	47.96
1¼x4 to 12 inch, “	56.99	50.45	54.65	59.50[3]	54.48	54.62
1½ and 2x4 to 12 inch, “	58.46	51.92	53.84	....	54.20	55.27
1⅝ inch, “	45.89	44.89	....	....	45.27	47.38
1x 6 to 12 inch, “	....	....	....	38.33	38.33	44.00
1x 4 inch, C	35.82	33.25	34.00[1]	....	35.06	35.01
1x 6 inch, “	35.06	36.10	36.00	....	35.81	37.05
1x 8 inch, “	38.73	36.82	34.00[1]	....	38.24	36.40
1x 5 and 10 inch, “	41.29	39.17	40.00	....	40.13	39.32
1x12 inch, “	40.72	39.70	41.00	....	40.25	39.80
1¼x4 to 12 inch, “	49.75	....	....	....	49.75	53.03
1½ and 2x4 to 12 inch, “	43.70[1]	....	49.00[1]	....	44.89[1]	44.89
1⅝ inch, “	....	49.00	....	....	49.00	42.00[1]
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	40.93	42.50[1]	52.50	40.25[3]	41.45	42.63
1x 6 inch, “ “	40.12	40.40	39.61	40.71[3]	39.81	41.62
1x 8 inch, “ “	38.50	42.50	39.77	41.89[3]	39.79	41.30
1x 5 and 10 inch, “ “	39.61	42.99	51.36	44.23[3]	44.51	42.64
1x12 inch, “ “	38.50	42.33	54.42	53.17[3]	39.65	47.52
1¼x4 to 12 inch, “ “	56.60	47.77	47.80	60.00[1]	48.89	52.06
1½ and 2x4 to 12 inch, “ “	58.75[1]	47.75	53.73	59.90[1]	52.76	54.24
1⅝ inch, “ “	....	46.82	....	40.43[1]	46.82	43.51
1x 6 to 12 inch, “ “	....	....	....	41.72	41.72	41.73[2]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	50.17	50.54	56.06	....	51.46	51.02
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	50.22	49.02	50.98	....	50.32	52.13
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	57.81	50.60[1]	61.09	....	59.79	54.72
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	34.50[1]	33.00	40.00[1]	....	33.00	34.19
“ “ “ “ “ 8 ft.	32.00	31.41[1]	30.00	....	30.24	30.46
“ “ “ “ “ 12 and 14 ft.	44.00[1]	36.50[3]	....	....	44.00[1]	44.00
“ “ “ “ “ 16 ft.	40.00	36.50[3]	....	....	40.00	29.00
“ “ “ “ “ 9 or 18 ft.	36.22	34.32	39.00	37.00[1]	36.31	36.76
“ “ “ “ “ 10 or 20 ft.	33.07	33.62	75.00[3]	....	33.34	32.93

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 20
iding, Lining and Roofing, 1x4, No. 1, 5 ft.	26.50[3]	26.50[1]	....	....	26.50[1]	26.50
" " " " " 8 ft.	29.50[3]	22.37	....	....	22.37	17.35[2]
" " " " " 12 and 14 ft.	29.50[3]	29.25	....	....	29.25	29.50[2]
" " " " " 16 ft.	29.50[3]	22.37	....	....	22.37	26.25
" " " " " 9 or 18 ft.	37.00[2]	29.50[2]	....	....	30.06[2]	30.06[1]
" " " " " 10 or 20 ft.	27.67	29.25	....	....	27.67	28.16
iding, Lining and Roofing, 1x6, No. 1, 5 ft.	26.62[1]	26.50[1]	....	27.50[1]	26.62[1]	26.62
" " " " " 8 ft.	32.25[2]	22.37	....	....	22.37	32.25[1]
" " " " " 12 and 14 ft.	25.00[1]	29.25	....	....	29.25	25.00
" " " " " 16 ft.	26.37[1]	22.37	....	27.50[1]	22.37	26.54
" " " " " 9 or 18 ft.	27.75[1]	29.50[2]	....	....	27.75[1]	27.75
" " " " " 10 or 20 ft.	29.00	29.25	....	....	29.00	27.45
iding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	13.07	12.66	....	....	12.85	12.52
" " " " " 10 to 20 ft.	13.27	12.81	....	....	13.21	14.35
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	34.00[3]
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	34.00[3]
" " " " 2 to 3 inch, 9 & 18 ft.	....	33.00[1]	32.00[1]	....	32.55[1]	32.55
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	32.00[1]	....	32.00[1]	32.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	27.77[1]	....	....	....	27.77[1]	27.77
" " " 1¾ inch, 10 & 20 ft	27.77[1]	....	....	....	27.77[1]	27.77
" " " 2 to 3 inch, 9 & 18 ft.	31.00[1]	25.86[3]	27.03	....	27.03	30.08
" " " 2 to 3 inch 10 & 20 ft.	31.00[1]	28.75	27.03	30.00[1]	28.75	29.71
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	26.50	16.50[2]	....	26.50	16.50[1]
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	18.00[3]
BOARDS, SHIPLAP AND GROOVED ROOFING						
oards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	27.15	....	....	....	27.15	26.72
" " " " other lengths.	26.16	27.49	29.74	32.80	28.59	29.39
" " 1x10, " 14 and 16 ft.	27.19	29.25[3]	39.00	....	28.10	29.06
" " " " other lengths.	26.63	27.70	31.16	34.72	29.25	30.26
" " 1x12, " 14 and 16 ft.	35.32	29.93	....	....	34.18	32.55
" " " " other lengths.	33.41	32.53	34.58	38.87	33.68	33.55
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	16.43	16.85	17.03	15.00	16.82	16.54
" " 1x10, " "	16.77	17.43	17.06	18.37	17.05	17.58
" " 1x12, " "	17.97	17.89	18.53	17.41	18.12	18.31
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	10.41	9.89	11.92	12.77	11.06	10.95
" " 1x10, " "	10.85	9.93	11.83	12.03	11.08	11.10
" " 1x12, " "	10.61	11.32	12.32	13.50	12.21	11.51
hiplap, 1 x 8, No. 1, 14 and 16 ft.	26.54	....	36.75[2]	....	26.54	27.50
" " " other lengths.	26.03	27.47	29.66	24.00[1]	27.31	27.58
" 1x10, " 14 and 16 ft.	27.17	....	37.50[1]	....	27.17	28.48
" " " other lengths.	27.56	26.99	26.21	....	27.25	27.88
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
hiplap, 1x 8, No. 2, all lengths.	17.22	16.71	17.62	16.68	17.23	17.24
" 1x10, " "	16.77	17.32	17.37	18.22	17.37	17.03
" 1x12, " "	....	....	....	18.60	18.60	....
hiplap, 1x 8, No. 3, all lengths.	10.70	10.84	11.92	10.79	11.30	11.73
" 1x10, " "	10.86	10.50	10.47	11.75	10.75	12.01
" 1x12, " "	11.92	10.60	....	12.75	11.34	12.80
rooved Roofing, 1x10, No. 1, 14 and 16 ft.	26.98	....	....	....	26.98	29.83
" " " " other lengths.	27.70	27.50[1]	....	....	27.70	28.68
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
ll No. 4—all widths and lengths.	5.28	....	9.00[2]	....	5.28	7.55

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 20
1x4, S 1 S, No. 1, 16 ft.	27.07	26.50[3]	....	....	27.07	27.22
" " " other lengths	25.41	25.15	29.40	31.50	25.93	27.60
" " No. 2, all lengths	11.54	11.29	14.14	17.25	12.08	11.74
" " No. 3, "	9.19	8.24	10.19	....	8.89	8.48
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	27.75[2]	....	....	30.75	30.75	27.75[1]
" " No. 2, all lengths	12.11	....	....	18.50	13.00	12.45
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	27.30	27.83[1]	42.50[3]	....	27.30	27.75
" " " other lengths	26.17	26.35	30.13	31.50	27.53	28.89
" " No. 2, all lengths	15.20	15.22	16.66	17.94	15.82	15.84
" " No. 3, "	10.17	9.91	11.27	10.93	10.56	10.31
1x6, C. M., No. 1, 16 ft.	28.09	22.00	....	....	22.71	27.62
" " " other lengths	25.83	27.11	....	27.33[3]	26.42	25.15
" " No. 2, all lengths	13.48	15.54	....	16.13	14.01	14.78
" " No. 3. "	8.84	8.99	....	11.03	10.01	8.90
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	23.07	18.72	20.22	....	19.62	19.83
" " " 12 ft.	22.22	19.88	20.00	....	20.33	19.04
" " " 14 ft.	22.38	19.47	19.84	....	20.08	19.22
" " " 16 ft.	23.33	21.35	20.77	21.00	21.72	21.07
" " " 18 ft.	24.19	21.84	21.38	19.00[1]	22.12	21.40
" " " 20 ft.	23.87	22.62	21.38	28.50[3]	23.14	21.30
" " " 22 ft.	26.35	21.98	21.45	....	22.48	22.47
" " " 24 ft.	26.86	22.55	21.45	....	22.83	24.72
2x 6, No. 1, S 1 S 1 E, 10 ft.	19.98	16.79	19.44	....	18.89	18.10
" " " 12 ft.	19.54	17.30	18.02	19.50[3]	17.94	17.42
" " " 14 ft.	18.88	17.38	18.02	19.50[3]	18.01	16.79
" " " 16 ft.	20.45	17.94	18.25	....	18.63	18.45
" " " 18 ft.	21.40	18.27	19.44	....	19.21	19.03
" " " 20 ft.	21.60	17.32	19.44	....	18.26	18.98
" " " 22 ft.	23.76	20.17	22.89	....	21.19	21.14
" " " 24 ft.	23.55	20.35	22.89	....	20.76	21.19
2x 8, No. 1, S 1 S 1 E, 10 ft.	21.26	18.83	19.83	23.00[2]	19.92	20.37
" " " 12 ft.	20.61	19.26	19.71	....	19.72	18.54
" " " 14 ft.	20.36	19.22	19.17	....	19.53	18.52
" " " 16 ft.	21.13	21.49	20.50	....	20.99	19.43
" " " 18 ft.	22.38	22.19	20.50	....	22.30	20.60
" " " 20 ft.	22.71	22.63	20.50	....	22.67	20.93
" " " 22 ft.	25.25	20.25	24.57	....	21.13	22.07
" " " 24 ft.	24.82	20.73	24.57	....	20.93	21.37
2x10, No. 1, S 1 S 1 E, 10 ft.	23.13	18.37	21.80	....	21.19	21.09
" " " 12 ft.	23.15	19.42	20.32	21.50[3]	20.50	19.12
" " " 14 ft.	22.72	18.93	20.32	....	19.71	18.29
" " " 16 ft.	24.62	22.24	21.03	....	22.23	20.39
" " " 18 ft.	25.08	23.32	21.80	....	23.99	21.29
" " " 20 ft.	24.23	22.80	21.80	....	22.92	20.59
" " " 22 ft.	27.25	25.63	23.72	....	25.49	21.82
" " " 24 ft.	27.70	24.73	23.72	....	25.31	22.02
2x12, No. 1, S 1 S 1 E, 10 ft.	25.18	20.75	23.05	29.50	22.32	21.88
" " " 12 ft.	24.00	23.41	21.82	23.00[3]	22.69	21.10
" " " 14 ft.	23.53	22.55	21.82	....	22.90	19.62
" " " 16 ft.	25.33	23.63	19.37	15.00[1]	20.89	20.34
" " " 18 ft.	25.54	24.66	23.05	23.00[3]	24.81	23.88
" " " 20 ft.	26.60	25.96	23.05	....	26.15	22.96
" " " 22 ft.	27.72	28.82	27.43	....	28.18	25.69
" " " 24 ft.	28.35	29.03	27.43	....	28.78	27.46
2x 4, No. 2, S 1 S 1 E, 10 ft.	16.88	15.56	16.07	....	15.90	15.95
" " " 12 ft.	16.44	15.20	15.60	18.92	15.94	15.01
" " " 14 ft.	16.70	15.27	16.45	....	16.01	14.91
" " " 16 ft.	18.31	16.91	16.81	16.25	17.19	16.62
" " " 18 ft.	19.18	18.04	17.57	18.09	18.03	17.98
" " " 20 ft.	18.76	17.64	17.57	17.95[3]	17.98	18.01
" " " 22 ft.	21.75[1]	17.65	21.50[2]	....	17.65	19.75
" " " 24 ft.	21.75[1]	17.65	21.50[2]	....	17.65	21.75
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.73	13.29	16.17	....	15.55	15.70
" " " 12 ft.	14.98	13.12	14.08	....	13.91	13.28
" " " 14 ft.	15.17	13.04	14.08	....	13.56	13.35
" " " 16 ft.	16.49	13.52	15.29	19.50[1]	14.71	14.42
" " " 18 ft.	16.10	15.05	16.17	16.60	15.55	14.80
" " " 20 ft.	15.83	14.87	16.17	17.50	15.23	14.62
" " " 22 ft.	18.25[1]	15.58	20.09	....	17.64	18.91
" " " 24 ft.	19.75[1]	15.58	20.09	....	17.64	19.75

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 20
2x 8 No. 2, S 1 S 1 E, 10 ft.	16.83	12.85	16.90	....	16.05	16.38
" " " 12 ft.	15.75	14.08	15.80	20.50[3]	15.05	15.19
" " " 14 ft.	15.61	13.70	16.93	20.50[3]	14.50	14.17
" " " 16 ft.	17.36	16.10	16.10	17.25	16.52	16.16
" " " 18 ft.	17.51	16.38	16.90	17.25	17.00	17.82
" " " 20 ft.	17.62	15.66	16.90	19.00[3]	16.36	16.91
" " " 22 ft.	20.50[2]	17.10	20.77	17.75	19.61	19.98
" " " 24 ft.	20.75[1]	17.10	20.77	....	19.66	20.75
2x10, No. 2, S 1 S 1 E, 10 ft.	20.46	14.08	18.67	....	18.00	17.44
" " " 12 ft.	17.33	13.95	17.51	15.00[1]	16.16	16.03
" " " 14 ft.	17.67	14.50	17.51	15.00[1]	15.51	15.71
" " " 16 ft.	19.10	16.39	17.75	18.75	17.44	17.17
" " " 18 ft.	19.51	17.86	18.67	....	18.92	18.03
" " " 20 ft.	19.62	17.63	18.67	....	18.86	16.01
" " " 22 ft.	20.50[1]	17.07	20.93[1]	....	17.07	20.41
" " " 24 ft.	20.50[1]	17.07	20.93[1]	....	17.07	20.50
2x12, No. 2, S 1 S 1 E, 10 ft.	18.91	14.00	19.48	19.25	19.00	17.23
" " " 12 ft.	17.48	15.54	16.87	....	16.10	16.64
" " " 14 ft.	17.58	19.34	16.87	16.00[1]	18.44	16.36
" " " 16 ft.	20.72	18.49	15.18	....	16.85	17.32
" " " 18 ft.	21.74	20.30	19.48	19.00[1]	20.72	18.98
" " " 20 ft.	20.83	20.28	19.48	....	20.47	19.15
" " " 22 ft.	20.50[1]	20.75[1]	21.85[1]	....	21.02[1]	21.02
" " " 24 ft.	24.00[3]	20.75[1]	21.85[1]	....	21.02[1]	21.02
No 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	8.91	8.14	....	8.00	8.52	7.61
PATENT LATH						
4 and 6 ft.	10.77	10.70	....	....	10.72	11.76
8 and 10 ft.	12.37	12.53	....	13.50[1]	12.41	13.10
12 ft. and longer	13.93	10.50	....	....	13.63	13.97
PLASTERING LATH						
⅜x1½-4, No. 1	3.31	3.40	3.19	3.30	3.28	3.16
" No. 2	1.53	1.63	1.81	1.60	1.69	1.89
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	24.46	24.72	23.73	....	24.06	24.92
" " 22-24 ft.	26.46	26.28	25.35	....	25.80	24.04
" " 26 ft.	33.75[2]	29.00	29.75	....	29.67	24.25
" " 28 ft.	33.75[2]	36.00[1]	29.75	....	29.75	36.00
" " 30 ft.	23.25[1]	41.00[1]	30.52	....	30.52	26.80
" " over 30 ft.	31.00	42.00[1]	33.00	....	31.00	42.00
4x4 to 8x8 Heart (85%+), up to 20 ft.	25.03	30.66	....	....	28.21	30.26
" " " 22-24 ft.	29.72	31.42	....	....	30.61	32.24
" " " 26 ft.	30.50	31.00	....	....	30.75	33.00
" " " 28 ft.	....	35.00[1]	....	....	35.00[1]	35.00
" " " 30 ft.	....	33.00[3]	....	....	33.00[3]	33.00[2]
" " " over 30 ft.	36.91[1]	35.10[1]	....	....	36.08[1]	36.08
3 & 4x10, No. 1, up to 20 ft.	27.00	25.66	....	....	26.79	27.58
" " 22-24 ft.	28.44	29.25[1]	....	....	28.44	24.72
" " 26 ft.	23.91[1]	34.50[3]	....	....	23.91[1]	23.91
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	37.75[1]	....	....	....	37.75[1]	37.75
" " over 30 ft.	35.50[3]	....	....	....	35.50[3]	35.50[2]
3 & 4x10, Heart (85%+), up to 20 ft.	31.23	35.72	....	....	32.37	34.86
" " " 22-24 ft.	32.00	36.00	....	....	32.82	32.50
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 20
6x10, to 10x10, No. 1, up to 20 ft.	28.13	26.21	30.02	....	29.83	27.70
" " 22-24 ft.	29.23	30.00	30.93	....	29.87	27.44
" " 26 ft.	24.50[1]	31.00[1]	31.70	....	31.70	25.13
" " 28 ft.	24.50[1]	....	31.70	....	31.70	24.50
" " 30 ft.	27.70[1]	31.00	35.50	....	32.80	27.93
" " over 30 ft.	26.94[1]	39.75[3]	42.73	....	42.73	30.09
6x10 to 10x10, Heart (85%+), up to 20 ft.	28.63	34.00	....	....	29.50	32.31
" " " 22-24 ft.	32.75	44.00[2]	....	....	32.75	44.00[1]
" " " 26 ft.	....	37.00[3]	....	....	37.00[3]	37.00[2]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	40.00[2]	46.67[1]	....	....	46.67[1]	46.67
3 & 4x12, No 1, up to 20 ft.	25.74	30.69	....	....	29.02	30.10
" " 22 24 ft.	32.35	34.60	....	....	34.30	28.03
" " 26 ft.	26.50[1]	35.00	....	....	35.00	26.50
" " 28 ft.	37.25[2]	36.00	....	....	36.00	37.25[1]
" " 30 ft.	32.50[3]	....	....	....	32.50[3]	32.50[2]
" " over 30 ft.	45.00	40.00	....	....	44.70	40.00
3 & 4x12, Heart (85%+), up to 20 ft.	36.86	35.15	....	....	35.49	36.08
" " " 22-24 ft.	37.27	35.00	....	....	36.69	36.75
" " " 26 ft.	37.50	....	....	....	37.50	45.00[2]
" " " 28 ft.	38.00	....	....	....	38.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	47.25[1]	....	....	47.25[1]	47.25
6x12 to 12x12, No. 1, up to 20 ft.	34.85	33.00	32.84	....	33.01	31.31
" " 22-24 ft.	32.80	34.00	32.51	....	32.68	35.07
" " 26 ft.	33.75[2]	35.00	35.85	....	35.84	37.07
" " 28 ft.	32.00[1]	37.00[1]	35.85	....	35.85	32.48
" " 30 ft.	44.33[1]	37.00	38.28	....	37.97	40.62
" " over 30 ft.	33.98	49.25	42.63	....	37.70	43.00
6x12 to 12x12, Heart (85%+), up to 20 ft.	33.00[1]	35.00	....	....	35.00	33.84
" " " 22-24 ft.	34.50	40.00[1]	....	....	34.50	40.00
" " " 26 ft.	45.40[3]	42.00[2]	....	....	42.00[2]	42.00[1]
" " " 28 ft.	36.50	....	....	....	36.50	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	44.03[2]	43.00	....	....	43.00	44.00
2x14 to 4x14, No. 1, up to 20 ft.	41.44[1]	42.50[1]	....	....	41.60[1]	41.60
" " 22-24 ft.	33.05[1]	37.75[2]	....	....	33.05[1]	33.05
" " 26 ft.	31.00[1]	....	....	....	31.00[1]	31.00
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	45.00[1]	....	....	....	45.00[1]	45.00
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	40.00[1]	....	....	40.00[1]	40.00
" " " 22-24 ft.	....	40.00[1]	....	....	40.00[1]	40.00
" " " 26 ft.	....	44.50[2]	....	....	44.50[2]	44.50[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	32.53	36.21[1]	38.53	....	34.84	35.50
" " 22-24 ft.	34.02[1]	41.00[1]	29.00[1]	....	34.12[1]	34.12
" " 26 ft.	31.02[1]	38.33[1]	38.94	....	38.94	32.52
" " 28 ft.	31.00[1]	....	49.00[3]	....	31.00[1]	31.00
" " 30 ft.	44.00	42.00[1]	43.00	....	43.20	43.11
" " over 30 ft.	39.00[1]	44.00[3]	50.00	....	50.00	48.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	36.50	40.00	....	....	38.97	38.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	47.71[3]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	41.00	36.00[2]	....	....	41.00	49.50
" " 22-24 ft.	51.75[1]	38.00[2]	....	....	51.75[1]	51.75
" " 26 ft.	....	38.00[2]	....	....	38.00[2]	38.00[1]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	42.31	....	....	....	42.31	50.00[3]
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 20
6x16 & Up, No. 1, up to 20 ft.	40.00[3]	....	43.08	....	43.08	40.55
" " 22-24 ft.	36.66	....	46.49[1]	....	36.66	46.49
" " 26 ft.	38.75[3]	....	47.75	....	47.75	43.65
" " 28 ft.	....	....	51.09[3]	....	51.09[3]	51.09[2]
" " 30 ft.	....	....	50.50[1]	....	50.50[1]	50.50
" " over 30 ft.	33.21[3]	....	50.50[1]	....	50.50[1]	50.50
6x16 & Up, Heart (85%+), up to 20 ft.	45.00	....	....	....	45.00	44.74[2]
" " " 22-24 ft.	39.00	....	....	....	39.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.00	....	....	....	47.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	66.98[2]	....	....	....	66.98[2]	66.98[1]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	43.00[1]	40.00[1]	....	....	42.50[1]	42.50
" " 22-24 ft.	....	....	45.00	....	45.00	....
" " 26 ft.	....	....	....	....	....	53.00[3]
" " 28 ft.	48.00[2]	....	....	....	48.00[2]	48.00[1]
" " 30 ft.	52.00[2]	....	....	....	52.00[2]	52.00[1]
" " 32 ft.	....	....	....	....	....	55.00[3]
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	52.00[3]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.00	48.00[1]	....	....	47.00	48.00
" " " 30 ft.	55.32[3]	55.00[1]	....	....	55.00[1]	55.00
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	30.00	....	30.00	32.50
" " " 36 ft.	36.00[1]	33.00	30.00	59.00[3]	33.00	36.00
" " " 37-38 ft.	33.70	50.00	33.87	....	34.07	34.30
" " " 40 ft.	....	45.00	34.30[1]	....	45.00	34.30
" " " 41-42 ft.	42.00	52.00	....	....	43.04	....
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	34.25[1]	34.25[1]	34.25
" " " " 37-38 ft.	....	....	....	....	....	48.00[3]
" " " " 40 ft.	42.00[2]	....	....	....	42.00[2]	42.00[1]
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	37.64	33.75[3]	35.81	....	35.99	39.00
" " " 36 ft.	33.50[1]	33.00	35.81	....	33.00	33.50
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	39.00[3]	48.00	....	....	48.00	41.56[2]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	41.00	....	....	....	41.00	....
" " " " 37-38 ft.	....	....	....	34.25[1]	34.25[1]	34.25
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	37.10	45.00	39.25	....	42.08	44.32[2]
" " " 36 ft.	33.75[3]	35.78[3]	44.32[3]	59.00[3]	40.65[3]	40.65[2]
" " " 37-38 ft.	....	....	38.82	....	38.82	....
" " " 40 ft.	....	48.00	38.82	38.00	44.32	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	45.00[2]	....	....	39.82[1]	39.82[1]	39.82
" " " " 37-38 ft.	....	....	....	36.25[1]	36.25[1]	36.25
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	52.00	....	52.00	50.00[3]
“ “ “ 36 ft.	....	52.00[3]	52.00	58.00[2]	52.00	58.00[1]
“ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ 40 ft.	49.00[3]	55.00	....	....	55.00	49.00[2]
“ “ “ 41-42 ft.	49.00[3]	....	....	....	49.00[3]	49.00[2]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	41.50[1]	41.50[1]	41.50
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	38.25[1]	38.25[1]	38.25
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	48.00[3]	40.00[3]	....	....	41.00[3]	41.00[2]
“ “ “ 14 ft.	36.82	....	....	....	36.82	47.00[3]
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	28.00[3]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	26.27	36.00	....	....	27.23	26.75
“ “ Heart, (85%+), 6x8–8	32.84	32.00	....	....	32.75	31.35
“ “ Sq. E., “ 7x9–8	....	34.59[2]	....	....	34.59[2]	34.59[1]
“ “ Heart, “ 7x9–8	....	34.50[1]	....	....	34.50[1]	34.50
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
“ “ Heart,	29.04	....	....	....	29.04	....
Paving Stock, S 1 S	26.00[2]	....	....	20.00	20.00	26.00[1]
“ “ Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	104.00	....	....	....	104.00	110.50
Miscellaneous	28.17[1]	37.36	38.32	24.29	30.55	28.57
MISCELLANEOUS STOCK						
Silo Stock	....	....	46.00[1]	29.50[3]	46.00[1]	46.00
Grain Doors	....	....	....	....	....	....
Miscellaneous, B and B	48.24	50.90	42.90	51.47[3]	46.48	45.08
“ No. 1	30.32	22.59	25.75	25.70	25.59	23.12
“ No. 2	17.85	14.86	16.27	18.02	16.36	16.44
“ No. 3	9.37	9.91	10.54	10.31	10.41	10.56
Shorts B and B	36.04	30.50	....	....	31.70	27.68
“ No. 1	9.90	13.04	....	....	11.00	11.94
“ No. 2	....	11.19	12.27[2]	....	11.19	10.39
“ No. 3	....	9.27[1]	10.50[2]	....	9.27[1]	9.27

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5 00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5 50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9 00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18 00	18.25	18.50	18 75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

March 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending March 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued March 18, 1921

No. 123

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 28
Heart Face, Edge Grain, B and Better, 13/16x2¼".....	....	....	....	....	....	....
Edge Grain, A "	66.00	....	....	....	66.00	....
" " B "	....	....	....	....	....	....
" " B and Better "	64.90	....	....	....	64.90	68.71
" " C "	55.00	....	....	....	55.00	63.32
" " D "	34.45	....	....	....	34.45	36.00[1]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	35.00[1]	....	....	....	35.00[1]	35.00
" " B and Better "	35.26	....	....	....	35.26	34.95
" " C "	....	....	....	....	....	....
" " D "	27.63	....	....	....	27.63	34.00
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	19.02	....	....	....	19.02	15.78
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½".....	....	....	....	80.00	80.00	91.25[1]
Edge Grain, A "	....	....	80.85[1]	....	80.85[1]	80.85
" " B "	....	64.78	66.53	55.31[1]	66.41	66.58
" " B and Better "	....	65.97	....	61.28	65.16	66.56
" " C "	....	58.92	51.75	50.00	55.30	57.63
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	27.90	25.00	27.22	28.83
Flat " A "	....	....	....	....	....	....
" " B "	....	35.59[1]	....	42.50[3]	35.59[1]	35.59
" " B and Better "	....	35.15	40.05	39.76	38.78	39.14
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	29.36	31.39	30.37	30.80	32.49
No. 2 " "	....	15.34	17.00	16.56	16.60	17.41
No. 3 " "	....	....	9.41	8.00[1]	9.41	8.00
Heart Face, Edge Grain, B and Better, 13/16x3¼".....	....	....	....	91.25[2]	91.25[2]	91.25[1]
Edge Grain, A "	55.00	....	63.23[1]	....	55.00	63.23
" " B "	....	56.04	53.00	....	53.44	60.58
" " B and Better "	54.22	53.03	53.04[3]	50.50	53.40	54.97
" " C "	30.75	50.00	44.33	46.50[2]	43.01	45.02
" " D "	33.50	....		....	33.50	35.93
" " No. 2 "	....	....	26.59[1]	26.50	26.58	23.36
Flat " A "	....	....	....	....	....	....
" " B "	32.54	33.42	35.00[3]	....	33.00	33.42
" " B and Better "	33.52	32.43	33.19	33.56	33.13	33.71
" " C "	28.25	29.62	28.04[3]	....	28.83	28.82
" " D "	26.95	26.29	25.27[3]	....	26.92	27.62
No. 1 Common "	....	28.29	28.26	29.28	28.39	28.89
No. 2 " "	16.17	16.07	16.00	16.67	16.12	16.20
No. 3 " "	....	....	9.18	9.37	9.23	8.74
CEILING						
Ceiling, ½x3¼", A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	32.58	33.60	33.18	33.00	33.04	34.14
" " No. 1 Common....................	25.60	26.41	26.51	28.47[1]	26.35	28.86
" " No. 2 "	14.75	....	15.62	....	15.48	16.49
" " No. 3 "	....	....	13.50	....	13.50	7.00
Ceiling, ⅝x3¼", A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	31.57	31.27	32.17	31.92	31.70	33.03
" " No. 1 Common....................	25.82	25.92	27.67	30.39	26.70	28.07
" " No. 2 "	14.88	14.60	15.73	15.68	15.36	15.85
" " No. 3 "	....	....	7.50	....	7.50	7.95
Ceiling, ¾x3¼", A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	35.45	34.04	39.00	....	35.22	39.15
" " No. 1 Common....................	34.00[1]	28.00	32.96	34.00[2]	32.34	31.60
" " No. 2 "	....	....	16.00	....	16.00	18.00
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A....................	....	....	....	....	....	....
" " B....................	....	....	....	....	....	....
" " B and Better....................	39.86	37.32	....	37.83	38.32	40.01
" " No. 1 Common....................	30.69	27.50	....	28.75	29.49	35.65
" " No. 2 "	16.75[3]	22.00[1]	....	....	22.00[1]	22.00
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better....................	40.30	42.50[2]	36.68	....	37.07	39.94
" " No. 1 Common....................	28.25[2]	28.50[1]	31.28	39.00	31.72	32.81
" " No. 2 "	15.75[2]	17.53	17.71	....	17.70	18.65
BEVEL SIDING						
Bevel Siding, A....................	....	....	....	....	....	....
" B....................	....	....	....	....	....	....
" B and Better....................	28.02	26.46	32.00	....	28.10	27.10
" No. 1 Common....................	22.93	22.54[1]	24.76	22.50[1]	23.96	21.11
" No. 2 "	14.00	12.50	16.20	14.50[3]	15.44	15.12

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 28
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	32.35	32.52	31.53	36.03	32.32	32.38
" " No. 1 Common	26.44	28.55	27.43	29.19	27.39	28.61
" " No. 2 "	16.55	17.53	17.01	17.72	16.97	17.37
" " No. 3 "	....	....	10.20	10.00	10.18	10.36
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	38.94	40.32	42.92	37.66	39.14	40.38
1x 6 inch, "	38.97	40.27	42.87	43.75	39.57	42.41
1x 8 inch, "	40.48	41.15	44.14	43.75	42.69	42.81
1x 5 and 10 inch, "	44.44	44.30	45.80	47.00	44.73	45.68
1x12 inch, "	45.40	43.41	47.37	57.00	45.56	46.40
1¼x4 to 12 inch, "	52.98	50.98	53.08	56.17	52.61	54.48
1½ and 2x4 to 12 inch, "	53.52	50.58	53.45	51.25	53.32	54.20
1⅝ inch, "	40.36	52.33	....	....	40.70	45.27
1x 6 to 12 inch, "	....	....	....	43.00	43.00	38.33
1x 4 inch, C	36.40	35.50	36.00	....	36.16	35.06
1x 6 inch, "	35.29	33.67	33.41	....	34.51	35.81
1x 8 inch, "	37.66	33.70	34.41	....	35.79	38.24
1x 5 and 10 inch, "	38.81	37.14	34.88	....	37.29	40.13
1x12 inch, "	37.73	43.00	35.02	....	36.98	40.25
1¼x4 to 12 inch, "	47.18	....	....	....	47.18	49.75
1½ and 2x4 to 12 inch, "	46.00	42.50	49.00[2]	....	44.83	44.89[1]
1⅝ inch, "	....	49.00[1]	....	....	49.00[1]	49.00
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	40.93	42.50[2]	52.50[1]	....	40.93	41.45
1x 6 inch, " "	36.83	44.50	38.10	35.00	37.36	39.81
1x 8 inch, " "	37.26	44.50	38.84	35.00	38.15	39.79
1x 5 and 10 inch, " "	41.32	45.50	40.07	35.00	40.07	44.51
1x12 inch, " "	41.00	42.33[1]	42.00	41.74	41.78	39.65
1¼x4 to 12 inch, " "	52.00	52.00	47.67	60.00[2]	48.46	48.89
1½ and 2x4 to 12 inch, " "	44.00	47.75[1]	48.49	59.90[2]	47.42	52.76
1⅝ inch, " "	....	47.50	....	40.43[2]	47.50	46.82
1x 6 to 12 inch, " "	....	....	....	33.50	33.50	41.72
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	48.52	50.82	52.34	55.00	49.38	51.46
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	48.04	48.58	52.47	55.00	49.32	50.32
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	53.72	50.60[2]	56.58	....	54.86	59.79
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	34.50[2]	33.00[1]	28.54	....	28.54	33.00
" " " " " 8 ft.	28.75	31.41[2]	30.00[1]	....	28.75	30.24
" " " " " 12 and 14 ft.	35.00	....	....	....	35.00	44.00[1]
" " " " " 16 ft.	35.00	....	....	....	35.00	40.00
" " " " " 9 or 18 ft.	33.38	34.32[1]	39.00[1]	37.00[2]	33.38	36.31
" " " " " 10 or 20 ft.	32.46	33.62[1]	....	....	32.46	33.34

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 28
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	....	26.50[2]	24.00	....	24.00	26.50[1]
" " " " " 8 ft.	....	22.37[1]	....	....	22.37[1]	22.37
" " " " " 12 and 14 ft.	....	23.00	....	....	23.00	29.25
" " " " " 16 ft.	....	22.37[1]	....	....	22.37[1]	22.37
" " " " " 9 or 18 ft.	37.00[3]	35.00	....	....	35.00	30.06[2]
" " " " " 10 or 20 ft.	25.25	25.77	....	....	25.44	27.67
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	26.62[2]	26.50[2]	24.00	27.50[2]	24.00	26.62[1]
" " " " " 8 ft.	32.25[3]	22.37[1]	....	....	22.37[1]	22.37
" " " " " 12 and 14 ft.	30.50	23.00	....	....	30.50	29.25
" " " " " 16 ft.	26.50	22.37[1]	....	27.50[2]	26.50	22.37
" " " " " 9 or 18 ft.	27.75[2]	35.00	....	....	35.00	27.75[1]
" " " " " 10 or 20 ft.	30.25	25.77	....	....	30.25	29.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	13.46	12.66[1]	....	....	13.46	12.85
" " " " " 10 to 20 ft.	12.47	13.65	....	....	12.94	13.21
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	33.00[2]	32.00[2]	....	32.55[2]	32.55[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	32.00[2]	....	32.00[2]	32.00[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	27.77[2]	....	....	....	27.77[2]	27.77[1]
" " " 1¾ inch, 10 & 20 ft	27.77[2]	....	....	....	27.77[2]	27.77[1]
" " " 2 to 3 inch, 9 & 18 ft.	31.00[2]	....	30.00	....	30.00	27.03
" " " 2 to 3 inch 10 & 20 ft.	31.00[2]	21.63	30.00	30.00[2]	21.63	28.75
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	26.50[1]	16.50[3]	....	26.50[1]	26.50
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	26.04	....	34.50	....	31.33	27.15
" " " " other lengths.	25.56	25.32	31.72	31.41	27.51	28.59
" " 1x10, " 14 and 16 ft.	26.07	....	33.43	....	28.08	28.10
" " " " other lengths.	26.14	25.00	32.03	33.62	27.62	29.25
" " 1x12, " 14 and 16 ft.	34.65	34.00	35.68	....	34.85	34.18
" " " " other lengths.	33.34	29.89	34.12	38.87[1]	31.83	33.68
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	16.67	16.24	17.07	16.06	16.71	16.82
" " 1x10, " "	16.46	17.38	17.36	16.04	16.92	17.05
" " 1x12, " "	17.59	17.69	17.60	16.63	17.60	18.12
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	10.50	11.01	10.75	12.75	10.91	11.06
" " 1x10, " "	10.17	10.88	11.75	12.50	10.82	11.08
" " 1x12, " "	10.24	11.75	12.32	10.00	11.23	12.21
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	25.26	....	26.00	....	25.27	26.54
" " " other lengths.	25.70	25.91	29.79	28.50	26.05	27.31
" 1x10, " 14 and 16 ft.	26.27	....	37.50[2]	....	26.27	27.17
" " " other lengths.	26.34	23.14	30.50	....	25.19	27.25
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	16.35	16.63	16.82	16.79	16.62	17.23
" 1x10, " "	16.20	16.57	17.08	16.91	16.65	17.37
" 1x12, " "	....	....	....	17.14	17.14	18.60
Shiplap, 1x 8, No. 3, all lengths.	9.92	10.32	10.90	9.88	10.39	11.30
" 1x10, " "	10.70	11.98	10.86	10.67	10.97	10.75
" 1x12, " "	10.67	13.33	....	12.75[1]	12.89	11.34
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	28.46	....	....	....	28.46	26.98
" " " " other lengths.	28.04	27.50[2]	....	....	28.04	27.70
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	4.25	....	7.00	....	5.19	5.28

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 28
1x4, S 1 S, No. 1, 16 ft.	25.23	....	....	....	25.23	27.07
" " " other lengths	24.70	25.67	30.37	30.50	25.98	25.93
" " No. 2, all lengths	10.85	10.16	13.89	11.50	10.80	12.08
" " No. 3, "	8.93	8.60	9.44	....	9.00	8.89
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	27.75[3]	....	....	30.75[1]	30.75[1]	30.75
" " No. 2, all lengths	11.70	....	....	18.50[1]	11.70	13.00
" " No. 3, "	8.00	....	....	....	8.00	....
1x6, S 1 S, No. 1, 16 ft.	25.92	26.00	33.00	28.00	26.84	27.30
" " " other lengths	25.66	25.87	30.23	32.03	27.21	27.53
" " No. 2, all lengths	14.47	14.57	16.05	16.81	14.99	15.82
" " No. 3, "	10.15	10.36	10.17	10.50	10.24	10.56
1x6, C. M., No. 1, 16 ft.	26.00	22.00[1]	....	....	26.00	22.71
" " " other lengths	25.16	26.62	....	....	25.62	26.42
" " No. 2, all lengths	14.65	14.91	....	16.49	15.29	14.01
" " No. 3, "	9.31	9.20	....	10.50	9.32	10.01
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	20.91	18.01	20.44	....	18.84	19.62
" " " 12 ft.	20.87	19.53	19.39	....	19.89	20.33
" " " 14 ft.	21.02	19.51	19.24	....	19.84	20.08
" " " 16 ft.	22.21	21.30	20.90	21.00[1]	21.49	21.72
" " " 18 ft.	22.87	21.43	21.76	19.00[2]	21.88	22.12
" " " 20 ft.	22.79	21.21	21.76	....	21.68	23.14
" " " 22 ft.	24.90	22.20	21.68	....	23.23	22.48
" " " 24 ft.	25.06	22.80	21.68	....	23.54	22.83
2x 6, No. 1, S 1 S 1 E, 10 ft.	18.37	16.87	18.88	....	18.40	18.89
" " " 12 ft.	18.86	17.22	16.91	....	17.46	17.94
" " " 14 ft.	17.80	16.55	16.91	....	17.02	18.01
" " " 16 ft.	18.87	17.24	19.68	....	18.28	18.63
" " " 18 ft.	19.36	18.42	18.88	....	18.85	19.21
" " " 20 ft.	19.11	18.75	18.88	....	18.93	18.26
" " " 22 ft.	26.02	20.43	22.37	....	21.72	21.19
" " " 24 ft.	23.28	19.16	22.37	....	20.59	20.76
2x 8, No. 1, S 1 S 1 E, 10 ft.	20.75	18.05	20.58	24.50	20.76	19.92
" " " 12 ft.	20.10	18.70	19.25	....	19.04	19.72
" " " 14 ft.	19.68	17.76	18.72	22.50	18.30	19.53
" " " 16 ft.	20.51	20.02	19.63	24.50	20.09	20.99
" " " 18 ft.	21.01	20.07	20.58	32.50	20.88	22.30
" " " 20 ft.	21.02	21.54	20.58	32.50	21.35	22.67
" " " 22 ft.	24.18	20.09	28.16	....	20.48	21.13
" " " 24 ft.	24.73	20.45	28.16	....	20.75	20.93
2x10, No. 1, S 1 S 1 E, 10 ft.	20.83	19.44	21.14	....	20.87	21.19
" " " 12 ft.	21.30	19.18	19.19	....	19.73	20.50
" " " 14 ft.	21.48	18.24	19.19	....	19.02	19.71
" " " 16 ft.	23.61	21.18	19.77	....	21.18	22.23
" " " 18 ft.	22.31	21.88	21.14	....	22.12	23.99
" " " 20 ft.	22.47	20.29	21.14	....	21.03	22.92
" " " 22 ft.	26.83	22.81	25.74	....	24.53	25.49
" " " 24 ft.	25.38	23.20	25.74	....	24.36	25.31
2x12, No. 1, S 1 S 1 E, 10 ft.	20.83	20.68	23.74	29.50[1]	23.04	22.32
" " " 12 ft.	23.34	20.44	20.67	29.50	21.31	22.69
" " " 14 ft.	22.43	21.30	20.67	29.50	21.63	22.90
" " " 16 ft.	24.26	24.09	22.72	31.50	23.90	20.89
" " " 18 ft.	26.06	23.60	23.74	....	25.36	24.81
" " " 20 ft.	23.95	25.02	23.74	....	24.49	26.15
" " " 22 ft.	26.78	26.43	24.34	....	25.15	28.18
" " " 24 ft.	27.71	29.40	24.34	....	29.10	28.78
2x 4, No. 2, S 1 S 1 E, 10 ft.	15.76	14.69	16.36	....	15.54	15.90
" " " 12 ft.	15.66	14.16	15.57	15.00	15.11	15.94
" " " 14 ft.	15.80	14.46	15.15	15.00	15.13	16.01
" " " 16 ft.	16.88	16.43	16.24	16.00	16.50	17.19
" " " 18 ft.	17.51	18.19	17.25	18.25	17.54	18.03
" " " 20 ft.	17.15	17.99	17.25	18.00	17.51	17.98
" " " 22 ft.	21.75[2]	19.84	18.56	....	19.39	17.65
" " " 24 ft.	21.75[2]	19.84	18.56	....	19.39	17.65
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.98	11.21	15.55	....	14.11	15.55
" " " 12 ft.	13.06	11.81	13.51	....	13.10	13.91
" " " 14 ft.	13.06	12.09	13.51	....	12.60	13.56
" " " 16 ft.	14.11	13.22	14.60	19.50[2]	14.09	14.71
" " " 18 ft.	15.28	14.69	15.55	16.60[1]	14.93	15.55
" " " 20 ft.	15.70	14.08	15.55	17.50[1]	15.16	15.23
" " " 22 ft.	18.25[2]	17.00	18.19	....	17.78	17.64
" " " 24 ft.	19.75[2]	17.00	18.19	....	17.78	17.64

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 28
2x 8, No. 2, S 1 S 1 E, 10 ft.	14.83	14.05	17.20	....	16.52	16.05
" " " 12 ft.	14.45	14.29	16.27	15.00	15.12	15.05
" " " 14 ft.	14.74	13.76	15.15	15.00	14.57	14.50
" " " 16 ft.	15.58	15.57	15.40	17.25[1]	15.53	16.52
" " " 18 ft.	17.16	17.04	17.20	19.00	17.19	17.00
" " " 20 ft.	17.11	16.87	17.20	17.00	17.02	16.36
" " " 22 ft.	20.50[3]	20.23	21.07	17.75[1]	20.78	19.61
" " " 24 ft.	20.75	20.23	21.07	....	20.75	19.66
2x10, No. 2, S 1 S 1 E, 10 ft.	17.00	15.83	18.11	....	17.92	18.00
" " " 12 ft.	15.22	13.77	16.97	15.00[2]	15.07	16.16
" " " 14 ft.	16.50	15.20	16.97	15.00[2]	15.81	15.51
" " " 16 ft.	16.12	15.25	17.69	18.75[1]	15.80	17.44
" " " 18 ft.	16.44	17.91	18.11	....	17.04	18.92
" " " 20 ft.	16.79	17.76	18.11	....	17.42	18.86
" " " 22 ft.	20.50[2]	21.00	25.56	....	22.05	17.07
" " " 24 ft.	20.50[2]	21.00	25.56	....	22.05	17.07
2x12, No. 2, S 1 S 1 E, 10 ft.	15.00	14.00	18.85	19.25[1]	18.23	19.00
" " " 12 ft.	16.39	15.52	15.38	....	15.63	16.10
" " " 14 ft.	16.62	15.14	15.38	16.00[2]	15.36	18.44
" " " 16 ft.	20.22	17.75	17.18	....	19.20	16.85
" " " 18 ft.	18.48	18.98	18.85	19.00[2]	18.81	20.72
" " " 20 ft.	17.82	19.48	18.85	....	18.75	20.47
" " " 22 ft.	20.50[2]	20.75[2]	27.65	....	27.65	21.02[1]
" " " 24 ft.	....	20.75[2]	27.65	....	27.65	21.02[1]
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	9.11	7.87	....	6.50	8.19	8.52
PATENT LATH						
4 and 6 ft.	10.76	12.17	....	....	11.23	10.72
8 and 10 ft.	12.31	14.14	....	13.50[2]	12.41	12.41
12 ft. and longer	12.70	15.00	....	....	12.73	13.63
PLASTERING LATH						
⅜x1½–4, No. 1	3.10	3.24	3.22	2.72	3.17	3.28
" No. 2	1.70	1.62	1.67	2.50	1.68	1.69
⅜x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	23.39	25.52	22.76	....	23.47	24.06
" " 22-24 ft.	25.11	26.48	25.33	....	25.36	25.80
" " 26 ft.	33.75[2]	28.25	27.19	....	27.23	29.67
" " 28 ft.	33.75[3]	29.25	27.19	....	29.25	29.75
" " 30 ft.	46.33	30.25	29.07	....	45.94	30.52
" " over 30 ft.	41.73	29.64	30.04	....	39.50	31.00
4x4 to 8x8, Heart (85%+), up to 20 ft.	29.17	35.84	....	....	31.62	28.21
" " " 22-24 ft.	32.20	31.42[1]	....	....	32.20	30.61
" " " 26 ft.	30.50[1]	33.00	....	....	33.00	30.75
" " " 28 ft.	....	35.00[2]	....	....	35.00[2]	35.00[1]
" " " 30 ft.	....	....	....	....	....	33.00[3]
" " " over 30 ft.	36.91[2]	35.10[2]	....	....	36.08[2]	36.08[1]
3 & 4x10, No. 1, up to 20 ft.	29.87	28.02	....	....	28.94	26.79
" " 22-24 ft.	24.00	29.25[2]	....	....	24.00	28.44
" " 26 ft.	46.75	29.01	....	....	41.08	23.91[1]
" " 28 ft.	46.75	....	....	....	46.75	....
" " 30 ft.	37.75[2]	....	....	....	37.75[2]	37.75[1]
" " over 30 ft.	....	....	....	....	....	35.50[3]
3 & 4x10, Heart (85%+), up to 20 ft.	30.95	40.53	....	....	33.27	32.37
" " " 22-24 ft.	29.00	36.00[1]	....	....	29.00	32.82
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 28
6x10, to 10x10, No. 1, up to 20 ft.	28.98	28.00	26.20	....	26.22	29.83
" " 22-24 ft.	29.23[1]	28.25	28.21	....	28.21	29.87
" " 26 ft.	24.50[2]	29.25	32.26	....	31.97	31.70
" " 28 ft.	24.50[2]	30.25	32.26	....	30.25	31.70
" " 30 ft.	27.70[2]	31.25	35.00	....	33.50	32.80
" " over 30 ft.	26.94[2]	....	36.55	....	36.55	42.73
6x10 to 10x10, Heart (85%+), up to 20 ft.	31.13	34.00[1]	....	....	31.13	29.50
" " " 22-24 ft.	32.00	32.00	....	....	32.00	32.75
" " " 26 ft.	....	....	....	....	....	37.00[3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	46.00	46.67[2]	....	....	46.00	46.67[1]
3 & 4x12, No 1, up to 20 ft.	32.06	28.67	....	....	29.98	29.02
" " 22 24 ft.	29.00	30.00	....	....	29.29	34.30
" " 26 ft.	26.50[2]	35.00[1]	....	....	35.00[1]	35.00
" " 28 ft.	37.25[3]	36.00	....	....	36.00[1]	36.00
" " 30 ft.	....	33.00	....	....	33.00	32.50[3]
" " over 30 ft.	45.00[1]	40.00[1]	....	....	44.70[1]	44.70
3 & 4x12, Heart (85%+), up to 20 ft.	33.74	37.00	....	....	33.99	35.49
" " " 22-24 ft.	37.27[1]	29.00	....	....	29.00	36.69
" " " 26 ft.	37.50[1]	....	....	....	37.50[1]	37.50
" " " 28 ft.	38.00[1]	....	....	....	38.00[1]	38.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	47.25[2]	....	....	47.25[2]	47.25[1]
6x12 to 12x12, No. 1, up to 20 ft.	30,48	30.35	29.61	....	30.01	33.01
" " 22-24 ft.	32.80[1]	29.67	31.09	....	30.94	32.68
" " 26 ft.	29.00	35.25	36.18	....	35.10	35.84
" " 28 ft.	26.00	34.80	36.18	....	29.80	35.85
" " 30 ft.	44.33[2]	37.25	35.89	....	35.99	37.97
" " over 30 ft.	33.98[1]	49.25[1]	40.09	....	40.09	37.70
6x12 to 12x12, Heart (85%+), up to 20 ft.	31.06	36.00	....	....	31.79	35.00
" " " 22-24 ft.	34.50[1]	37.50	....	....	37.50	34.50
" " " 26 ft.	....	42.00[3]	....	....	42.00[3]	42.00[2]
" " " 28 ft.	36.50[1]	....	....	....	36.50[1]	36.50
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	44.03[3]	43.00[1]	....	....	43.00[1]	43.00
2x14 to 4x14, No. 1, up to 20 ft.	41.44[2]	42.50[2]	....	....	41.60[2]	41.60[1]
" " 22-24 ft.	33.05[2]	37.75[3]	....	....	33.05[2]	33.05[1]
" " 26 ft.	31.00[2]	....	....	....	31.00[2]	31.00[1]
" " 28 ft.	38.75	....	....	....	38.75	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	45.00[2]	....	....	....	45.00[2]	45.00[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	32.25	....	....	32.25	40.00[1]
" " " 22-24 ft.	31.00	40.00[2]	....	....	31.00	40.00[1]
" " " 26 ft.	....	44.50[3]	....	....	44.50[3]	44.50[2]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	36.00	32.68	35.28	....	34.60	34.84
" " 22-24 ft.	34.02[2]	35.00	34.00	....	34.93	34.12[1]
" " 26 ft.	31.02[2]	38.33[2]	35.71	....	35.71	38.94
" " 28 ft.	31.00[2]	....	35.71	....	35.71	31.00[1]
" " 30 ft.	44.00[1]	42.00[2]	43.00[1]	....	43.20[1]	43.20
" " over 30 ft.	39.00[2]	....	50.00	....	50.00	50.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	36.50[1]	40.00[1]	....	....	38.97[1]	38.97
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	41.00[1]	36.00[3]	....	....	41.00[1]	41.00
" " 22-24 ft.	51.75[2]	38.00[3]	....	....	51.75[2]	51.75[1]
" " 26 ft.	....	38.00[3]	....	....	38.00[3]	38.00[2]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	42.31[1]	....	....	....	42.31[1]	42.31
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 28
6x16 & Up, No. 1, up to 20 ft.	40.80	....	41.06	....	41.06	43.08
" " 22-24 ft.	36.66[1]	....	22.48	....	22.48	36.66
" " 26 ft.	....	....	44.79	....	44.79	47.75
" " 28 ft.	....	....	44.79	....	44.79	51.09[2]
" " 30 ft.	....	....	35.00	....	35.00	50.50[1]
" " over 30 ft.	....	....	50.50[2]	....	50.50[1]	50.50[1]
6x16 & Up, Heart (85%+), up to 20 ft.	45.00[1]	....	....	....	45.00[1]	45.00
" " " 22-24 ft.	39.00[1]	....	....	....	39.00[1]	39.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.00[1]	....	....	....	47.00[1]	47.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	66.98[3]	....	....	....	66.98[3]	66.98[2]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	57.00	....	....	57.00	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	43.00[2]	40.00[2]	....	....	42.50[2]	42.50[1]
" " 22-24 ft.	....	....	45.00[1]	....	45.00[1]	45.00
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	48.00[3]	57.00	....	....	57.00	48.00[2]
" " 30 ft.	52.00[3]	....	....	....	52.00[3]	52.00[2]
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.00[1]	48.00[2]	....	....	47.00[1]	47.00
" " " 30 ft.	....	55.00[2]	....	....	55.00[2]	55.00[1]
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	30.00[1]	....	30.00[1]	30.00
" " " 36 ft.	36.00[2]	33.00[1]	30.00[1]	....	33.00[1]	33.00
" " " 37-38 ft.	33.70[1]	50.00[1]	33.87[1]	....	34.07[1]	34.07
" " " 40 ft.	40.25	45.00[1]	34.30[2]	....	40.25	45.00
" " " 41-42 ft.	42.00[1]	52.00[1]	....	....	43.04[1]	43.04
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	34.25[2]	34.25[2]	34.25[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	42.00[3]	....	....	....	42.00[3]	42.00[2]
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	37.64	....	37.84	....	37.84	35.99
" " " 36 ft.	33.50[2]	33.00[1]	37.84	....	37.84	33.00
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	....	48.00[1]	....	35.00	35.00	48.00
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	41.00[1]	....	....	....	41.00[1]	41.00
" " " " 37-38 ft.	....	....	....	34.25[2]	34.25[2]	34.25[1]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	37.10[1]	45.00[1]	40.00	....	40.00	42 08
" " " 36 ft.	....	....	40.00	....	40.00	40.65[3]
" " " 37-38 ft.	....	....	38 82[1]	....	38.82[1]	38.82
" " " 40 ft.	45.25	48.00[1]	38.82[1]	38.00[1]	45.25	44.32
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	45.00[2]	....	....	39.82[2]	39.82[2]	39.82[1]
" " " " 37-38 ft.	....	....	....	36.25[2]	36.25[2]	36.25[1]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Feb. 28
Up to 14 inch, Sq. E., 34 ft.	....	....	43.70	....	43.70	52.00
“ “ “ 36 ft.	....	....	43.70	58.00[3]	43.70	52.00
“ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ 40 ft.	....	55.00[1]	....	45.00	45.00	55.00
“ “ “ 41-42 ft.	....	....	....	....	....	49.00[3]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	41.50[2]	41.50[2]	41.50[1]
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	38.25[2]	38.25[2]	38.25[1]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	48.00	....	....	48.00	....
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	41.00[3]
“ “ “ 14 ft.	35.00	....	....	....	35.00	36.82
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	48.00	....	....	48.00	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	26.11	29.55	....	....	27.51	27.23
“ “ Heart, (85%+), 6x8-8	32.12	43.00	....	....	32.82	32.75
“ “ Sq. E., “ 7x9-8	....	34.59[3]	....	....	34.59[3]	34.59[2]
“ “ Heart, “ 7x9-8	....	34.50[2]	....	....	34.50[2]	34.50[1]
Bridge Ties, Sq. E., 7x9 & up	46.75	....	....	....	46.75	....
“ “ Heart,	30.75	....	....	....	30.75	29.04
Paving Stock, S 1 S	26.00[3]	....	....	20.00[1]	20.00[1]	20.00
“ “ Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	104.00[1]	....	....	....	104.00[1]	104.00
Miscellaneous	31.27	28.94	40.36	48.77	32.83	30.55
MISCELLANEOUS STOCK						
Silo Stock	....	....	46.00[2]	....	46.00[2]	46.00[1]
Grain Doors	....	....	....	....	....	....
Miscellaneous, B and B	45.23	44.90	40.66	72.00	44.18	46.48
“ No. 1	42.41	24.79	22.86	26.96	33.47	25.59
“ No. 2	19.91	15.51	16.04	14.23	17.01	16.36
“ No. 3	8.26	9.00	11.22	10.11	10.61	10.41
Shorts, B and B	26.40	24.17	....	....	24.47	31.70
“ No. 1	11.79	11.94	....	....	11.82	11.00
“ No. 2	....	9.29	12.27[3]	....	9.29	11.19
“ No. 3	....	9.27[2]	10.50[3]	....	9.27[2]	9.27[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3 75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7 50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5:75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6 25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7 50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7 75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9 50	9.75	10 00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10 00	10.25	10 50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9 00	9 25	9.50	9.50	9.75	10 00	10 00	10 25	10.50	10.50	10.75	11 00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10 25	10 25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10 00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9 25	9 50	9.75	10 00	10 00	10 25	10.50	10.50	10 75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10 00	10 00	10.25	10 50	10.75	10.75	11.00	11.25	11.50	11.50	11 75	12 00	12 25	12 25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11 25	11.25	11.50	11.75	12 00	12 25	12 50	12 50	12.75	13 00	13 25	13 50	13.75	13.75	14.00	14.25	14.50	4200
4500	11 25	11 50	11 75	12 00	12.25	12 50	12 50	12 75	13 00	13.25	13 50	13 75	14.00	14 25	14 50	14.75	14 75	15 00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

March 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending March 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY				
Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500
GREEN				
2x14 and 3x12, S 1 S 1 E		3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough		4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E		3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry		550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued March 30, 1921

No. 124

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 10
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	66.00[1]	....	....	....	66.00[1]	66.00
" " B "	....	....	....	....	....	....
" " B and Better "	63.90	....	....	....	63.90	64.90
" " C "	34.00	....	....	....	34.00	55.00
" " D "	37.28	....	....	....	37.28	34.45
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	31.25	....	....	....	31.25	35.00[1]
" " B and Better "	34.43	....	....	....	34.43	35.26
" " C "	....	....	....	....	....	....
" " D "	26.90	....	....	....	26.90	27.63
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	17.02	....	....	....	17.02	19.02
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	77.50	77.50	80.00
Edge Grain, A "	....	....	76.00	....	76.00	80.85[1]
" " B "	....	65.75	63.51	55.31[2]	63.51	66.41
" " B and Better "	....	64.38	....	62.67	63.91	65.16
" " C "	....	58.92[1]	57.62	45.00	53.10	55.30
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	23.68	25.00[1]	23.68	27.22
Flat " A "	....	....	....	....	....	....
" " B "	....	32.00	....	....	32.00	35.59[1]
" " B and Better "	....	30.91	38.56	39.52	38.72	38.78
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	26.50	31.49	29.21	30.78	30.80
No. 2 " "	....	16.07	16.48	16.56[1]	16.42	16.60
No. 3 " "	....	....	7.16	8.00[2]	7.16	9.41
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	91.25[3]	91.25[3]	91.25[2]
Edge Grain, A "	55.00[1]	....	63.23[2]	....	55.00[1]	55.00
" " B "	....	56.04[1]	58.47	....	58.47	53.44
" " B and Better "	48.90	52.47	....	50.00	49.70	53.40
" " C "	40.85	33.88	32.43	46.50[3]	34.61	43.01
" " D "	33.50[1]	....	....	....	33.50[1]	33.50
" " No. 2 "	....	....	28.00	26.50[1]	28.00	26.58
Flat " A "	....	....	....	....	....	....
" " B "	31.23	32.12	31.81	....	31.75	33.00
" " B and Better "	31.99	32.55	31.59	35.39	32.22	33.13
" " C "	26.84	27.55	....	....	27.04	28.83
" " D "	25.10	24.28	....	....	25.09	26.92
No. 1 Common "	....	23.34	28.08	26.64	26.45	28.39
No. 2 " "	15.50	16.31	16.42	14.73	15.92	16.12
No. 3 " "	....	....	8.59	6.31	7.68	9.23
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.25	31.27	33.92	33.25	31.27	33.04
" " No. 1 Common	26.58	27.64	26.50	28.47[2]	26.73	26.35
" " No. 2 "	14.75[1]	....	14.20	....	14.20	15.48
" " No. 3 "	....	....	13.50[1]	....	13.50[1]	13.50
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	31.25	30.68	32.79	32.00	31.35	31.70
" " No. 1 Common	24.84	24.27	28.16	25.00	25.26	26.70
" " No. 2 "	14.54	14.92	15.65	13.53	14.95	15.36
" " No. 3 "	....	....	7.14	....	7.14	7.50
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	38.08	28.00	35.34	....	35.46	35.22
" " No. 1 Common	24.25	28.00[1]	31.75	....	31.47	32.34
" " No. 2 "	....	....	16.00	....	16.00	16.00
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.13	37.44	....	37.83[1]	35.33	38.32
" " No. 1 Common	28.35	30.88	....	31.25	29.17	29.49
" " No. 2 "	17.75	18.44	....	....	18.08	22.00[1]
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	40.35	42.50[3]	35.28	....	35.89	37.07
" " No. 1 Common	28.25[3]	26.50	31.22	39.00[1]	29.71	31.72
" " No. 2 "	15.75[3]	17.53[1]	15.98	....	15.98	17.70
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	22.93	22.43	26.50	....	22.75	28.10
" No. 1 Common	18.50	25.00	20.06	22.50[2]	20.42	23.96
" No. 2 "	13.30	15.00	16.00	....	13.98	15.44

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	31.35	31.24	31.74	32.25	31.50	32.32
“ “ No. 1 Common	25.40	25.70	27.53	27.66	26.23	27.39
“ “ No. 2 “	15.85	16.72	17.53	16.57	16.81	16.97
“ “ No. 3 “	....	....	10.50	8.50	8.89	10.18
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	38.77	40.25	42.92	37.66[1]	39.52	39.14
1x 6 inch, “	40.25	40.20	37.85	43.75[1]	39.92	39.57
1x 8 inch, “	40.93	40.62	43.89	40.25	41.05	42.69
1x 5 and 10 inch, “	44.13	42.64	45.46	59.50	43.52	44.73
1x12 inch, “	45.20	43.90	48.51	57.00[1]	44.85	45.56
1¼x4 to 12 inch, “	53.46	50.67	53.57	56.17[1]	52.40	52.61
1½ and 2x4 to 12 inch, “	53.58	56.62	50.82	51.25[1]	55.51	53.32
1⅝ inch, “	42.60	44.63	....	....	43.36	40.70
1x 6 to 12 inch, “	....	....	....	40.00	40.00	43.00
1x 4 inch, C	34.11	38.00	36.00[1]	....	34.92	36.16
1x 6 inch, “	34.16	37.59	37.00	....	35.07	34.51
1x 8 inch, “	35.63	39.00	37.33	....	36.75	35.79
1x 5 and 10 inch, “	37.86	38.55	37.62	....	38.05	37.29
1x12 inch, “	37.36	39.39	41.00	....	37.88	36.98
1¼x4 to 12 inch, “	47.25	....	34.00	....	37.95	47.18
1½ and 2x4 to 12 inch, “	46.00[1]	42.50[1]	49.00[3]	....	44.83[1]	44.83
1⅝ inch, “	....	49.00[2]	....	....	49.00[2]	49.00[1]
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	36.50	36.75	52.50[2]	....	36.54	40.93
1x 6 inch, “ “	36.83	36.75	38.10[1]	35.00[1]	36.82	37.36
1x 8 inch, “ “	36.83	37.50	36.00	35.00[1]	36.82	38.15
1x 5 and 10 inch, “ “	36.83	42.85	36.00	35.00[1]	38.32	40.07
1x12 inch, “ “	36.83	42.85	42.00[1]	41.74[1]	39.24	41.78
1¼x4 to 12 inch, “ “	45.44	42.87	45.17	50.00	47.70	48.46
1½ and 2x4 to 12 inch, “ “	49.85	49.10	45.15	59.90[3]	46.25	47.42
1⅝ inch, “ “	....	44.50	....	40.43[3]	44.50	47.50
1x 6 to 12 inch, “ “	....	....	....	42.00	42.00	33.50
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	47.22	47.00	50.89	55.00[1]	47.31	49.38
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	49.38	48.70	55.22	55.00[1]	49.97	49.32
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	51.50	50.60[3]	50.00	62.50	53.21	54.86
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	34.50[3]	33.00[2]	28.54[1]	....	28.54[1]	28.54
“ “ “ “ “ 8 ft.	25.75	31.41[3]	30.00[2]	....	25.75[1]	28.75
“ “ “ “ “ 12 and 14 ft.	35.00[1]	....	....	....	35.00[1]	35.00
“ “ “ “ “ 16 ft.	35.00[1]	....	....	....	35.00[1]	35.00
“ “ “ “ “ 9 or 18 ft.	32.56	32.44	39.00[2]	37.00[3]	32.52	33.38
“ “ “ “ “ 10 or 20 ft.	32.75	33.51	....	....	33.20	32.46

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft........	....	24.00	24.00[1]	....	24.00	24.00
" " " " " 8 ft.........	....	25.25	....	....	25.25	22.37[1]
" " " " " 12 and 14 ft...	....	24.50	....	....	24.50	23.00
" " " " " 16 ft........	....	24.50	....	....	24.50	22.37[1]
" " " " " 9 or 18 ft...	....	26.00	....	....	26.00	35.00
" " " " " 10 or 20 ft...	28.37	25.25	27.00	....	27.74	25.44
Siding, Lining and Roofing, 1x6, No. 1, 5 ft........	26.62[3]	24.00	24.00[1]	27.50[3]	24.00	24.00
" " " " " 8 ft.........	22.73	25.25	....	....	22.73	22.37[1]
" " " " " 12 and 14 ft...	23.62	24.50	....	....	23.62	30.50
" " " " " 16 ft........	26.50[1]	24.50	....	27.50[3]	24.50	26.50
" " " " " 9 or 18 ft...	25.00	26.00	....	....	25.00	35.00
" " " " " 10 or 20 ft....	36.33	25.25	27.00	....	36.33	30.25
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	11.12	12.62	....	....	11.90	13.46
" " " " " 10 to 20 ft	18.28	12.62	....	....	18.28	12.94
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	33.00[3]	32.00[3]	....	32.55[3]	32.55[2]
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	32.00[3]	....	32.00[3]	32.00[2]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	26.00	....	....	....	26.00	27.77[2]
" " " 1¾ inch, 10 & 20 ft	26.00	....	....	....	26.00	27.77[2]
" " " 2 to 3 inch. 9 & 18 ft	31.00[3]	26.10	30.00[1]	....	26.10	30.00
" " " 2 to 3 inch 10 & 20 ft	31.00[3]	26.00	30.00[1]	30.00[3]	26.00	21.63
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	26.50[2]	....	....	26.50[2]	26.50[1]
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft....	24.71	....	34.50[1]	....	24.71	31.33
" " " " other lengths....	25.18	25.38	30.45	32.50	25.91	27.51
" " 1x10, " 14 and 16 ft...	24.89	....	33.43[1]	....	24.89	28.08
" " " " other lengths....	25.19	25.43	31.89	32.62	26.52	27.62
" " 1x12, " 14 and 16 ft....	33.10	34.00[1]	35.50	....	35.10	34.85
" " " " other lengths....	32.62	31.29	34.31	40.13	32.01	31.83
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths......	15.13	15.60	16.71	15.68	15.48	16.71
" " 1x10, " "	16.02	16.91	17.06	16.47	16.45	16.92
" " 1x12, " "	16.83	17.41	17.78	16.23	17.13	17.60
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.....	9.54	8.47	10.64	12.25	9.78	10.91
" " 1x10, " "	9.65	9.07	10.65	14.00	9.80	10.82
" " 1x12, " "	9.90	9.61	11.54	10.00[1]	10.05	11.23
Shiplap, 1 x 8, No. 1, 14 and 16 ft.................	24.83	....	26.00[1]	....	24.83	25.27
" " " other lengths................	25.06	24.17	29.10	28.50[1]	24.96	26.05
" 1x10, " 14 and 16 ft.................	26.29	....	37.50[3]	....	26.29	26.27
" " " other lengths................	25.56	25.16	30.50[1]	....	25.41	25.19
" 1x12, " 14 and 16 ft.................	....	....	....	....	....	....
" " " other lengths................	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.....................	15.78	16.42	17.04	17.19	16.39	16.62
" 1x10, " "	15.85	16.63	16.18	17.08	16.29	16.65
" 1x12, " "	....	....	....	17.14[1]	17.14[1]	17.14
Shiplap, 1x 8, No. 3, all lengths.....................	10.50	10.03	10.89	9.00	10.55	10.39
" 1x10, " "	9.95	9.76	11.62	11.00	10.35	10.97
" 1x12, " "	11.33	9.90	....	12.75[2]	10.10	12.89
Grooved Roofing, 1x10, No. 1, 14 and 16 ft..........	27.06	....	....	....	27.06	28.46
" " " " other lengths..........	25.72	26.00	....	....	25.88	28.04
" " 1x12, " 14 and 16 ft..........	....	....	....	....	....	....
" " " " other lengths..........	....	....	....	....	....	....
All No. 4—all widths and lengths.....................	6.00	....	7.00	....	6.33	5.19

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 10
1x4, S 1 S, No. 1, 16 ft.	23.75	....	....	....	23.75	25.23
" " " other lengths	23.17	23.93	30.86	31.71	24.67	25.98
" " No. 2, all lengths	10.94	10.81	13.24	13.78	11.12	10.80
" " No. 3, "	8.39	7.99	8.92	....	8.27	9.00
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	28.25	....	....	30.75[2]	28.25	30.75[1]
" " No. 2, all lengths	10.65	....	....	18.50[2]	10.65	11.70
" " No. 3, "	8.00[1]	....	....	....	8.00[1]	8.00
1x6, S 1 S, No. 1, 16 ft.	26.06	26.00[1]	33.00[1]	28.00[1]	26.06	26.84
" " " other lengths	24.78	25.09	31.05	27.66	25.67	27.21
" " No. 2, all lengths	13.99	14.45	16.16	14.00	14.33	14.99
" " No. 3, "	8.80	8.92	9.40	10.25	9.12	10.24
1x6, C. M., No. 1, 16 ft.	27.65	22.00[2]	....	....	27.65	26.00
" " " other lengths	24.27	23.37	....	....	24.00	25.62
" " No. 2, all lengths	13.83	14.55	....	17.76	14.32	15.29
" " No. 3, "	8.91	8.87	....	9.00	8.90	9.32
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.07	18.81	20.43	....	19.13	18.84
" " " 12 ft.	20.32	18.44	18.65	....	19.05	19.89
" " " 14 ft.	20.63	18.55	18.19	....	19.17	19.84
" " " 16 ft.	21.32	21.46	20.32	21.00[2]	21.31	21.49
" " " 18 ft.	22.14	22.27	19.94	19.00[3]	21.71	21.88
" " " 20 ft.	22.60	22.27	19.94	....	22.43	21.68
" " " 22 ft.	23.79	22.40	21.68[1]	....	22.53	23.23
" " " 24 ft.	24.29	22.85	21.68[1]	....	23.23	23.54
2x 6, No. 1, S 1 S 1 E, 10 ft.	20.69	17.45	18.22	....	19.22	18.40
" " " 12 ft.	17.69	16.98	17.66	....	17.46	17.46
" " " 14 ft.	17.28	17.58	17.66	....	17.47	17.02
" " " 16 ft.	18.36	17.60	18.66	....	18.10	18.28
" " " 18 ft.	19.41	19.10	18.22	....	19.22	18.85
" " " 20 ft.	18.90	19.26	18.22	....	19.07	18.93
" " " 22 ft.	21.30	19.86	21.98	....	20.34	21.72
" " " 24 ft.	22.13	21.01	21.98	....	21.66	20.59
2x 8, No. 1, S 1 S 1 E, 10 ft.	19.36	21.02	20.43	24.50[1]	20.36	20.76
" " " 12 ft.	18.80	17.63	17.39	....	17.87	19.04
" " " 14 ft.	18.94	17.28	18.95	22.50[1]	18.02	18.30
" " " 16 ft.	20.08	20.69	20.84	27.00	20.33	20.09
" " " 18 ft.	20.04	21.12	20.43	28.00	20.45	20.88
" " " 20 ft.	20.76	21.33	20.43	28.00	21.07	21.35
" " " 22 ft.	22.00	22.41	25.20	....	23.08	20.48
" " " 24 ft.	22.53	22.05	25.20	....	22.16	20.75
2x10, No. 1, S 1 S 1 E, 10 ft.	19.89	19.34	19.45	....	19.47	20.87
" " " 12 ft.	20.32	21.19	18.90	....	20.18	19.73
" " " 14 ft.	20.87	19.86	18.90	....	20.32	19.02
" " " 16 ft.	21.81	21.96	18.39	....	21.06	21.18
" " " 18 ft.	23.12	21.86	19.45	....	22.62	22.12
" " " 20 ft.	22.26	22.81	19.45	....	22.58	21.03
" " " 22 ft.	24.52	24.70	24.62	....	24.63	24.53
" " " 24 ft.	25.94	24.82	24.62	....	25.19	24.36
2x12, No. 1, S 1 S 1 E, 10 ft.	21.13	22.25	20.88	29.50[2]	21.22	23.04
" " " 12 ft.	22.87	22.03	21.02	29.50[1]	22.17	21.31
" " " 14 ft.	22.94	22.37	21.02	29.50[1]	22.64	21.63
" " " 16 ft.	25.60	24.20	20.53	31.50[1]	24.74	23.90
" " " 18 ft.	24.56	24.03	20.88	....	24.28	25.36
" " " 20 ft.	23.59	24.79	20.88	....	24.23	24.49
" " " 22 ft.	26.24	26.89	24.34[1]	....	26.57	25.15
" " " 24 ft.	26.56	27.45	24.34[1]	....	26.96	29.10
2x 4, No. 2, S 1 S 1 E, 10 ft.	15.32	15.45	16.48	....	15.71	15.54
" " " 12 ft.	15.02	14.76	15.57	15.00	15.09	15.11
" " " 14 ft.	15.09	15.18	16.18	15.00	15.40	15.13
" " " 16 ft.	16.80	15.78	16.60	15.85	16.39	16.50
" " " 18 ft.	17.59	17.18	17.71	17.10	17.45	17.54
" " " 20 ft.	17.40	17.26	17.71	18.00[1]	17.32	17.51
" " " 22 ft.	19.00	21.00	18.56[1]	....	20.67	19.39
" " " 24 ft.	21.75[3]	21.00	18.56[1]	....	21.00	19.39
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.20	12.14	16.34	....	14.71	14.11
" " " 12 ft.	13.28	12.34	13.96	....	13.21	13.10
" " " 14 ft.	13.52	12.56	13.96	....	12.91	12.60
" " " 16 ft.	14.28	13.54	14.83	19.50[3]	14.04	14.09
" " " 18 ft.	14.46	14.76	16.34	16.60[2]	14.62	14.93
" " " 20 ft.	14.83	15.02	16.34	17.50[2]	14.93	15.16
" " " 22 ft.	16.55	15.87	22.74	....	18.51	17.78
" " " 24 ft.	19.75[3]	15.87	22.74	....	18.66	17.78

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	15.49	13.74	18.65	....	16.55	16.52
" " " 12 ft.	14.71	14.31	15.12	15.00[1]	14.59	15.12
" " " 14 ft.	14.74	14.50	16.35	15.00[1]	14.89	14.57
" " " 16 ft.	16.55	15.89	17.03	15.25	16.36	15.53
" " " 18 ft.	17.23	17.30	18.65	19.00[1]	17.26	17.19
" " " 20 ft.	16.63	17.40	18.65	17.00[1]	16.95	17.02
" " " 22 ft.	....	18.39	19.13	17.75[2]	18.50	20.78
" " " 24 ft.	21.75	18.39	19.13	....	21.75	20.75
2x10, No. 2, S 1 S 1 E, 10 ft.	19.40	14.50	18.49	15.00	17.36	17.92
" " " 12 ft.	14.92	15.23	15.79	15.00[3]	15.32	15.07
" " " 14 ft.	14.75	14.77	15.79	15.00	14.76	15.81
" " " 16 ft.	16.27	16.54	16.27	18.75[2]	16.37	15.80
" " " 18 ft.	17.95	18.11	18.49	....	18.02	17.04
" " " 20 ft.	18.40	17.95	18.49	....	18.23	17.42
" " " 22 ft.	20.50[3]	20.41	19.35	....	20.27	22.05
" " " 24 ft.	20.50[3]	20.41	19.35	....	20.27	22.05
2x12, No. 2, S 1 S 1 E, 10 ft.	17.27	17.67	17.04	19.25[2]	17.12	18.23
" " " 12 ft.	17.38	14.96	19.16	....	16.80	15.63
" " " 14 ft.	16.71	15.90	19.16	16.00[3]	16.27	15.36
" " " 16 ft.	18.10	19.61	20.30	....	18.78	19.20
" " " 18 ft.	18.45	18.68	17.04	19.00[3]	18.52	18.81
" " " 20 ft.	18.83	19.15	17.04	....	18.95	18.75
" " " 22 ft.	20.50[3]	21.77	20.11	....	21.12	27.65
" " " 24 ft.	....	21.77	20.11	....	21.12	27.65
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	8.11	7.74	....	11.97	8.54	8.19
PATENT LATH						
4 and 6 ft.	10.33	12.85	....	....	11.50	11.23
8 and 10 ft.	11.27	11.00	....	13.50[3]	11.25	12.41
12 ft. and longer	11.95	15.00[1]	....	....	11.95	12.73
PLASTERING LATH						
⅜x1½-4. No. 1	3.09	3.21	3.28	2.70	3.17	3.17
" No. 2	1.59	1.97	1.57	1.97	1.63	1.68
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	22.78	25.77	22.46	....	23.16	23.47
" " 22-24 ft.	24.37	25.00	24.19	....	24.28	25.36
" " 26 ft.	22.18	27.00	22.35	....	22.63	27.23
" " 28 ft.	....	29.25[1]	22.35	....	22.35	29.25
" " 30 ft.	26.69	30.00	24.50	....	26.90	45.94
" " over 30 ft.	27.33	30.00	24.50	....	27.80	39.50
4x4 to 8x8, Heart (85%+), up to 20 ft.	28.51	28.60	....	....	28.52	31.62
" " " 22-24 ft.	36.35	30.00	....	....	36.15	32.20
" " " 26 ft.	30.50[2]	30.50	....	....	30.50	33.00
" " " 28 ft.	34.85	30.50	....	....	34.44	35.00[2]
" " " 30 ft.	....	28.75	....	....	28.75	....
" " " over 30 ft.	36.91[3]	35.10[3]	....	....	36.08[3]	36.08[2]
3 & 4x10, No. 1, up to 20 ft.	27.43	29.33	....	....	27.63	28.94
" " 22-24 ft.	24.00[1]	30.00	....	....	30.00	24.00
" " 26 ft.	23.50	29.01[1]	....	....	23.50	41.08
" " 28 ft.	46.75[1]	....	....	....	46.75[1]	46.75
" " 30 ft.	37.75[3]	....	....	....	37.75[3]	37.75[2]
" " over 30 ft.	....	....	....	....	....	....
3 & 4x10, Heart (85%+), up to 20 ft.	30.81	29.61	....	....	30.63	33.27
" " " 22-24 ft.	31.50	36.00[2]	....	....	31.50	29.06
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	32.50	....	....	32.50	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 10
6x10, to 10x10, No. 1, up to 20 ft.	27.67	26.13	21.65	....	25.36	26.22
" " 22-24 ft.	28.13	28.25[1]	21.50	....	26.77	28.21
" " 26 ft.	35.00	29.25[1]	23.02	....	28.97	31.97
" " 28 ft.	24.50[3]	30.25[1]	23.02	....	23.02	30.25
" " 30 ft.	27.70[3]	31.25[1]	25.51	....	25.51	33.50
" " over 30 ft.	29.30	....	25.51	....	29.30	36.55
6x10 to 10x10, Heart (85%+), up to 20 ft.	32.08	32.50	....	....	32.16	31.13
" " " 22-24 ft.	32.50	32.00[1]	....	....	32.50	32.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	36.50	46.67[3]	....	....	36.50	46.00
3 & 4x12, No 1, up to 20 ft.	29.16	35.00	....	....	30.03	29.98
" " 22 24 ft.	29.00[1]	30.00	....	....	30.00	29.29
" " 26 ft.	23.50	35.00[2]	....	....	23.50	35.00[1]
" " 28 ft.	....	36.00[2]	....	....	36.00[2]	36.00[1]
" " 30 ft.	33.25	33.00[1]	....	....	33.25	33.00
" " over 30 ft.	45.00[2]	38.00	....	....	38.00	44.70[1]
3 & 4x12, Heart (85%+), up to 20 ft.	35.07	33.48	....	....	34.17	33.99
" " " 22-24 ft.	33.00	29.00[1]	....	....	33.00	29.00
" " " 26 ft.	37.50[2]	37.00	....	....	37.00	37.50[1]
" " " 28 ft.	38.00[2]	39.00	....	....	39.00	38.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	47.25[3]	....	....	47.25[3]	47.25[2]
6x12 to 12x12, No. 1, up to 20 ft.	26.68	30.27	25.24	....	26.13	30.01
" " 22-24 ft.	24.36	29.67[1]	24.50	....	24.47	30.94
" " 26 ft.	29.00[1]	35.25[1]	25.40	....	25.40	35.10
" " 28 ft.	26.36	34.80[1]	25.40	....	26.36	29.80
" " 30 ft.	44.33[3]	37.25[1]	28.19	....	28.19	35.99
" " over 30 ft.	30.42	49.25[2]	28.19	....	30.42	40.09
6x12 to 12x12, Heart (85%+), up to 20 ft.	32.48	32.00	....	....	32.39	31.79
" " " 22-24 ft.	34.52	37.50[1]	....	....	34.52	37.50
" " " 26 ft.	....	....	....	....	....	42.00[3]
" " " 28 ft.	36.50[2]	....	....	....	36.50[2]	36.50[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	43.00[2]	....	....	43.00[2]	43.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	37.02	31.88	....	....	33.51	41.60[2]
" " 22-24 ft.	33.05[3]	36.68	....	....	36.68	33.05[2]
" " 26 ft.	31.00[3]	38.86	....	....	38.86	31.00[2]
" " 28 ft.	38.75[1]	....	....	....	38.75[1]	38.75
" " 30 ft.	....	40.00	....	....	40.00	....
" " over 30 ft.	45.00[3]	....	....	....	45.00[3]	45.00[2]
2x14 to 4x14, Heart (85%+), up to 20 ft.	37.75	32.25[1]	....	....	37.75	32.25
" " " 22-24 ft.	31.00[1]	40.00[3]	....	....	31.00[1]	31.00
" " " 26 ft.	....	....	....	....	....	44.50[3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	30.49	32.68[1]	28.32	....	29.19	34.60
" " 22-24 ft.	34.02[3]	35.00[1]	27.50	....	27.50	34.93
" " 26 ft.	31.02[3]	38.33[3]	28.94	....	28.94	35.71
" " 28 ft.	31.00[3]	....	28.94	....	28.94	35.71
" " 30 ft.	44.00[2]	42.00[3]	30.97	....	30.97	43.20[1]
" " over 30 ft.	27.38	....	30.97	....	27.38	50.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	36.00	40.00[2]	....	....	36.00	38.97[1]
" " " 22-24 ft.	39.00	....	....	....	39.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	41.00[2]	....	....	....	41.00[2]	41.00[1]
" " 22-24 ft.	51.75[3]	....	....	....	51.75[3]	51.75[2]
" " 26 ft.	....	36.62	....	....	36.62	38.00[3]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	42.31[2]	45.00	....	....	45.00	42.31[1]
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 10
6x16 & Up, No. 1, up to 20 ft.	29.75	....	41.06[1]	....	29.75	41.06
" " 22-24 ft.	36 66[2]	....	22.48[1]	....	22.48[1]	22.48
" " 26 ft.	29.75	....	44.79[1]	....	29.75	44.79
" " 28 ft.	29.75	....	44.79[1]	....	29.75	44.79
" " 30 ft.	....	....	34.00	....	34.00	35.00
" " over 30 ft.	27.38	....	34.00	....	27.38	50.50[1]
6x16 & Up, Heart (85%+), up to 20 ft.	45.00[2]	....	....	....	45.00[2]	45.00[1]
" " " 22-24 ft.	39 00[2]	....	....	....	39.00[2]	39.00[1]
" " " 26 ft.	46.00	....	....	....	46.00	....
" " " 28 ft.	47.00[2]	....	....	....	47.00[2]	47.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	66.98[3]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	57.00[1]	....	....	57.00[1]	57.00
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	43.00[3]	40.00[3]	....	....	42.50[3]	42.50[2]
" " 22-24 ft.	....	....	45.00[2]	....	45.00[2]	45.00[1]
" " 26 ft.	46.00	46.00	....	....	46.00	....
" " 28 ft.	....	38.00	....	....	38.00	57.00
" " 30 ft.	....	....	....	....	....	52.00[3]
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.00[2]	48.00[3]	....	....	47.00[2]	47.00[1]
" " " 30 ft.	44.00	55.00[3]	....	....	44.00	55.00[2]
" " " 32 ft	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	35.00	....	35.00	30.00[1]
" " " 36 ft.	36.00[3]	33.00[2]	35.00	....	35.00	33.00[1]
" " " 37-38 ft.	33.70[2]	50.00[2]	33.87[2]	....	34.07[2]	34.07[1]
" " " 40 ft.	40.25[1]	45.00[2]	34.30[3]	....	40.25[1]	40.25
" " " 41-42 ft.	42.00[2]	52.00[2]	....	....	43.04[2]	43.04[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	34.25[3]	34.25[3]	34.25[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	42.00[3]
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	37.64[1]	....	37.84[1]	....	37.84[1]	37.84
" " " 36 ft.	31.64	33.00[2]	37.84[1]	....	31.64	37.84
" " " 37-38 ft.	32.06	....	....	....	32.06	....
" " " 40 ft.	....	48.00[2]	....	35.00[1]	35.00[1]	35.00
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	41.00[2]	....	....	....	41.00[2]	41.00[1]
" " " " 37-38 ft.	....	....	....	34.25[3]	34.25[3]	34.25[2]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	37.10[2]	45.00[2]	40.00[1]	....	40.00[1]	40.00
" " " 36 ft.	....	....	40.00[1]	....	40.00[1]	40.00
" " " 37-38 ft.	....	....	38.82[2]	....	38.82[2]	38.82[1]
" " " 40 ft.	45.25[1]	48.00[2]	38.82[2]	38.00[2]	45.25[1]	45.25
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	39.82[3]	39.82[3]	39.82[2]
" " " " 37-38 ft.	....	....	....	36.25[3]	36.25[3]	36.25[2]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 10
Up to 14 inch, Sq. E., 34 ft.	....	....	43.70[1]	....	43.70[1]	43.70
“ “ “ 36 ft.	....	....	43.70[1]	....	43.70[1]	43.70
“ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ 40 ft.	....	55.00[2]	....	45.00[1]	45.00[1]	45.00
“ “ “ 41-42 ft.	....	....	....	....	....	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	41.50[3]	41.50[3]	41.50[2]
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	38.25[3]	38.25[3]	38.25[2]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	48.00[1]	....	....	48.00[1]	48.00
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	32.75	....	....	....	32.75	35.00
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	48.00[1]	....	....	48.00[1]	48.00
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	29.76	31.38	....	....	29.97	27.51
“ “ Heart, (85%+), 6x8-8	31.87	43.00[1]	....	....	31.87	32.82
“ “ Sq. E., “ 7x9-8	....	....	....	....	....	34.59[3]
“ “ Heart, “ 7x9-8	....	34.50[3]	....	....	34.50[3]	34.50[2]
Bridge Ties, Sq. E., 7x9 & up	46.75[1]	....	....	....	46.75[1]	46.75
“ “ Heart,	30.75[1]	....	....	....	30.75[1]	30.75
Paving Stock, S 1 S	....	....	....	20.00[2]	20.00[2]	20.00[1]
“ “ Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	104.00[2]	....	....	....	104.00[2]	104.00[1]
Miscellaneous	31.00	41.31	35.09	19.38	35.32	32.83
MISCELLANEOUS STOCK						
Silo Stock	37.40	....	46.00[3]	....	37.40	46.00[2]
Grain Doors	....	....	....	....	....	....
Miscellaneous, B and B	39.45	50.19	23.65	67.00	33.77	44.18
“ No. 1	28.53	24.37	28.35	29.56	27.25	33.47
“ No. 2	18.05	13.19	17.17	15.85	16.01	17.01
“ No. 3	13.35	9.89	10.32	11.32	10.34	10.61
Shorts, B and B	26.50	27.93	....	....	26.81	24.47
“ No. 1	12.77	11.27	....	....	12.63	11.82
“ No. 2	....	10.70	....	....	10.70	9.29
“ No. 3	....	7.11	....	....	7.11	9.27[2]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9 00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.[illegible]	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10 25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11:75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24 50	4500

Southern Pine Association

REPORT OF SALES

March 31, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending March 31, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900
Shiplap and D. & M. ¾		2,400
Grooved Roofing, 13/16		2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued April 9, 1921

No. 125

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	66.00[2]	....	....	....	66.00[2]	66.00[1]
" " B "	....	....	....	....	....	....
" " B and Better "	61.30	....	....	....	61.30	63.90
" " C "	34.00[1]	....	....	....	34.00[1]	34.00
" " D "	34.64	....	....	....	34.64	37.28
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	31.25[1]	....	....	....	31.25[1]	31.25
" " B and Better "	34.19	....	....	....	34.19	34.43
" " C "	....	....	....	....	....	....
" " D "	27.27	....	....	....	27.27	26.90
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	15.04	15.81	....	....	15.33	17.02
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	80.00	80.00	77.50
Edge Grain, A "	....	....	70.15	70.00	70.14	76.00
" " B "	....	64.75	63.64	60.00	63.64	63.51
" " B and Better "	....	61.26	....	60.16	60.88	63.91
" " C "	....	34.50	48.94	45.00	46.95	53.10
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	23.34	27.25	24.42	23.68
Flat " A "	....	....	....	....	....	....
" " B "	....	37.55	....	....	37.55	32.00
" " B and Better "	....	35.35	38.77	40.28	38.98	38.72
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	26.50	32.22	31.66	31.64	30.78
No. 2 " "	....	16.00	16.23	16.47	16.31	16.42
No. 3 " "	....	....	7.16[1]	6.50	6.50	7.16
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	91.25[3]
Edge Grain, A "	55.00[2]	....	63.23[3]	....	55.00[2]	55.00[1]
" " B "	....	50.00	57.04	....	56.60	58.47
" " B and Better "	48.44	48.72	....	50.00[1]	48.54	49.70
" " C "	40.00	38.21	32.43[1]	....	38.96	34.61
" " D "	31.89	....	....	....	31.89	33.50[1]
" " No. 2 "	....	....	22.34	26.50[2]	22.34	28.00
Flat " A "	....	....	....	....	....	....
" " B "	31.65	30.96	31.81[1]	....	31.45	31.75
" " B and Better "	30.50	30.73	31.21	31.83	30.84	32.22
" " C "	25.59	27.81	....	....	25.95	27.04
" " D "	24.03	25.46	....	....	24.20	25.09
No. 1 Common "	....	24.69	27.37	28.35	27.24	26.45
No. 2 " "	14.61	15.82	15.64	15.18	15.28	15.92
No. 3 " "	....	....	7.92	6.79	7.57	7.68
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.97	32.18	31.93	33.00	30.18	31.27
" " No. 1 Common	25.42	27.64[1]	25.92	33.34	26.56	26.73
" " No. 2 "	14.75[2]	22.75	15.11	....	15.37	14.20[1]
" " No. 3 "	....	....	13.50[2]	....	13.50[2]	13.50
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.63	30.10	30.95	33.08	30.21	31.35
" " No. 1 Common	23.95	24.58	28.02	26.31	25.46	25.26
" " No. 2 "	13.79	14.21	14.99	13.80	14.36	14.95
" " No. 3 "	....	....	7.50	6.00	6.26	7.14
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.20	28.00[1]	32.67	....	33.48	35.46
" " No. 1 Common	29.52	28.00[2]	31.75[1]	....	29.52	31.47
" " No. 2 "	16.25	....	17.27	....	16.78	16.00
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.75	37.76	....	37.10	34.57	35.33
" " No. 1 Common	32.23	37.50	....	37.63	35.21	29.17
" " No. 2 "	16.83	18.44[1]	...	18.75	16.86	18.08
Partition, ¾x5¼″, A	...	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	39.20	38.25	36.08	45.00	36.57	35.89
" " No. 1 Common	30.25	26.50[1]	30.74	39.00[2]	30.71	29.71
" " No. 2 "	...	17.53[3]	16.67	....	16.67	15.98
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	25.41	26.05	21.81	25.00	24.07	22.75
" No. 1 Common	23.88	21.00	18.64	20.53	19.30	20.42
" No. 2 "	16.50	12.66	9.61	12.00	10.30	13.98

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	29.69	30.44	30.18	29.74	30.01	31.50
“ “ No. 1 Common	24.78	23.20	27.24	26.33	25.62	26.23
“ “ No. 2 “	15.91	16.57	16.49	16.59	16.31	16.81
“ “ No. 3 “	....	....	9.15	5.75	8.71	8.89
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	38.73	36.57	39.93	44.50	38.79	39.52
1x 6 inch, “	38.71	38.20	40.18	44.90	39.04	39.92
1x 8 inch, “	39.12	39.12	40.81	44.10	39.47	41.05
1x 5 and 10 inch, “	43.09	42.73	43.56	46.69	43.12	43.52
1x12 inch, “	44.35	42.15	46.11	50.46	44.58	44.85
¼x4 to 12 inch, “	53.30	46.13	50.02	54.71	50.15	52.40
½ and 2x4 to 12 inch, “	53.02	49.71	49.03	51.25[2]	50.22	55.51
⅝ inch, “	39.14	43.98	....	....	40.25	43.36
x 6 to 12 inch, “	....	....	....	36.48	36.48	40.00
x 4 inch, C	29.07	38.00[1]	36.00[2]	....	29.07	34.92
x 6 inch, “	32.31	32.61	36.04	....	33.49	35.07
x 8 inch, “	33.36	32.95	37.02	....	34.94	36.75
x 5 and 10 inch, “	32.24	33.55	37.91	....	35.05	38.05
x12 inch, “	36.96	40.00	35.95	....	36.52	37.88
¼x4 to 12 inch, “	49.00	42.19	35.00	....	38.45	37.95
½ and 2x4 to 12 inch, “	43.32	42.50[2]	....	....	43.32	44.83[1]
⅝ inch, “	....	45.00	....	....	45.00	49.00[2]
x 6 to 12 inch, “	....	....	....	....	....	....
x 4 inch, B and Better, Rough	36.50[1]	36.75[1]	35.83	....	35.83	36.54
x 6 inch, “ “	32.69	38.80	32.87	35.42	33.81	36.82
x 8 inch, “ “	38.21	40.00	35.30	35.00[2]	38.00	36.82
x 5 and 10 inch, “ “	37.97	38.80	44.07	35.00[2]	41.35	38.32
x12 inch, “ “	41.74	42.03	47.00	41.74[2]	43.40	39.24
¼x4 to 12 inch, “ “	47.15	41.79	45.99	51.55	43.92	47.70
½ and 2x4 to 12 inch, “ “	48.31	43.00	46.56	40.30	43.81	46.25
⅝ inch, “ “	....	37.86	....	....	37.86	44.50
x 6 to 12 inch, “ “	....	....	....	20.00	20.00	42.00
CASING AND BASE						
rom 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	47.18	47.20	52.94	55.00[2]	48.27	47.31
rom 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	46.38	46.99	50.30	55.00[2]	47.54	49.97
MOULDINGS (% Discount)						
½ inch and Smaller	....	....	....	....	....	....
¾ inch and Larger	....	....	....	....	....	......
DOOR AND WINDOW JAMBS						
B. M.	....	....	....	....	....	....
“	....	....	....	....	....	......
and Better, “	50.84	....	57.51	62.50[1]	54.75	53.21
CAR MATERIAL						
id., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	25.88	31.50	28.54[2]	....	27.99	28.54[1]
“ “ “ “ “ 8 ft.	26.49	....	30.00[3]	....	26.49	25.75[1]
“ “ “ “ “ 12 and 14 ft.	30.50	....	....	....	30.50	35.00[1]
“ “ “ “ “ 16 ft.	28.33	....	....	....	28.33	35.00[1]
“ “ “ “ “ 9 or 18 ft.	31.67	33.00	39.00[3]	....	31.93	32.52
“ “ “ “ “ 10 or 20 ft.	29.13	33.51[1]	....	....	29.13	33.20

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	....	24.00 [1]	24.00 [2]	....	24.00 [1]	24.00
" " " " " 8 ft.	....	32.00	....	....	32.00	25.25
" " " " " 12 and 14 ft.	....	24.34	....	....	24.34	24.50
" " " " " 16 ft.	....	23.52	....	....	23.52	24.50
" " " " " 9 or 18 ft.	....	26.00 [1]	....	....	26.00 [1]	26.00
" " " " " 10 or 20 ft.	27.70	33.00	30.00	....	28.82	27.74
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	....	24.00 [1]	24.00 [2]	....	24.00 [1]	24.00
" " " " " 8 ft.	22.73 [1]	32.00	....	....	32.00	22.73
" " " " " 12 and 14 ft.	23.25	24.34	....	....	23.25	23.62
" " " " " 16 ft.	23.07	28.25	....	....	23.07	24.50
" " " " " 9 or 18 ft.	25.00 [1]	26.00 [1]	....	....	25.00 [1]	25 00
" " " " " 10 or 20 ft.	24.72	33.00	30.00	....	24.72	36.33
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	10.79	11.93	....	....	11.12	11.90
" " " " " 10 to 20 ft.	12.44	11.93	......	....	12.44	18.28
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	32.55 [3]
" " " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	32.00 [3]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	26.00	....	....	....	26.00	26.00
" " " 1¾ inch, 10 & 20 ft	26.00	....	....	....	26.00	26 00
" " " 2 to 3 inch, 9 & 18 ft.	....	24.00	25.31	....	24.86	26.10
" " " 2 to 3 inch 10 & 20 ft.	....	31.00	25.31	....	31.00	26.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	......
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	......
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	26.50 [2]	....	....	26.50 [2]	26.50 [2]
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	24.33	....	26.00	....	24.40	24.71
" " " " other lengths.	21.04	24.90	29.18	31.92	23.71	25.91
" " 1x10, " 14 and 16 ft.	24.88	....	33.45	....	26.08	24.89
" " " " other lengths.	22.03	25.52	29.90	32.75	24.17	26.52
" " 1x12, " 14 and 16 ft.	31.63	34.00 [2]	29.47	....	31.49	35.10
" " " " other lengths.	30.96	30.41	31.68	33.75	30.85	32.01
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	14.57	15.41	16.36	15.29	15.25	15.48
" " 1x10, " "	14.74	15.89	16.67	15.90	15.48	16.45
" " 1x12, " "	16.11	16.46	17.64	17.01	16.72	17.13
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.45	8.57	10.64	12.25 [1]	9.76	9.78
" " 1x10, " "	9.94	9.34	10.71	14.00 [1]	10.14	9.80
" " 1x12, " "	10.14	10.38	11.55	12.50	10.78	10.05
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	25.33	....	26.00 [2]	....	25.33	24.83
" " " other lengths.	24.10	24.49	28.84	28.50 [2]	24.57	24.96
" 1x10, " 14 and 16 ft.	24.22	....	....	....	24.22	26.29
" " " other lengths.	24.12	25.05	23.50	26.00	24.49	25.41
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	15.45	15.33	16.75	15.89	15.80	16.39
" 1x10, " "	14.35	15.45	16.32	16.46	14.84	16.29
" 1x12, " "	....	....	....	17.14 [2]	17.14 [2]	17.14 [1]
Shiplap, 1x 8, No. 3, all lengths.	9.69	10.70	10.65	10.50	10.19	10.55
" 1x10, " "	10.02	9.63	11.16	10.85	10.28	10.35
" 1x12, " "	10.65	9.37	....	127.53	10.05	10.10
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	25.64	....	....	....	25.64	27.06
" " " " other lengths.	26.60	21.00	....	....	25.32	25.88
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	8.87	....	4.13	....	5.99	6.33

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 20
1x4, S 1 S, No. 1, 16 ft.	23.33	....	....	....	23.33	23.75
“ “ “ other lengths	23.53	24.14	27.63	30.75	24.16	24.67
“ “ No. 2, all lengths	10.55	10.56	13.61	9.75	10.73	11.12
“ “ No. 3, “	8.23	7.69	9.03	....	8.28	8.27
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
“ “ “ other lengths	28.25[1]	....	....	25.00	25.00	28.25
“ “ No. 2, all lengths	11.04	....	....	18.50[3]	11.04	10.65
“ “ No. 3, “	8.00[2]	....	....	....	8.00[2]	8.00[1]
1x6, S 1 S, No. 1, 16 ft.	24.32	24.19	26.50	28.00[2]	24.34	26.06
“ “ “ other lengths	24.12	24.39	29.08	29.37	25.43	25.67
“ “ No. 2, all lengths	13.78	13.39	15.74	14.11	13.94	14.33
“ “ No. 3, “	8.91	8.72	9.68	9.50	9.19	9.12
1x6, C. M., No. 1, 16 ft.	24.99	25.00	....	....	24.94	27.65
“ “ “ other lengths	23.99	24.34	....	....	24.04	24.00
“ “ No. 2, all lengths	14.23	14.34	....	16.58	14.36	14.32
“ “ No. 3, “	8.94	9.68	....	9.00[1]	9.52	8.90
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	20.35	19.21	19.92	....	19.90	19.13
“ “ “ 12 ft.	19.40	18.35	19.08	....	18.85	19.05
“ “ “ 14 ft.	19.74	17.76	19.53	....	18.74	19.17
“ “ “ 16 ft.	21.02	21.42	20.29	21.00[3]	20.80	21.31
“ “ “ 18 ft.	22.01	21.77	20.94	....	21.65	21.71
“ “ “ 20 ft.	21.62	21.42	20.94	....	21.54	22.43
“ “ “ 22 ft.	23.66	19.57	21.12	....	20.58	22.53
“ “ “ 24 ft.	23.56	23.17	21.12	....	23.31	23.23
2x 6, No. 1, S 1 S 1 E, 10 ft.	17.01	17.44	17.97	....	17.66	19.22
“ “ “ 12 ft.	16.85	16.87	16.69	....	16.79	17.46
“ “ “ 14 ft.	16.19	16.07	16.69	....	16.13	17.47
“ “ “ 16 ft.	17.28	17.82	17.90	....	17.54	18.10
“ “ “ 18 ft.	18.09	18.10	17.97	....	18.09	19.22
“ “ “ 20 ft.	18.35	18.12	17.97	....	18.24	19.07
“ “ “ 22 ft.	20.15	19.16	20.31	....	19.78	20.34
“ “ “ 24 ft.	20.14	21.12	20.31	....	20.34	21.66
2x 8, No. 1, S 1 S 1 E, 10 ft.	18.71	18.64	19.81	24.50[2]	19.55	20.36
“ “ “ 12 ft.	18.33	17.58	19.14	....	18.02	17.87
“ “ “ 14 ft.	18.06	17.62	18.95	19.50	17.96	18.02
“ “ “ 16 ft.	17.87	20.33	19.97	21.50	18.83	20.33
“ “ “ 18 ft.	19.79	20.44	19.81	22.50	20.15	20.45
“ “ “ 20 ft.	19.98	20.62	19.81	22.50	20.20	21.07
“ “ “ 22 ft.	20.60	22.96	21.63	....	21.44	23.08
“ “ “ 24 ft.	20.76	23.14	21.63	....	21.29	22.16
2x10, No. 1, S 1 S 1 E, 10 ft.	19.89	18.67	21.79	28.50	21.81	19.47
“ “ “ 12 ft.	19.99	18.15	20.01	26.50	19.51	20.18
“ “ “ 14 ft.	19.64	20.58	20.01	26.50	20.03	20.32
“ “ “ 16 ft.	20.83	21.67	20.47	28.50	21.19	21.06
“ “ “ 18 ft.	21.84	21.66	21.79	29.50	22.68	22.62
“ “ “ 20 ft.	21.64	22.53	21.79	29.50	21.97	22.58
“ “ “ 22 ft.	23.15	24.14	23.65	....	23.64	24.63
“ “ “ 24 ft.	23.30	24.88	23.65	....	23.83	25.19
2x12, No. 1, S 1 S 1 E, 10 ft.	23.26	23.30	23.49	29.50[3]	23.43	21.22
“ “ “ 12 ft.	20.88	22.00	21.59	29.50[2]	21.33	22.17
“ “ “ 14 ft.	22.65	20.78	21.59	29.50[2]	21.39	22.64
“ “ “ 16 ft.	21.72	23.42	21.00	31.50[2]	22.02	24.74
“ “ “ 18 ft.	22.62	23.43	23.49	....	23.07	24.28
“ “ “ 20 ft.	24.06	23.56	23.49	....	23.86	24.23
“ “ “ 22 ft.	26.26	26.83	25.57	....	26.15	26.57
“ “ “ 24 ft.	25.29	26.64	25.57	....	25.87	26.96
2x 4, No. 2, S 1 S 1 E, 10 ft.	15.22	15.40	16.12	15.72	15.55	15.71
“ “ “ 12 ft.	15.23	14.50	15.26	15.00[1]	15.23	15.09
“ “ “ 14 ft.	15.35	14.81	15.29	15.72	15.18	15.40
“ “ “ 16 ft.	16.49	15.96	16.85	15.85[1]	16.36	16.39
“ “ “ 18 ft.	17.37	17.78	17.37	15.33	17.17	17.45
“ “ “ 20 ft.	17.80	17.68	17.37	17.75	17.74	17.32
“ “ “ 22 ft.	22.00	20.75	20.90	....	20.88	20.67
“ “ “ 24 ft.	....	20.75	20.90	....	20.83	21.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.84	12.64	14.61	15.00	13.98	14.71
“ “ “ 12 ft.	12.62	12.25	14.11	....	13.03	13.21
“ “ “ 14 ft.	11.94	12.55	14.11	14.00	12.26	12.91
“ “ “ 16 ft.	14.51	13.13	15.19	15.00	14.28	14.04
“ “ “ 18 ft.	13.73	14.32	15.19	16.00	14.10	14.62
“ “ “ 20 ft.	14.28	15.19	15.19	16.00	14.70	14.93
“ “ “ 22 ft.	20.25	16.42	18.58	....	17.12	18.51
“ “ “ 24 ft.	....	16.42	18.58	....	17.17	18.66

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 20
2x 8 No. 2, S 1 S 1 E, 10 ft.	15.01	14.32	17.74	14.00	15.92	16.55
" " " 12 ft.	14.04	14.07	15.24	15.00[2]	14.48	14.59
" " " 14 ft.	14.06	14.47	15.57	15.00[3]	14.65	14.89
" " " 16 ft.	15.63	16.06	16.54	15.75	16.00	16.36
" " " 18 ft.	16.80	17.22	17.74	15.94	16.40	17.26
" " " 20 ft.	16.14	17.45	17.74	17.00[2]	16.48	16.95
" " " 22 ft.	21.50	20.00	19.92	17.75[3]	19.93	18.50
" " " 24 ft.	19.45	20.00	19.92	....	19.45	21.75
2x10, No. 2, S 1 S 1 E, 10 ft.	13.91	12.58	15.37	16.00	14.27	17.36
" " " 12 ft.	14.15	14.25	14.60	14.00	14.37	15.32
" " " 14 ft.	14.95	14.44	14.60	14.00	14.73	14.76
" " " 16 ft.	16.07	16.61	16.16	18.75[3]	16.23	16.37
" " " 18 ft.	17.43	17.50	15.37	....	17.44	18.02
" " " 20 ft.	17.14	17.34	15.37	....	17.19	18.23
" " " 22 ft.	....	20.41[1]	22.79	....	22.79	20.27
" " " 24 ft.	....	20.41[1]	22.79	....	22.79	20.27
2x12, No. 2, S 1 S 1 E, 10 ft.	17.36	18.16	17.53	19.25[3]	17.52	17.12
" " " 12 ft.	16.85	13.73	17.00	16.00	15.47	16.80
" " " 14 ft.	18.07	16.83	17.00	16.00	17.43	16.27
" " " 16 ft.	17.81	18.68	16.83	....	17.64	18.78
" " " 18 ft.	19 28	18.61	17.53	....	18.94	18.52
" " " 20 ft.	18.53	18.50	17.53	....	18.52	18.95
" " " 22 ft.	22.50	21.07	20.84	....	21.03	21.12
" " " 24 ft.	22.50	21.07	20.84	....	22.50	21.12
No 1 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	8.33	6.16	....	11.98	7.38	8.54
PATENT LATH						
4 and 6 ft.	10.41	12.42	....	....	10.54	11.50
8 and 10 ft.	11.39	11.75	....	....	11.42	11.25
12 ft and longer	12.17	12.95	....	....	12.21	11.95
PLASTERING LATH						
x1½-4, No. 1	3.02	3.27	3.21	3.19	3.15	3.17
" No. 2	1.51	1.51	1.55	2.25	1.62	1.63
x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
x to 8x8, No. 1, up to 20 ft.	21.64	21.39	21.94	....	21.76	23.16
" " 22-24 ft.	23.27	23.07	22.02	....	22.58	24.28
" " 26 ft.	24.69	26.85	23.95	....	24.47	22.63
" " 28 ft.	26.86	29.25[2]	23.95	....	26.86	22.35
" " 30 ft.	26.29	30.00[1]	26.63	....	26.38	26.90
" " over 30 ft.	27.40	30.81	31 33	....	29 00	27 80
x4 to 8x8, Heart (85%+), up to 20 ft.	23.90	27.18	....	....	24.67	28.52
" " " 22-24 ft.	26.27	25.70	....	....	26.12	36.15
" " " 26 ft.	30.50[3]	30.50[1]	....	....	30.50[3]	30.50
" " " 28 ft.	21.75	30.50[1]	....	....	21.75	34.44
" " " 30 ft.	27.24	30.25	....	....	28.40	28.75
" " " over 30 ft.	31.50	....	....	....	31.50	36.08[3]
& 4x10, No. 1, up to 20 ft.	25.25	25.67	....	....	25.50	27.63
" " 22-24 ft.	23.00	30 00[1]	....	....	23.00	30.00
" " 26 ft.	23 50[1]	29.01[2]	....	....	23.50[1]	23.50
" " 28 ft.	46.75[2]	....	....	....	46 75[2]	46.75[1]
" " 30 ft.	28 00	....	....	....	28.00	37.75[3]
" " over 30 ft.	29.43	....	....	....	29.43	....
& 4x10, Heart (85%+), up to 20 ft.	26.85	32.91	....	....	27.91	30.63
" " " 22-24 ft.	27.87	36.00[3]	....	....	27.87	31.50
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	32.50[1]	....	....	32.50[1]	32.50
" " " 30 ft.	31.75	....	....	....	31.75	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 20
6x10, to 10x10, No. 1, up to 20 ft.	23.73	26.10	24.50	....	24.34	25.36
" " 22-24 ft.	25.27	24.50	24.52	....	24.81	26.77
" " 26 ft.	35.00[1]	29.25[2]	25.93	....	25.93	28.97
" " 28 ft.	24.00	30.25[2]	25.93	....	24.00	23.02
" " 30 ft.	28.55	31.25[2]	28.22	....	28.29	25.51
" " over 30 ft.	24.00	45.25	28.00	....	26.69	29.30
6x10 to 10x10, Heart (85%⁺), up to 20 ft.	30.71	32.50[1]	....	....	30.71	32.16
" " " 22-24 ft.	32.75	32.00[2]	....	....	32.75	32.50
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	36.50[1]	....	....	....	36.50[1]	36.50
3 & 4x12, No 1, up to 20 ft.	29.26	24.46	....	....	26.51	30.03
" " 22 24 ft.	23.11	26.00	....	....	23.20	30.00
" " 26 ft.	23.50[1]	35.00[3]	....	....	23.50[1]	23.50
" " 28 ft.	....	36.00[3]	....	....	36.00[3]	36.00[2]
" " 30 ft.	32.79	30.00	....	....	31.37	33.25
" " over 30 ft.	37.68	35.74	....	....	36.89	38.00
3 & 4x12, Heart (85%⁺), up to 20 ft.	32.57	32.25	....	....	32.55	34.17
" " " 22-24 ft.	35.05	29.00[2]	....	....	35.05	33.00
" " " 26 ft.	37.50[3]	37.00[1]	....	....	37.00[1]	37.00
" " " 28 ft.	38.00[3]	39.00[1]	....	....	39.00[1]	39.00
" " " 30 ft.	32.75	....	....	....	32.75	....
" " " over 30 ft.	....	....	....	....	....	47.25[3]
6x12 to 12x12, No. 1, up to 20 ft.	23.63	29.60	25.14	....	24.93	26.13
" " 22-24 ft.	24.59	29.67[2]	28.86	....	27.57	24.47
" " 26 ft.	24.00	35.25[2]	35.61	....	33.95	25.40
" " 28 ft.	24.00	34.80[2]	35.61	....	24.00	26.36
" " 30 ft.	26.33	37.25[2]	34.34	....	32.22	28.19
" " over 30 ft.	24.00	46.42	34.34	....	27.40	30.42
6x12 to 12x12, Heart (85%⁺), up to 20 ft.	32.45	37.00	....	....	36.01	32.39
" " " 22-24 ft.	31.30	37.50[2]	....	....	31.30	34.52
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	36.50[3]	....	....	....	36.50[3]	36.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	42.00	43.00[3]	....	....	42.00	43.00[2]
2x14 to 4x14, No. 1, up to 20 ft.	29.04	28.54	....	....	28.95	33.51
" " 22-24 ft.	33.25	29.50	....	....	30.74	36.68
" " 26 ft.	34.25	36.30	....	....	36.23	38.86
" " 28 ft.	36.25	....	....	....	36.25	38.75[1]
" " 30 ft.	....	40.00[1]	....	....	40.00[1]	40.00
" " over 30 ft.	....	....	....	....	....	45.00[3]
2x14 to 4x14, Heart (85%⁺), up to 20 ft.	37.75[1]	32.25[2]	....	....	37.75[1]	37.75
" " " 22-24 ft.	27.34	....	....	....	27.34	31.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	29.03	32.68[2]	29.43	....	29.27	29.19
" " 22-24 ft.	....	35.00[2]	29.50	....	29.50	27.50
" " 26 ft.	....	....	33.00	....	33.00	28.94
" " 28 ft.	....	....	33.00	....	33.00	28.94
" " 30 ft.	44.00[3]	....	39.97[1]	....	30.97[1]	30.97
" " over 30 ft.	27.38[1]	47.75	30.97[1]	....	47.75	27.38
6x14 to 14x14, Heart (85%⁺), up to 20 ft.	36.00[1]	45.00	....	....	45.00	36.00
" " " 22-24 ft.	39.00[1]	....	....	....	39.00[1]	39.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	41.00[3]	....	....	....	41.00[3]	41.00[2]
" 22-24 ft.	....	....	....	....	....	51.75[3]
" " 26 ft.	....	36.62[1]	....	....	36.62[1]	36.62
" 28 ft.	....	....	....	....	....	....
" 30 ft.	42.31[3]	45.00[1]	....	....	45.00[1]	45.00
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%⁺), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 20
6x16 & Up, No. 1, up to 20 ft.	30.61	....	41.06[2]	....	30.61	29.75
" " 22-24 ft.	27.25	....	35.02	....	33.12	22.48[1]
" " 26 ft.	32.00	....	31.50	....	31.54	29.75
" " 28 ft.	32.25	....	31.50	....	32.25	29.75
" " 30 ft.	....	....	34.00[1]	....	34.00[1]	34.00
" " over 30 ft.	27.38[1]	....	34.00[1]	....	27.38[1]	27.38
6x16 & Up, Heart (85%+), up to 20 ft.	45.00[3]	....	....	....	45.00[3]	45.00[2]
" " " 22-24 ft.	39.00[3]	....	....	....	39.00[3]	39.00[2]
" " " 26 ft.	46.00[1]	....	....	....	46.00[1]	46.00
" " " 28 ft.	47.00[3]	....	....	....	47.00[3]	47.00[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	40.00	....	....	....	40.00	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	44.00	57.00[2]	....	....	44.00	57.00[1]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	42.50[3]
" " 22-24 ft.	....	....	45.00[3]	....	45.00[3]	45.00[2]
" " 26 ft.	46.00[1]	46.00	....	....	46.00	46.00
" " 28 ft.	44.00	38.00[1]	....	....	44.00	38.00
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	47.00[3]	....	....	....	47.00[3]	47.00[2]
" " " 30 ft.	44.00[1]	....	....	....	44.00[1]	44.00
" " " 32 ft	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	30.75	31.00	32.00	....	31.08	35.00
" " " 36 ft.	30.75	31.00	32.00	....	30.97	35.00
" " " 37-38 ft.	33.70[3]	31.00	28.86	....	29.45	34.07[2]
" " " 40 ft.	40.25[2]	31.00	....	....	31.00	40.25[1]
" " " 41-42 ft.	42.00[3]	52.00[3]	....	....	43.04[3]	43.04[2]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	34.25[3]
" " " " 37-38 ft.	..	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	37.64[2]	....	37.84[2]	....	37.84[2]	37.84[1]
" " " 36 ft.	31.64[1]	33.00[3]	37.84[2]	....	31.64[1]	31.64
" " " 37-38 ft.	32.06[1]	....	....	....	32.06[1]	32.06
" " " 40 ft.	....	48.00[3]	....	35.00[2]	35.00[2]	35.00[1]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	41.00[3]	....	....	....	41.00[3]	41.00[2]
" " " " 37-38 ft.	....	....	....	....	....	34.25[3]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	37.10[3]	31.00	35.00	....	31.80	40.00[1]
" " " 36 ft.	....	31.00	35.00	....	31.00	40.00[1]
" " " 37-38 ft.	....	31.00	38.82[3]	....	31.00	38.82[2]
" " " 40 ft.	45.25[2]	48.00[3]	38.82[3]	38.00[3]	45.25[2]	45.25[1]
" " " 41-42 ft	....	....	....	....	....	....
p to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	39.82[3]
" " " " 37-38 ft.	....	....	....	....	....	36.25[3]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 20
Up to 14 inch, Sq. E., 34 ft.	....	....	42.46	....	42.46	43.70[1]
“ “ “ 36 ft.	....	....	42.46	....	42.46	43.70[1]
“ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ 40 ft.	....	55.00[3]	....	45.00[2]	45.00[2]	45.00[1]
“ “ “ 41-42 ft.	....	....	....	....	....	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	41.50[3]
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	38.25[3]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	48.00[2]	....	....	48.00[2]	48.00[1]
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	37.00	....	....	....	37.00	32.75
“ “ “ 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	48.00[2]	....	....	48.00[2]	48.00[1]
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	29.76[1]	31.38	....	....	29.97[1]	29.97
“ “ Heart, (85%+), 6x8-8	31.87[1]	30.00	....	....	30.00	31.87
“ “ Sq. E., “ 7x9-8	....	....	....	....	....	....
“ “ Heart, “ 7x9-8	....	....	....	....	....	34.50[3]
Bridge Ties, Sq. E., 7x9 & up	46.75[2]	....	....	....	46.75[2]	46.75[1]
“ “ Heart,	30.75[2]	....	....	....	30.75[2]	30.75[1]
Paving Stock, S 1 S	....	....	....	20.00[3]	20.00[3]	20.00[2]
“ “ Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	104.00[3]	....	....	....	104.00[3]	104.00[2]
Miscellaneous	31.00[1]	26.69	29.09	27.23	27.34	35.32
MISCELLANEOUS STOCK						
Silo Stock	37.40[1]	....	....	....	37.40[1]	37.40
Grain Doors	....	....	....	....	....	....
Miscellaneous, B and B	37.97	41.96	36.42	40.75	37.97	33.77
“ No. 1	26.75	24.23	20.95	23.20	22.03	27.25
“ No. 2	16.43	14.63	16.03	15.85	15.88	16.01
“ No. 3	8.08	8.73	13.67	11.12	12.38	10.34
Shorts B and B	27.37	31.77	....	....	30.80	26.81
“ No. 1	10.95	13.72	....	....	11.05	12.63
“ No. 2	....	10.10	....	....	10.10	10.70
“ No. 3	....	5.75	....	....	5.75	7.11

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1 25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3 75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6 75	7 00	7.25	7 50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6 00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7 50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11 25	11 50	11 75	12.00	12.25	12 50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8 00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17 00	17 00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19 25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

April 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending April 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued April 21, 1921

No. 126

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 31
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A "	64.00	....	....	....	64.00	66.00[2]
" " B "	....	....	....	....	....	....
" " B and Better "	61.30	..	....	....	61.30	61.30
" " C "	34.00[2]	....	....	....	34.00[2]	34.00[1]
" " D "	34.30	....	....	....	34.30	34.64
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	31.25[2]	....	....	....	31.25[2]	31.25[1]
" " B and Better "	32.48	....	....	....	32.48	34.19
" " C "	....	....	....	....	....	....
" " D "	28.60	....	....	....	28.60	27.27
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	14.55	15.81[1]	....	....	•14.55	15.33
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	80.00	80.00	80.00
Edge Grain, A "	....	....	73.09	72.50	73.03	70.14
" " B "	....	70.00	61.75	60.00[1]	61.81	63.64
" " B and Better "	....	64.43	....	62.04	63.21	60.88
" " C "	....	45.97	49.63	45.00[1]	47.39	46.95
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	26.37	27.25[1]	26.37	24.42
Flat " A "	....	....	....	....	....	....
" " B "	....	35.00	....	....	35.00	37.55
" " B and Better "	....	33.34	41.01	41.27	39.65	38.98
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	25.39	31.79	32.18	30.81	31.64
No. 2 " "	....	16.07	16.90	17.50	16.84	16.31
No. 3 " "	....	....	8.50	6.50[1]	8.50	6.50
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	....	....	....
Edge Grain, A "	47.47	....	56.00	66.00	53.56	55.00[2]
" " B "	....	54.49	54.61	....	54.60	56.60
" " B and Better "	47.58	53.82	....	45.00	49.23	48.54
" " C "	35.00	53.05	45.65	....	49.76	38.96
" " D "	31.89[1]	....	....	....	31.89[1]	31.89
" " No. 2 "	....	....	22.00	26.50[3]	22.00	22.34
Flat " A "	....	....	....	....	....	....
" " B "	30.50	32.29	31.81[2]	30.00	30.95	31.45
" " B and Better "	31.09	30.69	31.34	32.35	31.22	30.84
" " C "	25.82	27.48	....	....	26.43	25.95
" " D "	24.57	24.50	....	....	24.56	24.20
No. 1 Common "	....	25.11	27.25	26.46	26.54	27.24
No. 2 " "	14.92	15.69	15.75	14.42	15.14	15.28
No 3 " "	....	....	7.94	8.54	8.02	7.57
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.05	30.59	31.63	32.44	30.14	30.18
" " No. 1 Common	24.44	30.00	26.48	33.34[1]	26.87	26.56
" " No. 2 "	13.40	22.75[1]	15.20	....	14.08	15.37
" " No. 3 "	....	....	13.50[3]	....	13.50[3]	13.50[2]
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.26	29.84	30.60	31.32	29.77	30.21
" " No. 1 Common	24.33	25.23	27.81	27.50	25.51	25.46
" " No. 2 "	13.56	14.55	13.65	15.16	13.82	14.36
" " No. 3 "	....	....	7.50[1]	6.00[1]	6.26[1]	6.26
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.99	40.00	29.84	....	31.27	33.48
" " No. 1 Common	29.52[1]	28.00[3]	28.50	....	28.50	29.52
" " No. 2 "	16.25[1]	....	16.01	....	16.01	16.78
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.82	34.78	....	34.38	34.17	34.57
" " No. 1 Common	25.75	37.50[1]	....	37.63[1]	25.75	35.21
" " No. 2 "	16.65	17.00	....	20.00	19.47	16.86
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.10	37.12	34.27	45.00[1]	34.56	36.57
" " No. 1 Common	30.25[1]	27.50	30.60	39.00[3]	30.36	30.71
" " No. 2 "	..	17.53[3]	16.59	....	16.59	16.67
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	25.69	26.50	22.50	25.00[1]	24.44	24.07
" No. 1 Common	20.75	22.00	17.14	25.00	19.07	19.30
" No. 2 "	10.00	12.66[1]	9.01	14.00	12.44	10.30

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 21
Drop Siding, ¾x3¼ or 5¼,	A	....	....	....	....	....	....
“ “	B	....	....	....	....	....	....
“ “	B and Better	29.36	29.42	29.78	33.66	29.71	30.01
“ “	No. 1 Common	24.73	24.88	26.70	29.22	25.79	25.62
“ “	No. 2 “	16.11	15.78	16.65	17.14	16.43	16.31
“ “	No. 3 “	....	....	7.02	5.75	7.02	8.71
FINISH							
1x 4 inch,	A	....	....	....	....	....	....
1x 6 inch,	“	....	....	....	....	....	....
1x 8 inch,	“	....	....	....	....	....	....
1x 5 and 10 inch,	“	....	....	....	....	....	....
1x12 inch,	“	....	....	....	....	....	....
1¼x4 to 12 inch,	“	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	“	....	....	....	....	....	....
1⅝ inch,	“	....	....	....	....	....	....
1x 4 inch,	B	....	....	....	....	....	....
1x 6 inch,	“	....	....	....	....	....	....
1x 8 inch,	“	....	....	....	....	....	....
1x 5 and 10 inch,	“	....	....	....	....	....	....
1x12 inch,	“	....	....	....	....	....	....
1¼x4 to 12 inch,	“	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	“	....	....	....	....	....	....
1⅝ inch,	“	....	....	....	....	....	....
1x 4 inch,	B and Better	37.60	36.51	38.92	44.50[1]	37.26	38.79
1x 6 inch,	“	38.66	38.40	32.87	39.72	36.83	39.04
1x 8 inch,	“	38.50	39.22	39.79	37.72	38.86	39.47
1x 5 and 10 inch,	“	44.00	41.03	43.02	45.50	42.48	43.12
1x12 inch,	“	44.22	40.43	43.62	50.46[1]	42.40	44.58
1¼x4 to 12 inch,	“	52.68	44.05	53.33	59.76	49.77	50.15
1½ and 2x4 to 12 inch,	“	50.16	49.71[1]	49.71	51.25[3]	49.91	50.22
1⅝ inch,	“	38.69	39.17	....	....	38.86	40.25
1x 6 to 12 inch,	“	....	....	....	34.50	34.50	36.48
1x 4 inch,	C	36.65	33.80	36.00	....	34.66	29.07
1x 6 inch,	“	32.25	31.94	36.19	....	34.54	33.49
1x 8 inch,	“	42.25	32.95[1]	36.50	....	36.20	34.94
1x 5 and 10 inch,	“	38.16	33.38	38.66	....	35.83	35.05
1x12 inch,	“	37.38	36.25	38.50	....	37.43	36.52
1¼x4 to 12 inch,	“	49.00[1]	42.19[1]	35.00[1]	....	38.45[1]	38.45
1½ and 2x4 to 12 inch,	“	42.93	42.50[3]	....	....	42.93	43.32
1⅝ inch,	“	....	45.00[1]	....	....	45.00[1]	45.00
1x 6 to 12 inch,	“	....	....	....	....	....	....
1x 4 inch,	B and Better, Rough	36.50[2]	40.00	35.83[1]	....	40.00	35.83
1x 6 inch,	“ “	37.97	36.00	31.08	33.85	33.33	33.81
1x 8 inch,	“ “	37.97	37.92	39.00	42.00	38.64	38.00
1x 5 and 10 inch,	“ “	37.97	38.33	41.85	42.00	39.06	41.35
1x12 inch,	“ “	40.15	44.11	39.11	45.25	42.42	43.40
1¼x4 to 12 inch,	“ “	47.14	42.86	44.61	51.55[1]	43.72	43.92
1½ and 2x4 to 12 inch,	“ “	53.00	45.50	41.17	40.30[1]	42.10	43.81
1⅝ inch,	“ “	....	44.25	....	....	44.25	37.86
1x 6 to 12 inch,	“ “	....	....	....	34.57	34.57	20.00
CASING AND BASE							
From 4 and 6 inch stock, B. M.,	A	....	....	....	....	....	....
“	B	....	....	....	....	....	....
“	B and Better	46.85	47.78	49.16	55.00[3]	47.13	48.27
From 8 and 10 inch stock, B. M.,	A	....	....	....	....	....	....
“	B	....	....	....	....	....	....
“	B and Better	46.24	48.21	52.50	55.00[3]	47.95	47.54
MOULDINGS (% Discount)							
1½ inch and Smaller		....	....	....	....	....	....
1¾ inch and Larger		....	....	....	....	....	....
DOOR AND WINDOW JAMBS							
A	B. M	....	....	....	....	....	....
B	“	....	....	....	....	....	....
B and Better,	“	52.80	56.00	56.25	62.50[2]	54.82	54.75
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	25.88[1]	25.50	29.75	....	25.64	27.99
“ “ “ “ “	8 ft.	26.49[1]	25.25	....	....	25.25	26.49
“ “ “ “ “	12 and 14 ft.	30.50[1]	....	....	....	30.50[1]	30.50
“ “ “ “ “	16 ft.	28.33[1]	....	....	....	28.33[1]	28.33
“ “ “ “ “	9 or 18 ft.	32.25	32.25	....	....	32.25	31.93
“ “ “ “ “	10 or 20 ft.	36.25	33.51[2]	....	....	36.25	29.13

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	....	22.50	24.00[3]	....	22.50	24.00[1]
" " " " " 8 ft.	21.00	32 00[1]	....	....	21.00	32.00
" " " " " 12 and 14 ft.	....	23.50	....	....	23.50	24.34
" " " " " 16 ft.	....	23.85	....	....	23.85	23.52
" " " " " 9 or 18 ft.	25.00	28.00	....	....	25.77	26.00[1]
" " " " " 10 or 20 ft.	25.65	25.00	30.00[1]	....	25.48	28.82
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	....	22.50	24.00[3]	....	22.50	24.00[1]
" " " " " 8 ft.	22.73[2]	32 00[1]	....	....	32.00[1]	32.00
" " " " " 12 and 14 ft.	23.25[1]	23.50	....	....	23.50	23.25
" " " " " 16 ft.	23.07[1]	23.85	....	....	23.85	23.07
" " " " " 9 or 18 ft.	25.00[2]	28.00	....	....	28.00	25.00[1]
" " " " " 10 or 20 ft.	29.70	25.00	30.00[1]	....	29.70	24.72
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	11.43	12.81	....	....	11.96	11.12
" " " " " 10 to 20 ft.	13.77	11.93	....	....	13.77	12.44
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	31.00	....	....	31.00	....
" " " " 2 to 3 inch, 10 & 20 ft.	....	31.00	....	....	31.00	....
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	26.00[1]	....	....	....	26.00[1]	26.00
" " " 1¾ inch, 10 & 20 ft	26.00[1]	....	....	....	26.00[1]	26.00
" " " 2 to 3 inch. 9 & 18 ft	....	25.44	25.00	....	25.38	24.86
" " " 2 to 3 inch 10 & 20 ft	....	26.71	25.00	....	26.71	31.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	26.50[3]
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	22.99	....	32.00	....	23.27	24.40
" " " " other lengths.	20.35	24.23	30.60	31.88	21.23	23.71
" " 1x10, " 14 and 16 ft.	22.63	....	33.00	....	22.95	26.08
" " " " other lengths.	20.13	24.25	30.64	34.00	21.69	24.17
" " 1x12, " 14 and 16 ft.	32.03	34.00[3]	33.94	....	32.21	31.49
" " " " other lengths.	32.12	30.14	31.96	39.00	30.94	30.85
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	14.78	15.61	16.25	15.32	15.39	15.25
" " 1x10, " "	16.37	15.63	16.89	14.93	16.16	15.48
" " 1x12, " "	15.98	16.73	17.27	16.15	16.40	16.72
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.79	9.36	10.39	13.50	9.88	9.76
" " 1x10, " "	9.73	9.47	10.63	11.48	10.02	10.14
" " 1x12, " "	9.54	9.49	10.84	14.50	9.86	10.78
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	21.96	....	26.00[3]	....	21.96	25.33
" " " other lengths.	22.62	23.74	24.60	27.39	23.68	24.57
" 1x10, " 14 and 16 ft.	24.63	....	....	....	24.63	24.22
" " " other lengths.	20.90	24.42	23.50[1]	26.00	22.75	24.49
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	15.62	16 12	16.54	15.59	15.98	15.80
" 1x10, " "	14.93	15.58	17.52	15.52	15.43	14.84
" 1x12, " "	....	....	....	17.14[3]	17.14[3]	17.14[3]
Shiplap, 1x 8, No. 3, all lengths.	10.26	9.71	10.77	9.73	10.08	10.19
" 1x10, " "	10.29	9.29	10.91	9.77	10.15	10.28
" 1x12, " "	9.25	9.83	....	12.50[1]	9.50	10.05
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	26.00	....	....	....	26.00	25.64
" " " " other lengths.	24.96	26.81	....	....	25.70	25.32
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	4.00	....	5.10	....	4.58	5.99

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 31
1x4, S 1 S, No. 1, 16 ft.	23.65	....	....	....	23.65	23.33
" " " other lengths	22.98	23.85	31.52	30.75[1]	24.27	24.16
" " No. 2, all lengths	10.01	10.20	13.14	9.00	10.32	10.73
" " No. 3, "	8.13	7.49	7.70	....	7.74	8.28
1x4, C. M., No. 1, 16 ft.	....	....	....	....	..	....
" " " other lengths	20.00	....	....	25.00[1]	20.00	25.00
" " No. 2, all lengths	11.25	....	....	....	11.25	11.04
" " No. 3, "	8.00[3]	....	....	....	8.00[3]	8.00[2]
1x6, S 1 S, No. 1, 16 ft.	23.67	23.10	27.40	28.00[3]	23.69	24.34
" " " other lengths	22.94	23.70	30.74	31.09	24.36	25.43
" " No. 2, all lengths	13.97	16.61	16.63	14.85	15.07	13.94
" " No. 3, "	8.60	7.90	9.11	9.50[1]	8.61	9.19
1x6, C. M., No. 1, 16 ft.	26.00	25.00[1]	....	....	26.00	24.94
" " " other lengths	23.30	24.88	....	....	24.19	24.04
" " No. 2, all lengths	14.12	14.81	....	14.50	14.40	14.36
" " No. 3, "	8.28	8.63	....	10.81	9.47	9.52
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.05	19.82	19.84	18.83	20.24	19.90
" " " 12 ft.	20.19	19.48	20.00	20.50	19.89	18.85
" " " 14 ft.	20.41	19.63	19.15	20.50	19.94	18.74
" " " 16 ft.	21.47	20.60	20.75	22.50	21.02	20.80
" " " 18 ft.	22.47	22.01	20.97	....	22.07	21.65
" " " 20 ft.	22.45	21.95	20.97	19.00	22.17	21.54
" " " 22 ft.	23.45	21.99	21.12[1]	....	22.44	20.58
" " " 24 ft.	22.67	23.30	21.12[1]	....	23.15	23.31
2x 6, No. 1, S 1 S 1 E, 10 ft.	18.45	17.02	18.05	....	17.90	17.66
" " " 12 ft.	16.65	17.14	16.66	19.00	16.80	16.79
" " " 14 ft.	16.49	16.81	16.66	16.25	16.63	16.13
" " " 16 ft.	17.40	17.18	16.86	21.00	17.24	17.54
" " " 18 ft.	17.78	17.59	18.05	22.20	17.73	18.09
" " " 20 ft.	17.54	17.23	18.05	22.20	17.37	18.24
" " " 22 ft.	21.48	19.57	19.40	....	19.94	19.78
" " " 24 ft.	21.09	20.71	19.40	....	20.75	20.34
2x 8, No. 1, S 1 S 1 E, 10 ft.	19.69	19.28	19.99	24.50[3]	19.82	19.55
" " " 12 ft.	18.43	18.50	18.48	20.00	18.47	18.02
" " " 14 ft.	17.62	17.92	18.78	17.40	17.83	17.96
" " " 16 ft.	18.27	19.68	20.58	22.00	18.93	18.83
" " " 18 ft.	20.37	20.67	19.99	22.50[1]	20.57	20.15
" " " 20 ft.	20.60	21.27	19.99	22.50[1]	20.99	20.20
" " " 22 ft.	21.24	21.65	21.63[1]	....	21.48	21.44
" " " 24 ft.	21.25	21.99	21.63[1]	....	21.66	21.29
2x10, No. 1, S 1 S 1 E, 10 ft.	19.90	19.91	19.29	28.50[1]	19.69	21.81
" " " 12 ft.	19.36	19.89	19.62	26.50[1]	19.61	19.51
" " " 14 ft.	19.47	19.92	19.62	26.50[1]	19.71	20.03
" " " 16 ft.	20.42	21.80	20.80	26.50	20.93	21.19
" " " 18 ft.	22.28	22.54	19.29	29.50[1]	22.41	22.68
" " " 20 ft.	21.32	22.53	19.29	29.50[1]	21.90	21.97
" " " 22 ft.	23.26	24.10	23.65[1]	....	23.72	23.64
" " " 24 ft.	25.25	23.93	23.65[1]	....	24.59	23.83
2x12, No. 1, S 1 S 1 E, 10 ft.	21.39	22.24	23.89	....	23.36	23.43
" " " 12 ft.	22.65	21.74	31.76	27.50	24.44	21.33
" " " 14 ft.	23.11	21.33	31.76	27.50	22.29	21.39
" " " 16 ft.	21.83	23.69	21.63	29.50	22.62	22.02
" " " 18 ft.	24.84	22.95	23.89	19.00	23.15	23.07
" " " 20 ft.	24.26	25.51	23.89	19.00	25.02	23.86
" " " 22 ft.	27.20	26.87	31.50	....	27.04	26.15
" " " 24 ft.	27.45	28.31	31.50	....	27.85	25.87
2x 4, No. 2, S 1 S 1 E, 10 ft.	16.82	14.81	15.86	15.72[1]	15.62	15.55
" " " 12 ft.	15.43	15.49	15.01	15.00[2]	15.39	15.23
" " " 14 ft.	15.86	14.96	15.54	15.72[1]	15.32	15.18
" " " 16 ft.	17.57	16.67	15.99	17.73	16.93	16.36
" " " 18 ft.	17.93	17.65	17.26	18.39	17.87	17.17
" " " 20 ft.	17.91	18.13	17.26	20.00	18.23	17.74
" " " 22 ft.	22.00[1]	17.12	24.00	....	17.59	20.88
" " " 24 ft.	....	17.12	24.00	....	17.59	20.83
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.98	12.93	14.68	15.00[1]	14.04	13.98
" " " 12 ft.	13.07	12.67	14.27	16.00	13.52	13.03
" " " 14 ft.	13.18	12.47	14.27	14.00[1]	12.74	12.26
" " " 16 ft.	14.93	13.52	14.36	16.00	14.28	14.28
" " " 18 ft.	14.93	14.17	14.68	16.96	14.72	14.10
" " " 20 ft.	15.26	13.73	14.68	16.00[1]	14.25	14.70
" " " 22 ft.	17.62	14.96	16.09	17.00	15.55	17.12
" " " 24 ft.	15.75	14.96	16.09	17.00	15.75	17.17

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	14.87	13.85	16.14	14.00[1]	15.04	15.92
" " " 12 ft.	13.95	14.71	15.23	15.00[3]	14.54	14.48
" " " 14 ft.	14.32	14.44	13.99	15.00[2]	14.32	14.65
" " " 16 ft.	16.49	16.66	16.54[1]	18.00	16.61	16.00
" " " 18 ft.	16.09	16.25	16.50	18.00	16.58	16.40
" " " 20 ft.	16.10	16.40	16.50	17.00[2]	16.20	16.48
" " " 22 ft.	21.50[1]	18.36	15.25	18.00	17.25	19.93
" " " 24 ft.	19.45[1]	18.36	15.25	18.00	17.25	19.45
2x10, No. 2, S 1 S 1 E, 10 ft.	15.04	14.83	18.44	18.00	17.34	14.27
" " " 12 ft.	15.09	14.72	15.98	14.00[1]	15.58	14.37
" " " 14 ft.	15.31	15.22	15.98	14.00[1]	15.28	14.73
" " " 16 ft.	17.30	17.46	16.27	....	17.15	16.23
" " " 18 ft.	17.51	17.36	18.44	18.00	17.45	17.44
" " " 20 ft.	17.82	17.92	18.44	....	17.88	17.19
" " " 22 ft.	....	19.00	22.79[1]	....	19.00	22.79
" " " 24 ft.	....	19.00	22.79[1]	....	19.00	22.79
2x12, No. 2, S 1 S 1 E, 10 ft.	16.70	17.00	18.38	....	18.24	17.52
" " " 12 ft.	18.76	17.79	16.78	16.00[1]	17.68	15.47
" " " 14 ft.	19.08	15.45	16.78	16.00[1]	16.72	17.43
" " " 16 ft.	19.05	18.70	17.46	....	18.68	17.64
" " " 18 ft.	19.03	19.28	18.38	....	19.18	18.94
" " " 20 ft.	19.43	19.28	18.38	....	19.37	18.52
" " " 22 ft.	22.50[1]	20.90	20.84[1]	16.00	19.02	21.03
" " " 24 ft.	25.00	20.90	20.84[1]	16.00	25.00	22.50
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	9.31	7.35	....	11.09	10.62	7.38
PATENT LATH						
4 and 6 ft.	9.96	10.95	....	....	10.17	10.54
8 and 10 ft.	11.28	10.87	....	....	11.14	11.42
12 ft. and longer	12.27	13.20	....	....	12.66	12.21
PLASTERING LATH						
⅜x1½-4. No. 1	3.04	3.17	3.21	2.82	3.10	3.15
" No. 2	1.41	1.27	1.53	1.66	1.48	1.62
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	20.03	21.58	19.47	....	20.17	21.76
" " 22-24 ft.	21.60	22.64	22.25	....	22.38	22.58
" " 26 ft.	24.69[1]	26.85[1]	22.00	....	22.60	24.47
" " 28 ft.	26.86[1]	26.50	22.00	....	26.50	26.86
" " 30 ft.	20.90	25.67	26.00	....	21.66	26.38
" " over 30 ft.	28.04	27.78	33.75	....	28.08	29.00
4x4 to 8x8, Heart (85%+), up to 20 ft.	24.22	25.76	....	....	25.05	24.67
" " " 22-24 ft.	22.47	25.93	....	....	24.02	26.12
" " " 26 ft.	....	30.00	....	....	30.00	30.50[1]
" " " 28 ft.	21.75[1]	30.50[2]	....	....	21.75[1]	21.75
" " " 30 ft.	27.24[1]	30.25[1]	....	....	28.40[1]	28.40
" " " over 30 ft.	31.50[1]	36.75	....	....	36.75	31.50
3 & 4x10, No. 1, up to 20 ft.	23.23	23.75	....	....	23.29	25.50
" " 22-24 ft.	23.00[1]	27.00	....	....	27.00	23.00
" " 26 ft.	23.50[2]	29.01[3]	....	....	23.50[2]	23.50[1]
" " 28 ft.	46.75[3]	....	....	....	46.75[3]	46.75[2]
" " 30 ft.	28.00[1]	....	....	....	28.00[1]	28.00
" " over 30 ft.	29.43[1]	....	....	....	29.43[1]	29.43
3 & 4x10, Heart (85%+), up to 20 ft.	29.67	29.56	....	....	29.61	27.91
" " " 22-24 ft.	30.65	30.45	....	....	30.55	27.87
" " " 26 ft.	....	31.00	....	....	31.00	....
" " " 28 ft.	....	32.00	....	....	32.00	32.50[1]
" " " 30 ft.	31.75[1]	....	....	....	31.75[1]	31.75
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 31
6x10, to 10x10, No. 1, up to 20 ft.	23.58	23.78	23.00	....	23.17	24.34
" " 22-24 ft.	22.00	26.00	23.81	....	23.57	24.81
" " 26 ft.	22.00	27.44	23.49	....	23.86	25.93
" " 28 ft.	24.00[1]	30.25[3]	23.49	....	23.49	24.00
" " 30 ft.	28.55[1]	31.25[3]	29.00	....	29.00	28.29
" " over 30 ft.	31.50	27.00	33.75	....	29.49	26.69
6x10 to 10x10, Heart (85%+), up to 20 ft.	24.27	27.00	....	....	24.54	30.71
" " " 22-24 ft.	32.75[1]	32.00[3]	....	....	32.75[1]	32.75
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	36.50[2]	....	....	....	36.50[2]	36.50[1]
3 & 4x12, No 1, up to 20 ft.	26.57	27.70	....	....	27.18	26.51
" " 22 24 ft.	28.50	28.40	....	....	28.48	23.20
" " 26 ft.	23.50[2]	....	....	....	23.50[2]	23.50[1]
" " 28 ft.	....	....	....	....	....	36.00[3]
" " 30 ft.	20.50	30.00[1]	....	....	20.50	31.37
" " over 30 ft.	38.85	39.76	....	....	39.46	36.89
3 & 4x12, Heart (85%+), up to 20 ft.	30.10	29.00	....	....	29.38	32.55
" " " 22-24 ft.	31.86	32.09	....	....	32.02	35.05
" " " 26 ft.	33.00	33.00	....	....	33.00	37.00[1]
" " " 28 ft.	34.00	34.00	....	....	34.00	39.00[1]
" " " 30 ft.	32.75[1]	....	....	....	32.75[1]	32.75
" " " over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	25.00	24.19	23.75	....	23.86	24.93
" " 22-24 ft.	28.25	26.00	22.09	....	22.37	27.57
" " 26 ft.	24.00[1]	27.00	27.66	....	27.64	33.95
" " 28 ft.	24.00[1]	34.80[3]	27.66	....	27.66	24.00
" " 30 ft.	21.29	37.25[3]	34.00	....	21.86	32.22
" " over 30 ft.	31.11	46.42[1]	31.92	....	31.53	27.40
6x12 to 12x12. Heart (85%+), up to 20 ft.	31.84	37.00[1]	....	....	31.84	36.01
" " " 22-24 ft.	31.30[1]	37.50[3]	....	....	31.30[1]	31.30
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	36.50[3]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	42.00[1]	....	....	....	42.00[1]	42.00
2x14 to 4x14, No. 1, up to 20 ft.	54.05	31.77	....	....	35.49	28.95
" " 22-24 ft.	33.25[1]	31.62	....	....	31.62	30.74
" " 26 ft.	30.33	36.30[1]	....	....	30.33	36.23
" " 28 ft.	36.25[1]	....	....	....	36.25[1]	36.25
" " 30 ft.	....	40.00[2]	....	....	40.00[2]	40.00[1]
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	47.00	32.25[3]	....	....	47.00	37.75[1]
" " " 22-24 ft.	27.34[1]	39.00	....	....	39.00	27.34
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	27.00	28.65	24.00	....	27.39	29.27
" " 22-24 ft.	....	29.25	25.00	....	26.85	29.50
" " 26 ft.	....	....	26.00	....	26.00	33.00
" " 28 ft.	35.75	....	26.00	....	35.75	33.00
" " 30 ft.	21.00	....	39.97[2]	....	21.00	30.97[1]
" " over 30 ft.	33.00	47.75[1]	30.97[2]	....	33.00	47.75
6x14 to 14x14, Heart (85%+), up to 20 ft.	32.00	45.00[1]	....	....	32.00	45.00
" " " 22-24 ft.	39.00[2]	....	....	....	39.00[2]	39.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	37.00	....	....	....	37.00	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	38.75	....	....	38.75	41.00[3]
" " 22-24 ft.	....	43.00	....	....	43.00	....
" " 26 ft.	....	36.62[2]	....	....	36.62[2]	36.62[1]
" 28 ft.	....	....	....	....	....	....
" 30 ft.	....	45.00[2]	....	....	45.00[2]	45.00[1]
" over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	40.00	....	....	40.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 31
6x16 & Up, No. 1, up to 20 ft.	33.87	....	27.00	....	31.89	30.61
" " 22-24 ft.	33.90	....	28.00	....	30.85	33.12
" " 26 ft.	32.00[1]	....	31.50[1]	....	31.54[1]	31.54
" " 28 ft.	42.00	....	31.50[1]	....	42.00	32.25
" " 30 ft.	21.00	....	34.00[2]	....	21.00	34.00[1]
" " over 30 ft.	37.41	....	34.00[2]	....	37.41	27.38[1]
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	45.00[3]
" " " 22-24 ft.	....	....	....	....	....	39.00[3]
" " " 26 ft.	46.00[2]	....	....	....	46.00[2]	46.00[1]
" " " 28 ft.	....	....	....	....	....	47.00[3]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	40.00[1]	....	....	....	40.00[1]	40.00
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	44.00[1]	57.00[3]	....	....	44.00[1]	44.00
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	......
" " " 30 ft.	....	....	....	....	....	......
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	40.00	40.00	....	....	40.00	....
" " 22-24 ft.	41.00	41.00	....	....	41.00	45.00[3]
" " 26 ft.	46.00[2]	46.00[1]	....	....	46.00[1]	46.00
" " 28 ft.	44.00[1]	38.00[2]	....	....	44.00[1]	44.00
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	40.00	....	....	40.00	....
" " " 22-24 ft.	....	41.00	....	....	41.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	47.00[3]
" " " 30 ft.	44.00[2]	....	....	....	44.00[2]	44.00[1]
" " " 32 ft	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	30.75[1]	31.00[1]	26.00	....	26.00	31.08
" " " 36 ft.	30.75[1]	31.00[1]	26.00	40.00	40.00	30.97
" " " 37-38 ft.	....	31 00[1]	28.00	....	28.00	29.45
" " " 40 ft.	40.25[3]	31.00[1]	....	....	31.00[1]	31.00
" " " 41-42 ft.	....	....	....	....	....	43.04[3]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	......
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	37.64[3]	31.00	37.84[3]	....	31.00	37.84[2]
" " " 36 ft.	31 64[2]	31.00	37.84[3]	25.00	29.55	31.64[1]
" " " 37-38 ft.	32.06[2]	32.00	....	....	32.00	32.06[1]
" " " 40 ft.	....	....	....	35.00[3]	35.00[3]	35.00[2]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	...
" " " " 36 ft.	....	....	....	....	....	41.00[3]
" " " " 37-38 ft.	....	....	....	....	....	......
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	31.00[1]	35.00[1]	......	31.80[1]	31.80
" " " 36 ft.	...	31 00[1]	35.00[1]	....	31 00[1]	31.00
" " " 37-38 ft.	...	31 00[1]	....	....	31 00[1]	31.00
" " " 40 ft.	45.25[3]	....	....	....	45.25[3]	45.25[2]
" " " 41-42 ft.	....	....	....	....	....	......
Up to 12 inch, Heart, (85%+), 34 ft	...	....	....	....	....	......
" " " " 36 ft.	...	....	....	....	....	......
" " " " 37-38 ft.	....	....	....	....	....	......
" " " " 40 ft.	....	....	....	....	......	......
" " " " 41-42 ft.	....	..	....	....	....	......

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report March 31
Up to 14 inch, Sq. E., 34 ft.	....	....	42.46[1]	....	42.46[1]	42.46
" " " 36 ft.	....	....	42.46[1]	....	42.46[1]	42.46
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	....	....	....	45.00[3]	45.00[3]	45.00[2]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	48.00[3]	....	....	48.00[3]	48.00[2]
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	37.00[1]	....	....	....	37.00[1]	37.00
" " " 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	48.00[3]	....	....	48.00[3]	48.00[2]
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	24.93	22.83	....	....	24.25	29.97[1]
" " Heart, (85%+), 6x8–8	27.61	30.00[1]	....	....	27.61	30.00
" " Sq. E., " 7x9–8	....	....	....	....	....	....
" " Heart, " 7x9–8	....	26.50	....	....	26.50	....
Bridge Ties, Sq. E., 7x9 & up	46.75[3]	....	....	....	46.75[3]	46.75[2]
" " Heart,	30.75[3]	....	....	....	30.75[3]	30.75[2]
Paving Stock, S 1 S	....	....	....	....	....	20.00[3]
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	....	....	....	....	....	104.00[3]
Miscellaneous	31.00[2]	25.70	24.46	27.43	25.72	27.34
MISCELLANEOUS STOCK						
Silo Stock	37.40[2]	....	....	....	37.40[2]	37.40[1]
Grain Doors	....	....	....	....	....	....
Miscellaneous, B and B	42.09	41.85	38.26	40.75[1]	40.94	37.97
" No. 1	28.18	24.32	20.72	22.99	22.98	22.03
" No. 2	17.66	14.23	15.70	14.95	15.90	15.88
" No. 3	7.02	9.62	8.78	10.12	9.53	12.38
Shorts B and B	28.11	16.92	....	....	21.00	30.80
" No. 1	12.47	18.35	....	....	12.77	11.05
" No. 2	....	10.53	....	....	10.53	10.10
" No. 3	....	8.72	....	....	8.72	5.75

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

April 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending April 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued April 29, 1921

No. 127

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A “	62.00	....	....	....	62.00	64.00
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	59.99	....	....	....	59.99	61.30
“ “ C “	34.00[3]	....	....	....	34.00[3]	34.00[2]
“ “ D “	37.04	....	....	....	37.04	34.30
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	31.00	....	....	....	31.00	31.25[2]
“ “ B and Better “	35.12	....	....	....	35.12	32.48
“ “ C “	....	....	....	....	....	....
“ “ D “	27.88	....	....	....	27.88	28.60
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	14.71	15.81[2]	....	....	14.71	14.55
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	79.85	79.85	80.00
Edge Grain, A “	....	....	70.73	72.50[1]	70.73	73.03
“ “ B “	....	62.52	60.40	60.00[2]	60.57	61.81
“ “ B and Better “	....	59.85	....	60.00	59.86	63.21
“ “ C “	....	45.50	48.42	45.00[2]	47.27	47.39
“ “ D “	....	....	....	....	....	....
“ “ No. 2 “	....	....	24.81	27.25[2]	24.81	26.37
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	35.00[1]	....	....	35.00[1]	35.00
“ “ B and Better “	....	35.94	38.94	37.53	37.89	39.65
“ “ C “	....	....	....	....	....	....
“ “ D “	....	....	....	....	....	....
No. 1 Common “	....	26.72	30.34	28.45	29.15	30.81
No. 2 “ “	....	16.00	17.14	14.58	16.84	16.84
No 3 “ “	....	....	7.34	9.00	7.69	8.50
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A “	51.17	....	64.75	66.00	56.56	53.56
“ “ B “	....	53.52	52.93	....	53.03	54.60
“ “ B and Better “	47.90	48.95	....	57.56	48.39	49.23
“ “ C “	38.61	40.00	40.52	....	39.75	49.76
“ “ D “	31.89[2]	....	....	....	31.89[2]	31.89[1]
“ “ No. 2 “	....	....	23.95	....	23.95	22.00
Flat “ A “	....	....	....	....	....	....
“ “ B “	30.08	28.96	31.81[3]	30.00[1]	29.73	30.95
“ “ B and Better “	29.45	29.72	30.61	30.96	29.90	31.22
“ “ C “	25.76	25.35	....	....	25.60	26.43
“ “ D “	23.89	24.60	....	....	23.91	24.56
No. 1 Common “	....	24.69	26.78	25.15	26.12	26.54
No. 2 “ “	15.14	15.16	15.11	14.35	15.01	15.14
No 3 “ “	....	....	8.24	7.50	8.17	8.02
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	29.45	29.92	32.28	33.49	30.96	30.14
“ “ No. 1 Common	25.90	25.79	26.86	27.44	26.70	26.87
“ “ No. 2 “	13.85	13.82	16.47	....	15.10	14.08
“ “ No. 3 “	....	....	....	....	....	13.50[3]
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	28.40	27.40	29.62	31.00	28.88	29.77
“ “ No. 1 Common	22.82	25.40	25.98	25.83	24.32	25.51
“ “ No. 2 “	12.23	15.15	15.08	13.91	14.05	13.82
“ “ No. 3 “	....	....	6.25	6.00[2]	6.25	6.26[1]
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	34.30	34.00	33.48	....	33.98	31.27
“ “ No. 1 Common	28.27	....	27.85	....	27.98	28.50
“ “ No. 2 “	18 00	....	18.07	....	18.04	16.01
“ “ No. 3 “	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	34.99	40.47	....	35.03	36.27	34.17
“ “ No. 1 Common	27 94	27.50	....	33.00	28.18	25.75
“ “ No. 2 “	16 65[1]	16.76	....	17.00	16.77	19.47
Partition, ¾x5¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	33.68	37 12[1]	33.25	45.00[2]	33.33	34.56
“ “ No. 1 Common	30.25	27.50[1]	28.11	....	28.46	30.36
“ “ No. 2 “	16.00	....	17.30	....	17.27	16 59
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	23.27	25.57	40.00	25.00[2]	25.04	24.44
“ No. 1 Common	20.00	24.27	20.57	20.20	20.72	19.07
“ No. 2 “	10.00[1]	12.00	13.22	12.00	12.91	12.44

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	29.26	28.74	28.72	31.25	28.94	29.71
“ “ No. 1 Common	24.22	25.67	26.34	25.72	25.38	25.79
“ “ No. 2 “	15.70	15.47	16.42	16.37	16.16	16.43
“ “ No. 3 “	....	....	9.35	8.00	8.65	7.02
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	37.17	38.61	39.22	44.50[2]	37.73	37.26
1x 6 inch, “	38.22	35.75	39.51	44.80	38.01	36.83
1x 8 inch, “	38.35	40.52	41.91	41.66	39.63	38.86
1x 5 and 10 inch, “	44.34	41.95	44.80	45.50[1]	43.83	42.48
1x12 inch, “	45.09	42.83	46.18	48.50	45.01	42.40
1¼x4 to 12 inch, “	54.73	47.31	52.85	47.40	51.68	49.77
1½ and 2x4 to 12 inch, “	47.59	47.33	46.15	....	46.59	49.91
1⅝ inch, “	35.97	44.57	....	41.50	36.41	38.86
1x 6 to 12 inch, “	....	....	....	35.50	35.50	34.50
1x 4 inch, C	34.25	39.00	35.50	....	35.25	34.66
1x 6 inch, “	31.91	31.75	36.13	....	33.60	34.54
1x 8 inch, “	30.50	31.16	35.68	....	34.08	36.20
1x 5 and 10 inch, “	38.27	30.00	37.12	....	37.07	35.83
1x12 inch, “	35.34	36.25[1]	37.96	....	36.31	37.43
1¼x4 to 12 inch, “	49.00[2]	42.19[2]	32.25	....	32.25	38.45[1]
1½ and 2x4 to 12 inch, “	42.00	....	....	....	42.00	42.93
1⅝ inch, “	....	42.50	....	....	42.50	45.00[1]
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	36.50[3]	40.00[1]	37.00	27.00	28.67	40.00
1x 6 inch, “ “	37.88	36 00[1]	34.77	34.14	35.23	33.33
1x 8 inch, “ “	37.25	37.92[1]	41.13	33.15	35.28	38.64
1x 5 and 10 inch, “ “	39.22	43.00	43.44	35.25	40.96	39.06
1x12 inch, “ “	40.27	48.50	42.09	45.25[1]	41.97	42.42
1¼x4 to 12 inch, “ “	48.12	41.00	46.13	45.50	46.13	43.72
1½ and 2x4 to 12 inch, “ “	51.76	44.14	40.00	40.30[2]	41.23	42.10
1⅝ inch, “ “	....	43.54	....	....	43.54	44.25
1x 6 to 12 inch, “ “	....	....	....	34.57[1]	34.57[1]	34.57
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	47.02	48.44	48.55	45.00	47.58	47.13
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	46.78	48.07	49.06	45.00	47.56	47.95
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	51.26	56.00[1]	42.50	62.50[3]	50.18	54.82
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	25.88[2]	25.50[1]	29.75[1]	....	25.64[1]	25.64
“ “ “ “ “ 8 ft.	26.49[2]	25.25[1]	....	....	25.25[1]	25.25
“ “ “ “ “ 12 and 14 ft.	30.50[2]	....	....	....	30.50[2]	30.50[1]
“ “ “ “ “ 16 ft.	28.33[2]	....	....	....	28.33[2]	28.33[1]
“ “ “ “ “ 9 or 18 ft.	31.58	28.50	....	....	30.19	32.25
“ “ “ “ “ 10 or 20 ft	36.25[1]	33.51[3]	....	....	36.25[1]	36.25

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	....	22.50[1]	23.82	....	23.82	22.50
" " " " " 8 ft.	21.00[1]	32.00[2]	25.00	....	25.00	21.00
" " " " " 12 and 14 ft.	24.75	23.50[1]	....	....	24.75	23.50
" " " " " 16 ft.	....	23.85[1]	....	....	23.85[1]	23.85
" " " " " 9 or 18 ft.	25.00[1]	23.00	....	....	23.00	25.77
" " " " " 10 or 20 ft.	24.36	25.05	30.00[2]	....	24.85	25.48
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	21.00	22.50[1]	23.82	....	21.00	22.50
" " " " " 8 ft.	22.73[3]	32.00[2]	25.00	....	25.00	32.00[1]
" " " " " 12 and 14 ft.	21.00	23.50[1]	....	....	21.00	23.50
" " " " " 16 ft.	22.08	23.85[1]	....	....	22.08	23.85
" " " " " 9 or 18 ft.	25.00[3]	23.00	....	....	23.00	28.00
" " " " " 10 or 20 ft.	25.70	25.05	30.00[2]	....	25.70	29.70
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	12.40	12.81[1]	....	....	12.40	11.96
" " " " " 10 to 20 ft.	13.74	12.17	....	....	12.88	13.77
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	31.00[1]	....	....	31.00[1]	31.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	31.00[1]	....	....	31.00[1]	31.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	23.00	....	....	....	23.00	26.00[1]
" " " 1¾ inch, 10 & 20 ft.	23.00	....	....	....	23.00	26.00[1]
" " " 2 to 3 inch, 9 & 18 ft.	....	25.44[1]	25.00	....	25.00	25.38
" " " 2 to 3 inch 10 & 20 ft.	....	24.70	25.00	....	24.70	26.71
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	23.36	....	25.00	....	23.39	23.27
" " " " other lengths.	22.27	22.19	28.10	30.00	22.56	21.23
" " 1x10, " 14 and 16 ft.	22.34	....	28.50	....	22.56	22.95
" " " " other lengths.	23.26	24.12	28.16	32.00	24.63	21.69
" " 1x12, " 14 and 16 ft.	31.52	31.00	28.66	....	31.33	32.21
" " " " other lengths.	32.36	30.31	31.04	39.00[1]	31.06	30.94
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	14.86	15.45	15.69	15.39	15.31	15.39
" " 1x10, " "	15.15	16.17	16.80	15.77	15.84	16.16
" " 1x12, " "	16.74	17.36	17.99	16.82	17.20	16.40
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	9.63	9.74	10.17	13.50[1]	9.95	9.88
" " 1x10, " "	9.73	9.42	10.31	11.48[1]	9.98	10.02
" " 1x12, " "	9.58	9.31	11.26	13.00	10.17	9.86
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	21.42	....	....	....	21.42	21.96
" " " other lengths	23.43	23.82	24.12	23.96	23.67	23.68
" 1x10, " 14 and 16 ft.	23.41	....	....	....	23.41	24.63
" " " other lengths	24.01	22.94	23.50[2]	26.40	24.27	22.75
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths	15.65	15.84	16.39	15.59	15.90	15.98
" 1x10, " "	15.50	15.60	16.22	15.64	15.73	15.43
" 1x12, " "	....	....	....	18.50	18.50	17.14[3]
Shiplap, 1x 8, No. 3, all lengths	9.86	9.12	11.43	10.20	10.27	10.08
" 1x10, " "	10.07	10.51	11.61	9.77[1]	10.36	10.15
" 1x12, " "	9.58	9.63	....	13.00	9.66	9.50
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	25.08	....	....	....	25.08	26.00
" " " " other lengths.	25.50	31.00	....	....	26.83	25.70
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	6.68	....	7.12	....	6.84	4.58

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
1x4, S 1 S, No. 1, 16 ft.	21.37	....	....	....	21.37	23.65
" " " other lengths	21.91	22.15	28.08	30.75[2]	22.68	24.27
" " No. 2, all lengths	10.63	10.06	12.42	11.00	10.58	10.32
" " No. 3, "	7.98	7.17	8.69	....	7.72	7.74
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	25.50	....	....	25.00[2]	25.50	20.00
" " No. 2, all lengths	11.63	....	....	....	11.63	11.25
" " No. 3, "	....	....	....	....	....	8.00[3]
1x6, S 1 S, No. 1, 16 ft.	23.17	23.10[1]	31.50	....	23.24	23.69
" " " other lengths	23.02	22.62	29.12	26.98	24.10	24.36
" " No. 2, all lengths	14.12	13.83	15.61	15.96	14.51	15.07
" " No. 3, "	9.46	8.35	9.52	11.21	9.43	8.61
1x6, C. M., No. 1, 16 ft.	24.22	25.00[2]	....	....	24.22	26.00
" " " other lengths	23.56	23.81	....	....	23.67	24.19
" " No. 2, all lengths	14.41	14.25	....	13.11	14.08	14.40
" " No. 3, "	9.12	7.44	....	9.60	8.16	9.47
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.51	19.27	20.24	18.83[1]	20.09	20.24
" " " 12 ft.	19.66	19.39	18.75	19.25	19.36	19.89
" " " 14 ft.	19.42	19.31	18.89	20.50[1]	19.29	19.94
" " " 16 ft.	21.34	21.23	19.54	22.50[1]	20.97	21.02
" " " 18 ft.	22.89	22.40	21.43	21.25	22.27	22.07
" " " 20 ft.	22.80	22.59	21.43	19.00[1]	22.69	22.17
" " " 22 ft.	23.41	22.12	22.47	....	22.32	22.44
" " " 24 ft.	24.34	22.95	22.47	....	23.40	23.15
2x 6, No. 1, S 1 S 1 E, 10 ft.	16.88	16.74	19.04	....	18.18	17.90
" " " 12 ft.	16.64	16.65	17.07	19.00[1]	16.80	16.80
" " " 14 ft.	15.92	16.49	17.07	18.25	16.16	16.63
" " " 16 ft.	17.72	17.69	17.96	18.25	17.76	17.24
" " " 18 ft.	18.48	18.62	19.04	22.20[1]	18.54	17.73
" " " 20 ft.	18.81	18.84	19.04	22.20[1]	18.82	17.37
" " " 22 ft.	21.59	20.70	22.69	....	21.46	19.94
" " " 24 ft.	21.71	20.95	22.69	....	21.28	20.75
2x 8, No. 1, S 1 S 1 E, 10 ft.	19.49	19.89	20.23	17.75	20.00	19.82
" " " 12 ft.	18.21	18.80	18.40	20.00[1]	18.42	18.47
" " " 14 ft.	18.38	18.42	18.48	17.40[1]	18.43	17.83
" " " 16 ft.	18.01	20.47	19.45	17.75	18.68	18.93
" " " 18 ft.	21.16	21.19	20.23	19.25	21.11	20.57
" " " 20 ft.	21.31	22.15	20.23	22.50[2]	21.64	20.99
" " " 22 ft.	21.49	22.11	22.10	....	21.86	21.48
" " " 24 ft.	22.48	22.55	22.10	....	22.52	21.66
2x10, No. 1, S 1 S 1 E, 10 ft.	19.07	17.09	21.59	18.25	19.40	19.69
" " " 12 ft.	18.68	19.72	19.43	26.50[2]	19.27	19.61
" " " 14 ft.	18.82	19.64	19.43	26.50[2]	19.23	19.71
" " " 16 ft.	19.43	21.19	19.34	18.25	19.82	20.93
" " " 18 ft.	21.79	21.87	21.59	19.75	21.79	22.41
" " " 20 ft.	21.22	21.40	21.59	29.50[2]	21.27	21.90
" " " 22 ft.	22.92	23.99	24.33	....	23.57	23.72
" " " 24 ft.	24.10	23.59	24.33	....	23.89	24.59
2x12, No. 1, S 1 S 1 E, 10 ft.	21.62	19.23	22.07	....	21.66	23.36
" " " 12 ft.	22.81	22.42	20.05	25.50	20.96	24.44
" " " 14 ft.	23.10	22.25	20.05	25.50	22.67	22.29
" " " 16 ft.	21.57	23.44	19.98	26.75	21.42	22.62
" " " 18 ft.	24.13	24.69	22.07	26.50	24.54	23.15
" " " 20 ft.	25.10	24.34	22.07	26.50	24.72	25.02
" " " 22 ft.	26.20	25.63	25.83	....	25.93	27.04
" " " 24 ft.	27.04	27.08	25.83	....	27.06	27.85
2x 4, No. 2, S 1 S 1 E, 10 ft.	15.86	16.26	17.10	16.75	16.38	15.62
" " " 12 ft.	15.75	14.85	15.47	15.00[3]	15.31	15.39
" " " 14 ft.	15.65	16.38	16.06	15.72[2]	16.08	15.32
" " " 16 ft.	17.62	16.84	16.91	16.23	17.06	16.93
" " " 18 ft.	18.29	17.41	17.56	18.14	17.68	17.87
" " " 20 ft.	17.89	17.77	17.56	18.14	17.88	18.23
" " " 22 ft.	22.00[2]	17.00	17.52	....	17.42	17.59
" " " 24 ft.	....	17.00	17.52	....	17.42	17.59
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.19	12.45	14.65	15.00[2]	14.52	14.04
" " " 12 ft.	12.35	12.81	14.33	14.00	13.30	13.52
" " " 14 ft.	12.40	12.78	14.33	15.25	12.68	12.74
" " " 16 ft.	12.95	14.74	15.11	15.25	14.05	14.28
" " " 18 ft.	14.30	14.82	14.65	16.96[1]	14.45	14.72
" " " 20 ft.	14.12	15.08	14.65	16.00[2]	14.61	14.25
" " " 22 ft.	14.97	17.71	21.75	17.00[1]	18.05	15.55
" " " 24 ft.	14.85	17.71	21.75	17.00[1]	14.85	15.75

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
2x 8. No. 2, S 1 S 1 E, 10 ft.	14.68	14.78	17.15	14.00[2]	16.88	15.04
" " " 12 ft.	13.64	14.97	16.44	14.00	14.61	14.54
" " " 14 ft.	14.19	14.70	14.93	16.25	14.61	14.32
" " " 16 ft.	15.54	15.43	15.77	18.00[1]	15.57	16.61
" " " 18 ft.	17.20	17.22	17.15	18.00[1]	17.21	16.58
" " " 20 ft.	16.69	17.67	17.15	....	17.13	16.20
" " " 22 ft.	20.75	20.67	19.17	18.00[1]	20.04	17.25
" " " 24 ft.	19.45[2]	20.67	19.17	18.00[1]	19.92	17.25
2x10, No. 2, S 1 S 1 E, 10 ft.	14.75	13.73	17.07	18.00[1]	16.71	17.34
" " " 12 ft.	13.78	15.05	14.50	14.00[2]	14.46	15.58
" " " 14 ft.	15.04	16.22	14.50	14.00[2]	15.41	15.28
" " " 16 ft.	17.03	16.48	15.58	16.50	16.44	17.15
" " " 18 ft.	17.71	16.44	17.07	18.00[1]	17.04	17.45
" " " 20 ft.	16.54	16.82	17.07	....	16.70	17.88
" " " 22 ft.	21.75	18.94	23.67	....	20.17	19.00
" " " 24 ft.	....	18.94	23.67	....	19.99	19.00
2x12, No. 2, S 1 S 1 E, 10 ft.	18.00	17.00[1]	17.48	....	17.59	18.24
" " " 12 ft.	17.59	14.00	16.15	16.00[2]	16.95	17.68
" " " 14 ft.	17.98	16.33	16.15	16.00[2]	17.75	16.72
" " " 16 ft.	19.71	19.97	17.39	....	19.05	18.68
" " " 18 ft.	20.37	20.02	17.42	....	20.25	19.18
" " " 20 ft.	19.48	19.79	17.42	....	19.67	19.37
" " " 22 ft.	22.44	23.97	20.57	16.00[1]	21.85	19.02
" " " 24 ft.	25.00[1]	23.97	20.57	16.00[1]	21.74	25.00
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3. S 1 S 1 E. all lengths	8.62	7.84	....	11.09[1]	8.28	10.62
PATENT LATH						
4 and 6 ft.	9.56	10.92	12.00	....	10.07	10.17
8 and 10 ft.	11.53	10.17	15.50	....	11.49	11.14
12 ft. and longer	12.23	13.20[1]	....	....	12.23	12.66
PLASTERING LATH						
3/8x1½-4. No. 1	3.04	3.08	3.19	3.23	3.13	3.10
" No. 2	1.35	1.45	1.48	2.04	1.50	1.48
3/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
" No 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	19.53	21.16	15.07	....	17.61	20.17
" " 22-24 ft.	20.08	21.08	19.91	....	20.09	22.38
" " 26 ft.	29.13	26.85[2]	20.95	....	22.58	22.00
" " 28 ft.	25.28	26.50[1]	20.95	....	25.28	26.50
" " 30 ft.	23.01	25.67[1]	30.00	....	24.50	21.66
" " over 30 ft.	30.75	26.00	33.00	....	29.58	28.08
4x4 to 8x8, Heart (85%+), up to 20 ft.	23.21	25.70	....	....	24.01	25.05
" " " 22-24 ft.	25.10	25.63	....	....	25.27	24.02
" " " 26 ft.	....	30.00[1]	....	....	30.00[1]	30.00
" " " 28 ft.	30.00	30.50[3]	....	....	30.00	21.75[1]
" " " 30 ft.	27.24[2]	30.25[2]	....	....	28.40[2]	28.40[1]
" " " over 30 ft.	31.50[2]	36.75[1]	....	....	36.75[1]	36.75
3 & 4x10, No. 1, up to 20 ft.	22.19	21.28	....	....	21.40	23.29
" " 22-24 ft.	22.00	27.00[1]	....	....	22.00	27.00
" " 26 ft.	23.50[3]	....	....	....	23.50[2]	23.50[2]
" " 28 ft.	....	....	....	....	....	46.75[3]
" " 30 ft.	28.00[2]	....	....	....	28.00[2]	28.00[1]
" " over 30 ft.	29.43[2]	....	....	....	29.43[2]	29.43[1]
3 & 4x10, Heart (85%+), up to 20 ft.	28.93	25.88	....	....	28.32	29.61
" " " 22-24 ft.	30.31	30.45[1]	....	....	30.31	30.55
" " " 26 ft.	....	31.00[1]	....	....	31.00[1]	31.00
" " " 28 ft.	....	32.00[1]	....	....	32.00[1]	32.00
" " " 30 ft.	31.75[2]	....	....	....	31.75[2]	31.75[1]
" " " over 30 ft.	39.00	....	....	....	39.00	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
6x10, to 10x10, No. 1, up to 20 ft.	24.56	22.45	24.81	....	24.54	23.17
“ “ 22-24 ft.	26.13	23.77	23.81[1]	....	24.51	23.57
“ “ 26 ft.	21.81	25.50	27.53	....	27.12	23.86
“ “ 28 ft.	24.74	....	23.49[1]	....	24.74	23.49
“ “ 30 ft.	21.56	....	29.00[1]	....	21.56	29.00
“ “ over 30 ft.	29.50	34.88	33.75[1]	....	33.55	29.49
6x10 to 10x10, Heart (85%+), up to 20 ft.	25.00	27.00[1]	....	....	25.00	24.54
“ “ “ 22-24 ft.	32.75[2]	....	....	....	32.75[2]	32.75[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	36.50[3]	38.88	....	....	38.88	36.50[2]
3 & 4x12, No 1, up to 20 ft.	26.12	25.45	....	....	25.55	27.18
“ “ 22 24 ft.	32.25	28.11	....	....	29.51	28.48
“ “ 26 ft.	23.50[3]	27.25	....	....	27.25	23.50[2]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	20.50	30.00[2]	....	....	20.50	20.50
“ “ over 30 ft.	31.50	39.76[1]	....	....	31.50	39.46
3 & 4x12 Heart (85%+), up to 20 ft.	32.93	27.16	....	....	30.36	29.38
“ “ “ 22-24 ft.	32.00	29.79	....	....	31.25	32.02
“ “ “ 26 ft.	33.00[1]	33.00[1]	....	....	33.00[1]	33.00
“ “ “ 28 ft.	34.00[1]	34.00[1]	....	....	34.00[1]	34.00
“ “ “ 30 ft.	35.00	....	....	....	35.00	32.75[1]
“ “ “ over 30 ft.	41.00	....	....	....	41.00	....
6x12 to 12x12, No. 1, up to 20 ft.	24.58	25.00	26.20	....	25.84	23.86
“ “ 22-24 ft.	28.00	26.00[1]	29.00	....	28.13	22.37
“ “ 26 ft.	30.05	24.67	30.00	....	28.61	27.64
“ “ 28 ft.	30.26	....	30.00	....	30.26	27.66
“ “ 30 ft.	20.00	....	33.00	....	20.91	21.86
“ “ over 30 ft.	35.75	39.70	29.69	....	30.48	31.53
6x12 to 12x12, Heart (85%+), up to 20 ft.	28.39	37.00[2]	....	....	23.39	31.84
“ “ “ 22-24 ft.	31.00	....	....	....	31.00	31.30[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	32.00	....	....	....	32.00	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	37.00	37.00	....	....	37.00	42.00[1]
2x14 to 4x14, No. 1,up to 20 ft.	29.85	29.60	....	....	29.82	35.49
“ “ 22-24 ft.	33.25[2]	31.75	....	....	31.75	31.62
“ “ 26 ft.	30.33[1]	34.50	....	....	34.50	30.33
“ “ 28 ft.	36.25[2]	....	....	....	36.25[2]	36.25[1]
“ “ 30 ft.	....	40.00[3]	....	....	40.00[3]	40.00[2]
“ “ over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	47.00[1]	....	....	....	47.00[1]	47.00
“ “ “ 22-24 ft.	27.34[2]	39.00[1]	....	....	39.00[1]	39.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	29.50	28.00	25.88	....	27.16	27.39
“ “ 22-24 ft.	29.50	29.25[1]	25.00[1]	....	29.50	26.85
“ “ 26 ft.	....	....	26.00[1]	....	26.00[1]	26.00
“ “ 28 ft.	35.57[1]	....	26.00[1]	....	35.75[1]	35.75
“ “ 30 ft.	21.00[1]	....	39.97[3]	....	21.00[1]	21.00
“ “ over 30 ft.	36.71	47.75[2]	30.97[3]	....	36.71	33.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	37.75	45.00[2]	....	....	37.75	32.00
“ “ “ 22-24 ft.	39.00[3]	....	....	....	39.00[3]	39.00[2]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	37.00[1]	....	....	....	37.00[1]	37.00
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	38.75[1]	....	....	38.75[1]	38.75
“ “ 22-24 ft.	....	43.00[1]	....	....	43.00[1]	43.00
“ “ 26 ft.	....	36.62[3]	....	....	36.62[3]	36.62[2]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	45.00[3]	....	....	45.00[3]	45.00[2]
“ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	40.00[1]	....	....	40.00[1]	40.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
6x16 & Up, No. 1, up to 20 ft.	48.25	....	33.88	....	35.61	31.89
" " 22-24 ft.	38.90[1]	....	28.00[1]	....	30.85[1]	30.85
" " 26 ft.	32.00[2]	....	31.50[2]	....	31.54[2]	31 54[1]
" " 28 ft.	29.50	....	31.50[2]	....	29.50	42.00
" " 30 ft.	21 00[1]	....	34 00[3]	....	21 00[1]	21.00
" " over 30 ft.	20.75	....	34.00[3]	....	20.75	37.41
6x16 & Up, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	46.00[3]	....	....	....	46.00[3]	46.00[2]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	40.00[2]	....	....	....	40.00[2]	40.00[1]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	44.00[2]	....	....	....	44.00[2]	44.00[1]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	37.50	....	....	....	37.50	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	40.00[1]	38.25	....	....	38.25	40.00
" " 22-24 ft.	41.00[1]	41.00[1]	....	....	41.00[1]	41 00
" " 26 ft.	46.00[3]	46.00[2]	....	....	46.00[2]	46 00[1]
" " 28 ft.	44.00[2]	38.00[3]	....	....	44.00[2]	44.00[1]
" " 30 ft.	42.00	....	....	....	42.00	....
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	40.00[1]	....	....	40.00[1]	40.00
" " " 22-24 ft.	....	41.00[1]	....	....	41.00[1]	41.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	44.00[3]	....	....	....	44.00[3]	44.00[2]
" " " 32 ft	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	28.50	31.00[2]	26.74	....	26.99	26.00
" " " 36 ft.	30.75[2]	31.00[2]	26.74	29.00	29.00	40.00
" " " 37-38 ft.	....	31.00[2]	26.22	....	26 22	28.00
" " " 40 ft.	....	31.00[2]	29.00	....	29.00	31.00[1]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	31 00[1]	....	....	31.00[1]	31.00
" " " 36 ft.	28.50	31 00[1]	....	25.00[1]	28.50	29.55
" " " 37-38 ft.	32.06[3]	32.00[1]	....	....	32.00[1]	32.00
" " " 40 ft.	....	....	....	....	....	35.00[3]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	31 00[2]	35 00[2]	....	31 80[2]	31 80[1]
" " " 36 ft.	32 50	31 00[2]	35.00[2]	....	32 50	31 00[1]
" " " 37-38 ft.	....	31 00[2]	....	....	31 00[2]	31.00[1]
" " " 40 ft.	....	....	....	....	....	45 25[3]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 10
Up to 14 inch, Sq. E., 34 ft.	....	....	42.46[2]	....	42.46[2]	42.46[1]
" " " 36 ft.	....	....	42.46[2]	....	42.46[2]	42.46[1]
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	40.50	....	....	....	40.50	45.00[3]
" " " 41-42 ft.	40.50	....	....	....	40.50	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	48.00[3]
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	37.00[2]	....	....	....	37.00[2]	37.00[1]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	48.00[3]
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8.	31.94	19.50	....	....	31.38	24.25
" " Heart, (85%+), 6x8-8.	27.82	30.00[2]	....	....	27.82	27.61
" " Sq. E., " 7x9-8.	....	25.00	....	....	25.00	....
" " Heart, " 7x9-8.	....	26.50[1]	....	....	26.50[1]	26.50
Bridge Ties, Sq. E., 7x9 & up.	....	....	....	....	....	46.75[3]
" " Heart,	....	....	....	....	....	30.75[3]
Paving Stock, S 1 S.	....	....	....	....	....	....
" " Rough.	....	....	....	....	....	....
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship " Flat Grain.	....	....	....	....	....	....
Miscellaneous.	24.50	25.92	54.67	40.54	30.22	25.72
MISCELLANEOUS STOCK						
Silo Stock.	37.40[3]	....	....	....	37.40[3]	37.40[2]
Grain Doors.	....	....	....	....	....	....
Miscellaneous, B and B.	37.08	45.13	38.31	32.83	39.24	40.94
" No. 1.	28.47	26.90	20.94	27.62	24.27	22.98
" No. 2.	16.11	17.43	15.10	14.87	15 27	15.90
" No. 3.	10.91	10.34	9.64	10 43	9.82	9.53
Shorts B and B.	23.45	25.72	....	....	24 63	21.00
" No. 1.	11.14	13.94	....	....	11.37	12.77
" No. 2.	....	8.97	....	....	8.97	10.53
" No. 3.	....	6.41	....	....	6.41	8.72

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	4.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

April 30, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending April 30, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the 'ast report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800

Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued May 9, 1921

No. 128

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	62.00[1]	....	....	....	62.00[1]	62.00
" " B "	....	....	....	....	....	....
" " B and Better "	59.60	....	....	....	59.60	59.99
" " C "	48.00	....	....	....	48.00	34.00[3]
" " D "	34.43	....	....	....	34.43	37.04
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	29.66	....	....	....	29.66	31.00
" " B and Better "	34.42	....	....	....	34.42	35.12
" " C "	26.61	....	....	....	26.61	....
" " D "	27.07	....	....	....	27.07	27.88
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	16.67	15.81[3]	....	....	16.67	14.71
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	77.50	77.50	79.85
Edge Grain, A "	....	....	69.54	72.50[2]	69.54	70.73
" " B "	....	60.50	59.90	60.00[2]	59.91	60.57
" " B and Better "	....	59.95	....	59.56	59.79	59.86
" " C "	....	45.50[1]	53.24	42.56	51.13	47.27
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	22.01	25.18	22.55	24.81
Flat " A "	....	....	....	....	....	....
" " B "	....	30.70	....	....	30.70	35.00[1]
" " B and Better "	....	31.91	35.67	38.65	35.73	37.89
" " C "	....	25.00	....	....	25.00	....
" " D "	....	....	....	....	....	....
No. 1 Common "	....	27.17	32.13	32.06	31.45	29.15
No. 2 " "	....	15.00	16.62	15.46	16.48	16.84
No. 3 " "	....	....	8.11	8.50	8.18	7.69
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	....	....	....
Edge Grain, A "	51.17[1]	....	52.78	66.00[1]	52.78	56.56
" " B "	....	52.50	48.87	....	49.16	53.03
" " B and Better "	49.57	47.43	....	52.00	48.84	48.39
" " C "	45.37	44.50	34.35	....	36.09	39.75
" " D "	34.42	....	....	....	34.42	31.89[2]
" " No. 2 "	....	....	23.17	....	23.17	23.95
Flat " A "	....	....	....	....	....	....
" " B "	29.76	30.15	....	30.00[2]	29.86	29.73
" " B and Better "	29.95	31.06	30.49	31.30	30.37	29.90
" " C "	25.57	25.29	....	....	25.52	25.60
" " D "	23.49	22.08	....	....	23.48	23.91
No. 1 Common "	....	24.32	26.28	27.67	25.99	26.12
No. 2 " "	15.45	15.33	15.40	14.24	15.18	15.01
No. 3 " "	....	....	7.53	8.00	7.54	8.17
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.02	28.61	30.36	28.76	29.42	30.96
" " No. 1 Common	24.77	25.36	26.01	28.75	25.72	26.70
" " No. 2 "	13.85[1]	15.00	15.02	....	15.01	15.10
" " No. 3 "	....	....	6.00	....	6.00	....
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.49	29.66	30.00	29.04	29.10	28.88
" " No. 1 Common	24.04	25.12	25.99	24.73	24.87	24.32
" " No. 2 "	13.14	13.69	14.82	15.46	14.31	14.05
" " No. 3 "	....	....	6.25[1]	6.00[3]	6.25[1]	6.25
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.76	28.00	30.39	....	31.77	33.98
" " No. 1 Common	26.25	....	25.84	28.00	26.00	27.98
" " No. 2 "	18.00[1]	....	16.72	....	16.72	18.04
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.45	34.93	....	35.50	34.21	36.27
" " No. 1 Common	25.45	29.88	....	26.00	25.73	28.18
" " No. 2 "	14.93	16.68	....	17.00[1]	15.57	16.77
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	39.00	33.67	34.19	45.00[3]	34.51	33.33
" " No. 1 Common	30.25[1]	27.50[2]	29.40	....	29.40	28.46
" " No. 2 "	16.50	....	17.14	....	17.12	17.27
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	23.40	25.57[1]	22.25	25.00[3]	23.37	25.04
" No. 1 Common	21.00	24.27[1]	20.19	22.50	20.40	20.72
" No. 2 "	10.00[2]	12.00[1]	12.00	12.00	12.00	12.91

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.49	29.27	28.94	31.50	28.82	28.94
" " No. 1 Common	24.89	23.90	26.10	26.82	25.52	25.38
" " No. 2 "	15.81	15.24	16.69	16.81	16.33	16.16
" " No. 3 "	....	....	9.51	8.19	9.00	8.65
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	38.51	38.22	36.41	37.50	38.27	37.73
1x 6 inch, "	39.06	37.78	35.52	40.36	37.74	38.01
1x 8 inch, "	39.32	38.05	39.48	38.33	39.09	39.63
1x 5 and 10 inch, "	44.34	40.59	42.31	44.65	42.89	43.83
1x12 inch, "	43.87	40.85	45.18	47.93	43.58	45.01
1¼x4 to 12 inch, "	51.92	47.95	51.28	55.00	51.10	51.68
1½ and 2x4 to 12 inch, "	48.39	51.00	46.18	....	46.82	46.59
1⅝ inch, "	35.19	35.93	....	41.50[1]	35.41	36.41
1x 6 to 12 inch, "	....	....	....	35.50[1]	35.50[1]	35.50
1x 4 inch, C	32.56	39.00[1]	31.64	....	32.25	35.25
1x 6 inch, "	33.33	36.00	34.03	....	33.70	33.60
1x 8 inch, "	33.21	36.84	33.34	....	33.50	34.08
1x 5 and 10 inch, "	36.46	38.34	34.93	....	36.13	37.07
1x12 inch, "	38.27	36.25[2]	36.94	....	37.77	36.31
1¼x4 to 12 inch, "	48.00	39.00	40.00	....	38.55	32.25
1½ and 2x4 to 12 inch, "	42.00	....	39.50	....	40.22	42.00
1⅝ inch, "	....	42.50[1]	....	....	42.50[1]	42.50
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	....	40.00[2]	35.00	27.00[1]	35.00	28.67
1x 6 inch, " "	37.00	40.00	33.01	36.00	33.99	35.23
1x 8 inch, " "	36.00	37.92[2]	34.83	36.00	35.59	35.28
1x 5 and 10 inch, " "	38.00	43.00[1]	31.10	35.25[1]	34.37	40.96
1x12 inch, " "	36.00	48.50[1]	41.00	45.25[2]	37.54	41.97
1¼x4 to 12 inch, " "	46.07	42.00	45.62	45.50[1]	45.52	46.13
1½ and 2x4 to 12 inch, " "	55.00	44.14[1]	43.66	35.00	43.35	41.23
1⅝ inch, " "	....	43.54[1]	....	....	43.54[1]	43.54
1x 6 to 12 inch, " "	....	....	....	34.57[2]	34.57[2]	34.57[1]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	44.78	47.64	47.87	46.75	45.15	47.58
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	47.50	45.93	50.65	46.50	47.99	47.56
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	54.36	56.00[2]	57.53	....	55.27	50.18
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	25.88[3]	25.50[2]	29.75[2]	....	25.64[2]	25.64[1]
" " " " " 8 ft.	26.49[3]	23.68	....	....	23.68	25.25[1]
" " " " " 12 and 14 ft.	31.75	....	....	....	31.75	30.50[2]
" " " " " 16 ft.	28.33[3]	....	....	....	28.33[3]	28.33[2]
" " " " " 9 or 18 ft.	29.50	30.00	....	....	29.64	30.19
" " " " " 10 or 20 ft.	26.60	35.75	....	....	26.75	36.25[1]

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	....	22.50[2]	23.82[1]	....	23.82[1]	23.82
" " " " " 8 ft.	21.00[2]	32.00[3]	25.00[1]	....	25.00[1]	25.00
" " " " " 12 and 14 ft.	27.25	23.50[2]	....	....	27.25	24.75
" " " " " 16 ft.	....	23.00	....	....	23.00	23.85[1]
" " " " " 9 or 18 ft.	27.00	23.00[1]	....	....	27.00	23.00
" " " " " 10 or 20 ft.	22.03	25.05[1]	30.00[3]	....	22.03	24.85
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	21.00[1]	22.50[2]	23.82[1]	....	21.00[1]	21.00
" " " " " 8 ft.	21.25	32.00[3]	25.00[1]	....	21.25	25.00
" " " " " 12 and 14 ft.	21.39	23.50[2]	....	....	21.39	21.00
" " " " " 16 ft.	23.38	23.00	....	....	23.38	22.08
" " " " " 9 or 18 ft.	....	23.00[1]	....	....	23.00[1]	23.00
" " " " " 10 or 20 ft.	24.75	25.05[1]	30.00[3]	....	24.75	25.70
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	13.08	12.81[2]	....	....	13.08	12.40
" " " " " 10 to 20 ft.	13.58	13.88	....	....	13.63	12.88
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	31.00[2]	....	....	31.00[2]	31.00[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	31.00[2]	....	....	31.00[2]	31.00[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	18.54	....	....	....	18.54	23.00
" " " 1¾ inch, 10 & 20 ft	18.54	....	....	....	18.54	23.00
" " " 2 to 3 inch, 9 & 18 ft	....	24.00	24.62	....	24.60	25.00
" " " 2 to 3 inch 10 & 20 ft.	....	26.50	24.62	....	26.50	24.70
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	21.78	....	25.00[1]	....	21.78	23.39
" " " " other lengths.	22.80	22.21	26.51	26.32	23.29	22.56
" " 1x10, " 14 and 16 ft.	22.28	....	28.50[1]	....	22.28	22.56
" " " " other lengths.	23.56	23.49	29.49	33.50	25.52	24.63
" " 1x12, " 14 and 16 ft.	33.03	31.00[1]	30.00	....	32.88	31.33
" " " " other lengths.	32.83	30.85	31.98	39.00[2]	32.17	31.06
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	15.14	15.09	16.38	15.50	15.52	15.31
" " 1x10, " "	15.44	15.56	16.31	15.73	15.66	15.84
" " 1x12, " "	16.63	16.83	17.92	16.20	16.95	17.20
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	9.58	9.58	10.29	13.50[2]	10.01	9.95
" " 1x10, " "	9.90	10.93	10.36	11.48[2]	10.22	9.98
" " 1x12, " "	10.01	9.61	10.90	13.00[1]	10.43	10.17
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	21.99	....	....	....	21.99	21.42
" " " other lengths.	22.83	22.80	24.02	23.71	22.94	23.67
" 1x10, " 14 and 16 ft.	24.20	....	....	....	24.20	23.41
" " " other lengths.	23.50	24.60	23.50[3]	25.00	23.74	24.27
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths	15.72	16.41	16.42	15.57	15.98	15.90
" 1x10, " "	16.01	16.28	17.61	15.88	16.54	15.73
" 1x12, " "	....	....	....	18.50[1]	18.50[1]	18.50
Shiplap, 1x 8, No. 3, all lengths	10.57	9.44	11.41	10.15	10.83	10.27
" 1x10, " "	10.74	9.50	10.54	9.96	10.41	10.36
" 1x12, " "	10.48	10.50	....	13.00[1]	10.49	9.66
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	23.73	....	....	....	23.73	25.08
" " " " other lengths.	24.11	31.00[1]	....	....	24.11	26.83
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths	7.58	....	7.12[1]	....	7.58	6.84

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
1x4, S 1 S, No. 1, 16 ft.	20.24	....	....	....	20.24	21.37
“ “ “ other lengths	20.92	21.99	28.58	30.75[3]	21.46	22.68
“ “ No. 2, all lengths	10.33	10.67	12.18	11.00[1]	10.76	10.58
“ “ No. 3, “	8.21	7.18	8.47	....	7.88	7.72
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
“ “ “ other lengths	25.50[1]	....	....	25.00[3]	25.50[1]	25.50
“ “ No. 2, all lengths	10.77	....	....	....	10.77	11.63
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	22.57	23.00	31.50[1]	....	22.58	23.24
“ “ “ other lengths	22.70	22.48	28.88	30.00	23.75	24.10
“ “ No. 2, all lengths	14.26	13.94	15.73	15.73	14.57	14.51
“ “ No. 3, “	8.84	8.25	10.21	10.50	9.33	9.43
1x6, C. M., No. 1, 16 ft.	22.13	25.00[3]	....	....	22.13	24.22
“ “ “ other lengths	21.04	21.09	....	20.00	21.00	23.67
“ “ No. 2, all lengths	14.31	14.35	....	15.22	14.50	14.08
“ “ No. 3. “	9.04	9.07	....	11.00	9.16	8.16
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.54	19.34	19.61	23.00	20.36	20.09
“ “ “ 12 ft.	20.63	19.68	17.86	21.00	19.35	19.36
“ “ “ 14 ft.	20.01	19.27	18.13	21.00	19.25	19 29
“ “ “ 16 ft.	22.07	21.26	20.28	22.50[2]	21.33	20.97
“ “ “ 18 ft.	23.31	22.67	21.23	24.00	22.54	22.27
“ “ “ 20 ft.	23.16	22.86	21.23	24.00	23.03	22.69
“ “ “ 22 ft.	23.30	24.08	23.75	....	23.83	22.32
“ “ “ 24 ft.	24.37	24.30	23.75	....	24.34	23.40
2x 6, No. 1, S 1 S 1 E, 10 ft.	16.95	17.09	18.37	....	18.00	18.18
“ “ “ 12 ft.	16.41	16.91	16.23	19.00[2]	16.38	16.80
“ “ “ 14 ft.	16.99	16.40	16.23	18.25[1]	16.76	16.16
“ “ “ 16 ft.	16.58	16.54	16.77	21.25	16.65	17.76
“ “ “ 18 ft.	18.52	18.57	18.37	22.20[2]	18.54	18.54
“ “ “ 20 ft.	18.42	18.79	18.37	22.20[2]	18.54	18.82
“ “ “ 22 ft.	20.75	20.55	22.36	....	20.98	21.46
“ “ “ 24 ft.	21.04	21.46	22.36	....	21.25	21.28
2x 8, No. 1, S 1 S 1 E, 10 ft.	20.78	18.63	20.35	17.75[1]	20.30	20.00
“ “ “ 12 ft.	18.90	19.09	17.69	20.00[2]	18.44	18.42
“ “ “ 14 ft.	18.42	18.94	17.73	17.40[2]	18.29	18.43
“ “ “ 16 ft.	17.56	20.37	18.34	17.75[1]	17.99	18.68
“ “ “ 18 ft.	21.40	21.04	20.35	19.25[1]	21.27	21.11
“ “ “ 20 ft.	21.72	21.97	20.35	22.50[3]	21.84	21.64
“ “ “ 22 ft.	22.73	22.84	22.48	....	22.68	21.86
“ “ “ 24 ft.	23.28	22.90	22.48	....	23.13	22.52
2x10, No. 1, S 1 S 1 E, 10 ft.	21.31	19.50	20.94	18.25[1]	20.96	19.40
“ “ “ 12 ft.	19.86	20.24	20.37	22.00	20.18	19.27
“ “ “ 14 ft.	19.63	20.24	20.37	25.00	20.15	19.23
“ “ “ 16 ft.	21.20	21.78	19.01	18.25[1]	20.73	19.82
“ “ “ 18 ft.	22.11	21.61	20.94	19.75[1]	21.82	21.79
“ “ “ 20 ft.	20.86	21.70	20.94	29.50[3]	21.21	21.27
“ “ “ 22 ft.	24.12	24.41	20.77	....	24.08	23.57
“ “ “ 24 ft.	24.06	24.38	20.77	....	24.13	23.89
2x12, No. 1, S 1 S 1 E, 10 ft.	22.49	25.00	21.92	....	22.06	21.66
“ “ “ 12 ft.	22.67	21.75	21.10	25.50[1]	21.68	20.96
“ “ “ 14 ft.	22.64	21.89	21.10	25.50[1]	22.34	22.67
“ “ “ 16 ft.	23.24	23.84	19.64	26.75[1]	21.50	21.42
“ “ “ 18 ft.	24.97	24.43	21.92	26.50[1]	24.75	24.54
“ “ “ 20 ft.	24.57	25.22	21.92	26.50[1]	24.89	24.72
“ “ “ 22 ft.	26.03	24.73	27.32	....	25.52	25.93
“ “ “ 24 ft.	26.57	24.73	27.32	....	26.57	27.06
2x 4, No. 2, S 1 S 1 E, 10 ft.	15.78	16.36	17.38	16.75[1]	16.39	16.38
“ “ “ 12 ft.	15.28	15.74	15.14	....	15.30	15.31
“ “ “ 14 ft.	15.39	15.91	15.69	15.38	15.62	16.08
“ “ “ 16 ft.	15.99	16.87	17.27	15.00	16.55	17.06
“ “ “ 18 ft.	18.03	18.85	17.71	19.25	17.98	17.68
“ “ “ 20 ft.	18.17	18.75	17.71	19.25	18.38	17.88
“ “ “ 22 ft.	23.00	19.50	17.52[1]	....	20.29	17.42
“ “ “ 24 ft.	19.00	19.50	17.52[1]	....	19.00	17.42
2x 6, No. 2, S 1 S 1 E, 10 ft.	11.86	13.01	15.53	15.00[3]	14.36	14.52
“ “ “ 12 ft.	11.79	12.85	15.37	14.00[1]	13.88	13.30
“ “ “ 14 ft.	12.10	12.89	15.37	15.75	12.44	12.68
“ “ “ 16 ft.	12.41	13.78	15.29	14.00	13.34	14.05
“ “ “ 18 ft.	13.35	14.73	15.53	18.25	13.90	14.45
“ “ “ 20 ft.	14.07	15.15	15.53	18.25	14.47	14.61
“ “ “ 22 ft.	14.00	16.50	18.40	17.00[2]	15.83	18.05
“ “ “ 24 ft.	23.22	16.50	18.40	17.00[2]	23.22	14.85

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	15.01	16.86	16.75	14.00[3]	16.38	16.88
" " " 12 ft.	14.34	15.39	15.38	14.00[1]	14.82	14.61
" " " 14 ft.	14.96	15.07	15.22	16.75	15.12	14.61
" " " 16 ft.	15.02	16.15	16.68	14.00	15.53	15.57
" " " 18 ft.	17.44	18.31	16.75	18.00[2]	17.66	17.21
" " " 20 ft.	16.31	17.19	16.75	18.25	16.60	17.13
" " " 22 ft.	19.97	19.50	17.51	18.00[2]	18.44	20.04
" " " 24 ft.	20.22	19.50	17.51	18.00[2]	20.22	19.92
2x10, No. 2, S 1 S 1 E, 10 ft.	15.87	16.50	17.31	18.00[2]	16.88	16.71
" " " 12 ft.	14.31	15.16	16.48	14.00[3]	14.88	14.46
" " " 14 ft.	14.07	14.76	16.48	14.00[3]	14.30	15.41
" " " 16 ft.	14.23	15.63	15.83	16.50[1]	14.73	16.44
" " " 18 ft.	15.72	16.98	17.31	18.00[2]	16.11	17.04
" " " 20 ft.	16.05	16.86	17.31	19.25	16.26	16.70
" " " 22 ft.	21.75[1]	20.00	17.50	....	19.50	20.17
" " " 24 ft.	....	20.00	17.50	....	19.50	19.99
2x12, No. 2, S 1 S 1 E, 10 ft.	15.56	17.00[2]	18.42	....	17.97	17.59
" " " 12 ft.	15.75	15.34	16.06	16.00[3]	15.97	16.95
" " " 14 ft.	15.24	15.25	16.06	16.00[3]	15.25	17.75
" " " 16 ft.	15.50	18.17	17.78	....	16.23	19.05
" " " 18 ft.	18.48	18.35	18.42	....	18.43	20.25
" " " 20 ft.	17.88	18.78	18.42	....	18.14	19.67
" " " 22 ft.	21.25	19.00	26.50	16.00[2]	23.39	21.85
" " " 24 ft.	21.25	19.00	25.00	27.25	27.25	21.74
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3. S 1 S 1 E. all lengths	8.75	8.67	....	13.90	9.99	8.28
PATENT LATH						
4 and 6 ft.	10.41	10.60	12.00[1]	....	10.47	10.07
8 and 10 ft.	11.13	11.37	15.50[1]	....	11.16	11.49
12 ft. and longer	12.02	13.20[2]	....	....	12.02	12.23
PLASTERING LATH						
⅜x1½-4, No. 1	3.04	3.00	3.38	2.93	3.23	3.13
" No. 2	1.40	1.32	1.75	1.88	1.64	1.50
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	19.40	21.00	20.08	....	19.83	17.61
" " 22-24 ft.	20.80	23.70	19.94	....	20.73	20.09
" " 26 ft.	27.00	28.00	20.85	....	22.89	22.58
" " 28 ft.	21.26	26.50[2]	20.85	....	21.26	25.28
" " 30 ft.	24.87	29.21	23.18	....	24.91	24.50
" " over 30 ft.	25.32	28.50	23.18	....	25.45	29.58
4x4 to 8x8, Heart (85%+), up to 20 ft.	22.46	26.02	....	....	23.40	24.01
" " " 22-24 ft.	22.96	26.92	....	....	23.38	25.27
" " " 26 ft.	....	30.00[2]	....	....	30.00[2]	30.00[1]
" " " 28 ft.	23.75	....	....	....	23.75	30.00
" " " 30 ft.	31.00	30.25[3]	....	....	31.00	28.40[2]
" " " over 30 ft.	31.50[3]	36.75[2]	....	....	36.75[2]	36.75[1]
3 & 4x10, No. 1, up to 20 ft.	21.22	21.63	....	....	21.28	21.40
" " 22-24 ft.	22.00[1]	32.00	....	....	32.00	22.00
" " 26 ft.	25.75	....	....	....	25.75	23.50[3]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	28.00[3]	....	....	....	28.00[3]	28.00[2]
" " over 30 ft.	29.43[3]	....	....	....	29.43[3]	29.43[2]
3 & 4x10, Heart (85%+), up to 20 ft.	25.52	27.67	....	....	25.95	28.32
" " 22-24 ft.	30.31[1]	30.45[2]	....	....	30.31[1]	30.31
" " " 26 ft.	....	31.00[2]	....	....	31.00[2]	31.00[1]
" " " 2× ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
" " " 30 ft.	28.75	....	....	....	28.75	31.75[2]
" " " over 30 ft.	39.00[1]	....	....	....	39.00[1]	39.00

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
6x10, to 10x10, No. 1, up to 20 ft.	21.94	30.00	22.71	....	22.33	24.54
" " 22-24 ft.	21.31	23.27	22.68	....	21.84	24.51
" " 26 ft.	24.87	24.50	24.19	....	24.57	27.12
" " 28 ft.	24.74[1]	....	24.19	....	24.19	24.74
" " 30 ft.	21.56[1]	....	25.17	....	25.17	21.56
" " over 30 ft.	29.52	34.88[1]	33.75[2]	....	29.52	33.55
6x10 to 10x10, Heart (85%+), up to 20 ft.	23.75	27.00[2]	....	....	23.75	25.00
" " " 22-24 ft.	32.75[3]	....	....	....	32.75[3]	32.75[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	38.88[1]	37.00	....	37.00	38.88
3 & 4x12, No. 1, up to 20 ft.	25.01	25.38	....	....	25.09	25.55
" " 22 24 ft.	18.99	28.11[1]	....	....	18.99	29.51
" " 26 ft.	21.00	27.25[1]	....	....	21.00	27.25
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	20.50[1]	30.00[3]	....	....	20.50[1]	20.50
" " over 30 ft.	31.50[1]	39.76[2]	....	....	31.50[1]	31.50
3 & 4x12 Heart (85%+), up to 20 ft.	30.17	29.00	....	....	29.22	30.36
" " " 22-24 ft.	32.00[1]	29.79[1]	....	....	31.25[1]	31.25
" " " 26 ft.	33.00[2]	33.00[2]	....	....	33.00[2]	33.00[1]
" " " 28 ft.	34.00[2]	34.00[2]	....	....	34.00[2]	34.00[1]
" " " 30 ft.	33.75	....	....	....	33.75	35.00
" " " over 30 ft.	41.00[1]	....	....	....	41.00[1]	41.00
6x12 to 12x12, No. 1, up to 20 ft.	22.16	23.00	25.84	....	23.62	25.84
" " 22-24 ft.	23.05	24.00	26.82	....	23.91	28.13
" " 26 ft.	30.05[1]	24.67[1]	24.72	....	24.72	28.61
" " 28 ft.	21.00	....	24.72	....	21.00	30.26
" " 30 ft.	27.82	....	24.50	....	26.32	20.91
" " over 30 ft.	35.75[1]	39.70[1]	24.50	....	24.50	30.48
6x12 to 12x12, Heart (85%+), up to 20 ft.	27.75	37.00[3]	....	....	27.75	28.39
" " " 22-24 ft.	31.00[1]	....	....	....	31.00[1]	31.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	32.00[1]	....	....	....	32.00[1]	32.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	37.00[1]	37.00[1]	....	....	37.00[1]	37.00
2x14 to 4x14, No. 1, up to 20 ft.	26.44	26.00	....	....	26.43	29.82
" " 22-24 ft.	32.00	30.00	....	....	31.56	31.75
" " 26 ft.	30.33[2]	34.50[1]	....	....	34.50[1]	34.50
" " 28 ft.	36.25[3]	....	....	....	36.25[3]	36.25[2]
" " 30 ft.	....	....	....	....	....	40.00[3]
" " over 30 ft.	....	35.50	....	....	35.50	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	47.00[2]	....	....	....	47.00[2]	47.00[1]
" " " 22-24 ft.	27.34[3]	39.00[2]	....	....	39.00[2]	39.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	31.00	28.00[1]	30.10	....	30.24	27.16
" " 22-24 ft.	29.50[1]	29.25[2]	30.65	....	30.65	29.50
" " 26 ft.	....	....	27.57	....	27.57	26.00[1]
" " 28 ft.	35.57[2]	....	27.57	....	27.57	35.75[1]
" " 30 ft.	37.62	....	33.25	....	36.55	21.00[1]
" " over 30 ft.	57.85	47.75[3]	33.25	....	57.85	36.71
6x14 to 14x14, Heart (85%+), up to 20 ft.	37.75[1]	45.00[3]	....	....	37.75[1]	37.75
" " " 22-24 ft.	....	....	....	....	....	39.00[3]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	37.00[2]	....	....	....	37.00[2]	37.00[1]
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	38.75[2]	....	....	38.75[2]	38.75[1]
" " 22-24 ft.	....	43.00[2]	....	....	43.00[2]	43.00[1]
" " 26 ft.	....	....	....	....	....	36.62[3]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	45.00[3]
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	40.00[2]	....	....	40.00[2]	40.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
6x16 & Up, No. 1, up to 20 ft.	26.00	....	32.00	....	27.61	35.61
" " 22-24 ft.	33.96	....	28.00[2]	....	33.96	30.85[1]
" " 26 ft.	41.00	....	31.50[3]	....	41.00	31.54[2]
" " 28 ft.	26.00	....	31.50[3]	....	26.00	29.50
" " 30 ft.	21.00[2]	....	35.75	....	35.75	21.00[1]
" " over 30 ft.	26.00	....	35.75	....	26.00	20.75
6x16 & Up, Heart (85%+), up to 20 ft.	35.76	....	....	....	35.76	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	46.00[3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	31.75	....	....	....	31.75	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	40.00[3]	....	....	....	40.00[3]	40.00[2]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	44.00[3]	....	....	....	40.00[3]	40.00[2]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	37.50[1]	....	....	....	37.50[1]	37.50
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq E. up to 20 ft.	40.00[2]	38.25[1]	....	....	38.25[1]	38.25
" " 22-24 ft.	41.00[2]	41.00[2]	....	....	41.00[2]	41.00[1]
" " 26 ft.	....	46.00[3]	....	....	46.00[3]	46.00[2]
" " 28 ft.	42.50	....	....	....	42.50	44.00[2]
" " 30 ft.	42.00[1]	....	....	....	42.00[1]	42.00
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	40.00[2]	....	....	40.00[2]	40.00[1]
" " " 22-24 ft.	....	41.00[2]	....	....	41.00[2]	41.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	44.00[3]
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	28.50[1]	31.00[3]	30.00	....	30.00	26.99
" " " 36 ft.	30.75[3]	31.00[3]	30.00	29.00	29.00	29.00
" " " 37-38 ft.	33.75	31.00[3]	28.00	....	28.15	26.22
" " " 40 ft.	....	31.00[3]	29.00[1]	....	29.00[1]	29.00
" " " 41-42 ft.	37.75	....	....	....	37.75	....
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	31.00[2]	....	....	31.00[2]	31.00[1]
" " " 36 ft.	28.50[1]	31.00[2]	....	25.00[2]	28.50[1]	28.50
" " " 37-38 ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	31.00[3]	35.00[2]	....	31.80[3]	31.80[2]
" " " 36 ft.	32.50[1]	31.00[3]	35.00[2]	....	32.50[1]	32.50
" " " 37-38 ft.	35.73	31.00[3]	....	....	35.73	31.00[2]
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 20
Up to 14 inch, Sq. E., 34 ft.	....	....	42.46[3]	....	42.46[3]	42.46[2]
" " " 36 ft.	....	....	42.46[3]	....	42.46[3]	42.46[2]
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	40.50[1]	....	....	....	40.50[1]	40.50
" " " 41-42 ft.	40.50[1]	....	....	....	40.50[1]	40.50
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	37.00[3]	....	....	....	37.00[3]	37.00[2]
" " " 16 ft.	34.50	....	....	....	34.50	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	22.58	19.50[1]	....	....	22.58	31.38
" " Heart, (85%+), 6x8–8.	26.54	30.00[3]	....	....	26.54	27.82
" " Sq. E., " 7x9–8.	....	25.00[1]	....	....	25.00[1]	25.00
" " Heart, " 7x9–8.	....	26.50[2]	....	....	26.50[2]	26.50[1]
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	....	....	....	16.00	16.00	....
" " Rough	15.00	....	....	....	15.00	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	34.61	22.69	26.21	52.72	30.78	30.22
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	37.40[3]
Grain Doors	....	....	....	....	....	....
Miscellaneous, B and B	42.82	33.10	35.41	61.00	38.76	39.24
" No. 1	27.37	26.69	26.66	25.64	26.86	24.27
" No. 2	17.53	14.96	15.69	15.11	15.65	15.27
" No. 3	9.53	10.64	10.49	10.27	10.44	9.82
Shorts B and B	28.74	20.71	....	....	24.29	24.63
" No. 1	10.48	14.33	....	....	10.69	11.37
" No. 2	....	9.42	....	....	9.42	8.97
" No. 3	....	8.19	....	....	8.19	6.41

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4,00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

May 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending May 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued May 19, 1921

No. 129

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
Heart Face, Edge Grain, B and Better, 13/16x2¼″....	....	....	....	....	....	....
Edge Grain, A "	62.00[2]	....	....	....	62.00[2]	62.00[1]
" " B "	....	....	....	....	....	....
" " B and Better "	59.66	....	....	....	59.66	59.60
" " C "	48.00[1]	....	....	....	48.00[1]	48.00
" " D "	34.32	....	....	....	34.32	34.43
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	29.66[1]	....	....	....	29.66[1]	29.66
" " B and Better "	34.61	....	....	....	34.61	34.42
" " C "	26.61[1]	....	....	....	26.61[1]	26.61
" " D "	26.65	....	....	....	26.65	27.07
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	16.93	....	....	....	16.93	16.67
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″....	....	....	....	80.00	80.00	77.50
Edge Grain, A "	....	....	70.61	72.50[2]	70.61	69.54
" " B "	....	55.25	59.27	....	59.16	59.91
" " B and Better "	....	63.53	....	58.48	61.19	59.79
" " C "	....	41.10	48.61	41.45	45.54	51.13
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	21.82	19.31	21.08	22.55
Flat " A "	....	....	....	....	....	....
" " B "	....	30.70[1]	....	....	30.70[1]	30.70
" " B and Better "	....	34.32	40.36	38.98	38.86	35.73
" " C "	....	26.75	....	....	26.75	25.00
" " D "	....	....	....	....	....	....
No. 1 Common "	....	26.51	30.03	29.55	29.37	31.45
No. 2 " "	....	14.50	16.08	16.13	15.99	16.48
No. 3 " "	....	....	9.00	7.50	7.59	8.18
Heart Face, Edge Grain, B and Better, 13/16x3¼″....	....	....	....	....	....	....
Edge Grain, A "	56.00	....	51.00	66.00[2]	52.00	52.78
" " B "	....	53.10	53.29	....	53.26	49.16
" " B and Better "	51.56	46.88	....	45.31	48.31	48.84
" " C "	45.37[1]	37.80	42.50	....	38.83	36.09
" " D "	30.50	....	....	....	30.50	34.42
" " No. 2 "	....	....	21.79	....	21.79	23.17
Flat " A "	....	....	....	....	....	....
" " B "	30.50	30.31	....	30.00[3]	30.39	29.86
" " B and Better "	30.15	30.01	30.86	30.95	30.35	30.37
" " C "	24.60	25.12	....	....	24.83	25.52
" " D "	23.14	22.52	....	....	23.12	23.48
No. 1 Common "	....	24.69	27.82	27.37	26.98	25.99
No. 2 " "	15.19	15.18	15.62	15.16	15.38	15.18
No. 3 " "	....	....	8.38	6.85	7.81	7.54
CEILING						
Ceiling, ½x3¼″, A..................	....	....	....	....	....	....
" " B..................	....	....	....	....	....	....
" " B and Better..................	28.56	28.87	28.62	28.84	28.75	29.42
" " No. 1 Common..................	24.43	25.92	26.57	24.75	26.02	25.72
" " No. 2 "	11.00	15.00	16.37	....	15.31	15.01
" " No. 3 "	....	....	6.00	....	6.00	6.00
Ceiling, ⅝x3¼″, A..................	....	....	....	....	....	....
" " B..................	....	....	....	....	....	....
" " B and Better..................	28.31	29.08	30.36	30.59	29.04	29.10
" " No. 1 Common..................	23.50	24.74	27.31	30.00	24.99	24.87
" " No. 2 "	13.37	14.09	15.39	16.23	14.97	14.31
" " No. 3 "	....	....	6.25	....	6.25	6.25[1]
Ceiling, ¾x3¼″, A..................	....	....	....	....	....	....
" " B..................	....	....	....	....	....	....
" " B and Better..................	35.12	30.32	30.72	39.50	32.67	31.77
" " No. 1 Common..................	28.97	28.50	25.70	28.00[1]	28.08	26.00
" " No. 2 "	16.00	....	17.46	....	17.33	16.72
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A..................	....	....	....	....	....	....
" " B..................	....	....	....	....	....	....
" " B and Better..................	33.61	33.05	....	35.47	33.77	34.21
" " No. 1 Common..................	25.76	28.26	....	28.00	27.08	25.73
" " No. 2 "	12.63	15.11	....	20.00	14.16	15.57
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better..................	34.75	41.50	44.42	....	42.36	34.51
" " No. 1 Common..................	31.25	27.00	30.23	33.00	30.56	29.40
" " No. 2 "	11.00	18.89	16.71	....	17.24	17.12
BEVEL SIDING						
Bevel Siding, A..................	....	....	....	....	....	....
" B..................	....	....	....	....	....	....
" B and Better..................	23.18	27.70	21.67	25.00	25.26	23.37
" No. 1 Common..................	19.55	22.83	21.78	20.00	21.25	20.40
" No. 2 "	10.00[3]	12.00[3]	15.00	12.00	13.29	12.00

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
Drop Siding, ¾x3¼ or 5¼, A.	....	....	....	....	....	....
" " B.	....	....	....	....	....	....
" " B and Better	28.77	28.09	29.03	29.82	28.75	28.82
" " No. 1 Common	25.12	24.99	27.34	25.90	25.86	25.52
" " No. 2 "	16.42	15.88	18.63	17.58	17.44	16.33
" " No. 3 "	....	....	8.73	8.19[1]	8.73	9.00
FINISH						
1x 4 inch, A.	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B.	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	39.35	36.87	39.72	50.00	39.11	38.27
1x 6 inch, "	38.97	38.95	36.18	44.00	38.02	37.74
1x 8 inch, "	38.75	39.52	38.71	45.80	39 04	39.09
1x 5 and 10 inch, "	44.12	42.04	42.24	47.50	44 09	42.89
1x12 inch, "	44.88	43.67	46.07	47.93[1]	44.80	43.58
1¼x4 to 12 inch, "	52.89	46.03	48.17	49.67	49.68	51.10
1½ and 2x4 to 12 inch, "	47.27	46.50	48.94	....	48.44	46.82
1⅝ inch, "	32.93	35.21	....	41.50[2]	33.49	35.41
1x 6 to 12 inch, "	....	....	....	35.67	35.67	35.50[1]
1x 4 inch, C.	30.90	33.50	31.64[1]	....	31.34	32.25
1x 6 inch, "	29.02	33.75	34.03[1]	....	29.33	33.70
1x 8 inch, "	35.16	33.41	33.34[1]	....	34.60	33.50
1x 5 and 10 inch, "	36.89	35.68	34.93[1]	....	36.41	36.13
1x12 inch, "	39.04	37.03	36.94[1]	....	37.80	37.77
1¼x4 to 12 inch, "	46.00	39.25	43.63	....	43.58	38.55
1½ and 2x4 to 12 inch, "	40.00	....	39.50[1]	....	40.00	40.22
1⅝ inch, "	....	42.50[2]	....	....	42.50[2]	42.50[1]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	36.00	32.00	38.93	27.00[2]	37.72	35.00
1x 6 inch, " "	37.77	36.45	41.00	41.00	38.96	33.99
1x 8 inch, " "	39.17	36.16	42.00	41.00	39.20	35.59
1x 5 and 10 inch, " "	40.63	39.85	42.46	44.00	41.65	34.37
1x12 inch, " "	40.79	39.88	41.00[1]	45.25[3]	40.47	37.54
1¼x4 to 12 inch, " "	49.32	45.99	45.55	45.50[2]	46.10	45.52
1½ and 2x4 to 12 inch, " "	55.00[1]	40.19	50.43	54.00	48.82	43.35
1⅝ inch, " "	....	43.54[2]	....	....	43.54[2]	43.54
1x 6 to 12 inch, " "	....	....	....	35.00	35.00	34.57[2]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A.	....	....	....	....	....	....
" B.	....	....	....	....	....	....
" B and Better	44.27	47.77	51.76	46.75[1]	45.87	45.15
From 8 and 10 inch stock, B. M., A.	....	....	....	....	....	....
" B.	....	....	....	....	....	....
" B and Better	46.54	47.67	50.63	48.50	47.62	47.99
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	54.37	56.00[3]	58.64	....	54.79	55.27
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	25.50[3]	29.75[3]	....	25.64[3]	25.64[2]
" " " " " 8 ft.	22.00	23.91	....	....	23.40[1]	23.68
" " " " " 12 and 14 ft.	31.75[1]	....	....	....	31.75[1]	31.75
" " " " " 16 ft.	....	....	....	....	....	28.33[3]
" " " " " 9 or 18 ft.	32.00	30.00[1]	35.00	....	32.14	29.64
" " " " " 10 or 20 ft.	32.50	30.50	30.00	....	30.63	26.75

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	20 00	18 00	19 00	....	18.90	23 82[1]
" " " " " 8 ft.	21 00[3]	....	25 00[2]	....	25 00[2]	25 00[1]
" " " " " 12 and 14 ft.	27 25[1]	20 00	....	....	20 00	27 25
" " " " " 16 ft.	28.75	23 00[1]	....	....	28.75	23 00
" " " " " 9 or 18 ft.	26 00	26 00	....	....	26 00	27 00
" " " " " 10 or 20 ft.	25 59	26 00	....	....	25 89	22 03
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	21 00[2]	18.00	19 00	....	18.67	21 00[1]
" " " " " 8 ft.	21 25[1]	....	25 00[2]	....	21 25[1]	21.25
" " " " " 12 and 14 ft.	30 50	20 00	....	....	30 50	21 39
" " " " " 16 ft.	22 80	23 00[1]	....	....	22 80	23 38
" " " " " 9 or 18 ft.	....	26 00	....	....	26 00	23 00[1]
" " " " " 10 or 20 ft.	28 25	26 00	....	....	28 25	24 75
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	11.07	12 81[3]	....	....	11.07	13 08
" " " " " 10 to 20 ft.	12 56	12 93	....	....	12.67	13 63
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	31 00[3]	....	....	31 00[3]	31 00[2]
" " " " 2 to 3 inch, 10 & 20 ft.	....	25 00	....	....	25.00	31 00[2]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	18.54[1]	....	....	....	18 54[1]	18 54
" " " 1¾ inch, 10 & 20 ft	18.54[1]	....	....	....	18.54[1]	18 54
" " " 2 to 3 inch, 9 & 18 ft.	....	24 00[1]	24.56	....	24.56	24 60
" " " 2 to 3 inch 10 & 20 ft.	....	25 50	24 56	....	25 50	26.50
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	21.24	....	28 00	....	21.37	21 78
" " " " other lengths.	22 28	22.37	24 70	28.66	23 88	23 29
" " 1x10, " 14 and 16 ft.	23 41	....	33 50	....	24 55	22 28
" " " " other lengths.	22 40	23.10	31 58	33 60	26 53	25 52
" " 1x12, " 14 and 16 ft.	33 62	31 00[2]	30 00[1]	....	33.62	32 88
" " " " other lengths.	33 40	30 36	32 08	31.62	31.40	32 17
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	15.40	15 60	16 27	15 73	15 75	15 52
" " 1x10, " "	15.74	15 93	17 02	16 40	16.19	15 66
" " 1x12, " "	17.30	16 81	17.90	17.49	17.28	16 95
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.47	9 57	10 36	13 50[3]	9 90	10 01
" " 1x10, " "	9.83	10 25	10 60	11 48[3]	10 06	10 22
" " 1x12, " "	9.92	9.53	11.23	13 00[2]	10 56	10 43
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	23.07	....	....	....	23 07	21 99
" " " other lengths.	22.86	22 85	25 01	23 71[1]	23.17	22 94
" 1x10, " 14 and 16 ft.	22 38	....	....	....	22 38	24 20
" " " other lengths.	22 87	24 49	....	26 00	25.40	23 93
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	16.16	15 96	16 90	15 90	16 30	15 98
" 1x10, " "	15.68	16.16	16.93	16 71	16.12	16 54
" 1x12, " "	....	....	....	18 50[2]	18 50[2]	18 50[1]
Shiplap, 1x 8, No. 3, all lengths.	10 10	10 33	11.42	10 76	10.78	10 83
" 1x10, " "	10.12	9 42	10 41	10 33	9 96	10 41
" 1x12, " "	9.25	10 79	....	13 00[2]	9 95	10 49
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	26 50	....	....	....	26 50	23 73
" " " " other lengths.	25 25	24 33	....	....	24 69	24 11
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	5.75	....	6 07	....	6 06	7.58

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
1x4, S 1 S, No. 1, 16 ft.	24.28	....	....	....	24.28	20.24
“ “ “ other lengths	22.18	22.42	28.30	24.00	26.35	21.46
“ “ No. 2, all lengths	10.84	10.66	14.22	11.61	11.39	10.76
“ “ No. 3, “	7.95	7.68	9.35	....	9.02	7.88
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
“ “ “ other lengths	25.25	....	....	....	25.25	25.50[1]
“ “ No. 2, all lengths	10.66	....	....	....	10.66	10.77
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	23.28	23.00[1]	31.50[2]	....	23.28	22.58
“ “ “ other lengths	22.82	21.76	29.94	29.07	24.33	23.75
“ “ No. 2, all lengths	14.40	14.51	16.65	15.88	14.82	14.57
“ “ No. 3, “	8.99	8.51	9.50	10.50	9.32	9.33
1x6, C. M., No. 1, 16 ft.	22.91	....	....	....	22.91	22.13
“ “ “ other lengths	22.39	21.03	....	20.00[1]	21.61	21.00
“ “ No. 2, all lengths	14.25	14.45	....	17.19	14.51	14.50
“ “ No. 3, “	9.02	8.50	....	12.43	10.85	9.16
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	22.86	20.16	21.50	23.00[1]	21.03	20.36
“ “ “ 12 ft.	20.87	19.27	19.96	21.00[1]	19.85	19.35
“ “ “ 14 ft.	20.51	19.54	19.70	20.50	19.89	19.25
“ “ “ 16 ft.	22.44	21.13	21.01	19.50	21.49	21.33
“ “ “ 18 ft.	24.44	23.47	22.30	22.50	23.68	22.54
“ “ “ 20 ft.	24.48	23.51	22.30	22.50	23.85	23.03
“ “ “ 22 ft.	25.51	22.67	22.53	....	24.54	23.83
“ “ “ 24 ft.	25.88	24.04	22.53	....	25.09	24.34
2x 6, No. 1, S 1 S 1 E, 10 ft.	18.69	17.40	16.23	19.50	17.43	18.00
“ “ “ 12 ft.	17.78	16.47	17.40	19.00[3]	17.08	16.38
“ “ “ 14 ft.	17.91	16.83	17.40	18.00	17.28	16.76
“ “ “ 16 ft.	17.43	17.76	18.44	18.00	17.67	16.65
“ “ “ 18 ft.	19.58	18.95	19.56	22.20[3]	19.38	18.54
“ “ “ 20 ft.	19.58	18.79	19.56	19.50	19.10	18.54
“ “ “ 22 ft.	20.94	21.34	23.27	....	21.70	20.98
“ “ “ 24 ft.	22.23	21.87	23.27	....	22.07	21.25
2x 8, No. 1, S 1 S 1 E, 10 ft.	21.43	20.39	21.13	17.75[2]	20.87	20.30
“ “ “ 12 ft.	19.59	19.59	19.44	20.00[3]	19.56	18.44
“ “ “ 14 ft.	18.98	18.99	19.52	17.40[3]	19.03	18.29
“ “ “ 16 ft.	19.93	20.66	20.95	17.75[2]	20.54	17.99
“ “ “ 18 ft.	23.02	20.85	20.89	20.50	22.18	21.27
“ “ “ 20 ft.	23.20	21.77	20.89	....	22.33	21.84
“ “ “ 22 ft.	23.53	24.75	23.68	23.50	23.83	22.68
“ “ “ 24 ft.	23.88	23.83	23.68	....	23.86	23.13
2x10, No. 1, S 1 S 1 E, 10 ft.	21.43	20.19	20.86	18.25[2]	20.84	20.96
“ “ “ 12 ft.	20.23	20.08	20.14	22.00[1]	20.14	20.18
“ “ “ 14 ft.	20.59	20.11	20.14	25.00[1]	20.30	20.15
“ “ “ 16 ft.	20.26	21.86	21.46	22.00	20.96	20.73
“ “ “ 18 ft.	22.50	22.59	20.86	21.56	22.52	21.82
“ “ “ 20 ft.	22.42	21.67	20.86	....	21.97	21.21
“ “ “ 22 ft.	24.39	24.33	27.61	....	24.70	24.08
“ “ “ 24 ft.	24.72	24.48	27.61	....	24.64	24.13
2x12, No. 1, S 1 S 1 E, 10 ft.	33.68	23.55	21.92[1]	....	23.60	22.06
“ “ “ 12 ft.	22.68	21.99	21.12	25.50[2]	21.92	21.68
“ “ “ 14 ft.	22.89	22.18	21.12	25.50[2]	22.53	22.34
“ “ “ 16 ft.	21.44	23.59	21.50	26.75[2]	22.12	21.50
“ “ “ 18 ft.	24.22	24.76	22.69	27.50	24.37	24.75
“ “ “ 20 ft.	24.57	24.87	22.69	22.75	26.67	24.89
“ “ “ 22 ft.	26.31	26.29	22.08	....	25.87	25.52
“ “ “ 24 ft.	26.52	25.98	22.08	....	26.14	26.57
2x 4, No. 2, S 1 S 1 E, 10 ft.	17.40	17.32	17.71	20.63	17.50	16.39
“ “ “ 12 ft.	16.97	15.63	16.04	....	16.08	15.30
“ “ “ 14 ft.	17.01	15.50	16.41	17.00	16.06	15.62
“ “ “ 16 ft.	17.96	16.35	17.77	18.25	16.77	16.55
“ “ “ 18 ft.	19.14	19.31	18.02	21.67	18.96	17.98
“ “ “ 20 ft.	18.81	20.10	18.02	19.25[1]	19.65	18.38
“ “ “ 22 ft.	23.00[1]	20.79	19.53	....	20.56	20.29
“ “ “ 24 ft.	19.00[1]	20.21	19.53	....	20.21	19.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	13.37	11.80	15.13	....	12.32	14.36
“ “ “ 12 ft.	13.00	12.50	14.20	14.00[2]	13.41	13.88
“ “ “ 14 ft.	13.28	13.74	14.20	15.75[1]	13.55	12.44
“ “ “ 16 ft.	13.63	13.16	14.59	17.25	13.78	13.34
“ “ “ 18 ft.	14.33	14.72	16.08	18.25	15.25	13.90
“ “ “ 20 ft.	15.41	14.11	16.08	18.25[1]	14.58	14.47
“ “ “ 22 ft.	14.50	18.00	19.73	17.00[3]	19.37	15.83
“ “ “ 24 ft.	15.50	18.00	19.73	17.00[3]	15.50	23.22

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
2x 8, No. 2, S 1 S 1 E, 10 ft.	15.16	16 58	18 50	....	15 87	16 38
" " " 12 ft.	15.26	16 07	15 15	14 00[2]	15 54	14 82
" " " 14 ft.	15.13	15 35	16 19	16 75[1]	15 53	15 12
" " " 16 ft.	16 58	17 06	16 85	14 00[1]	16 30	15 53
" " " 18 ft.	18.78	18 16	17.11	18 00[3]	17 84	17 66
" " " 20 ft.	18 28	18.31	17.11	18 25[1]	18.30	16 60
" " " 22 ft.	19.43	20 42	21.00	18 00[3]	20.12	18 44
" " " 24 ft.	20.00	20 42	21.00	18 00[3]	20 00	20 22
2x10, No. 2, S 1 S 1 E, 10 ft.	14.55	15.32	17 16	18 00[3]	16 29	16 88
" " " 12 ft.	15.22	14.43	14 51	....	14 64	14 88
" " " 14 ft.	14.35	14 46	14.51	....	14.44	14 30
" " " 16 ft.	16.28	17 32	17 68	16 50[2]	16 80	14 73
" " " 18 ft.	16.87	17 76	17.16	18 00	17.35	16 11
" " " 20 ft.	16.76	17.87	17.16	18 00	17 27	16 26
" " " 22 ft.	20 28	19 54	21.14	....	20.13	19 50
" " " 24 ft.	20.21	19 54	21.14	....	20.21	19 50
2x12, No. 2, S 1 S 1 E, 10 ft.	16.23	18.25	18 42[1]	....	16.64	17 97
" " " 12 ft.	16.63	15.61	17.54	....	17.02	15 97
" " " 14 ft.	16.67	14.80	17.54	....	15.37	15 25
" " " 16 ft.	17.92	18.42	15.61	....	17.59	16 23
" " " 18 ft.	18.74	19.72	17.88	....	18.55	18.43
" " " 20 ft.	18.72	19.65	17.88	....	19.19	18 14
" " " 22 ft.	20 53	22 57	19.64	16 00[3]	21.74	23 39
" " " 24 ft.	21.00	22 57	19.64	27.25[1]	21.00	27 25
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	9.98	8 32	....	6 00	8 59	9 99
PATENT LATH						
4 and 6 ft.	9 65	10 46	12.00[2]	....	9 97	10 47
8 and 10 ft.	10 81	11.82	15.50[2]	....	10 91	11 16
12 ft. and longer	11.16	13.20[3]	....	....	11.16	12 02
PLASTERING LATH						
⅜x1½-4, No. 1	3.07	3 01	3.52	3.04	3 20	3 23
" No. 2	1.31	1.54	2 00	2 26	1 57	1 64
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	19.13	20 59	20 91	....	20 19	19 83
" " 22-24 ft.	19 27	21.43	22 88	....	21.41	20 73
" " 26 ft.	18 85	23 00	23 62	....	23 15	22 89
" " 28 ft.	21 25	26 50[3]	23.62	....	21 25	21 26
" " 30 ft.	25 00	26 75	25.17	....	25 33	24 91
" " over 30 ft.	23.95	27.31	36.00	....	26 25	25 45
4x4 to 8x8, Heart (85%+), up to 20 ft.	25 05	23 49	....	....	24 63	23 40
" " " 22-24 ft.	30 69	26 00	....	....	29 94	23 38
" " " 26 ft.	....	30 00[3]	....	....	30 00[3]	30 00[2]
" " " 28 ft.	23 75[1]	....	....	....	23 75[1]	23 75
" " " 30 ft.	31 00[1]	33 00	....	....	33 00	31 00
" " " over 30 ft.	....	36 75[3]	....	....	36 75[3]	36 75[2]
3 & 4x10, No. 1, up to 20 ft.	20.81	21 78	....	....	21 27	21 28
" " 22-24 ft.	22 00	32 00[1]	....	....	22 00	32 00
" " 26 ft.	23 00	....	....	....	23 00	25 75
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	28 00[3]
" " over 30 ft.	26 00	....	....	....	26 00	29 43[3]
3 & 4x10, Heart (85%+), up to 20 ft.	27 14	28 74	....	....	28 36	25 95
" " " 22-24 ft.	30 31[2]	30 45[3]	....	....	30 31[2]	30 31[1]
" " " 26 ft.	....	31 00[3]	....	....	31 00[3]	31 00[2]
" " " 28 ft.	....	32 00[3]	....	....	32 00[3]	32 00[2]
" " " 30 ft.	28 75[1]	....	....	....	28 75[1]	28 75
" " " over 30 ft.	39 00[2]	....	....	....	39 00[2]	39 00[1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
6x10, to 10x10, No. 1, up to 20 ft.	20.53	22.11	23.27	....	21.76	22.33
“ “ 22-24 ft.	21.50	25.60	21.14	....	22.63	21.84
“ “ 26 ft.	22.25	24.50[1]	23.21	....	22.89	24.57
“ “ 28 ft.	24.08	....	23.21	....	24.08	24.19
“ “ 30 ft.	21.56[2]	....	23.95	....	23.95	25.17
“ “ over 30 ft.	34.47	34.88[2]	23.00	....	33.80	29.52
6x10 to 10x10, Heart (85%+), up to 20 ft.	25.53	26.00	....	....	25.63	23.75
“ “ “ 22-24 ft.	26.92	27.00	....	....	26.96	32.75[3]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	38.88[2]	37.00[1]	....	37.00[1]	37.00
3 & 4x12, No 1, up to 20 ft.	26.30	24.79	....	....	25.35	25.09
“ “ 22 24 ft.	25.00	26.60	....	....	25.93	18.99
“ “ 26 ft.	21.00[1]	27.25[2]	....	....	21.00[1]	21.00
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	20.50[2]	....	....	....	20.50[2]	20.50[1]
“ “ over 30 ft.	26.00	39.76[3]	....	....	26.00	31.50[1]
3 & 4x12, Heart (85%+), up to 20 ft.	28.84	27.59	....	....	28.42	29.22
“ “ “ 22-24 ft.	40.21	28.25	....	....	33.47	31.25[1]
“ “ “ 26 ft.	33.00[3]	33.00[3]	....	....	33.00[3]	33.00[2]
“ “ “ 28 ft.	34.00[3]	34.00[3]	....	....	34.00[3]	34.00[2]
“ “ “ 30 ft.	33.75[1]	....	....	....	33.75[1]	33.75
“ “ “ over 30 ft.	41.00[2]	....	....	....	41.00[2]	41.00[1]
6x12 to 12x12, No. 1, up to 20 ft.	23.88	23.37	26.07	....	24.61	23.62
“ “ 22-24 ft.	28.25	25.92	24.06	....	25.02	23.91
“ “ 26 ft.	29.77	28.56	27.30	....	27.78	24.72
“ “ 28 ft.	21.98	....	27.30	....	21.98	21.00
“ “ 30 ft.	27.82[1]	....	29.13	....	29.13	26.32
“ “ over 30 ft.	35.68	39.70[2]	29.13	....	35.68	24.50
6x12 to 12x12, Heart (85%+), up to 20 ft.	36.38	29.50	....	....	36.13	27.75
“ “ “ 22-24 ft.	36.31	....	....	....	36.31	31.00[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	32.00[2]	....	....	....	32.00[2]	32.00[1]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	37.00	37.00[2]	....	....	37.00	37.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	26.44[1]	27.00	....	....	27.00	26.43
“ “ 22-24 ft.	32.00[1]	30.00[1]	....	....	31.56[1]	31.56
“ “ 26 ft.	30.33[3]	31.00	....	....	31.00	34.50[1]
“ “ 28 ft.	....	34.00	....	....	34.00	36.25[3]
“ “ 30 ft.	....	39.00	....	....	39.00	....
“ “ over 30 ft.	....	35.50[1]	....	....	35.50[1]	35.50
2x14 to 4x14, Heart (85%+), up to 20 ft.	32.25	....	....	....	32.25	47.00[2]
“ “ “ 22-24 ft.	....	39.00[3]	....	....	39.00[3]	39.00[2]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	25.53	25.14	28.99	....	28.33	30.24
“ “ 22-24 ft.	31.18	29.25[3]	33.22	....	32.23	30.65
“ “ 26 ft.	....	....	34.25	....	34.25	27.57
“ “ 28 ft.	34.75	....	34.25	....	34.75	27.57
“ “ 30 ft.	37.62[1]	....	33.25[1]	....	36.55[1]	36.55
“ “ over 30 ft.	42.51	59.67	41.00	....	43.62	57.85
6x14 to 14x14, Heart (85%+), up to 20 ft.	37.75[2]	30.00	....	....	30.00	37.75[1]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	37.00[3]	....	....	....	37.00[3]	37.00[2]
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	38.75[3]	....	....	38.75[3]	38.75[2]
“ “ 22-24 ft.	....	43.00[3]	....	....	43.00[3]	43.00[2]
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	40.25	....	....	....	40.25	....
“ “ “ 22-24 ft.	....	40.00[3]	....	....	40.00[3]	40.00[2]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
6x16 & Up, No. 1, up to 20 ft.	30.58	....	34.17	....	32.78	27.61
" " 22-24 ft.	33.96[1]	....	35.25	....	35.25	33.96
" " 26 ft.	41.00[1]	....	25.00	....	25.00	41.00
" " 28 ft.	48.75	....	25.00	....	48.75	26.00
" " 30 ft.	21.00[3]	....	35.75[1]	....	35.75[1]	35.75
" " over 30 ft.	42.31	....	35.75[1]	....	42.31	26.00
6x16 & Up, Heart (85%+), up to 20 ft.	37.54	....	....	....	37.54	35.76
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	31.75[1]	....	....	....	31.75[1]	31.75
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	40.00[3]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	40.00[3]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	37.50[2]	....	....	....	37.50[2]	37.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	32.16	38.25[2]	....	....	32.16	38.25[1]
" " 22-24 ft.	41.00[3]	41.00[3]	....	....	41.00[3]	41.00[2]
" " 26 ft.	....	....	....	....	....	46.00[3]
" " 28 ft.	37.64	....	....	....	37.64	42.50
" " 30 ft.	39.17	....	....	....	39.17	42.00[1]
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	40.00[3]	....	....	40.00[3]	40.00[2]
" " " 22-24 ft.	....	41.00[3]	....	....	41.00[3]	41.00[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	39.23	....	....	39.23	....
" " " 30 ft.	....	39.51	....	....	39.51	....
" " " 32 ft.	....	40.31	....	....	40.31	....
CAR SILLS						
Up to 9 inch, Sq. E 34 ft.	28.50[2]	....	30.00[1]	....	30.00[1]	30.00
" " " 36 ft.	....	....	30.00[1]	29.00[1]	29.00[1]	29.00
" " " 37-38 ft.	33.75[1]	....	28.00[1]	....	28.15[1]	28.15
" " " 40 ft.	....	....	29.00[2]	....	29.00[2]	29.00[1]
" " " 41-42 ft.	37.75[1]	....	....	....	37.75[1]	37.75
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	31.00[3]	....	....	31.00[3]	31.00[2]
" " " 36 ft.	29.50	31.00[3]	....	25.00[3]	29.50	28.50[1]
" " " 37-38 ft.	....	32.00[3]	....	....	32.00[3]	32.00[2]
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	....	....	....	31.80[3]
" " " 36 ft.	34.50	....	....	....	34.50	32.50[1]
" " " 37-38 ft.	35.73[1]	....	....	....	35.73[1]	35.73
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report April 30
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	42.46[3]
“ “ “ 36 ft.	....	....	....	....	....	42.46[3]
“ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ 40 ft.	40.50[2]	....	....	....	40.50[2]	40.50[1]
“ “ “ 41-42 ft.	40.50[2]	....	....	....	40.50[2]	40.50[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	28.00	....	....	....	28.00	....
“ “ 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	37.00[3]
“ “ “ 16 ft.	34.50[1]	....	....	....	34.50[1]	34.50
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	....	....	....	....	....
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	22.58[1]	19.50[2]	....	....	22.58[1]	22.58
“ “ Heart, (85%+), 6x8–8.	26.54[1]	22.00	....	....	22.00	26.54
“ “ Sq. E., “ 7x9–8.	....	25.00[2]	....	....	25.00[2]	25.00[1]
“ “ Heart, “ 7x9–8.	....	26.50[3]	....	....	26.50[3]	26.50[2]
Bridge Ties, Sq. E., 7x9 & up.	....	....	....	....	....	....
“ “ Heart,	17.00	....	....	....	17.00	....
Paving Stock, S 1 S.	15.00	....	18.00	16.00[1]	15.27	16.00
“ “ Rough.	15.00[1]	....	....	....	15.00[1]	15.00
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship “ Flat Grain.	....	....	....	....	....	....
Miscellaneous.	39.60	22.28	25.08	26.15	32.28	30.78
MISCELLANEOUS STOCK						
Silo Stock.	....	....	....	....	....	....
Grain Doors.	....	....	....	....	....	....
Miscellaneous, B and B.	53.98	47.47	41.87	27.92	48.45	38.76
“ No. 1.	27.93	23.43	19.54	24.73	24.20	26.86
“ No. 2.	17.06	15.98	16.24	15.67	16.22	15.65
“ No. 3.	7.44	9.58	8.28	9.97	8.81	10.44
Shorts B and B.	29.16	23.76	....	....	26.93	24.29
“ No. 1.	11.47	14.42	....	....	11.60	10.69
“ No. 2.	....	10.42	....	....	10.42	9.42
“ No. 3.	....	8.10	....	....	8.10	8.19

Showing changes on each rate of freight from 15 to 34½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

May 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending May 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued May 30, 1921

No. 130

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	62.00[3]	....	....	....	62.00[3]	62.00[2]
" " B "	....	....	....	....	....	....
" " B and Better "	61.16	....	....	....	61.16	59.66
" " C "	48.00[2]	....	....	....	48.00[3]	48.00[1]
" " D "	39.50	....	....	....	39.50	34.32
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	29.66[3]	....	....	....	29.66[3]	29.66[1]
" " B and Better "	34.88	....	....	....	34.88	34.61
" " C "	27.39	....	....	....	27.39	26.61[1]
" " D "	28.00	....	....	....	28.00	26.65
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	15.94	....	....	....	15.94	16.93
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	80.00	80.00	80.00
Edge Grain, A "	....	....	69.46	....	69.46	70.61
" " B "	....	65.00	61.01	....	61.02	59.16
" " B and Better "	....	61.12	....	57.00	60.48	61.19
" " C "	....	41.10[1]	47.77	41.45[1]	47.77	45.54
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	22.47	19.31[1]	22.47	21.08
Flat " A "	....	....	....	....	....	....
" " B "	....	32.28	....	....	32.28	30.70[1]
" " B and Better "	....	33.30	40.35	39.60	38.48	38.86
" " C "	....	27.82	....	....	27.82	26.75
" " D "	....	....	....	....	....	....
No. 1 Common "	....	26.63	31.32	29.62	29.81	29.37
No. 2 " "	....	16.00	16.34	15.20	16.00	15.99
No. 3 " "	....	....	7.51	6.62	7.08	7.59
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	....	....	....
Edge Grain, A "	51.00	....	64.50	64.50	62.05	52.00
" " B "	....	55.22	53.43	....	53.91	53.26
" " B and Better "	51.97	48.12	....	37.05	46.90	48.31
" " C "	45.37[2]	39.14	35.79	....	36.73	38.83
" " D "	30.50[1]	....	....	....	30.50[1]	30.50
" " No. 2 "	....	....	23.49	....	23.49	21.79
Flat " A "	....	....	....	....	....	....
" " B "	32.00	30.49	....	....	30.80	30.39
" " B and Better "	30.97	30.07	31.87	32.52	31.04	30.35
" " C "	26.82	25.18	....	....	25.99	24.83
" " D "	23.99	22.22	....	....	23.61	23.12
No. 1 Common "	....	25.45	27.37	28.44	26.15	26.98
No. 2 " "	16.08	15.45	15.61	15.11	15.64	15.38
No. 3 " "	....	....	9.67	6.79	8.37	7.81
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.63	29.19	31.90	30.00	29.66	28.75
" " No. 1 Common	22.77	24.00	28.61	29.77	26.19	26.02
" " No. 2 "	14.25	15.00[1]	15.80	15.75	15.79	15.31
" " No. 3 "	....	....	6.00[1]	....	6.00[1]	6.00
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.31	28.37	30.86	30.92	28.71	29.04
" " No. 1 Common	24.02	23.31	27.90	29.24	25.32	24.99
" " No. 2 "	13.31	14.91	15.13	15.25	14.69	14.97
" " No. 3 "	....	....	7.50	5.25	6.75	6.25
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.08	29.33	32.31	39.50[1]	32.33	32.67
" " No. 1 Common	31.00	28.50[1]	27.53	28.00[2]	27.68	28.08
" " No. 2 "	16.00[1]	....	17.46[1]	....	17.33[1]	17.33
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.67	34.01	....	36.36	34.08	33.77
" " No. 1 Common	28.37	25.50	....	34.20	31.53	27.08
" " No. 2 "	16.75	16.00	....	20.00	16.62	14.16
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	38.55	39.33	35.51	....	35.97	42.36
" " No. 1 Common	31.25[1]	24.50	34.42	33.00[1]	29.77	30.56
" " No. 2 "	11.00[1]	18.89[1]	17.74	....	17.74	17.24
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	24.76	24.00	22.07	25.00[1]	24.72	25.26
" No. 1 Common	21.19	20.21	20.68	22.00	20.80	21.25
" No. 2 "	17.00	12.00[3]	11.86	11.50	12.16	13.29

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.64	28.62	29.72	30.18	28.88	28.75
" " No. 1 Common	25.89	24.09	27.30	28.11	26.22	25.86
" " No. 2 "	16.19	16.02	17.76	15.80	16.87	17.44
" " No. 3 "	....	....	12.79	8.19[2]	12.79	8.73
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	..	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	..	....	....
1x 4 inch, B and Better	37.64	38.62	40.81	50.00[1]	38.40	39.11
1x 6 inch, "	34.94	39.33	28.99	43.00	36.46	38.02
1x 8 inch, "	40.26	40.32	41.18	47.00	40.49	39.04
1x 5 and 10 inch, "	44.98	42.70	43.82	45.78	43.83	44.09
1x12 inch, "	45.16	35.01	47.10	45.00	40.90	44.80
1¼x4 to 12 inch, "	53.34	47.27	48.04	41.70	49.95	49.68
1½ and 2x4 to 12 inch, "	50.25	47.60	47.04	....	49.59	48.44
1⅝ inch, "	38.49	52.04	....	41.50[3]	40.36	33.49
1x 6 to 12 inch, "	....	....	....	38.24	38.24	35.67
1x 4 inch, C	31.11	36.00	31.64[2]	....	31.62	31.34
1x 6 inch, "	32.94	33.56	34.03[2]	....	33.20	29.33
1x 8 inch, "	35.31	33.38	34.00	....	34.57	34.60
1x 5 and 10 inch, "	36.43	34.16	35.00	....	35.69	36.41
1x12 inch, "	36.62	36.51	37.00	....	36.64	37.80
1¼x4 to 12 inch, "	45.30	46.50	43.63[1]	....	45.94	43.58
1½ and 2x4 to 12 inch, "	46.00	....	39.50[2]	....	46.00	40.00
1⅝ inch, "	....	42.50[3]	....	....	42.50[3]	42.50[2]
1x 6 to 12 inch, "	....	....	....	....	...	....
1x 4 inch, B and Better, Rough	36.00[1]	32.00[1]	33.29	27.00[3]	33.29	37.72
1x 6 inch, " "	36.61	41.00	36.31	41.00[1]	37.50	38.96
1x 8 inch, " "	37.65	42.00	37.81	41.00[1]	38.28	39.20
1x 5 and 10 inch, " "	39.26	40.91	40.33	44.00[1]	40.35	41.65
1x12 inch, " "	39.55	46.00	48.33	....	43.92	40.47
1¼x4 to 12 inch, " "	40.09	45.24	41.07	45.50[3]	44.77	46.10
1½ and 2x4 to 12 inch, " "	39.99	40.55	41.00	54.00[1]	40.15	48.82
1⅝ inch, " "	....	43.54[3]	....	....	43.54[3]	43.54[2]
1x 6 to 12 inch, " "	....	....	....	36.50	36.50	35.00
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	47.34	48.63	48.11	47.50	47.66	45.87
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	48.42	49.93	49.34	48.50[1]	49.07	47.62
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	51.33	....	45.59	....	48.72	54.79
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	26.00	....	....	....	26.00	25.64[3]
" " " " " 8 ft.	22.57	23.91[1]	....	....	22.57	23.40[1]
" " " " " 12 and 14 ft.	31.75[2]	34.05	....	....	34.05	31.75[1]
" " " " " 16 ft.	....	....	....	....	....	....
" " " " " 9 or 18 ft.	31.50	31.58	35.00[1]	....	31.53	32.14
" " " " " 10 or 20 ft.	29.10	34.05	30.00	....	29.28	30.63

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	20.00[1]	20.00	25.00	....	22.50	18.90
" " " " " 8 ft.	18.00	....	25.00[3]	....	18.00	25.00[2]
" " " " " 12 and 14 ft.	27.25[2]	20.00[1]	....	....	20.00[1]	20.00
" " " " " 16 ft.	28.75[1]	24.50	....	....	24.50	28.75
" " " " " 9 or 18 ft.	25.00	26.00	30.00	....	26.00	26.00
" " " " " 10 or 20 ft.	23.33	24.69	....	....	23.66	25.89
iding, Lining and Roofing, 1x6, No. 1, 5 ft.	21.00	20.00	25.00	....	21.00	18.67
" " " " " 8 ft.	21.25[2]	....	25.00[3]	....	21.25[2]	21.25[1]
" " " " " 12 and 14 ft.	23.25	20.00[1]	....	....	23.25	30.50
" " " " " 16 ft.	21.87	24.50	....	....	21.87	22.80
" " " " " 9 or 18 ft.	....	26.00	30.00	....	26.66	26.00
" " " " " 10 or 20 ft.	28.27	24.69	....	....	28.27	28.25
iding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	12.40	15.09	....	....	13.12	11.07
" " " " " 10 to 20 ft.	14.00	15.09	....	....	14.00	12.67
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	25.25	....	....	....	25.25	....
" " " " 2 to 3 inch, 9 & 18 ft.	25.25	....	....	....	25.25	31.00[3]
" " " " 2 to 3 inch, 10 & 20 ft.	....	25.00	....	....	25.00	25.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	18.54[2]	....	....	....	18.54[2]	18.54[1]
" " " 1¾ inch, 10 & 20 ft	18.54[2]	....	....	....	18.54[2]	18.54[1]
" " " 2 to 3 inch, 9 & 18 ft	....	24.00[2]	25.00	....	25.00	24.56
" " " 2 to 3 inch 10 & 20 ft	....	25.50[1]	25.00	....	25.00	25.50
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
oards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	19.39	....	28.00[1]	....	19.39	21.37
" " " " other lengths.	23.21	24.22	29.88	32.81	24.40	23.88
" " 1x10, " 14 and 16 ft.	21.22	....	33.50[1]	....	21.22	24.55
" " " " other lengths.	23.00	22.87	30.98	31.75	24.58	26.53
" " 1x12, " 14 and 16 ft.	33.14	31.00[3]	30.00[2]	....	33.14	33.62
" " " " other lengths.	32.75	31.17	34.18	39.50	32.03	31.40
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	15.65	15.62	16.74	15.77	15.90	15.75
" " 1x10, " "	16.09	16.35	16.33	16.81	16.30	16.19
" " 1x12, " "	17.91	17.34	17.91	18.43	17.74	17.28
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	9.95	9.05	10.65	17.39	10.39	9.90
" " 1x10, " "	9.97	9.45	10.60	....	10.04	10.06
" " 1x12, " "	9.75	9.94	11.62	13.50	10.40	10.56
hiplap, 1 x 8, No. 1, 14 and 16 ft.	22.97	....	....	....	22.97	23.07
" " " other lengths.	21.97	23.21	24.67	23.71[2]	22.45	23.17
" 1x10, " 14 and 16 ft.	24.72	....	....	....	24.72	22.38
" " " other lengths.	24.03	24.47	....	26.00[1]	24.17	25.40
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
hiplap, 1x 8, No. 2, all lengths	16.26	16.19	17.19	16.72	16.48	16.30
" 1x10, " "	16.25	16.36	17.23	16.92	16.53	16.12
" 1x12, " "	....	....	....	18.50[3]	18.50[3]	18.50[2]
hiplap, 1x 8, No. 3, all lengths	10.32	9.84	11.11	11.50	10.68	10.78
" 1x10, " "	10.28	9.91	11.72	10.33[1]	10.82	9.96
" 1x12, " "	9.25	10.00	....	13.00[3]	9.32	9.95
rooved Roofing, 1x10, No. 1, 14 and 16 ft.	25.00	....	....	....	25.00	26.50
" " " " other lengths.	25.70	27.00	....	....	26.54	24.69
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
l No. 4—all widths and lengths	5.75[1]	....	6.19	....	6.19	6.06

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
1x4, S 1 S, No. 1, 16 ft.	23.64	....	....	....	23.64	24.28
" " " other lengths	22.68	22.21	30.90	24.00[1]	22.73	26.35
" " No. 2, all lengths	10.78	10.42	13.58	16.00	11.11	11.39
" " No. 3, "	8.52	8.15	7.94	....	8.29	9.02
1x4, C. M., No. 1, 16 ft.	18.95	....	....	....	18.95	....
" " " other lengths	19.46	....	....	....	19.46	25.25
" " No. 2, all lengths	11.85	....	....	....	11.85	10.66
" " No. 3, "	....	....	....	....	...	....
1x6, S 1 S, No. 1, 16 ft.	24.69	23.00[2]	31.50[2]	....	24.69	23.28
" " " other lengths	27.14	22.51	30.20	32.17	26.50	24.33
" " No. 2, all lengths	14.66	14.21	16.00	15.79	14.86	14.82
" " No. 3, "	9.33	8.84	10.36	10.50	9.82	9.32
1x6, C. M., No. 1, 16 ft.	24.86	....	....	....	24.86	22.91
" " " other lengths	23.38	22.28	....	20.60	22.67	21.61
" " No. 2, all lengths	14.66	14.70	....	15.72	14.75	14.51
" " No. 3. "	8.80	8.84	....	10.97	9.15	10.85
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	23.82	20.51	21.60	23.00[2]	21.49	21.03
" " " 12 ft.	21.18	19.96	20.56	21.00	20.47	19.85
" " " 14 ft.	21.03	19.55	20.50	20.50[1]	20.04	19.89
" " " 16 ft.	22.85	21.77	21.78	21.75	22.18	21.49
" " " 18 ft.	24.66	23.15	23.15	23.75	23.57	23.68
" " " 20 ft.	24.64	22.84	23.15	22.50	23.40	23.85
" " " 22 ft.	24.67	23.88	22.53[1]	....	24.20	24.54
" " " 24 ft.	25.42	25.59	22.53[1]	....	25.51	25.09
2x 6, No. 1, S 1 S 1 E, 10 ft.	20.53	18.17	18.96	19.50[1]	19.20	17.43
" " " 12 ft.	18.06	16.78	17.97	18.70	17.69	17.08
" " " 14 ft.	18.43	18.19	17.97	18.00[1]	18.30	17.28
" " " 16 ft.	19.21	18.00	18.20	18.00	19.04	17.67
" " " 18 ft.	19.38	18.74	19.73	19.50	19.21	19.38
" " " 20 ft.	20.53	18.84	19.73	19.50[1]	19.37	19.10
" " " 22 ft.	21.94	21.20	23.02	....	21.87	21.70
" " " 24 ft.	21.95	20.00	23.02	....	20.30	22.07
2x 8, No. 1, S 1 S 1 E, 10 ft.	21.53	21.18	21.10	17.75[3]	21.31	20.87
" " " 12 ft.	19.79	18.96	20.06	20.50	19.41	19.56
" " " 14 ft.	19.42	19.55	19.48	19.50	19.48	19.03
" " " 16 ft.	21.60	21.09	20.77	22.50	21.26	20.54
" " " 18 ft.	23.29	21.68	21.47	21.13	21.85	22.18
" " " 20 ft.	24.47	22.24	21.47	....	22.94	22.33
" " " 22 ft.	23.51	22.44	25.09	23.50[1]	22.92	23.83
" " " 24 ft.	25.06	23.67	25.09	....	24.11	23.86
2x10, No. 1, S 1 S 1 E, 10 ft.	20.22	21.33	18.00	18.25[3]	19.89	20.84
" " " 12 ft.	20.46	20.44	19.93	22.00[2]	20.29	20.14
" " " 14 ft.	20.36	20.52	19.93	22.00	20.47	20.30
" " " 16 ft.	21.62	21.42	22.09	24.00	21.61	20.96
" " " 18 ft.	22.19	21.96	22.63	21.25	21.42	22.52
" " " 20 ft.	22.02	22.03	22.63	25.00	22.11	21.97
" " " 22 ft.	25.01	24.35	27.19	....	25.20	24.70
" " " 24 ft.	24.44	25.10	27.19	....	24.77	24.64
2x12, No. 1, S 1 S 1 E, 10 ft.	24.33	23.35	17.00	....	22.54	23.60
" " " 12 ft.	23.47	21.58	21.35	25.50[3]	21.97	21.92
" " " 14 ft.	23.21	21.01	21.35	25.50[3]	21.57	22.53
" " " 16 ft.	24.76	23.53	22.60	27.00	24.02	22.12
" " " 18 ft.	25.91	23.50	25.60	27.50[1]	24.84	24.37
" " " 20 ft.	25.77	24.80	25.60	22.75[1]	25.49	26.67
" " " 22 ft.	28.18	25.84	27.62	....	26.66	25.87
" " " 24 ft.	29.14	25.63	27.62	....	27.51	26.14
2x 4, No. 2, S 1 S 1 E, 10 ft.	18.19	18.75	17.10	20.63[1]	17.50	17.50
" " " 12 ft.	17.41	15.10	17.03	20.00	15.95	16.08
" " " 14 ft.	17.29	15.47	16.37	17.00[1]	16.19	16.06
" " " 16 ft.	17.96	17.90	19.38	18.00	18.24	16.77
" " " 18 ft.	18.76	20.48	18.90	22.00	19.58	18.96
" " " 20 ft.	18.84	20.36	18.90	19.25[2]	19.77	19.65
" " " 22 ft.	23.00[2]	21.25	28.25	....	23.75	20.56
" " " 24 ft.	23.00	21.25	28.25	....	23.00	20.21
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.39	11.40	14.39	....	12.00	12.32
" " " 12 ft.	13.33	12.58	14.99	14.00[3]	13.45	13.41
" " " 14 ft.	14.51	13.12	14.99	15.75[2]	13.64	13.55
" " " 16 ft.	15.25	14.30	15.84	17.25[1]	14.96	13.78
" " " 18 ft.	15.00	14.25	16.22	18.25[1]	15.01	15.25
" " " 20 ft.	15.20	14.03	16.22	16.00	14.47	14.58
" " " 22 ft.	20.33	18.10	19.45	18.82	19.19	19.37
" " " 24 ft.	15.46	18.10	19.45	....	15.46	15.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	14.75	13.64	19.00	....	14.04	15.87
" " " 12 ft.	14.92	15.05	15.41	14.00[3]	15.13	15.54
" " " 14 ft.	15.08	15.09	17.36	17.50	15.55	15.53
" " " 16 ft.	15.50	17.29	16.08	14.00[2]	16.35	16.30
" " " 18 ft.	17.40	19.10	17.41	....	17.57	17.84
" " " 20 ft.	17.01	19.56	17.41	19.00	18.21	18.30
" " " 22 ft.	19.00	19.19	18.67	18.00	18.64	20.12
" " " 24 ft.	....	19.19	18.67	18.00	18.54	20.00
2x10, No. 2, S 1 S 1 E, 10 ft.	14.83	14.92	18.24	....	15.48	16.29
" " " 12 ft.	15.32	14.53	15.87	....	15.27	14.64
" " " 14 ft.	14.50	15.78	15.87	....	15.20	14.44
" " " 16 ft.	15.36	17.16	17.95	16.50[3]	16.75	16.80
" " " 18 ft.	16.83	18.04	16.90	16.00	17.28	17.35
" " " 20 ft.	17.06	17.88	16.90	16.00	17.79	17.27
" " " 22 ft.	20.28[1]	19.50	21.75	....	20.85	20.13
" " " 24 ft.	20.21[1]	19.50	21.75	....	20.85	20.21
2x12, No. 2, S 1 S 1 E, 10 ft.	15.76	16.09	18.42[2]	....	16.05	16.64
" " " 12 ft.	15.94	15.85	17.48	....	16.54	17.02
" " " 14 ft.	16.24	16.15	17.48	....	16.22	15.37
" " " 16 ft.	17.75	18.63	17.64	....	17.97	17.59
" " " 18 ft.	19.11	18.77	18.55	....	18.68	18.55
" " " 20 ft.	19.90	19.35	18.55	....	19.58	19.19
" " " 22 ft.	20.53[1]	22.57[1]	19.64[1]	....	21.74[1]	21.74
" " " 24 ft.	21.00[1]	22.57[1]	19.64[1]	27.25[2]	21.00[1]	21.00
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	8.42	8.16	....	7.31	8.19	8.59
PATENT LATH						
4 and 6 ft.	11.00	10.75	12.00[3]	....	10.90	9.97
8 and 10 ft.	12.30	12.47	15.50[3]	....	12.36	10.91
12 ft. and longer	12.54	....	....	....	12.54	11.16
PLASTERING LATH						
⅜x1½-4, No. 1	3.24	3.04	3.80	3.44	3.37	3.20
" No. 2	1.46	1.38	2.03	2.00	1.72	1.57
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x to 8x8, No. 1, up to 20 ft.	18.47	20.31	20.59	....	19.40	20.19
" " 22-24 ft.	19.15	23.29	19.49	....	19.53	21.41
" " 26 ft.	19.75	18.00	24.00	....	21.93	23.15
" " 28 ft.	21.25[1]	21.50	24.00	....	21.50	21.25
" " 30 ft.	22.06	22.50	21.00	....	22.05	25.33
" " over 30 ft.	23.49	25.40	21.00	....	23.60	26.25
4x4 to 8x8, Heart (85%+), up to 20 ft.	23.61	23.18	....	....	23.39	24.63
" " " 22-24 ft.	28.17	21.60	....	....	24.52	29.94
" " " 26 ft.	....	....	....	....	....	30.00[3]
" " " 28 ft.	31.81	....	....	....	31.81	23.75[1]
" " " 30 ft.	28.80	33.00[1]	....	....	28.80	33.00
" " " over 30 ft.	....	....	....	....	....	36.75[3]
3 & 4x10, No. 1, up to 20 ft.	20.79	24.47	....	....	22.16	21.27
" " 22-24 ft.	19.97	32.00[2]	....	....	19.97	22.00
" " 26 ft.	20.00	....	....	....	20.00	23.00
" " 28 ft.	20.00	....	....	....	20.00	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	26.00[1]	....	....	....	26.00[1]	26.00
3 & 4x10, Heart (85%+), up to 20 ft.	24.13	27.05	....	....	25.17	28.36
" - " 22-24 ft.	27.00	25.00	....	....	25.67	30.31[2]
" " " 26 ft.	....	....	....	....	....	31.00[2]
" " " 28 ft.	....	....	....	....	....	32.00[3]
" " " 30 ft.	28.75[2]	....	....	....	28.75[2]	28.75[1]
" " " over 30 ft.	39.00[3]	....	....	....	39.00[3]	39.00[2]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
6x10, to 10x10, No. 1, up to 20 ft.	22.33	22.66	22.39	....	22.41	21.76
“ “ 22-24 ft.	20.17	23.13	25.56	....	22.41	22.63
“ “ 26 ft.	21.00	23.23	25.13	....	23.26	22.89
“ “ 28 ft.	24.08[1]	....	25.13	....	25.13	24.08
“ “ 30 ft.	21.56[3]	....	26.50	....	26.50	23.95
“ “ over 30 ft.	45.50	30.00	28.50	....	42.20	33.80
6x10 to 10x10, Heart (85%+), up to 20 ft.	26.59	26.44	....	....	26.52	25.63
“ “ “ 22-24 ft.	26.41	27.00[1]	....	....	26.41	26.96
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	37.00	37.00[2]	....	37.00	37.00[1]
3 & 4x12, No 1, up to 20 ft.	23.57	24.12	....	....	23.77	25.35
“ “ 22 24 ft.	24.37	28.00	....	....	25.29	25.93
“ “ 26 ft.	21.00[2]	29.00	....	....	29.00	21.00[1]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	20.50[3]	....	....	....	20.50[3]	20.50[2]
“ “ over 30 ft.	24.00	....	....	....	24.00	26.00
3 & 4x12, Heart (85%+), up to 20 ft.	30.92	29.00	....	....	29.98	28.42
“ “ “ 22-24 ft.	34.31	28.25[1]	....	....	34.31	33.47
“ “ “ 26 ft.	....	....	....	....	....	33.00[3]
“ “ “ 28 ft.	....	....	....	....	....	34.00[3]
“ “ “ 30 ft.	31.00	....	....	....	31.00	33.75[1]
“ “ “ over 30 ft.	41.00[3]	....	....	....	41.00[3]	41.00[2]
6x12 to 12x12, No. 1, up to 20 ft.	23.36	23.47	23.73	....	23.53	24.61
“ “ 22-24 ft.	20.42	25.00	27.61	....	23.84	25.02
“ “ 26 ft.	24.00	28.56[1]	25.82	....	25.69	27.78
“ “ 28 ft.	21.98[1]	....	25.82	....	25.82	21.98
“ “ 30 ft.	23.00	....	26.01	....	24.38	29.13
“ “ over 30 ft.	34.42	37.50	28.40	....	33.20	35.68
6x12 to 12x12, Heart (85%+), up to 20 ft.	29.21	29.50[1]	....	....	29.21	36.13
“ “ “ 22-24 ft.	30.50	....	....	....	30.50	36.31
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	35.32	....	....	....	35.32	32.00[2]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	38.00	37.00[3]	....	....	38.00	37.00
2x14 to 4x14, No. 1,up to 20 ft.	27.52	29.78	....	....	27.90	27.00
“ “ 22-24 ft.	29.50	31.81	....	....	31.50	31.56[1]
“ “ 26 ft.	38.84	30.50	....	....	36.57	31.00
“ “ 28 ft.	....	34.00[1]	....	....	34.00[1]	34.00
“ “ 30 ft.	....	39.00[1]	....	....	39.00[1]	39.00
“ “ over 30 ft.	....	36.00	....	....	36.00	35.50[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	37.92	28.75	....	....	32.68	32.25
“ “ “ 22-24 ft.	44.74	....	....	....	44.74	39.00[3]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	28.04	25.14[1]	27.63	....	27.80	28.33
“ “ 22-24 ft.	26.16	27.60	30.06	....	26.97	32.23
“ “ 26 ft.	....	27.00	....	....	27.00	34.25
“ “ 28 ft.	34.75[1]	....	34.25[1]	....	34.75[1]	34.75
“ “ 30 ft.	23.00	....	33.25[2]	....	23.00	36.55[1]
“ “ over 30 ft.	38.70	59.67[1]	42.00	....	39.72	43.62
6x14 to 14x14, Heart (85%+), up to 20 ft.	29.00	30.00[1]	....	....	29.00	30.00
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	37.00[3]
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	34.00	....	....	34.00	38.75[3]
“ “ 22-24 ft.	....	35.00	....	....	35.00	43.00[3]
“ “ 26 ft.	....	36.71	....	....	36.71	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	40.25[1]	....	....	....	40.25[1]	40.25
“ “ “ 22-24 ft.	....	....	....	....	....	40.00[3]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
6x16 & Up, No. 1, up to 20 ft.	32.97	....	34.17[1]	....	32.97	32.78
" " 22-24 ft.	31.00	....	35.25[1]	....	31.00	35.25
" " 26 ft.	41.00[2]	....	25.00	....	25.00	25.00
" " 28 ft.	48.75[1]	....	25.00	....	25.00	48.75
" " 30 ft.	32.75	....	35.75[2]	....	32.75	35.75[1]
" " over 30 ft.	51.50	....	35.75[2]	....	51.50	42.31
6x16 & Up, Heart (85%+), up to 20 ft.	37.54[1]	....	....	....	37.54[1]	37.54
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	31.75[2]	....	....	....	31.75[2]	31.75[1]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	37.50[3]	....	....	....	37.50[3]	37.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	32.16[1]	38.25[3]	....	....	32.16[1]	32.16
" " 22-24 ft.	....	....	....	....	....	41.00[3]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	37.64[1]	39.00	....	....	39.00	37.64
" " 30 ft.	39.17[1]	39.00	....	....	39.00	39.17
" " 32 ft.	....	44.00	....	....	44.00	....
16 inch, Heart (85%+), up to 20 ft.	32.00	....	....	....	32.00	40.00[3]
" " " 22-24 ft.	....	....	....	....	....	41.00[3]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	39.23[1]	....	....	39.23[1]	39.23
" " " 30 ft.	....	39.51[1]	....	....	39.51[1]	39.51
" " " 32 ft.	....	40.31[1]	....	....	40.31[1]	40.31
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	28.50[3]	....	30.00[2]	....	30.00[2]	30.00[1]
" " " 36 ft.	....	....	30.00[2]	29.00	29.00	29.00[1]
" " " 37-38 ft.	33.75[2]	27.00	25.00	....	26.12	28.15[1]
" " " 40 ft.	....	....	25.00	....	25.00	29.00[2]
" " " 41-42 ft.	37.75[2]	....	....	....	37.75[2]	37.75[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	....	....	....	31.00[3]
" " " 36 ft.	24.00	....	....	....	24.00	29.50
" " " 37-38 ft.	....	....	....	....	....	32.00[3]
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	....	....	....	....	....
" " " 36 ft.	24.00	....	....	....	24.00	34.50
" " " 37-38 ft.	35.73[2]	....	....	....	35.73[2]	35.73[1]
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 10
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
" " " 36 ft.	....	....	....	58.00	58.00	....
" " " 37-38 ft.	....	....	....	...	....	....
" " " 40 ft.	40.50[3]	....	....	....	40.50[3]	40.50[2]
" " " 41-42 ft.	40.50[3]	....	....	....	40.50[3]	40.50[2]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	...	....	....	....
" " 14 ft.	28.00[1]	....	....	....	28.00[1]	28.00
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	34.50[2]	....	....	....	34.50[2]	34.50[1]
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	28.75	....	....	28.75	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	...
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	20.14	19.50[3]			20.14	22.58[1]
" " Heart, (85%+), 6x8–8	22.28	22.00[1]	....	....	22.28	22.00
" " Sq. E., " 7x9–8	....	40.00	....	....	40.00	25.00[2]
" " Heart, " 7x9–8	....	24.02	....	....	24.02	26.50[3]
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	17.00[1]	....	....	....	17.00[1]	17.00
Paving Stock, S 1 S	15.00[1]	....	17.43	16.00[2]	17.43	15.27
" " Rough	15.00[2]	....	....	....	15.00[2]	15.00[1]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	22.26	24.03	33.57	44.52	25.22	32.28
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	....	9.00	....	....	9.00	....
Miscellaneous, B and B	41.57	38.36	40.09	27.92[1]	39.89	48.45
" No. 1	38.06	29.99	21.46	19.35	27.94	24.20
" No. 2	20.90	15.65	15.74	18.93	16.69	16.22
" No. 3	7.79	10.43	9.12	12.55	9.68	8.81
Shorts, B and B	22.93	25.89	....	....	23.36	26.93
" No. 1	12.08	21.48	....	....	12.46	11.60
" No. 2	....	9.26	....	....	9.26	10.42
" No. 3	....	8.10[1]	....	....	8.10[1]	8.10

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4,00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2,25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

ight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8 25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
500	15.75	16.00	16.25	16.50	16 75	17 00	17.00	17.25	17.50	17.75	18 00	18 25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

ight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10 25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

June 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending June 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900
Shiplap and D. & M. ¾		2,400
Grooved Roofing, 13/16		2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued June 18, 1921

No. 132

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
eart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″	....	....	....	....	....	....
dge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	61.93	....	....	....	61.93	60.42
" " C "	60.00	....	....	....	60.00	48.00[3]
" " D "	37.00	....	....	....	37.00	39.50[1]
" " No. 2 "	....	....	....	....	....	....
lat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	29.66[3]
" " B and Better "	37.18	....	....	....	37.18	35.85
" " C "	27.39[2]	....	....	....	27.39[2]	27.39[1]
" " D "	26.72	....	....	....	26.72	27.12
o. 1 Common "	....	....	....	....	....	....
o. 2 " "	15.34	....	....	....	15.34	17.64
o. 3 " "	....	....	....	....	....	....
eart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″	....	....	....	80.00	80.00	76.25
dge Grain, A "	....	....	71.17	72.50	71.53	70.42
" " B "	....	61.37	62.07	....	62.02	61.22
" " B and Better "	....	61.06	....	58.50	60.16	61.04
" " C "	....	50.34	45.39[1]	44.00	47.80	45.17
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	22.29	19.17	21.87	22.51
lat " A "	....	....	....	....	....	....
" " B "	....	36.00	....	42.50[1]	36.00	42.50
" " B and Better "	....	37.39	42.42	43.69	42.32	39.87
" " C "	....	27.82[2]	....	....	27.82[2]	27.82[1]
" " D "	....	....	....	....	....	....
o. 1 Common "	....	34.77	33.90	32.54	33.51	31.46
o. 2 " "	....	15.80	16.27	16.40	16.19	15.63
o. 3 " "	....	....	8.10	6.69	6.98	6.60
eart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″	....	....	....	....	....	....
dge Grain, A "	53.80[1]	....	64.50[2]	64.50[2]	53.80[1]	53.80
" " B "	....	51.00	54.55	....	53.79	50.34
" " B and Better "	50.54	47.84	....	52.75	49.25	49.26
" " C "	39.71	39.14[2]	41.61	....	41.39	39.71
" " D "	37.00[1]	....	....	....	37.00[1]	37.00
" " No. 2 "	....	....	22.15	19.50	21.97	22.71
lat " A "	....	....	....	....	....	....
" " B "	30.78	32.92	....	32.00[1]	31.71	31.79
" " B and Better "	31.86	31.10	32.33	32.91	31.79	31.87
" " C "	26.28	27.00	....	....	26.51	25.46
" " D "	24.96	22.40	....	....	24.85	24.44
o. 1 Common "	....	25.16	27.88	26.22	26.66	27.07
o. 2 " "	15.88	15.85	15.77	15.69	15.82	16.03
o. 3 " "	....	....	7.59	7.07	7.36	9.75
CEILING						
eiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.87	29.18	29.57	28.44	29.16	28.90
" " No. 1 Common	24.60	25.00	29.41	30.00	28.18	24.02
" " No. 2 "	12.28	16.11	15.10	15.75[2]	15.04	11.77
" " No. 3 "	....	....	5.90	....	5.90	6.00[2]
eiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.52	30.07	30.88	29.34	29.13	29.38
" " No. 1 Common	24.15	24.37	27.52	30.25	25.51	25.66
" " No. 2 "	13.73	14.53	15.26	14.29	14.32	13.83
" " No. 3 "	....	....	6.07	8.00	6.14	8.00
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.67	33.69[1]	35.00	39.50[3]	34.69	32.93
" " No. 1 Common	28.91	30.00[1]	28.98	....	28.93	29.28
" " No. 2 "	16.67	13.00	16.91	13.00	16.44	15.88
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.66	33.48	....	35.64	33.74	34.46
" " No. 1 Common	27.79	25.46	....	29.25	27.29	26.76
" " No. 2 "	18.76	17.00	....	20.00[2]	17.62	16.62[1]
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.32	38.88	36.44	....	37.15	34.75
" " No. 1 Common	26.50[1]	23.11	30.55	32.00[1]	27.28	30.61
" " No. 2 "	11.00[3]	15.82	17.82	....	16.44	19.33
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	24.67	25.00	24.25	32.00[1]	24.45	25.26
" No. 1 Common	20.28[1]	28.00	26.83	22.00[2]	26.96	23.13
" No. 2 "	13.88[1]	17.00	15.00[1]	11.50[2]	17.00	14.68

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
Drop Siding, ¾x3¼ or 5¼,	A	....	....	....	....	....	....
" "	B	....	....	....	....	....	....
" "	B and Better	29.48	30.16	30.73	32.86	29.93	29.61
" "	No. 1 Common	25.75	24.74	27.23	27.32	26.01	25.85
" "	No. 2 "	16.90	16.42	17.71	17.20	17.17	16.84
" "	No. 3 "	....	....	14.73	10.00	14.39	9.05
FINISH							
1x 4 inch,	A	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better	39.05	39.66	38.79	37.00	39.17	37.61
1x 6 inch,	"	39.86	40.63	37.36	40.00	39.54	39.51
1x 8 inch,	"	40.85	41.04	39.62	42.00	40.53	39.15
1x 5 and 10 inch,	"	45.07	43.06	42.97	42.00	43.88	43.82
1x12 inch,	"	45.58	43.72	45.98	42.00[1]	45.05	44.46
1¼x4 to 12 inch,	"	54.61	50.63	42.48	48.66	51.70	48.70
1½ and 2x4 to 12 inch,	"	51.71	45.00	38.66	....	44.97	50.65
1⅝ inch,	"	33.50	48.00	....	....	41.54	41.16
1x 6 to 12 inch,	"	....	....	....	40.00	40.00	40.30
1x 4 inch,	C	31.00	33.00	31.00	....	31.40	29.09
1x 6 inch,	"	33.39	34.11	36.50	....	34.11	29.46
1x 8 inch,	"	35.07	33.38	33.56	....	33.79	29.92
1x 5 and 10 inch,	"	35.77	35.09	35.39	....	35.45	31.50
1x12 inch,	"	34.11	36.34	37.50	....	36.42	35.47
1¼x4 to 12 inch,	"	47.00	43.00	36.00	....	39.00	45.94[1]
1½ and 2x4 to 12 inch,	"	39.00[1]	50.00	....	....	50.00	39.00
1⅝ inch,	"	....	33.50[1]	....	....	33.50[1]	33.50
1x 6 to 12 inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better, Rough	36.00[3]	32.00[3]	36.03	40.75[1]	36.03	40.75
1x 6 inch,	" "	32.55[1]	41.00[2]	34.50	35.00	34.63	33.40
1x 8 inch,	" "	37.00[1]	42.00[2]	38.75[1]	36.00	36.00	35.51
1x 5 and 10 inch,	" "	37.00[1]	40.91[2]	41.41[1]	44.00[3]	39.21[1]	39.21
1x12 inch,	" "	40.00[1]	46.00[2]	48.33[2]	....	40.00[1]	40.00
1¼x4 to 12 inch,	" "	56.00	41.89	47.38	30.25[1]	44.62	40.74
1½ and 2x4 to 12 inch,	" "	50.80	40.00	45.42	54.00[3]	47.95	38.86
1⅝ inch,	" "	....	37.00	....	....	37.00	42.48
1x 6 to 12 inch,	" "	....	....	36.28[1]	35.72	35.72	35.76
CASING AND BASE							
From 4 and 6 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	48.75	47.94	54.00	49.33	48.56	48.05
From 8 and 10 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	48.15	49.08	47.96	49.50	48.06	49.90
MOULDINGS (% Discount)							
1½ inch and Smaller		....	....	....	....	....	......
1¾ inch and Larger		....	....	....	....	....	......
DOOR AND WINDOW JAMBS							
A	B. M.	....	....	....	....	....	....
B	"	....	....	....	....	....	....
B and Better,	"	55.60	53.32	52.26	48.00[1]	54.83	52.39
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	25.00	29.50	....	....	27.26	26.00
" " " " "	8 ft.	20.50	23.91[3]	....	....	20.50	22.00
" " " " "	12 and 14 ft.	....	34.05[2]	....	....	34.05[2]	34.05[1]
" " " " "	16 ft.	32.00[1]	....	....	....	32.00[1]	32.00
" " " " "	9 or 18 ft.	30.24	30.49	35.00[3]	....	30.39	31.07
" " " " "	10 or 20 ft	33.42	34.05[2]	26.00[1]	....	33.42	27.12

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
ling, Lining and Roofing, 1x4, No. 1, 5 ft.	19.00	19.55	23.00	....	20.41	20.25
“ “ “ “ “ 8 ft.	26.00	18.66[1]	....	....	26.00	18.53
“ “ “ “ “ 12 and 14 ft.	....	22.83[1]	....	....	22.83[1]	22.83
“ “ “ “ “ 16 ft.	28.75[3]	28.00	....	....	28.00	24.50[1]
“ “ “ “ “ 9 or 18 ft.	25.52	26.00[2]	30.00[2]	....	25.52	26.00[1]
“ “ “ “ “ 10 or 20 ft.	26.00	28.00	....	....	26.00	23.60
ling, Lining and Roofing, 1x6, No. 1, 5 ft.	19.71[1]	19.55	23.00	....	20.97	19.71
“ “ “ “ “ 8 ft.	18.25	18.66[1]	....	....	18.25	18.00
“ “ “ “ “ 12 and 14 ft.	21.00[1]	22.83[1]	....	24.00	24.00	21.00
“ “ “ “ “ 16 ft.	24.53	28.00	....	24.00	24.53	21.21
“ “ “ “ “ 9 or 18 ft.	....	26.00[2]	30.00[2]	....	26.66[2]	26.66[1]
“ “ “ “ “ 10 or 20 ft.	25.62	28.00	....	....	25.62	25.55
ling, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	10.33	12.26	....	....	10.84	10.91
“ “ “ “ “ 10 to 20 ft.	11.10	12.26	....	....	11.10	12.84
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ “ 1¾ inch, 10 & 20 ft.	25.25[2]	....	....	....	25.25[2]	25.25[1]
“ “ “ “ 2 to 3 inch, 9 & 18 ft.	25.25[2]	25.72[1]	....	....	25.72[1]	25.72
“ “ “ “ 2 to 3 inch, 10 & 20 ft.	....	28.00	....	....	28.00	24.89
“ No. 1, “ 1⅝ inch, 9 & 18 ft.	20.75[1]	....	....	....	20.75[1]	20.75
“ “ “ 1⅝ inch, 10 & 20 ft.	20.75[1]	....	....	....	20.75[1]	20.75
“ “ “ 1¾ inch, 9 & 18 ft.	24.00	....	....	....	24.00	24.16
“ “ “ 1¾ inch, 10 & 20 ft	24.00	....	....	....	24.00	24.16
“ “ “ 2 to 3 inch, 9 & 18 ft.	....	25.00	23.31	22.00	23.32	23.27
“ “ “ 2 to 3 inch 10 & 20 ft.	....	24.93	23.31	....	24.93	25.09
“ No. 2, “ 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
“ “ “ 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
“ “ “ 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
oards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	22.43	....	28.00[3]	....	22.43	23.74
“ “ “ “ other lengths.	22.71	22.91	29.60	29.50	23.97	24.18
“ “ 1x10, “ 14 and 16 ft.	23.31	....	33.50[3]	....	23.31	24.22
“ “ “ “ other lengths.	22.72	22.53	30.58	34.00[1]	23.71	23.87
“ “ 1x12, “ 14 and 16 ft.	34.16	22.97[1]	....	....	34.16	26.06
“ “ “ “ other lengths.	33.88	31.12	31.45	31.50	32.33	32.10
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	15.86	15.70	16.42	16.22	15.95	15.88
“ “ 1x10, “ “	16.13	15.90	17.38	16.45	16.44	16.53
“ “ 1x12, “ “	17.40	17.40	18.86	16.92	17.65	17.56
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.42	9.54	10.72	12.75	9.76	10.27
“ “ 1x10, “ “	9.69	9.89	11.10	13.25	10.09	9.85
“ “ 1x12, “ “	9.11	10.75	11.42	12.75	9.46	10.59
hiplap, 1 x 8, No. 1, 14 and 16 ft.	21.75	....	....	....	21.75	22.68
“ “ “ other lengths.	22.74	23.08	24.52	25.50[1]	22.94	22.21
“ 1x10, “ 14 and 16 ft.	24.77	....	....	....	24.77	24.16
“ “ “ other lengths.	23.03	24.29	....	26.00[1]	23.44	23.74
“ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	16.28	16.19	17.38	17.06	16.51	16.37
“ 1x10, “ “	16.10	16.50	16.91	17.45	16.56	16.48
“ 1x12, “ “	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	9.75	9.95	11.14	11.22	10.24	10.66
“ 1x10, “ “	9.71	9.95	11.39	11.63	10.16	10.24
“ 1x12, “ “	10.50	10.00	....	....	10.14	9.74
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	24.90	....	....	....	24.90	25.29
“ “ “ “ other lengths.	....	25.42	....	....	25.42	25.44
“ “ 1x12, “ 14 and 16 ft.	....	....	....	....	....	....
“ “ “ “ other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	4.89	....	7.25	....	4.92	6.19[1]

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
1x4, S 1 S, No. 1, 16 ft.	21.00	....	....	....	21.00	23.26
“ “ “ other lengths	21.94	21.00	30.54	30.00[1]	22.15	23.29
“ “ No. 2, all lengths	11.35	10.53	13.48	10.92	11.17	11.83
“ “ No. 3, “	8.52	7.78	11.68	....	9.01	9.76
1x4, C. M., No. 1, 16 ft.	18.95[2]	....	....	....	18.95[2]	18.95[1]
“ “ “ other lengths	26.25	....	....	....	26.25	19.46[1]
“ “ No. 2, all lengths	10.53	....	....	....	10.53	11.00
“ “ No. 3, “	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	22.90	....	....	....	22.90	23.96
“ “ “ other lengths	23.49	22.05	29.18	29.50	23.78	24.57
“ “ No. 2, all lengths	14.18	14.68	16.19	15.21	14.55	14.75
“ “ No. 3, “	8.08	8.48	10.19	10.88	8.62	9.76
1x6, C. M., No. 1, 16 ft.	23.44	....	....	....	23.44	24.96
“ “ “ other lengths	23.51	20.14	....	20.60[2]	21.73	23.01
“ “ No. 2, all lengths	14.34	14.46	....	16.83	14.47	14.47
“ “ No. 3, “	8.81	9.16	....	8.50	8.89	9.20
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	24.05	20.91	22.88	20.00[1]	21.79	21.21
“ “ “ 12 ft.	21.69	20.75	19.65	19.00	20.91	20.67
“ “ “ 14 ft.	21.31	20.48	20.18	21.00[1]	20.81	20.91
“ “ “ 16 ft.	23.36	22.14	22.55	19.00	22.63	22.48
“ “ “ 18 ft.	25.18	23.81	21.87	21.50	24.25	24.27
“ “ “ 20 ft.	25.03	23.89	21.87	23.50[1]	24.40	24.48
“ “ “ 22 ft.	27.04	24.09	22.53[3]	....	24.75	24.77
“ “ “ 24 ft.	27.19	24.23	22.53[3]	....	24.83	25.11
2x 6, No. 1, S 1 S 1 E, 10 ft.	20.40	18.90	18.40	19.50[3]	19.20	19.24
“ “ “ 12 ft.	18.82	17.96	15.73	16.00	17.90	18.20
“ “ “ 14 ft.	18.67	17.94	15.73	22.00[1]	18.33	18.22
“ “ “ 16 ft.	20.09	18.37	19.75	16.00	19.24	18.90
“ “ “ 18 ft.	20.94	19.38	17.05	18.96[1]	19.78	19.33
“ “ “ 20 ft.	20.33	19.87	17.05	18.96[1]	20.08	20.03
“ “ “ 22 ft.	21.75	21.05	22.55	....	21.54	20.83
“ “ “ 24 ft.	22.13	21.12	22.55	....	21.33	20.95
2x 8, No. 1, S 1 S 1 E, 10 ft.	22.21	21.58	19.10	....	21.58	20.40
“ “ “ 12 ft.	19.90	20.68	20.80	23.00[1]	20.48	20.26
“ “ “ 14 ft.	19.76	20.16	18.25	19.62	19.55	19.93
“ “ “ 16 ft.	21.37	21.51	21.17	21.64	21.43	21.74
“ “ “ 18 ft.	23.25	23.26	20.80	21.13[2]	22.36	22.65
“ “ “ 20 ft.	24.02	23.25	20.80	23 00[1]	23.57	22.72
“ “ “ 22 ft.	24.18	23.56	23.03	21.50	23.74	23.89
“ “ “ 24 ft.	25.73	24.31	23.03	....	24.80	24.17
2x10, No. 1, S 1 S 1 E, 10 ft.	21.83	23.33	22.91	....	22.33	22.44
“ “ “ 12 ft.	21.44	21.72	20.73	17.00	21.19	21.28
“ “ “ 14 ft.	21.19	21.39	20.73	20.00	21.08	21.23
“ “ “ 16 ft.	23.71	22.62	22.54	17.00	22.92	22.21
“ “ “ 18 ft.	24.16	23.59	23.67	19.00	23.65	22.85
“ “ “ 20 ft.	24.14	23.13	23.67	19.00	23.74	22.86
“ “ “ 22 ft.	24.94	24.62	24.92	....	24.71	25.00
“ “ “ 24 ft.	25.51	24.73	24.92	....	24.86	25.22
2x12, No. 1, S 1 S 1 E, 10 ft.	25.73	23.00	24.50	....	25.01	24.39
“ “ “ 12 ft.	24.75	23.82	21.59	23.50[1]	23.87	23 19
“ “ “ 14 ft.	24.38	23.54	21.59	23 50[1]	23.89	23.79
“ “ “ 16 ft.	26.25	23.79	19.80	18.00	23.52	24.28
“ “ “ 18 ft.	26.25	24.48	28.00	26.50[1]	25.64	25 28
“ “ “ 20 ft.	25.10	25.54	28.00	26.50[1]	25.44	26 62
“ “ “ 22 ft.	27.11	26.59	25.89	....	26.55	27 99
“ “ “ 24 ft.	28.11	27.06	25.89	....	27.87	28.26
2x 4, No. 2, S 1 S 1 E, 10 ft.	20.18	18.47	19.23	22.25[1]	18.49	19 07
“ “ “ 12 ft.	18.58	17.09	18.72	20.00[2]	17.65	16 82
“ “ “ 14 ft.	18.46	16.70	18.15	17.00[3]	17.48	17 02
“ “ “ 16 ft.	19.81	18.24	18.14	17.00	18.77	18 69
“ “ “ 18 ft.	22.01	20.99	20.97	18.00	21.28	21.81
“ “ “ 20 ft.	21.94	19.96	26.59[1]	....	20.89	20.91
“ “ “ 22 ft.	....	19.75	....	....	19.75	21.75
“ “ “ 24 ft.	25.50[1]	19.75	....	....	19.75	25.50
2x 6, No. 2, S 1 S 1 E, 10 ft.	13.71	14.13	14.95[1]	....	13.85	13.80
“ “ “ 12 ft.	15.29	14.10	15.01	15.50	14.77	14.25
“ “ “ 14 ft.	15.89	13.52	15.01	15.50	14.67	14.33
“ “ “ 16 ft.	15.36	15.18	15.60	17.25	15.35	15.51
“ “ “ 18 ft.	16.77	17.00	17.41	17.32	17.06	15.79
“ “ “ 20 ft.	15.67	15.98	17.41	18.25[1]	15.81	16.15
“ “ “ 22 ft.	19.97	19.50	20.58[1]	18 82[2]	19.64	18.49
“ “ “ 24 ft.	15.00[1]	19.50	20.58[1]	....	19.50	15.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	17.64	16.81	17.95	17.50[1]	17.65	16.60
" " " 12 ft.	17.51	16.26	15.81	16.50	16.35	16.15
" " " 14 ft.	16.81	16.39	17.42	16.50	16.73	16.96
" " " 16 ft.	18.65	16.73	17.80	....	17.49	17.16
" " " 18 ft.	19.11	18.80	18.68	19.25	18.86	18.90
" " " 20 ft.	19.09	18.80	18.68	19.25	18.91	18.41
" " " 22 ft.	21.50	19.00	18.00	18.00[2]	19.50	20.34
" " " 24 ft.	16.50[1]	19.00	18.00	18.00[2]	18.82	16.50
2x10, No. 2, S 1 S 1 E, 10 ft.	17.39	15.03[1]	15.66[1]	....	17.39	15.49
" " " 12 ft.	16.06	15.67	15.58	....	15.76	15.71
" " " 14 ft.	16.85	16.04	15.58	....	16.33	15.55
" " " 16 ft.	18.61	17.21	15.09	....	17.49	16.69
" " " 18 ft.	20.20	19.13	21.03	16.00[2]	20.28	19.04
" " " 20 ft.	21.20	19.75	21.03	16.00[2]	20.19	18.89
" " " 22 ft.	21.60	20.50	21.75[2]	....	20.85	20.95
" " " 24 ft.	20.21[3]	20.50	21.75[2]	....	20.50	20.95
2x12, No. 2, S 1 S 1 E, 10 ft.	18.18	16.25[1]	19.66	....	19.24	18.02
" " " 12 ft.	19.22	17.62	17.92	....	17.89	17.11
" " " 14 ft.	19.22	17.27	17.92	....	17.41	16.43
" " " 16 ft.	20.41	18.77	16.80	....	18.51	18.15
" " " 18 ft.	21.71	19.93	17.18	....	17.79	20.76
" " " 20 ft.	20.76	19.79	17.18	22.25[1]	20.31	19.91
" " " 22 ft.	25.57[1]	23.71[1]	22.64[1]	....	24.21[1]	24.21
" " " 24 ft.	21.00[3]	23.71[1]	22.64[1]	....	23.12[1]	23.12
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E. all lengths	7.37	8.44	....	6.25	7.48	8.74
PATENT LATH						
4 and 6 ft.	9.68	11.38	....	....	9.83	10.14
8 and 10 ft.	11.37	16.09	....	....	11.77	11.81
12 ft. and longer	12.21	....	....	....	12.21	12.28
PLASTERING LATH						
3/8x1½-4, No. 1	3.47	3.37	3.88	2.65	3.45	3.52
" No. 2	1.49	1.45	2.15	2.33	1.71	1.75
3/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	19.60	20.46	19.09	....	19.70	20.54
" " 22-24 ft.	19.21	20.53	20.96	....	19.81	24.58
" " 26 ft.	21.00	23.00	22.41	....	21.56	24.35
" " 28 ft.	21.00[1]	22.50	22.41	....	22.50	21.00
" " 30 ft.	22.00	23.50	23.67	....	22.64	26.12
" " over 30 ft.	23.93	29.08	27.62	....	24.88	22.01
4x4 to 8x8, Heart (85%+), up to 20 ft.	24.33	23.36	....	....	24.01	21.89
" " " 22-24 ft.	24.21	27.00	....	....	24.52	23.92
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	27.97	....	....	....	27.97	31.81[1]
" " " 30 ft.	28.80[2]	33.00[3]	....	....	28.80[2]	28.80[1]
" " " over 30 ft.	....	....	....	....	....	....
3 & 4x10, No. 1, up to 20 ft.	19.80	21.21	....	....	20.27	19.98
" " 22-24 ft.	21.10	24.33	....	....	22.22	27.13
" " 26 ft.	21.70[1]	21.50	....	....	21.50	21.70
" " 28 ft.	20.00[2]	....	....	....	20.00[2]	20.00[1]
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	24.75	....	....	....	24.75	26.00[2]
3 & 4x10, Heart (85%+), up to 20 ft.	22.96	23.14[1]	....	....	22.96	23.06
" " " 22-24 ft.	29.31	23.00[1]	....	....	29.31	24.42
" " " 26 ft.	27.38[1]	24.00[1]	....	....	26.89[1]	26.89
" " " 28 ft.	25.00	25.00[1]	....	....	25.00	25.00
" " " 30 ft.	30.00[1]	26.00[1]	....	....	28.06[1]	28.00
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
6x10, to 10x10, No. 1, up to 20 ft.	21.38	21.38	19.95	....	20.96	22.29
“ “ 22-24 ft.	18.18	21.22	22.46	....	19.09	21.61
“ “ 26 ft.	24.75	25.00	22.00	....	24.13	20.47
“ “ 28 ft.	24.08[3]	....	22.00	....	22.00	31.25
“ “ 30 ft.	....	....	27.25[1]	....	27.25[1]	27.25
“ “ over 30 ft.	29.44	30.00[2]	33.00	....	30.38	23.11
6x10 to 10x10, Heart (85%+), up to 20 ft.	24.67	24.60	....	....	24.61	22.64
“ “ “ 22-24 ft.	28.25	25.15[1]	....	....	28.25	24.56
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	37.00[2]	....	....	37.00[2]	37.00[1]
3 & 4x12, No. 1, up to 20 ft.	25.23	25.25	....	....	25.23	22.68
“ “ 22 24 ft.	28.59	23.65	....	....	25.56	23.52
“ “ 26 ft.	22.00[1]	29.00[2]	....	....	22.00[1]	22.00
“ “ 28 ft.	22.00[1]	....	....	....	22.00[1]	22.00
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	24.75	....	....	....	24.75	27.00
3 & 4x12, Heart (85%+), up to 20 ft.	27.66	27.00	....	....	27.58	24.44
“ “ “ 22-24 ft.	34.00	27.50	....	....	31.90	29.03
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	31.00[2]	....	....	....	31.00[2]	31.00[1]
“ “ “ over 30 ft.	....	....	....	....	....	....
6x12 to 12x12, No. 1, up to 20 ft.	21.44	23.59	23.18	....	22.34	22.27
“ “ 22-24 ft.	19.54	21.50	22.61	....	20.34	23.42
“ “ 26 ft.	22.32[1]	28.56[3]	23.28	....	23.28	22.80
“ “ 28 ft.	26.10	....	23.28	....	26.10	27.00
“ “ 30 ft.	23.00[2]	27.00	25.64	....	25.68	31.13
“ “ over 30 ft.	23.10	30.00[1]	31.82	....	23.85	23.04
6x12 to 12x12, Heart (85%+), up to 20 ft.	25.95	24.00	....	....	24.92	25.44
“ “ “ 22-24 ft.	31.41	27.10[1]	....	....	31.41	26.81
“ “ “ 26 ft.	26.25[1]	....	....	....	26.25[1]	26.25
“ “ “ 28 ft.	27.25[1]	....	....	....	27.25[1]	27.25
“ “ “ 30 ft.	28.25[1]	....	....	....	28.25[1]	28.25
“ “ “ over 30 ft.	38.00[2]	45.00[1]	....	....	45.00[1]	45.00
2x14 to 4x14, No. 1, up to 20 ft.	28.06	29.40	....	....	29.54	27.41
“ “ 22-24 ft.	33.28	30.00	....	....	32.02	32.50
“ “ 26 ft.	38.84[2]	35.00[1]	....	....	35.00[1]	35.00
“ “ 28 ft.	....	34.00[3]	....	....	34.00[3]	34.00[2]
“ “ 30 ft.	....	36.50[1]	....	....	36.50[1]	36.50
“ “ over 30 ft.	....	36.00[2]	....	....	36.00[2]	36.00[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	29.00	28.75[2]	....	....	29 00	32.68[1]
“ “ “ 22-24 ft.	44.74[2]	....	....	....	44.74[2]	44.74[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	25.28	25.14[3]	27.50	....	25.88	23.29
“ “ 22-24 ft.	26.16[2]	30.50[1]	34.36	....	34.36	38.64
“ “ 26 ft.	25.72[1]	27.00[2]	42.00[1]	....	30.70[1]	30.70
“ “ 28 ft.	23.25	....	42.00[1]	....	23.25	42.00
“ “ 30 ft.	23.00[2]	....	....	....	23.00[2]	23.00[1]
“ “ over 30 ft.	26.70	59.67[3]	42.00[2]	....	26.70	31.92
6x14 to 14x14, Heart (85%+), up to 20 ft.	30.67	27.00	....	....	27.71	30 32
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	34.50	34.00[2]	....	....	34.50	34.00[1]
“ “ 22-24 ft.	40.00	35.00[2]	....	....	40.00	35.00[1]
“ “ 26 ft.	....	36.71[2]	....	....	36.71[2]	36.71[1]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	40.25[3]	....	....	....	40.25[3]	40.25[2]
“ “ “ 22-24 ft.	....	40.00[1]	....	....	40.00[1]	40.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
6x16 & Up, No. 1, up to 20 ft.	32.78	....	34.17[3]	....	32.78	28 74
" " 22-24 ft.	32.60	....	35.25[3]	....	32.60	31 00[1]
" " 26 ft.	33 00	....	35 00[1]	....	33 00	35 00
" " 28 ft.	36 00	....	35 00[1]	....	36 00	35 00
" " 30 ft.	29 02	....	....	....	29 02	32 75[1]
" " over 30 ft.	34.67	....	....	....	34 67	35.96
6x16 & Up, Heart (85%⁺), up to 20 ft.	40.54	....	....	....	40.54	37.54[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	36.00	....	....	....	36.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	48.00	....	....	....	48 00	31.75[3]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%⁺), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	32.00[1]	....	....	....	32 00[1]	32 00
" " 22-24 ft.	....	35.00[1]	....	....	35.00[1]	35.00
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	38.00	40 00[1]	....	....	38.00	40.00
" " 30 ft.	39.17[3]	39 00[2]	....	....	39 00[2]	39 00[1]
" " 32 ft.	....	44.00[2]	....	....	44.00[2]	44.00[1]
16 inch, Heart (85%⁺), up to 20 ft.	36 00[1]	....	....	....	36 00[1]	36.00
" " " 22-24 ft.	35.00	....	....	....	35.00	....
" " " 26 ft.	35.00[1]	....	....	....	35 00[1]	35 00
" " " 28 ft.	....	45.55	44.00	....	45 09	39.23[2]
" " " 30 ft.	....	39 51[3]	....	....	39 51[2]	39 51[2]
" " " 32 ft.	....	40 31[3]	....	....	40 31[3]	40.31[2]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	35.00	....	28.66	....	29 33	30 00[3]
" " " 36 ft.	24 50	27 67	28.66	29 00[1]	27.04	28.45
" " " 37-38 ft.	....	27 00[2]	34 00	24 80	26 11	25 18
" " " 40 ft.	28 50	27.36	25.00[2]	....	27.46	27 50
" " " 41-42 ft.	46 50	40 00[1]	....	....	46 50	40.00
Up to 9 inch, Heart (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	31.50[1]	....	....	....	31 50[1]	31 50
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	27 00[1]	....	27 00[1]	27 00
" " " 36 ft.	25.00[1]	25 00	27.00[1]	....	25.00	26 58
" " " 37-38 ft.	....	....	28.00[1]	....	28 00[1]	28 00
" " " 40 ft.	27 00[1]	27.00	....	....	27.00	27 00
" " " 41-42 ft.	27 00[1]	....	....	....	27.00[1]	27 00
Up to 10 inch, Heart, (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	21 50	29.00	32.00	....	31 20	....
" " " 36 ft.	24 00[2]	30 32[1]	32.00	....	32.00	30 32
" " " 37-38 ft.	....	....	....	....	....	35 73[3]
" " " 40 ft.	31 50[1]	....	....	....	31 50[1]	31 50
" " " 41-42 ft.	31 50[1]	....	....	....	31 50[1]	31 50
Up to 12 inch, Heart, (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	33 50[1]	....	....	....	33 50[1]	33 50
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report May 31
Up to 14 inch, Sq. E., 34 ft.	24.50	....	....	....	24.50	....
" " " 36 ft.	....	....	....	40.00	40.00	43.00
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	28.00[1]	27.00[1]	....	....	27.25[1]	27.25
" " 14 ft.	28.00[3]	25.00	....	....	25.00	26.28
" " 16 ft.	....	27.00[1]	....	....	27.00[1]	27.00
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	29.00	....	....	....	29.00	....
" " " 16 ft.	....	....	....	....	....	34.50[3]
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	28.75[2]	....	....	28.75[2]	28.75[1]
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8.	38.88[1]	22.45[1]	....	....	32.67[1]	32.67
" " Heart, (85%+), 6x8-8.	24.00[1]	22.00[3]	....	....	24.00[1]	24.00
" " Sq. E., " 7x9-8.	34.56	40.00[2]	....	....	34.56	40.00[1]
" " Heart, " 7x9-8.	22.06	24.02[2]	....	....	22.06	24.02[1]
Bridge Ties, Sq. E., 7x9 & up.	....	....	....	....	....	....
" " Heart,	17.00[3]	....	....	....	17.00[3]	17.00[2]
Paving Stock, S 1 S.	15.00[3]	....	16.50	16.00[1]	16.50	16.00
" " Rough.	....	....	....	....	....	15.00[3]
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship " Flat Grain.	....	....	....	....	....	....
Miscellaneous.	22.31	20.77	24.05	51.52	22.72	26.32
MISCELLANEOUS STOCK						
Silo Stock.	....	....	..	....	....	....
Grain Doors.	7.83	....	....	....	7.83	12.86
Miscellaneous, B and B.	41.50	44.19	38.47[1]	32.07	40.82	38.64
" No. 1.	27.25	22.72	21.47	29.54	24.74	23.70
" No. 2.	18.29	17.77	17.13	14.50	16.96	15.75
" No. 3.	8.71	8.34	8.13	8.43	8.24	10.73
Shorts, B and B.	31.66	24.31	....	....	25.32	24.63
" No. 1.	9.78	15.89	....	....	10.88	11.68
" No. 2.	....	9.44	....	....	9.44	8.90
" No. 3.	....	8.98	....	....	8.98	9.17

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1 00	1.25	1.25	1 25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1 25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4,00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	4.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7 50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16 75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	.8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

June 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending June 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the 'ast report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)
DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued June 29, 1921

No. 133

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″	....	....	....	....	....	....
Edge Grain, A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	61.81	....	....	....	61.81	61.93
“ “ C “	37.21	....	....	....	37.21	60.00
“ “ D “	37.84	....	....	....	37.84	37.00
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	39.94	....	....	....	39.94	37.18
“ “ C “	27.39[3]	....	....	....	27.39[3]	27.39[2]
“ “ D “	25.87	....	....	....	25.87	26.72
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	15.26	....	....	....	15.26	15.34
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″	....	....	....	80.00	80.00	80.00
Edge Grain, A “	....	....	71.97	72.50[1]	71.97	71.53
“ “ B “	....	61.37[1]	62.31	....	62.31	62.02
“ “ B and Better “	58.13	62.44	....	61.12	61.42	60.16
“ “ C “	....	51.21	51.35	43.41	49.83	47.80
“ “ D “	....	....	....	....	....	....
“ “ No. 2 “	....	....	22.59	19.17[1]	22.59	21.87
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	36.00[1]	....	42.50[2]	36.00[1]	36.00
“ “ B and Better “	41.17	36.82	42.86	43.96	42.13	42.32
“ “ C “	....	27.82[3]	....	....	27.82[3]	27.82[2]
“ “ D “	33.00	....	....	....	33.00	....
No. 1 Common “	....	28.33	34.33	30.93	33.25	33.51
No. 2 “ “	14.59	16.00	17.02	10.50	14.68	16.19
No. 3 “ “	....	....	6.85	6.69[1]	6.85	6.98
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″	....	....	....	....	....	....
Edge Grain, A “	53.80[2]	....	58.00	64.50	60.07	53.80[1]
“ “ B “	....	51.67	53.42	....	53.19	53.79
“ “ B and Better “	51.87	53.05	....	52.75[1]	52.15	49.25
“ “ C “	39.71[1]	40.25	43.04	....	41.88	41.39
“ “ D “	30.05	....	....	....	30.05	37.00[1]
“ “ No. 2 “	....	....	23.47	19.50[1]	23.47	21.97
Flat “ A “	....	....	....	....	....	....
“ “ B “	30.78[1]	32.40	....	32.00[2]	32.40	31.71
“ “ B and Better “	32.01	31.29	32.53	33.23	32.16	31.79
“ “ C “	27.00	27.00[1]	....	....	27.00	26.51
“ “ D “	24.76	22.40[1]	....	....	24.76	24.85
No. 1 Common “	....	25.74	28.32	28.08	27.61	26.66
No. 2 “ “	15.97	16.45	15.81	14.18	15.54	15.82
No. 3 “ “	....	....	7.66	8.66	7.84	7.36
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	28.69	27.61	32.03	28.44[1]	29.82	29.16
“ “ No. 1 Common	24.63	26.67	28.31	28.13	27.44	28.18
“ “ No. 2 “	11.19	16.11[1]	15.88	17.00	12.27	15.04
“ “ No. 3 “	....	....	5.90[1]	....	5.90[1]	5.90
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	28.77	29.30	30.72	31.92	29.30	29.13
“ “ No. 1 Common	24.38	24.70	27.53	28.51	25.64	25.51
“ “ No. 2 “	12.77	14.01	14.89	14.71	13.80	14.32
“ “ No. 3 “	....	....	6.00	8.00[1]	6.00	6.14
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	34.19	31.00	34.90	....	34.09	34.69
“ “ No. 1 Common	29.18	28.92	29.67	....	29.30	28.93
“ “ No. 2 “	16.67[1]	13.00[1]	15.78	13.00[1]	15.78	16.44
“ “ No. 3 “	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	34.48	34.79	....	33.80	35.16	33.74
“ “ No. 1 Common	28.56	25.46[1]	....	35.00	31.28	27.29
“ “ No. 2 “	18.76[1]	12.00	....	20.00[3]	16.35	17.62
Partition, ¾x5¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	36.21	24.00	36.28	....	35.80	37.15
“ “ No. 1 Common	33.14	21.36	30.44	30.00	24.04	27.28
“ “ No. 2 “	....	16.65	17.92	....	16 65	16.44
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	25.61	25.30	25.00	32.00[2]	25.50	24.45
“ No. 1 Common	21 75	28.00[1]	23.05	22.00[3]	22.65	26.96
“ No. 2 “	13.88[2]	14.50	13.00	11.50[3]	13.75	17.00

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.52	30.08	30.50	31.06	30.02	29.93
" " No. 1 Common	26.20	25.00	27.64	26.66	26.52	26.01
" " No. 2 "	17.06	16.28	17.54	17.71	17.21	17.17
" " No. 3 "	....	....	9.50	10.00[1]	9.50	14.39
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	39.60	39.41	39.81	46.86	40.07	39.17
1x 6 inch, "	39.10	40.68	40.59	42.57	39.99	39.54
1x 8 inch, "	39.84	41.71	41.12	48.27	41.14	40.53
1x 5 and 10 inch, "	44.43	43.95	43.86	49.00	44.19	43.88
1x12 inch, "	45.10	44.45	45.77	45.00	45.01	45.05
1¼x4 to 12 inch, "	53.74	51.74	49.70	66.00	51.54	51.70
1½ and 2x4 to 12 inch, "	52.02	52.67	49.69	56.00	50.87	44.97
1⅝ inch, "	40.54	45.57	....	....	42.15	41.54
1x 6 to 12 inch, "	....	....	....	36.50	36.50	40 00
1x 4 inch, C	31.00	30.44	36.00	....	32.19	31.40
1x 6 inch, "	32.78	32.29	36.57	....	33.66	34.11
1x 8 inch, "	34.14	34.31	35.38	....	34.72	33.79
1x 5 and 10 inch, "	36.38	36.16	37.30	....	36.56	35.45
1x12 inch, "	39.56	38.52	43.24	....	41.51	36.42
1¼x4 to 12 inch, "	47.00[1]	43.00[1]	36.00[1]	....	39.00[1]	39.00
1½ and 2x4 to 12 inch, "	39.00[2]	50.00[1]	....	....	50.00[1]	50.00
1⅝ inch, "	....	43.38	....	....	43.38	33.50[1]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	44.00	....	38.85	40.75[2]	39.99	36.03
1x 6 inch, " "	40.30	35.00	43.50	35.00[1]	36.87	34.63
1x 8 inch, " "	41.79	42.00[3]	38.75[2]	36.00[1]	41.79	36.00
1x 5 and 10 inch, " "	47.36	40.91[3]	45.00	....	46.88	39.21[1]
1x12 inch, " "	45.50	46.00[3]	45.10	....	45.18	40.00[1]
1¼x4 to 12 inch, " "	48.15	45.50	48.43	42.00	47.86	44.62
1½ and 2x4 to 12 inch, " "	53.16	47.50	50.15	45.00	49.77	47.95
1⅝ inch, " "	....	37.04	....	....	37.04	37.00
1x 6 to 12 inch, " "	....	....	36.28[2]	34.00	34.00	35.72
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	47.72	47.75	52.56	50.00	48.83	48.56
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	49.38	49.35	46.70	50.00	48.23	48.06
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	53.45	46.67	53.79	48.00[2]	52.96	54.83
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	25.00[1]	29.50[1]	....	....	27.26[1]	27.26
" " " " " 8 ft.	21.50	....	....	....	21.50	20.50
" " " " " 12 and 14 ft.	....	34.05[3]	....	....	34 05[3]	34.05[2]
" " " " " 16 ft.	32.00[2]	....	....	....	32 00[2]	32.00[1]
" " " " " 9 or 18 ft.	30.58	31.50	....	....	30 65	30.39
" " " " " 10 or 20 ft	32.29	39.00	26.00[2]	....	36.03	33.42

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
ding, Lining and Roofing, 1x4, No. 1, 5 ft.	19.00[1]	20.00	18.00	....	18.71	20.41
" " " " " 8 ft.	17.87	25.00	....	....	18.02	26.00
" " " " " 12 and 14 ft.	....	25.00	....	....	25.00	22.83[1]
" " " " " 16 ft.	....	24.50	....	....	24.50	28.00
" " " " " 9 or 18 ft.	20.25	25.18	35.00	....	26.27	25.52
" " " " " 10 or 20 ft.	22.45	22.00	....	....	22.33	26.00
ding, Lining and Roofing, 1x6, No. 1, 5 ft.	19.71[2]	20.00	18.00	....	18.71	20.97
" " " " " 8 ft.	16.75	25.00	....	....	16.75	18.25
" " " " " 12 and 14 ft.	24.24	25.00	....	24.00[1]	24.24	24.00
" " " " " 16 ft.	22.00	24.50	....	24.00[1]	22.00	24.53
" " " " " 9 or 18 ft.	....	25.18	35.00	....	26.36	26.66[2]
" " " " " 10 or 20 ft.	23.96	22.00	....	....	23.96	25.62
iding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	12.75	12.26[1]	....	....	12.75	10.84
" " " " " 10 to 20 ft.	12.13	13.50	....	....	12.27	11.10
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	24.00	....	....	....	24.00	....
" " " " 1¾ inch, 10 & 20 ft.	24.00	....	....	....	24.00	25.25[2]
" " " " 2 to 3 inch, 9 & 18 ft.	25.25[3]	25.72[2]	....	....	25.72[2]	25.72[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00	....	....	24.00	28.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	20.75[2]	....	....	....	20.75[2]	20.75[1]
" " " 1⅝ inch, 10 & 20 ft.	20.75[2]	....	....	....	20.75[2]	20.75[1]
" " " 1¾ inch, 9 & 18 ft.	23.75	....	....	....	23.75	24.00
" " " 1¾ inch, 10 & 20 ft	23.75	....	....	....	23.75	24.00
" " " 2 to 3 inch, 9 & 18 ft.	....	25.00[1]	23.31[1]	22.50	22.50	23.32
" " " 2 to 3 inch 10 & 20 ft.	....	24.34	23.31[1]	....	24.34	24.93
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
oards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	20.74	....	....	....	20.74	22.43
" " " " other lengths.	23.66	23.69	30.37	30.85	24.68	23.97
" " 1x10, " 14 and 16 ft.	25.20	....	....	....	25.20	23.31
" " " " other lengths.	23.66	24.29	31.17	31.60	25.16	23.71
" " 1x12, " 14 and 16 ft.	33.46	22.97[2]	....	....	33.46	34.16
" " " " other lengths.	32.97	31.68	31.67	30.00	32.26	32.33
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	15.56	15.97	16.10	16.48	15.89	15.95
" " 1x10, " "	15.76	16.01	16.58	15.36	16.03	16.44
" " 1x12, " "	17.02	17.60	17.21	16.62	17.15	17.65
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.62	9.72	10.88	12.75[1]	9.92	9.76
" " 1x10, " "	9.45	9.51	10.84	12.50	9.72	10.09
" " 1x12, " "	9.45	9.53	11.92	12.50	10.19	9.46
hiplap, 1 x 8, No. 1, 14 and 16 ft.	23.65	....	....	....	23.65	21.75
" " " other lengths.	23.80	22.92	23.99	25.00	23.57	22.94
" 1x10, " 14 and 16 ft.	24.59	....	....	....	24.59	24.77
" " " other lengths.	23.93	24.46	....	26.00[2]	24.21	23.44
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
hiplap, 1x 8, No. 2, all lengths.	16.37	16.30	17.28	16.69	16.62	16.51
" 1x10, " "	15.97	16.47	16.86	17.96	16.34	16.56
" 1x12, " "	....	....	....	....	....	....
hiplap, 1x 8, No. 3, all lengths.	9.52	10.04	11.50	11.50	10.48	10.24
" 1x10, " "	9.21	10.24	11.79	11.63[1]	10.77	10.16
" 1x12, " "	10.50[1]	10.00	....	....	10.00	10.14
rooved Roofing, 1x10, No. 1, 14 and 16 ft.	24.41	....	....	....	24.41	24.90
" " " " other lengths.	24.84	25.42[1]	....	....	24.84	25.42
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
ll No. 4—all widths and lengths.	6.50	....	5.08	....	5.44	4.92

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
1x4, S 1 S, No. 1, 16 ft.	21.59	....	....	....	21.59	21.00
" " " other lengths	22.85	21.57	28.82	30.00[2]	22.90	22.15
" " No. 2, all lengths	10.68	10.43	11.96	11.37	11.03	11.17
" " No. 3, "	8.20	8.44	8.32	6.33	8.00	9.01
1x4, C. M., No. 1, 16 ft.	18.95[3]	....	....	....	18.95[3]	18.95[2]
" " " other lengths	24.73	....	....	....	24.73	26.25
" " No. 2, all lengths	11.95	....	....	....	11.95	10.53
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	23.38	....	....	....	23.38	22.90
" " " other lengths	23.73	23.09	31.30	26.46	24.69	23.78
" " No. 2, all lengths	13.97	14.43	17.06	13.92	14.40	14.55
" " No. 3, "	8.32	9.47	9.39	10.01	9.01	8.62
1x6, C. M., No. 1, 16 ft.	22.76	....	....	....	22.76	23.44
" " " other lengths	22.28	23.31	....	20.60[3]	22.69	21.73
" " No. 2, all lengths	14.25	14.33	....	15.69	14.41	14.47
" " No. 3. "	8.06	10.38	....	9.00	9.33	8.89
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	24.06	20.95	19.85	21.46	21.57	21.79
" " " 12 ft.	22.34	21.52	20.65	17.16	21.03	20.91
" " " 14 ft.	21.78	21.29	19.26	20.50	21.05	20.81
" " " 16 ft.	23.32	22.67	22.13	19.75	22.81	22.63
" " " 18 ft.	25.35	24.54	23.15	20.63	24.23	24.25
" " " 20 ft.	25.39	24.02	23.15	20.63	24.81	24.40
" " " 22 ft.	26.71	25.30	28.10	....	26.76	24.75
" " " 24 ft.	26.93	25.25	28.10	....	26.10	24.83
2x 6, No. 1, S 1 S 1 E, 10 ft.	19.42	18.42	17.90	....	18.52	19.20
" " " 12 ft.	18.21	18.18	17.80	15.80	17.89	17.90
" " " 14 ft.	18.36	17.97	17.80	22.00[2]	18.19	18.33
" " " 16 ft.	19.45	18.56	18.27	20.00	18.82	19.24
" " " 18 ft.	19.90	18.66	19.24	20.30	19.25	19.78
" " " 20 ft.	20.18	19.79	19.24	20.30	20.01	20.08
" " " 22 ft.	22.54	21.96	24.54	....	22.70	21.54
" " " 24 ft.	22.45	22.44	24.54	....	22.44	21.33
2x 8, No. 1, S 1 S 1 E, 10 ft.	21.85	22.96	20.78	....	21.63	21.58
" " " 12 ft.	20.54	20.75	19.55	19.00	20.21	20.48
" " " 14 ft.	19.46	21.61	19.78	17.25	19.70	19.55
" " " 16 ft.	21.67	21.83	20.58	21.29	21.55	21.43
" " " 18 ft.	24.06	22.99	22.03	23.00	22.90	22.36
" " " 20 ft.	23.48	23.60	22.03	23.75	23.54	23.57
" " " 22 ft.	22.34	24.00	27.08	21.50[1]	23.20	23.74
" " " 24 ft.	22.55	24.58	27.08	....	23.04	24.80
2x10, No. 1, S 1 S 1 E, 10 ft.	22.90	21.91	21.14	....	22.04	22.33
" " " 12 ft.	21.21	21.44	20.75	17.00[1]	21.15	21.19
" " " 14 ft.	21.77	21.11	20.75	20.00[1]	21.36	21.08
" " " 16 ft.	23.52	23.13	21.09	23.50	22.44	22.92
" " " 18 ft.	24.67	22.49	23.19	24.56	23.34	23.65
" " " 20 ft.	23.33	23.57	23.19	22.00	23.37	23.74
" " " 22 ft.	25.00	25.57	25.92	....	25.45	24.71
" " " 24 ft.	26.13	25.50	25.92	....	25.98	24.86
2x12, No. 1, S 1 S 1 E, 10 ft.	25.04	27.08	20.75	....	24.83	25.01
" " " 12 ft.	24.84	23.30	22.12	21.32	23.15	23.87
" " " 14 ft.	24.71	23.69	22.12	21.32	24.36	23.89
" " " 16 ft.	24.52	25.16	23.73	26.50	24.56	23.52
" " " 18 ft.	25.56	25.78	23.96	26.50[2]	25.28	25.64
" " " 20 ft.	25.31	25.60	23.96	23.79	25.65	25.44
" " " 22 ft.	30.01	29.70	28.28	....	29.31	26.55
" " " 24 ft.	27.63	27.90	28.28	....	27.80	27.87
2x 4, No. 2, S 1 S 1 E, 10 ft.	19.92	17.89	19.49	14.75	18.77	18.49
" " " 12 ft.	18.36	17.42	17.84	20.00[3]	17.93	17.65
" " " 14 ft.	17.47	17.15	18.13	....	17.31	17.48
" " " 16 ft.	19.18	17.78	18.61	18.92	18.43	18.77
" " " 18 ft.	21.23	20.31	19.66	22.70	20.55	21.28
" " " 20 ft.	21.28	19.06	19.66	19.23	19.95	20.89
" " " 22 ft.	....	22.96	....	....	22.96	19.75
" " " 24 ft.	25.50[2]	22.96	....	....	22.96	19.75
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.90	14.56	14.79	16.49	15.28	13.85
" " " 12 ft.	14.44	14.69	22.89	15.50[1]	18.65	14.77
" " " 14 ft.	13.99	14.65	22.89	15.50[1]	14.25	14.67
" " " 16 ft.	14.67	15.05	15.98	13.75	15.17	15.35
" " " 18 ft.	14.88	16.85	16.72	18.00	16.29	17.06
" " " 20 ft.	15.80	16.06	16.72	18.25[2]	15.92	15.81
" " " 22 ft.	....	18.42	19.00	18.82[3]	18.45	19.64
" " " 24 ft.	19.50	18.42	19.00	....	19.50	19.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	17.98	17.59	18.18	16.50	17.81	17.65
" " " 12 ft.	17.08	16.38	16.27	18.97	16.72	16.35
" " " 14 ft.	17.16	15.82	16.38	16.39	16.43	16.73
" " " 16 ft.	16.80	17.24	16.90	16.39	16.93	17.49
" " " 18 ft.	18.88	19.97	17.79	16.75	18.38	18.86
" " " 20 ft.	19.05	19.70	17.79	18.36	19.12	18.91
" " " 22 ft.	24.50[1]	19.00[1]	20.50	18.00[3]	20.50	19.50
" " " 24 ft.	16.50[2]	19.00[1]	20.50	18.00[3]	20.50	18.82
2x10, No. 2, S 1 S 1 E, 10 ft.	18.49	16.00	18.13	20.75	19.26	17.39
" " " 12 ft.	13.68	16.03	15.21	18.75	14.99	15.76
" " " 14 ft.	19.57	15.99	15.21	18.75	17.87	16.33
" " " 16 ft.	18.51	17.41	17.32	20.75	17.52	17.49
" " " 18 ft.	19.23	19.76	17.93	16.00[3]	18.47	20.28
" " " 20 ft.	18.90	19.83	17.93	16.25	18.04	20.19
" " " 22 ft.	21.60[1]	20.50[1]	21.75[3]	....	20.85[1]	20.85
" " " 24 ft.	....	20.50[1]	21.75[3]	....	20.50[1]	20.50
2x12, No. 2, S 1 S 1 E, 10 ft.	18.18[1]	16.25[2]	18.54	....	18.54	19.24
" " " 12 ft.	19.22[1]	16.63	17.86	....	17.61	17.89
" " " 14 ft.	20.00	18.43	17.86	....	18.51	17.41
" " " 16 ft.	20.01	19.22	19.07	....	19.41	18.51
" " " 18 ft.	22.16	18.82	20.75	....	20.01	17.79
" " " 20 ft.	22.50	18.93	20.75	22.25[2]	19.03	20.31
" " " 22 ft.	25.57[2]	22.73	22.64[2]	....	22.73	24.21[1]
" " " 24 ft.	....	22.73	22.64[2]	....	22.73	23.12[1]
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	7.92	7.52	....	6.50	7.42	7.48
PATENT LATH						
4 and 6 ft.	9.19	10.78	....	....	9.78	9.83
8 and 10 ft.	10.72	10.28	....	....	10.58	11.77
12 ft. and longer	11.46	....	....	....	11.46	12.21
PLASTERING LATH						
⅜x1½-4, No. 1	3.59	3.62	4.30	3.93	3.94	3.45
" No. 2	1.48	1.68	2.17	1.40	1.82	1.71
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/16x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/16x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	18.27	19.33	19.13	....	18.68	19.70
" " 22-24 ft.	21.65	21.70	17.00	....	21.43	19.81
" " 26 ft.	21.00[1]	23.00[1]	23.40	....	23.40	21.56
" " 28 ft.	21.56	22.50[1]	23.40	....	21.56	22.50
" " 30 ft.	22.30	23.43	20.00	....	22.53	22.64
" " over 30 ft.	23.82	24.38	23.00	....	24.04	24.88
4x4 to 8x8, Heart (85%+), up to 20 ft.	22.91	24.96	....	....	23.26	24.01
" " " 22-24 ft.	23.43	23.38	....	....	23.42	24.52
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	25.75	....	....	....	25.75	27.97
" " " 30 ft.	28.80[3]	....	....	....	28.80[3]	28.80[2]
" " " over 30 ft.	....	28.75	....	....	28.75	....
3 & 4x10, No. 1, up to 20 ft.	20.94	19.24	....	....	20.59	20.27
" " 22-24 ft.	22.31	24.00	....	....	22.43	22.22
" " 26 ft.	23.28	25.00	....	....	23.34	21.50
" " 28 ft.	22.74	....	....	....	22.74	20.00[2]
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	24.75[1]	....	....	....	24.75[1]	24.75
3 & 4x10, Heart (85%+), up to 20 ft.	24.14	26.03	....	....	24.95	22.96
" " " 22-24 ft.	27.50	24.00	....	....	26.73	29.31
" " " 26 ft.	23.00	25.00	....	....	23.47	26.89[1]
" " " 28 ft.	25.00[1]	25.00[2]	....	....	25.00[1]	25.00
" " " 30 ft.	30.00[2]	26.00[2]	....	....	28.06[2]	28.06[1]
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
6x10, to 10x10, No. 1, up to 20 ft.	22.99	19.20	21.34	....	21.96	20.96
" " 22-24 ft.	22.77	23.00	22.31	....	22.38	19.09
" " 26 ft.	24.75[1]	25.00[1]	23.66	....	23.66	24.13
" " 28 ft.	21.65	....	23.66	....	21.65	22.00
" " 30 ft.	....	....	25.50	....	25.50	27.25[1]
" " over 30 ft.	24.49	30.00[3]	26.75	....	26.72	30.38
6x10 to 10x10, Heart (85%+), up to 20 ft.	24.73	24.60[1]	....	....	24.73	24.61
" " " 22-24 ft.	28.25[1]	25.15[2]	....	....	28.25[1]	28.25
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	37.00[3]	....	....	37.00[3]	37.00[2]
3 & 4x12, No 1, up to 20 ft.	22.82	21.49	....	....	22.26	25.23
" " 22 24 ft.	23.51	23.65[1]	....	....	23.51	25.56
" " 26 ft.	22.25	33.00	....	....	24.70	22.00[1]
" " 28 ft.	22.00[2]	....	....	....	22.00[2]	22.00[1]
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	24.75[1]	....	....	....	24.75[1]	24.75
3 & 4x12, Heart (85%+), up to 20 ft.	29.59	27.00	....	....	29.29	27.58
" " " 22-24 ft.	33.03	30.00	....	....	32.45	31.90
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	29.74	....	....	....	29.74	31.00[2]
" " " over 30 ft.	24.75	....	....	....	24.75	....
6x12 to 12x12, No. 1, up to 20 ft.	20.33	22.42	23.30	....	20.84	22.34
" " 22-24 ft.	23.86	22.00	24.50	....	24.36	20.34
" " 26 ft.	24.51	23.00	26.63	....	25.02	23.28
" " 28 ft.	26.00	....	26.63	....	26.00	26.10
" " 30 ft.	22.44	27.00[1]	25.64[1]	....	22.44	25.68
" " over 30 ft.	23.10[1]	30.00[2]	35.00	....	35.00	23.85
6x12 to 12x12, Heart (85%+), up to 20 ft.	24.42	24.00[1]	....	....	24.42	24.92
" " " 22-24 ft.	31.41[1]	27.10[2]	....	....	31.41[1]	31.41
" " " 26 ft.	26.25[2]	....	....	....	26.25[2]	26.25[1]
" " " 28 ft.	27.25[2]	....	....	....	27.25[2]	27.25[1]
" " " 30 ft.	28.25[2]	....	....	....	28.25[2]	28.25[1]
" " " over 30 ft.	38.00[3]	45.00[2]	....	....	45.00[2]	45.00[1]
2x14 to 4x14, No. 1, up to 20 ft.	31.50	29.00	....	....	29.26	29.54
" " 22-24 ft.	32.89	28.00	....	....	32.22	32.02
" " 26 ft.	25.00	35.00[2]	....	....	25.00	35.00[1]
" " 28 ft.	....	....	....	....	....	34.00[3]
" " 30 ft.	27.31	36.50[2]	....	....	27.31	36.50[1]
" " over 30 ft.	....	36.00[3]	....	....	36.00[3]	36.00[2]
2x14 to 4x14, Heart (85%+), up to 20 ft.	29.00[1]	28.75[3]	....	....	29.00[1]	29.00
" " " 22-24 ft.	44.74[3]	....	....	....	44.74[3]	44.74[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	26.98	26.00	24.90	....	26.87	25.88
" " 22-24 ft.	26.16[3]	30.50[2]	27.29	....	27.29	34.36
" " 26 ft.	25.72[2]	27.00[3]	42.00[2]	....	30.70[2]	30.70[1]
" " 28 ft.	23.09	....	42.00[2]	....	23.09	23.25
" " 30 ft.	23.00[3]	....	....	....	23.00[3]	23.00[2]
" " over 30 ft.	26.70[1]	....	42.00[3]	....	26.70[1]	26.70
6x14 to 14x14, Heart (85%+), up to 20 ft.	30.67[1]	27.00[1]	....	....	27.71[1]	27.71
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	34.50[1]	34.50	....	....	34.50	34.50
" " 22-24 ft.	40.50	35.00[3]	....	....	40.50	40.00
" " 26 ft.	....	36.71[3]	....	....	36.71[3]	36.71[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	40.25[3]
" " " 22-24 ft.	....	40.00[2]	....	....	40.00[2]	40.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
3x16 & Up, No. 1, up to 20 ft.	34 25	....	34 00	....	34.22	32 78
〃 〃 22-24 ft.	36 25	....	29 25	....	30 09	32 60
〃 〃 26 ft.	33 00[1]	....	32 93	....	32 93	33 00
〃 〃 28 ft.	29 00	....	32.93	....	29 00	36 00
〃 〃 30 ft.	28 73	....	....	....	28 73	29.02
〃 〃 over 30 ft.	36 38	....	....	....	36 38	34 67
3x16 & Up, Heart (85%+), up to 20 ft.	40 54[1]	....	....	....	40.54[1]	40.54
〃 〃 〃 22-24 ft.	....	....	....	....	....	....
〃 〃 〃 26 ft.	....	....	....	....	....	....
〃 〃 〃 28 ft.	36.75	....	....	....	36.75	36.00
〃 〃 〃 30 ft.	36 50	....	....	....	36 50	....
〃 〃 〃 over 30 ft.	37 76	....	....	....	37.76	48.00
STRINGERS						
15 inch, Sq. E. up to 20 ft.	34.00	....	....	....	34.00	....
〃 〃 22-24 ft.	....	....	....	....	....	....
〃 〃 26 ft.	....	....	....	....	....	....
〃 〃 28 ft.	37.00	....	....	....	37.00	....
〃 〃 30 ft.	....	....	....	....	....	....
〃 〃 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
〃 〃 〃 22-24 ft.	....	....	....	....	....	....
〃 〃 〃 26 ft.	....	....	....	....	....	....
〃 〃 〃 28 ft.	....	....	....	....	....	....
〃 〃 〃 30 ft.	....	....	....	....	....	....
〃 〃 〃 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	30 39	....	....	....	30.39	32 00[1]
〃 〃 22-24 ft.	33 84	34.00	....	....	33.85	35.00[1]
〃 〃 26 ft.	....	....	....	....	....	....
〃 〃 28 ft.	34.86	35 00	....	....	34.90	38.00
〃 〃 30 ft.	38.54	36 00	....	....	36.57	39 00[2]
〃 〃 32 ft.	....	44 00[3]	....	....	44 00[3]	44 00[2]
16 inch, Heart (85%+), up to 20 ft.	36 00[2]	32.50	....	....	32.50	36 00[1]
〃 〃 〃 22-24 ft.	35 00[1]	33.50	32.00	....	32 80	35 00
〃 〃 〃 26 ft.	35 00[2]	....	....	....	35.00[2]	35.00[1]
〃 〃 〃 28 ft.	42.23	37.00	44.00[1]	....	41.85	45 09
〃 〃 〃 30 ft.	37 00	....	....	....	37.00	39 51[3]
〃 〃 〃 32 ft.	....	....	....	....	....	40 31[3]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	35.00[1]	....	28.66[1]	....	29.33[1]	29.33
〃 〃 〃 36 ft.	24 50[1]	27 67[1]	28 66[1]	29.00[2]	27.04[1]	27.04
〃 〃 〃 37-38 ft.	....	27 00[2]	34 00[1]	24.80[1]	26.11[1]	26.11
〃 〃 〃 40 ft.	33.70	27.36[1]	25.00[3]	....	33.70	27.46
〃 〃 〃 41-42 ft.	46.50[1]	40 00[2]	....	....	46.50[1]	46 50
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
〃 〃 〃 〃 36 ft.	29 00	....	....	....	29 00	31.50[1]
〃 〃 〃 〃 37-38 ft.	....	....	....	....	....	....
〃 〃 〃 〃 40 ft.	31 44	....	....	....	31.44	....
〃 〃 〃 〃 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	27.00[2]	....	27.00[2]	27 00[1]
〃 〃 〃 36 ft.	25 00[2]	25.00[1]	27 00[2]	....	25 00[1]	25 00
〃 〃 〃 37-38 ft.	....	....	28 00[2]	....	28 00[2]	28 00[1]
〃 〃 〃 40 ft.	27 00[2]	27.00[1]	....	....	27 00[1]	27 00
〃 〃 〃 41-42 ft.	27 00[2]	....	....	....	27 00[2]	27 00[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
〃 〃 〃 〃 36 ft.	29 00	....	....	....	29.00	....
〃 〃 〃 〃 37-38 ft.	....	....	....	....	....	....
〃 〃 〃 〃 40 ft.	31.00	....	....	....	31.00	....
〃 〃 〃 〃 41-42 ft.	37 50	....	....	....	37 50	....
Up to 12 inch, Sq. E., 34 ft.	21 50[1]	29 00[1]	32 00[1]	....	31 20[1]	31.20
〃 〃 〃 36 ft.	24 00[2]	30 32[2]	32 00[1]	....	32 00[1]	32.00
〃 〃 〃 37-38 ft.	....	....	....	....	....	....
〃 〃 〃 40 ft.	31 50[2]	....	....	....	31 50[2]	31 50[1]
〃 〃 〃 41-42 ft.	31 50[2]	....	....	....	31 50[2]	31 50[1]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
〃 〃 〃 〃 36 ft.	33 50[2]	....	....	....	33 50[2]	33 50[1]
〃 〃 〃 〃 37-38 ft.	....	....	....	....	....	....
〃 〃 〃 〃 40 ft.	....	....	....	....	....	....
〃 〃 〃 〃 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 10
Up to 14 inch, Sq. E., 34 ft.	24.50[1]	....	....	....	24.50[1]	24.50
" " " 36 ft.	....	....	....	40.00[1]	40.00[1]	40.00
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	....	....	....	45.00	45.00	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	28.00[2]	27.00[2]	....	....	27.25[2]	27.25[1]
" " 14 ft.	....	25.00[1]	....	....	25.00[1]	25.00
" " 16 ft.	....	27.00[2]	....	....	27.00[2]	27.00[1]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	29.00[1]	....	....	....	29.00[1]	29.00
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	28.00	28.00	....	....	28.00	28.75[2]
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	29.00	....	....	29.00	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	34.30	20.00	....	....	32.74	32.67[1]
" " Heart, (85%+), 6x8-8	21.20	....	....	....	21.20	24.00[1]
" " Sq. E., " 7x9-8	34.56[1]	23.00	....	....	23.00	34.56
" " Heart, " 7x9-8	22.06[1]	24.02[3]	....	....	22.06[1]	22.06
Bridge Ties, Sq. E., 7x9 & up	....	23.00	....	....	23.00	....
" " Heart,	....	....	....	....	....	17.00[3]
Paving Stock, S 1 S	....	....	16.50[1]	16.00[2]	16.50[1]	16.50
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	22.38	24.02	27.59	38.65	25.90	22.72
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	15.00	....	....	....	15.00	7.83
Miscellaneous, B and B	43.12	48.83	38.30	61.50	44.87	40.82
" No. 1	28.04	28.37	23.26	25.39	26.72	24.74
" No. 2	21.55	15.47	17.18	16.12	16.83	16.96
" No. 3	11.22	8.75	9.26	10.38	9.39	8.24
Shorts B and B	26.49	26.58	....	....	26.56	25.32
" No. 1	9.61	17 09	....	....	9.77	10.88
" No. 2	....	13.78	....	....	13.78	9.44
" No. 3	....	9.00	....	....	9.00	8.98

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

eight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1 25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	1000
100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7 00	7 25	7 50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11 75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

June 30, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending June 30, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400
Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued July 9, 1921

No. 134

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	62.20	....	....	....	62.20	61.81
" " C "	32.47	....	....	....	32.47	37.21
" " D "	36.19	....	....	....	36.19	37.84
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	35.59	....	....	....	35.59	39.94
" " C "	....	....	....	....	....	27.39[3]
" " D "	26.64	....	....	....	26.64	25.87
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	15.66	....	....	....	15.66	15.26
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	80.00[1]	80.00[1]	80.00
Edge Grain, A "	63.00	....	70.50	72.50[2]	70.17	71.97
" " B "	....	66.00	62.23	....	62.27	62.31
" " B and Better "	59.75	62.87	....	62.33	62.45	61.42
" " C "	....	43.64	51.27	43.41[1]	48.59	49.83
" " D "	....	....	....	....	....	....
" " No. 2 "	14.50	21.00	22.50	19.17[2]	18.09	22.59
Flat " A "	....	....	....	....	....	....
" " B "	....	36.00[2]	....	42.50[3]	36.00[2]	36.00[1]
" " B and Better "	41.17[1]	37.27	43.58	43.70	42.24	42.13
" " C "	....	....	....	....	....	27.82[3]
" " D "	33.00[1]	....	....	....	33.00[1]	33.00
No. 1 Common "	....	30.11	32.25	30.00	31.67	33.25
No. 2 " "	15.00	15.52	16.86	10.50[1]	16.14	14.68
No. 3 " "	....	....	7.78	6.50	7.50	6.85
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A "	53.80[3]	....	63.46	62.00	63.03	60.07
" " B "	....	51.08	56.04	....	55.21	53.19
" " B and Better "	48.82	49.20	....	65.00	49.42	52.15
" " C "	27.31	42.50	45.31	....	40.18	41.88
" " D "	29.93	....	....	....	29.93	30.05
" " No. 2 "	....	....	22.50	19.50[2]	22.50	23.47
Flat " A "	....	....	....	....	....	....
" " B "	30.78[2]	31.67	....	32.00[3]	31.67	32.40
" " B and Better "	31.21	31.17	32.19	32.81	31.49	32.16
" " C "	25.25	27.39	....	....	26.15	27.00
" " D "	25.13	22.40[2]	....	....	25.13	24.76
No. 1 Common "	....	26.24	28.56	28.29	27.82	27.61
No. 2 " "	15.09	15.65	15.47	14.29	15.74	15.54
No. 3 " "	....	....	8.03	8.66[1]	8.03	7.84
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.92	30.85	30.36	30.00	29.83	29.82
" " No. 1 Common	22.81	28.00	28.07	28.13[1]	26.44	27.44
" " No. 2 "	11.19[1]	13.00	15.00	17.00[1]	13.57	12.27
" " No. 3 "	....	....	7.00	....	7.00	5.90[1]
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.41	28.47	29.62	28.50	28.78	29.30
" " No. 1 Common	24.17	24.13	27.81	28.00	25.11	25.64
" " No. 2 "	11.93	15.43	14.73	14.00	13.92	13.80
" " No. 3 "	....	....	6.00[1]	6.50	6.50	6.00
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	24.90	31.08	32.86	....	31.61	34.09
" " No. 1 Common	25.00	28.92[1]	29.57	....	27.13	29.30
" " No. 2 "	14.00	13.00[2]	16.04	13.00[2]	15.77	15.78
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.54	33.82	37.04	36.43	34.09	35.16
" " No. 1 Common	28.16	25.45	....	28.00	26.97	31.28
" " No. 2 "	17.00	17.50	16.14	....	16.20	16.35
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	36.00	35.38	35.09	....	35.31	35.80
" " No. 1 Common	33.14[1]	21.36[1]	29.67	30.00[1]	29.67	24.04
" " No. 2 "	....	16.44	20.31	....	18.21	16.65
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	24.09	27.89	25.51	32.00[3]	25.66	25.50
" No. 1 Common	21.75[1]	21.00	25.09	....	24.01	22.65
" No. 2 "	13.88[3]	14.50[1]	12.89	....	12.89	13.75

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.52	30.51	31.25	29.25	29.82	30.02
" " No. 1 Common	25.34	24.62	26.81	24.81	25.12	26.52
" " No. 2 "	16.15	16.56	16.77	16.50	16.56	17.21
" " No. 3 "	....	....	9.73	8.00	9.31	9.50
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	38.96	38.44	37.57	34.25	38.43	40.07
1x 6 inch, "	38.65	40.39	39.04	40.14	39.52	39.99
1x 8 inch, "	39.55	41.19	37.14	41.20	39.40	41.14
1x 5 and 10 inch, "	43.16	42.89	43.26	43.04	43.08	44.19
1x12 inch, "	43.71	43.32	44.84	40.64	43.74	45.01
1¼x4 to 12 inch, "	52.75	49.29	51.76	48.80	50.86	51.54
1½ and 2x4 to 12 inch, "	54.26	53.24	49.82	56.00[1]	50.47	50.87
1⅝ inch, "	38.73	46.29	....	....	40.77	42.15
1x 6 to 12 inch, "	....	....	....	36.50[1]	36.50[1]	36.50
1x 4 inch, C	32.22	32.50	36.00[1]	....	32.39	32.19
1x 6 inch, "	32.69	33.50	30.00	....	32.92	33.66
1x 8 inch, "	34.85	34.42	30.00	....	33.96	34.72
1x 5 and 10 inch, "	38.04	36.00	32.00	....	36.16	36.56
1x12 inch, "	38.29	35.84	43.24[1]	....	35.96	41.51
1¼x4 to 12 inch, "	47.00[2]	46.00	43.00	....	45.00	39.00[1]
1½ and 2x4 to 12 inch, "	39.00[3]	50.00[2]	....	....	50.00[2]	50.00[1]
1⅝ inch, "	....	43.50	....	....	43.50	43.38
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	44.00[1]	....	35.50	40.75[3]	35.50	39.99
1x 6 inch, " "	40.30[1]	35.00[1]	35.85	32.00	33.10	36.87
1x 8 inch, " "	37.00	40.00	36.96	32.00	37.19	41.79
1x 5 and 10 inch, " "	37.00	45.00	40.69	....	40.94	46.88
1x12 inch, " "	45.50[1]	45.00	42.56	....	42.83	45.18
1¼x4 to 12 inch, " "	55.79	48.00	45.70	41.00	43.60	47.86
1½ and 2x4 to 12 inch, " "	53.16[1]	48.00	47.50	45.00[1]	47.52	49.77
1⅝ inch, " "	....	44.00	....	....	44.00	37.04
1x 6 to 12 inch, " "	....	....	36.28[3]	34.00[1]	34.00[1]	34.00
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	46.42	48.36	48.24	50.00[1]	47.57	48.83
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	48.94	49.23	47.83	50.00	48.26	48.23
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	56.97	58.50	53.79[1]	48.00[3]	57.92	52.96
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	25.00[2]	29.50[2]	....	....	27.26[2]	27.26[1]
" " " " " 8 ft.	20.17	....	....	....	20.17	21.50
" " " " " 12 and 14 ft.	....	....	....	....	....	34.05[3]
" " " " " 16 ft.	32.00[3]	....	....	....	32.00[3]	32.00[2]
" " " " " 9 or 18 ft.	29.66	31.50[1]	....	....	29.66	30.65
" " " " " 10 or 20 ft	32.29[1]	39.00[1]	26.00[3]	....	36.03[1]	36.03

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	18 00	20 00	18.00[1]	....	18 57	18 71
" " " " " 8 ft.	17.87[1]	18 58	....	....	18 58	18 02
" " " " " 12 and 14 ft.	....	25 00[1]	....	....	25 00[1]	25 00
" " " " " 16 ft.	....	25 00	....	....	25 00	24 50
" " " " " 9 or 18 ft.	20 25[1]	22.75	35.00[1]	....	22 75	26 27
" " " " " 10 or 20 ft.	22 29	22.49	....	....	22.42	22.33
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	18 50	20 00	18.00[1]	....	18.50	18.71
" " " " " 8 ft.	16 75[1]	18 58	....	....	18.58	16.75
" " " " " 12 and 14 ft.	24 24[1]	25 00[1]	....	24 00[2]	24 24[1]	24 24
" " " " " 16 ft.	25 00	25 00	....	24.00[2]	25 00	22 00
" " " " " 9 or 18 ft.	....	22 75	35 00[1]	....	22 75	26 36
" " " " " 10 or 20 ft.	25.00	22 49	....	....	25 00	23 96
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	11.28	12 26[2]	....	....	11.28	12.75
" " " " " 10 to 20 ft.	12 75	14 00	....	....	12.84	12.27
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	24.00[1]	....	....	....	24 00[1]	24 00
" " " " 1¾ inch, 10 & 20 ft.	24.00[1]	....	....	....	24 00[1]	24.00
" " " " 2 to 3 inch, 9 & 18 ft.	....	24 00	....	....	24 00	25 72[3]
" " " " 2 to 3 inch, 10 & 20 ft.	....	24 00	....	....	24.00	24 00
" No. 1, " 1⅝ inch, 9 & 18 ft.	20 75[3]	....	....	....	20 75[3]	20 75[2]
" " " 1⅝ inch, 10 & 20 ft.	20 75[3]	....	....	....	20 75[3]	20 75[2]
" " " 1¾ inch, 9 & 18 ft.	24.00	....	....	....	24 00	23 75
" " " 1¾ inch, 10 & 20 ft	23.75[1]	....	....	....	23 75[1]	23.75
" " " 2 to 3 inch, 9 & 18 ft.	....	24.00	19.95	21.50	22 39	22 50
" " " 2 to 3 inch 10 & 20 ft.	....	24.31	19.95	....	24.31	24.34
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	....	....	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	21.11	....	....	....	21.11	20.74
" " " " other lengths	23.78	21.46	29.83	30.85[1]	22 98	24.68
" " 1x10, " 14 and 16 ft.	23.77	....	....	....	23.77	25 20
" " " " other lengths	23.03	23 29	29.92	31.60[1]	23.63	25.16
" " 1x12, " 14 and 16 ft.	32 94	22 97[3]	....	....	32 94	33.46
" " " " other lengths	32 05	30 09	28.01	30 00[1]	30 30	32.26
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	15.10	15.58	16 24	14.50	15.56	15 89
" " 1x10, " "	15.48	15 66	16.62	14 90	15.78	16.03
" " 1x12, " "	16 87	17.26	18.22	16 37	17.14	17.15
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	9 15	12 13	11 00	12 75[2]	9 95	9 92
" " 1x10, " "	9 08	9.78	10 81	12 50[1]	9.87	9.72
" " 1x12, " "	9 39	9 80	11.00	12 50[1]	9 94	10 19
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	22 23	....	....	....	22 23	23 65
" " " other lengths	22 50	21.45	24.50	25.00	22 14	23 57
" 1x10, " 14 and 16 ft.	25.75	....	....	....	25.75	24 59
" " " other lengths	25 75	21.51	27.50	26 00[3]	22 01	24 21
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths	16 07	16 04	16 52	16 85	16 22	16 62
" 1x10, " "	15 83	16 14	16.18	17 96[1]	16 00	16 34
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths	9 12	9 85	10 31	15 46	10 08	10 48
" 1x10, " "	9 42	10 07	11.44	13 00	10 14	10 77
" 1x12, " "	9.77	10 00	....	....	9 79	10 00
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	24 41[1]	....	....	....	24 41[1]	24 41
" " " " other lengths	24 84[1]	25 67	....	....	25 67	24 84
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths	....	....	....	....	....	....
All No. 4—all widths and lengths	4.50	....	5.08[1]	....	4.50	5.44

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Averag Previou Repor June 2
1x4, S 1 S, No. 1, 16 ft.	21.76	....	....	....	21.76	21.5
" " " other lengths	20.21	20.74	28.14	30.00 [3]	20.85	22.9
" " No. 2, all lengths	10.31	10.81	14.98	16.50	10.89	11.0
" " No. 3, "	7.72	8.50	9.41	7.41	8.55	8.0
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	18.9
" " " other lengths	24.73 [1]	....	....	....	24.73 [1]	24.7
" " No. 2, all lengths	10.24	....	....	....	10.24	11.9
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	22.53	....	....	....	22.53	23.3
" " " other lengths	22.84	21.17	40.46	26.46 [1]	22.41	24.6
" " No. 2, all lengths	13.77	13.91	15.89	14.17	14.19	14.4
" " No. 3, "	8.56	7.87	10.07	9.00	9.17	9.0
1x6, C. M., No. 1, 16 ft.	24.24	....	....	....	24.24	22.7
" " " other lengths	22.24	21.17	....	19.03	21.20	22.6
" " No. 2, all lengths	13.95	14.52	....	16.30	14.16	14.4
" " No. 3, "	8.67	8.39	....	9.00 [1]	8.52	9.3
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	22.56	22.09	21.36	21.46 [1]	21.96	21.5
" " " 12 ft.	20.72	21.47	20.29	18.00	20.78	21.0
" " " 14 ft.	20.93	21.06	19.36	20.50 [1]	20.46	21.0
" " " 16 ft.	21.54	22.77	20.72	24.60	21.68	22.8
" " " 18 ft.	24.63	24.61	22.90	20.63 [1]	23.83	24.2
" " " 20 ft.	24.30	23.75	22.90	20.63 [1]	23.87	24.8
" " " 22 ft.	25.00	23.86	28.10 [1]	....	23.90	26.7
" " " 24 ft.	26.37	26.73	28.10 [1]	....	26.65	26.1
2x 6, No. 1, S 1 S 1 E, 10 ft.	18.50	17.79	17.51	....	17.89	18.5
" " " 12 ft.	17.45	18.12	17.01	15.80 [1]	17.34	17.8
" " " 14 ft.	17.70	17.89	17.01	22.00 [3]	17.77	18.1
" " " 16 ft.	18.69	17.23	18.38	17.00	17.87	18.8
" " " 18 ft.	20.62	19.45	18.56	20.30 [1]	19.49	19.2
" " " 20 ft.	19.45	20.10	18.56	20.30 [1]	19.91	20.0
" " " 22 ft.	21.56	21.19	21.84	....	21.42	22.7
" " " 24 ft.	20.79	22.39	21.84	....	21.59	22.4
2x 8, No. 1, S 1 S 1 E, 10 ft.	21.64	21.56	19.62	....	20.53	21.6
" " " 12 ft.	18.81	20.68	19.58	19.00 [1]	19.45	20.2
" " " 14 ft.	18.64	20.43	19.38	17.25 [1]	19.32	19.7
" " " 16 ft.	20.71	21.28	19.47	18.00	20.72	21.5
" " " 18 ft.	22.70	23.32	20.58	23.00 [1]	21.88	22.9
" " " 20 ft.	22.63	22.84	20.58	23.75 [1]	22.80	23.5
" " " 22 ft.	24.69	22.65	22.71	21.50 [2]	23.05	23.2
" " " 24 ft.	24.59	23.02	22.71	....	23.48	23.0
2x10, No. 1, S 1 S 1 E, 10 ft.	22.39	20.56	21.25	....	21.06	22.0
" " " 12 ft.	21.43	20.51	21.69	17.00 [2]	21.10	21.1
" " " 14 ft.	21.49	20.84	21.69	24.10	21.31	21.3
" " " 16 ft.	22.45	22.06	18.63	24.10	21.22	22.4
" " " 18 ft.	22.97	22.87	21.78	24.56 [1]	22.65	23.3
" " " 20 ft.	22.95	22.77	21.78	22.00 [1]	22.82	23.3
" " " 22 ft.	23.72	25.00	23.47	18.50	23.36	25.4
" " " 24 ft.	25.12	26.30	23.47	....	26.01	25.9
2x12, No. 1, S 1 S 1 E, 10 ft.	24.41	23.25	21.00	....	23.51	24.8
" " " 12 ft.	23.78	23.92	20.49	21.32 [1]	22.79	23.1
" " " 14 ft.	23.43	23.35	20.49	21.32 [1]	23.37	24.3
" " " 16 ft.	23.31	23.37	23.23	24.10	23.34	24.5
" " " 18 ft.	25.33	24.30	23.34	24.60	24.14	25.2
" " " 20 ft.	25.15	24.05	23.34	23.79 [1]	24.21	25.6
" " " 22 ft.	24.52	27.65	25.99	....	26.17	29.3
" " " 24 ft.	28.66	27.32	25.99	....	27.60	27.8
2x 4, No. 2, S 1 S 1 E, 10 ft.	20.38	17.89	20.29	17.97	18.81	18.7
" " " 12 ft.	17.16	16.97	18.20	....	17.15	17.9
" " " 14 ft.	18.44	16.06	17.73	....	16.57	17.3
" " " 16 ft.	18.61	18.44	19.79	17.51	18.58	18.4
" " " 18 ft.	20.76	20.81	20.44	19.78	20.58	20.5
" " " 20 ft.	21.08	20.26	20.44	19.78	20.60	19.9
" " " 22 ft.	....	19.75	....	....	19.75	22.9
" " " 24 ft.	25.50 [3]	19.75	....	....	19.75	22.9
2x 6, No. 2, S 1 S 1 E, 10 ft.	13.61	14.25	14.50	15.25	14.44	15.2
" " " 12 ft.	13.54	14.58	15.13	15.25	14.60	18.6
" " " 14 ft.	13.96	14.70	15.13	14.00	14.43	14.2
" " " 16 ft.	14.65	15.65	15.15	15.00	15.30	15.1
" " " 18 ft.	18.74	15.53	15.87	18.00 [1]	17.05	16.2
" " " 20 ft.	14.99	15.81	15.87	17.59	15.78	15.9
" " " 22 ft.	....	16.84	18.63	....	17.16	18.4
" " " 24 ft.	19.50 [1]	16.84	18.63	....	17.16	19.5

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	18.04	17 81	16.94	16 11	16 66	17 81
“ “ “ 12 ft.	16.49	16.44	15 82	16 00	16 21	16 72
“ “ “ 14 ft.	14.85	16 30	17.48	17.75	15.77	16 43
“ “ “ 16 ft.	16.73	17.90	17.85	16.25	17.46	16 93
“ “ “ 18 ft.	19.91	19.93	17 85	18.50	18 39	18 38
“ “ “ 20 ft.	19.16	19.12	17.85	18.70	19.10	19 12
“ “ “ 22 ft.	24.50[2]	19 32	16 00	....	18.97	20 50
“ “ “ 24 ft.	16 50[3]	19 32	16 00	20 00	20 00	20 50
2x10, No. 2, S 1 S 1 E, 10 ft.	14.31	16 00	17.28	16 15	15 89	19 26
“ “ “ 12 ft.	15.49	16.27	17.95	20.18	17.31	14 99
“ “ “ 14 ft.	14.91	18.21	17 95	18 75[1]	16 06	17 87
“ “ “ 16 ft.	17.87	18 17	20 75	20.75[1]	18.41	17 52
“ “ “ 18 ft.	19.62	19 91	20.62	18 90	19.44	18 47
“ “ “ 20 ft.	19.70	18 55	20 62	18.70	20 17	18 04
“ “ “ 22 ft.	21.60[2]	21 00	....	....	21 00	20 85[1]
“ “ “ 24 ft.	....	21 00	....	....	21 00	20.50[1]
2x12, No. 2, S 1 S 1 E, 10 ft.	15.75	13.75	18 54[1]	....	13.91	18 54
“ “ “ 12 ft.	17.30	14.39	18.66	....	17.44	17 61
“ “ “ 14 ft.	18.85	14.77	18.68	21.75	21.64	18 51
“ “ “ 16 ft.	18.92	18.60	19.93	21.54	19 31	19 41
“ “ “ 18 ft.	20.69	18 82	21.02	18.75	20.44	20 01
“ “ “ 20 ft.	22.12	19.61	21.02	18.75	20 76	19 03
“ “ “ 22 ft.	25.57[3]	22 85	22 64[3]	....	22 85	22 73
“ “ “ 24 ft.	....	22 85	22.64[3]	....	22 85	22 73
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3 S 1 S 1 E. all lengths	7.75	9.14	7.69	9.50	8.03	7 42
PATENT LATH						
4 and 6 ft.	9 92	9.82	....	....	9.89	9 78
8 and 10 ft.	11.27	11.22	....	....	11.25	10 58
12 ft. and longer	12.46	11.04	....	....	12.09	11 46
PLASTERING LATH						
⅜x1½–4, No. 1	3 30	3.67	4.21	3 28	3.77	3 94
“ No. 2	1.79	1.96	2.07	1.40[1]	2 03	1.82
⅜x1½–3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½–4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½–3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	18.05	19 21	20 47	....	19 03	18 68
“ “ 22-24 ft.	19.10	19 33	24 01	....	21 31	21 43
“ “ 26 ft.	18 53	23 00[2]	22 50	....	20 24	23 40
“ “ 28 ft.	21 56[1]	22 50[2]	22 50	....	22 50	21 56
“ “ 30 ft.	22 50	23 43[1]	28 00	....	26 17	22 53
“ “ over 30 ft.	30 91	24 38[1]	28 00	....	30 91	24 04
4x4 to 8x8, Heart (85%+), up to 20 ft.	23 29	22 44	....	....	22 82	23 26
“ “ “ 22-24 ft.	23 42	23 00	....	....	23 10	23 42
“ “ “ 26 ft.	27 62	....	....	....	27 62	....
“ “ “ 28 ft.	25 75[1]	25 00	....	....	25 00	25 75
“ “ “ 30 ft.	....	....	....	....	....	28 80[3]
“ “ “ over 30 ft.	....	28 75	....	....	28 75	28 75
3 & 4x10, No. 1, up to 20 ft.	20.81	18 44	....	....	19 82	20 59
“ “ 22-24 ft.	22 00	21 00	....	....	21 71	22 43
“ “ 26 ft.	23 28[1]	25 00[1]	....	....	23 34[1]	23 34
“ “ 28 ft.	22 74[1]	....	....	....	22 74[1]	22 74
“ “ 30 ft.	24 50	....	....	....	24 50	....
“ “ over 30 ft.	24 75[2]	....	....	....	24 75[2]	24 75[1]
3 & 4x10, Heart (85%+), up to 20 ft.	24 14[1]	33 12	....	....	33 12	24 95
“ “ “ 22-24 ft.	27 50[1]	23 08	....	....	23 08	26 73
“ “ “ 26 ft.	23 00[1]	35 00	....	....	35 00	23 47
“ “ “ 28 ft.	25 00[2]	26 00	....	....	26 00	25 00[1]
“ “ “ 30 ft.	30 00[3]	26 00[3]	....	....	28 06[3]	28 06[2]
“ “ “ over 30 ft.	28 28	....	....	....	28 28	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
6x10, to 10x10, No. 1, up to 20 ft.	19.03	22.25	22.14	....	20.45	21.96
“ “ 22-24 ft.	20.23	20.78	18.10	....	20.29	22.38
“ “ 26 ft.	20.50	25.00[2]	24.98	....	24.71	23.66
“ “ 28 ft.	21.50	....	24.98	....	21.50	21.65
“ “ 30 ft.	24.25	....	25.50[1]	....	24.25	25.50
“ “ over 30 ft.	24.49[1]	....	26.75[1]	....	26.72[1]	26.72
6x10 to 10x10, Heart (85%+), up to 20 ft.	24.64	24.00	....	....	24.17	24.73
“ “ “ 22-24 ft.	26.64	25.14	....	....	25.69	28.25[1]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	27.00	....	....	....	27.00	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	37.00[3]
3 & 4x12, No 1, up to 20 ft.	22.20	22.38	....	....	22.34	22.26
“ “ 22 24 ft.	24.19	23.75	....	....	24.13	23.51
“ “ 26 ft.	22.25[1]	27.00	....	....	27.00	24.70
“ “ 28 ft.	22.00[3]	....	....	....	22.00[3]	22.00[2]
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	24.75[2]	....	....	....	24.75[2]	24.75[1]
3 & 4x12, Heart (85%+), up to 20 ft.	27.95	26.69	....	....	27.02	29.29
“ “ “ 22-24 ft.	33.03[1]	25.00	....	....	25.00	32.45
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	29.74[1]	....	....	....	29.74[1]	29.74
“ “ “ over 30 ft.	24.75[1]	....	....	....	24.75[1]	24.75
6x12 to 12x12, No. 1, up to 20 ft.	21.77	22.28	23.48	....	22.42	20.84
“ “ 22-24 ft.	25.04	22.50	23.84	....	23.96	24.36
“ “ 26 ft.	22.62	23.00[1]	25.38	....	25.06	25.02
“ “ 28 ft.	24.50	26.00	25.38	....	24.72	26.00
“ “ 30 ft.	22.44[1]	27.00[2]	27.77	....	27.77	22.44
“ “ over 30 ft.	27.56	27.50	27.77	....	27.58	35.00
6x12 to 12x12, Heart (85%+), up to 20 ft.	27.51	25.92	....	....	26.40	24.42
“ “ “ 22-24 ft.	27.94	27.20	....	....	27.52	31.41[1]
“ “ “ 26 ft.	29.25	....	....	....	29.25	26.25[2]
“ “ “ 28 ft.	27.25[3]	....	....	....	27.25[3]	27.25[2]
“ “ “ 30 ft.	28.25[3]	....	....	....	28.25[3]	28.25[2]
“ “ “ over 30 ft.	....	45.00[3]	....	....	45.00[3]	45.00[2]
2x14 to 4x14, No. 1, up to 20 ft.	31.50[1]	27.00	....	....	27.00	29.26
“ “ 22-24 ft.	28.73	29.43	....	....	28.95	32.22
“ “ 26 ft.	25.00[1]	31.13	....	....	31.13	25.00
“ “ 28 ft.	....	32.00	....	....	32.00	....
“ “ 30 ft.	27.31[1]	36.50[3]	....	....	27.31[1]	27.31
“ “ over 30 ft.	....	....	....	....	....	36.00[3]
2x14 to 4x14, Heart (85%+), up to 20 ft.	30.68	26.00	....	....	29.86	29.00[1]
“ “ “ 22-24 ft.	....	....	....	....	....	44.74[3]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	29.00	27.62	29.06	....	28.95	26.87
“ “ 22-24 ft.	32.00	30.50[3]	27.29[1]	....	32.00	27.29
“ “ 26 ft.	25.72[3]	....	42.00[3]	....	30.70[3]	30.70[2]
“ “ 28 ft.	23.09[1]	....	42.00[3]	....	23.09[1]	23.09
“ “ 30 ft.	....	30.00	....	....	30.00	23.00[3]
“ “ over 30 ft.	34.58	31.00	....	....	34.08	26.70[1]
6x14 to 14x14, Heart (85%+), up to 20 ft.	29.28	28.34	....	....	28.65	27.71[1]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	40.00	30.00	....	....	37.37	34.50
“ “ 22-24 ft.	40.50[1]	....	....	....	40.50[1]	40.50
“ “ 26 ft.	....	....	....	....	....	36.71[3]
“ “ 28 ft.	....	33.00	....	....	33.00	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	40.00[3]	....	....	40.00[3]	40.00[2]
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
6x16 & Up, No. 1, up to 20 ft.	26.26	....	33.52	....	28.85	34.22
" " 22-24 ft.	24.50	....	37.50	....	31.00	30.09
" " 26 ft.	33.00[2]	....	39.50	....	39.50	32.93
" " 28 ft.	29.00[1]	....	39.50	....	39.50	29.00
" " 30 ft.	28.73[1]	....	....	....	28.73[1]	28.73
" " over 30 ft.	32.00	....	....	....	32.00	36.38
6x16 & Up, Heart (85%+), up to 20 ft.	39.02	....	....	....	39.02	40.54[1]
" " " 22-24 ft.	37.62	....	....	....	37.62	....
" " " 26 ft.	70.00	....	....	....	70.00	....
" " " 28 ft.	36.75[1]	....	....	....	36.75[1]	36.75
" " " 30 ft.	36.50[1]	....	....	....	36.50[1]	36.50
" " " over 30 ft.	35.89	....	....	....	35.89	37.76
STRINGERS						
15 inch, Sq. E. up to 20 ft.	34.00[1]	....	....	....	34.00[1]	34.00
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	37.00[1]	....	....	....	37.00[1]	37.00
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	30.39[1]	....	....	....	30.39[1]	30.39
" " 22-24 ft.	33.84[1]	34.00[1]	....	....	33.85[1]	33.85
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	34.86[1]	35.00[1]	....	....	34.90[1]	34.90
" " 30 ft.	38.54[1]	36.00[1]	....	....	36.57[1]	36.57
" " 32 ft.	....	....	....	....	....	44.00[3]
16 inch, Heart (85%+), up to 20 ft.	36.00[3]	32.00	....	....	32.00	32.50
" " " 22-24 ft.	35.00[2]	34.00	32.00[1]	....	34.00	32.80
" " " 26 ft.	35.00[3]	....	32.00	....	32.00	35.00[3]
" " " 28 ft.	36.00	35.08	32.00	....	35.08	41.85
" " " 80 ft.	37.00[1]	36.00	....	....	36.00	37.00
" " " 32 ft.	....	37.00	....	....	37.00	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	35.00[1]	....	28.03	....	28.03	29.33[1]
" " " 36 ft.	24.50	27.67[2]	28.03	28.50	26.57	27.04[1]
" " " 37-38 ft.	....	....	31.88	24.80[2]	31.88	26.11[1]
" " " 40 ft.	28.47	27.36[2]	....	....	28.47	33.70
" " " 41-42 ft.	28.47	40.00[3]	....	....	28.47	46.50[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	29.00[1]	....	....	....	29.00[1]	29.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	31.44[1]	....	....	....	31.44[1]	31.44
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	27.00[3]	....	27.00[3]	27.00[2]
" " " 36 ft.	24.84	25.00[2]	27.00[3]	22.50	23.62	25.00[1]
" " " 37-38 ft.	....	....	28.00[3]	....	28.00[3]	28.00[2]
" " " 40 ft.	28.00	27.00[2]	....	....	28.00	27.00[1]
" " " 41-42 ft.	28.00	....	....	....	28.00	27.00[2]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	29.00[1]	....	....	....	29.00[1]	29.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	31.00[1]	....	....	....	31.00[1]	31.00
" " " " 41-42 ft.	37.50[1]	....	....	....	37.50[1]	37.50
Up to 12 inch, Sq. E., 34 ft.	21.50[2]	29.00[2]	32.00	....	32.00	31.20[1]
" " " 36 ft.	27.50	30.32[3]	32.00	....	27.50	32.00[1]
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	31.50	....	....	....	31.50	31.50[2]
" " " 41-42 ft.	31.50	....	....	....	31.50	31.50[2]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	33.50[3]	....	....	....	33.50[3]	33.50[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Up to 14 inch, Sq. E., 34 ft.	24.50[2]	....	....	....	24.50[2]	24.50[1]
" " " 36 ft.	....	....	....	40.00[2]	40.00[2]	40.00[1]
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	34.50	....	....	45.00[1]	34.50	45.00
" " " 41-42 ft.	34.50	....	....	....	34.50	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	28.00[3]	27.00[3]	....	....	27.25[3]	27.25[2]
" " 14 ft.	....	25.00[2]	....	....	25.00[2]	25.00[1]
" " 16 ft.	....	27.00[3]	....	....	27.00[3]	27.00[2]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	29.00[2]	....	....	....	29.00[2]	29.00[1]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	28.00[1]	27.64	....	....	27.64	28.00
" " 16 ft.	31.00	....	....	....	31.00	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	28.00	....	....	28.00	....
" " " 16 ft.	....	29.00[1]	....	....	29.00[1]	29.00
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	18.62	....	....	....	18.62	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	34.63	21.00	....	....	34.50	32.74
" " Heart, (85%+), 6x8–8.	27.92	....	....	....	27.92	21.20
" " Sq. E., " 7x9–8.	34.56[2]	23.00	....	....	23.00	23.00
" " Heart, " 7x9–8.	22.06[2]	....	....	....	22.06[2]	22.06[1]
Bridge Ties, Sq. E., 7x9 & up.	....	23.00[1]	....	....	23.00[1]	23.00
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S.	....	....	16.50[2]	16.00[3]	16.50[2]	16.50[1]
" " Rough.	....	....	....	....	....	....
Battleship Decking, Edge Grain.	....	....	....	....	....	....
Ship " Flat Grain.	59.06	....	....	....	59.06	....
Miscellaneous.	17.96	26.18	24.77	45.06	28.50	25.90
MISCELLANEOUS STOCK						
Silo Stock.	....	....	....	....	....	....
Grain Doors.	15.00[1]	24.25	....	....	24.25	15.00
Miscellaneous, B and B.	54.49	47.20	40.18	40.00	48.82	44.87
" No. 1.	27.34	26.81	28.12	27.96	27.34	26.72
" No. 2.	16.18	17.09	16.26	17.22	16.52	16.83
" No. 3.	11.06	9.37	10.60	9.49	10.20	9.39
Shorts, B and B.	26.99	22.85	....	....	24.08	26.56
" No. 1.	10.52	15.51	....	....	11.39	9.77
" No. 2.	....	10.09	....	....	10.09	13.78
" No. 3.	....	8.79	....	....	8.79	9.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

July 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending July 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued July 20, 1921

No. 135

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	61.91	....	....	....	61.91	62.20
" " C "	34.04	....	....	....	34.04	32.47
" " D "	33.00	....	....	....	33.00	36.19
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	35.82	....	....	....	35.82	35.59
" " C "	....	....	....	....	....	....
" " D "	26.64[1]	....	....	....	26.64[1]	26.64
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	15.66[1]	....	....	....	15.66[1]	15.66
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	80.00[2]	80.00[2]	80.00[1]
Edge Grain, A "	63.00[1]	....	70.50[1]	70.80	70.80	70.17
" " B "	....	66.42	61.85	60.00	62.20	62.27
" " B and Better "	62.13	63.10	....	60.24	61.64	62.45
" " C "	....	43.64[1]	47.86	42.17	45.93	48.59
" " D "	....	....	....	....	....	....
" " No. 2 "	14.50[1]	21.00[1]	21.44	20.42	21.23	18.09
Flat " A "	....	....	....	....	....	....
" " B "	....	36.00[3]	....	....	36.00[3]	36.00[2]
" " B and Better "	40.06	36.92	43.81	41.00	41.15	42.24
" " C "	....	....	....	....	....	....
" " D "	28.20	....	....	....	28.20	33.00[1]
No. 1 Common "	....	30.11[1]	34.60	35.30	34.76	31.67
No. 2 " "	15.20	15.52[1]	18.02	17.20	17.16	16.14
No. 3 " "	....	....	8.00	8.31	8.19	7.50
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A "	62.25	....	63.46[1]	62.00[1]	62.25	63.03
" " B "	....	52.24	56.70	....	54.68	55.21
" " B and Better "	46.70	49.27	....	65.00[1]	47.76	49.42
" " C "	28.38	42.50	49.50	....	37.00	40.18
" " D "	30.03	....	....	....	30.03	29.93
" " No. 2 "	....	....	22.50[1]	19.50[3]	22.50[1]	22.50
Flat " A "	....	....	....	....	....	....
" " B "	30.78[3]	30.26	....	....	30.26	31.67
" " B and Better "	30.55	31.13	33.03	34.09	31.20	31.49
" " C "	25.25[1]	27.00	....	....	27.00	26.15
" " D "	24.61	25.00	....	....	24.61	25.13
No. 1 Common "	....	25.91	27.85	29.58	27.50	27.82
No. 2 " "	15.30	15.15	15.36	15.02	15.21	15.74
No. 3 " "	....	....	7.06	7.58	7.29	8.03
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	27.97	31.43	29.35	32.70	29.53	29.83
" " No. 1 Common	25.20	23.42	27.00	28.00	24.54	26.44
" " No. 2 "	11.19[2]	16.00	13.77	17.00[2]	14.30	13.57
" " No. 3 "	....	....	5.50	....	5.50	7.00
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.73	29.40	30.12	28.50[1]	29.06	28.78
" " No. 1 Common	24.43	23.83	27.40	28.00[1]	25.07	25.11
" " No. 2 "	12.41	12.69	15.50	15.00	12.84	13.92
" " No. 3 "	....	....	8.00	6.50[1]	8.00	6.50
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.20	32.00	34.50	....	34.82	31.61
" " No. 1 Common	25.00[1]	28.92[2]	28.82	....	28.82	27.13
" " No. 2 "	14.00[1]	13.00[3]	16.04[1]	13.00[3]	15.77[1]	15.77
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.35	34.76	37.11	38.68	35.96	34.09
" " No. 1 Common	27.46	27.25	31.31	28.00[1]	28.80	26.97
" " No. 2 "	19.34	23.00	18.00	....	18.81	16.20
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	36.44	44.00	37.11	....	37.25	35.31
" " No. 1 Common	33.14[2]	35.50	31.31	30.00[2]	35.50	29.67
" " No. 2 "	15.92	18.00	18.00	....	17.24	18.21
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	29.10	28.08	25.51[1]	....	28.75	25.66
" No. 1 Common	21.75[2]	15.20	25.09[1]	....	15.20	24.01
" No. 2 "	11.75	14.50[2]	10.08	14.50	11.40	12.89

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.04	29.86	30.52	34.32	30.07	29.82
" " No. 1 Common	24.53	24.93	26.85	30.62	25.51	25.12
" " No. 2 "	16.55	16.09	16.98	17.15	16.68	16.56
" " No. 3 "	....	....	11.25	8.00[1]	11.25	9.31
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	38.33	37.89	39.19	36.67	38.22	38.43
1x 6 inch, "	38.70	39.85	39.02	39.67	39.18	39.52
1x 8 inch, "	39.58	40.41	38.97	42.20	39.89	39.40
1x 5 and 10 inch, "	43.98	42.75	41.87	44.33	43.22	43.08
1x12 inch, "	43.29	44.55	46.82	44.00	44.30	43.74
1¼x4 to 12 inch, "	53.10	47.33	51.45	50.70	50.01	50.86
1½ and 2x4 to 12 inch, "	48.76	50.92	50.22	56.00[2]	50.03	50.47
1⅝ inch, "	35.43	53.50	....	....	45.50	40.77
1x 6 to 12 inch, "	....	....	....	36.50[2]	36.50[2]	36.50[1]
1x 4 inch, C	32.94	35.33	31.50	....	32.66	32.39
1x 6 inch, "	29.88	34.71	33.00	....	31.47	32.92
1x 8 inch, "	33.27	32.16	32.00	....	32.40	33.96
1x 5 and 10 inch, "	35.44	34.72	34.00	....	34.91	36.16
1x12 inch, "	38.25	41.95	38.66	....	40.15	35.96
1¼x4 to 12 inch, "	44.63	29.00	43.00[1]	....	38.04	45.00
1½ and 2x4 to 12 inch, "	....	50.00[3]	....	....	50.00[3]	50.00[2]
1⅝ inch, "	....	43.50[1]	....	....	43.50[1]	43.50
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	44.00[2]	....	35.50[1]	....	35.50[1]	35.50
1x 6 inch, " "	40.30[2]	33.00	32.20	35.00	34.48	33.10
1x 8 inch, " "	37.00[1]	36.32	33.49	33.00	33.71	37.19
1x 5 and 10 inch, " "	37.00[1]	38.80	37.30	....	37.98	40.94
1x12 inch, " "	45.50[2]	40.00	36.78	....	38.16	42.83
1¼x4 to 12 inch, " "	55.79[1]	40.89	48.41	41.00[1]	43.16	43.60
1½ and 2x4 to 12 inch, " "	47.25	53.00	47.38	45.00[2]	47.60	47.52
1⅝ inch, " "	....	43.90	....	....	43.90	44.00
1x 6 to 12 inch, " "	....	....	....	35.78	35.78	34.00[1]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	44.89	48.59	51.49	50.00	47.17	47.57
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	44.79	47.52	48.61	50.00[1]	45.97	48.26
MOULDINGS (% Discount)						
1⅜ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	55.20	62.00	55.00	....	57.10	57.92
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	20.00	29.50[3]	27.75	....	22.15	27.26[2]
" " " " " 8 ft.	20.00	....	24.25	....	20.39	20.17
" " " " " 12 and 14 ft.	....	....	....	....	....	....
" " " " " 16 ft.	....	....	....	....	....	32.00[3]
" " " " " 9 or 18 ft.	30.00	31.41	30.00	....	30.50	29.66
" " " " " 10 or 20 ft.	27.00	39.00[2]	26.67	....	26.96	36.03[1]

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.........	18.00[1]	19.51	18.00[2]	....	19.51	18.57
" " " " " 8 ft.........	18.00	18.83	....	....	18.66	18.58
" " " " " 12 and 14 ft...	26.25	21.92	....	....	21.99	25.00[1]
" " " " " 16 ft.........	26.25	22.00	....	....	22.23	25.00
" " " " " 9 or 18 ft....	26.00	23.00	35.00[2]	....	24.36	22.75
" " " " " 10 or 20 ft....	22.41	21.70	....	....	21.73	22.42
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.........	21.00	19.51	18.00[2]	....	21.00	18.50
" " " " " 8 ft.........	16.75[2]	18.83	....	....	18.83	18.58
" " " " " 12 and 14 ft...	24.24[2]	21.92	....	24.00[3]	21.92	24.24[1]
" " " " " 16 ft.........	21.75	22.00	....	24.00[3]	21.75	25.00
" " " " " 9 or 18 ft....	....	23.00	35.00[2]	....	23.00	22.75
" " " " " 10 or 20 ft....	24.50	21.70	....	....	24.50	25.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	8.96	12.26[3]	....	....	8.96	11.28
" " " " " 10 to 20 ft.	11.87	11.03	....	....	11.43	12.84
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	24.00[2]	....	....	....	24.00[2]	24.00[1]
" " " " 1¾ inch, 10 & 20 ft.	24.00[2]	....	....	....	24.00[2]	24.00[1]
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00[1]	....	....	24.00[1]	24.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00	....	....	24.00	24.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	20.75[3]
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	20.75[3]
" " " 1¾ inch, 9 & 18 ft.	24.00[1]	....	....	....	24.00[1]	24.00
" " " 1¾ inch, 10 & 20 ft	23.75[2]	....	....	....	23.75[2]	23.75[1]
" " " 2 to 3 inch, 9 & 18 ft.	....	22.97	19.95[1]	21.50	22.97	22.39
" " " 2 to 3 inch 10 & 20 ft.	....	22.82	19.95[1]	....	22.82	24.31
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	24.00	....	....	....	24.00	....
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft....	23.24	....	....	....	23.24	21.11
" " " " other lengths....	22.41	21.95	28.85	32.06	23.97	22.98
" " 1x10, " 14 and 16 ft....	19.57	....	....	....	19.57	23.77
" " " " other lengths....	22.00	23.05	29.94	32.90	23.62	23.63
" " 1x12, " 14 and 16 ft....	32.97	....	35.80	....	34.59	32.94
" " " " other lengths....	29.97	30.21	31.39	28.51	30.14	30.30
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths......	15.08	15.75	15.94	16.70	15.55	15.56
" " 1x10, " "	15.31	15.57	16.37	16.47	15.85	15.78
" " 1x12, " "	16.16	16.45	16.57	16.04	16.38	17.14
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.....	8.79	9.85	11.13	11.68	9.91	9.95
" " 1x10, " "	9.14	9.41	10.67	12.50	9.81	9.87
" " 1x12, " "	9.20	9.24	10.88	12.50[2]	9.52	9.94
Shiplap, 1 x 8, No. 1, 14 and 16 ft.................	22.24	....	....	....	22.24	22.23
" " " other lengths.................	21.96	22.60	22.00	25.00[1]	23.05	22.14
" 1x10, " 14 and 16 ft.................	25.25[1]	....	....	....	25.75[1]	25.75
" " " other lengths.................	22.60	22.40	22.00	....	22.49	22.01
" 1x12, " 14 and 16 ft.................	....	....	....	....	....	....
" " " other lengths.................	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths....................	15.52	15.60	15.77	15.92	15.69	16.22
" 1x10, " "	14.86	15.91	15.50	15.98	15.43	16.00
" 1x12, " "	15.80	....	....	....	15.80	....
Shiplap, 1x 8, No. 3, all lengths....................	9.80	10.45	9.37	10.00	9.90	10.08
" 1x10, " "	8.97	10.13	10.23	10.00	9.73	10.14
" 1x12, " "	9.00	10.00	....	....	9.62	9.79
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.........	23.74	...	....	...	23.74	24.41[1]
" " " " other lengths.........	23.00	25.67[1]	....	....	23.00	25.67
" " 1x12, " 14 and 16 ft.........	....	....	....	....	....	....
" " " " other lengths.........	...	....	....	....	....	....
All No. 4—all widths and lengths....................	4.50[1]	....	5.08[2]	....	4.50[1]	4.50

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
1x4, S 1 S, No. 1, 16 ft.	21.81	....	....	....	21.81	21.76
" " " other lengths	23.12	19.19	28.03	26.00	20.96	20.85
" " No. 2, all lengths	10.07	9.49	15.65	10.08	9.87	10.89
" " No. 3, "	6.35	5.95	9.41[1]	7.71	6.20	8.55
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	19.50	....	....	....	19.50	24.73[1]
" " No. 2, all lengths	9.51	....	....	....	9.51	10.24
" " No. 3, "	....	....	....	....	....	....
1x6, S 1 S, No. 1, 16 ft.	23.95	....	....	....	23.95	22.53
" " " other lengths	22.45	22.30	29.48	31.50	23.11	22.41
" " No. 2, all lengths	13.38	13.56	14.60	14.33	13.58	14.19
" " No. 3, "	7.96	7.74	9.32	10.72	8.32	9.17
1x6, C. M., No. 1, 16 ft.	18.62	....	....	....	18.62	24.24
" " " other lengths	22.34	24.96	....	20.00	22.54	21.20
" " No. 2, all lengths	12.89	14.00	17.47	17.09	13.94	14.16
" " No. 3, "	8.47	6.80	11.25	9.00[2]	8.48	8.52
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.10	20.93	22.15	21.46[2]	21.03	21.96
" " " 12 ft.	21.02	20.51	20.00	19.50	20.64	20.78
" " " 14 ft.	20.86	20.87	19.70	20.50[2]	20.63	20.46
" " " 16 ft.	21.50	21.80	21.81	24.50	21.66	21.68
" " " 18 ft.	23.47	23.17	20.85	20.63[2]	22.54	23.83
" " " 20 ft.	23.19	23.18	20.85	20.63[2]	23.19	23.87
" " " 22 ft.	24.15	24.15	24.00	....	24.09	23.90
" " " 24 ft.	24.87	24.10	24.00	....	24.38	26.65
2x 6, No. 1, S 1 S 1 E, 10 ft.	19.69	17.32	17.60	....	18.20	17.89
" " " 12 ft.	17.62	17.04	16.81	15.80[2]	17.16	17.34
" " " 14 ft.	17.71	16.83	16.81	....	17.18	17.77
" " " 16 ft.	18.32	18.41	17.68	17.00[1]	18.27	17.87
" " " 18 ft.	18.60	19.16	17.99	20.30[2]	18.60	19.49
" " " 20 ft.	18.85	18.90	17.99	20.30[2]	18.87	19.91
" " " 22 ft.	20.96	21.02	20.64	....	20.91	21.42
" " " 24 ft.	20.94	21.77	20.64	....	21.39	21.59
2x 8, No. 1, S 1 S 1 E, 10 ft.	21.20	20.88	19.95	....	20.82	20.53
" " " 12 ft.	18.49	20.65	19.59	19.00[2]	19.38	19.45
" " " 14 ft.	18.75	20.12	20.39	17.25[2]	19.34	19.32
" " " 16 ft.	20.90	19.89	21.73	18.00[1]	20.35	20.72
" " " 18 ft.	21.40	23.19	20.29	23.00[2]	21.55	21.88
" " " 20 ft.	22.50	22.46	20.29	23.75[2]	22.49	22.80
" " " 22 ft.	22.93	22.43	22.09	21.50[3]	22.40	23.05
" " " 24 ft.	24.30	24.05	22.09	....	24.12	23.48
2x10, No. 1, S 1 S 1 E, 10 ft.	19.83	20.77	19.89	....	20.14	21.06
" " " 12 ft.	20.07	20.53	20.23	17.00[3]	20.23	21.10
" " " 14 ft.	18.96	20.98	20.23	24.10[1]	20.08	21.31
" " " 16 ft.	21.60	22.52	21.15	24.10[1]	21.98	21.22
" " " 18 ft.	22.45	22.48	20.97	24.56[2]	21.94	22.65
" " " 20 ft.	23.71	22.09	20.97	22.00[2]	22.67	22.82
" " " 22 ft.	24.93	24.21	23.19	18.50[1]	24.12	23.36
" " " 24 ft.	25.02	24.06	23.19	....	24.39	26.01
2x12, No. 1, S 1 S 1 E, 10 ft.	21.54	22.72	22.45	25.25	23.58	23.51
" " " 12 ft.	23.31	23.07	21.71	23.25	22.51	22.79
" " " 14 ft.	23.98	22.75	21.71	23.25	22.97	23.37
" " " 16 ft.	23.77	24.65	20.74	25.25	23.64	23.34
" " " 18 ft.	25.34	23.97	21.02	26.25	23.75	24.14
" " " 20 ft.	25.59	24.36	21.02	26.25	24.69	24.21
" " " 22 ft.	25.23	24.75	26.29	....	25.29	26.17
" " " 24 ft.	26.49	26.63	26.29	....	26.61	27.60
2x 4, No. 2, S 1 S 1 E, 10 ft.	18.55	16.42	18.75	18.12	17.77	18.81
" " " 12 ft.	17.71	15.92	17.59	18.75	16.68	17.15
" " " 14 ft.	16.60	16.28	16.68	18.75	16.47	16.57
" " " 16 ft.	18.47	17.59	18.89	17.51[1]	18.01	18.58
" " " 18 ft.	20.70	19.58	20.71	19.67	20.05	20.58
" " " 20 ft.	20.81	20.75	20.71	20.00	20.77	20.60
" " " 22 ft.	24.16	19.19	....	....	20.06	19.75
" " " 24 ft.	24.25	19.19	....	....	24.25	19.75
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.18	13.10	15.96	15.55	14.97	14.44
" " " 12 ft.	14.18	13.29	14.83	15.25[1]	14.14	14.60
" " " 14 ft.	14.40	13.68	14.83	15.75	13.94	14.43
" " " 16 ft.	15.72	13.30	15.74	15.39	14.38	15.30
" " " 18 ft.	15.00	13.24	15.02	18.76	15.38	17.05
" " " 20 ft.	16.27	14.74	15.02	18.76	15.32	15.78
" " " 22 ft.	21.56	17.22	20.17	23.50	19.08	17.16
" " " 24 ft.	23.75	17.22	20.17	23.50	23.75	17.16

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
2x 8, No. 2, S 1 S 1 E, 10 ft.	16.60	15.33	15.92	16.11[1]	16.24	16.66
" " " 12 ft.	16.51	16.36	16.20	17.14	16.58	16.21
" " " 14 ft.	16.42	17.32	14.73	16.75	16.36	15.77
" " " 16 ft.	17.44	17.19	16.08	17.16	17.09	17.46
" " " 18 ft.	18.75	20.45	17.99	18.50[1]	18.96	18.39
" " " 20 ft.	19.91	21.36	17.99	18.70[1]	20.56	19.10
" " " 22 ft.	22.08	20.12	16.00[1]	....	20.46	18.97
" " " 24 ft.	20.00	20.12	16.00[1]	20.00[1]	20.00	20.00
2x10, No. 2, S 1 S 1 E, 10 ft.	18.00	15.00	16.60	17.75	16.30	15.89
" " " 12 ft.	15.78	16.34	18.59	17.07	17.12	17.31
" " " 14 ft.	15.64	17.42	18.59	17.07	16.73	16.06
" " " 16 ft.	17.29	18.25	16.28	17.75	17.53	18.41
" " " 18 ft.	18.29	20.78	19.65	18.25	19.81	19.44
" " " 20 ft.	19.66	21.11	19.65	18.70[1]	20.93	20.17
" " " 22 ft.	21.60[3]	19.54	19.11	....	19.46	21.00
" " " 24 ft.	....	19.54	19.11	....	19.46	21.00
2x12, No. 2, S 1 S 1 E, 10 ft.	19.00	17.75	16.50	17.75	17.20	13.91
" " " 12 ft.	18.41	16.67	17.23	16.00	17.23	17.44
" " " 14 ft.	18.10	14.07	17.23	17.75	16.58	21.64
" " " 16 ft.	18.01	19.00	16.31	16.00	17.02	19.31
" " " 18 ft.	22.62	19.39	19.22	16.50	18.33	20.44
" " " 20 ft.	21.30	19.26	19.22	18.25	19.38	20.76
" " " 22 ft.	....	20.00	....	....	20.00	22.85
" " " 24 ft.	....	20.00	....	....	20.00	22.85
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E, all lengths	7.35	7.45	7.69[1]	9.50[1]	7.40	8.03
PATENT LATH						
4 and 6 ft.	9.91	10.54	10.50	....	10.24	9.89
8 and 10 ft.	10.93	11.25	10.50	....	10.99	11.25
12 ft. and longer	10.76	11.04[1]	10.50	....	10.76	12.09
PLASTERING LATH						
⅜x1½–4, No. 1	3.59	3.72	4.23	3.61	3.81	3.77
" No. 2	1.57	1.70	2.24	2.60	2.36	2.03
⅜x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	19.82	18.54	17.77	....	18.94	19.03
" " 22-24 ft.	20.36	17.48	19.43	....	19.19	21.31
" " 26 ft.	18.66	20.00	22.00	....	19.16	20.24
" " 28 ft.	19.75	22.50[3]	22.00	....	19.75	22.50
" " 30 ft.	19.95	21.50	25.00	....	20.90	26.17
" " over 30 ft.	21.94	20.81	25.00	....	21.48	30.91
4x4 to 8x8, Heart (85%+), up to 20 ft.	20.53	20.99	....	....	20.60	22.82
" " " 22-24 ft.	22.91	20.25	....	....	22.48	23.10
" " " 26 ft.	27.62[1]	....	....	....	27 62[1]	27.62
" " " 28 ft.	25.75[2]	25.00[1]	....	....	25.00[1]	25.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	27.00	37.78	....	....	33.73	28.75
3 & 4x10, No. 1, up to 20 ft.	20.32	19.77	....	....	20.21	19.82
" " 22-24 ft.	22.00[1]	19.69	....	....	19.69	21.71
" " 26 ft.	23.28[2]	20.25	....	....	20.25	23.34[1]
" " 28 ft.	22.74[2]	....	....	....	22.74[2]	22.74[1]
" " 30 ft.	24.50[1]	....	....	....	24.50[1]	24.50
" " over 30 ft.	24.75[3]	....	....	....	24.75[3]	24.75[2]
3 & 4x10, Heart (85%+), up to 20 ft.	21.46	26.31	....	....	22.79	33.12
" " " 22-24 ft.	27.50[2]	23.00	....	....	23.00	23.08
" " " 26 ft.	24.00	35 00[1]	....	....	24.00	35 00
" " " 28 ft.	25.00[3]	26.00[1]	....	....	26.00[1]	26.00
" " " 30 ft.	....	....	....	....	....	28.06[3]
" " " over 30 ft.	28.28[1]	....	....	....	28.28[1]	28.28

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
6x10, to 10x10, No. 1, up to 20 ft.	20.14	18.91	21.11	....	20.53	20.45
" " 22-24 ft.	21.25	21.75	21.75	....	21.73	20.29
" " 26 ft.	20.50[1]	20.25	23.51	....	21.55	24.71
" " 28 ft.	21.50[1]	21.25	23.51	....	21.25	21.50
" " 30 ft.	24.25[1]	22.25	27.00	....	23.83	24.25
" " over 30 ft.	24.49[2]	....	27.00	....	27.00	26.72[1]
6x10 to 10x10, Heart (85%+), up to 20 ft.	21.96	22.75	....	....	22.09	24.17
" " " 22-24 ft.	26.64[1]	31.00	....	....	31.00	25.69
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	27.00[1]	....	....	....	27.00[1]	27.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	30.00	32.75	....	....	30.22	....
3 & 4x12, No 1, up to 20 ft.	23.53	22.27	....	....	22.46	22.34
" " 22 24 ft.	24.19[1]	21.00	....	....	21.00	24.13
" " 26 ft.	22.25[2]	27.00[1]	....	....	27.00[1]	27.00
" " 28 ft.	....	....	....	....	....	22.00[3]
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	24.75[3]	....	....	....	24.75[3]	24.75[2]
3 & 4x12, Heart (85%+), up to 20 ft.	26.28	23.76	....	....	24.14	27.02
" " " 22-24 ft.	33.03[2]	25.32	....	....	25.32	25.00
" " " 26 ft.	27.76	....	....	....	27.76	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	29.74[2]	....	....	....	29.74[2]	29.74[1]
" " " over 30 ft.	24.75[2]	38.00	....	....	38.00	24.75[1]
6x12 to 12x12, No. 1, up to 20 ft.	20.87	22.26	22.71	....	21.72	22.42
" " 22-24 ft.	21.00	23.50	23.54	....	23.00	23.96
" " 26 ft.	22.62[1]	23.00[2]	23.50	....	23.50	25.06
" " 28 ft.	24.50[1]	26.00[1]	23.50	....	23.50	24.72
" " 30 ft.	22.44[2]	27.00[3]	29.47	....	29.47	27.77
" " over 30 ft.	31.90	28.50	29.47	....	30.38	27.58
6x12 to 12x12, Heart (85%+), up to 20 ft.	24.60	24.47	....	....	24.49	26.40
" " " 22-24 ft.	27.94[1]	33.00	....	....	33.00	27.52
" " " 26 ft.	29.25[1]	....	....	....	29.25[1]	29.25
" " " 28 ft.	....	....	....	....	....	27.25[3]
" " " 30 ft.	....	....	....	....	....	28.25[3]
" " " over 30 ft.	27.72	38.25	....	....	29.61	45.00[3]
2x14 to 4x14, No. 1,up to 20 ft.	30.22	28.18	....	....	28.65	27.00
" " 22-24 ft.	32.28	27.04	....	....	28.10	28.95
" " 26 ft.	25.00[2]	29.17	....	....	29.17	31.13
" " 28 ft.	....	32.00[1]	....	....	32.00[1]	32.00
" " 30 ft.	27.31[2]	....	....	....	27.31[2]	27.31[1]
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%+), up to 20 ft.	30.68[1]	25.87	....	....	25.87	29.86
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	25.00	27.25	25.05	....	25.05	28.95
" " 22-24 ft.	32.00[1]	....	27.29[2]	....	32.00[1]	32.00
" " 26 ft.	....	....	....	....	....	30.70[3]
" " 28 ft.	23.09[2]	....	....	...	23.09[2]	23.09[1]
" " 30 ft.	....	30.00[1]	....	....	30.00[1]	30.00
" " over 30 ft.	37.75	31.00[1]	....	....	37.75	34.08
6x14 to 14x14, Heart (85%+), up to 20 ft.	22.75	30.40	....	....	28.35	28.65
" " " 22-24 ft.	....	32.00	....	....	32.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	33.00	....	....	....	33.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	36.21	....	....	....	36.21	....
2x16 to 4x16, No. 1, up to 20 ft.	40.00[1]	30.00[1]	....	....	37.37[1]	37.37
" " 22-24 ft.	40.50[2]	....	....	....	40.50[2]	40.50[1]
" " 26 ft.	....	40.00	....	....	40.00	....
" " 28 ft.	33.00[1]	....	....	....	33.00[1]	33.00
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	40.00[3]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
6x16 & Up, No. 1, up to 20 ft.	20.25	....	32.00	....	25.67	28.85
" " 22-24 ft.	24.50[1]	....	37.50[1]	....	31.00[1]	31.00
" " 26 ft.	33.00[3]	....	39.50[1]	....	39.50[1]	39.50
" " 28 ft.	31.50	....	39.50[1]	....	31.50	39.50
" " 30 ft.	28.73[2]	....	34.82	....	34.82	28.73[1]
" " over 30 ft.	32.00[1]	....	35.27	....	35.27	32.00
6x16 & Up, Heart (85%+), up to 20 ft.	39.02[1]	....	....	....	39.02[1]	39.02
" " " 22-24 ft.	37.62[1]	....	....	....	37.62[1]	37.62
" " " 26 ft.	70.00[1]	....	....	....	70.00[1]	70.00
" " " 28 ft.	36.75[2]	....	....	....	36.75[2]	36.75[1]
" " " 30 ft.	36.50[2]	....	....	....	36.50[2]	36.50[1]
" " " over 30 ft.	35.89[1]	....	....	....	35.89[1]	35.89
STRINGERS						
15 inch, Sq. E. up to 20 ft.	34.00[2]	....	....	....	34.00[2]	34.00[1]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	37.00[2]	....	....	....	37.00[2]	37.00[1]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	35.00	....	....	35.00	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	44.50	....	....	44.50	....
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	30.39[2]	....	....	....	30.39[2]	30.39[1]
" " 22-24 ft.	33.84[2]	34.00[2]	....	....	33.85[2]	33.85[1]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	34.86[2]	32.99	....	....	32.99	34.90[1]
" " 30 ft.	38.54[2]	36.00[2]	....	....	36.57[2]	36.57[1]
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	32.00[1]	....	....	32.00[1]	32.00
" " " 22-24 ft.	35.00	34.00[1]	32.00[2]	....	35.00	34.00
" " " 26 ft.	....	....	32.00[1]	....	32.00[1]	32.00
" " " 28 ft.	31.32	44.50	32.00[1]	....	38.29	35.08
" " " 30 ft.	37.00[2]	36.00[1]	....	....	36.00[1]	36.00
" " " 32 ft.	....	37.00[1]	....	....	37.00[1]	37.00
CAR SILLS						
Jp to 9 inch, Sq. E. 34 ft.	35.00[2]	....	28.03[1]	....	28.03[1]	28.03
" " " 36 ft.	24.50[1]	27.67[3]	28.03[1]	28.50[1]	26.57[1]	26.57
" " " 37-38 ft.	....	....	31.88[1]	24.80[3]	31.88[1]	31.88
" " " 40 ft.	28.47[1]	27.36[3]	....	....	28.47[1]	28.47
" " " 41-42 ft.	28.47[1]	....	....	....	28.47[1]	28.47
Jp to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	29.00[2]	....	....	....	29.00[2]	29.00
" " " " 37-38 ft.	27.61	....	....	....	27.61	31.44[1]
" " " " 40 ft.	31.00	....	....	....	31.00	....
" " " " 41-42 ft.	31.00	....	....	....	31.00	....
Jp to 10 inch, Sq. E. 34 ft.	....	....	....	....	....	27.00[3]
" " " 36 ft.	24.84	25.00[3]	....	25.00	25.00	23.62
" " " 37-38 ft.	....	....	....	....	....	28.00[3]
" " " 40 ft.	28.00[1]	27.00[3]	....	....	28.00[1]	28.00
" " " 41-42 ft.	28.00[1]	....	....	....	28.00[1]	28.00
Jp to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	29.00[2]	....	....	....	29.00[2]	29.00[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	31.00[2]	....	....	....	31.00[2]	31.00[1]
" " " " 41-42 ft.	37.50[2]	....	....	....	37.50[2]	37.50[1]
Jp to 12 inch, Sq. E., 34 ft.	21.50[3]	29.00[3]	32.00[1]	....	32.00[1]	32.00
" " " 36 ft.	27.20[1]	30.00	32.00[1]	25.00	27.63	27.50
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	31.50[1]	....	....	....	31.50[1]	31.50
" " " 41-42 ft.	31.50[1]	....	....	....	31.50[1]	31.50
p to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	33.50[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report June 30
Up to 14 inch, Sq. E., 34 ft.	24.50[3]	....	....	....	24.50[3]	24.50[2]
" " " 36 ft.	....	....	....	40.00[3]	40.00[3]	40.00[2]
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	34.50[1]	....	....	45.00[2]	34.50[1]	34.50
" " " 41-42 ft.	34.50[1]	....	....	....	34.50[1]	34.50
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	27.25[3]
" " 14 ft.	....	25.00[3]	....	....	25.00[3]	25.00[2]
" " 16 ft.	....	....	....	....	....	27.00[3]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	28.98	38.00	....	....	37.03	29.00[2]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	28.00[2]	27.64[1]	....	....	27.64[1]	27.64
" " 16 ft.	31.00[1]	....	....	....	31.00[1]	31.00
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	28.00[1]	....	....	28.00[1]	28.00
" " " 16 ft.	....	29.00[2]	....	....	29.00[2]	29.00[1]
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	18.62[1]	....	....	....	18.62[1]	18.62
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	34.63[1]	21.00[1]	....	....	34.50[1]	34.50
" " Heart, (85%+), 6x8–8	27.92[1]	25.75	....	....	25.75	27.92
" " Sq. E., " 7x9–8	34.56[3]	23.00[1]	....	....	23.00[1]	23.00
" " Heart, " 7x9–8	22.06[3]	....	....	....	22.06[3]	22.06[2]
Bridge Ties, Sq. E., 7x9 & up	....	19.00	....	....	19.00	23.00[1]
" " Heart,	....	21.00	....	....	21.00	....
Paving Stock, S 1 S	....	....	16.50[3]	....	16.50[3]	16.50[2]
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	59.06[1]	....	....	....	59.06[1]	59.06
Miscellaneous	22.54	29.51	29.59	19.12	25.48	28.50
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	15.00[2]	24.25[1]	15.43	....	15.43	24.25
Miscellaneous, B and B	61.91	56.67	38.07	41.00	58.51	48.82
" No. 1	22.01	26.85	21.85	20.53	22.88	27.34
" No. 2	22.93	18.24	16.40	16.40	17.69	16.52
" No. 3	6.08	8.39	11.63	10.36	9.46	10.20
Shorts, B and B	32.23	24.62	....	....	26.05	24.08
" No. 1	13.70	17.17	....	....	14.28	11.39
" No. 2	....	7.95	....	....	7.95	10.09
" No. 3	....	6.50	....	....	6.50	8.79

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Veight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
[illegible]	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

July 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending July 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400
Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued July 29, 1921

No. 136

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″....	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	60.70	....	....	....	60.70	61.91
" " C "	33.42	....	....	....	33.42	34.04
" " D "	32.89	....	....	....	32.89	33.00
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	35.89	....	....	....	35.89	35.82
" " C "	27.30	....	....	....	27.30	....
" " D "	28.00	....	....	....	28.00	26.64[1]
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	14.61	....	....	....	14.61	15.66[1]
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″....	....	....	....	80.00[3]	80.00[3]	80.00[2]
Edge Grain, A "	63.00[2]	....	72.50	69.00	71.54	70.80
" " B "	....	66.42[1]	61.66	60.00[1]	61.66	62.20
" " B and Better "	62.84	61.60	....	61.16	61.78	61.64
" " C "	....	45.18	49.24	42.17[1]	47.47	45.93
" " D "	....	....	....	....	....	....
" " No. 2 "	14.50[2]	21.00[2]	22.50	20.42[1]	22.50	21.23
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	36.00[3]
" " B and Better "	42.94	37.27	43.16	43.77	42.15	41.15
" " C "	32.00	....	....	....	32.00	....
" " D "	33.00	....	....	....	33.00	28.20
No. 1 Common "	....	31.78	33.36	31.00	32.37	34.76
No. 2 " "	15.20[1]	14.50	16.29	15.57	15.95	17.16
No. 3 " "	....	....	7.95	8.31[1]	7.95	8.19
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″.....	....	....	....	....	....	....
Edge Grain, A "	50.00	....	63.64	61.00	55.86	62.25
" " B "	....	61.05	51.21	....	55.76	54.68
" " B and Better "	48.10	47.84	....	50.00	48.06	47.76
" " C "	27.98	42.25	43.59	37.75	34.43	37.00
" " D "	29.46	....	....	....	29.46	30.03
" " No. 2 "	....	....	26.00	....	26.00	22.50[1]
Flat " A "	....	....	....	....	....	....
" " B "	....	33.52	....	....	33.52	30.26
" " B and Better "	30.93	31.00	31.82	32.76	31.26	31.20
" " C "	23.54	27.00[1]	....	....	23.54	27.00
" " D "	25.05	24.00	....	....	25.04	24.61
No. 1 Common "	....	25.24	27.46	28.50	26.77	27.50
No. 2 " "	14.97	14.70	14.95	14.81	14.90	15.21
No. 3 " "	....	....	8.17	7.39	7.88	7.29
CEILING						
Ceiling, ½x3¼″, A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	27.34	28.95	33.05	3.10	30.64	29.53
" " No. 1 Common..........	24.75	13.00	28.10	28.00[1]	16.22	24.54
" " No. 2 "	12.21	18.00	14.96	15.00	14.08	14.30
" " No. 3 "	....	....	5.25	....	5.25	5.50
Ceiling, ⅝x3¼″, A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	28.15	28.53	29.64	31.47	28.60	29.06
" " No. 1 Common..........	23.40	24.24	27.24	29.20	25.41	25.07
" " No. 2 "	10.99	11.89	15.03	14.74	11.64	12.84
" " No. 3 "	....	....	7.25	6.50[2]	7.25	8.00
Ceiling, ¾x3¼″, A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	32.20	38.47	34.46	....	34.66	34.82
" " No. 1 Common..........	31.00	23.86	28.44	....	27.48	28.82
" " No. 2 "	16.25	....	15.50	....	15.83	15.77[1]
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A..........	....	....	....	....	....	....
" " B..........	....	....	....	....	....	....
" " B and Better..........	33.42	35.10	36.23	36.58	34.38	35.96
" " No. 1 Common..........	25.75	22.75	29.87	28.00[2]	28.19	28.80
" " No. 2 "	20.00	23.00[1]	17.62	....	17.78	18.81
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better..........	35.65	44.00[1]	36.23	....	35.65	37.25
" " No. 1 Common..........	29.00	23.00	29.87	30.00[3]	24.33	35.50
" " No. 2 "	15.92[1]	15.50	17.62	....	15.50	17.24
BEVEL SIDING						
Bevel Siding, A..........	....	....	....	....	....	....
" B..........	....	....	....	....	....	....
" B and Better..........	28.49	24.57	24.43	....	27.74	28.75
" No. 1 Common..........	14.75	13.50	20.78	....	17.46	15.20
" No. 2 "	15.00	14.50[3]	14.86	14.50[1]	14.88	11.40

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	28.65	29.52	29.64	34.32[1]	28.95	30.07
“ “ No. 1 Common	24.52	24.54	26.65	26.87	25.38	25.51
“ “ No. 2 “	16.54	15.93	16.38	17.63	16.21	16.68
“ “ No. 3 “	....	....	7.65	8.00[2]	7.65	11.25
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	37.48	38.38	40.25	47.00	38.06	38.22
1x 6 inch, “	37.69	39.69	37.36	36.50	38.24	39.18
1x 8 inch, “	38.14	40.51	37.44	38.00	38.63	39.89
1x 5 and 10 inch, “	43.37	42.74	42.04	40.00	43.00	43.22
1x12 inch, “	44.10	42.71	43.77	38.00	43.33	44.30
1¼x4 to 12 inch, “	52.72	48.44	55.89	50.13	51.01	50.01
1½ and 2x4 to 12 inch, “	51.00	50.70	45.17	56.00[3]	47.57	50.03
1⅝ inch, “	49.00	43.45	....	....	43.60	45.50
1x 6 to 12 inch, “	....	....	....	36.50[3]	36.50[3]	36.50[2]
1x 4 inch, C	29.92	30.28	33.00	....	30.28	32.66
1x 6 inch, “	30.37	32.00	32.96	....	31.27	31.47
1x 8 inch, “	33.64	33.40	31.75	....	33.08	32.40
1x 5 and 10 inch, “	35.55	35.14	35.05	....	35.25	34.91
1x12 inch, “	36.00	35.00	37.24	....	36.03	40.15
1¼x4 to 12 inch, “	44.63[1]	29.00[1]	43.00[2]	....	38.04[1]	38.04
1½ and 2x4 to 12 inch, “	31.46	....	....	....	31.46	50.00[3]
1⅝ inch, “	....	26.75	....	....	26.75	43.50[1]
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	44.00[3]	....	36.00	....	36.00	35.50[1]
1x 6 inch, “ “	36.06	33.00[1]	36.15	32.87	33.37	34.48
1x 8 inch, “ “	36.06	36.32[1]	35.75	41.75	36.25	33.71
1x 5 and 10 inch, “ “	41.79	41.50	42.64	43.75	42.02	37.98
1x12 inch, “ “	36.06	41.50	51.25	48.75	44.82	38.16
1¼x4 to 12 inch, “ “	44.95	47.44	46.87	41.00[2]	46.00	43.16
1½ and 2x4 to 12 inch, “ “	48.75	50.00	44.50	45.00[3]	46.68	47.60
1⅝ inch, “ “	....	48.78	....	....	48.78	43.90
1x 6 to 12 inch, “ “	....	....	....	35.78[1]	35.78[1]	35.78
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	46.68	47.88	46.00	50.00	47.10	47.17
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	45.12	48.23	48.22	50.00[2]	46.75	45.97
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	48.12	50.30	55.00[1]	....	48.85	57.10
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	20.00[1]	....	27.75[1]	....	22.15[1]	22.15
“ “ “ “ “ 8 ft.	20.00[1]	....	24.25[1]	....	20.39[1]	20.39
“ “ “ “ “ 12 and 14 ft.	....	....	....	....	....	....
“ “ “ “ “ 16 ft.	....	....	....	....	....	....
“ “ “ “ “ 9 or 18 ft.	29.00	29.32	30.00	....	29.33	30.50
“ “ “ “ “ 10 or 20 ft.	30.00	26.25	26.67[1]	....	27.81	26.96

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	18 00[2]	20 00	18.00[3]	....	20.00	19 51
" " " " " 8 ft.	17 09	18.16	....	....	17.49	18.66
" " " " " 12 and 14 ft.	21 00	22 00	....	....	21 97	21 99
" " " " " 16 ft.	26 25[1]	22 00[1]	....	....	22 23[1]	22 23
" " " " " 9 or 18 ft.	25.34	26 67	35 00[3]	....	26 04	24 36
" " " " " 10 or 20 ft.	22 32	22 60	....	....	22.46	21 73
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	21.47	20 00	18 00[3]	....	21.47	21 00
" " " " " 8 ft.	21 00	18 16	....	....	21 00	18 83
" " " " " 12 and 14 ft.	21 91	22 00	....	....	21.91	21 92
" " " " " 16 ft.	21 53	22 00[1]	....	....	21 53	21.75
" " " " " 9 or 18 ft.	....	26 67	35 00[3]	....	26 67	23 00
" " " " " 10 or 20 ft.	21 92	22 60	....	....	21.92	24 50
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	11.43	12 00	....	....	11.83	8 96
" " " " " 10 to 20 ft.	12 42	11.08	....	....	11.77	11.43
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	24 00[3]	....	....	....	24 00[3]	24 00[2]
" " " " 1¾ inch, 10 & 20 ft.	24.00[3]	....	....	....	24 00[3]	24 00[2]
" " " " 2 to 3 inch, 9 & 18 ft.	....	24 00[2]	....	....	24 00[2]	24 00[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00[1]	....	....	24.00[1]	24.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	24 00[2]	....	....	....	24 00[2]	24.00[1]
" " " 1¾ inch, 10 & 20 ft	23.75[3]	....	....	....	23 75[3]	23 75[2]
" " " 2 to 3 inch, 9 & 18 ft	....	23.74	19 95[2]	21.50[1]	23.74	22.97
" " " 2 to 3 inch 10 & 20 ft	....	22.82[1]	19.95[2]	....	22.82[1]	22.82
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	24 00[1]	....	....	....	24.00[1]	24 00
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	19 01	....	30 00	....	23 38	23 24
" " " " other lengths.	20.69	20 40	27.69	27.65	22 30	23 97
" " 1x10, " 14 and 16 ft.	20.13	....	....	....	20.13	19 57
" " " " other lengths.	20 91	21.71	28 17	27 65	22.63	23.62
" " 1x12, " 14 and 16 ft.	32 25	....	35 00	....	32 56	34 59
" " " " other lengths.	31.31	31 24	34.33	40.00	31 53	30.14
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	14 34	14 84	15.76	14 97	14.76	15 55
" " 1x10, " "	15.15	15 01	15 90	16 98	15.41	15.85
" " 1x12, " "	16.28	16 84	17.49	17.74	16.82	16 38
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	8.91	8 99	9.48	13 00	9.28	9 91
" " 1x10, " "	9.04	9 14	9.60	12.50	9.17	9.81
" " 1x12, " "	9 04	9 05	9.55	12.50	9.39	9.52
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	21.71	....	....	....	21 71	22 24
" " " other lengths.	20.56	21 01	22.32	26.00	20 84	23.05
" 1x10, " 14 and 16 ft.	22.07	....	....	....	22 07	25 75[1]
" " " other lengths.	21.77	23.97	22 00[1]	26.00	23 25	22 49
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	15.20	15 37	15 44	16.48	15 35	15 69
" 1x10, " "	14.86	15 14	15 33	16 39	15 08	15 43
" 1x12, " "	15 80[1]	....	....	....	15 80[1]	15.80
Shiplap, 1x 8, No. 3, all lengths.	8.89	9 14	11 23	10 29	9.45	9 90
" 1x10, " "	8.87	9 96	10 09	11.44	9 88	9.73
" 1x12, " "	8.79	9 50	....	....	9.09	9.62
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	20.10	....	....	....	20 10	23.74
" " " " other lengths.	23.00[1]	25 67[2]	....	....	23 00[1]	23 00
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	4 50[2]	....	5 08[3]	....	4 50[2]	4.50[1]

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
1x4, S 1 S, No. 1, 16 ft.	20.45	....	....	....	20.45	21.81
“ “ “ other lengths	20.15	20.82	28.03 [1]	26.00 [1]	20.28	20.96
“ “ No. 2, all lengths	9.85	9.18	14.97	9.76	9.91	9.87
“ “ No. 3, “	7.26	6.54	7.09	7.50	6.91	6.20
1x4, C. M., No. 1, 16 ft.	21.25	....	....	....	21.25	....
“ “ “ other lengths	22.25	....	....	....	22.25	19.50
“ “ No. 2, all lengths	11.10	....	....	....	11.10	9.51
“ “ No. 3, “	6.45	....	....	....	6.45	....
1x6, S 1 S, No. 1, 16 ft.	22.50	....	....	....	22.50	23.95
“ “ “ other lengths	21.44	21.08	29.35	31.50 [1]	22.30	23.11
“ “ No. 2, all lengths	13.03	14.14	15.75	12.50	13.62	13.58
“ “ No. 3, “	7.43	8.31	9.03	10.50	8.33	8.32
1x6, C. M., No. 1, 16 ft.	22.41	....	....	....	22.41	18.62
“ “ “ other lengths	18.82	21.88	....	20.00 [1]	20.09	22.54
“ “ No. 2, all lengths	13.26	13.64	17.47 [1]	14.07	13.43	13.94
“ “ No. 3, “	8.03	9.45	11.25 [1]	9.00 [3]	8.96	8.48
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	20.99	21.11	20.63	18.00	20.88	21.03
“ “ “ 12 ft.	20.06	20.06	20.68	19.50 [1]	20.15	20.64
“ “ “ 14 ft.	19.75	19.10	19.92	20.50 [3]	19.46	20.63
“ “ “ 16 ft.	20.75	20.13	22.01	21.58	20.71	21.66
“ “ “ 18 ft.	22.84	22.10	21.53	24.00	22.36	22.54
“ “ “ 20 ft.	22.98	22.55	21.53	20.75	22.74	23.19
“ “ “ 22 ft.	24.78	23.35	24.00	....	23.93	24.09
“ “ “ 24 ft.	25.06	23.82	24.00	....	24.22	24.38
2x 6, No. 1, S 1 S 1 E, 10 ft.	16.82	17.85	16.88	....	17.23	18.20
“ “ “ 12 ft.	17.05	17.10	16.32	16.75	16.85	17.16
“ “ “ 14 ft.	17.00	17.08	16.32	15.50	16.99	17.18
“ “ “ 16 ft.	17.37	17.48	16.82	21.50	17.34	18.27
“ “ “ 18 ft.	17.96	18.20	17.40	22.50	17.84	18.60
“ “ “ 20 ft.	18.48	18.38	17.40	20.30 [3]	18.45	18.87
“ “ “ 22 ft.	21.13	20.85	21.26	....	21.11	20.91
“ “ “ 24 ft.	20.71	21.15	21.26	....	20.96	21.39
2x 8, No. 1, S 1 S 1 E, 10 ft.	18.29	21.60	19.76	....	19.63	20.82
“ “ “ 12 ft.	18.54	19.61	18.71	17.25	18.83	19.38
“ “ “ 14 ft.	17.97	18.73	19.32	20.50	18.38	19.34
“ “ “ 16 ft.	18.67	20.39	20.98	19.25	19.42	20.35
“ “ “ 18 ft.	20.59	20.89	21.03	23.50	20.76	21.55
“ “ “ 20 ft.	20.86	21.64	21.03	23.75 [3]	21.13	22.49
“ “ “ 22 ft.	23.34	22.13	22.03	....	22.36	22.40
“ “ “ 24 ft.	22.96	22.51	22.03	....	22.60	24.12
2x10, No. 1, S 1 S 1 E, 10 ft.	20.35	20.50	21.00	....	20.48	20.14
“ “ “ 12 ft.	20.09	19.95	19.11	17.25	19.69	20.23
“ “ “ 14 ft.	20.39	20.61	19.11	24.10 [2]	20.52	20.08
“ “ “ 16 ft.	21.10	21.65	21.51	24.10 [2]	21.43	21.98
“ “ “ 18 ft.	22.05	22.28	21.27	24.56 [3]	21.97	21.94
“ “ “ 20 ft.	21.99	22.40	21.27	22.00 [3]	22.08	22.67
“ “ “ 22 ft.	22.61	23.72	23.13	18.50 [2]	23.00	24.12
“ “ “ 24 ft.	25.24	23.02	23.13	....	23.26	24.39
2x12, No. 1, S 1 S 1 E, 10 ft.	25.06	21.74	20.86	25.25 [1]	22.15	23.58
“ “ “ 12 ft.	22.28	21.38	20.23	21.25	21.49	22.51
“ “ “ 14 ft.	21.16	21.83	20.23	21.25	21.53	22.97
“ “ “ 16 ft.	23.48	25.12	22.34	22.75	23.04	23.64
“ “ “ 18 ft.	24.62	24.05	22.87	26.25 [1]	23.88	23.75
“ “ “ 20 ft.	23.92	25.04	22.87	26.25 [1]	24.42	24.69
“ “ “ 22 ft.	25.99	25.50	24.54	....	25.24	25.29
“ “ “ 24 ft.	26.73	26.12	24.54	....	26.66	26.61
2x 4, No. 2, S 1 S 1 E, 10 ft.	18.54	18.57	18.94	17.75	18.56	17.77
“ “ “ 12 ft.	17.42	15.38	15.67	21.75	16.18	16.68
“ “ “ 14 ft.	16.02	15.36	16.77	21.75	15.84	16.47
“ “ “ 16 ft.	17.14	17.28	19.12	21.75	17.45	18.01
“ “ “ 18 ft.	19.82	18.76	18.53	20.92	19.23	20.05
“ “ “ 20 ft.	20.62	19.52	18.53	20.00 [1]	19.50	20.77
“ “ “ 22 ft.	24.16 [1]	19.68	22.25	....	19.99	20.06
“ “ “ 24 ft.	24.25 [1]	19.68	....	....	19.68	24.25
2x 6, No. 2, S 1 S 1 E, 10 ft.	13.20	11.83	14.00	16.18	13.86	14.97
“ “ “ 12 ft.	12.69	12.67	14.24	15.56	13.48	14.14
“ “ “ 14 ft.	13.48	12.61	14.24	15.56	12.79	13.94
“ “ “ 16 ft.	13.65	13.30	15.23	12.50	13.62	14.38
“ “ “ 18 ft.	14.78	13.43	15.72	15.56	14.37	15.38
“ “ “ 20 ft.	15.47	13.07	15.72	16.75	13.91	15.32
“ “ “ 22 ft.	21.13	17.54	19.00	23.50 [1]	18.29	19.08
“ “ “ 24 ft.	16.75	17.54	19.00	23.50 [1]	16.75	23.75

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	16.60[1]	15.69	19.50	16.11[2]	16.75	16.24
“ “ “ 12 ft.	14.70	14.55	14.50	16.62	14.80	16.58
“ “ “ 14 ft.	15.73	16.14	15.18	14.09	15.41	16.36
“ “ “ 16 ft.	16.49	15.38	14.84	14.09	15.69	17.09
“ “ “ 18 ft.	19.31	16.74	18.29	19.50	17.93	18.96
“ “ “ 20 ft.	18.21	18.31	18.29	16.75	18.18	20.56
“ “ “ 22 ft.	22.08[1]	19.40	21.20	....	19.76	20.46
“ “ “ 24 ft.	20.00[1]	19.40	21.20	20.00[2]	19.76	20.00[1]
2x10, No. 2, S 1 S 1 E, 10 ft.	14.25	17.75	18.10	17.00	17.10	16.30
“ “ “ 12 ft.	14.23	15.33	15.93	16.16	15.41	17.12
“ “ “ 14 ft.	15.38	17.59	15.93	16.16	16.13	16.73
“ “ “ 16 ft.	15.91	16.13	15.94	16.16	16.00	17.53
“ “ “ 18 ft.	18.42	17.20	17.49	18.25[1]	17.60	19.81
“ “ “ 20 ft.	18.60	17.94	17.49	18.70[2]	18.25	20.93
“ “ “ 22 ft.	....	20.79	16.00	....	20.06	19.46
“ “ “ 24 ft.	....	20.79	16.25	....	20.41	19.46
2x12, No. 2, S 1 S 1 E, 10 ft.	11.50	17.63	16.50[1]	17.75[1]	13.95	17.20
“ “ “ 12 ft.	16.69	15.94	16.74	18.30	16.66	17.23
“ “ “ 14 ft.	16.52	17.68	16.74	17.75[1]	16.85	16.58
“ “ “ 16 ft.	17.38	18.60	16.88	25.25	18.51	17.02
“ “ “ 18 ft.	16.26	19.50	20.24	16.50[1]	19.04	18.33
“ “ “ 20 ft.	18.97	19.31	20.01	19.50	19.19	19.38
“ “ “ 22 ft.	....	21.22	....	....	21.22	20.00
“ “ “ 24 ft.	....	21.22	....	....	21.22	20.00
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3 S 1 S 1 E, all lengths	8.17	6.91	7.69[2]	6.00	7.26	7.40
PATENT LATH						
4 and 6 ft.	9.88	9.19	10.50[1]	....	9.47	10.24
8 and 10 ft.	10.28	10.59	10.50[1]	....	10.38	10.99
12 ft. and longer	10.76	10.00	10.50[1]	....	10.72	10.76
PLASTERING LATH						
⅜x1½-4, No. 1	3.55	3.63	4.35	3.78	3.75	3.81
“ No. 2	1.56	1.75	2.20	2.80	1.88	2.36
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	17.76	18.32	18.28	....	18.06	18.94
“ “ 22-24 ft.	18.15	18.83	19.06	....	18.70	19.19
“ “ 26 ft.	18.66[1]	20.81	20.00	....	20.25	19.16
“ “ 28 ft.	17.50	....	20.00	....	17.50	19.75
“ “ 30 ft.	22.01	21.40	25.00[1]	....	21.94	20.90
“ “ over 30 ft.	22.00	27.67	25.00[1]	....	22.32	21.48
4x4 to 8x8, Heart (85%+), up to 20 ft.	21.07	22.52	....	....	21.22	20.60
“ “ “ 22-24 ft.	23.93	26.00	....	....	24.62	22.48
“ “ “ 26 ft.	27.62[2]	....	....	....	27.62[2]	27.62[1]
“ “ “ 28 ft.	25.75[3]	25.00[2]	....	....	25.00[2]	25.00[1]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	25.50	37.78[1]	....	....	25.50	33.73
3 & 4x10, No 1, up to 20 ft.	21.16	19.78	....	....	20.98	20.21
“ “ 22-24 ft.	21.66	21.00	....	....	21.65	19.69
“ “ 26 ft.	25.00	23.25	....	....	24.45	20.25
“ “ 28 ft.	22.74[3]	....	....	....	22.74[3]	22.74[2]
“ “ 30 ft.	25.75	....	....	....	25.75	24.50[1]
“ “ over 30 ft.	....	....	....	....	....	24.75[3]
3 & 4x10, Heart (85%+), up to 20 ft.	22.51	25.68	....	....	23.59	22.79
“ “ “ 22-24 ft.	27.50[3]	23.00[1]	....	....	23.00[1]	23.00
“ “ “ 26 ft.	24.00[1]	35.00[2]	....	....	24.00[1]	24.00
“ “ “ 28 ft.	....	26.00[2]	....	....	26.00[2]	26.00[1]
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	28.28[2]	....	....	....	28.28[2]	28.28[1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
6x10, to 10x10, No. 1, up to 20 ft.	20.72	19.93	18.88	....	19.55	20.53
" " 22-24 ft.	19.73	21.75[1]	21.75[1]	....	19.73	21.73
" " 26 ft.	20.50[2]	21.25	23.50	....	22.86	21.55
" " 28 ft.	21.50[2]	21.25[1]	23.50	....	23.50	21.25
" " 30 ft.	24.00	22.25[1]	27.00[1]	....	24.00	23.83
" " over 30 ft.	24.21	23.00	27.00[1]	....	24.14	27.00
6x10 to 10x10, Heart (85%+), up to 20 ft.	21.00	27.00	....	....	23.14	22.09
" " " 22-24 ft.	26.64[2]	28.00	....	....	28.00	31.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	27.00[2]	....	....	....	27.00[2]	27.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	27.50	35.00	....	....	33.61	30.22
3 & 4x12, No 1, up to 20 ft.	23.18	20.91	....	....	21.99	22.46
" " 22 24 ft.	26.00	24.00	....	....	24.30	21.00
" " 26 ft.	22.25[3]	27.00[2]	....	....	27.00[2]	27.00[1]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	23.00	....	....	....	23.00	....
" " over 30 ft.	....	....	....	....	....	24.75[3]
3 & 4x12 Heart (85%+), up to 20 ft.	25.62	25.56	....	....	25.61	24.14
" " " 22-24 ft.	29.00	25.32[1]	....	....	29.00	25.32
" " " 26 ft.	25.00	....	....	....	25.00	27.76
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	41.98	....	....	....	41.98	29.74[2]
" " " over 30 ft.	24.75[3]	38.00[1]	....	....	38.00[1]	38.00
6x12 to 12x12, No. 1, up to 20 ft.	19.84	28.50	25.37	....	23.71	21.72
" " 22-24 ft.	21.19	29.55	24.50	....	25.64	23.00
" " 26 ft.	22.62[2]	29.09	25.64	....	27.94	23.50
" " 28 ft.	24.50[2]	26.00[2]	23.50[1]	....	23.50[1]	23.50
" " 30 ft.	24.00	....	25.50	....	24.07	29.47
" " over 30 ft.	24.80	40.00	25.50	....	25.38	30.38
6x12 to 12x12 Heart (85%+). up to 20 ft.	22.89	24.47[1]	....	....	22.89	24.49
" " " 22-24 ft.	26.31	33.00[1]	....	....	26.31	33.00
" " " 26 ft.	26.50	....	....	....	26.50	29.25[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	27.72[1]	38.25[1]	....	....	29.61[1]	29.61
2x14 to 4x14, No. 1,up - 2St2t	26.66	28.25	....	....	27.51	28.65
" " 22 f4 o	27.49	28.73	....	....	28.36	28.10
" " 26 ft.	25.00[3]	30.54	....	....	30.54	29.17
" " 28 ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
" " 30 ft.	27.31[3]	....	....	....	27.31[3]	27.31[2]
" " over 30 ft.	34.25	....	....	....	34.25	32.00[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	29.48	34.00	....	....	29.99	25.87
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	27.59	27.25[1]	33.00	....	27.92	25.05
" " 22-24 ft.	32.00[2]	....	34.00	....	34.00	32.00[1]
" " 26 ft.	....	....	25.44	....	25.44	....
" " 28 ft.	23.09[3]	....	25.44	....	25.44	23.09[2]
" " 30 ft.	....	30.00[2]	....	....	30.00[2]	30.00[1]
" " over 30 ft.	24.00	31.00[2]	29.50	....	24.92	37.75
6x14 to 14x14, Heart (85%+), up to 20 ft.	28.50	30.40[1]	....	....	28.50	28.35
" " " 22-24 ft.	....	32.00[1]	....	....	32.00[1]	32.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	33.00[1]	....	....	....	33.00[1]	33.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	36.21[1]	....	....	....	36.21[1]	36.21
2x16 to 4x16, No. 1, up to 20 ft.	40.00[2]	28.00	....	....	28.00	37.37[1]
" " 22-24 ft.	40.50[3]	....	....	....	40.50[3]	40.50[2]
" " 26 ft.	....	40.00[1]	....	....	40.00[1]	40.00
" " 28 ft.	33.00[2]	....	....	....	33.00[2]	33.00
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
6x16 & Up, No. 1, up to 20 ft.	25.70	....	29.50	....	25.90	25 67
" " 22-24 ft.	27.98	....	37 50^{2}	....	27 98	31 00^{1}
" " 26 ft.	....	....	39 50^{2}	....	39 50^{2}	39 50^{1}
" " 28 ft.	31 50^{1}	....	39 50^{2}	....	31.50^{1}	31 50
" " 30 ft.	28 73^{3}	....	34 82^{1}	....	34 82^{1}	34.82
" " over 30 ft.	24.00	....	35.27^{1}	....	24.00	35 27
6x16 & Up, Heart (85%+), up to 20 ft.	32.50	....	....	....	32 50	39 02^{1}
" " " 22-24 ft.	37 62^{2}	....	....	....	37 62^{2}	37 62^{1}
" " " 26 ft.	33 00	....	....	....	33.00	70.00^{1}
" " " 28 ft.	36 75^{3}	....	....	....	36 75^{3}	36 75^{2}
" " " 30 ft.	36 50^{3}	....	....	....	36 50^{3}	36 50^{2}
" " " over 30 ft.	35 89^{2}	....	....	....	35 89^{2}	35 89^{1}
STRINGERS						
15 inch, Sq. E. up to 20 ft.	34.00^{3}	....	....	....	34.00^{3}	34.00^{2}
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	37 00^{3}	....	....	....	37.00^{3}	37.00^{2}
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	35 00^{1}	....	....	35.00^{1}	35.00
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	44.50^{1}	....	....	44.50^{1}	44.50
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	30 39^{3}	....	....	....	30 39^{3}	30 39^{2}
" " 22-24 ft.	33.84^{3}	34.00^{3}	....	....	33 85^{2}	33 85^{3}
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	34 86^{3}	32 99^{1}	....	....	32 99^{1}	32.99
" " 30 ft.	38 54^{3}	36.00^{3}	....	....	36.57^{3}	36.57^{2}
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	32 00^{2}	....	....	32 00^{2}	32 00^{1}
" " " 22-24 ft.	35.00^{1}	34.00^{2}	32 00^{3}	....	35 00^{1}	35.00
" " " 26 ft.	....	....	32 00^{2}	....	32 00^{2}	32 00^{1}
" " " 28 ft.	35 00	44 50^{1}	32.00^{2}	....	35.00	38 29
" " " 30 ft.	37.00^{3}	36 00^{2}	....	....	36 00^{2}	36 00^{1}
" " " 32 ft.	....	37 00^{2}	....	....	37 00^{2}	37.00^{1}
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	24 00	....	28 03^{2}	....	24.00	28 03^{1}
" " " 36 ft.	24 81	28.75	28.03^{2}	28.50^{2}	24 83	26 57^{1}
" " " 37-38 ft.	30 35	....	31.88^{2}	....	30 35	31 88^{1}
" " " 40 ft.	30 50	....	....	....	30 50	28 47^{1}
" " " 41-42 ft.	30 50	....	....	....	30.50	28 47^{1}
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	29 00^{3}	....	....	....	29 00^{3}	29 00^{2}
" " " " 37-38 ft.	27 61^{1}	....	....	....	27 61^{1}	27.61
" " " " 40 ft.	34 00	....	....	....	34 00	31.00
" " " " 41-42 ft.	31 00^{1}	....	....	....	31.00^{1}	31.00
Up to 10 inch, Sq. E. 34 ft.	....	....	....	....	....	....
" " " 36 ft.	30 50	....	....	25.00^{1}	30.50	25 00
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	28 00^{2}	....	....	....	28 00^{2}	28.00^{1}
" " " 41-42 ft.	28 00^{2}	....	....	....	28.00^{2}	28 00^{1}
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	29.00^{3}	....	....	....	29 00^{3}	29 00^{2}
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	31 00^{3}	....	....	....	31 00^{3}	31 00^{2}
" " " " 41-42 ft.	37 50^{3}	....	....	....	37 50^{3}	37 50^{2}
Up to 12 inch, Sq. E., 34 ft.	....	....	32.00^{2}	....	32 00^{2}	32 00^{1}
" " " 36 ft.	27 20^{2}	30 00^{1}	32.00^{2}	25 00^{1}	27 63^{1}	27.63
" " " 37-38 ft.	33 00	....	....	....	33 00	....
" " " 40 ft.	36 00	....	....	....	36 00	31 50^{1}
" " " 41-42 ft.	36 00	....	....	....	36 00	31 50^{1}
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	33 50	....	....	....	33 50	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 10
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	24.50
" " " 36 ft.	....	....	....	....	....	40.00
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	34.50[2]	....	....	45.00[3]	34.50[2]	34.50
" " " 41-42 ft.	34.50[2]	....	....	....	34.50[2]	34.50
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	40.70	....	....	....	40.70	....
" " " " 41-42 ft.	40.70	....	....	....	40.70	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	25.00
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	27.50	....	....	....	27.50	....
" " " 14 ft.	27.50	25.00	....	....	25.82	37.03
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	28.00[3]	27.64[2]	....	....	27.64[2]	27.64
" " 16 ft.	31.00[2]	....	....	....	31.00[2]	31.00
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	28.00[2]	....	....	28.00[2]	28.00
" " " 16 ft.	....	29.00[3]	....	....	29.00[3]	29.00
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	20.75	18.00	....	....	20.50	18.62[1]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	17.92	21.00[2]	....	....	17.92	34.50[1]
" " Heart, (85%+), 6x8–8	20.71	16.15	....	....	20.40	25.75
" " Sq. E., " 7x9–8	23.00	23.00[2]	....	....	23.00	23.00[1]
" " Heart, " 7x9–8	22.00	22.00	....	....	22.00	22.06[3]
Bridge Ties, Sq. E., 7x9 & up	....	19.00[1]	....	....	19.00[1]	19.00
" " Heart,	....	21.00[1]	....	....	21.00[1]	21.00
Paving Stock, S 1 S	....	....	....	....	....	16.50[3]
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	110.00	....	....	110.00	....
Ship " Flat Grain	59.06[2]	....	....	....	59.06[2]	59.06[1]
Miscellaneous	25.04	24.74	22.19	24.34	24.17	25.48
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	15.00[3]	24.25[2]	15.43[1]	....	15.43[1]	15.43
Miscellaneous, B and B	46.87	46.10	45.00	57.45	47.53	58.51
" No. 1	26.38	27.58	22.95	26.00	26.52	22.88
" No. 2	16.09	15.29	15.47	15.92	15.60	17.69
" No. 3	5.90	7.47	9 67	7.52	8.28	9.46
Shorts B and B	27.07	25.39	....	....	25.82	26.05
" No. 1	10.21	12.84	....	....	10.87	14.28
" No. 2	....	10.24	....	....	10.24	7.95
" No. 3	....	6.50[1]	....	....	6.50[1]	6.50

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2,25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

July 31, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending July 31, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued August 8, 1921

No. 137

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	60.94	....	....	....	60.94	60.70
" " C "	33.42[1]	....	....	....	33.42[1]	33.42
" " D "	34.59	....	....	....	34.59	32.89
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	35.99	....	....	....	35.99	35.89
" " C "	27.30[1]	....	....	....	27.30[1]	27.30
" " D "	26.09	....	....	....	26.09	28.00
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	14.23	....	....	....	14.23	14.61
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	....	....	80.00[3]
Edge Grain, A "	63.00[3]	....	69.81	69.00	69.34	71.54
" " B "	....	58.80	62.26	60.00[2]	62.20	61.66
" " B and Better "	63.78	62.72	....	59.83	61.85	61.78
" " C "	....	40.80	46.31	48.00	44.50	47.47
" " D "	35.81	....	....	....	35.81	....
" " No. 2 "	14.50[3]	21.00[3]	22.41	20.42[2]	22.41	22.50
Flat " A "	....	....	....	....	....	....
" " B "	....	37.50	....	....	37.50	....
" " B and Better "	41.70	38.23	44.03	41.63	42.60	42.15
" " C "	32.00[1]	....	....	....	32.00[1]	32.00
" " D "	32.75	....	....	....	32.75	33.00
No. 1 Common "	....	29.07	33.07	35.70	32.41	32.37
No. 2 " "	15.20[2]	13.87	13.24	13.82	13.51	15.95
No. 3 " "	....	....	7.44	7.44	7.44	7.95
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A "	50.00[1]	....	61.00	61.00	61.00	55.86
" " B "	....	48.46	52.96	....	52.25	55.76
" " B and Better "	47.82	48.71	38.00	48.50	47.91	48.06
" " C "	30.36	36.13	41.80	37.75[1]	36.94	34.43
" " D "	29.38	....	....	....	29.38	29.46
" " No. 2 "	....	....	26.00[1]	....	26.00[1]	26.00
Flat " A "	....	....	....	....	....	....
" " B "	....	32.74	....	....	32.74	33.52
" " B and Better "	31.31	31.08	32.15	32.70	31.43	31.26
" " C "	23.04	25.88	....	....	23.48	23.54
" " D "	24.96	25.00	....	....	24.96	25.04
No. 1 Common "	....	24.76	27.62	27.67	26.31	26.77
No. 2 " "	15.05	14.68	14.66	14.68	14.74	14.90
No. 3 " "	....	....	7.59	6.50	7.14	7.88
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.13	30.10	29.54	31.07	29.46	30.64
" " No. 1 Common	22.73	19.00	24.34	27.00	23.73	16.22
" " No. 2 "	9.90	14.96	13.50	15.00[1]	11.68	14.08
" " No. 3 "	....	....	5.25[1]	....	5.25[1]	5.25
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.30	28.83	30.18	32.43	28.81	28.60
" " No. 1 Common	23.84	23.15	28.22	28.72	24.69	25.41
" " No. 2 "	11.38	11.54	14.32	14.86	12.44	11.64
" " No. 3 "	....	....	7.25[1]	6.50[3]	7.25[1]	7.25
eiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	32.87	38.47[1]	35.17	....	33.44	34.66
" " No. 1 Common	29.00	35.75	28.75	....	30.26	27.48
" " No. 2 "	16.25[1]	....	15.20	....	15.20	15.83
" " No. 3 "	....	....	....	....	....	....
PARTITION						
artition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.18	34.11	36.46	37.64	35.37	34.38
" " No. 1 Common	25.37	25.74	30.00	30.00	26.98	28.19
" " No. 2 "	20.00[1]	14.50	17.62[1]	....	14.50	17.78
artition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.00	35.00	34.50	45.00	40.68	35.65
" " No. 1 Common	29.00[1]	24.00	29.87[1]	....	24.00	24.33
" " No. 2 "	17.00	16.59	17.62[1]	....	16.64	15.50
BEVEL SIDING						
evel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	25.46	22.16	26.25	24.38	24.83	27.74
" No. 1 Common	14.75[1]	13.50[1]	20.86	21.75	21.20	17.46
" No. 2 "	15.00[1]	14.75	12.00	14.50[2]	12.73	14.88

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	28.34	29.13	28.79	32.04	29.04	28.95
“ “ No. 1 Common	24.97	24.24	26.33	28.81	25.32	25 38
“ “ No. 2 “	16.79	16.19	16.27	16.50	16.45	16.21
“ “ No. 3 “	....	....	6.81	8.00[3]	6.81	7.65
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	37.65	36.42	40.34	38.28	37.50	38.06
1x 6 inch, “	38.40	38.60	38.56	42.80	38.67	38 24
1x 8 inch, “	38.42	39.62	37.64	41.00	38.79	38.63
1x 5 and 10 inch, “	44.00	41.79	41.89	43.57	42.65	43.00
1x12 inch, “	45.31	42.09	42.90	43.67	43.14	43.33
1¼x4 to 12 inch, “	52.63	47.87	50.99	48.74	49.72	51.01
1½ and 2x4 to 12 inch, “	46.15	50.75	52.39	49.20	50.33	47.57
1⅝ inch, “	49.75	41.51	....	....	41.95	43.60
1x 6 to 12 inch, “	....	....	....	45.00	45.00	36.50[3]
1x 4 inch, C	29.86	29.70	33.00[1]	....	29.74	30.28
1x 6 inch, “	31.23	30.06	32.96[1]	....	31.02	31.27
1x 8 inch, “	33.43	34.23	31.75[1]	....	33.88	33.08
1x 5 and 10 inch, “	35.42	37.50	35.05[1]	....	36.12	35.25
1x12 inch, “	36.29	39.15	37.24[1]	....	37.41	36.03
1¼x4 to 12 inch, “	46.00	45.25	43.00[3]	....	45.40	38.04[1]
1½ and 2x4 to 12 inch, “	31.46[1]	41.75	....	....	41.75	31.46
1⅝ inch, “	....	26.75[1]	....	....	26.75[1]	26.75
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	....	....	36.00	49.00	42.50	36.00
1x 6 inch, “ “	36.06[1]	39.54	34.79	36.60	36.72	33.37
1x 8 inch, “ “	36.06[1]	42.00	33.41	36.60	33.93	36.25
1x 5 and 10 inch, “ “	35.00	35.00	38.13	36.60	35.28	42.02
1x12 inch, “ “	36.06[1]	41.50[1]	40.60	36.60	40 60	44.82
1¼x4 to 12 inch, “ “	52.94	47.71	43.14	41.00[3]	44.97	46.00
1½ and 2x4 to 12 inch, “ “	48.75[1]	45.00	43.05	....	43.14	46.68
1⅝ inch, “ “	....	45.00	....	....	45.00	48.78
1x 6 to 12 inch, “ “	....	....	....	35.78[2]	35.78[2]	35.78[1]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	46.38	49.17	47.62	46.23	47.00	47.10
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	46.08	47.61	42.77	50.00[3]	45.28	46.75
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better. “	52.74	48.10	49.61	....	50.18	48 85
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	28.50	28.00	27.75[2]	....	28.33	22.15[1]
“ “ “ “ “ 8 ft.	19.33	....	22.50	....	19.87	20.39[1]
“ “ “ “ “ 12 and 14 ft.	17.00	....	....	....	17.00	....
“ “ “ “ “ 16 ft.	....	....	....	....	....	....
“ “ “ “ 9 or 18 ft.	30 00	32.00	30.00[1]	....	30.31	29.33
“ “ “ “ 10 or 20 ft	27.93	26.25[1]	29.84	....	28.53	27.81

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	17 00	22 00	....	....	19 73	20 00
" " " " " 8 ft.	17 00	17 50	....	....	17 27	17 49
" " " " " 12 and 14 ft.	22 00	23 37	....	....	22 16	21 97
" " " " " 16 ft.	21 00	22 63	....	....	22 07	22 23[1]
" " " " " 9 or 18 ft.	25 34[1]	24 61	....	....	24 61	26 04
" " " " " 10 or 20 ft.	22.32[1]	23 25	....	....	23.25	22 46
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	17 00	22 00	....	....	17.00	21.47
" " " " " 8 ft.	19 50	17 50	....	....	19 50	21 00
" " " " " 12 and 14 ft.	25 00	23 37	....	....	25 00	21.91
" " " " " 16 ft.	22 63	22 00	....	....	22 45	21 53
" " " " " 9 or 18 ft.	21 00	24.61	....	....	21 00	26.67
" " " " " 10 or 20 ft.	17.94	23.25	....	....	17.94	21.92
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	9.52	12 00[1]	....	....	9.52	11.83
" " " " " 10 to 20 ft.	11.47	13.75	....	....	12.13	11.77
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	24 00[3]
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	24 00[2]
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00	....	....	24 00	24 00[2]
" " " " 2 to 3 inch, 10 & 20 ft.	....	22.67	....	....	22.67	24.00[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	24.00[3]	....	....	....	24.00[3]	24 00[2]
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	23.75[3]
" " " 2 to 3 inch, 9 & 18 ft.	....	23.74[1]	21.75	21.50[2]	21.75	23 74
" " " 2 to 3 inch 10 & 20 ft.	....	22.62	21.75	....	22.62	22 82[1]
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	24.00[2]	....	....	....	24.00[2]	24.00[1]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	24.10	....	30 00[1]	....	24.10	23.38
" " " " other lengths.	22.19	21.40	29.72	31.54	22.89	22.30
" " 1x10, " 14 and 16 ft.	23.29	....	22 59	....	23.02	20.13
" " " " other lengths.	22.33	21.19	29 97	32.91	22.38	22.63
" " 1x12, " 14 and 16 ft.	32.73	....	25.00	....	30.28	32.56
" " " " other lengths.	32.84	31.38	32.44	37.19	32.07	31.53
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	14.76	15.17	15.50	15.06	15.05	14.76
" " 1x10, " "	14 91	14.76	15.85	15 45	15.14	15.41
" " 1x12, " "	15 95	16.21	16.64	16.37	16.18	16.82
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	8.87	8.55	10.34	10.13	9.19	9.28
" " 1x10, " "	8.77	8.51	8.87	12 50[1]	8.70	9 17
" " 1x12, " "	8.48	9 11	9.97	12.50	9.06	9.39
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	21.76	....	24.95	....	22.92	21.71
" " " other lengths.	20 77	21.37	22 90	25.00	21.52	20.84
" 1x10, " 14 and 16 ft.	22.74	....	22.50	....	22.72	22 07
" " " other lengths.	22.08	21.04	22.83	26.00[1]	21.57	23 25
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	15 37	15 16	15 46	15 51	15.33	15 35
" 1x10, " "	15 15	15.15	15 08	16.81	15.32	15 08
" 1x12, " "	15 80[2]	....	....	....	15 80[2]	15 80[1]
Shiplap, 1x 8, No. 3, all lengths.	9 32	9 29	9.94	9 58	9 49	9.45
" 1x10, " "	8.95	9.48	9.32	10.27	9 23	9 88
" 1x12, " "	8.79[1]	9.35	....	....	9.35	9 09
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	20 10[1]	....	....	....	20 10[1]	20.10
" " " " other lengths.	23.48	19.71	....	....	21.15	23.00[1]
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	4.75	....	....	....	4.75	4.50[2]

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
1x4, S 1 S, No. 1, 16 ft.	20.69	....	....	....	20.69	20.45
" " " other lengths	21.12	20.07	30.81	26.00 [2]	21.62	20.28
" " No. 2, all lengths	9.81	9.37	13.37	11.50	9.76	9.91
" " No. 3, "	7.75	6.84	7.42	7.50 [1]	7.41	6.91
1x4, C. M., No. 1, 16 ft.	21.25 [1]	....	....	....	21.25 [1]	21.25
" " " other lengths	23.75	....	....	....	23.75	22.25
" " No. 2, all lengths	10.52	....	....	....	10.52	11.10
" " No. 3, "	6.45 [1]	....	....	....	6.45 [1]	6.45
1x6, S 1 S, No. 1, 16 ft.	22.81	....	....	....	22.81	22.50
" " " other lengths	21.80	20.86	29.37	31.80	21.87	22.30
" " No. 2, all lengths	13.02	13.08	14.28	13.57	13.14	13.62
" " No. 3, "	7.71	7.73	8.59	10.50	8.06	8.33
1x6, C. M., No. 1, 16 ft.	20.29	....	....	....	20.29	22.41
" " " other lengths	20.16	21.97	....	20.00 [2]	20.53	20.09
" " No. 2, all lengths	13.53	13.19	17.47 [2]	15.04	13.56	13.43
" " No. 3. "	8.56	7.42	11.25 [2]	11.00	7.92	8.96
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.66	19.43	20.35	18.50	20.21	20.88
" " " 12 ft.	20.15	19.75	19.76	18.50	19.88	20.15
" " " 14 ft.	19.69	19.13	19.60	18.50	19.47	19.46
" " " 16 ft.	20.78	19.93	21.43	18.50	20.54	20.71
" " " 18 ft.	22.60	23.16	21.38	20.50	22.32	22.36
" " " 20 ft.	22.75	23.37	21.18	20.75 [1]	23.01	22.74
" " " 22 ft.	25.26	24.31	24.25	....	24.85	23.93
" " " 24 ft.	25.02	24.74	24.25	....	24.88	24.22
2x 6, No. 1, S 1 S 1 E, 10 ft.	17.57	16.65	19.48	15.50	18.01	17.23
" " " 12 ft.	16.56	16.00	16.76	15.50	16.44	16.85
" " " 14 ft.	16.15	16.71	16.76	15.00	16.34	16.99
" " " 16 ft.	17.19	17.51	17.78	14.50	17.46	17.34
" " " 18 ft.	18.36	18.86	18.06	17.60	18.38	17.84
" " " 20 ft.	18.45	19.00	18.06	22.00	18.72	18.45
" " " 22 ft.	20.89	19.73	19.95	21.75	20.02	21.11
" " " 24 ft.	20.40	20.25	19.95	....	20.32	20.96
2x 8, No. 1, S 1 S 1 E, 10 ft.	19.14	20.14	19.45	16.57	19.12	19.63
" " " 12 ft.	18.25	19.19	19.28	16.00	18.73	18.83
" " " 14 ft.	17.97	18.49	19.46	20.50	18.48	18.38
" " " 16 ft.	18.78	19.42	19.79	16.00	19.38	19.42
" " " 18 ft.	21.93	23.89	20.47	19.00	22.28	20.76
" " " 20 ft.	21.37	21.31	20.34	23.00	21.38	21.13
" " " 22 ft.	23.03	20.72	23.06	22.75	21.99	22.36
" " " 24 ft.	23.18	21.52	23.06	22.75	21.83	22.60
2x10, No. 1, S 1 S 1 E, 10 ft.	20.08	20.92	20.38	....	20.23	20.48
" " " 12 ft.	19.17	18.88	20.00	17.25 [1]	19.28	19.69
" " " 14 ft.	19.06	19.74	20.00	24.10 [3]	19.31	20.52
" " " 16 ft.	20.93	20.28	21.70	24.10 [3]	20.69	21.43
" " " 18 ft.	21.62	21.64	22.54	20.50	21.81	21.97
" " " 20 ft.	21.44	21.77	22.54	20.50	21.49	22.08
" " " 22 ft.	23.82	23.27	23.22	18.50 [3]	23.28	23.00
" " " 24 ft.	23.99	23.85	23.56	....	23.93	23.26
2x12, No. 1, S 1 S 1 E, 10 ft	24.18	24.25	20.86 [1]	19.00	23.10	22.15
" " " 12 ft.	22.74	21.93	21.84	16.50	22.13	21.49
" " " 14 ft.	23.07	20.93	21.84	16.50	21.59	21.53
" " " 16 ft.	23.63	23.85	20.57	16.50	22.92	23.04
" " " 18 ft.	24.47	23.79	25.28	22.50	24.08	23.88
" " " 20 ft.	25.17	24.16	25.28	23.19	24.47	24.42
" " " 22 ft.	26.19	22.75	25.26	26.00	24.70	25.24
" " " 24 ft.	26.88	22.65	25.26	26.00	25.16	26.66
2x 4, No. 2, S 1 S 1 E, 10 ft.	17.97	14.88	18.57	16.00	16.12	18.56
" " " 12 ft.	16.53	14.96	17.27	17.59	16.05	16.18
" " " 14 ft.	16.45	14.74	17.41	17.55	15.62	15.84
" " " 16 ft.	17.28	16.25	18.67	18.00	16.85	17.45
" " " 18 ft.	19.25	18.76	17.96	19.75	18.84	19.23
" " " 20 ft.	19.15	18.39	17.96	20.00	18.70	19.50
" " " 22 ft.	24.16 [2]	20.00	22.25 [1]	....	20.00	19.99
" " " 24 ft.	24.00	20.00	....	....	24.00	19.68
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.78	12.07	14.58	16.18 [1]	12.73	13.86
" " " 12 ft.	13.06	12.52	14.43	14.42	13.80	13.48
" " " 14 ft.	13.03	12.61	14.43	14.50	12.82	12.79
" " " 16 ft.	13.52	13.57	14.87	14.50	13.76	13.62
" " " 18 ft.	14.70	14.05	15.20	17.18	14.82	14.37
" " " 20 ft.	14.00	13.84	15.20	15.50	13.95	13.91
" " " 22 ft.	16.93	16.08	20.92	16.50	16.67	18.29
" " " 24 ft.	16.00	16.08	20.92	17.50	17.14	16.75

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	15.83	16.13	14.00	18.25	16.12	16.75
" " " 12 ft.	15.31	14.72	15.46	15.73	15.25	14.80
" " " 14 ft.	15.25	14.89	15.50	14.00	15.03	15.41
" " " 16 ft.	15.60	15.02	17.63	14.25	15.29	15.69
" " " 18 ft.	17.68	16.60	17.09	19.50[1]	17.09	17.93
" " " 20 ft.	17.64	17.39	17.09	16.75[1]	17.49	18.18
" " " 22 ft.	22.08[2]	17.85	22.75	17.00	17.97	19.76
" " " 24 ft.	23.25	17.85	22.75	18.00	17.00	19.76
2x10, No. 2, S 1 S 1 E, 10 ft.	11.50	17.75[1]	18.25	17.00[1]	14.88	17.10
" " " 12 ft.	14.45	15.08	16.44	16.16[1]	15.71	15.41
" " " 14 ft.	15.19	15.09	16.44	16.00	14.77	16.13
" " " 16 ft.	17.09	16.00	16.05	16.00	16.30	16.00
" " " 18 ft.	16.64	18.77	19.45	18.25[2]	18.56	17.60
" " " 20 ft.	16.50	17.95	19.56	18.70[3]	17.61	18.25
" " " 22 ft.	....	19.00	22.75	....	19.54	20.06
" " " 24 ft.	....	19.00	22.75	....	19.54	20.41
2x12, No. 2, S 1 S 1 E, 10 ft.	17.50	17.63[1]	16.00	17.75[2]	16.50	13.95
" " " 12 ft.	17.32	17.24	15.90	18.30[1]	16.57	16.66
" " " 14 ft.	17.74	15.43	15.90	17.75[2]	16.22	16.85
" " " 16 ft.	16.86	16.56	15.03	16.00	16.02	18.51
" " " 18 ft.	16.69	15.45	18.41	16.50[2]	17.22	19.04
" " " 20 ft.	18.78	18.90	18.41	19.50[1]	18.87	19.19
" " " 22 ft.	21.50	19.86	23.00	....	21.08	21.22
" " " 24 ft.	25.25	19.86	....	....	25.25	21.22
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3 S 1 S 1 E. all lengths	7.81	8.07	7.69[3]	6.00	7.65	7.26
PATENT LATH						
4 and 6 ft.	8.36	9.78	12.00	....	8.88	9.47
8 and 10 ft.	9.33	10.50	12.00	....	9.50	10.38
12 ft. and longer	11.49	9.50	10.50[2]	....	11.17	10.72
PLASTERING LATH						
3/8x1½-4, No. 1	3.61	3.74	4.15	3.75	3.77	3.75
" No. 2	1.58	1.65	2.40	4.30	1.94	1.88
3/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
5/8x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
x4 to 8x8, No. 1, up to 20 ft.	18.44	18.16	18.13	....	18.27	18.06
" " 22-24 ft.	18.55	19.37	20.03	....	19.07	18.70
" " 26 ft.	20.00	21.00	21.03	....	20.97	20.25
" " 28 ft.	16.63	19.63	21.03	....	16.99	17.50
" " 30 ft.	17.10	20.23	25.00[2]	....	18.02	21.94
" " over 30 ft.	19.23	23.79	25.00[2]	....	20.17	22.32
x4 to 8x8, Heart (85%+), up to 20 ft.	21.01	21.65	....	....	21.20	21.22
" " " 22-24 ft.	25.25	26.00[1]	....	....	25.25	24.62
" " " 26 ft.	27.62[3]	....	....	....	27.62[3]	27.62[2]
" " " 28 ft.	....	25.00[3]	....	....	25.00[3]	25.00[2]
" " " 30 ft.	....	25.00	....	....	25.00	....
" " " over 30 ft.	26.00	37.78[2]	....	....	26.00	25.50
& 4x10, No. 1, up to 20 ft.	19.36	19.87	....	....	19.52	20.98
" " 22-24 ft.	18.51	19.75	....	....	18.84	21.65
" " 26 ft.	25.00[1]	23.25[1]	....	....	24.45[1]	24.45
" " 28 ft.	....	....	....	....	....	22.74[3]
" " 30 ft.	25.75[1]	....	....	....	25.75[1]	25.75
" " over 30 ft.	....	....	....	....	....	....
& 4x10, Heart (85%+), up to 20 ft.	22.24	23.36	....	....	22.62	23.59
" " " 22-24 ft.	....	24.00	....	....	24.00	23.00[1]
" " " 26 ft.	23.23	25.00	....	....	23.72	24.00[1]
" " " 28 ft.	29.25	26.00	....	....	27.90	26.00[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	28.28[3]	....	....	....	28.28[3]	28.28[3]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Avera Previ Rep July
6x10, to 10x10, No. 1, up to 20 ft.	18.10	19.07	18.77	....	18.49	19.
" " 22-24 ft.	20.01	21.25	19.82	....	20.04	19
" " 26 ft.	19.16	21.25[1]	23.50[1]	....	19.16	22
" " 28 ft.	21.38	21.25[2]	23.50[1]	....	21.38	23.
" " 30 ft.	22.94	22.25[2]	27.00[2]	....	22.94	24.
" " over 30 ft.	20.63	30.00	27.00[2]	....	20.75	24.
6x10 to 10x10, Heart (85%+), up to 20 ft.	23.50	27.00[1]	....	....	23.50	23.
" " " 22-24 ft.	25.50	28.00[1]	....	....	25.50	28.
" " " 26 ft.	....	....	....	....	....	...
" " " 28 ft.	27.00[3]	....	....	....	27.00[3]	27.
" " " 30 ft.	....	....	....	....	....	...
" " " over 30 ft.	27.50[1]	35.00[1]	....	....	33.61[1]	33.
3 & 4x12, No. 1, up to 20 ft.	22.35	22.35	....	....	22.35	21
" " 22 24 ft.	24.83	22 00	....	....	24.29	24.
" " 26 ft.	25.46	27.00[3]	....	....	25.46	27.
" " 28 ft.	....	....	....	....	....	...
" " 30 ft.	23.00[1]	....	....	....	23.00[1]	23.
" " over 30 ft.	....	32.00	....	....	32.00	...
3 & 4x12, Heart (85%+), up to 20 ft.	24.37	25.84	....	....	24.75	25.
" " " 22-24 ft.	24.25	26.00	....	....	25.17	29.
" " " 26 ft.	26.00	....	....	....	26.00	25.
" " " 28 ft.	....	....	....	....	....	...
" " " 30 ft.	41.98[1]	....	....	....	41.98[1]	41.
" " " over 30 ft.	....	38.00[2]	....	....	38.00[2]	38.
6x12 to 12x12, No. 1, up to 20 ft.	19.57	21.49	22.40	....	20.91	23.
" " 22-24 ft.	22.11	24.00	23.43	....	22.91	25.
" " 26 ft.	22.94	29.09[1]	22.25	....	22.39	27.
" " 28 ft.	22.64	28.00	23.50[2]	....	23.69	23.
" " 30 ft.	27.66	29.00	25.50[1]	....	27.87	24.
" " over 30 ft.	25.47	40.00	25.50[1]	....	26.51	25.
6x12 to 12x12, Heart (85%+), up to 20 ft.	22.60	24.47[2]	....	....	22.60	22.
" " " 22-24 ft.	30.25	33.00[2]	....	....	30.25	26.
" " " 26 ft.	26.50[1]	....	....	....	26.50[1]	26.
" " " 28 ft.	....	....	....	....	....	...
" " " 30 ft.	....	....	....	....	....	...
" " " over 30 ft.	27.72[2]	38.25[2]	....	....	29.61[2]	29.
2x14 to 4x14, No. 1, up - 2St2t	25.58	25.67	....	....	25.63	27.
" " 22 f4 o	23.26	22.14	....	....	22.66	28.
" " 26 ft.	29.00	30.54[1]	....	....	29.00	30.
" " 28 ft.	....	32.00[3]	....	....	32.00[3]	32.
" " 30et	29.00	30.00	....	....	29.27	27.
" " over 30 ft.	34.25[1]	....	....	....	34.25[1]	34.
2x14 to 4x14, Heart (85%+), up to 20 ft.	29.48[1]	29.00	....	....	29.00	29.
" " " 22-24 ft.	....	....	....	....	....	...
" " " 26 ft.	....	....	....	....	....	...
" " " 28 ft.	....	....	....	....	....	...
" " " 30 ft.	....	....	....	....	....	...
" " " over 30 ft.	....	....	....	....	....	...
6x14 to 14x14, No. 1, up to 20 ft.	24.30	22.61	33.00[1]	....	23.22	27.
" " 22-24 ft.	25.00	28.05	34.00[1]	....	26.61	34.
" " 26 ft.	26.50	....	25.44[1]	....	26.50	25.
" " 28 ft.	....	....	25.44[1]	....	25.44[1]	25.
" " 30 ft.	27.00	30.00[3]	....	....	27.00	30.
" " over 30 ft.	28.75	41.00	29.50[1]	....	33.46	24.
6x14 to 14x14, Heart (85%+), up to 20 ft.	28.50[1]	30.40[2]	....	....	28.50[1]	28
" " " 22-24 ft.	....	32.00[2]	....	....	32.00[2]	32.
" " " 26 ft.	....	....	....	....	....	...
" " " 28 ft.	33.00[2]	....	....	....	33.00[2]	33.
" " " 30 ft.	....	....	....	....	....	...
" " " over 30 ft.	36.21[2]	....	....	....	36.21[2]	36.
2x16 to 4x16, No. 1, up to 20 ft.	40.00[3]	28.11	....	....	28.11	28
" " 22-24 ft.	....	36.00	....	....	36.00	40
" " 26 ft.	....	40.00[2]	....	....	40.00[2]	40
" " 28 ft.	33.00[3]	....	....	....	33.00[3]	33.
" " 30 ft.	....	....	....	....	....	...
" " over 30 ft.	....	....	....	....	....	...
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	...
" " " 22-24 ft.	....	....	....	....	....	...
" " " 26 ft.	....	....	....	....	....	...
" " " 28 ft.	....	....	....	....	....	...
" " " 30 ft.	....	....	....	....	....	...
" " " over 30 ft.	....	....	....	....	....	...

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
16 & Up, No. 1, up to 20 ft.	33.22	....	29 50[1]	....	33 22	25 90
" " 22-24 ft.	29 00	....	30 50	....	30 13	27 98
" " 26 ft.	32.50	....	33 00	....	32 87	39 50[2]
" " 28 ft.	31.50[3]	....	33 00	....	33 00	31 50[1]
" " 30 ft.	....	....	34.82[2]	....	34 82[2]	34 82[1]
" " over 30 ft.	38.50	....	35.27[2]	....	38 50	24.00
16 & Up, Heart (85%+), up to 20 ft.	31.19	....	....	....	31.19	32.50
" " " 22-24 ft.	37.62[3]	....	....	....	37.62[3]	37 62[2]
" " " 26 ft.	33.00[1]	....	....	....	33.00[1]	33 00
" " " 28 ft.	....	....	....	....	....	36 75[3]
" " " 30 ft	....	....	....	....	....	36.50[3]
" " " over 30 ft.	35 89[3]	....	....	....	35 89[3]	35.89[3]
STRINGERS						
inch, Sq. E. up to 20 ft.	....	....	....	....	....	34.00[3]
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	37.00[3]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	35.00[2]	....	....	35 00[2]	35.00[1]
inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	44.50[2]	....	....	44.50[2]	44.50[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
inch, Sq. E. up to 20 ft.	....	....	....	....	....	30 39[2]
" " 22-24 ft.	....	....	....	....	....	33 85[3]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	35 00	32.99[2]	....	....	35.00	32 99[1]
" " 30 ft.	....	....	....	....	....	36.57[3]
" " 32 ft.	....	....	....	....	....	....
inch, Heart (85%+), up to 20 ft.	....	32 00[3]	....	....	32 00[3]	32 00[2]
" " " 22-24 ft.	29 50	34.00[3]	....	....	29 50	35 00[1]
" " " 26 ft.	....	....	32 00[2]	....	32 00[3]	32 00[2]
" " " 28 ft.	35.00[1]	35 00	32.00[2]	....	35 00	35 00
" " " 30 ft.	....	36 00[3]	....	....	36 00[3]	36 00[2]
" " " 32 ft	....	37 00[3]	....	....	37 00[3]	37 00[2]
CAR SILLS						
to 9 inch, Sq. E 34 ft.	24 00[1]	....	26.75	....	26 75	24 00
" " " 36 ft.	24 00	24 00	26.75	28 50[3]	24 00	24 83
" " " 37-38 ft.	25 00	25 00	26.12	....	25 83	30 35
" " " 40 ft.	33 75	27.00	28.75	....	28 73	30 50
" " " 41-42 ft.	27 00	....	....	....	27 00	30 50
to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	29 00[3]
" " " " 37-38 ft.	28 15	....	....	....	28.15	27 61[1]
" " " " 40 ft.	31 00	....	....	....	31 00	34 00
" " " " 41-42 ft.	31 00	....	....	....	31 00	31 00[1]
to 10 inch, Sq. E. 34 ft.	....	....	27.75	....	27.75	....
" " " 36 ft.	30 50[1]	30 00	27.75	20 00	29 43	30 50
" " " 37-38 ft.	25 00	....	29 75	....	26 69	....
" " " 40 ft.	26 00	26 00	29 75	....	27 38	28 00[3]
" " " 41-42 ft.	26 00	....	....	....	26 00	28 00[2]
to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	29 00[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	31 00[3]
" " " " 41-42 ft.	....	....	....	....	....	37 50[3]
to 12 inch, Sq. E., 34 ft.	....	....	32 00[3]	....	32 00[3]	32 00[2]
" " " 36 ft.	27 20[3]	30 00[2]	32 00[3]	23 00	23 00	27 63[1]
" " " 37-38 ft.	33 00[1]	....	....	....	33 00[1]	33 00
" " " 40 ft.	36 00[1]	....	....	....	36 00[1]	36 00
" " " 41-42 ft.	36 00[1]	....	....	....	36 00[1]	36 00
to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	33 50[1]	....	....	....	33 50[1]	33 50
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 20
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
" " " 36 ft.	....	....	....	27.50	27.50	....
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	34.50[3]	....	....	35.00	35.00	34.50[2]
" " " 41-42 ft.	34.50[3]	....	....	....	34.50[3]	34.50[2]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	34.00	....	....	....	34.00	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	37.00	....	....	....	37.00	40.70
" " " " 41-42 ft.	37.00	....	....	....	37.00	40.70
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	27.50[1]	....	....	....	27.50[1]	27.50
" " " 14 ft.	24.50	25.00[1]	....	....	24.50	25.82
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	27.64[3]	....	....	27.64[3]	27 64[2]
" " 16 ft.	31.00[3]	....	....	....	31.00[3]	31.00[2]
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	28.00[3]	....	....	28.00[3]	28.00[2]
" " " 16 ft.	....	....	....	....	....	29.00[3]
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	20.75[1]	18.00[1]	....	....	20.50[1]	20.50
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	17.92[1]	21.00[3]	....	....	17.92[1]	17.92
" " Heart, (85%+), 6x8–8	20.71[1]	16.15[1]	....	....	20.40[1]	20.40
" " Sq. E., " 7x9–8	23.00[1]	23.00	....	....	23.00	23.00
" " Heart, " 7x9–8	22.00[1]	22.00[1]	....	....	22.00[1]	22.00
Bridge Ties, Sq. E., 7x9 & up	....	19.00[2]	....	....	19.00[2]	19.00[1]
" " Heart,	....	21.00[2]	....	....	21.00[2]	21 00[1]
Paving Stock, S 1 S	....	....	16.50	....	16.50	....
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	110.00[1]	....	....	110.00[1]	110.00
Ship " Flat Grain	59.06[3]	....	....	....	59.06[3]	59.06[2]
Miscellaneous	22.07	27.66	22.23	20.63	23.21	24.17
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	10.60	24.25[3]	15.43[2]	....	10.60	15.43[1]
Miscellaneous, B and B	43.45	43.15	38.52	30.71	41.73	47.53
" No. 1	25.34	24.15	36.36	31.29	26.50	26.52
" No. 2	16.63	16.41	15.50	15.88	15.98	15.60
" No. 3	10.25	8.93	9.36	10.33	9.44	8.28
Shorts, B and B	33.77	25.67	....	....	28.08	25.82
" No. 1	10.17	12.58	....	....	10.28	10.87
" No. 2	....	10.94	....	....	10.94	10.24
" No. 3	....	8.76	....	....	8.76	6.50[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.7	18.00
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50

Southern Pine Association

REPORT OF SALES

August 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending August 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued August 20, 1921

No. 138

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	63.28	....	....	....	63.28	60.94
" " C "	41.30	....	....	....	41.30	33.42[1]
" " D "	39.79	....	....	....	39.79	34.59
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	37.59	....	....	....	37.59	35.99
" " C "	27.30[2]	....	....	....	27.30[2]	27.30[1]
" " D "	27.78	....	....	....	27.78	26.09
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	12.50	....	....	....	12.50	14.23
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	72.92	72.92	....
Edge Grain, A "	....	....	70.42	69.00	69.99	69.34
" " B "	....	65.25	62.47	60.00[3]	62.83	62.20
" " B and Better "	62.95	62.21	....	58.99	60.80	61.85
" " C "	....	44.92	47.64	41.08	45.97	44.50
" " D "	35.81[1]	....	....	....	35.81[1]	35.81
" " No. 2 "	....	....	21.35	20.42[3]	21.35	22.41
Flat " A "	42.50	....	....	....	42.50	....
" " B "	37.23	35.37	....	....	35.52	37.50
" " B and Better "	34.50	38.52	43.04	39.87	40.04	42.60
" " C "	32.00[2]	....	....	....	32.00[2]	32.00[1]
" " D "	34.00	....	....	....	34.00	32.75
No. 1 Common "	....	28.94	31.84	31.00	31.01	32.41
No. 2 " "	15.20[3]	14.50	15.45	13.57	14.47	13.51
No. 3 " "	....	....	8.00	7.24	7.53	7.44
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A "	50.00[2]	....	61.00[1]	61.00[1]	61.00[1]	61.00
" " B "	....	52.50	54.73	....	54.63	52.25
" " B and Better "	49.37	47.75	38.00[1]	47.38	48.54	47.91
" " C "	28.00	39.93	38.00	37.75[2]	38.10	36.94
" " D "	27.55	....	....	....	27.55	29.38
" " No. 2 "	....	....	20.00	21.50	20.46	26.00[1]
Flat " A "	....	....	....	....	....	....
" " B "	....	33.10	....	....	33.10	32.74
" " B and Better "	32.21	31.50	31.61	31.06	31.73	31.43
" " C "	27.00	25.00	....	....	25.95	23.48
" " D "	25.36	25.00[1]	....	....	25.36	24.96
No. 1 Common "	....	25.34	27.34	27.69	26.74	26.31
No. 2 " "	14.89	15.34	14.03	16.62	14.82	14.74
No. 3 " "	....	....	8.10	11.34	10.43	7.14
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	27.94	30.14	29.91	31.00	28.94	29.46
" " No. 1 Common	23.96	23.13	26.52	27.00	25.33	23.73
" " No. 2 "	12.74	13.22	13.68	15.00[2]	13.11	11.68
" " No. 3 "	....	....	5.25[2]	....	5.25[2]	5.25[1]
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.72	28.55	30.09	32.43	28.82	28.81
" " No. 1 Common	24.96	23.33	27.02	25.64	25.47	24.69
" " No. 2 "	11.40	12.21	15.03	15.67	13.16	12.44
" " No. 3 "	....	....	7.25[2]	....	7.25[2]	7.25[1]
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.60	29.29	34.44	....	32.37	33.44
" " No. 1 Common	22.59	27.00	27.00	....	24.35	30.26
" " No. 2 "	16.25[2]	14.00	15.10	....	14.94	15.20
" " No. 3 "	....	....	....	....	....	
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.82	33.29	36.46[1]	34.76	34.17	35.37
" " No. 1 Common	27.02	25.74[1]	30.00[1]	30.00[1]	27.02	26.98
" " No. 2 "	16.75	10.08	17.62[3]	....	11.77	14.50
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	36.00	36.11	37.10	45.00[1]	36.55	40.68
" " No. 1 Common	28.00	27.61	29.04	....	28.41	24.00
" " No. 2 "	17.75	16.59[1]	16.50	....	16.81	16.64
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	25.00	23.15	26.25[1]	24.38[1]	23.82	24.83
" No. 1 Common	20.50	13.75	19.00	21.75[1]	16.29	21.20
" No. 2 "	21.64	14.75[1]	12.00[1]	14.50[3]	21.64	12.73

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	29.10	29.08	30.32	33.08	29.34	29.04
“ “ No. 1 Common	25.91	24.74	26.67	26.08	25.71	25.32
“ “ No. 2 “	16.79	15.93	15.73	15.49	15.94	16.45
“ “ No. 3 “	....	....	9.00	8.05	8.30	6.81
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	37.68	37.68	37.20	38.28[1]	37.61	37.50
1x 6 inch, “	39.07	39.83	37.44	40.61	39.18	38.67
1x 8 inch, “	39.31	40.42	37.58	41.14	39.51	38.79
1x 5 and 10 inch, “	46.27	43.24	42.97	44.91	44.39	42.65
1x12 inch, “	46.32	43.59	45.56	46.70	45.05	43.14
1¼x4 to 12 inch, “	54.31	50.99	48.12	47.00	51.98	49.72
1½ and 2x4 to 12 inch, “	51.42	49.79	46.00	49.20[1]	49.76	50.33
1⅝ inch, “	41.48	40.36	....	....	40.44	41.95
1x 6 to 12 inch, “	....	....	....	45.00[1]	45.00[1]	45.00
1x 4 inch, C	31.00	29.70[1]	33.00[2]	....	31.00	29.74
1x 6 inch, “	31.33	32.20	33.00	....	32.12	31.02
1x 8 inch, “	32.60	33.00	30.66	....	32.21	33.88
1x 5 and 10 inch, “	38.10	38.33	33.50	....	36.91	36.12
1x12 inch, “	37.00	34.25	36.30	....	36.18	37.41
1¼x4 to 12 inch, “	44.67	45.25[1]	....	....	44.67	45.40
1½ and 2x4 to 12 inch, “	35.00	41.75[1]	....	....	35.00	41.75
1⅝ inch, “	....	28.50	....	....	28.50	26.75[1]
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	....	....	37.00	49.00[1]	37.00	42.50
1x 6 inch, “ “	38.00	39.54[1]	35.14	32.58	33.57	36.72
1x 8 inch, “ “	36.36	37.33	32.59	36.60[1]	33.70	33.93
1x 5 and 10 inch, “ “	44.00	35.00[1]	38.62	40.00	39.36	35.28
1x12 inch, “ “	45.25	41.50[2]	41.00	40.00	42.70	40.60
1¼x4 to 12 inch, “ “	54.44	47.71[1]	43.63	....	44.83	44.97
1½ and 2x4 to 12 inch, “ “	45.50	43.26	44.70	....	43.83	43.14
1⅝ inch, “ “	....	41.73	....	....	41.73	45.00
1x 6 to 12 inch, “ “	....	....	....	35.13	35.13	35.78[2]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	47.06	46.89	46.85	47.00	46.99	47.00
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	46.96	47.21	47.06	47.67	47.11	45.28
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	50.06	48.10[1]	51.75	64.00	51.21	50.18
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	28.50[1]	28.00	27.75[3]	....	28.00	28.33
“ “ “ “ “ 8 ft.	21.08	21.00	24.00	....	21.40	19.87
“ “ “ “ “ 12 and 14 ft.	17.00[1]	....	....	....	17.00[1]	17.00
“ “ “ “ “ 16 ft.	....	....	....	....	....	....
“ “ “ “ “ 9 or 18 ft.	31.83	32.13	32.07	....	32.07	30.31
“ “ “ “ “ 10 or 20 ft	29.40	29.38	28.00	....	29.30	28.53

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	17.00[1]	19.47	23.72	....	20.25	19.73
" " " " " 8 ft.	19.14	18.67	....	....	18.71	17.27
" " " " " 12 and 14 ft.	22.00	22.38	....	....	22.31	22.16
" " " " " 16 ft.	21.00[1]	24.00	....	....	24.00	22.07
" " " " " 9 or 18 ft.	27.00	24.58	26.00	....	24.94	24.61
" " " " " 10 or 20 ft.	26.49	20.77	....	....	20.84	23.25
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	17.00[1]	19.47	23.72	....	20.25	17.00
" " " " " 8 ft.	19.50[1]	18.67	....	....	18.67	19.50
" " " " " 12 and 14 ft.	25.00[1]	22.38	....	....	22.38	25.00
" " " " " 16 ft.	22.63[1]	24.00	....	....	24.00	22.45
" " " " " 9 or 18 ft.	23.36	24.58	26.00	....	23.36	21.00
" " " " " 10 or 20 ft.	22.50	20.77	....	....	22.50	17.94
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	11.41	13.47	....	....	13.28	9.52
" " " " " 10 to 20 ft.	12.99	13.47	....	....	12.99	12.13
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00	....	....	24.00	24.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00	....	....	24.00	22.67
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	24.00[3]
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	22.13	22.63	21.50[3]	22.16	21.75
" " " 2 to 3 inch 10 & 20 ft.	....	21.92	22.63	....	21.92	22.62
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	24.00[3]	....	....	....	24.00[3]	24.00[2]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	19.22	....	30.00[2]	....	19.22	24.10
" " " " other lengths	22.78	20.75	29.43	32.31	22.72	22.89
" " 1x10, " 14 and 16 ft.	19.72	....	22.59[1]	....	19.72	23.02
" " " " other lengths	23.12	21.01	31.81	34.28	23.27	22.38
" " 1x12, " 14 and 16 ft.	32.83	....	25.00	....	32.83	30.28
" " " " other lengths	32.83	30.82	30.21	37.19[1]	31.55	32.07
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths	15.30	15.00	15.28	14.38	15.14	15.05
" " 1x10, " "	15.09	15.08	14.97	15.75	15.09	15.14
" " 1x12, " "	16.81	16.09	17.27	16.23	16.56	16.18
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths	8.88	8.71	9.46	12.67	9.21	9.19
" " 1x10, " "	9.03	8.45	10.31	12.83	9.14	8.70
" " 1x12, " "	9.08	9.59	11.15	10.32	9.71	9.06
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	23.72	....	24.95[1]	....	23.72	22.92
" " " other lengths	23.13	21.30	22.00	22.74	22.12	21.52
" 1x10, " 14 and 16 ft.	25.71	....	22.50[1]	....	25.71	22.72
" " " other lengths	24.66	20.46	22.83[1]	26.00[2]	22.45	21.57
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths	15.49	15.07	15.66	15.82	15.44	15.33
" 1x10, " "	15.25	15.27	15.19	16.46	15.37	15.32
" 1x12, " "	15.80[2]	....	....	....	15.80[3]	15.80[2]
Shiplap, 1x 8, No. 3, all lengths	9.57	9.38	9.02	10.11	9.42	9.49
" 1x10, " "	10.37	8.75	8.46	9.22	9.23	9.23
" 1x12, " "	9.18	9.43	....	....	9.30	9.35
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	20.10[2]	....	....	....	20.10[2]	20.10[1]
" " " " other lengths	23.48[1]	20.00	....	....	20.00	21.15
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths	....	....	....	....	....	....
All No. 4—all widths and lengths	4.75[1]	....	....	....	4.75[1]	4.75

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
1x4, S 1 S, No. 1, 16 ft.	21.11	....	....	....	21.11	20.69
" " " other lengths	21.13	19.33	27.17	26.00[3]	20.08	21.62
" " No. 2, all lengths	10.64	9.10	16.13	12.33	9.78	9.76
" " No. 3, "	7.39	6.45	9.07	7.50[2]	7.03	7.41
1x4, C. M., No. 1, 16 ft.	21.25[2]	....	....	....	21.25[2]	21.25[1]
" " " other lengths	24.75	....	....	....	24.75	23.75
" " No. 2, all lengths	10.52[1]	....	....	....	10.52[1]	10.52
" " No. 3, "	6.45[2]	....	....	....	6.45[2]	6.45[1]
1x6, S 1 S, No. 1, 16 ft.	21.35	....	....	....	21.35	22.81
" " " other lengths	22.24	21.10	28.92	31.80[1]	22.26	21.87
" " No. 2, all lengths	12.99	12.44	14.64	13.43	13.02	13.14
" " No. 3, "	7.97	7.54	8.46	8.92	8.01	8.06
1x6, C. M., No. 1, 16 ft.	26.25	....	....	....	26.25	20.29
" " " other lengths	21.17	21.05	....	20.00[3]	21.12	20.53
" " No. 2, all lengths	13.47	13.39	17.47[3]	14.16	13.47	13.56
" " No. 3. "	8.38	7.46	11.25[3]	8.52	8.12	7.92
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	22.12	20.81	20.61	23.00	21.17	20.21
" " " 12 ft.	20.46	19.44	19.13	21.00	19.75	19.88
" " " 14 ft.	19.82	19.50	19.30	21.00	19.58	19.47
" " " 16 ft.	21.09	20.82	21.22	23.00	21.01	20.54
" " " 18 ft.	22.61	22.20	20.97	24.25	22.07	22.32
" " " 20 ft.	23.10	22.37	20.97	20.75[2]	22.66	23.01
" " " 22 ft.	25.09	23.14	22.70	....	23.36	24.85
" " " 24 ft.	25.21	21.72	22.70	....	22.59	24.88
2x 6, No. 1, S 1 S 1 E, 10 ft.	17.41	16.35	16.28	15.50[1]	16.67	18.01
" " " 12 ft.	16.55	16.48	16.07	15.50[1]	16.36	16.44
" " " 14 ft.	16.86	16.72	16.07	15.00[1]	16.79	16.34
" " " 16 ft.	17.22	17.28	17.61	14.50[1]	17.34	17.46
" " " 18 ft.	18.41	17.47	17.86	17.60[1]	17.86	18.38
" " " 20 ft.	18.40	18.03	17.86	22.00[1]	18.25	18.72
" " " 22 ft.	21.10	19.53	20.78	21.75[1]	19.98	20.02
" " " 24 ft.	20.67	19.62	20.78	....	19.83	20.32
2x 8, No. 1, S 1 S 1 E, 10 ft.	20.47	21.92	20.00	22.75	21.02	19.12
" " " 12 ft.	18.37	18.41	19.16	20.75	18.53	18.73
" " " 14 ft.	17.97	18.34	19.04	20.75	18.26	18.48
" " " 16 ft.	20.76	19.48	19.95	16.00[1]	20.25	19.38
" " " 18 ft.	21.66	21.36	20.94	23.75	21.40	22.28
" " " 20 ft.	21.31	20.35	20.94	23.00[1]	20.82	21.38
" " " 22 ft.	22.96	22.01	22.22	22.75[1]	22.13	21.99
" " " 24 ft.	21.76	22.11	22.22	22.75[1]	21.91	21.83
2x10, No. 1, S 1 S 1 E, 10 ft.	20.62	19.77	22.85	24.50	20.67	20.23
" " " 12 ft.	19.66	19.64	20.68	23.50	20.05	19.28
" " " 14 ft.	19.38	19.62	20.68	23.50	19.53	19.31
" " " 16 ft.	20.81	20.01	21.26	25.50	20.57	20.69
" " " 18 ft.	22.99	21.23	22.45	26.50	22.25	21.81
" " " 20 ft.	22.88	21.99	22.45	20.50[1]	22.54	21.49
" " " 22 ft.	23.36	20.43	23.37	....	22.11	23.28
" " " 24 ft.	24.21	23.22	23.37	....	23.45	23.93
2x12, No. 1, S 1 S 1 E, 10 ft.	22.65	22.00	19.50	19.00[1]	21.53	23.10
" " " 12 ft.	21.80	21.68	21.42	16.50[1]	21.64	22.13
" " " 14 ft.	23.02	21.57	21.42	16.50[1]	22.35	21.59
" " " 16 ft.	22.60	21.10	23.55	16.50[1]	21.84	22.92
" " " 18 ft.	24.57	23.36	22.57	22.50[1]	23.66	24 08
" " " 20 ft.	24.65	24.31	22.57	23.19[1]	24.46	24.47
" " " 22 ft.	27.66	24.77	23.63	26.00[1]	25.09	24 70
" " " 24 ft.	27.37	25.17	23.63	26.00[1]	25.87	25.16
2x 4, No. 2, S 1 S 1 E, 10 ft.	18.63	17.44	16.11	15.48	16.96	16.12
" " " 12 ft.	16.69	15.48	17.84	16.41	16.32	16.05
" " " 14 ft.	15.91	15.33	17.28	17.40	15.78	15.62
" " " 16 ft.	17.58	16.71	17.28	15.88	16.99	16.85
" " " 18 ft.	19.56	18.75	18.61	19.30	18.86	18.84
" " " 20 ft.	19.26	18.87	18.61	20.75	18.92	18.70
" " " 22 ft.	20.50	18.97	22.25[2]	....	19.04	20.00
" " " 24 ft.	24.00[1]	18.97	....	....	18.97	24.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	15.82	12.50	13.91	14.00	14.17	12.73
" " " 12 ft.	12.40	12.59	14.53	14.00	13.70	13.80
" " " 14 ft.	13.54	12.68	14.53	14.62	13.02	12.82
" " " 16 ft.	14.17	13.94	15.61	13.55	14.28	13.76
" " " 18 ft.	14.22	14.71	15.63	16.64	15.13	14.82
" " " 20 ft.	15.67	14.41	15.63	16.52	15.28	13.95
" " " 22 ft.	16.93[1]	16.11	20.92[1]	16.50[1]	16.11	16.67
" " " 24 ft.	16.00[1]	16.11	20.92[1]	17.50[1]	16.11	17.14

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	17.04	16.00	14.00[1]	14.75	15.39	16.12
" " " 12 ft.	15.44	14.96	16.03	17.50	15.48	15.25
" " " 14 ft.	15.18	14.54	15.08	12.86	14.65	15.03
" " " 16 ft.	16.24	15.79	16.22	15.86	16.06	15.29
" " " 18 ft.	18.56	16.58	17.42	20.34	17.76	17.09
" " " 20 ft.	17.00	16.44	17.42	19.17	16.84	17.49
" " " 22 ft.	22.08[2]	18.88	22.75[1]	17.00[1]	18.88	17.97
" " " 24 ft.	23.25[1]	18.88	22.75[1]	18.00[1]	18.88	17.00
2x10, No. 2, S 1 S 1 E, 10 ft.	14.74	14.83	15.59	14.00	14.85	14.88
" " " 12 ft.	14.41	15.07	16.22	16.16[2]	15.62	15.71
" " " 14 ft.	15.20	14.43	16.22	15.38	14.90	14.77
" " " 16 ft.	16.63	15.27	15.86	15.50	15.95	16.30
" " " 18 ft.	17.93	17.46	18.19	16.65	17.45	18.56
" " " 20 ft.	16.99	18.00	18.19	15.50	17.60	17.61
" " " 22 ft.	....	18.71	28.00	....	20.10	19.54
" " " 24 ft.	....	18.71	28.00	....	20.10	19.54
2x12, No. 2, S 1 S 1 E, 10 ft.	17.50[1]	14.00	16.00[1]	17.73[3]	14.00	16.50
" " " 12 ft.	17.50	16.47	16.66	16.25	16.56	16.57
" " " 14 ft.	14.47	16.89	16.66	17.75[3]	15.58	16.22
" " " 16 ft.	17.14	17.81	16.73	16.21	17.52	16.02
" " " 18 ft.	19.50	18.54	21.50	23.75	19.95	17.22
" " " 20 ft.	17.64	19.12	21.50	19.50[2]	18.55	18.87
" " " 22 ft.	21.50[1]	21.04	23.00[1]	....	21.04	21.08
" " " 24 ft.	25.25[1]	21.04	....	....	21.04	25.25
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	8.63	6.79	....	7.38	8.20	7.65
PATENT LATH						
4 and 6 ft.	8.94	10.41	12.00[1]	....	9.04	8.88
8 and 10 ft.	10.93	10.67	12.00[1]	....	10.82	9.50
12 ft. and longer	11.53	10.00	10.50[3]	....	11.35	11.17
PLASTERING LATH						
⅜x1½-4, No. 1	3.72	3.86	4.27	3.31	3.93	3.77
" No. 2	1.61	1.68	2.17	3.10	1.90	1.94
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	18.81	17.77	19.40	....	18.76	18.27
" " 22-24 ft.	18.55[1]	18.19	20.47	....	19.00	19.07
" " 26 ft.	20.00[1]	19.50	22.92	....	22.47	20.97
" " 28 ft.	16.63[1]	20.50	22.92	....	20.50	16.99
" " 30 ft.	20.80	22.14	21.47	....	21.60	18.02
" " over 30 ft.	28.75	24.27	21.47	....	27.05	20.17
4x4 to 8x8, Heart (85%*), up to 20 ft.	19.98	20.03	....	....	20.00	21.20
" " " 22-24 ft.	25.25[1]	20.08	....	....	20.08	25.25
" " " 26 ft.	....	21.00	....	....	21.00	27.62[3]
" " " 28 ft.	....	22.00	....	....	22.00	25.00[3]
" " " 30 ft.	....	23.00	....	....	23.00	25.00
" " " over 30 ft.	26.00[1]	37.78[3]	....	....	26.00[1]	25.50
3 & 4x10, No. 1, up to 20 ft.	18.85	19.05	....	....	18.96	19.52
" " 22-24 ft.	18.51[1]	21.00	....	....	21.00	18.84
" " 26 ft.	25.00[2]	23.25[2]	....	....	24.45[2]	24.45[1]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	25.75[2]	....	....	....	25.75[2]	25.75[1]
" " over 30 ft.	....	....	....	....	....	....
3 & 4x10, Heart (85%*), up to 20 ft.	22.24[1]	23.18	....	....	23.18	22.62
" " " 22-24 ft.	....	24.23	....	....	24.23	24.00
" " " 26 ft.	23.23[1]	24.82	....	....	24.82	23.72
" " " 28 ft.	29.25[1]	25.75	....	....	25.75	27.90
" " " 30 ft.	....	26.75	....	....	26.75	....
" " " over 30 ft.	....	33.94	....	....	33.94	28.28[3]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
6x10, to 10x10, No. 1, up to 20 ft.	18.39	17.97	22.61	....	22.77	18.49
" " 22-24 ft.	20.01[1]	20.38	23.00	....	21.97	20.04
" " 26 ft.	19.16[1]	21.25[2]	25.00	....	25.00	19.16
" " 28 ft.	21.38[1]	21.25[3]	25.00	....	25.00	21.38
" " 30 ft.	22.94[1]	22.25[3]	27.00[3]	....	22.94[1]	22.94
" " over 30 ft.	20.63[1]	30.00[1]	22.50	....	22.50	20.75
6x10 to 10x10, Heart (85%+), up to 20 ft.	23.56	24.00	....	....	23.56	23.50
" " " 22-24 ft.	25.50[1]	25.00	....	....	25.00	25.50
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	27.00[3]
" " " 30 ft.	36.00	28.00	....	....	33.18	....
" " " over 30 ft.	27.50[2]	40.00	....	....	40.00	33.61[1]
3 & 4x12, No. 1, up to 20 ft.	23.89	21.16	....	....	21.39	22.35
" " 22 24 ft.	24.83[1]	22.00[1]	....	....	24.29[1]	24.29
" " 26 ft.	25.46[1]	....	....	....	25.46[1]	25.46
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	23.00[2]	....	....	....	23.00[2]	23.00[1]
" " over 30 ft.	....	32.00[1]	....	....	32.00[1]	32.00
3 & 4x12, Heart (85%+), up to 20 ft.	24.57	25.19	....	....	25.13	24.75
" " " 22-24 ft.	24.25[1]	26.32	....	....	26.32	25.17
" " " 26 ft.	26.00[1]	26.75	....	....	26.75	26.00
" " " 28 ft.	....	27.75	....	....	27.75	....
" " " 30 ft.	41.98[2]	....	....	....	41.98[2]	41.98[1]
" " " over 30 ft.	....	38.00[3]	....	....	38.00[3]	38.00[2]
6x12 to 12x12, No. 1, up to 20 ft.	19.52	20.26	23.55	....	21.79	20.91
" " 22-24 ft.	25.71	22.39	25.00	....	24.15	22.91
" " 26 ft.	22.94[1]	29.09[2]	25.00	....	25.00	22.39
" " 28 ft.	22.64[1]	28.00[1]	25.00	....	25.00	23.69
" " 30 ft.	27.66[1]	29.00[1]	25.50[2]	....	27.87[1]	27.87
" " over 30 ft.	25.47[1]	40.00[1]	25.50[2]	....	26.51[1]	26.51
6x12 to 12x12, Heart (85%+), up to 20 ft.	23.10	23.42	....	....	23.22	22.60
" " " 22-24 ft.	30.25[1]	33.00[3]	....	....	30.25[1]	30.25
" " " 26 ft.	26.50[2]	....	....	....	26.50[2]	26.50[1]
" " " 28 ft.	....	29.00	....	....	29.00	....
" " " 30 ft.	24.00	30.00	....	....	28.11	....
" " " over 30 ft.	30.89	38.25[3]	....	....	30.89	29.61[2]
2x14 to 4x14, No. 1,up - 2St2t.	25.58[1]	23.46	....	....	23.46	25.63
" " 22 f4 o.	23.26[1]	25.52	....	....	25.52	22.66
" " 26 ft.	29.00[1]	26.52	....	....	26.52	29.00
" " 28 ft.	....	27.50	....	....	27.50	32.00[3]
" " 30et.	29.00[1]	30.00[1]	....	....	29.27[1]	29.27
" " ovr 30 ft.	34.25[2]	26.75	....	....	26.75	34.25[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	29.48[2]	26.75	....	....	26.75	29.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	24.10	22.50	33.00[2]	....	24.01	23.22
" " 22-24 ft.	25.00[1]	28.05[1]	34.00[2]	....	26.61[1]	26.61
" " 26 ft.	26.50[1]	....	31.65	....	31.65	26.50
" " 28 ft.	....	....	31.65	....	31.65	25.44[1]
" " 30 ft.	27.00[1]	....	....	....	27.00[1]	27.00
" " over 30 ft.	28.75[1]	41.00[1]	29.50[2]	....	33.46[1]	33.46
6x14 to 14x14, Heart (85%+), up to 20 ft.	22.85	28.25	....	....	22.89	28.50[1]
" " " 22-24 ft.	....	32.00[3]	....	....	32.00[3]	32.00[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	33.00[3]	....	....	....	33.00[3]	33.00[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	36.21[3]	....	....	....	36.21[3]	36.21[2]
2x16 to 4x16, No. 1, up to 20 ft.	....	28.00	....	....	28.00	28.11
" " 22-24 ft.	....	36.00[1]	....	....	36.00[1]	36.00
" " 26 ft.	....	40.00[3]	....	....	40.00[3]	40.00[2]
" " 28 ft.	....	....	....	....	....	33.00[3]
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
x16 & Up, No. 1, up to 20 ft.	33.22[1]	....	29.50[2]	....	33.22[1]	33.22
" " 22-24 ft.	29 00[1]	....	30.50[1]	....	30.13[1]	30.13
" " 26 ft.	32.50[1]	....	33.00[1]	....	32 87[1]	32.87
" " 28 ft.	31 50[3]	....	33 00[1]	....	33.00[1]	33.00
" " 30 ft.	....	....	34 82[3]	....	34.82[3]	34.82[2]
" " over 30 ft.	38.50[1]	....	35.27[3]	....	38.50[1]	38.50
x16 & Up, Heart (85%+), up to 20 ft.	30.95	....	....	....	30.95	31.19
" " " 22-24 ft.	....	....	....	....	....	37.62[3]
" " " 26 ft.	33.00[2]	....	....	....	33.00[2]	33.00[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	35.89[3]
STRINGERS						
inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	35.00[3]	....	....	35.00[3]	35.00[2]
inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	44.50[3]	....	....	44.50[3]	44.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	35 00[1]	32.99[3]	....	....	35.00[1]	35.00
" " 30 ft.	....	38.00	....	....	38.00	....
" " 32 ft.	....	....	....	....	....	....
inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	32.00[3]
" " " 22-24 ft.	29.50[1]	....	....	....	29.50[1]	29.50
" " " 26 ft.	....	....	....	....	....	32 00[3]
" " " 28 ft.	35.00[2]	35.00[1]	....	....	35.00[1]	35.00
" " " 30 ft.	....	....	....	....	....	36.00[3]
" " " 32 ft.	....	....	....	....	....	37.00[3]
CAR SILLS						
to 9 inch, Sq. E. 34 ft.	24 00[2]	23 00	26.75[1]	....	23.00	26.75
" " 36 ft.	24 00[1]	24.70	26 75[1]	....	24.70	24.00
" " 37-38 ft.	25.00[1]	29.00	26.12[1]	....	29.00	25.83
" " 40 ft.	33 75[1]	27.30	28.75[1]	....	27.30	28.73
" " 41-42 ft.	27.00[1]	32.69	....	....	32 69	27.00
to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " 36 ft.	....	....	....	....	....	....
" " " 37-38 ft.	28.15[1]	....	....	....	28.15[1]	28.15
" " " 40 ft.	31 00[1]	....	....	....	31 00[1]	31 00
" " " 41-42 ft.	31 00[1]	....	....	....	31.00[1]	31.00
to 10 inch, Sq. E. 34 ft.	....	....	27.75[1]	....	27.75[1]	27.75
" " 36 ft.	30 50[2]	25.51	27.75[1]	20.00[1]	25.51	20.43
" " 37-38 ft.	25.05	....	29 75[1]	....	25.05	26.69
" " 40 ft.	26 00[1]	27.47	29.75[1]	....	27.47	27.38
" " 41-42 ft.	26.00[1]	....	....	....	26 00[1]	26.00
to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " 36 ft.	....	....	....	....	....	....
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
to 12 inch, Sq. E., 34 ft.	....	....	....	....	....	32 00[3]
" " 36 ft.	....	28 75	....	23 00[1]	28.75	23.00
" " 37-38 ft.	33 00[2]	....	....	....	33 00[2]	33 00[1]
" " 40 ft.	36 00[2]	29 50	....	....	29.50	36 00[1]
" " 41-42 ft.	36 00[2]	....	....	....	36 00[2]	36 00[1]
to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " 36 ft.	33 50[2]	....	....	....	33 50[2]	33 50[1]
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report July 31
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	....
" " " 36 ft.	....	....	....	30.00	30.00	27.50
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	....	31.72	....	35.00[1]	31.72	35.00
" " " 41-42 ft.	....	34.00	....	....	34.00	34.50[3]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	34.00[1]	....	....	....	34.00[1]	34.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	37.00[1]	....	....	....	37.00[1]	37.00
" " " " 41-42 ft.	37.00[1]	....	....	....	37.00[1]	37.00
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	27.50[2]	....	....	....	27.50[2]	27.50[1]
" " " 14 ft.	24.00	25.00[2]	....	....	24.00	24.50
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	24.00	....	....	24.00	27.64[3]
" " 16 ft.	....	....	....	....	....	31.00[3]
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	28.00[3]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	20.75[2]	18.00[2]	....	....	20.50[2]	20.50[1]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	20.00	22.50	....	....	20.46	17.92[1]
" " Heart, (85%+), 6x8–8	20.71[2]	16.15[2]	....	....	20.40[2]	20 40[1]
" " Sq. E., " 7x9–8	23.00[2]	23.00[1]	....	....	23.00[1]	23.00
" " Heart, " 7x9–8	22.00[2]	17.70	....	....	17.70	22.00[1]
Bridge Ties, Sq. E., 7x9 & up	....	19.00[3]	....	....	19.00[3]	19.00[2]
" " Heart,	....	21.00[3]	....	....	21.00[3]	21.00[2]
Paving Stock, S 1 S	15.00	....	19.00	....	15.50	16.50
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	....	110.00[2]	....	....	110.00[2]	110.00[1]
Ship " Flat Grain	....	....	....	....	....	59.06[3]
Miscellaneous	19.50	24.71	33.48	18.84	21.21	23.21
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	10.60[1]	....	15.43[3]	....	10.60[1]	10.60
Miscellaneous, B and B	30.93	45.64	33.92	30.71[1]	38.41	41.73
" No. 1	30.43	22.97	17.20	35.96	23.45	26.50
" No. 2	18.43	16.24	14.86	15.05	15.64	15.98
" No. 3	8.30	8.05	8.40	9.79	8.33	9.44
Shorts, B and B	22.25	23.20	....	....	22.70	28.08
" No. 1	9.61	14.97	....	....	9.87	10.28
" No. 2	....	7.78	....	....	7.78	10.94
" No. 3	....	6.62	....	....	6.62	8.76

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16 75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

August 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending August 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the 'ast report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

x14 and 3x12, S 1 S 1 E	3,800
x14 and 3x12, rough	4,500
x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued August 30, 1921

No. 139

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
eart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″	....	....	....	....	....	....
dge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	62.54	....	....	....	62.54	63.28
" " C "	37.59	....	....	....	37.59	41.30
" " D "	33.35	....	....	....	33.35	39.79
" " No. 2 "	....	....	....	....	....	....
lat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	39.20	....	....	....	39.20	37.59
" " C "	27.00	....	....	....	27.00	27.30[2]
" " D "	27.01	....	....	....	27.01	27.78
o. 1 Common "	....	....	....	....	....	....
o. 2 " "	14.00	....	....	....	14.00	12.50
o. 3 " "	....	....	....	....	....	....
eart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″	....	....	....	72.92[1]	72.92[1]	72.92
dge Grain, A "	....	....	70.22	69.00[1]	70.22	69.09
" " B "	....	70.00	60.82	....	60.91	62.83
" " B and Better "	62.95[1]	62.26	....	59.00	61.91	60.80
" " C "	....	43.39	46.77	43.19	44.96	45.97
" " D "	35.81[2]	....	....	....	35.81[2]	35.81[1]
" " No. 2 "	....	....	21.25	....	21.25	21.35
lat " A "	42.50[1]	....	....	....	42.50[1]	42.50
" " B "	37.23[1]	41.53	....	....	41.53	35.52
" " B and Better "	34.50[1]	39.75	41.72	42.73	41.32	40.04
" " C "	32.00[3]	....	....	....	32.00[3]	32.00[2]
" " D "	30.00	....	....	....	30.00	34.00
o. 1 Common "	....	29.34	32.07	30.99	31.32	31.01
o. 2 " "	14.50	14.30	14.41	13.92	14.32	14.47
o. 3 " "	....	....	6.43	7.24[1]	6.43	7.53
eart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″	....	....	....	....	....	....
dge Grain, A "	50.00[3]	....	61.00[2]	61.00[2]	61.00[2]	61.00[1]
" " B "	....	52.50	54.36	....	54.02	54.63
" " B and Better "	48.16	49.05	38.00[2]	54.75	48.50	48.54
" " C "	31.23	39.93[1]	38.00[1]	37.00	31.59	38.10
" " D "	29.05	....	....	....	29.05	27.55
" " No. 2 "	....	....	20.00[1]	21.50[1]	20.46[1]	20.46
at " A "	....	....	....	....	....	....
" " B "	....	33.10	....	....	33.10	33.10
" " B and Better "	32.63	32.66	30.89	31.92	32.24	31.73
" " C "	25.00	25.00[1]	....	....	25.00	25.95
" " D "	25.03	25.00[2]	....	....	25.03	25.36
o Common "	....	25.59	27.31	27.75	26.65	26.74
o. 2 " "	14.58	14.26	14.08	12.51	14.04	14.82
o. 3 " "	....	....	8.12	8.05	8.08	10.43
CEILING						
eiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.99	29.14	28.27	31.00	28.75	28.94
" " No. 1 Common	25.14	27.77	24.90	30.25	25.57	25.33
" " No. 2 "	11.85	15.75	12.57	15.00[3]	12.63	13.11
" " No. 3 "	....	....	5.00	....	5.00	5.25[2]
eiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.96	28.81	29.55	30.70	29.05	28.82
" " No. 1 Common	24.78	23.52	27.76	28.61	25.87	25.47
" " No. 2 "	11.72	11.34	13.23	13.00	12.18	13.16
" " No. 3 "	....	....	5.00	....	5.00	7.25[2]
eiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.29	29.29[1]	34.01	....	34.16	32.37
" " No. 1 Common	26.41	29.00	27.00	....	27.05	24.35
" " No. 2 "	16.04	14.00[1]	15.00	....	15.98	14.94
" " No. 3 "	....	....	....	....	....	....
PARTITION						
artition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.09	35.70	33.38	36.15	34.50	34.17
" " No. 1 Common	26.91	29.29	30.56	35.00	29.05	27.02
" " No. 2 "	17.14	14.79	16.09	20.00	15.86	11.77
artition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.77	32.57	33.38	45.00[2]	35.30	36.55
" " No. 1 Common	28.50	22.55	30.56	....	23.22	28.41
" " No. 2 "	17.75[1]	16.15	16.09	....	16.15	16.81
BEVEL SIDING						
evel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	22.33	24.94	26.25[2]	24.38[2]	23.94	23.82
" No. 1 Common	20.00	15.43	20.78	21.75[2]	19.88	16.29
" No. 2 "	15.00	14.75[2]	12.00	....	12.97	21.64

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	29.46	29.44	30.56	31.80	29.68	29.34
“ “ No. 1 Common	24.49	22.84	26.62	21.57	24.52	25.71
“ “ No. 2 “	16.95	16.49	15.77	15.86	16.21	15.94
“ “ No. 3 “	....	....	8.61	8.74	8.47	8.30
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	39.02	37.92	36.85	41.25	38.19	37.61
1x 6 inch, “	38.85	39.37	36.98	40.04	38.76	39.18
1x 8 inch, “	40.13	40.26	38.49	40.11	39.75	39.51
1x 5 and 10 inch, “	45.61	43.43	42.67	44.85	44.09	44.39
1x12 inch, “	45.80	44.40	46.46	45.05	45.31	45.05
1¼x4 to 12 inch, “	54.22	48.43	46.45	54.90	50.26	51.98
1½ and 2x4 to 12 inch, “	47.23	45.74	46.98	49.20[2]	46.56	49.76
1⅝ inch, “	40.16	46.67	....	....	40.64	40.44
1x 6 to 12 inch, “	....	....	....	45.00	45.00	45.00[1]
1x 4 inch, C	30.21	28.91	36.50	....	30.00	31.00
1x 6 inch, “	32.75	30.64	33.00	....	31.30	32.12
1x 8 inch, “	34.51	33.16	31.00	....	33.27	32.21
1x 5 and 10 inch, “	37.33	35.44	34.20	....	35.71	36.91
1x12 inch, “	39.64	36.18	37.00	....	36.40	36.18
1¼x4 to 12 inch, “	42.70	46.75	39.03	....	39.80	44.67
1½ and 2x4 to 12 inch, “	35.00[1]	57.00	36.50	....	50.17	35.00
1⅝ inch, “	....	30.00	....	....	30.00	28.50
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	....	....	39.30	49.00[2]	39.30	37.00
1x 6 inch, “ “	41.00	32.60	33.24	36.00	33.80	33.57
1x 8 inch, “ “	41.00	37.33[1]	34.76	32.50	34.23	33.70
1x 5 and 10 inch, “ “	46.78	36.15	39.79	40.00[1]	38.45	39.36
1x12 inch, “ “	47.39	41.50[3]	48.84	40.00[1]	48.19	42.70
1¼x4 to 12 inch, “ “	54.44[1]	44.14	46.24	52.50	45.88	44.83
1½ and 2x4 to 12 inch, “ “	45.50[1]	43.26[1]	44.98	54.00	47.64	43.83
1⅝ inch, “ “	....	56.00	....	....	56.00	41.73
1x 6 to 12 inch, “ “	....	....	....	35.13[1]	35.13[1]	35.13
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	49.82	46.83	47.74	51.25	48.26	46.99
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	48.24	47.26	45.19	50.00	46.74	47.11
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	53.02	50.34	47.99	57.70	50.62	51.21
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	18.00	28.00[1]	....	....	18.00	28.00
“ “ “ “ “ 8 ft.	17.00	26.93	24.00[1]	....	25.11	21.40
“ “ “ “ “ 12 and 14 ft.	36.50	....	....	....	36.50	17.00[1]
“ “ “ “ “ 16 ft.	36.50	33.00	....	....	33.25	....
“ “ “ “ “ 9 or 18 ft.	33.43	33.95	32.50	....	33.62	32.07
“ “ “ “ “ 10 or 20 ft	30.23	20.91	28.00[1]	....	23.79	29.30

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	17.00[2]	20.29	23.72[1]	....	20.29	20.25
" " " " " 8 ft.	16.16	19.60	....	....	17.22	18.71
" " " " " 12 and 14 ft.	16.00	23.67	....	....	22.81	22.31
" " " " " 16 ft.	21.00[2]	24.00[1]	....	....	24.00[1]	24.00
" " " " " 9 or 18 ft.	24.59	27.90	24.50	....	25.78	24.94
" " " " " 10 or 20 ft.	23.72	25.00	....	....	23.89	20.84
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	19.33	20.29	23.72[1]	....	19.33	20.25
" " " " " 8 ft.	13.90	19.60	....	....	13.90	18.67
" " " " " 12 and 14 ft.	25.00[2]	23.67	....	....	23.67	22.38
" " " " " 16 ft.	22.50	24.00[1]	....	....	22.50	24.00
" " " " " 9 or 18 ft.	28.39	27.90	24.50	....	28.39	23.36
" " " " " 10 or 20 ft.	23.17	25.00	....	....	23.17	22.50
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	8.35	13.47[1]	....	....	8.35	13.28
" " " " " 10 to 20 ft.	9.69	11.68	....	....	9.81	12.99
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00	....	....	24.00	24.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	25.86	....	....	25.86	24.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	22.42	19.71	....	20.06	22.16
" " " 2 to 3 inch 10 & 20 ft.	....	22.00	19.71	....	22.00	21.92
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	14.00	14.00	24.00[3]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	21.97	....	30.00[3]	....	21.97	19.22
" " " " other lengths.	22.06	20.72	27.52	32.50	22.16	22.72
" " 1x10, " 14 and 16 ft.	23.52	....	37.00	....	28.46	19.72
" " " " other lengths.	22.75	21.27	28.90	37.00	22.58	23.27
" " 1x12, " 14 and 16 ft.	30.93	....	25.00[1]	29.00	30.89	32.83
" " " " other lengths.	31.58	30.81	30.39	37.19[2]	31.01	31.55
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	14.61	14.44	15.42	14.38	14.68	15.14
" " 1x10, " "	15.26	15.30	15.20	14.41	15.11	15.09
" " 1x12, " "	16.48	15.92	16.14	21.22	16.17	16.56
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.05	8.16	9.76	10.61	9.24	9.21
" " 1x10, " "	9.43	8.55	10.14	13.00	9.39	9.14
" " 1x12, " "	9.14	9.65	10.32	11.21	9.65	9.71
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	22.28	....	24.95[2]	....	22.28	23.72
" " " other lengths.	22.48	21.17	23.00	22.74[1]	21.75	22.12
" 1x10, " 14 and 16 ft.	21.50	....	22.50[2]	....	21.50	25.71
" " " other lengths.	22.63	22.00	22.83[2]	26.00[3]	22.24	22.45
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	15.15	15.12	15.34	15.40	15.18	15.44
" 1x10, " "	15.04	15.12	36.25	16.40	15.25	15.37
" 1x12, " "	....	....	....	....	....	15.80[3]
Shiplap, 1x 8, No. 3, all lengths.	9.60	9.04	9.37	10.00	9.39	9.42
" 1x10, " "	9.59	9.67	9.55	8.00	9.38	9.23
" 1x12, " "	9.34	8.61	....	....	9.08	9.30
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	20.10[3]	....	....	....	20.10[3]	20.10[2]
" " " " other lengths.	23.50	23.75	....	....	23.63	20.00
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	4.75[2]	....	....	5.74	5.74	4.75[1]

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
1x4, S 1 S, No. 1, 16 ft.	21.35	20.06	....	....	20.22	21.11
“ “ “ other lengths	20.94	19.32	27.39	30.00	20.29	20.08
“ “ No. 2, all lengths	9.35	9.40	12.34	9.00	9.61	9.78
“ “ No. 3, “	6.09	6.47	7.27	7.50[3]	6.35	7.03
1x4, C. M., No. 1, 16 ft.	21.25[3]	....	....	....	21.25[3]	21.25[2]
“ “ “ other lengths	20.10	....	....	....	20.10	24.75
“ “ No. 2, all lengths	10.20	....	....	....	10.20	10.52[1]
“ “ No. 3, “	6.45[3]	....	....	....	6.45[3]	6.45[2]
1x6, S 1 S, No. 1, 16 ft.	22.58	....	....	....	22.58	21.35
“ “ “ other lengths	22.00	19.82	27.87	32.50	21.23	22.26
“ “ No. 2, all lengths	12.93	13.07	13.45	13.54	13.08	13.02
“ “ No. 3, “	8.14	7.46	7.82	7.87	7.84	8.01
1x6, C. M., No. 1, 16 ft.	23.00	....	....	....	23.00	26.25
“ “ “ other lengths	22.54	20.42	....	....	20.59	21.12
“ “ No. 2, all lengths	13.12	13.64	....	14.71	13.50	13.47
“ “ No. 3, “	8.28	8.19	....	8.81	8.38	8.12
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.53	19.86	19.51	23.00[1]	20.10	21.17
“ “ “ 12 ft.	20.22	19.15	18.53	21.00[1]	19.34	19.75
“ “ “ 14 ft.	19.20	18.97	18.40	21.00[1]	18.89	19.58
“ “ “ 16 ft.	20.66	20.05	20.11	23.00	20.23	21.01
“ “ “ 18 ft.	22.91	22.58	20.63	24.00	22.06	22.07
“ “ “ 20 ft.	22.64	22.09	20.63	24.00	22.37	22.66
“ “ “ 22 ft.	26.64	23.47	22.70[1]	....	23.84	23.36
“ “ “ 24 ft.	26.21	23.81	22.70[1]	....	24.27	22.59
2x 6, No. 1, S 1 S 1 E, 10 ft.	16.00	17.25	14.60	16.75	16.18	16.67
“ “ “ 12 ft.	16.80	16.76	15.95	15.50[2]	16.40	16.36
“ “ “ 14 ft.	16.67	16.42	15.95	15.00[2]	16.51	16.79
“ “ “ 16 ft.	17.30	17.34	17.20	14.50[2]	17.30	17.34
“ “ “ 18 ft.	18.53	18.20	17.61	17.60[2]	18.02	17.86
“ “ “ 20 ft.	18.53	18.12	17.61	22.00[2]	18.29	18.25
“ “ “ 22 ft.	22.01	20.07	20.58	21.75[2]	20.69	19.98
“ “ “ 24 ft.	21.46	20.27	20.58	....	20.72	19.83
2x 8, No. 1, S 1 S 1 E, 10 ft.	20.10	19.14	19.10	22.75[1]	19.41	21.02
“ “ “ 12 ft.	18.79	18.96	17.95	20.75[1]	18.70	18.53
“ “ “ 14 ft.	18.22	18.36	17.98	20.75[1]	18.21	18.26
“ “ “ 16 ft.	19.47	18.17	19.85	20.50	19.03	20.25
“ “ “ 18 ft.	21.53	20.80	20.18	21.50	20.82	21.40
“ “ “ 20 ft.	21.36	20.90	20.18	23.00[2]	21.08	20.82
“ “ “ 22 ft.	25.15	21.19	20.92	22.75[2]	21.37	22.13
“ “ “ 24 ft.	23.90	22.05	20.92	22.75[2]	22.54	21.91
2x10, No. 1, S 1 S 1 E, 10 ft.	20.80	20.05	18.21	20.25	19.64	20.67
“ “ “ 12 ft.	19.65	19.66	18.68	20.25	19.26	20.05
“ “ “ 14 ft.	19.32	19.60	18.68	23.50[1]	19.49	19.53
“ “ “ 16 ft.	20.78	19.80	18.87	25.50[1]	19.98	20.57
“ “ “ 18 ft.	22.32	20.71	21.80	24.50	21.55	22.25
“ “ “ 20 ft.	21.60	21.68	21.80	20.50[2]	21.66	22.54
“ “ “ 22 ft.	22.51	22.16	21.48	....	22.10	22.11
“ “ “ 24 ft.	24.04	22.45	21.48	....	22.60	23.45
2x12, No. 1, S 1 S 1 E, 10 ft.	22.67	21.94	27.50	27.50	24.15	21.53
“ “ “ 12 ft.	22.60	21.99	20.13	26.50	21.70	21.64
“ “ “ 14 ft.	22.72	21.48	20.13	16.50[2]	21.91	22.35
“ “ “ 16 ft.	23.54	22.40	20.62	16.50[2]	22.40	21.84
“ “ “ 18 ft.	24.80	23.88	24.58	28.25	24.99	23.66
“ “ “ 20 ft.	24.89	23.84	24.58	28.25	24.25	24.46
“ “ “ 22 ft.	28.40	26.02	22.00	26.00[2]	26.21	25.09
“ “ “ 24 ft.	27.77	25.43	22.00	26.00[2]	26.50	25.87
2x 4, No. 2, S 1 S 1 E, 10 ft.	17.99	17.69	17.45	15.38	17.13	16.96
“ “ “ 12 ft.	16.48	15.38	15.87	14.64	15.66	16.32
“ “ “ 14 ft.	15.83	14.76	16.85	12.75	15.26	15.78
“ “ “ 16 ft.	18.05	16.71	15.93	15.37	16.92	16.99
“ “ “ 18 ft.	19.30	18.29	17.68	18.00	18.46	18.86
“ “ “ 20 ft.	19.22	18.65	17.68	16.00	18.62	18.92
“ “ “ 22 ft.	20.50[1]	18.80	16.88	....	18.03	19.04
“ “ “ 24 ft.	24.00[2]	18.80	16.88	....	18.03	18.97
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.75	11.41	14.34	12.95	12.50	14.17
“ “ “ 12 ft.	13.84	13.08	13.21	13.24	13.24	13.70
“ “ “ 14 ft.	13.38	12.96	13.21	13.24	13.01	13.02
“ “ “ 16 ft.	14.16	14.25	14.96	12.95	14.54	14.28
“ “ “ 18 ft.	14.46	14.69	15.40	16.86	15.05	15.13
“ “ “ 20 ft.	14.74	15.56	15.40	16.86	15.31	15.28
“ “ “ 22 ft.	16.93[2]	14.69	19.34	16.50[2]	16.47	16.11
“ “ “ 24 ft.	17.00	14.69	19.34	17.50[2]	17.00	16.11

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	16.09	14.51	15.02	13.00	14.55	15.39
" " " 12 ft.	16.07	14.24	14.54	13.19	14.73	15 48
" " " 14 ft.	15.59	14.03	14.54	15.20	14.65	14.65
" " " 16 ft.	15.45	15.13	17.00	14.00	15.40	16.06
" " " 18 ft.	17.23	16.37	16.72	18.17	16.82	17.76
" " " 20 ft.	17.04	16.67	16.72	18.17	16.76	16.84
" " " 22 ft.	....	19.28	17.07	17.00[2]	17.95	18.88
" " " 24 ft.	23.00	19.28	17.07	18.00[2]	23.00	18.88
2x10, No. 2, S 1 S 1 E, 10 ft.	14.50	14.85	16.50	14.49	14.56	14.85
" " " 12 ft.	14.77	14.52	15.81	14.38	14.91	15.62
" " " 14 ft.	15.37	12 06	15.81	14.84	14.44	14.90
" " " 16 ft.	15.91	15.59	17.14	13.75	16.01	15.95
" " " 18 ft.	17.59	17.40	15.71	16.50	16.77	17.45
" " " 20 ft.	17.46	16.78	15.66	21.00	17.07	17.60
" " " 22 ft.	....	20.42	28.00[1]	....	20.42	20.10
" " " 24 ft.	....	18.71[1]	28.00[1]	....	20.10[1]	20.10
2x12, No. 2, S 1 S 1 E, 10 ft.	17.56	18.00	16.50	....	17.47	14.00
" " " 12 ft.	16.13	15.62	15.91	16.00	15.79	16.56
" " " 14 ft.	16.11	13.65	15.91	....	13.81	15.58
" " " 16 ft.	18.23	17.72	16.01	16.00	17.51	17.52
" " " 18 ft.	17.39	17.89	20.35	23.75[1]	18.85	19.95
" " " 20 ft.	18.35	18.41	20.35	19.50[3]	18.38	18.55
" " " 22 ft.	21 50[2]	21.75	17.50	....	19.82	21.04
" " " 24 ft.	25.25[2]	22.00	17.50	....	19.75	21.04
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E, all lengths	7.12	7.08	....	7.38[1]	7.09	8.20
PATENT LATH						
4 and 6 ft.	9.25	9.07	11.28	....	9.74	9.04
8 and 10 ft.	11.26	9.73	11.28	....	10.79	10.82
12 ft. and longer	11.43	18.00	11.28	....	11.85	11.35
PLASTERING LATH						
⅜x1½–4, No. 1	3.84	3.85	4.22	3.08	3.93	3.93
" No. 2	1.73	1.75	2.06	2.30	1.91	1.90
⅜x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	18.78	18.01	18.29	....	18.37	18.76
" " 22-24 ft.	18.55[2]	18.65	17.56	....	18.27	19.00
" " 26 ft.	20.00[2]	18.50	21.54	....	21.35	22.47
" " 28 ft.	16.63[2]	21.00	21.54	....	21.00	20.50
" " 30 ft.	22 05	22.14[1]	21.47[1]	....	22.05	21.60
" " over 30 ft.	24.45	28.75	24.00	....	24.74	27.05
4x4 to 8x8, Heart (85%+), up to 20 ft.	20.49	21.52	....	....	21.17	20.00
" " " 22-24 ft.	25.25[2]	22.90	....	....	22.90	20.08
" " " 26 ft.	....	24.50	....	....	24.50	21.00
" " " 28 ft.	....	22.00[1]	....	....	22.00[1]	22.00
" " " 30 ft.	....	26.00	....	....	26.00	23.00
" " " over 30 ft.	26.00[2]	....	....	....	26.00[2]	26.00[1]
3 & 4x10, No. 1, up to 20 ft.	18.83	18.50	....	....	18.76	18.96
" " 22-24 ft.	18.51[2]	21.00[1]	....	....	21.00[1]	21.00
" " 26 ft.	25.00[3]	23.25[3]	....	....	24.45[3]	24.45[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	21.00	....	....	....	21.00	25.75[2]
" " over 30 ft.	25.97	....	....	....	25.97	....
3 & 4x10, Heart (85%+), up to 20 ft.	20.07	23.37	....	....	21.32	23.18
" " " 22-24 ft.	....	22.45	....	....	22.45	24.23
" " " 26 ft.	23.23[2]	20.75	....	....	20.75	24 82*
" " " 28 ft.	29.25[2]	25.75[1]	....	....	25.75[1]	25.75
" " " 30 ft.	....	26.75[1]	....	....	26.75[1]	26.75
" " " over 30 ft.	....	33.94[1]	....	....	33.94[1]	33.94

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
6x10, to 10x10, No. 1, up to 20 ft.	20.02	19.09	20.69	....	20.09	22.77
" " 22-24 ft.	20.01[2]	23.00	19.24	....	19.80	21.97
" " 26 ft.	19.16[2]	21.22	25.00	....	21.59	25.00
" " 28 ft.	21.38[2]	....	25.00	....	25.00	25.00
" " 30 ft.	29.20	....	27.33	....	28.19	22.94[1]
" " over 30 ft.	20.63[2]	30.00[2]	27.33	....	27.33	22.50
6x10 to 10x10, Heart (85%+), up to 20 ft.	26.42	22.00	....	....	24.63	23.56
" " " 22-24 ft.	23.50[2]	25.00[1]	....	....	25.00[1]	25.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	30.25	28.00[1]	....	....	30.25	33.18
" " " over 30 ft.	27.50[3]	40.00[1]	....	....	40.00[1]	40.00
3 & 4x12. No. 1, up to 20 ft.	21.47	21.88	....	....	21.56	21.39
" " 22 24 ft.	24.83[2]	23.22	....	....	23.22	24.29[1]
" " 26 ft.	25.46[2]	29.00	....	....	29.00	25.46[1]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	23.00[3]	....	....	....	23.00[3]	23.00[2]
" " over 30 ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
3 & 4x12, Heart (85%+), up to 20 ft.	24.12	24.76	....	....	24.43	25.13
" " " 22-24 ft.	24.25[2]	26.50	....	....	26.50	26.32
" " " 26 ft.	26.00[2]	26.75[1]	....	....	26.75[1]	26.75
" " " 28 ft.	....	27.75[1]	....	....	27.75[1]	27.75
" " " 30 ft.	28.50	38.27	....	....	35.49	41.98[2]
" " " over 30 ft.	....	31.00	....	....	31.00	38.00[3]
6x12 to 12x12, No. 1, up to 20 ft.	20.77	19.50	21.92	....	21.32	21.79
" " 22-24 ft.	25.71[1]	23.00	25.00[1]	....	23.00	24.15
" " 26 ft.	22.94[2]	21.00	25.00[1]	....	21.00	25.00
" " 28 ft.	22.64[2]	28.00[2]	25.00[1]	....	25.00[1]	25.00
" " 30 ft.	22.25	29.00[2]	25.50[3]	....	22.25	27.87[1]
" " over 30 ft.	22.82	40.00[2]	25.50[3]	....	22.82	26.51[1]
6x12 to 12x12, Heart (85%+), up to 20 ft.	25.89	26.51	....	....	26.31	23.22
" " " 22-24 ft.	30.25[2]	26.93	....	....	26.93	30.25[1]
" " " 26 ft.	26.50[3]	28.66	....	....	28.66	26.50[3]
" " " 28 ft.	....	29.50	....	....	29.50	29.00
" " " 30 ft.	24.00[1]	30.00[1]	....	....	28.11[1]	28.11
" " " over 30 ft.	30.89[1]	....	....	....	30.89[1]	30.89
2x14 to 4x14, No. 1,up - 2St2t.	24.00	23.29	....	....	23.65	23.46
" " 22 f4 o.	23.26[2]	28.71	....	....	28.71	25.52
" " 26 ft.	29.00[2]	30.00	....	....	30.00	26.52
" " 28 ft.	....	27.50[1]	....	....	27.50[1]	27.50
" " 30et.	29.00[2]	30.00[2]	....	....	29.27[2]	29.27[1]
" " ovr 30 ft.	34.25[3]	31.00	....	....	31.00	26.75
2x14 to 4x14, Heart (85%+), up to 20 ft.	29.48[3]	26.75[1]	....	....	26.75[1]	26.75
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	23.96	29.25	23.00	....	23.90	24.01
" " 22-24 ft.	25.00[2]	28.05[2]	34.00[3]	....	26.61[2]	26.61[1]
" " 26 ft.	26.50[2]	....	31.65[1]	....	31.65[1]	31.65
" " 28 ft.	....	....	31.65[1]	....	31.65[1]	31.65
" " 30 ft.	36.50	....	....	....	36.50	27.00[1]
" " over 30 ft.	28.75[2]	41.00[2]	29.50[3]	....	33.46[2]	33.46[1]
6x14 to 14x14, Heart (85%+), up to 20 ft.	25.62	28.25[1]	....	....	25.62	22.89
" " " 22-24 ft.	....	....	....	....	....	32.00[3]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	33.00[3]
" " " 30 ft.	35.58	27.00	....	....	33.26	....
" " " over 30 ft.	....	....	....	....	....	36.21[3]
2x16 to 4x16, No. 1, up to 20 ft.	....	28.00[1]	....	....	28.00[1]	28.00
" " 22-24 ft.	....	36.00[2]	....	....	36.00[2]	36.00[1]
" " 26 ft.	....	....	....	....	....	40.00[3]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
6x16 & Up, No. 1, up to 20 ft.	33.22[2]	33.25	29.50[3]	....	33.25	33.22[1]
" " 22-24 ft.	29.00[2]	....	30.50[2]	....	30.13[2]	30.13[1]
" " 26 ft.	32.50[2]	....	30.40	....	30.40	32.87[1]
" " 28 ft.	....	....	30.40	....	30.40	33.00[1]
" " 30 ft.	....	....	....	....	.	34.82[3]
" " over 30 ft.	38.50[2]	....	....	....	38.50[2]	38.50[1]
6x16 & Up, Heart (85%+), up to 20 ft.	30.95[1]	....	....	....	30.95[1]	30.95
" " " 22-24 ft.	....	....	....	....	....	..
" " " 26 ft.	33.00[3]	....	....	....	33.00[3]	33.00[2]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	35.00	....	....	35.00	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	35.00[3]
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	33.50	....	....	33.50	44.50[3]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	30.00	....	30.00	....
" " 28 ft.	35.00[2]	....	30.00	....	30.00	35.00[1]
" " 30 ft.	....	32.00	....	....	32.00	38.00
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	29.50[2]	....	....	....	29.50[2]	29.50[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.00[3]	35.00[2]	....	....	35.00[2]	35.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	24.00[3]	23.00[1]	22.00	....	22.00	23.00
" " " 36 ft.	24.00[2]	22.45	22.00	....	22.45	24.70
" " " 37-38 ft.	25.00[2]	29.00[1]	26.12[2]	....	29.00[1]	29.00
" " " 40 ft.	33.75[2]	27.30[1]	28.75[2]	....	27.30[1]	27.30
" " " 41-42 ft.	27.00[2]	32.69[1]	....	....	32.69[1]	32.69
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	28.15[2]	....	....	....	28.15[2]	28.15[1]
" " " " 40 ft.	31.00[2]	....	....	....	31.00[2]	31.00[1]
" " " " 41-42 ft.	31.00[2]	....	....	....	31.00[2]	31.00[1]
Up to 10 inch, Sq. E. 34 ft.	....	28.00	24.00	....	27.29	27.75[1]
" " " 36 ft.	30.50[3]	25.51[1]	24.00	20.00[2]	24.00	25.51
" " " 37-38 ft.	25.05[1]	....	29.75[2]	....	25.05[1]	25.05
" " " 40 ft.	26.00[2]	27.47[1]	29.75[2]	...	27.47[1]	27.47
" " " 41-42 ft.	26.00[2]	....	....	....	26.00[2]	26.00[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	30.00	28.00	....	29.29	..
" " " 36 ft.	..	26.00	28.00	23.00[2]	26.00	28.75
" " " 37-38 ft.	33.00[3]	29.25	....	....	29.25	33.00[2]
" " " 40 ft.	36.00[3]	29.50[1]	....	....	29.50[1]	29.50
" " " 41-42 ft.	36.00[3]	....	....	....	36.00[3]	36.00[2]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	..	..
" " " " 36 ft.	33.50[3]	....	....	....	33.50[3]	33.50[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 10
Up to 14 inch, Sq. E., 34 ft.	....	....	32.00	....	32.00	....
" " " 36 ft.	....	30.00	32.00	30.00[1]	30.00	30.00
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	....	31.72[1]	....	35.00	35.00	31.72
" " " 41-42 ft.	....	34.00[1]	....	....	34.00[1]	34.00
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	34.00[2]	....	....	....	34.00[2]	34.00[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	37.00[2]	....	....	....	37.00[2]	37.00[1]
" " " " 41-42 ft.	37.00[2]	....	....	....	37.00[2]	37.00[1]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	....
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	27.50[3]	....	....	....	27.50[3]	27.50[2]
" " " 14 ft.	24.00[1]	25.00[3]	....	....	24.00[1]	24.00
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	24.00[1]	....	....	24.00[1]	24.00
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	20.75[3]	18.00[3]	....	....	20.50[3]	20.50[2]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	20.00[1]	22.50[1]	....	....	20.46[1]	20.46
" " Heart, (85%+), 6x8–8	20.71[3]	16.15[3]	....	....	20.40[3]	20.40[2]
" " Sq. E., " 7x9–8	23.00[3]	23.00[2]	....	....	23.00[2]	23.00[1]
" " Heart, " 7x9–8	22.00[3]	21.83	....	....	21.83	17.70
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	19.00[3]
" " Heart,	....	....	....	....	....	21.00[3]
Paving Stock, S 1 S	15.00[1]	....	19.00[1]	....	15.50[1]	15.50
" " Rough	....	....	....	15.00	15.00	....
Battleship Decking, Edge Grain	....	110.00[3]	....	....	110.00[3]	110.00[2]
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	19.50[1]	19.59	22.39	21.58	20.76	21.21
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	10.60[2]	....	....	....	10.60[2]	10.60[1]
Miscellaneous, B and B	42.93	46.37	38.23	42.62	43.38	38.41
" No. 1	25.27	23.74	26.08	22.91	24.31	23.45
" No. 2	23.00	13.72	14.31	14.72	15.00	15.64
" No. 3	8.20	7.86	8.75	8.08	8.14	8.33
Shorts, B and B	16.55	25.88	....	....	22.50	22.70
" No. 1	8.18	20.17	....	....	8.86	9.87
" No. 2	....	8.91	....	....	8.91	7.78
" No. 3	....	8.80	....	....	8.80	6.62

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

August 31, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending August 31, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ¹ following a price indicates it has been brought forward from the first preceding report; the numeral ² indicates it has been brought forward from the second preceding report; the numeral ³ indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling, and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued September 10, 1921

No. 140

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

1

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
eart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
dge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	63.91	....	....	....	63.91	62.54
" " C "	37.59[1]	....	....	....	37.59[1]	37.59
" " D "	33.00	....	....	....	33.00	33.35
" " No. 2 "	....	....	....	....	....	....
at " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	39.23	....	....	....	39.23	39.20
" " C "	27.00[1]	....	....	....	27.00[1]	27.00
" " D "	27.95	....	....	....	27.95	27.01
o. 1 Common "	....	....	....	....	....	....
o. 2 " "	12.98	....	....	....	12.98	14.00
o. 3 " "	....	....	....	....	....	....
eart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	72.92[2]	72.92[2]	72.92[1]
dge Grain, A "	....	....	70.88	69.00	69.81	70.22
" " B "	....	46.94	63.16	....	63.04	60.91
" " B and Better "	62.95[2]	64.30	....	61.90	63.44	61.91
" " C "	....	43.39[1]	47.95	43.80	47.66	44.96
" " D "	34.50	....	....	....	34.50	35.81[2]
" " No. 2 "	....	....	20.58	....	20.58	21.25
lat " A "	42.50[2]	....	....	....	42.50[2]	42.50[1]
" " B "	37.23[2]	43.00	....	....	43.00	41.53
" " B and Better "	34.50[2]	40.23	38.62	44.20	40.69	41.32
" " C "	....	28.00	....	....	28.00	32.00[3]
" " D "	33.20	....	....	....	33.20	30.00
o. 1 Common "	....	29.65	33.57	32.20	32.09	31.32
o. 2 " "	14.21	13.00	13.25	13.91	13.38	14.32
o 3 " "	....	....	5.62	6.83	5.74	6.43
eart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
dge Grain, A "	49.00	....	58.00	61.00[3]	51.81	61.00[2]
" " B "	....	53.38	55.77	....	55.24	54.02
" " B and Better "	49.20	48.07	38.00[3]	52.10	48.95	48.50
" " C "	29.12	37.26	49.50	37.75	31.55	31.59
" " D "	30.33	....	....	....	30.33	29.05
" " No. 2 "	....	....	21.81	22.00	21.85	20.46[1]
lat " A "	....	....	....	....	....	....
" " B "	....	33.89	....	....	33.89	33.10
" " B and Better "	34.04	33.30	32.01	31.80	33.10	32.24
" " C "	27.00	26.25	....	....	26.54	25.00
" " D "	25.89	25.00	....	....	25.89	25.03
No Common "	....	25.55	27.00	27.95	26.74	26.65
No. 2 " "	14.63	15.15	13.72	12.61	13.81	14.04
No. 3 " "	....	....	6.63	6.94	6.75	8.08
CEILING						
eiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	28.66	31.25	29.84	32.25	30.53	28.75
" " No. 1 Common	26.25	25.20	26.59	29.08	26.06	25.57
" " No. 2 "	10.77	13.20	12.23	....	12.19	12.63
" " No. 3 "	....	....	5.00[1]	....	5.00[1]	5.00
eiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.04	29.24	30.03	32.16	29.45	29.05
" " No. 1 Common	24.44	22.60	26.30	27.76	24.41	25.87
" " No. 2 "	11.03	11.52	13.56	13.03	11.74	12.18
" " No. 3 "	....	....	5.04	7.00	5.18	5.00
eiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.62	30.51	32.25	....	32.18	34.16
" " No. 1 Common	30.00	28.25	27.35	....	27.47	27.05
" " No. 2 "	22.00	14.00[2]	14.59	....	14.71	15.98
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	36.16	33.61	34.36	38.00	34.97	34.50
" " No. 1 Common	25.28	30.06	30.00	34.25	28.03	29.05
" " No. 2 "	16.09	12.13	15.00	20.00	13.96	15.86
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	38.00	36.00	34.36	45.00[3]	37.33	35.30
" " No. 1 Common	28.50[1]	23.87	30.00	....	23.87	23.22
" " No. 2 "	17.75[2]	14.14	15.00	....	14.14	16.15
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	22.77	23.01	20.00	24.38[3]	22.70	23.94
" No. 1 Common	15.00	24.75	19.11	22.00	19.72	19.88
" No. 2 "	12.00	14.75[3]	12.17	14.00	12.47	12.97

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.52	29.65	29.65	32.77	29.67	29.68
" " No. 1 Common	24.74	24.56	26.32	26.71	25.14	24.52
" " No. 2 "	16.55	16.32	15.42	15.57	15.98	16.21
" " No. 3 "	....	....	9.00	8.74[1]	9.00	8.47
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	40.54	38.24	37.40	49.20	39.30	38.19
1x 6 inch, "	40.38	39.42	38.20	47.50	39.74	38.76
1x 8 inch, "	40.78	41.03	38.67	45.60	40.56	39.75
1x 5 and 10 inch, "	46.84	44.38	42.76	48.00	44.87	44.09
1x12 inch, "	47.17	44.65	44.15	51.00	45.36	45.31
1¼x4 to 12 inch, "	54.68	50.64	46.20	52.00	50.49	50.26
1½ and 2x4 to 12 inch, "	50.38	51.66	44.91	52.00	49.66	46.56
1⅝ inch, "	44.61	48.55	....	....	46.09	40.64
1x 6 to 12 inch, "	....	....	....	45.00[1]	45.00[1]	45.00
1x 4 inch, C	30.60	29.69	34.00	....	30.45	30.00
1x 6 inch, "	30.47	33.13	33.50	....	31.16	31.30
1x 8 inch, "	32.55	33.10	30.33	....	32.32	33.27
1x 5 and 10 inch, "	37.18	35.83	34.40	....	36.04	35.71
1x12 inch, "	36.82	36.29	37.00[1]	....	36.62	36.40
1¼x4 to 12 inch, "	42.70[1]	46.75[1]	39.03[1]	....	39.80[1]	39.80
1½ and 2x4 to 12 inch, "	42.66	57.00[1]	36.50[1]	....	42.66	50.17
1⅝ inch, "	....	44.00	....	....	44.00	30.00
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	....	....	35.56	46.75	36.77	39.30
1x 6 inch, " "	39.42	32.60[1]	33.00	33.55	34.17	33.80
1x 8 inch, " "	39.44	37.00	34.00	34.15	37.53	34.23
1x 5 and 10 inch, " "	43.25	42.00	42.00	35.77	40.57	38.45
1x12 inch, " "	43.62	44.88	43.33	43.50	44.10	48.19
1¼x4 to 12 inch, " "	49.57	45.91	41.51	41.22	42.63	45.88
1½ and 2x4 to 12 inch, " "	45.45	44.25	50.00	59.75	48.27	47.64
1⅝ inch, " "	....	43.48	....	....	43.48	56.00
1x 6 to 12 inch, " "	....	....	....	35.13[2]	35.13[2]	35.13[1]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	47.40	48.15	46.40	51.25[1]	47.57	48.26
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	46.60	47.42	46.06	50.00[1]	46.88	46.74
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	52.09	54.50	47.99[1]	57.70[1]	52.46	50.62
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	18.00[1]	28.50	....	....	28.50	18.00
" " " " " 8 ft.	21.00	19.09	20.25	....	20.43	25.11
" " " " " 12 and 14 ft.	36.50[1]	....	....	....	36.50[1]	36 50
" " " " " 16 ft.	36.50[1]	33.00[1]	....	....	33.25[1]	33.25
" " " " " 9 or 18 ft.	34.89	35.27	32.50[1]	....	34.98	33.62
" " " " 10 or 20 ft.	32.33	32.80	30.00	....	32.12	23.79

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
ling, Lining and Roofing, 1x4, No. 1, 5 ft.	21.62	21.75	19.00	....	21.47	20.25
" " " " " 8 ft.	15.00	20.69	21.00	....	19.90	17.22
" " " " " 12 and 14 ft.	22.00	21.90	....	....	21.93	22.81
" " " " " 16 ft.	21.00[3]	24.00[2]	....	....	24.00[2]	24.00[1]
" " " " " 9 or 18 ft.	28.57	28.65	24.50[1]	....	28.61	25.78
" " " " " 10 or 20 ft.	22.14	23.63	28.00	....	24.65	23.89
ling, Lining and Roofing, 1x6, No. 1, 5 ft.	22.04	21.75	19.00	....	22.04	19.33
" " " " " 8 ft.	13.90[1]	20.11	21.00	....	20.38	13.90
" " " " " 12 and 14 ft.	25.00[3]	21.90	....	....	21.90	23.67
" " " " " 16 ft.	22.50[1]	24.00[2]	....	....	22.50[1]	22.50
" " " " " 9 or 18 ft.	29.66	30.00	24.50[1]	....	29.66	28.39
" " " " " 10 or 20 ft.	23.61	23.63	28.00	....	23.61	23.17
ling, Lining & Roofing, 4 and 6″, No. 2, 5 to 9 ft.	11.96	13.47[2]	....	....	11.96	8.35
" " " " " 10 to 20 ft.	13.73	13.83	....	....	13.77	9.81
ecking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00[1]	....	....	24.00[1]	24.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00	....	....	24.00	25.86
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	22.42[1]	19.71[1]	....	20.06[1]	20.06
" " " 2 to 3 inch 10 & 20 ft.	....	22.83	19.71[1]	....	22.83	22.00
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	14.00[1]	14.00[1]	14.00
OARDS, SHIPLAP AND GROOVED ROOFING						
oards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	22.41	....	....	....	22.41	21.97
" " " " other lengths.	22.13	22.69	23.38	26.00	22.81	22.16
" " 1x10, " 14 and 16 ft.	21.03	....	25.00	....	21.15	28.46
" " " " other lengths.	22.10	22.30	27.93	26.00	23.15	22.58
" " 1x12, " 14 and 16 ft.	28.45	....	25.00[2]	29.00[1]	28.45	30.89
" " " " other lengths.	32.04	31.23	31.81	26.00	31.67	31.01
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	15.27	15.14	14.47	14.85	14.78	14.68
" " 1x10, " "	15.00	14.99	14.43	14.90	14.69	15.11
" " 1x12, " "	17.06	15.82	16.54	16.08	16.41	16.17
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.12	9.22	9.78	8.25	9.47	9.24
" " 1x10, " "	8.85	8.84	9.77	8.25	9.09	9.39
" " 1x12, " "	9.13	9.11	9.56	9.05	9.19	9.65
hiplap, 1 x 8, No. 1, 14 and 16 ft.	22.54	....	24.95[3]	....	22.54	22.28
" " " other lengths.	22.38	21.60	23.34	22.74[2]	22.02	21.75
" 1x10, " 14 and 16 ft.	23.07	....	22.50[3]	....	23.07	21.50
" " " other lengths.	22.65	20.57	22.83[3]	....	21.74	22.24
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
hiplap, 1x 8, No. 2, all lengths.	15.43	15.12	15.00	15.48	15.18	15.18
" 1x10, " "	16.37	15.03	14.94	15.84	15.19	15.25
" 1x12, " "	....	....	....	....	....	....
hiplap, 1x 8, No. 3, all lengths.	9.68	8.53	9.70	10.13	9.16	9.39
" 1x10, " "	8.97	8.53	10.23	10.33	9.04	9.38
" 1x12, " "	8.81	8.19	....	....	8.48	9.08
rooved Roofing, 1x10, No. 1, 14 and 16 ft.	....	....	....	....	....	20.10[3]
" " " " other lengths.	23.50[1]	18.50	....	....	18.50	23.63
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
ll No. 4—all widths and lengths.	4.75[3]	....	....	5.74[1]	5.74[1]	5.74

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
1x4, S 1 S, No. 1, 16 ft.	21.02	20.06[1]	....	....	21.02	20.22
" " " other lengths	19.80	19.52	24.81	30.00[1]	19.82	20.29
" " No. 2, all lengths	10.42	9.32	13.05	9.50	9.95	9.61
" " No. 3, "	7.43	6.47	7.15	6.00	6.94	6.35
1x4, C. M., No. 1, 16 ft.	18.09	....	....	....	18.09	21.25
" " " other lengths	18.28	....	....	....	18.28	20.10
" " No. 2, all lengths	9.85	....	....	....	9.85	10.20
" " No. 3, "	4.75	....	....	....	4.75	6.45
1x6, S 1 S, No. 1, 16 ft.	23.05	....	....	....	23.05	22.58
" " " other lengths	21.69	20.71	26.37	32.50[1]	21.80	21.23
" " No. 2, all lengths	13.21	13.17	14.59	14.00	13.37	13.08
" " No. 3, "	7.77	6.76	8.32	7.87[1]	7.77	7.84
1x6, C. M., No. 1, 16 ft.	23.11	....	....	....	23.11	23.00
" " " other lengths	21.86	21.14	....	....	21.49	20.59
" " No. 2, all lengths	13.11	13.48	....	14.14	13.29	13.50
" " No. 3, "	7.43	8.22	....	8.92	8.00	8.38
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.73	20.57	18.34	23.00[2]	20.34	20.10
" " " 12 ft.	20.36	19.84	18.16	21.00[2]	19.65	19.34
" " " 14 ft.	19.30	19.25	18.51	21.00[2]	19.12	18.89
" " " 16 ft.	18.92	19.68	19.51	23.00[1]	19.17	20.23
" " " 18 ft.	22.82	22.46	20.17	24.00[1]	21.64	22.06
" " " 20 ft.	23.09	22.25	20.17	24.00[1]	22.59	22.37
" " " 22 ft.	26.50	23.54	21.25	....	24.05	23.84
" " " 24 ft.	26.62	23.59	21.25	....	24.30	24.27
2x 6, No. 1, S 1 S 1 E, 10 ft.	18.13	17.82	16.65	21.00	17.45	16.18
" " " 12 ft.	16.78	16.57	16.02	19.00	16.36	16.40
" " " 14 ft.	16.56	16.41	16.02	19.00	16.49	16.51
" " " 16 ft.	17.41	16.97	15.53	14.50[3]	16.87	17.30
" " " 18 ft.	19.07	18.02	17.69	22.00	18.27	18.02
" " " 20 ft.	19.14	17.95	17.69	22.00[3]	18.47	18.29
" " " 22 ft.	21.28	19.28	20.29	21.75	19.91	20.69
" " " 24 ft.	21.36	19.80	20.29	....	20.28	20.72
2x 8, No. 1, S 1 S 1 E, 10 ft.	19.72	19.82	19.29	20.00	19.72	19.41
" " " 12 ft.	18.98	18.92	16.64	20.75[2]	18.47	18.70
" " " 14 ft.	18.50	20.24	18.10	20.00	19.06	18.21
" " " 16 ft.	19.57	18.98	18.42	21.00	19.15	19.03
" " " 18 ft.	21.96	21.41	20.58	22.33	21.42	20.82
" " " 20 ft.	21.90	21.56	20.58	23.00[3]	21.75	21.08
" " " 22 ft.	22.32	20.51	19.00	22.75[3]	20.61	21.37
" " " 24 ft.	22.00	21.52	19.00	22.75[3]	21.73	22.54
2x10, No. 1, S 1 S 1 E, 10 ft.	18.56	19.94	19.06	20.25[1]	18.91	19.64
" " " 12 ft.	19.00	19.54	19.56	21.50	19.36	19.26
" " " 14 ft.	19.71	19.57	19.56	21.50	19.64	19.49
" " " 16 ft.	19.75	20.71	19.31	25.50[2]	20.17	19.98
" " " 18 ft.	22.00	20.93	21.89	24.50	21.76	21.55
" " " 20 ft.	22.36	21.16	21.89	20.50[3]	21.57	21.66
" " " 22 ft.	23.82	22.07	22.65	....	22.58	22.10
" " " 24 ft.	25.95	22.37	22.65	....	22.47	22.60
2x12, No. 1, S 1 S 1 E, 10 ft.	23.17	21.50	20.10	27.50[1]	21.45	24.15
" " " 12 ft.	22.37	21.64	19.57	26.50[1]	20.71	21.70
" " " 14 ft.	22.99	21.92	19.57	16.50[3]	22.49	21.91
" " " 16 ft.	24.09	22.09	21.81	16.50[3]	22.75	22.40
" " " 18 ft.	23.66	23.53	21.24	28.25[1]	22.86	24.99
" " " 20 ft.	23.88	23.76	21.24	28.25[1]	23.81	24.25
" " " 22 ft.	27.78	23.76	26.02	26.00[3]	24.47	26.21
" " " 24 ft.	27.19	24.87	26.02	26.00[3]	25.37	26.50
2x 4, No. 2, S 1 S 1 E, 10 ft.	17.80	17.48	15.31	16.75	17.01	17.13
" " " 12 ft.	16.82	15.72	15.88	15.84	16.12	15.66
" " " 14 ft.	16.28	15.71	14.77	15.84	15.80	15.26
" " " 16 ft.	17.70	17.07	16.68	16.00	17.26	16.92
" " " 18 ft.	19.67	18.36	18.00	19.23	18.55	18.46
" " " 20 ft.	19.47	18.86	18.00	16.50	18.69	18.62
" " " 22 ft.	17.00	18.62	16.88[1]	....	18.58	18.03
" " " 24 ft.	24.00[3]	18.62	16.88[1]	....	18.62	18.03
2x 6, No. 2, S 1 S 1 E, 10 ft.	12.62	11.72	13.25	11.50	12.00	12.50
" " " 12 ft.	12.91	12.55	12.77	14.57	12.93	13.24
" " " 14 ft.	13.20	12.68	12.77	14.57	12.89	13.01
" " " 16 ft.	14.11	13.34	13.72	14.27	13.67	14.54
" " " 18 ft.	13.95	13.47	14.22	14.00	13.40	15.05
" " " 20 ft.	13.90	13.47	14.22	17.50	13.77	15.31
" " " 22 ft.	16.93[3]	16.97	17.62	16.50[3]	17.09	16.47
" " " 24 ft.	17.00[1]	16.97	17.62	17.50[3]	17.09	17.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	16.19	16.00	15.12	16.09	16.03	14.55
“ “ “ 12 ft.	15.37	15.53	14.63	16.09	15.36	14.73
“ “ “ 14 ft.	15.84	15.25	15.07	16.09	15.51	14.65
“ “ “ 16 ft.	16.13	15.74	16.03	16.09	15.95	15.40
“ “ “ 18 ft.	18.27	17.09	16.02	15.00	17.37	16.82
“ “ “ 20 ft.	17.31	17.37	16.02	17.50	17.37	16.76
“ “ “ 22 ft.	....	21.00	16.71	17.00[3]	19.21	17.95
“ “ “ 24 ft.	20.00	21.00	16.71	18.00[3]	20.00	23.00
2x10, No. 2, S 1 S 1 E, 10 ft.	14.09	15.50	17.87	20.00	16.51	14.56
“ “ “ 12 ft.	14.67	14.81	14.84	17.50	14.92	14.91
“ “ “ 14 ft.	15.74	14.74	15.03	14.84[1]	15.15	14.44
“ “ “ 16 ft.	16.56	16.52	15.58	13.75[1]	16.26	16.01
“ “ “ 18 ft.	18.44	16.97	16.22	16.50[1]	16.88	16.77
“ “ “ 20 ft.	17.63	17.23	16.22	21.00[1]	17.32	17.07
“ “ “ 22 ft.	....	23.50	18.01	....	18.52	20.42
“ “ “ 24 ft.	....	23.50	18.01	....	18.52	20.10[1]
2x12, No. 2, S 1 S 1 E, 10 ft.	21.50	19.95	16.37	....	17.80	17.47
“ “ “ 12 ft.	16.61	16.41	15.13	18.00	15.76	15.79
“ “ “ 14 ft.	15.58	16.61	15.13	22.00	18.72	13.81
“ “ “ 16 ft.	18.30	19.87	16.18	16.00[1]	18.38	17.51
“ “ “ 18 ft.	18.23	18.51	16.66	23.75[2]	17.61	18.85
“ “ “ 20 ft.	18.63	18.25	16.66	....	18.37	18.38
“ “ “ 22 ft.	21.50	19.50	22.75	....	19.56	19.82
“ “ “ 24 ft.	25.25[3]	21.00	22.75	....	19.56	19.75
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3. S 1 S 1 E. all lengths	6.92	7.86	....	5.00	7.26	7.09
PATENT LATH						
4 and 6 ft.	8.17	9.61	11.28[1]	....	8.57	9.74
8 and 10 ft.	10.70	10.77	9.95	....	10.51	10.79
12 ft. and longer	12.03	15.35	11.28[1]	....	12.94	11.85
PLASTERING LATH						
⅜x1½-4. No. 1	3.91	3.99	4.29	3.08[1]	3.74	3.93
“ No. 2	1.98	1.92	2.18	2.30[1]	2.00	1.91
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	16.98	17.47	18.42	....	17.54	18.37
“ “ 22-24 ft.	17.09	17.80	20.11	....	23.36	18.27
“ “ 26 ft.	16.13	18.25	23.31	....	17.56	21.35
“ “ 28 ft.	16.63[3]	22.00	23.31	....	22.00	21.00
“ “ 30 ft.	17.67	18.15	28.12	....	18.43	22.05
“ “ over 30 ft.	25.96	21.45	25.25	....	25.27	24.74
4x4 to 8x8, Heart (85%+), up to 20 ft.	20.37	20.87	....	....	20.61	21.17
“ “ “ 22-24 ft.	25.25[2]	21.87	....	....	21.87	22.90
“ “ “ 26 ft.	....	22.00	....	....	22.00	24.50
“ “ “ 28 ft.	....	23.00	....	....	23.00	22.00[1]
“ “ “ 30 ft.	....	24.00	....	....	24.00	26.00
“ “ “ over 30 ft.	26.00[3]	...	....	....	26.00[3]	26.00[2]
3 & 4x10, No 1, up to 20 ft.	20.16	20.18	....	....	20.16	18.76
“ “ 22-24 ft.	19.57	21.00[2]	....	....	19.57	21.00[1]
“ “ 26 ft.	19.75	....	....	....	19.75	24.45[3]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	27.45	....	....	....	27.45	21.00
“ “ over 30 ft.	25.97[1]	....	....	....	25.97[1]	25.97
3 & 4x10, Heart (85%+), up to 20 ft.	23.90	21.27	....	....	22.31	21.32
“ “ “ 22-24 ft.	....	22.00	....	....	22.00	22.45
“ “ “ 26 ft.	23.23[3]	20.75[1]	....	....	20.75[1]	20.75
“ “ “ 28 ft.	29.25[3]	25.75[2]	....	....	25.75[2]	25.75[1]
“ “ “ 30 ft.	....	27.00	....	....	27.00	26.75[1]
“ “ “ over 30 ft.	....	33.94[2]	....	....	33.94[2]	33.94[1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
6x10, to 10x10, No. 1, up to 20 ft.	19.75	18.28	19.93	....	19.67	20.09
" " 22-24 ft.	20.01^{3}	23.00^{1}	30.68	....	30.68	19.80
" " 26 ft.	20.00	21.22^{1}	22.76	....	22.25	21.59
" " 28 ft.	21.38^{3}	....	22.76	....	22.76	25.00
" " 30 ft.	23.66	....	24.23	....	23.79	28.19
" " over 30 ft.	20.63^{3}	30.00^{3}	27.80	....	27.80	27.33
6x10 to 10x10, Heart (85%$^{+}$), up to 20 ft.	22.00	24.00	....	....	23.71	24.63
" " " 22-24 ft.	23.50^{3}	25.00^{2}	....	....	25.00^{2}	25.00^{1}
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	30.25^{1}	28.00^{2}	....	....	30.25^{1}	30.25
" " " over 30 ft.	....	40.00^{2}	....	....	40.00^{2}	40.00^{1}
3 & 4x12. No. 1, up to 20 ft.	22.16	22.14	....	....	22.16	21.56
" " 22 24 ft.	23.36	24.00	....	....	23.65	23.22
" " 26 ft.	25.46^{3}	25.00	....	....	25.00	29.00
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	30.48	....	....	....	30.48	23.00^{3}
" " over 30 ft.	....	32.00^{3}	....	....	32.00^{3}	32.00^{2}
3 & 4x12. Heart (85%$^{+}$), up to 20 ft.	24.93	27.66	....	....	26.75	24.43
" " " 22-24 ft.	24.25^{3}	25.00	....	....	25.00	26.50
" " " 26 ft.	26.00^{3}	26.75^{2}	....	....	26.75^{2}	26.75^{1}
" " " 28 ft.	....	27.75^{2}	....	....	27.75^{2}	27.75^{1}
" " " 30 ft.	28.50^{1}	31.00	....	....	31.00	35.49
" " " over 30 ft.	....	31.00^{1}	....	....	31.00^{1}	31.00
6x12 to 12x12, No. 1, up to 20 ft.	21.12	20.32	22.52	....	21.47	21.32
" " 22-24 ft.	29.92	23.00^{1}	24.48	....	26.69	23.00
" " 26 ft.	24.25	21.00^{1}	29.96	....	29.65	21.00
" " 28 ft.	22.64^{3}	28.00^{3}	29.96	....	29.96	25.00^{1}
" " 30 ft.	28.00	29.00^{3}	28.00	....	28.00	22.25
" " over 30 ft.	22.82^{1}	40.00^{3}	29.33	....	29.33	22.82
6x12 to 12x12, Heart (85%$^{+}$), up to 20 ft.	23.01	25.00	....	....	23.15	26.31
" " " 22-24 ft.	22.00	24.00	....	....	22.06	26.93
" " " 26 ft.	....	26.97	....	....	26.97	28.66
" " " 28 ft.	....	29.50^{1}	....	....	29.50^{1}	29.50
" " " 30 ft.	24.00^{2}	27.00	....	....	27.00	28.11^{1}
" " " over 30 ft.	30.89^{2}	....	....	....	30.89^{2}	30.89^{1}
2x14 to 4x14, No. 1,up - 2St2t	24.00^{1}	25.88	....	....	25.88	23.65
" 22 f4 o	23.62^{3}	27.02	....	....	27.02	28.71
" " 26 ft.	27.00	30.00	....	....	28.63	30.00
" " 28 ft.	....	27.50^{2}	....	....	27.50^{2}	27.50^{1}
" " 30et.	29.00^{3}	30.00^{3}	....	....	29.27^{3}	29.27^{2}
" " ovr 30 ft.	....	31.00^{1}	....	....	31.00^{1}	31.00
2x14 to 4x14, Heart (85%$^{+}$), up to 20 ft.	....	26.75^{2}	....	....	26.75^{2}	26.75^{1}
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	17.15	21.84	28.42	....	22.35	23.90
" " 22-24 ft.	28.25	31.50	29.50	....	29.54	26.61^{2}
" " 26 ft.	26.50^{3}	....	31.65^{2}	....	31.65^{2}	31.65^{1}
" " 28 ft.	....	....	31.65^{2}	....	31.65^{2}	31.65^{1}
" " 30 ft.	36.50^{1}	....	....	....	36.50^{1}	36.50
" " over 30 ft.	28.75^{3}	41.00^{3}	....	....	33.46^{3}	33.46^{2}
6x14 to 14x14, Heart (85%$^{+}$), up to 20 ft.	25.43	28.25^{2}	....	....	25.43	25.62^{1}
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	35.58^{1}	27.00^{1}	....	....	33.26^{1}	33.26
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	28.00^{2}	....	....	28.00^{2}	28.00^{1}
" " 22-24 ft.	....	36.00^{3}	....	....	36.00^{3}	36.00^{2}
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%$^{+}$), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
6x16 & Up, No. 1, up to 20 ft.	25.34	33.25[1]	....	....	25.34	33.25
" " 22-24 ft.	29.00[3]	....	30.50[3]	....	30.13[3]	30.13[2]
" " 26 ft.	26.34	....	32.00	....	29.22	30.40
" " 28 ft.	....	....	32.00	....	32.00	30.40
" " 30 ft.	27.00	....	....	....	27.00	....
" " over 30 ft.	38.50[3]	....	....	....	38.50[3]	38.50[2]
6x16 & Up, Heart (85%+), up to 20 ft.	30.95[2]	....	....	....	30.95[2]	30.95[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	33.00[3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	35.00[1]	....	....	35.00[1]	35.00
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	33.50[1]	....	....	33.50[1]	33.50
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	26.00	....	....	26.00	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	30.00[1]	....	30.00[1]	30.00
" " 28 ft.	35.00[3]	....	30.00[1]	....	30.00[1]	30.00
" " 30 ft.	....	32.00[1]	....	....	32.00[1]	32.00
" " 32 ft.	....	29.00	....	....	29.00	....
16 inch, Heart (85%+), up to 20 ft.	....	26.50	....	....	26.50	....
" " " 22-24 ft.	29.50[3]	....	....	....	29.50[3]	29.50[2]
" " " 26 ft.	....	31.93	....	....	31.93	....
" " " 28 ft.	....	35.00[3]	....	....	35.00[3]	35.00[2]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	32.50	....	....	32.50	....
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	23.00[2]	23.00	....	23.00	22.00
" " " 36 ft.	24.00[3]	22.45[1]	23.00	....	23.00	22.45
" " " 37-38 ft.	25.00[3]	29.00[2]	24.71	....	24.71	29.00[1]
" " " 40 ft.	33.75[3]	27.30[2]	24.71	....	24.71	27.30[1]
" " " 41-42 ft.	27.00[3]	32.69[2]	....	....	32.69[2]	32.69[1]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	28.15[3]	....	....	....	28.15[3]	28.15[2]
" " " " 40 ft.	31.00[3]	....	....	....	31.00[3]	31.00[2]
" " " " 41-42 ft.	31.00[3]	....	....	....	31.00[3]	31.00[2]
Up to 10 inch, Sq. E. 34 ft.	....	28.00[1]	24.00[1]	....	27.29[1]	27.29
" " " 36 ft.	....	25.51[2]	24.00[1]	20.00[3]	24.00[1]	24.00
" " " 37-38 ft.	25.05[2]	25.62	29.75[3]	....	25.62	25.05[1]
" " " 40 ft.	26.00[3]	27.47[2]	29.75[3]	....	27.47[2]	27.47[1]
" " " 41-42 ft.	26.00[3]	....	....	....	26.00[3]	26.00[3]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	....	30.00[1]	28.00[1]	25.00	25.00	29.29
" " " 36 ft.	....	26.00[1]	28.00[1]	25.00	25.00	26.00
" " " 37-38 ft.	....	31.00	....	27.50	30.09	29.25
" " " 40 ft.	....	29.50[2]	....	....	29.50[2]	29.50[1]
" " " 41-42 ft.	....	....	....	....	....	36.00[3]
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	33.50[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	32.00[1]	....	32.00[1]	32.00
“ “ “ 36 ft.	....	30.00[1]	32.00[1]	30.00[2]	30.00[1]	30.00
“ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ 40 ft.	....	31.72[2]	....	35.00[1]	35.00[1]	35.00
“ “ “ 41-42 ft.	....	34.00[2]	....	....	34.00[2]	34.00[1]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	34.00[3]	....	....	....	34.00[3]	34.00[2]
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	37.00[3]	....	....	....	37.00[3]	37.00[2]
“ “ “ “ 41-42 ft.	37.00[3]	....	....	....	37.00[3]	37.00[2]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	23.00	....	....	23.00	....
“ “ 16 ft.	....	23.00	....	....	23.00	....
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	27.50[3]
“ “ “ 14 ft.	24.00[2]	....	....	....	24.00[2]	24.00[1]
“ “ “ 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	24.00[2]	....	....	24.00[2]	24.00[1]
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	....	....	....	....	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	20.53[3]
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	20.00[2]	22.50[2]	....	....	20.46[2]	20.46[1]
“ “ Heart, (85%+), 6x8–8.	....	....	....	....	....	20.40[3]
“ “ Sq. E., “ 7x9–8.	....	23.00[3]	....	....	23.00[3]	23.00[2]
“ “ Heart, “ 7x9–8.	....	17.50	....	....	17.50	21.83
Bridge Ties, Sq. E., 7x9 & up.	....	....	....	....	....	....
“ “ Heart,	....	....	....	....	....	....
Paving Stock, S 1 S.	15.00[2]	15.00	19.00[2]	....	15.00	15.50[1]
“ “ Rough.	....	....	....	15.00[1]	15.00[1]	15.00
Battleship Decking, Edge Grain.	....	....	....	....	....	110.00[3]
Ship “ Flat Grain.	....	....	....	....	....	....
Miscellaneous.	30.74	23.69	24.66	23.94	27.17	20.76
MISCELLANEOUS STOCK						
Silo Stock.	....	....	....	....	....	....
Grain Doors.	10.60[3]	....	....	....	10.60[3]	10.60[2]
Miscellaneous, B and B.	48.55	57.61	36.35	41.50	49.33	43.38
“ No. 1.	26.34	23.84	27.76	26.28	25.01	24.31
“ No. 2.	20.29	16.35	14.82	15.25	15.61	15.00
“ No. 3.	6.79	8.35	8.44	9.25	9.11	8.14
Shorts B and B.	25.59	20.68	....	....	24.38	22.50
“ No. 1.	11.10	17.34	....	....	11.59	8.86
“ No. 2.	....	7.47	....	....	7.47	8.91
“ No. 3.	....	4.00	....	....	4.00	8.80

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

eight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

eight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16 75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10 25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.7	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

September 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending September 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued September 21, 1921

No. 141

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
Lumbermen's Statistical Bureau, Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	63.00	....	....	....	63.00	63.91
" " C "	37.59[2]	....	....	....	37.59[2]	37.59[1]
" " D "	33.50	....	....	....	33.50	33.00
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	40.76	....	....	....	40.76	39.23
" " C "	27.00[2]	....	....	....	27.00[2]	27.00[1]
" " D "	29.00	....	....	....	29.00	27.95
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	13.10	....	....	....	13.10	12.98
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	72.92[3]	72.92[3]	72.92[2]
Edge Grain, A "	....	....	70.68	67.80	69.65	69.81
" " B "	....	46.94[1]	63.24	....	63.24	63.04
" " B and Better "	62.95[3]	64.76	....	61.35	63.07	63.44
" " C "	....	43.39[2]	46.99	45.34	46.66	47.66
" " D "	34.50[1]	....	....	....	34.50[1]	34.50
" " No. 2 "	....	....	20.60	17.00	20.53	20.58
Flat " A "	42.50[3]	....	....	....	42.50[3]	42.50[2]
" " B "	37.23[3]	38.50	....	....	38.50	43.00
" " B and Better "	44.50	42.25	43.98	43.75	43.66	40.69
" " C "	....	28.00[1]	....	....	28.00[1]	28.00
" " D "	33.20[1]	....	....	....	33.20[1]	33.20
No. 1 Common "	....	29.66	34.28	34.33	34.06	32.09
No. 2 " "	16.25	14.13	14.32	13.95	14.26	13.38
No. 3 " "	....	....	6.41	6.83[1]	6.41	5.74
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	....	....	....
Edge Grain, A "	48.29	....	61.00	61.00	50.51	51.81
" " B "	....	54.08	55.04	....	54.90	55.24
" " B and Better "	49.96	48.84	....	49.60	49.67	48.95
" " C "	30.82	32.81	44.57	37.75[1]	31.57	31.55
" " D "	29.35	....	....	....	29.35	30.33
" " No. 2 "	....	....	20.20	22.00[1]	20.20	21.85
Flat " A "	....	....	....	....	....	....
" " B "	....	35.65	....	....	35.65	33.89
" " B and Better "	35.11	35.05	33.06	33.58	34.50	33.10
" " C "	28.21	33.00	....	....	30.19	26.54
" " D "	27.38	25.00[1]	....	....	27.38	25.89
No Common "	....	26.68	27.72	29.18	27.80	26.74
No. 2 " "	14.87	15.32	14.03	13.32	14.13	13.81
No. 3 " "	....	....	6.69	6.58	6.64	6.75
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.05	29.19	28.63	32.00	29.30	30.53
" " No. 1 Common	22.87	22.25	25.67	29.08[1]	23.84	26.06
" " No. 2 "	12.00	12.05	11.89	....	11.90	12.19
" " No. 3 "	....	....	4.00	....	4.00	5.00[1]
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	29.63	26.76	31.23	31.46	30.06	29.45
" " No. 1 Common	26.21	24.72	26.96	28.00	26.06	24.41
" " No. 2 "	13.07	11.41	14.56	13.53	13.05	11.74
" " No. 3 "	....	....	7.35	7.00[1]	7.35	5.18
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	36.00	33.31	32.85	....	32.95	32.18
" " No. 1 Common	26.75	29.25	27.52	....	27.59	27.47
" " No. 2 "	17.00	16.75	14.09	....	14.53	14.71
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.21	36.24	36.94	36.86	36.83	34.97
" " No. 1 Common	28.78	28.76	27.65	32.50	28.60	28.03
" " No. 2 "	17.64	14.25	18.64	20.27	18.36	13.96
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	38.60	37.20	36.94	....	37.60	37.33
" " No. 1 Common	28.50[2]	22.00	27.65	....	22.00	23.87
" " No. 2 "	17.75[3]	14.18	18.64	....	14.18	14.14
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	26.62	22.87	20.00[1]	30.00	24.60	22.70
" No. 1 Common	15.00[1]	24.75[1]	18.88	22.00[1]	18.88	19.72

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	30.83	30.43	31.00	31.80	30.76	29.67
“ “ No. 1 Common	26.25	25.22	26.25	27.86	26.27	25.14
“ “ No. 2 “	17.02	17.17	15.99	15.94	16.36	15.98
“ “ No. 3 “	....	....	7.05	8.74[2]	7.05	9.00
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	39.98	39.43	38.59	37.33	39.59	39.30
1x 6 inch, “	41.16	40.22	39.81	39.96	40.60	39 74
1x 8 inch, “	41.25	41.18	39.41	39.96	40.95	40.56
1x 5 and 10 inch, “	47.93	43.73	45.15	46.45	45.84	44 87
1x12 inch, “	47.67	44.86	45.60	43.75	46.11	45.36
1¼x4 to 12 inch, “	55.30	51.83	49.45	52.14	51.70	50.49
1½ and 2x4 to 12 inch, “	51.54	49.67	48.44	46.00	50.42	49 66
1⅝ inch, “	42.50	51.96	....	....	51.70	46.09
1x 6 to 12 inch, “	....	....	....	45.00[2]	45.00[2]	45 00[1]
1x 4 inch, C	32.19	29.69[1]	26.00	....	28.00	30.45
1x 6 inch, “	34.46	32.00	32.29	....	33.18	31 16
1x 8 inch, “	33.62	35.50	29.88	....	33.09	32.32
1x 5 and 10 inch, “	36.13	37.00	32.63	....	34.84	36 04
1x12 inch, “	36.72	37.50	37.00[2]	....	36.84	36 62
1¼x4 to 12 inch, “	43.38	46.75[2]	39 03[2]	....	43.38	39 80[1]
1½ and 2x4 to 12 inch, “	41.00	39.25	38.00	....	38.34	42.66
1⅝ inch, “	....	28.58	....	....	28.58	44 00
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	34.75	....	33.00	46.75[1]	33.13	36 77
1x 6 inch, “ “	34.70	36.24	38.81	38.43	37.74	34.17
1x 8 inch, “ “	35.18	38.00	41.28	37.50	37.55	37 53
1x 5 and 10 inch, “ “	52.37	42.00[1]	45.36	43.75	45.56	40.57
1x12 inch, “ “	43.75	38.00	48.28	48.75	42.88	44 10
1¼x4 to 12 inch, “ “	50.20	45.64	51.93	52.16	49.46	42.63
1½ and 2x4 to 12 inch, “ “	41.47	42.00	49.37	59.75	44.85	48.27
1⅝ inch, “ “	....	42.31	....	....	42.31	43 48
1x 6 to 12 inch, “ “	....	....	....	35.13[3]	35.13[3]	35.13
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	49.63	44.88	48.33	50.00	48.15	47.57
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	49.64	46.74	46.55	50.00[2]	48.22	46.88
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	56.62	42.33	48.50	57.70[2]	51.72	52.46
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	18.00[2]	34.00	20.00	....	23.23	28 50
“ “ “ “ “ 8 ft.	21.41	22.00	21.75	....	21.55	20.43
“ “ “ “ “ 12 and 14 ft.	36 50[2]	....	....	....	36.50[2]	36 50[1]
“ “ “ “ “ 16 ft.	35.00	35.00	....	....	35.00	33 25[1]
“ “ “ “ “ 9 or 18 ft.	37.35	27.00	36.08	....	36.13	34 98
“ “ “ “ 10 or 20 ft.	34.25	33.56	30.00	....	32.27	32.12

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	21.62[1]	21.75[1]	20.61	....	20.61	21.47
" " " " " 8 ft.	18.00	20.00	18.69	....	18.85	19.90
" " " " " 12 and 14 ft.	23.22	25.72	....	....	23.61	21.93
" " " " " 16 ft.	22.00	25.50	....	....	22.00	24.00[2]
" " " " " 9 or 18 ft.	22.00	23.65	24.50[2]	....	23.30	28.61
" " " " " 10 or 20 ft.	22.85	23.01	28.00[1]	....	22.97	24.65
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	22.04[1]	21.75[1]	20.61	....	20.61	22.04
" " " " " 8 ft.	18.50	20.00	18.69	....	18.50	20.38
" " " " " 12 and 14 ft.	26.00	25.72	....	....	26.00	21.90
" " " " " 16 ft.	22.50[2]	25:50	....	....	25.50	22.50[1]
" " " " " 9 or 18 ft.	29.66[1]	23.65	24.50[2]	....	23.65	29.66
" " " " " 10 or 20 ft.	24.20	23.01	28.00[1]	....	24.20	23.61
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	8.15	10.00	....	....	8.56	11.96
" " " " " 10 to 20 ft.	13.40	13.91	....	....	13.72	13.77
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00	....	....	24.00	24.00[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00	....	....	24.00	24.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	26.00	19.71[2]	....	26.00	20.06[1]
" " " 2 to 3 inch 10 & 20 ft.	....	25.75	19.71[2]	....	25.75	22.83
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	14.00[2]	14.00[2]	14.00[1]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	23.17	....	....	....	23.17	22.41
" " " " other lengths.	22.06	21.62	26.88	31.05	24.69	22.81
" " 1x10, " 14 and 16 ft.	23.13	....	25.00[1]	....	23.13	21.15
" " " " other lengths.	23.34	21.49	28.08	29.79	23.77	23.15
" " 1x12, " 14 and 16 ft.	33.80	....	25.00[3]	29.00[2]	33.80	28.45
" " " " other lengths.	34.67	32.05	33.46	33.50	33.11	31.67
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	15.22	15.68	15.09	15.62	15.26	14.78
" " 1x10, " "	15.00	14.58	15.37	16.21	15.22	14.69
" " 1x12, " "	16.20	15.98	16.49	16.94	16.30	16.41
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	8.41	8.45	9.87	11.75	8.92	9.47
" " 1x10, " "	8.35	8.36	9.86	11.84	8.98	9.09
" " 1x12, " "	8.82	8.21	10.46	13.50	9.01	9.19
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	23.06	....	....	....	23.06	22.54
" " " other lengths.	22.46	21.70	25.32	22.74[3]	22.21	22.02
" 1x10, " 14 and 16 ft.	23.79	....	....	....	23.79	23.07
" " " other lengths.	22.72	22.59	23.50	25.00	22.98	21.74
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	15.63	15.33	15.17	15.50	15.40	15.18
" 1x10, " "	15.43	15.37	15.16	16.73	15.38	15.19
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	9.73	9.27	9.60	9.71	9.58	9.16
" 1x10, " "	8.92	9.79	9.90	11.00	9.90	9.04
" 1x12, " "	11.00	8.48	....	....	9.23	8.48
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	23.50[2]	24.00	....	....	24.00	18.50
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	4.47	....	....	5.74[2]	4.47	5.74[1]

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
1x4, S 1 S, No. 1, 16 ft.	21.16	20.06[2]	....	....	21.16	21.02
" " " other lengths	18.96	22.01	22.10	30.00[2]	20.77	19.82
" " No. 2, all lengths	9.98	10.19	12.56	10.00	10.28	9.95
" " No. 3, "	7.25	7.08	8.27	6.00[1]	7.49	6.94
1x4, C. M., No. 1, 16 ft.	18.09[1]	....	....	....	18.09[1]	18.09
" " " other lengths	19.70	....	....	....	19.70	18.28
" " No. 2, all lengths	10.25	....	....	....	10.25	9.85
" " No. 3, "	7.60	....	....	....	7.60	4.75
1x6, S 1 S, No. 1, 16 ft.	23.51	....	....	....	23.51	23.05
" " " other lengths	23.40	21.27	28.52	12.13	23.07	21.80
" " No. 2, all lengths	13.10	12.84	14.79	12.43	13.25	13.37
" " No. 3, "	7.36	7.37	8.54	10.39	7.77	7.77
1x6, C. M., No. 1, 16 ft.	25.44	....	....	....	25.44	23.11
" " " other lengths	23.05	22.68	....	....	22.87	21.49
" " No. 2, all lengths	13.35	13.61	....	14.95	13.53	13.29
" " No. 3. "	7.92	7.30	....	7.96	7.83	8.00
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	21.95	20.28	19.18	23.00[3]	20.57	20.34
" " " 12 ft.	20.29	19.07	18.69	21.00[3]	19.35	19.65
" " " 14 ft.	18.76	19.22	18.27	18.00	18.84	19.12
" " " 16 ft.	19.10	19.02	20.57	18.00	19.29	19.17
" " " 18 ft.	22.96	22.40	20.56	18.00	21.97	21.64
" " " 20 ft.	22.64	21.84	20.56	18.00	22.13	22.59
" " " 22 ft.	25.36	23.77	20.89	....	21.87	24.05
" " " 24 ft.	25.41	24.19	20.89	....	24.69	24.30
2x 6, No. 1, S 1 S 1 E, 10 ft.	17.69	17.66	15.22	15.00	16.67	17.45
" " " 12 ft.	16.66	16.78	15.54	15.00	16.13	16.36
" " " 14 ft.	16.49	16.90	15.54	15.00	16.68	16.49
" " " 16 ft.	17.37	17.28	17.57	15.00	17.39	16.87
" " " 18 ft.	18.47	18.65	17.86	22.00[1]	18.28	18.27
" " " 20 ft.	18.47	18.48	17.86	....	18.47	18.47
" " " 22 ft.	21.81	20.18	20.39	21.75[1]	20.62	19.91
" " " 24 ft.	21.17	20.71	20.39	....	20.89	20.28
2x 8, No. 1, S 1 S 1 E, 10 ft.	20.05	19.75	17.50	17.14	18.50	19.72
" " " 12 ft.	18.54	19.07	17.99	17.00	18.59	18.47
" " " 14 ft.	18.76	18.86	18.44	17.14	18.65	19.06
" " " 16 ft.	19.29	20.72	19.56	17.14	19.84	19.15
" " " 18 ft.	21.71	21.88	19.25	22.33[1]	20.96	21.42
" " " 20 ft.	21.47	22.19	19.25	....	21.72	21.75
" " " 22 ft.	22.10	22.18	21.81	....	22.08	20.61
" " " 24 ft.	21.96	21.65	21.81	....	21.74	21.73
2x10, No. 1, S 1 S 1 E, 10 ft.	20.74	19.33	17.72	17.53	18.24	18.91
" " " 12 ft.	19.30	19.30	18.95	18.38	19.20	19.36
" " " 14 ft.	20.01	19.57	18.95	18.25	19.77	19.64
" " " 16 ft.	20.08	19.25	20.67	18.38	20.01	20.17
" " " 18 ft.	21.75	22.10	20.99	24.50[1]	21.54	21.76
" " " 20 ft.	22.28	21.72	20.99	....	22.00	21.57
" " " 22 ft.	23.92	32.50	23.46	26.75	24.49	22.58
" " " 24 ft.	25.58	23.94	23.46	26.75	24.95	22.47
2x12, No. 1, S 1 S 1 E, 10 ft	20.59	22.25	18.54	27.50[2]	20.10	21.45
" " " 12 ft.	22.08	21.40	19.10	26.50[2]	20.43	20.71
" " " 14 ft.	21.91	21.76	19.10	....	21.84	22.49
" " " 16 ft.	23.77	22.58	21.18	....	22.89	22.75
" " " 18 ft.	24.01	23.76	22.65	28.25[2]	23.61	22.86
" " " 20 ft.	24.03	23.93	22.65	28.25[2]	23.99	23.81
" " " 22 ft.	27.86	25.79	23.89	....	25.44	24.47
" " " 24 ft.	26.40	25.67	23.89	....	25.93	25.37
2x 4, No. 2, S 1 S 1 E, 10 ft.	17.68	17.04	16.39	16.36	16.74	17.01
" " " 12 ft.	16.16	16.16	15.20	16.36	15.73	16.12
" " " 14 ft.	15.95	15.82	14.99	16.07	15.61	15.80
" " " 16 ft.	17.82	17.55	15.88	16.07	17.03	17.26
" " " 18 ft.	20.03	19.23	17.04	18.41	18.20	18.55
" " " 20 ft.	19.39	19.39	17.04	18.50	19.39	18.69
" " " 22 ft.	17.00[1]	20.26	16.88[2]	....	20.26	18.58
" " " 24 ft.	....	20.26	16.88[2]	....	20.26	18.62
2x 6, No. 2, S 1 S 1 E, 10 ft.	11.98	12.58	12.78	14.75	13.28	12.00
" " " 12 ft.	13.23	12.86	12.96	14.88	13.04	12.93
" " " 14 ft.	13.28	12.88	12.96	13.82	13.07	12.89
" " " 16 ft.	14.27	13.84	13.74	13.82	13.91	13.67
" " " 18 ft.	14.53	14.47	14.85	14.55	14.77	13.40
" " " 20 ft.	14.09	14.33	14.85	14.30	14.25	13.77
" " " 22 ft.	15.50	16.21	18.47	....	16.77	17.09
" " " 24 ft.	16.13	16.21	18.47	....	16.13	17.09[1]

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
2x 8, No. 2, S 1 S 1 E, 10 ft.	16.55	16.17	13.75	16.09[1]	16.34	16.03
“ “ “ 12 ft.	15.41	15.22	14.94	15.89	15.33	15.36
“ “ “ 14 ft.	17.01	15.24	13.86	16.24	15.67	15.51
“ “ “ 16 ft.	16.78	16.06	15.17	15.87	15.79	15.95
“ “ “ 18 ft.	18.34	17.87	15.74	18.96	17.19	17.37
“ “ “ 20 ft.	18.20	17.76	15.74	17.50[1]	18.00	17.37
“ “ “ 22 ft.	18.00	18.22	20.74	....	18.84	19.21
“ “ “ 24 ft.	19.21	18.22	20.74	....	19.21	20.00
2x10, No. 2, S 1 S 1 E, 10 ft.	12.56	15.75	17.87[1]	20.00[1]	13.85	16.51
“ “ “ 12 ft.	14.44	14.95	15.38	16.81	14.95	14.92
“ “ “ 14 ft.	15.30	15.61	15.38	17.95	16.06	15.15
“ “ “ 16 ft.	17.38	15.77	13.94	14.75	15.85	16.26
“ “ “ 18 ft.	17.09	18.89	14.50	21.00	18.29	16.88
“ “ “ 20 ft.	17.61	17.13	14.50	21.00[2]	17.31	17.32
“ “ “ 22 ft.	24.00	18.97	15.25	....	18.25	18.52
“ “ “ 24 ft.	20.83	18.97	15.25	....	20.83	18.52
2x12, No. 2 S 1 S 1 E, 10 ft.	16.34	15.33	16.50	....	16.10	17.80
“ “ “ 12 ft.	16.62	15.38	16.08	16.00	16.18	15.76
“ “ “ 14 ft.	16.57	15.93	16.08	16.00	16.13	18.72
“ “ “ 16 ft.	18.55	17.50	17.07	16.00	17.60	18.38
“ “ “ 18 ft.	20.00	18.83	17.96	23.75[3]	18.80	17.61
“ “ “ 20 ft.	20.61	18.28	17.96	....	18.38	18.37
“ “ “ 22 ft.	24.00	18.87	22.75[1]	....	19.14	19.56
“ “ “ 24 ft.	20.75	18.87	22.75[1]	....	20.75	19.56
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3 S 1 S 1 E, all lengths	6.92	7.55	6.72	6.71	7.07	7.26
PATENT LATH						
4 and 6 ft.	8.26	8.95	10.42	....	8.58	8.57
8 and 10 ft.	10.40	9.40	10.42	....	10.13	10.51
12 ft. and longer	10.68	9.88	10.42	....	10.60	12.94
PLASTERING LATH						
⅜x1½-4, No. 1	4.15	4.18	4.36	3.89	4.21	3.74
“ No. 2	2.27	2.23	2.47	1.75	2.34	2.00
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	17.59	17.72	17.64	....	17.66	17.54
“ “ 22-24 ft.	20.27	18.31	17.21	....	17.83	23.36
“ “ 26 ft.	16.13[1]	18.25[1]	23.43	....	23.43	17.56
“ “ 28 ft.	19.00	22.00[1]	23.43	....	19.00	22.00
“ “ 30 ft.	20.98	21.72	24.75	....	21.84	18.43
“ “ over 30 ft.	23.90	22.92	28.00	....	23.92	25.27
4x4 to 8x8, Heart (85%+), up to 20 ft.	21.45	20.82	....	....	21.02	20.61
“ “ “ 22-24 ft.	23.06	22.92	....	....	22.96	21.87
“ “ “ 26 ft.	....	22.00[1]	....	....	22.00[1]	22.00
“ “ “ 28 ft.	....	23.00[1]	....	....	23.00[1]	23.00
“ “ “ 30 ft.	....	24.00[1]	....	....	24.00[1]	24.00
“ “ “ over 30 ft.	....	....	....	....	....	26.00[3]
3 & 4x10, No 1, up to 20 ft.	20.85	19.10	....	....	19.84	20.16
“ “ 22-24 ft.	23.00	20.17	....	....	20.59	19.57
“ “ 26 ft.	19.75[1]	....	....	....	19.75[1]	19.75
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	27.45[1]	....	....	....	27.45[1]	27.45
“ “ over 30 ft.	25.97[2]	....	....	....	25.97[2]	25.97[1]
3 & 4x10, Heart (85%+), up to 20 ft.	20.50	22.75	....	....	20.89	22.31
“ “ “ 22-24 ft.	26.25	22.00[1]	....	....	26.25	22.00
“ “ “ 26 ft.	....	20.75[2]	....	....	20.75[2]	20.75[1]
“ “ “ 28 ft.	....	25.75[3]	....	....	25.75[3]	25.75[2]
“ “ “ 30 ft.	....	27.00[1]	....	....	27.00[1]	27.00
“ “ “ over 30 ft.	....	33.94[3]	....	....	33.94[3]	33.94[2]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
6x10, to 10x10, No. 1, up to 20 ft.	18.03	18.83	19.36	....	18.95	19.67
" " 22-24 ft.	....	20.23	19.83	....	19.98	30.68
" " 26 ft.	18.13	21.22[2]	22.76[1]	....	18.13	22.25
" " 28 ft.	....	....	22.76[1]	....	22.76[1]	22.76
" " 30 ft.	23.66[1]	....	24.23[1]	....	23.79[1]	23.79
" " over 30 ft.	....	....	28.25	....	28.25	27.80
6x10 to 10x10, Heart (85%+), up to 20 ft.	19.60	24.00[1]	....	....	19.60	23.71
" " " 22-24 ft.	20.00	25.00[3]	....	....	20.00	25.00[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	30.25[2]	28.00[3]	....	....	30.25[2]	30.25[1]
" " " over 30 ft.	....	40.00[3]	....	....	40.00[3]	40.00[2]
3 & 4x12, No. 1, up to 20 ft.	21.68	21.48	....	....	21.65	22.16
" " 22 24 ft.	23.36[1]	24.00[1]	....	....	23.65[1]	23.65
" " 26 ft.	....	25.00[1]	....	....	25.00[1]	25.00
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	30.48[1]	24.00	....	....	24.00	30.48
" " over 30 ft.	....	....	....	....	....	32.00[3]
3 & 4x12 Heart (85%+), up to 20 ft.	25.19	25.03	....	....	25.09	26.75
" " " 22-24 ft.	29.00	28.00	....	....	28.78	25.00
" " " 26 ft.	....	26.75[3]	....	....	26.75[3]	26.75[2]
" " " 28 ft.	....	27.75[3]	....	....	27.75[3]	27.75[2]
" " " 30 ft.	28.50[2]	31.00[1]	....	....	31.00[1]	31.00
" " " over 30 ft.	....	31.00[2]	....	....	31.00[2]	31.00[1]
6x12 to 12x12, No. 1, up to 20 ft.	20.53	21.01	22.25	....	21.39	21.47
" " 22-24 ft.	20.87	21.91	22.26	....	21.39	26.69
" " 26 ft.	21.02	23.00	23.40	....	22.05	29.65
" " 28 ft.	21.00	....	24.90	....	21.00	29.96
" " 30 ft.	28.00[1]	....	27.00	....	27.00	28.00
" " over 30 ft.	27.79	....	30.67	....	28.33	29.33
6x12 to 12x12, Heart (85%+). up to 20 ft.	25.96	31.00	....	....	26.37	23.15
" " " 22-24 ft.	29.25	24.00[1]	....	....	29.25	22.06
" " " 26 ft.	....	26.97[1]	....	....	26.97[1]	26.97
" " " 28 ft.	....	29.50[2]	....	....	29.50[2]	29.50[1]
" " " 30 ft.	24.00[3]	27.00[1]	....	....	27.00[1]	27.00
" " " over 30 ft.	30.89[3]	....	....	....	30.89[3]	30.89[2]
2x14 to 4x14, No. 1,up - 2St2t	24.00[2]	25.25	....	....	25.25	25.88
" " 22 f4 o	....	28.30	....	....	28.30	27.02
" " 26 ft.	27.00[1]	30.44	....	....	30.44	28.63
" " 28 ft.	....	27.50[3]	....	....	27.50[3]	27.50[2]
" " 30et	....	....	....	....	....	29.27[3]
" " ovr 30 ft.	....	31.00[2]	....	....	31.00[2]	31.00[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	26.75[3]	....	....	26.75[3]	26.75[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	24.46	21.84[1]	24.32	....	24.37	22.35
" " 22-24 ft.	24.00	25.00	24.38	....	24.41	29.54
" " 26 ft.	....	....	33.75	....	33.75	31.65[2]
" " 28 ft.	25.00	....	33.75	....	25.00	31.65[2]
" " 30 ft.	36.50[2]	....	....	....	36.50[2]	36.50[1]
" " over 30 ft.	....	....	....	....	....	33.46[3]
6x14 to 14x14, Heart (85%+), up to 20 ft.	25.43[1]	28.25[3]	....	....	25.43[1]	25.43
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	35.58[2]	27.00[2]	....	....	33.26[2]	33.26[1]
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	28.00[3]	....	....	28.00[3]	28.00[2]
" " 22-24 ft.	....	....	....	....	....	36.00[3]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	32.00	....	....	32.00	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
6x16 & Up, No. 1, up to 20 ft.	29.11	33.25[2]	....	....	29.11	25.34
" " 22-24 ft.	32.46	....	....	....	32.46	30.13[3]
" " 26 ft.	28.00	....	33.36	....	33.13	29.22
" " 28 ft.	....	....	33.36	....	33.36	32.00
" " 30 ft.	27.00[1]	....	....	....	27.00[1]	27.00
" " over 30 ft.	33.00	....	....	....	33.00	38.50[3]
6x16 & Up, Heart (85%+), up to 20 ft.	33.50	....	....	....	33.50	30.95[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	35.14	....	....	....	35.14	....
" " " over 30 ft.	35.00	....	....	....	35.00	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	35.00[2]	....	....	35.00[2]	35.00[1]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	33.50[2]	....	....	33.50[2]	33.50[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	26.00[1]	....	....	26.00[1]	26.00
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	30.00[2]	....	30.00[2]	30.00[1]
" " 28 ft.	....	....	30.00[2]	....	30.00[2]	30.00[1]
" " 30 ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
" " 32 ft.	....	29.00[1]	....	....	29.00[1]	29.00
16 inch, Heart (85%+), up to 20 ft.	....	26.50[1]	....	....	26.50[1]	26.50
" " " 22-24 ft.	....	....	....	....	....	29.50[3]
" " " 26 ft.	....	38.00	....	....	38.00	31.93
" " " 28 ft.	35.69	34.97	....	....	35.20	35.00[3]
" " " 30 ft.	....	38.00	....	....	38.00	....
" " " 32 ft	....	32.50[1]	....	....	32.50[1]	32.50
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	23.00[3]	24.14	....	24.14*	23.00
" " " 36 ft.	24.00	24.00	25.00	....	24.00	23.00
" " " 37-38 ft.	....	29.00[3]	24.76	....	24.76	24.71
" " " 40 ft.	....	27.30[3]	25.00	....	25.00	24.71
" " " 41-42 ft.	28.00	32.69[3]	....	....	28.00	32.69[2]
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	28.15[3]
" " " " 40 ft.	....	....	....	....	....	31.00[3]
" " " " 41-42 ft.	....	....	....	....	....	31.00[3]
Up to 10 inch, Sq. E. 34 ft.	....	28.00[2]	24.00	....	24.00	27.29[1]
" " " 36 ft.	24.50	25.51[3]	24.00[2]	21.00	23.39	24.00[1]
" " " 37-38 ft.	27.17	25.62[1]	....	....	27.17	25.62
" " " 40 ft.	27.69	27.00	....	....	27.48	27.47[2]
" " " 41-42 ft.	27.69	....	....	....	27.69	26.00[3]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	28.50	30.00[2]	28.00[2]	25.00[1]	28.50	25.00
" " " 36 ft.	29.50	26.00	28.00[2]	25.00[1]	26.66	25.00
" " " 37-38 ft.	30.98	31.00[1]	....	27.50[1]	30.98	30.09
" " " 40 ft.	....	29.50[3]	....	....	29.50[3]	29.50[2]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Aug. 31
Up to 14 inch, Sq. E., 34 ft.	....	....	32.00[2]	....	32.00[2]	32.00[1]
" " " 36 ft.	....	30.00[2]	32.00[2]	30.00[3]	30.00[2]	30.00[1]
" " " 37-38 ft.	32.03	....	....	....	32.03	....
" " " 40 ft.	34.48	34.00	....	35.00[2]	34.27	35.00[1]
" " " 41-42 ft.	34.48	34.00[3]	....	....	34.48	34.00[2]
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	34.00[3]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	37.00[3]
" " " " 41-42 ft.	....	....	....	....	....	37.00[3]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	23.00[1]	....	....	23.00[1]	23.00
" " 16 ft.	....	23.00[1]	....	....	23.00[1]	23.00
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	24.00[3]	25.00	....	....	25.00	24.00[2]
" " " 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	24.00[3]	....	....	24.00[3]	24.00[2]
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	20.00[3]	22.50[3]	....	....	20.46[3]	20.46[2]
" " Heart, (85%+), 6x8–8	....	21.72	....	....	21.72	....
" " Sq. E., " 7x9–8	....	....	....	....	....	23.00[3]
" " Heart, " 7x9–8	....	17.50[1]	....	....	17.50[1]	17.50
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	15.00[3]	16.25	19.00[3]	....	16.25	15.00
" " Rough	....	....	....	15.00[2]	15.00[2]	15.00[1]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	22.72	25.15	20.16	19.67	22.88	27.17
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	....	....	....	....	....	10.60[3]
Miscellaneous, B and B	45.97	41.72	36.93	37.67	41.59	49.33
" No. 1	26.87	22.45	27.01	28.12	25.21	25.01
" No. 2	17.77	15.21	15.17	16.15	15.64	15.61
" No. 3	7.55	8.72	8.48	10.70	9.27	9.11
Shorts B and B	27.47	27.44	....	....	27.45	24.38
" No. 1	9.70	22.07	....	....	10.36	11.59
" No. 2	....	6.73	....	....	6.73	7.47
" No. 3	....	4.00[1]	....	....	4.00[1]	4.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16 75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

September 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending September 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued September 30, 1921

No. 142

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	63.27	....	....	....	63.27	63.00
“ “ C “	50.50	....	....	....	50.50	37.59[2]
“ “ D “	36.90	....	....	....	36.90	33.50
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	43.10	....	....	....	43.10	40.76
“ “ C “	27.00[3]	....	....	....	27.00[3]	27.00[2]
“ “ D “	29.70	....	....	....	29.70	29.00
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	13.07	....	....	....	13.07	13.10
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	....	....	72.92[3]
Edge Grain, A “	....	....	70.55	69.00	70.12	69.65
“ “ B “	....	65.00	64.64	....	64.66	63.24
“ “ B and Better “	....	63.24	....	62.10	62.98	63.07
“ “ C “	....	47.00	51.28	46.76	51.06	46.66
“ “ D “	34.50[2]	....	....	....	34.50[2]	34.50[1]
“ “ No. 2 “	....	....	21.08	25.31	21.41	20.53
Flat “ A “	....	....	....	....	....	42.50[3]
“ “ B “	....	43.50	....	....	43.50	38.50
“ “ B and Better “	45.50	42.88	46.26	47.10	45.77	43.66
“ “ C “	....	28.00[2]	....	....	28.00[2]	28.00[1]
“ “ D “	33.20[2]	....	....	....	33.20[2]	33.20[1]
No. 1 Common “	....	30.47	35.45	33.72	36.17	34.06
No. 2 “ “	16.25[1]	16.69	14.77	13.20	14.21	14.26
No. 3 “ “	....	....	7.99	7.40	7.64	6.41
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A “	49.00	....	61.00	61.00	57.94	50.51
“ “ B “	....	58.70	56.12	....	57.46	54.90
“ “ B and Better “	50.80	50.02	....	49.31	50.59	49.67
“ “ C “	31.49	38.59	42.50	39.00	35.92	31.57
“ “ D “	30.12	....	....	....	30.12	29.35
“ “ No. 2 “	....	....	19.87	22.00[2]	19.87	20.20
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	37.10	....	....	37.10	35.65
“ “ B and Better “	37.20	36.75	35.45	34.32	36.65	34.50
“ “ C “	30.75	33.00[1]	....	....	30.75	30.19
“ “ D “	27.98	25.00[2]	....	....	27.98	27.38
No Common “	....	27.46	29.17	31.52	28.98	27.80
No. 2 “ “	15.28	14.74	14.06	14.30	14.36	14.13
No. 3 “ “	....	....	7.50	6.96	7.37	6.64
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	29.09	29.25	30.38	32.00	29.59	29.30
“ “ No. 1 Common	23.21	22.25	27.59	28.00	24.68	23.84
“ “ No. 2 “	14.00	12.05[1]	12.24	....	12.55	11.90
“ “ No. 3 “	....	....	4.50	....	4.50	4.00
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	30.13	30.34	32.02	32.85	30.81	30.06
“ “ No. 1 Common	26.89	25.85	27.25	28.97	27.06	26.06
“ “ No. 2 “	13.10	12.28	13.97	13.30	13.26	13.05
“ “ No. 3 “	....	....	6.14	5.00	5.45	7.35
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	38.50	35.01	33.30	....	33.61	32.95
“ “ No. 1 Common	29.74	27.00	27.96	....	29.33	27.59
“ “ No. 2 “	15.25	16.75[1]	13.82	....	14.20	14.53
“ “ No. 3 “	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	38.10	34.87	35.86	37.89	36.40	36.83
“ “ No. 1 Common	29.87	21.04	31.95	34.40	31.41	28.60
“ “ No. 2 “	20.05	17.05	16.42	20.27[1]	17.07	18.36
Partition, ¾x5¼″, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	40.05	39.25	35.86	....	39.99	37.60
“ “ No. 1 Common	28.50[2]	27.05	31.95	....	27.05	22.00
“ “ No. 2 “	....	15.50	17.93	....	15.50	14.18
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	25.29	25.40	26.07	27.00	25.59	24.60
“ No. 1 Common	19.75	14.85	20.40	22.00	20.22	18.88
“ No. 2 “	12.00[2]	....	12.39	12.40	12.39	12.84

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
Drop Siding, ¾x3¼ or 5¼, A.	....	....	....	....	....	....
" " B.	..	....	....	....	....	....
" " B and Better	31.91	32.09	31.89	34.05	32.01	30.76
" " No. 1 Common	27.00	25.97	27.53	28.91	27.05	26.27
" " No. 2 "	17.35	17.31	16.52	18.02	16.82	16.36
" " No. 3 "	....	....	8.37	10.01	8.69	7.05
FINISH						
1x 4 inch, A.	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B.	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	41.76	39.74	38.27	40.50	40.62	39.59
1x 6 inch, "	41.40	40.80	41.70	44.98	41.50	40.60
1x 8 inch, "	42.18	41.62	40.21	38.83	41.71	40.95
1x 5 and 10 inch, "	48.58	45.23	44.95	40.05	46.73	45.84
1x12 inch, "	47.52	46.19	47.74	44.88	47.03	46.11
1¼x4 to 12 inch, "	55.14	52.40	52.06	49.91	53.56	51.70
1½ and 2x4 to 12 inch, "	55.40	51.75	47.37	46.00[1]	52.06	50.42
1⅝ inch, "	43.04	51.96[1]	....	....	43.04	51.70
1x 6 to 12 inch, "	....	....	....	41.50	41.50	45.00[2]
1x 4 inch, C.	32.34	31.00	33.00	....	32.34	28.00
1x 6 inch, "	33.80	32.00[1]	34.08	....	33.95	33.18
1x 8 inch, "	33.34	32.58	32.66	....	37.30	33.09
1x 5 and 10 inch, "	39.70	38.00	34.77	....	38.19	34.84
1x12 inch, "	39.46	40.40	34.80	....	38.01	36.84
1¼x4 to 12 inch, "	49.00	46.75[3]	39.33	....	41.75	43.38
1½ and 2x4 to 12 inch, "	39.15	39.25[1]	38.00[1]	....	39.15	38.34
1⅝ inch, "	....	28.58[1]	....	....	28.58[1]	28.58
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	34.75[1]	....	33.00[1]	35.00	35.00	33.13
1x 6 inch, " "	41.00	36.24[1]	42.39	44.88	43.02	37.74
1x 8 inch, " "	36.37	41.67	39.91	36.74	38.00	37.55
1x 5 and 10 inch, " "	41.00	44.00	43.43	43.75	43.53	45.56
1x12 inch, " "	42.22	44.50	46.40	48.75	44.60	42.88
1¼x4 to 12 inch, " "	50.33	50.60	50.69	56.25	50.70	49.46
1½ and 2x4 to 12 inch, " "	46.00	43.50	48.82	50.73	46.30	44.85
1⅝ inch, " "	....	45.68	....	....	45.68	42.31
1x 6 to 12 inch, " "	....	....	....	....	....	35.13[3]
CASING AND BASE						
From 4 and 6 inch stock, B. M., A.	....	....	....	....	....	....
" B.	....	....	....	....	....	....
" B and Better	50.20	49.38	50.63	41.75	47.51	48.15
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B.	....	....	....	....	....	....
" B and Better	50.18	48.34	47.92	40.00	48.70	48.22
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M.	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	52.01	45.91	54.24	57.70[3]	50.25	51.72
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	18.00[3]	34.00[1]	20.00[1]	....	23.23[1]	23.23
" " " " " 8 ft.	22.29	22.23	23.00	....	22.30	21.55
" " " " " 12 and 14 ft.	36.50[3]	....	....	....	36.50[3]	36.50[2]
" " " " " 16 ft.	35.00[1]	35.00[1]	....	....	35.00[1]	35.00
" " " " " 9 or 18 ft.	37.77	36.62	36.08[1]	....	37.56	36.13
" " " " 10 or 20 ft	34.11	33.56[1]	30.00[1]	....	34.11	32.27

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	21.62 [2]	17.50	20.61 [1]	....	17.50	20.61
" " " " " 8 ft.	20.00	20.43	20.00	....	20.30	18.85
" " " " " 12 and 14 ft.	22.00	22.00	....	....	22.00	23.61
" " " " " 16 ft.	22.00 [1]	16.00	....	....	16.00	22.00
" " " " " 9 or 18 ft.	22.00 [1]	26.00	22.25	....	25.88	23.30
" " " " " 10 or 20 ft.	29.75	24.55	28.00 [2]	....	25.07	22.97
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	22.04 [2]	17.50	20.61 [1]	....	17.50	20.61
" " " " " 8 ft.	18.50 [1]	20.43	20.00	....	20.30	18.50
" " " " " 12 and 14 ft.	22.00	22.00	....	....	22.00	26.00
" " " " " 16 ft.	22.50 [3]	16.00	....	....	16.00	25.50
" " " " " 9 or 18 ft.	29.66 [2]	26.00	22.25	....	25.88	23.65
" " " " " 10 or 20 ft.	26.00	24.55	28.00 [2]	....	26.00	24.20
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	10.41	10.00	....	....	10.37	8.56
" " " " " 10 to 20 ft.	13.41	14.42	....	17.00	14.42	13.72
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00 [1]	....	....	24.00 [1]	24.00
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00	....	....	24.00	24.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	26.00 [1]	22.00	....	22.00	26.00
" " " 2 to 3 inch 10 & 20 ft.	....	21.50	17.26	24.00	19.77	25.75
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	14.00 [3]	14.00 [3]	14.00 [2]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	22.68	....	....	....	22.68	23.17
" " " " other lengths.	24.70	21.55	28.06	31.92	26.04	24.69
" " 1x10, " 14 and 16 ft.	23.34	....	25.00 [2]	....	23.34	23.13
" " " " other lengths.	24.08	21.93	29.29	26.33	24.99	23.77
" " 1x12, " 14 and 16 ft.	34.00	....	....	29.00 [3]	34.00	33.80
" " " " other lengths.	34.42	32.38	32.51	33.50 [1]	33.01	33.11
oards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	15.79	15.06	15.41	15.39	15.53	15.26
" " 1x10, " "	15.89	15.32	15.81	16.78	15.94	15.22
" " 1x12, " "	16.96	16.25	16.95	16.89	16.71	16.30
oards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	8.82	9.27	10.80	11.68	9.63	8.92
" " 1x10, " "	9.08	9.49	11.15	11.68	9.54	8.98
" " 1x12, " "	8.96	8.45	11.06	11.43	9.33	9.01
hiplap, 1 x 8, No. 1, 14 and 16 ft.	21.45	....	....	....	21.45	23.06
" " " other lengths.	23.77	21.93	24.65	25.25	22.97	22.21
" 1x10, " 14 and 16 ft.	23.55	....	....	....	23.55	23.79
" " " other lengths.	22.79	22.82	19.50	21.00	21.88	22.98
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	24.00	....	....	....	24.00	....
iiplap, 1x 8, No. 2, all lengths.	15.74	16.00	15.48	16.72	15.84	15.40
" 1x10, " "	16.09	16.14	15.30	17.75	15.96	15.38
" 1x12, " "	....	....	....	....	....	....
hiplap, 1x 8, No. 3, all lengths.	9.43	9.09	10.23	11.89	9.70	9.58
" 1x10, " "	9.95	10.57	10.40	13.69	10.44	9.90
" 1x12, " "	9.90	9.30	....	....	9.62	9.23
ooved Roofing, 1x10, No. 1, 14 and 16 ft.	23.50	....	....	....	23.50	....
" " " " other lengths.	23.00	24.90	....	....	24.69	24.00
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
A No. 4—all widths and lengths.	5.31	....	3.90	5.00	5.07	4.47

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
1x4, S 1 S, No. 1, 16 ft.	22.29	20.06[3]	....	....	22.29	21.16
“ “ “ other lengths	22.28	19.51	28.49	28.00	21.02	20.77
“ “ No. 2, all lengths	10.25	9.45	14.47	9.30	10.17	10.28
“ “ No. 3, “	7.68	6.61	8.19	6.00[2]	7.39	7.49
1x4, C. M., No. 1, 16 ft.	20.75	....	....	....	20.75	18.09[1]
“ “ “ other lengths	21.80	....	....	....	21.80	19.70
“ “ No. 2, all lengths	10.26	....	....	....	10.26	10.25
“ “ No. 3, “	7.50	....	....	....	7.50	7.60
1x6, S 1 S, No. 1, 16 ft.	23.59	....	....	....	23.59	23.51
“ “ “ other lengths	23.25	20.94	29.14	12.13[1]	23.46	23.07
“ “ No. 2, all lengths	14.14	13.82	15.38	16.50	14.44	13.25
“ “ No. 3, “	7.95	7.56	9.02	11.50	7.97	7.77
1x6, C. M., No. 1, 16 ft.	23.95	....	....	....	23.95	25.44
“ “ “ other lengths	23.70	18.95	....	24.00	20.16	22.87
“ “ No. 2, all lengths	13.90	14.60	....	15.52	14.25	13.53
“ “ No. 3, “	7.72	9.97	....	14.50	9.01	7.83
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	22.26	20.00	19.74	....	20.84	20.57
“ “ “ 12 ft.	21.02	19.79	18.95	21.75	20.06	19.35
“ “ “ 14 ft.	20.03	19.64	19.08	18.00[1]	19.79	18.84
“ “ “ 16 ft.	20.62	19.95	20.55	17.00	20.01	19.29
“ “ “ 18 ft.	23.15	22.37	20.80	20.00	22.24	21.97
“ “ “ 20 ft.	23.21	22.62	20.80	18.00[1]	22.78	22.13
“ “ “ 22 ft.	27.35	23.44	20.89[1]	....	24.18	21.87
“ “ “ 24 ft.	26.66	23.83	20.89[1]	....	24.36	24.69
2x 6, No. 1, S 1 S 1 E, 10 ft.	18.07	17.82	16.95	15.00[1]	17.78	16.67
“ “ “ 12 ft.	16.89	16.80	16.10	15.00[1]	16.63	16.13
“ “ “ 14 ft.	16.75	17.03	16.10	15.00[1]	16.90	16.68
“ “ “ 16 ft.	17.64	17.65	16.85	15.00[1]	17.52	17.39
“ “ “ 18 ft.	18.76	18.28	17.67	22.00[2]	18.19	18.28
“ “ “ 20 ft.	17.99	18.33	17.67	....	18.20	18.47
“ “ “ 22 ft.	22.94	20.12	20.45	21.75[2]	20.74	20.62
“ “ “ 24 ft.	22.65	21.33	20.45	....	21.82	20.89
2x 8, No. 1, S 1 S 1 E, 10 ft.	21.56	19.96	19.00	17.14[1]	20.59	18.50
“ “ “ 12 ft.	20.37	19.30	17.90	23.00	19.37	18.59
“ “ “ 14 ft.	19.51	18.87	16.25	23.00	18.55	18.65
“ “ “ 16 ft.	19.71	19.36	18.77	17.14[1]	19.43	19.84
“ “ “ 18 ft.	21.49	21.36	20.11	22.33[2]	21.02	20.96
“ “ “ 20 ft.	21.97	21.59	20.11	....	21.73	21.72
“ “ “ 22 ft.	23.72	22.76	23.77	....	23.36	22.08
“ “ “ 24 ft.	24.68	23.00	23.77	....	23.44	21.74
2x10, No. 1, S 1 S 1 E, 10 ft.	21.07	19.70	19.25	17.53[1]	18.61	18.24
“ “ “ 12 ft.	21.30	19.90	18.90	18.38[1]	19.55	19.20
“ “ “ 14 ft.	20.33	19.88	18.90	18.25[1]	20.04	19.77
“ “ “ 16 ft.	21.50	20.74	18.78	24.25	20.31	20.01
“ “ “ 18 ft.	23.11	21.35	21.66	24.50[2]	21.86	21.54
“ “ “ 20 ft.	22.85	22.05	21.66	....	22.30	22.00
“ “ “ 22 ft.	24.06	23.12	23.23	26.75[1]	23.29	24.49
“ “ “ 24 ft.	26.25	23.30	23.23	26.75[1]	24.34	24.95
2x12, No. 1, S 1 S 1 E, 10 ft	22.86	21.62	28.25	27.50[3]	20.74	20.10
“ “ “ 12 ft.	22.95	21.85	20.30	26.00	21.57	20.43
“ “ “ 14 ft.	23.24	22.14	20.30	26.00	22.52	21.84
“ “ “ 16 ft.	24.01	22.57	21.03	....	22.32	22.89
“ “ “ 18 ft.	24.68	23.48	23.03	28.25[3]	23.60	23.61
“ “ “ 20 ft.	23.27	23.62	23.03	28.25	23.42	23.99
“ “ “ 22 ft.	26.33	25.00	21.78	....	23.13	25.44
“ “ “ 24 ft.	28.08	25.88	29.00	....	26.77	25.93
2x 4, No. 2, S 1 S 1 E, 10 ft.	19.38	16.49	17.09	15.64	16.66	16.74
“ “ “ 12 ft.	17.80	15.53	15.62	16.01	16.12	15.73
“ “ “ 14 ft.	18.42	15.37	15.17	16.08	16.11	15.61
“ “ “ 16 ft.	18.80	16.62	16.71	15.88	17.04	17.03
“ “ “ 18 ft.	20.13	18.56	16.56	17.58	18.23	18.20
“ “ “ 20 ft.	20.47	18.66	16.56	17.55	19.12	19.39
“ “ “ 22 ft.	17.00[2]	18.50	16.88[3]	....	18.50	20.26
“ “ “ 24 ft.	....	18.50	16.88[3]	....	18.50	20.26
2x 6, No. 2, S 1 S 1 E, 10 ft.	13.14	13.41	13.23	13.24	13.25	13.28
“ “ “ 12 ft.	13.13	13.52	13.81	13.49	13.80	13.04
“ “ “ 14 ft.	15.31	12.90	13.81	13.59	13.95	13.07
“ “ “ 16 ft.	14.43	14.14	13.13	13.72	14.00	13.91
“ “ “ 18 ft.	14.82	15.44	14.73	16.69	15.17	14.77
“ “ “ 20 ft.	14.67	15.03	14.73	18.27	14.97	14.25
“ “ “ 22 ft.	15.50	16.84	20.07	16.50	18.47	16.77
“ “ “ 24 ft.	16.13[1]	16.84	20.07	17.00	17.00	16 13

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
2x 8. No. 2, S 1 S 1 E, 10 ft.	16 78	16 64	14.58	17.03	16.62	16.34
" " " 12 ft.	15.57	15.03	15.28	16.05	15.32	15.33
" " " 14 ft.	17 92	15 12	15.62	15.41	15.98	15 67
" " " 16 ft.	17.96	16 54	15 68	16.13	16.93	15.79
" " " 18 ft.	19.04	17.48	17.35	19.28	18.52	17.19
" " " 20 ft.	19.37	17.85	17.91	19.16	18.69	18.00
" " " 22 ft.	18.00 [1]	19 61	19.61	21.75	19.66	18.84
" " " 24 ft.	19.21 [1]	19.61	19.61	....	19.61	19.21
2x10. No. 2, S 1 S 1 E, 10 ft.	16.02	16.19	18.00	14.30	14.91	13.85
" " " 12 ft.	14.54	15.25	14.15	13.75	14.29	14.95
" " " 14 ft.	15.86	15.38	14.15	15.85	15.55	16.06
" " " 16 ft.	17.55	17.36	13.76	15.90	16.18	15.85
" " " 18 ft.	17.37	17.70	16.77	19.83	17.63	18.29
" " " 20 ft.	18.01	18.28	16.77	19.91	18.17	17.31
" " " 22 ft.	13.00	19.02	21.40	....	18.81	18.25
" " " 24 ft.	20.83 [1]	18.00	21.40	....	19.48	20.83
2x12. No. 2, S 1 S 1 E, 10 ft.	16.34 [1]	15.25	15.50	....	15.48	16.10
" " " 12 ft.	14.95	14.91	15.56	19.50	15.88	16.18
" " " 14 ft.	18.18	15.15	15.56	19.50	16.81	16.13
" " " 16 ft.	16.72	18.72	19.18	21.42	18.59	17.60
" " " 18 ft.	21.02	18.74	20.60	23.50	20.80	18.80
" " " 20 ft.	19.23	18.86	20.60	....	19.09	18.38
" " " 22 ft.	24.00	22.00	22.75 [2]	....	22.51	19.14
" " " 24 ft.	24.00	22.00	22.75 [2]	....	24.00	20.75
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All Nc 3. S 1 S 1 E, all lengths	7.85	6.93	6.72 [1]	6.71 [1]	7.63	7.07
PATENT LATH						
4 and 6 ft.	9.31	10.04	10.70	....	10.05	8.58
8 and 10 ft.	11.18	10.50	10.70	....	10.98	10.13
12 ft. and longer	12.41	8.28	10.70	....	10.21	10.60
PLASTERING LATH						
⅜x1½-4, No. 1	4.45	4.39	4.50	3.59	4.40	4.21
" No. 2	2.71	2.70	2.73	1.00	2.67	2.34
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	18.01	18.16	18.85	....	18.26	17.66
" " 22-24 ft.	21.95	19.73	18.20	....	21.02	17.83
" " 26 ft.	21.75	20.75	23.43 [1]	....	21.52	23.43
" " 28 ft.	21.50	20.65	23.43 [1]	....	21.30	19.00
" " 30 ft.	21.13	22.09	22.00	....	21.31	21.84
" " over 30 ft.	22.72	27.95	28.00 [1]	....	24.13	23.92
4x4 to 8x8, Heart (85%+), up to 20 ft.	20.85	22.53	....	....	21.64	21.02
" " " 22-24 ft.	21.57	22.93	....	....	21.92	22.96
" " " 26 ft.	....	22 00 [2]	....	....	22.00 [2]	22 00 [1]
" " " 28 ft.	19.38	26.00	....	....	19.58	23 00 [1]
" " " 30 ft.	17.00	22.00	....	....	17.64	24.00 [1]
" " " over 30 ft.	19.28	19.10 [1]	....	....	19.28	....
3 & 4x10, No 1, up to 20 ft.	20 38	20.32	....	....	20.37	19.84
" " 22-24 ft.	23 00 [1]	20 00	....	....	20.00	20.59
" " 26 ft.	19 75 [2]	....	....	....	19 75 [2]	19.75 [1]
" " 28 ft.	26.00	....	....	....	26.00	....
" " 30 ft.	27 45 [2]	....	....	....	27 45 [2]	27.45 [1]
" " over 30 ft.	25.97 [3]	....	....	....	25.97 [3]	25.97 [2]
3 & 4x10, Heart (85%+), up to 20 ft.	20.67	23.11	....	....	21.85	20.89
" " " 22-24 ft.	19.84	20.00	....	....	19.88	26.25
" " " 26 ft.	19.16	20.00	....	....	19.69	20.75 [2]
" " " 28 ft.	25.13	22 61	....	....	22.99	25 75 [3]
" " " 30 ft.	....	22.00	....	....	22.00	27.00 [1]
" " " over 30 ft.	....	23.92	....	....	23.92	33.94 [3]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
6x10, to 10x10, No. 1, up to 20 ft.	20.82	19.73	21.11	....	20.79	18.95
“ “ 22-24 ft.	19.81	20.29	23.68	....	20.43	19.98
“ “ 26 ft.	19.16	21.63	22.76[2]	....	21.46	18.13
“ “ 28 ft.	22.00	....	22.76[2]	....	22.00	22.76[1]
“ “ 30 ft.	33.01	24.75	24.23[2]	....	32.55	23.79[1]
“ “ over 30 ft.	....	25.00	28.25[1]	....	25.00	28.25
6x10 to 10x10, Heart (85%+), up to 20 ft.	20.85	20.86	....	....	20.86	19.60
“ “ “ 22-24 ft.	20.23	20.00	....	....	20.18	20.00
“ “ “ 26 ft.	....	20.00	....	....	20.00	....
“ “ “ 28 ft.	....	21.00	....	....	21.00	....
“ “ “ 30 ft.	22.00	22.00	....	....	22.00	30.25[2]
“ “ “ over 30 ft.	23.32	23.25	....	....	23.30	40.00[3]
3 & 4x12, No 1, up to 20 ft.	22.33	22.28	....	....	22.31	21.65
“ “ 22 24 ft.	25.52	24.10	....	....	25.12	23.65[1]
“ “ 26 ft.	....	25.00[2]	....	....	25.00[2]	25.00[1]
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	30.48[2]	26.00	....	....	26.00	24.00
“ “ over 30 ft.	30.50	....	....	....	30.50	....
3 & 4x12. Heart (85%+), up to 20 ft.	24.60	25.76	....	....	24.95	25.09
“ “ “ 22-24 ft.	26.66	25.11	....	....	26.36	28.78
“ “ “ 26 ft.	25.00	25.00	....	....	25.00	26.75[3]
“ “ “ 28 ft.	27.21	26.00	....	....	26.88	27.75[3]
“ “ “ 30 ft.	27.29	27.00	....	....	27.22	31.00[1]
“ “ “ over 30 ft.	33.30	28.33	....	....	32.44	31.00[2]
6x12 to 12x12, No. 1, up to 20 ft.	20.10	21.38	23.03	....	32.48	21.39
“ “ 22-24 ft.	22.71	23.88	24.15	....	23.86	21.39
“ “ 26 ft.	21.02[1]	23.00[1]	25.00	....	25.00	22.05
“ “ 28 ft.	21.00[1]	....	25.00	....	25.00	21.00
“ “ 30 ft.	28.00[2]	....	25.50	....	25.50	27.00
“ “ over 30 ft.	27.79[1]	....	25.50	....	25.50	28.33
6x12 to 12x12, Heart (85%+). up to 20 ft.	22.24	31.00[1]	....	....	22.24	26.37
“ “ “ 22-24 ft.	29.25[1]	22.00	....	....	22.00	29.25
“ “ “ 26 ft.	22.00	22.00	....	....	22.00	26.97[1]
“ “ “ 28 ft.	21.93	23.00	....	....	22.18	29.50[2]
“ “ “ 30 ft.	24.00	24.00	....	....	24.00	27.00[1]
“ “ “ over 30 ft.	25.00	25.00	....	....	25.00	30.89[3]
2x14 to 4x14, No. 1,up - 2St2t	30.50	28.37	....	....	28.97	25.25
“ “ 22 f4 o	34.83	27.50	....	....	31.82	28.30
“ “ 26 ft.	32.43	30.44[1]	....	....	32.43	30.44
“ “ 28 ft.	....	....	....	....	....	27.50[3]
“ “ 30et	....	....	....	....	....	....
“ “ ovr 30 ft.	....	31.00[3]	....	....	31.00[3]	31.00[2]
2x14 to 4x14, Heart (85%+), up to 20 ft.	35.50	....	....	....	35.50	26.75[3]
“ “ “ 22-24 ft.	37.50	....	....	....	37.50	....
“ “ “ 26 ft.	37.50	....	....	....	37.50	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	26.04	23.50	25.40	....	25.81	24.37
“ “ 22-24 ft.	24.00[1]	25.00[1]	24.38[1]	....	24.41[1]	24.41
“ “ 26 ft.	....	....	33.75[1]	....	33.75[1]	33.75
“ “ 28 ft.	25.00[1]	....	33.75[1]	....	25.00[1]	25.00
“ “ 30 ft.	36.50[3]	....	....	....	36.50[3]	36.50[2]
“ “ over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, Heart (85%+), up to 20 ft.	25.43[2]	....	....	....	25.43[2]	25.43[1]
“ “ “ 22-24 ft.	....	26.00	....	....	26.00	....
“ “ “ 26 ft.	26.00	....	....	....	26.00	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	35.58[3]	27.00[3]	....	....	33.26[3]	33.26[2]
“ “ “ over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	28.00[3]
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ over 30 ft.	....	32.00[1]	....	....	32.00[1]	32.00
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
6x16 & Up, No. 1, up to 20 ft.	27.70	33.25[3]	24.62	....	25.99	29.11
" " 22-24 ft.	32.13	....	....	....	32.13	32.46
" " 26 ft.	27.50	....	31.50	....	31.31	33.13
" " 28 ft.	33.59	....	31.50	....	33.59	33.36
" " 30 ft.	23.89	....	....	....	23.89	27.00[1]
" " over 30 ft.	33.00[1]	....	....	....	33.00[1]	33.00
6x16 & Up, Heart (85%⁺), up to 20 ft.	29.00	....	....	....	29.00	33.50
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	33.00	....	....	....	33.00	35.14
" " " over 30 ft.	34.00	....	....	....	34.00	35.00
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	35.00[3]	....	....	35.00[3]	35.00[2]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%⁺), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.00	34.45	....	....	34.78	33.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	26.00[2]	....	....	26.00[2]	26.00[1]
" " 22-24 ft.	33.00	....	....	....	33.00	....
" " 26 ft.	....	....	30.00[3]	....	30.00[3]	30.00[2]
" " 28 ft.	34.00	....	30.00[3]	....	34.00	30.00[2]
" " 30 ft.	....	32.00[3]	....	....	32.00[3]	32.00[2]
" " 32 ft.	....	29.00[2]	....	....	29.00[2]	29.00[1]
16 inch, Heart (85%⁺), up to 20 ft.	....	26.50[2]	....	....	26.50[2]	26.50[1]
" " " 22-24 ft.	....	33.00	....	....	33.00	....
" " " 26 ft.	....	38.00[1]	....	....	38.00[1]	38.00
" " " 28 ft.	35.69[1]	33.97	31.16	....	33.23	35.20
" " " 30 ft.	....	38.00[1]	....	....	38.00[1]	38.00
" " " 32 ft	....	32.50[2]	....	....	32.50[2]	32.50[1]
CAR SILLS						
Up to 9 inch, Sq. E 34 ft.	....	....	24.72	....	24.72	24.14
" " " 36 ft.	24.00[1]	24.08	24.28	....	24.08	24.00
" " " 37-38 ft.	32.74	27.00	26.49	....	28.61	24.76
" " " 40 ft.	....	....	27.02	....	27.02	25.00
" " " 41-42 ft.	28.00[1]	41.00	....	....	41.00	28.00
Up to 9 inch, Heart (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	31.03	26.50	....	....	29.82	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	28.50	....	....	28.50	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	28.00[3]	26.00	....	26.00	24.00
" " " 36 ft.	24.50[1]	....	26.00	25.00	25.00	23.39
" " " 37-38 ft.	26.33	25.62[2]	....	....	26.33	27.17
" " " 40 ft.	27.69[1]	27.00	....	....	27.00	27.48
" " " 41-42 ft.	27.69[1]	....	....	....	27.69[1]	27.69
Up to 10 inch, Heart, (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	28.50[1]	30.00[3]	28.00[3]	25.00[2]	28.50[1]	28.50
" " " 36 ft.	29.50[1]	26 00[1]	28.00[3]	27 00	27.00	26.66
" " " 37-38 ft.	31.00	31.00[2]	....	27.50[2]	31.00	30.98
" " " 40 ft.	....	....	....	....	....	29.50[3]
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 10
Up to 14 inch, Sq. E., 34 ft.	....	....	32.00[3]	....	32.00[3]	32.00[2]
“ “ “ 36 ft.	....	30.00[3]	32.00[3]	....	30.00[3]	30.00[2]
“ “ “ 37-38 ft.	32.03[1]	....	....	....	32.03[1]	32.03
“ “ “ 40 ft.	34.00	34.00	....	35.00[3]	34.00	34.27
“ “ “ 41-42 ft.	34.00	....	....	....	34.00	34.48
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	23.00[2]	....	....	23.00[2]	23.00[1]
“ “ 16 ft.	....	23.00[2]	....	....	23.00[2]	23.00[1]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	25.00[1]	....	....	25.00[1]	25.00
“ “ “ 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	....	28.00	....	....	28.00	24.00[3]
“ “ 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	28.00	....	....	28.00	....
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	19.89	....	....	....	19.89	....
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	23.00	....	....	....	23.00	20.46[3]
“ “ Heart, (85%+), 6x8–8	....	21.72[1]	....	....	21.72[1]	21.72
“ “ Sq. E., “ 7x9–8	....	....	....	....	....	....
“ “ Heart, “ 7x9–8	....	22.96	....	....	22.96	17.50[1]
Bridge Ties, Sq. E., 7x9 & up	17.00	....	....	....	17.00	....
“ “ Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	....	16.25[1]	....	....	16.25[1]	16.25
“ “ Rough	16.00	....	....	15.00[3]	16.00	15.00[2]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship “ Flat Grain	9.40	....	....	....	9.40	....
Miscellaneous	25.13	21.46	24.36	20.03	22.91	22.88
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	....	....	....	....	....	....
Miscellaneous, B and B	48.24	47.58	39.74	38.58	47.32	41.59
“ No. 1	24.70	24.57	28.17	19.72	24.10	25.21
“ No. 2	19.46	14.97	15.38	16.81	16.00	15.64
“ No. 3	6.83	10.77	8.87	11.34	9.29	9.27
Shorts B and B	28.15	27.06	....	....	27.18	27.45
“ No. 1	11.90	16.45	....	....	12.44	10.36
“ No. 2	....	8.47	....	....	8.47	6.73
“ No. 3	....	4.00[2]	....	....	4.00[2]	4.00[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	[illegible]	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

September 30, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending September 30, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000
Flooring, 13/16x3¼		2,200
Flooring, 13/16x5¼		2,400
Ceiling, ⅜		1,000
Ceiling, ½		1,200
Ceiling, ⅝		1,500
Ceiling, ¾		1,800
Partition, ¾		1,900
Shiplap and D. & M. ¾		2,400
Grooved Roofing, 13/16		2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
Plastering Lath, dry	550

4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued October 11, 1921

No. 143

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	65.68	....	....	....	65.68	63.27
" " C "	45.00	....	....	....	45.00	50.50
" " D "	33.25	....	....	....	33.25	36.90
" " No. 2 "	....	....	....	....	....	....
Flat " A "	44.29	....	....	....	44.29	....
" " B "	....	....	....	....	....	....
" " B and Better "	44.50	....	....	....	44.50	43.10
" " C "	....	....	....	....	....	27.00[3]
" " D "	30.84	....	....	....	30.84	29.70
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	12.94	....	....	....	12.94	13.07
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	....	....	....
Edge Grain, A "	....	....	71.60	69.00[1]	71.60	70.12
" " B "	....	65.00[1]	65.46	68.89	65.61	64.66
" " B and Better "	....	66.96	....	63.54	65.20	62.98
" " C "	....	47.00[1]	49.94	45.50	48.12	51.06
" " D "	34.50[3]	....	....	....	34.50[3]	34.50[2]
" " No. 2 "	....	....	22.76	19.16	21.95	21.41
Flat " A "	....	....	....	....	....	....
" " B "	....	43.50	....	....	43.50	43.50
" " B and Better "	48.53	44.36	48.38	48.47	47.99	45.77
" " C "	....	28.00[3]	....	....	28.00[3]	28.00[2]
" " D "	32.00	....	....	....	32.00	33.20[2]
No. 1 Common "	....	31.94	38.20	39.96	37.48	36.17
No. 2 " "	11.81	14.45	15.96	16.21	16.18	14.21
No. 3 " "	....	....	6.68	6.50	6.60	7.64
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	....	....	....
Edge Grain, A "	49.00	....	62.23	61.00	59.92	57.94
" " B "	....	51.45	55.92	47.50	54.20	57.46
" " B and Better "	50.27	49.07	....	53.00	49.81	50.59
" " C "	33.28	39.13	41.45	45.00	35.83	35.92
" " D "	33.39	....	....	....	33.39	30.12
" " No. 2 "	....	....	21.08	18.50	19.58	19.87
Flat " A "	....	....	....	....	....	....
" " B "	....	37.50	....	....	37.50	37.10
" " B and Better "	40.35	25.90	37.10	37.05	34.81	36.65
" " C "	32.00	33.00[2]	....	....	32.00	30.75
" " D "	30.05	25.00[3]	....	....	30.05	27.98
No Common "	....	29.26	31..20	31.98	30.61	28.98
No. 2 " "	15.87	15.36	13.96	14.89	14.61	14.36
No. 3 " "	....	....	7.03	7.88	7.41	7.37
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	30.37	30.92	35.70	30.49	31.82	29.59
" " No. 1 Common	24.75	25.02	26.70	28.00[1]	26.02	24.68
" " No. 2 "	11.00	11.00	12.86	....	12.48	12.55
" " No. 3 "	....	....	6.37	6.25	6.32	4.50
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	30.99	31.20	32.51	34.00	31.36	30.81
" " No. 1 Common	26.80	27.06	28.91	28 97[1]	27.34	27.06
" " No. 2 "	12.63	12.67	14.21	15.00	13.52	13.26
" " No. 3 "	....	....	6.69	6.41	6.59	5.45
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	39.11	35.44	35.62	....	36.02	33.61
" " No. 1 Common	33.50	30.63	31.00	....	30.96	29.33
" " No. 2 "	15.25[1]	16.75[2]	16.10	....	16.10	14.20
" " No. 3 "	....	....	....	....	....	....
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	41.40	37.13	39.35	40.00	39.87	36.40
" " No. 1 Common	32.05	29.75	31.95[1]	32.50	31.08	31.41
" " No. 2 "	18.25	16.03	16.00	20.27[2]	16.64	17.07
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	40.05[1]	39.25[1]	39.35	....	39.35	39.99
" " No. 1 Common	29.00	29.05[1]	31.95[1]	....	29.00	27.05
" " No. 2 "	....	15.67	16.00	....	15.67	15.50
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	25.05	31.71	27.00	27.00	27.17	25.59
" No. 1 Common	24.25	20.00	20.24	22.00[1]	20.43	20 22
" No. 2 "	12.00[3]	....	14.00	12.40[1]	14.00	12.39

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	33.25	32.50	33.40	37.00	33.19	32.01
" " No. 1 Common	27.67	25.87	29.18	25.00	27.46	27.05
" " No. 2 "	18.10	16.45	17.30	17.65	17.14	16.82
" " No. 3 "	....	....	7.70	7.86	7.73	8.69
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	43.25	41.34	39.80	43.13	41.89	40.62
1x 6 inch, "	42.97	43.09	44.68	43.85	43.63	41.50
1x 8 inch, "	45.63	43.58	45.19	47.00	44.97	41.71
1x 5 and 10 inch, "	50.54	43.76	47.21	50.28	48.13	46.73
1x12 inch, "	51.46	47.16	49.53	63.00	50.11	47.03
1¼x4 to 12 inch, "	56.60	54.76	51.34	60.00	55.36	53.56
1½ and 2x4 to 12 inch, "	55.81	55.00	55.00	52.50	52.52	52.06
1⅝ inch, "	50.12	49.22	....	....	49.59	43.04
1x 6 to 12 inch, "	....	....	....	38.02	38.02	41.50
1x 4 inch, C	32.34[1]	32.00	35.44	....	35.32	32.34
1x 6 inch, "	34.86	35.00	37.25	....	36.03	33.95
1x 8 inch, "	36.00	36.00	36.75	....	36.50	37.30
1x 5 and 10 inch, "	41.62	41.75	36.62	....	37.81	38.19
1x12 inch, "	41.33	42.00	37.50	....	39.40	38.01
1¼x4 to 12 inch, "	49.00[1]	34.00	40.56	....	39.80	41.75
1½ and 2x4 to 12 inch, "	48.40	48.40	38.00	....	43.78	39.15
1⅝ inch, "	....	28.58[2]	....	....	28.58[2]	28.58[1]
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	34.75[2]	....	33.00[2]	35.00[1]	35.00[1]	35.00
1x 6 inch, " "	41.51	38.50	42.39[1]	44.88[1]	40.47	43.02
1x 8 inch, " "	42.50	41.67[1]	41.75	36.74[1]	42.45	38.00
1x 5 and 10 inch, " "	44.76	44.00[1]	45.93	43.75[1]	45.21	43.53
1x12 inch, " "	45.82	44.50[1]	47.87	48.75[1]	45.86	44.60
1¼x4 to 12 inch, " "	58.50	48.25	55.70	56.25[1]	52.84	50.70
1½ and 2x4 to 12 inch, " "	46.00[1]	48.94	51.06	50.73[1]	50.40	46.30
1⅝ inch, " "	....	46.95	....	....	46.95	45.68
1x 6 to 12 inch, " "	....	....	....	38.00	38.00	....
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	51.75	48.93	47.39	41.50	50.04	47.51
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	52.82	50.18	47.98	39.50	51.06	48.70
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	53.90	53.62	61.00	....	56.66	50.25
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	....	34.00[2]	20.00[2]	....	23.23[2]	23.23[1]
" " " " " 8 ft.	23.88	22.50	23.00[1]	....	23.43	22.30
" " " " " 12 and 14 ft.	....	37.45	....	....	37.45	36.50[3]
" " " " " 16 ft.	35.00[2]	42.00	....	....	42.00	35.00[1]
" " " " " 9 or 18 ft.	40.04	37.24	40.00	38.00	38.56	37.56
" " " " " 10 or 20 ft.	38.15	33.97	30.00[2]	....	34.37	34.11

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	22.00	23.19	20.61[2]	....	22.93	17.50
" " " " " 8 ft.	19.71	18.71	20.00[1]	....	19.39	20.30
" " " " " 12 and 14 ft.	23.20	25.00	....	....	24.56	22.00
" " " " " 16 ft.	22.00[2]	28.00	....	....	28.00	16.00
" " " " " 9 or 18 ft.	31.00	30.50	22.25[1]	....	30.66	25.88
" " " " " 10 or 20 ft.	23.40	25.88	28.00[3]	....	25.43	25.07
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	23.50	17.50[1]	20.61[2]	....	23.50	17.50
" " " " " 8 ft.	18.50[2]	20.43[1]	20.00[1]	....	20.30[1]	20.30
" " " " " 12 and 14 ft.	24.00	25.00	....	....	24.00	22.00
" " " " " 16 ft.	23.50	28.00	....	....	23.50	16.00
" " " " " 9 or 18 ft.	31.00	30.00	22.25[1]	....	30.50	25.88
" " " " " 10 or 20 ft.	25.04	24.55[1]	28.00[3]	....	25.04	26.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	9.63	8.95	....	....	9.31	10.37
" " " " " 10 to 20 ft.	12.10	13.88	....	17.00[1]	12.77	14.42
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	22.50	25.75	....	....	23.80	24.00[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	32.15	....	....	32.15	24.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	24.36	22.00[1]	....	24.36	22.00
" " " 2 to 3 inch 10 & 20 ft.	....	24.20	17.26[1]	24.00[1]	24.20	19.77
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	15.00	15.00	14.00[3]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	23.45	....	....	....	23.45	22.68
" " " " other lengths.	23.46	25.04	31.78	32.33	26.12	26.04
" " 1x10, " 14 and 16 ft.	22.63	....	25.00[3]	....	22.63	23.34
" " " " other lengths.	23.44	21.95	28.10	35.00	23.93	24.99
" " 1x12, " 14 and 16 ft.	34.63	....	....	....	34.63	34.00
" " " " other lengths.	34.35	34.48	33.09	33.50[2]	34.35	33.01
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	16.75	16.60	16.30	16.70	16.64	15.53
" " 1x10, " "	16.43	16.60	16.59	16.97	16.61	15.94
" " 1x12, " "	17.29	16.46	17.01	17.40	16.94	16.71
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.69	9.48	11.09	12.27	10.02	9.63
" " 1x10, " "	9.43	9.83	10.23	10.68	9.80	9.54
" " 1x12, " "	9.25	9.51	10.72	12.33	10.00	9.33
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	24.28	....	....	....	24.28	21.45
" " " other lengths.	23.59	22.81	23.75	25.25[1]	23.09	22.97
" 1x10, " 14 and 16 ft.	23.16	....	....	....	23.16	23.55
" " " other lengths.	23.99	22.21	24.00	21.00[1]	25.47	21.88
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	24.00[1]	....	....	....	24.00[1]	24.00
Shiplap, 1x 8, No. 2, all lengths.	17.17	17.06	15.87	17.67	16.64	15.84
" 1x10, " "	16.71	16.91	16.03	17.85	16.73	15.96
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	9.63	9.61	11.19	12.00	10.25	9.70
" 1x10, " "	10.35	10.16	10.91	13.69[1]	10.39	10.44
" 1x12, " "	9.50	9.74	....	....	9.63	9.62
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	23.50[1]	....	....	....	23.50[1]	23.50
" " " " other lengths.	26.50	24.90[1]	....	....	26.50	24.69
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	5.80	....	5.73	5.00[1]	5.79	5.07

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
1x4, S 1 S, No. 1, 16 ft.	22.63	....	....	....	22.63	22.29
" " " other lengths	21.53	21.27	30.55	28.00[1]	23.50	21.02
" " No. 2, all lengths	10.26	10.05	13.28	9.27	10.25	10.17
" " No. 3, "	7.10	6.95	8.51	6.00[3]	7.44	7.39
1x4, C. M., No. 1, 16 ft.	24.50	....	....	....	24.50	20.75
" " " other lengths	21.43	....	....	....	21.43	21.80
" " No. 2, all lengths	10.37	....	....	13.00	10.49	10.26
" " No. 3, "	7.50	....	....	....	7.50	7.50
1x6, S 1 S, No. 1, 16 ft.	23.41	....	....	....	23.41	23.59
" " " other lengths	23.73	21.24	30.51	31.00	23.27	23.46
" " No. 2, all lengths	15.07	15.32	16.23	16.48	15.57	14.44
" " No. 3, "	8.89	8.18	9.09	10.64	8.79	7.97
1x6, C. M., No. 1, 16 ft.	23.50	....	....	....	23.50	23.95
" " " other lengths	20.97	23.72	....	24.00[1]	21.73	20.16
" " No. 2, all lengths	15.23	15.46	....	16.55	15.53	14.25
" " No. 3, "	7.05	8.30	....	9.73	8.15	9.01
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	22.75	20.56	20.89	....	21.13	20.84
" " " 12 ft.	21.73	20.03	19.49	21.75[1]	20.61	20.06
" " " 14 ft.	21.18	19.79	15.78	18.00[2]	19.67	19.79
" " " 16 ft.	21.20	20.40	20.26	17.00[1]	20.59	20.01
" " " 18 ft.	23.45	22.36	21.05	20.00[1]	22.33	22.24
" " " 20 ft.	23.33	22.16	21.05	18.00[2]	22.45	22.78
" " " 22 ft.	28.28	23.24	21.16	....	22.27	24.18
" " " 24 ft.	27.08	24.39	21.16	....	24.91	24.36
2x 6, No. 1, S 1 S 1 E, 10 ft.	19.05	17.80	17.09	15.00[2]	18.32	17.78
" " " 12 ft.	17.22	17.21	16.94	15.00[2]	17.11	16.63
" " " 14 ft.	15.96	17.32	16.94	20.00	16.77	16.90
" " " 16 ft.	17.83	17.70	15.13	15.00	16.86	17.52
" " " 18 ft.	18.92	18.18	18.68	22.00[3]	18.54	18.19
" " " 20 ft.	19.38	18.64	18.68	24.00	19.03	18.20
" " " 22 ft.	22.87	20.71	20.57	21.75[3]	21.05	20.74
" " " 24 ft.	22.85	21.09	20.57	....	21.39	21.82
2x 8, No. 1, S 1 S 1 E, 10 ft.	20.49	19.85	20.58	23.00	20.54	20.59
" " " 12 ft.	20.38	20.00	19.91	22.00	20.15	19.37
" " " 14 ft.	19.84	18.66	19.05	23.00[1]	19.04	18.55
" " " 16 ft.	19.50	19.00	19.69	14.20	18.04	19.43
" " " 18 ft.	20.74	21.13	20.47	22.33[3]	20.79	21.02
" " " 20 ft.	21.47	21.43	20.47	....	21.48	21.73
" " " 22 ft.	24.56	23.01	22.27	....	23.27	23.36
" " " 24 ft.	24.75	22.94	22.27	....	23.39	23.44
2x10, No. 1, S 1 S 1 E, 10 ft.	21.02	20.67	18.67	17.53[2]	19.54	18.61
" " " 12 ft.	20.78	19.13	18.99	19.50	19.41	19.55
" " " 14 ft.	19.69	19.56	18.99	18.25[2]	19.61	20.04
" " " 16 ft.	20.22	21.25	21.21	22.00	21.03	20.31
" " " 18 ft.	22.53	22.45	21.32	24.50[3]	21.95	21.86
" " " 20 ft.	22.75	22.24	21.32	....	22.35	22.30
" " " 22 ft.	27.22	23.71	23.83	26.75[2]	24.73	23.29
" " " 24 ft.	25.83	24.05	23.83	26.75[2]	24.13	24.34
2x12, No. 1, S 1 S 1 E, 10 ft.	22.32	22.57	21.66	....	22.31	20.74
" " " 12 ft.	22.55	22.24	22.88	26.00[1]	22.63	21.57
" " " 14 ft.	22.13	22.01	22.88	26.00[1]	22.07	22.52
" " " 16 ft.	22.02	22.13	20.96	....	21.95	22.32
" " " 18 ft.	22.32	23.31	20.25	....	22.64	23.60
" " " 20 ft.	22.93	22.99	20.25	28.25[1]	22.97	23.42
" " " 22 ft.	28.58	26.28	25.79	....	26.94	23.13
" " " 24 ft.	27.69	26.94	25.79	....	27.19	26.77
2x 4, No. 2, S 1 S 1 E, 10 ft.	19.85	17.67	18.37	16.05	17.24	16.66
" " " 12 ft.	18.24	15.13	16.37	16.05	15.86	16.12
" " " 14 ft.	18.60	15.08	16.26	16.05	15.80	16.11
" " " 16 ft.	18.43	16.55	18.83	17.28	17.41	17.04
" " " 18 ft.	20.93	18.61	18.39	16.25	18.36	18.23
" " " 20 ft.	21.11	17.54	18.39	16.25	18.08	19.12
" " " 22 ft.	17.00[3]	20.00	....	....	20.00	18.50
" " " 24 ft.	....	20.00	....	....	20.00	18.50
2x 6, No. 2, S 1 S 1 E, 10 ft.	15.29	12.97	14.32	13.85	13.65	13.25
" " " 12 ft.	14.00	13.72	13.55	13.85	13.69	13.80
" " " 14 ft.	14.40	13.46	13.55	13.85	13.67	13.95
" " " 16 ft.	14.39	14.40	13.84	13.85	14.30	14.00
" " " 18 ft.	15.59	14.84	14.58	16.03	15.02	15.17
" " " 20 ft.	15.42	14.83	14.58	16.03	15.04	14.97
" " " 22 ft.	17.53	17.56	20.33	16.50[1]	18.45	18.47
" " " 24 ft.	18.25	17.56	20.33	20.75	20.29	17.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	18.01	16.06	17.67	15.71	15.90	16.62
“ “ “ 12 ft.	16.81	14.58	16.74	15.71	15.03	15.32
“ “ “ 14 ft.	16.39	14.13	16.85	14.01	14.85	15.98
“ “ “ 16 ft.	16.31	15.38	16.19	15.71	12.07	16.93
“ “ “ 18 ft.	16.29	16.99	16.87	20.00	17.01	18.52
“ “ “ 20 ft.	18.12	16.36	16.87	20.00	16.52	18.69
“ “ “ 22 ft.	16.50	20.67	20.00	21.75[1]	20.16	19.66
“ “ “ 24 ft.	16.50	20.67	20.00	....	16.50	19.61
2x10, No. 2, S 1 S 1 E, 10 ft.	17.80	19.00	17.00	14.30[1]	17.74	14.91
“ “ “ 12 ft.	15.72	15.27	17.11	15.87	15.93	14.29
“ “ “ 14 ft.	16.06	15.57	17.11	14.00	15.41	15.55
“ “ “ 16 ft.	16.59	17.05	16.40	14.00	16.83	16.18
“ “ “ 18 ft.	18.34	17.56	20.21	18.50	18.45	17.63
“ “ “ 20 ft.	19.05	17.87	20.21	18.50	18.31	18.17
“ “ “ 22 ft.	16.00	20.75	20.00	....	20.05	18.81
“ “ “ 24 ft.	20.83[2]	20.75	20.00	....	20.16	19.48
2x12, No. 2, S 1 S 1 E, 10 ft.	19.25	15.00	16.33	....	16.86	15.48
“ “ “ 12 ft.	18.85	18.08	17.01	16.00	17.66	15.88
“ “ “ 14 ft.	16.21	16.71	17.01	19.50[1]	16.32	16.81
“ “ “ 16 ft.	20.08	17.44	15.79	21.42[1]	17.02	18.59
“ “ “ 18 ft.	17.40	17.25	17.95	16.00	17.29	20.80
“ “ “ 20 ft.	17.83	17.68	17.98	16.00	17.75	19.09
“ “ “ 22 ft.	21.63	22.23	20.00	....	21.61	22.51
“ “ “ 24 ft.	24.00[1]	22.23	20.00	....	21.58	24.00
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All Nc 3 S 1 S 1 E, all lengths	7.37	7.91	6.77	8.50	7.27	7.63
PATENT LATH						
4 and 6 ft.	10.79	10.48	11.14	....	10.79	10.05
8 and 10 ft.	10.06	10.81	11.14	....	10.33	10.98
12 ft. and longer	11.29	11.21	11.14	....	11.26	10.21
PLASTERING LATH						
⅜x1½-4, No. 1	4.93	4.80	4.77	3.59[1]	4.81	4.40
“ No. 2	2.99	3.11	2.92	1.00[1]	2.96	2.67
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	17.98	18.82	20.51	....	18.82	18.26
“ “ 22-24 ft.	18.51	20.39	17.82	....	18.60	21.02
“ “ 26 ft.	18.57	20.00	21.00	....	19.13	21.52
“ “ 28 ft.	17.29	17.75	21.00	....	17.47	21.30
“ “ 30 ft.	19.59	22.35	25.00	....	22.36	21.31
“ “ over 30 ft.	26.21	21.99	25.00	....	24.21	24.13
4x4 to 8x8, Heart (85%+), up to 20 ft.	22.65	22.98	....	....	22.80	21.64
“ “ “ 22-24 ft.	24.70	22.36	....	....	23.59	21.92
“ “ “ 26 ft.	....	20.00	....	....	20.00	22.00[2]
“ “ “ 28 ft.	25.53	26.00	....	....	25.69	19.58
“ “ “ 30 ft.	25.43	22.00[1]	....	....	25.43	17.64
“ “ “ over 30 ft.	29.56	32.50	....	....	30.56	19.28
3 & 4x10, No. 1, up to 20 ft.	18.18	20.79	....	....	18.76	20.37
“ “ 22-24 ft.	18.62	22.00	....	....	19.02	20.00
“ “ 26 ft.	19.75[3]	....	....	....	19.75[3]	19.75[2]
“ “ 28 ft.	21.25	....	....	....	21.25	26.00
“ “ 30 ft.	21.50	....	....	....	21.50	27.45[2]
“ “ over 30 ft.	22.50	....	....	....	22.50	25.97[3]
3 & 4x10, Heart (85%+), up to 20 ft.	23.04	21.91	....	....	22.59	21.85
“ “ “ 22-24 ft.	26.16	20.00	....	....	21.40	19.88
“ “ “ 26 ft.	28.25	20.00	....	....	21.47	19.69
“ “ “ 28 ft.	25.13[1]	21.00	....	....	21.00	22.99
“ “ “ 30 ft.	36.11	22.00	....	....	29.24	22.00
“ “ “ over 30 ft.	....	23.33	....	....	23.33	23.92

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
6x10, to 10x10, No. 1, up to 20 ft.	21.84	19.82	21.36	....	21.60	20.79
" " 22-24 ft.	19.44	20.75	22.86	....	20.04	20.43
" " 26 ft.	19.00	22.50	22.76[3]	....	20.55	21.46
" " 28 ft.	20.75	....	22 76[3]	....	20.75	22.00
" " 30 ft.	30.29	24.75[1]	27.00	....	28.58	32.55
" " over 30 ft.	15.24	25.00[1]	27.00	....	15.24	25.00
6x10 to 10x10, Heart (85%+), up to 20 ft.	22.36	23.00	....	....	22.39	20.86
" " " 22-24 ft.	27.26	20.00	....	....	20.51	20.18
" " " 26 ft.	....	20.00	....	....	20.00	20.00
" " " 28 ft.	....	21.00	....	....	21.00	21.00
" " " 30 ft.	22.00[1]	22.00	....	....	22.00	22.00
" " " over 30 ft.	23.32[1]	23.40	....	....	23.40	23.30
3 & 4x12. No. 1, up to 20 ft.	20.57	22.53	....	....	21.10	22.31
" " 22 24 ft.	23.75	24.00	....	....	23.96	25.12
" " 26 ft.	....	25.00[3]	....	....	25.00[3]	25.00[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	27.50	26.00[1]	....	....	27.50	26.00
" " over 30 ft.	30.50[1]	25.00	....	....	25.00	30.50
3 & 4x12 He rt (85%+), up to 20 ft.	24.57	25.02	....	....	24.84	24.95
" " " 22-24 ft.	27.25	25.17	....	....	26.06	26.36
" " " 26 ft.	25.00[1]	25.00	....	....	25.00	25.00
" " " 28 ft.	27.21[1]	28 00	....	....	28.00	26.88
" " " 30 ft.	27.29[1]	27 00	....	....	27.00	27.22
" " " over 30 ft.	33.30[1]	28.33	....	....	28.33	32.44
6x12 to 12x12, No. 1, up to 20 ft.	20.20	22.80	24.94	....	22.27	32.48
" " 22-24 ft.	21.71	23.88[1]	24.75	....	21.92	23.86
" " 26 ft.	21.97	23.00[2]	28.56	....	24.06	25.00
" " 28 ft.	18.72	....	28.56	....	18.72	25.00
" " 30 ft.	23.25	....	25.50[1]	....	23.25	25.50
" " over 30 ft.	27.79[2]	....	25.50[1]	....	25.50[1]	25.50
6x12 to 12x12, Heart (85%+). up to 20 ft.	23.07	26.00	....	....	23.09	22.24
" " " 22-24 ft.	29.03	22 00	....	....	22.86	22.00
" " " 26 ft.	22.00[1]	22.66	....	....	22.66	22.00
" " " 28 ft.	21.93[1]	23.00	....	....	23.00	22.18
" " " 30 ft.	29.17	34 00	....	....	29.99	24.00
" " " over 30 ft.	25.00[1]	25.00	....	....	25.00	25.00
2x14 to 4x14, No. 1,up - 2St2t	25.77	28.03	....	....	27.89	28.97
" " 22 f4 o	25.50	30 34	....	....	29.34	31.82
" " 26 ft.	26.50	33.00	....	....	30.08	32.43
" " 28 ft.	....	....	....	....	....	....
" " 30et	....	....	....	....	....	....
" " ovr 30 ft.	....	38.00	....	....	38.00	31.00[3]
2x14 to 4x14, Heart (85%+), up to 20 ft.	28.00	35.33	....	....	34.69	35.50
" " " 22-24 ft.	37.50[1]	37.47	....	....	37.47	37.50
" " " 26 ft.	37.50[1]	38.00	....	....	38.00	37.50
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	23.60	22 00	26.89	....	23.69	25.81
" " 22-24 ft.	25.17	25.00	19.00	....	24.95	24.41[1]
" " 26 ft.	25.50	26.00	33.75[2]	....	25.89	33.75[1]
" " 28 ft.	25.00[2]	....	33.75[2]	....	25.00[2]	25.00[1]
" " 30 ft.	....	....	....	....	....	36.50[3]
" " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, Heart (85%+), up to 20 ft.	28.34	26.00	....	....	27.84	25.43[2]
" " " 22-24 ft.	....	26.00[1]	....	....	26.00[1]	26.00
" " " 26 ft.	26.00[1]	....	....	....	26.00[1]	26.00
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	33.26[3]
" " " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, No. 1, up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
6x16 & Up, No. 1, up to 20 ft.	26.69	....	28.66	....	27.04	25.99
" " 22-24 ft.	28.00	....	29.19	....	29.10	32.13
" " 26 ft.	40.00	....	31.82	....	34.08	31.31
" " 28 ft.	33.59 [1]	....	31.82	....	31.82	33.59
" " 30 ft.	30.00	....	....	....	30.00	23.89
" " over 30 ft.	33.00 [2]	....	....	....	33.00 [2]	33.00 [1]
6x16 & Up, Heart (85%⁺), up to 20 ft.	34.84	....	....	....	34.84	29.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	33.00 [1]	....	....	....	33.00 [1]	33.00
" " " over 30 ft.	34.00 [1]	....	....	....	34.00 [1]	34.00
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	35.00 [3]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%⁺), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.00 [1]	34.45 [1]	....	....	34.78 [1]	34.78
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	26.00 [3]	....	....	26.00 [3]	26.00 [2]
" " 22-24 ft.	33.00 [1]	....	....	....	33.00 [1]	33.00
" " 26 ft.	21.25	....	....	....	21.25	30.00 [3]
" " 28 ft.	34.00 [1]	....	31.00	....	31.00	34.00
" " 30 ft.	....	....	....	....	....	32.00 [3]
" " 32 ft.	....	29.00 [3]	....	....	29.00 [3]	29.00 [2]
16 inch, Heart (85%⁺), up to 20 ft.	....	26.50 [3]	....	....	26.50 [3]	26.50 [2]
" " " 22-24 ft.	33.00	33.00 [1]	....	....	33.00	33.00
" " " 26 ft.	....	34.00	....	....	34.00	38.00 [1]
" " " 28 ft.	33.76	33.97 [1]	31.16 [1]	....	33.76	33.23
" " " 30 ft.	35.59	38.00 [2]	....	....	35.59	38.00 [1]
" " " 32 ft.	....	32.50 [3]	....	....	32.50 [3]	32.50 [2]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	....	24.72 [1]	....	24.72 [1]	24.72
" " " 36 ft.	23.94	23.90	23.48	....	23.81	24.08
" " " 37-38 ft.	26.00	26.43	23.48	....	26.42	28.61
" " " 40 ft.	....	....	27.02 [1]	....	27.02 [1]	27.02
" " " 41-42 ft.	28.00	29.75	....	....	28.99	41.00
Up to 9 inch, Heart (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	27.00	26.50 [1]	....	....	27.00	29.82
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	28.50 [1]	....	....	28.50 [1]	28.50
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	26.00 [1]	....	26.00 [1]	26.00
" " " 36 ft.	24.07	24.00	26.00 [1]	22.50	23.28	25.00
" " " 37-38 ft.	29.00	28.00	....	....	28.44	26.33
" " " 40 ft.	31.92	27.00	....	....	28.51	27.00
" " " 41-42 ft.	27.00	....	....	....	27.00	27.69 [1]
Up to 10 inch, Heart, (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	27.00	....	....	....	27.00	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	28.50 [2]	....	....	25.00 [3]	28.50 [2]	28.50 [1]
" " " 36 ft.	16.25	26.00 [2]	....	28.00	24.20	27.00
" " " 37-38 ft.	31.00 [1]	30.00	....	27.50 [3]	30.00	31.00
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%⁺), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	36.00	....	36.00	32.00[3]
" " " 36 ft.	....	....	....	....	....	30.00[3]
" " " 37-38 ft.	32.03[2]	....	....	....	32.03[2]	32.03[1]
" " " 40 ft.	34.50	34.00[1]	....	....	34.50	34.00
" " " 41-42 ft.	34.50	....	....	....	34.50	34.00
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	23.00[3]	....	....	23.00[2]	23.00[2]
" " 16 ft.	....	23.00[3]	....	....	23.00[3]	23.00[2]
12x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	26.00	....	....	26.00	25.00[1]
" " " 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	28.00[1]	....	....	28.00[1]	28.00
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	28.00[1]	....	....	28.00[1]	28.00
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	20.04	....	....	....	20.04	19.89
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	23.00[1]	....	....	....	23.00[1]	23.00
" " Heart, (85%+), 6x8-8	....	21.72[2]	....	....	21.72[2]	21.72[1]
" " Sq. E., " 7x9-8	....	....	....	....	....	....
" " Heart, " 7x9-8	....	22.00	....	....	22.00	22.96
Bridge Ties, Sq. E., 7x9 & up	17.00[1]	....	....	....	17.00[1]	17.00
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	....	16.25[2]	....	....	16.25[2]	16.25[1]
" " Rough	16.00	....	....	....	16.00	16.00
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	9.40[1]	....	....	....	9.40[1]	9.40
Miscellaneous	29.16	28.45	25.00	20.73	27.95	22.91
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	6.50	....	....	....	6.50	....
Miscellaneous, B and B	54.48	52.35	47.45	42.84	52.63	47.32
" No. 1	28.16	26.87	22.63	30.45	26.70	24.10
" No. 2	19.47	16.91	15.56	17.05	16.96	16.00
" No. 3	6.25	7.95	9.38	11.46	8.25	9.29
Shorts B and B	28.89	28.29	....	....	28.22	27.18
" No. 1	9.57	18.91	....	....	10.18	12.44
" No. 2	....	7.80	....	....	7.80	8.47
" No. 3	....	5.86	....	....	5.86	4.00[2]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

October 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending October 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

For Hollow Back Flooring, Ceiling, and Drop Siding, Deduct 100 lbs.

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued October 21, 1921

No. 144

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼″						
Edge Grain, A "						
" " B "						
" " B and Better "	66.20				66 20	65 68
" " C "	45.00[1]				45 00[1]	45 00
" " D "	33.26				33.26	33.25
" " No. 2 "						
Flat " A "	44 29[1]				44.29[1]	44.29
" " B "						
" " B and Better "	45.97				45.97	44.50
" " C "						
" " D "	32.86				32.86	30.84
No. 1 Common "						
No. 2 " "	14.18				14.18	12.94
No. 3 " "						
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½″				82.50	82.50	
Edge Grain, A "			73.79	69.00[2]	73.79	71.60
" " B "		63.12	67.84	68.89[1]	67.70	65.61
" " B and Better "		66.11		68.40	66.81	65.20
" " C "		47.64	55.97	52.25	53.50	48.12
" " D "						34.50[3]
" " No. 2 "			23.04	19.93	22.16	21.95
Flat " A "						
" " B "		48.18			48.18	43.50
" " B and Better "	50.46	47.20	49.64	51.15	49.66	47.99
" " C "		42.00			42 00	28.00[3]
" " D "	38.00				38.00	32.00
No. 1 Common "		31.61	38.40	37.00	35.35	37.48
No 2 " "	11.81[1]	14.50	15 77	15.67	15.40	16.18
No. 3 " "			6.50	8.76	7.70	6.60
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼″						
Edge Grain, A "	49.00[1]		61.91	61.00[1]	61.91	59.92
" " B "		54.36	57.08	47.50[1]	55.80	54.20
" " B and Better "	53.11	51.42		53.00[1]	52.56	49.81
" " C "	39.12	39.42	47.10	45.00[1]	39.63	35.83
" " D "	32.92				32.92	33.39
" " No. 2 "			22.50	18.50[1]	22.50	19.58
Flat " A "						
" " B "		41.82			41.82	37.50
" " B and Better "	42.73	42.02	40.68	41.10	42.07	34.81
" " C "	36.03	39.25			36.40	32.00
" " D "	32.97				32.97	30.05
No Common "		31.68	33.51	34.35	32.90	30.61
No 2 " "	12.37	16.13	15.40	15.11	14.47	14.61
No 3 " "			7.53	8.09	7.77	7.41
CEILING						
Ceiling, ½x3¼″, A						
" " B						
" " B and Better	32.24	31.57	31.63	37.50	32.19	31.82
" " No. 1 Common	26.55	25.02[1]	29.43	28.00[2]	26.94	26.02
" " No. 2 "	13.50	11.00[1]	14.83		13.94	12.48
" " No. 3 "			11.00	6.25[1]	11.00	6.32
Ceiling, ⅝x3¼″, A						
" " B						
" " B and Better	32.76	33.96	35.58	36.75	32.43	31.36
" " No. 1 Common	29.11	26.91	29.50	30 55	28.59	27.34
" " No. 2 "	13.30	12.76	14.73	15.00	13.29	13.52
" " No. 3 "			6.50	7.00	6.56	6.59
Ceiling, ¾x3¼″, A						
" " B						
" " B and Better	46 50	30.00	40.07		40.30	36.02
" " No. 1 Common	32.50	32.00	37.50		32.73	30.96
" " No. 2 "	15.25[2]	16.75[3]	16.50		16.50	16.10
" " No. 3 "			12.12		12.12	
PARTITION						
Partition, ¾x3¼″, A						
" " B						
" " B and Better	44.94	39.61	42.06	41.59	42 60	39 87
" " No. 1 Common	38.83	29.78	36 04	36.05	35.16	31.08
" " No. 2 "	23.15	16.03[1]	17.72	20.27[3]	19.74	16.64
Partition, ¾x5¼″, A						
" " B						
" " B and Better	45.16	36.50	39 35[1]	45.00	39.55	39.35
" " No. 1 Common	42.50	29.05[2]	31.95[2]		42.50	29.00
" " No. 2 "	15 00	16.40	17.72		16.17	15.67
BEVEL SIDING						
Bevel Siding, A						
" B						
" B and Better	27.61	26.08	26.50	27.00[1]	27.00	27.17
" No. 1 Common	23.00	30.00	22.25	22.00[2]	21.83	20.43
" No. 2 "	15.00		14.00[1]	12.40[2]	15.00	14.00

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
Drop Siding, ¾x3¼ or 5¼,	A	....	....	....	....	....	....
" "	B	....	....	....	....	....	....
" "	B and Better	34.83	34.60	34.76	36.33	34.80	33.19
" "	No. 1 Common	29.09	27.74	30.22	29.80	28.94	27.46
" "	No. 2 "	18.87	18.31	15.62	17.39	17.26	17.14
" "	No. 3 "	....	....	10.25	9.78	9.99	7.73
FINISH							
1x 4 inch,	A	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better	43.06	42.90	42.86	40.60	42.91	41.89
1x 6 inch,	"	45.31	45.61	43.52	44.14	44.94	43.63
1x 8 inch,	"	45.10	45.65	44.74	43.96	45.20	44.97
1x 5 and 10 inch,	"	51.66	45.01	49.40	49.25	49.57	48.13
1x12 inch,	"	51.54	50.48	51.32	49.17	51.12	50.11
1¼x4 to 12 inch,	"	58.54	57.26	54.96	54.92	57.70	55.36
1½ and 2x4 to 12 inch,	"	56.00	59.74	55.74	52.50[1]	56.30	52.52
1⅝ inch,	"	44.90	56.92	....	....	46.23	49.59
1x 6 to 12 inch,	"	....	....	....	50.00	50.00	38.02
1x 4 inch,	C	36.30	35.50	36.25	....	35.94	35.32
1x 6 inch,	"	37.32	38.06	38.00	....	37.62	36.03
1x 8 inch,	"	36.46	38.97	37.08	....	37.62	36.50
1x 5 and 10 inch,	"	41.31	45.56	38.26	....	39.03	37.81
1x12 inch,	"	43.40	45.37	40.05	....	42.11	39.40
1¼x4 to 12 inch,	"	45.55	51.00	40.56[1]	....	47.26	39.80
1½ and 2x4 to 12 inch,	"	37.00	48.40[1]	38.00[1]	....	37.00	43.78
1⅝ inch,	"	....	28.58[3]	....	....	28.58[3]	28.58[2]
1x 6 to 12 inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better, Rough	34.75[3]	....	39.00	35.00[2]	39.00	35.00[1]
1x 6 inch,	" "	42.00	38.50[1]	42.00	40.57	40.70	40.47
1x 8 inch,	" "	42.50	42.61	43.56	40.48	43.14	42.45
1x 5 and 10 inch,	" "	50.50	48.43	44.68	43.75[2]	45.83	45.21
1x12 inch,	" "	50.00	46.40	46.81	48.75[2]	46.64	45.86
1¼x4 to 12 inch,	" "	58.50[1]	47.95	49.54	56.25[2]	49.14	52.84
1½ and 2x4 to 12 inch,	" "	52.00	53.25	54.73	50.73[2]	54.45	50.40
1⅝ inch,	" "	....	51.25	....	....	51.25	46.95
1x 6 to 12 inch,	" "	....	....	....	42.80	42.80	38.00
CASING AND BASE							
From 4 and 6 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	53.76	51.94	56.32	55.25	54.21	50.04
From 8 and 10 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	53.72	50.90	52.53	39.50[1]	52.71	51.06
MOULDINGS (% Discount)							
1½ inch and Smaller		....	....	....	....	....	....
1¾ inch and Larger		....	....	....	....	....	....
DOOR AND WINDOW JAMBS							
A	B. M	....	....	....	....	....	....
B	"	....	....	....	....	....	....
B and Better, -	"	60.33	57.43	61.00[1]	....	57.76	56.66
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	33.00	30.00	20.00[3]	....	31.36	23.23[2]
" " " " "	8 ft.	23.88[1]	22.50[1]	23.00[2]	....	23.43[1]	23.43
" " " " "	12 and 14 ft.	46.25	37.45[1]	....	....	46.25	37.45
" " " " "	16 ft.	46.25	42.00[1]	....	....	46.25	42.00
" " " " "	9 or 18 ft.	47.00	42.65	38.00	39.75	42.34	38.56
" " " " "	10 or 20 ft	44.75	38.00	36.88	39.75	37.57	34.57

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	22.00[1]	23.67	22.00	....	23.48	22.93
" " " " " 8 ft.	23.50	20.93	20.00[2]	....	20.99	19.39
" " " " " 12 and 14 ft.	23.00	25.08	....	....	24.55	24.56
" " " " " 16 ft.	22.00[3]	31.00	....	....	31.00	28.00
" " " " " 9 or 18 ft.	30.93	29.33	22.25[2]	30.50	30.47	30.66
" " " " " 10 or 20 ft.	27.41	25.74	....	....	26.30	25.43
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	23.50[1]	23.23	22.00	....	23.48	23.50
" " " " " 8 ft.	18.50[3]	20.93	20.00[2]	....	20.93	20.30[1]
" " " " " 12 and 14 ft.	28.83	25.08	....	....	28.83	24.00
" " " " " 16 ft.	23.50[1]	28.00[1]	....	....	23.50[1]	23.50
" " " " " 9 or 18 ft.	30.43	29.33	22.25[2]	....	30.43	30.50
" " " " " 10 or 20 ft.	23.86	25.72	....	....	23.86	25.04
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	10.01	12.00	..	....	10.48	9.31
" " " " " 10 to 20 ft.	11.91	12.86	....	16.50	12.82	12.77
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	22.50[1]	24.00	....	....	24.00	23.80
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00	....	....	24.00	32.15
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	24.18	22.00[2]	....	24.18	24.36
" " " 2 to 3 inch 10 & 20 ft.	....	23.49	22.00	24.00[2]	23.41	24.20
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	15.00[1]	15.00[1]	15.00
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	24.14	....	....	....	24.14	23.45
" " " " other lengths.	24.82	23.32	28.68	33.50	24.74	26.12
" " 1x10, " 14 and 16 ft.	22.97	....	....	....	22.97	22.63
" " " " other lengths.	24.71	22.43	28.80	35.00[1]	25.05	23.93
" " 1x12, " 14 and 16 ft.	35.53	....	....	....	35.53	34.63
" " " " other lengths.	35.55	35.31	35.82	33.50[3]	35.45	34.35
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	17.19	16.37	17.36	19.16	17.91	16.64
" " 1x10, " "	16.48	17.11	17.45	17.57	16.85	16.61
" " 1x12, " "	17.00	17.55	17.93	18.50	17.36	16.94
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	9.39	9.89	11.21	14.75	9.73	10.02
" " 1x10, " "	9.64	10.20	10.74	10.68[1]	9.92	9.80
" " 1x12, " "	9.46	9.41	11.33	12.33[1]	9.55	10.00
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	23.42	....	....	....	23.42	24.28
" " " other lengths.	23.43	22.83	23.75[1]	25.00	23.19	23.09
" 1x10, " 14 and 16 ft.	23.80	....	....	....	23.80	23.16
" " " other lengths.	23.86	29.78	24.00[1]	21.00[2]	27.54	25.47
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	24.00[2]	....	....	....	24.00[2]	24.00[1]
Shiplap, 1x 8, No. 2, all lengths.	17.45	16.97	17.41	18.54	17.48	16.64
" 1x10, " "	17.23	17.42	17.43	17.51	17.29	16.73
" 1x12, " "	....	....	..	19.00	19.00	....
Shiplap, 1x 8, No. 3, all lengths.	10.15	10.37	11.91	12.00[1]	10.50	10.25
" 1x10, " "	9.93	10.60	11.00	13.69[2]	10.13	10.39
" 1x12, " "	10.87	10.07	...	....	10.31	9.63
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	23.75	....	..	....	23.75	23.50[1]
" " " " other lengths.	25.00	26.75	....	....	25.97	26.50
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	4.93	...	5.07	5.00[2]	5.00	5.79

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
1x4, S 1 S, No. 1, 16 ft.	22.68	....	....	....	22.68	22.63
" " " other lengths	23.17	21.36	30.61	28.00[2]	22.70	23.50
" " No. 2, all lengths	9.87	10.12	15.13	10.00	10.07	10.25
" " No. 3, "	7.62	7.67	7.99	7.25	7.67	7.44
1x4, C. M., No. 1, 16 ft.	23.50	....	....	....	23.50	24.50
" " " other lengths	21.37	....	....	....	21.37	21.43
" " No. 2, all lengths	9.54	....	....	13.00[1]	9.54	10.49
" " No. 3, "	7.00	....	....	....	7.00	7.50
1x6, S 1 S, No. 1, 16 ft.	25.58	....	....	....	25.58	23.41
" " " other lengths	24.10	23.28	31.04	25.00	24.11	23.27
" " No. 2, all lengths	15.73	15.98	16.17	15.17	15.74	15.57
" " No. 3, "	8.34	8.70	9.09	10.71	8.60	8.79
1x6, C. M., No. 1, 16 ft.	27.25	....	....	....	27.25	23.50
" " " other lengths	24.19	23.29	....	24.00[2]	23.92	21.73
" " No. 2, all lengths	15.53	16.08	....	17.55	16.13	15.53
" " No. 3, "	9.04	7.47	....	10.50	8.15	8.15
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	22.66	20.11	20.77	21.50	21.16	21.13
" " " 12 ft.	21.98	20.07	20.53	19.50	20.72	20.61
" " " 14 ft.	21.21	19.69	20.81	19.50	20.32	19.67
" " " 16 ft.	22.63	21.08	21.73	21.50	21.74	20.59
" " " 18 ft.	24.31	22.50	22.54	22.50	23.15	22.33
" " " 20 ft.	24.13	22.62	22.54	22.50	23.24	22.45
" " " 22 ft.	27.35	24.56	25.00	26.00	25.31	22.27
" " " 24 ft.	26.44	24.55	25.00	25.00	25.42	24.91
2x 6, No. 1, S 1 S 1 E, 10 ft.	19.92	16.58	17.28	15.00[3]	17.71	18.32
" " " 12 ft.	17.07	17.43	17.22	19.50	17.25	17.11
" " " 14 ft.	16.60	17.43	17.22	20.00[1]	16.93	16.77
" " " 16 ft.	17.66	18.39	17.89	20.00	17.97	16.86
" " " 18 ft.	19.37	18.99	18.75	22.50	19.16	18.54
" " " 20 ft.	20.32	19.02	18.75	24.00[1]	19.55	19.03
" " " 22 ft.	23.85	20.84	23.26	....	22.25	21.05
" " " 24 ft.	23.86	21.55	23.26	....	22.63	21.39
2x 8, No. 1, S 1 S 1 E, 10 ft.	22.11	19.15	17.47	18.00	19.75	20.54
" " " 12 ft.	20.83	19.36	19.32	18.00	19.88	20.15
" " " 14 ft.	20.11	19.05	18.84	23.00[2]	19.43	19.04
" " " 16 ft.	20.33	20.41	19.00	20.50	20.16	18.04
" " " 18 ft.	23.26	21.39	21.39	....	21.85	20.79
" " " 20 ft.	23.04	21.91	21.39	....	22.45	21.48
" " " 22 ft.	24.94	23.31	24.85	....	24.01	23.27
" " " 24 ft.	24.85	23.54	24.85	....	23.95	23.39
2x10, No. 1, S 1 S 1 E, 10 ft.	21.64	20.90	19.65	17.53[3]	20.49	19.54
" " " 12 ft.	20.34	20.28	18.88	19.50[1]	19.79	19.41
" " " 14 ft.	19.97	19.68	18.88	18.25[3]	19.82	19.61
" " " 16 ft.	21.05	21.10	18.75	22.50	20.68	21.03
" " " 18 ft.	23.25	22.24	20.93	....	22.43	21.95
" " " 20 ft.	23.55	22.91	20.93	....	23.28	22.35
" " " 22 ft.	26.86	23.87	22.85	26.75[3]	23.92	24.73
" " " 24 ft.	27.03	24.05	22.85	26.75[3]	25.33	24.13
2x12, No. 1, S 1 S 1 E, 10 ft	25.91	22.50	21.67	25.00	23.32	22.31
" " " 12 ft.	23.29	21.56	19.30	25.00	21.00	22.63
" " " 14 ft.	23.38	21.89	19.30	26.00[2]	22.38	22.07
" " " 16 ft.	23.37	22.91	21.21	....	23.09	21.95
" " " 18 ft.	24.85	22.70	22.31	....	23.05	22.64
" " " 20 ft.	22.91	23.04	22.31	28.25[2]	22.95	22.97
" " " 22 ft.	28.26	26.35	29.75	....	27.28	26.94
" " " 24 ft.	28.09	26.30	29.75	....	27.08	27.19
2x 4, No. 2, S 1 S 1 E, 10 ft.	19.97	16.24	18.48	17.75	17.49	17.24
" " " 12 ft.	18.57	15.90	17.09	17.75	16.46	15.86
" " " 14 ft.	18.25	16.29	18.59	17.75	16.86	15.80
" " " 16 ft.	18.70	17.13	19.21	17.75	17.72	17.41
" " " 18 ft.	21.30	19.13	18.23	20.62	19.85	18.36
" " " 20 ft.	21.85	19.90	18.23	20.97	20.35	18.08
" " " 22 ft.	....	20.42	....	....	20.42	20.00
" " " 24 ft.	....	20.42	....	....	20.42	20.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.40	13.16	14.35	14.44	13.90	13.65
" " " 12 ft.	14.70	12.63	13.35	14.44	13.20	13.69
" " " 14 ft.	14.46	12.74	13.35	14.45	13.26	13.67
" " " 16 ft.	15.64	13.67	14.92	14.42	14.29	14.30
" " " 18 ft.	15.72	14.70	14.67	17.82	15.50	15.02
" " " 20 ft.	14.47	14.35	14.67	17.82	14.38	15.04
" " " 22 ft.	17.53[1]	18.47	16.96	16.50[2]	18.09	18.45
" " " 24 ft.	18.25[1]	14.50	16.96	18.50	18.50	20.29

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
2x 8 No. 2, S 1 S 1 E, 10 ft.	17.45	14.70	14.00	17.13	15.47	15.90
“ “ “ 12 ft.	16.04	15.20	16.49	18.80	16.54	15.03
“ “ “ 14 ft.	16.68	15.08	14.95	15.50	15.48	14.85
“ “ “ 16 ft.	16.61	16.76	15.44	18.80	16.60	12.07
“ “ “ 18 ft.	19.00	17.63	17.35	21.25	18.62	17.01
“ “ “ 20 ft.	17.59	17.59	17.35	21.25	17.59	16.52
“ “ “ 22 ft.	24.50	18.55	18.20	21.75 [2]	19.58	20.16
“ “ “ 24 ft.	16.50 [1]	18.55	18.20	....	18.53	16.50
2x10, No. 2, S 1 S 1 E, 10 ft.	15.69	15.77	17.00	17.00	15.87	17.74
“ “ “ 12 ft.	13.72	15.62	15.86	16.62	15.81	15.93
“ “ “ 14 ft.	15.05	15.56	15.86	16.62	15.41	15.41
“ “ “ 16 ft.	17.63	16.68	16.87	16.62	16.94	16.83
“ “ “ 18 ft.	17.85	17.76	16.50	20.75	18.35	18.45
“ “ “ 20 ft.	17.43	22.74	16.50	20.75	20.59	18.31
“ “ “ 22 ft.	16.00 [1]	21.11	20.00 [1]	....	21.11	20.05
“ “ “ 24 ft.	20.83 [3]	21.11	20.00 [1]	....	21.11	20.16
2x12, No. 2, S 1 S 1 E, 10 ft.	17.63	15.00 [1]	17.17	18.00	17.67	16.86
“ “ “ 12 ft.	18.57	17.45	16.82	17.93	17.55	17.66
“ “ “ 14 ft.	17.89	17.04	16.82	17.93	17.53	16.32
“ “ “ 16 ft.	18.58	18.57	15.44	17.75	17.73	17.02
“ “ “ 18 ft.	19.16	17.07	16.99	20.00	28.68	17.29
“ “ “ 20 ft.	18.29	17.98	16.99	16.00 [1]	18.04	17.75
“ “ “ 22 ft.	21.63 [1]	22.08	22.50	....	22.10	21.61
“ “ “ 24 ft.	24.00 [2]	21.92	22.50	....	22.10	21.58
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3 S 1 S 1 E, all lengths	7.97	7.92	9.75	7.67	7.87	7.27
PATENT LATH						
4 and 6 ft.	8.51	9.37	10.89	....	9.36	10.79
8 and 10 ft.	11.40	10.50	10.89	....	11.08	10.33
12 ft. and longer	11.48	11.17	10.89	....	11.40	11.26
PLASTERING LATH						
⅜x1½-4, No. 1	5.17	5.10	5.17	4.59	5.12	4.81
“ No. 2	3.25	3.33	3.13	1.00 [2]	3.22	2.96
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	18.11	19.38	18.82	....	18.50	18.82
“ “ 22-24 ft.	20.00	19.91	19.43	....	19.90	18.60
“ “ 26 ft.	20.00	21.50	19.50	....	19.91	19.13
“ “ 28 ft.	20.00	21.50	19.50	....	20.53	17.47
“ “ 30 ft.	21.00	23.00	23.50	....	21.58	22.36
“ “ over 30 ft.	22.24	24.61	23.50	....	23.40	24.21
4x4 to 8x8, Heart (85%+), up to 20 ft.	21.05	23.06	....	....	21.36	22.80
“ “ “ 22-24 ft.	22.11	23.10	....	....	22.69	23.59
“ “ “ 26 ft.	21.00	20.00 [1]	....	....	21.00	20.00
“ “ “ 28 ft.	25.53 [1]	25.00	....	....	25.00	25.69
“ “ “ 30 ft.	23.00	25.83	....	....	25.49	25.43
“ “ “ over 30 ft.	29.56 [1]	32.50 [1]	....	....	30.56 [1]	30.56
3 & 4x10, No 1, up to 20 ft.	19.70	20.13	....	....	19.77	18.76
“ “ 22-24 ft.	21.39	22.00 [1]	....	....	21.39	19.02
“ “ 26 ft.	....	....	....	....	....	19.75 [3]
“ “ 28 ft.	22.50	....	....	....	22.50	21.25
“ “ 30 ft.	21.50 [1]	....	....	....	21.50 [1]	21.50
“ “ over 30 ft.	25.60	21.00	....	....	25.36	22.50
3 & 4x10, Heart (85%+), up to 20 ft.	22.71	21.91 [1]	....	....	22.71	22.59
“ “ “ 22-24 ft.	23.90	20.00 [1]	....	....	23.90	21.40
“ “ “ 26 ft.	26.55	20.00 [1]	....	....	26.55	21.47
“ “ “ 28 ft.	25.13 [2]	25.00	....	....	25.00	21.00
“ “ “ 30 ft.	36.11 [1]	22.00 [1]	....	....	29.24 [1]	29.24
“ “ “ over 30 ft.	....	23.33 [1]	....	....	23.33 [1]	23.33

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
6x10, to 10x10, No. 1, up to 20 ft.	19.19	20.95	22.30	....	20.80	21.60
" " 22-24 ft.	20.57	20.11	23.68	....	20.63	20.04
" " 26 ft.	19.95	21.43	26.81	....	20.61	20.55
" " 28 ft.	20.00	....	24.00	....	20.00	20.75
" " 30 ft.	26.65	24.75[2]	29.50	....	27.85	28.58
" " over 30 ft.	20.04	25.00[2]	29.50	....	20.04	15.24
6x10 to 10x10, Heart (85%+), up to 20 ft.	22.81	27.00	....	....	23.01	22.39
" " " 22-24 ft.	24.82	20.00[1]	....	....	24.82	20.51
" " " 26 ft.	22.00	20.00[1]	....	....	22.00	20.00
" " " 28 ft.	....	21.00[1]	....	....	21.00[1]	21.00
" " " 30 ft.	27.50	26.00	....	....	26.50	22.00
" " " over 30 ft.	23.32[2]	23.40[1]	....	....	23.40[1]	23.40
3 & 4x12. No. 1, up to 20 ft.	21.84	22.61	....	....	22.16	21.10
" " 22 24 ft.	23.00	25.75	....	....	25.34	23.96
" " 26 ft.	23.25	....	....	....	23.25	25.00
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	27.50[1]	26.00[2]	....	....	27.50[1]	27.50
" " over 30 ft.	26.13	25.00[1]	....	....	26.13	25.00
3 & 4x12 Heart (85%+), up to 20 ft.	25.05	27.26	....	....	26.23	24.84
" " " 22-24 ft.	26.00	27.12	....	....	26.56	26.06
" " " 26 ft.	32.50	25.00[1]	....	....	32.50	25.00
" " " 28 ft.	29.50	28.00	....	....	29.24	28.00
" " " 30 ft.	27.29[2]	27.00[1]	....	....	27.00[1]	27.00
" " " over 30 ft.	29.00	28.33[1]	....	....	29.00	28.33
6x12 to 12x12, No. 1, up to 20 ft.	21.53	23.52	26.30	....	22.01	22.27
" " 22-24 ft.	22.48	23.88[2]	26.83	....	23.28	21.92
" " 26 ft.	22.82	21.00	26.50	....	22.92	24.06
" " 28 ft.	24.23	....	26.50	....	24.23	18.72
" " 30 ft.	28.04	27.00	25.75	....	27.79	23.25
" " over 30 ft.	30.90	....	25.75	....	30.90	25.50
6x12 to 12x12 Heart (85%+). up to 20 ft.	23.71	27.90	....	....	24.16	23.09
" " " 22-24 ft.	24.75	22.00[1]	....	....	24.75	22.86
" " " 26 ft.	22.00[2]	22.66[1]	....	....	22.66[1]	22.66
" " " 28 ft.	28.00	23.00[1]	....	....	28.00	23.00
" " " 30 ft.	27.00	34.00[1]	....	....	27.00	29.99
" " " over 30 ft.	32.08	31.00	....	....	31.95	25.00
2x14 to 4x14, No. 1,up - 2St2t.	26.22	26.79	....	....	26.45	27.89
" " 22 f4 o.	29.00	30.34[1]	....	....	29.00	29.34
" " 26 ft.	28.00	29.84	....	....	28.85	30.08
" " 28 ft.	....	30.00	....	....	30.00	....
" " 30et.	....	....	....	....	....	....
" " ovr 30 ft.	30.63	38.00[1]	....	....	30.63	38.00
2x14 to 4x14, Heart (85%+), up to 20 ft.	28.00[1]	35.33[1]	....	....	34.69[1]	34.69
" " " 22-24 ft.	37.50[2]	37.47[1]	....	....	37.47[1]	37.47
" " " 26 ft.	37.50[2]	38.00[1]	....	....	38.00[1]	38.00
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	25.37	24.67	27.00	....	25.32	23.69
" " 22-24 ft.	25.24	27.00	27.38	....	25.79	24.95
" " 26 ft.	22.00	26.00[1]	29.50	....	28.52	25.89
" " 28 ft.	24.00	....	29.50	....	24.00	25.00
" " 30 ft.	26.86	....	28.01	....	27.98	....
" " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, Heart (85%+), up to 20 ft.	27.91	26.00[1]	....	....	27.91	27.84
" " " 22-24 ft.	29.29	26.00[2]	....	....	29.29	26.00
" " " 26 ft.	26.00[2]	....	....	....	26.00[2]	26.00
" " " 28 ft.	31.00	....	....	....	31.00	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	34.04	....	....	....	34.04	....
2x16 to 4x16, No. 1, up to 20 ft.	26.11	29.85	....	....	28.76	....
" " 22-24 ft.	29.00	46.00	....	....	37.29	....
" " 26 ft.	29.00	....	....	....	29.00	....
" " 28 ft.	30.00	....	....	....	30.00	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	32.10	32.00[3]	....	....	32.10	32.00
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	40.00	....	....	40.00	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
6x16 & Up, No. 1, up to 20 ft.	30.62	....	25.00	....	30.07	27.04
" " 22-24 ft.	27.00	....	29.19[1]	....	27.00	29.10
" " 26 ft.	42.22	....	31.82[1]	....	42.22	34.08
" " 28 ft.	36.43	....	31.82[1]	....	36.43	31.82
" " 30 ft.	30.83	....	....	....	30.83	30.00
" " over 30 ft.	44.39	....	....	....	44.39	33.00[2]
6x16 & Up, Heart (85%+), up to 20 ft.	29.00	....	....	....	29.00	34.84
" " " 22-24 ft.	31.00	....	....	....	31.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	33.00[2]	....	....	....	33.00[2]	33.00[1]
" " " over 30 ft.	34.00[2]	....	....	....	34.00[2]	34.00[1]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	33.00	34.45[2]	....	....	33.00	34.78[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	26.00[3]
" " 22-24 ft.	33.00[2]	....	....	....	33.00[2]	33.00[1]
" " 26 ft.	21.25[1]	....	....	....	21.25[1]	21.25
" " 28 ft.	31.40	....	31.00[1]	....	31.40	31.00
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	29.00[3]
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	26.50[3]
" " " 22-24 ft.	33.00[1]	33.00[2]	....	....	33.00[1]	33.00
" " " 26 ft.	34.57	34.00[1]	34.00	....	34.44	34.00
" " " 28 ft.	33.76[1]	33.97[2]	31.16[2]	....	33.76[1]	33.76
" " " 30 ft.	35.59[1]	38.00[3]	....	....	35.59[1]	35.59
" " " 32 ft.	....	....	....	....	....	32.50[3]
CAR SILLS						
Up to 9 inch, Sq. E 34 ft.	....	29.00	24.86	....	25.57	24.72[1]
" " " 36 ft.	23.94[1]	23.94	24.19	....	23 94	23.81
" " " 37-38 ft.	26.00[1]	26.43[1]	24.00	30.00	25.11	26.42
" " " 40 ft.	....	28.00	25.00	32.00	26.12	27.02[1]
" " " 41-42 ft.	28.00[1]	29.75[1]	....	....	28.99[1]	28.99
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	31.50	26.50[2]	....	....	31.50	27.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	28.50[2]	....	....	28.50[2]	28.50[1]
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 10 inch, Sq. E. 34 ft.	....	....	25.00	....	25.00	26.00[1]
" " " 36 ft.	25.20	25.50	26.00[2]	22.50[1]	25.25	23.28
" " " 37-38 ft.	29.00[1]	28.00[1]	30.00	30.00	30.00	28.44
" " " 40 ft.	31.92[1]	27.00[1]	30.00	....	30.00	28.51
" " " 41-42 ft.	27.00[1]	....	....	....	27.00[1]	27.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	27.00[1]	....	....	....	27.00[1]	27.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	28.50	....	28.00	....	28.18	28.50[2]
" " " 36 ft.	30.00	30.00	28.00	28.00[1]	30.00	24.20
" " " 37-38 ft.	31.00[2]	30.00[1]	....	....	30.00[1]	30.00
" " " 40 ft.	....	....	....	....	....	....
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Sept. 30
Up to 14 inch, Sq. E., 34 ft.	....	....	36.00[1]	....	36.00[1]	36.00
“ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ 37-38 ft.	32.03[3]	....	....	....	32.03[3]	32.03[2]
“ “ “ 40 ft.	31.50	34.00[2]	....	....	31.50	34.50
“ “ “ 41-42 ft.	37.50	....	....	....	37.50	34.50
Up to 14 inch, Heart, (85%+), 34 ft.	....	35.00	....	....	35.00	....
“ “ “ “ 36 ft.	....	....	....	....	....	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	24.22	....	....	....	24.22	....
“ “ 14 ft.	24.88	....	....	....	24.88	23.00[3]
“ “ 16 ft.	....	....	....	....	....	23.00[3]
12x14, Heart (85%+), 12 ft.	25.82	....	....	....	25.82	....
“ “ “ 14 ft.	25.94	26.00[1]	....	....	25.94	26.00
“ “ “ 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
“ “ 14 ft.	24.00	24.00	....	....	24.00	28.00[1]
“ “ 16 ft.	24.00	....	....	....	24.00	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
“ “ “ 14 ft.	....	28.00[2]	....	....	28.00[2]	28.00[1]
“ “ “ 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
“ “ “ 27½ “	....	....	....	....	....	....
“ “ “ 30 “	20.22	....	....	....	20.22	20.04
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	23.00[2]	....	....	....	23.00[2]	23.00[1]
“ “ Heart, (85%+), 6x8–8.	20.36	19.29	....	....	20.09	21.72[2]
“ “ Sq. E., “ 7x9–8.	....	....	....	....	....	....
“ “ Heart, “ 7x9–8.	....	22.00[1]	....	....	22.00[1]	22.00
Bridge Ties, Sq. E., 7x9 & up.	17.00[2]	....	....	....	17.00[2]	17.00[1]
“ “ Heart,	....	....	....	....	....	....
Paving Stock, S 1 S.	....	16.25[3]	....	....	16.25[3]	16.25[2]
“ “ Rough.	16.00	16.00	15.00	....	15.90	16.00
Battleship Decking, Edge Grain.	52.50	....	....	....	52.50	....
Ship “ Flat Grain.	9.40[2]	....	....	....	9.40[2]	9.40[1]
Miscellaneous.	26.38	24.46	23.82	24.48	24.92	27.95
MISCELLANEOUS STOCK						
Silo Stock.	....	....	....	....	....	....
Grain Doors.	6.50	....	....	....	6.50	6.50
Miscellaneous, B and B.	50.24	57.29	42.53	51.94	49.97	52.63
“ No. 1.	27.49	22.64	32.84	27.17	25.23	26.70
“ No. 2.	19.27	16.53	16.80	18.14	17.50	16.96
“ No. 3.	11.33	7.76	10.24	15.68	9.84	8.25
Shorts B and B.	23.26	27.57	....	....	26.27	28.22
“ No. 1.	10.34	20.67	....	....	10.88	10.18
“ No. 2.	....	9.50	....	....	9.50	7.80
“ No. 3.	....	6.81	....	....	6.81	5.86

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

eight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
.000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
.200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Veight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.5	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5 00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5 50	5 50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5 50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7 00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10 50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13 25	13.50	13.75	13 75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16 25	16 50	16 75	17 00	17 00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10 25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12 75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13 50	13 75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15 25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18 50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16 25	16 50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20 50	20.75	3800
4200	19.00	19.00	19.25	19 50	19.75	20 00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23 00	4200
4500	20 25	20 50	20 75	21 00	21 25	21 25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

October 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending October 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued October 31, 1921

No. 145

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	68.73	....	....	....	68.73	66.20
" " C "	46.00	....	....	....	46.00	45.00[1]
" " D "	33.26[1]	....	....	....	33.26[1]	33.26
" " No. 2 "	....	....	....	....	....	....
Flat " A "	44.29[2]	....	....	....	44.29[2]	44.29[1]
" " B "	....	....	....	....	....	....
" " B and Better "	50.06	....	....	....	50.06	45.97
" " C "	....	....	....	....	....	....
" " D "	40.13	....	....	....	40.13	32.86
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	14.06	....	....	....	14.06	14.18
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	75.00	75.00	82.50
Edge Grain, A "	....	....	74.11	74.50	74.12	73.79
" " B "	....	71.25	69.32	70.90	69.56	67.70
" " B and Better "	77.00	67.57	....	68.50	70.97	66.81
" " C "	....	49.65	55.00	48.19	53.33	53.50
" " D "	....	....	....	....	....	....
" " No. 2 "	....	....	23.81	20.79	23.13	22.16
Flat " A "	....	....	....	....	....	....
" " B "	....	35.00	....	....	35.00	48.18
" " B and Better "	55.00	49.91	53.08	53.20	52.77	49.66
" " C "	....	42.00[1]	....	....	42.00[1]	42.00
" " D "	38.00[1]	....	....	....	38.00[1]	38.00
No. 1 Common "	....	34.17	41.87	42.50	41.15	35.35
No. 2 " "	11.81[2]	16.16	15.96	18.08	16.25	15.40
No. 3 " "	....	....	7.93	9.50	8.35	7.70
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	....	....	....
Edge Grain, A "	57.23	....	61.91[1]	61.00[2]	57.23	61.91
" " B "	....	55.50	58.20	47.50[2]	58.04	55.80
" " B and Better "	56.98	53.78	....	53.00[2]	55.76	52.56
" " C "	41.09	39.87	42.68	45.00[2]	40.77	39.63
" " D "	37.67	....	....	....	37.67	32.92
" " No. 2 "	....	....	20.25	18.50[2]	20.25	22.50
Flat " A "	....	....	....	....	....	....
" " B "	....	45.34	....	47.50	45.94	41.82
" " B and Better "	45.61	45.40	43.18	43.09	45.08	42.07
" " C "	39.00	39.25[1]	....	....	39.00	36.40
" " D "	34.45	....	....	....	34.45	32.97
No Common "	....	36.41	35.86	37.33	36.22	32.90
No. 2 " "	17.07	17.35	15.71	15.43	16.50	14.47
No 3 " "	....	....	8.64	7.90	8.56	7.77
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	32.36	33.93	33.60	37.50[1]	33.13	32.19
" " No. 1 Common	27.55	29.63	29.07	28.00[3]	28.24	26.94
" " No. 2 "	12.71	14.50	13.69	....	13.40	13.94
" " No. 3 "	....	....	6.57	6.25[2]	6.57	11.00
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	34.91	33.40	36.01	35.00	34.69	32.43
" " No. 1 Common	30.32	28.50	31.36	35.00	30.30	28.59
" " No. 2 "	14.10	14.16	15.86	16.00	14.80	13.29
" " No. 3 "	....	....	6.83	7.00[1]	6.83	6.56
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	47.18	30.00[1]	39.38	41.50	40.88	40.30
" " No. 1 Common	32.09	38.88	37.50[1]	....	35.59	32.73
" " No. 2 "	15.96	....	16.04	....	16.00	16.50
" " No. 3 "	....	....	12.12[1]	....	12.12[1]	12.12
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	44.74	43.53	44.81	44.71	36.14	42.60
" " No. 1 Common	36.94	33.96	33.50	36.05[1]	35.85	35.16
" " No. 2 "	19.67	18.50	18.07	19.55	19.20	19.74
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	45.16[1]	36.50[1]	44.81	45.00[1]	44.81	39.55
" " No. 1 Common	42.50[1]	27.00	33.50	....	27.00	42.50
" " No. 2 "	18.50	17.75	18.07	....	17.84	16.17
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	35.83	25.00	26.50[1]	27.00[2]	30.75	27.00
" No. 1 Common	23.00[1]	20.00	32.50	22.00[3]	20.96	21.83
" No. 2 "	12.00	....	18.74	12.40[3]	17.68	15.00

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	36.80	35.47	37.07	30.03	36.21	34.80
“ “ No. 1 Common	30.43	30.12	32.00	29.33	30.88	28.94
“ “ No. 2 “	18.98	18.53	18.48	18.73	18.68	17.26
“ “ No. 3 “	....	....	9.46	10.00	9.74	9.99
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	46.04	45.49	43.21	40.60 [1]	45.58	42.91
1x 6 inch, “	45.86	48.21	45.33	49.75	46.44	44.94
1x 8 inch, “	47.65	48.25	47.05	41.00	47.62	45.20
1x 5 and 10 inch, “	53.76	53.18	50.48	42.00	52.78	49.57
1x12 inch, “	54.04	53.52	53.64	43.00	53.64	51.12
1¼x4 to 12 inch, “	60.62	58.20	57.20	60.00	58.94	57.70
1½ and 2x4 to 12 inch, “	60.86	58.87	53.32	52.50 [2]	54.40	56.30
1⅝ inch, “	47.44	54.00	....	....	48.29	46.23
1x 6 to 12 inch, “	....	....	....	50.00 [1]	50.00 [1]	50.00
1x 4 inch, C	39.14	41.75	36.00	....	38.94	35.94
1x 6 inch, “	40.03	42 98	45.80	....	42.30	37.62
1x 8 inch, “	39.54	42.67	37.08	....	38.16	37.62
1x 5 and 10 inch, “	46.95	48.89	38.10	....	41.74	39.03
1x12 inch, “	49.21	49.63	40.25	....	47.38	42.11
1¼x4 to 12 inch, “	50.00	51.00 [1]	53.34	....	50.77	47.26
1½ and 2x4 to 12 inch, “	40.00	48.40 [2]	55.00	....	40.47	37.00
1⅝ inch, “	....	....	....	....	....	28.58 [2]
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	51.50	....	39.00 [1]	35.00 [3]	51.50	39.00
1x 6 inch, “ “	45.51	45.34	43.60	44.50	44.74	40.70
1x 8 inch, “ “	46.21	47.68	45.22	40.48 [1]	46.56	43.14
1x 5 and 10 inch, “ “	51.96	51.10	48.13	43.75 [3]	50.34	45.83
1x12 inch, “ “	52.57	51.10	53.99	48.75 [3]	53.04	46.64
1¼x4 to 12 inch, “ “	62.75	55.72	54.07	56.25 [3]	54.90	49.14
1½ and 2x4 to 12 inch, “ “	56.75	61.00	55.00	50.73 [3]	57.00	54.45
1⅝ inch, “ “	....	55.29	....	....	55.29	51.25
1x 6 to 12 inch, “ “	....	....	....	42.80	42.80	42.80
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	56.41	55.66	59.76	32.50	56.46	54.21
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	54.21	53.24	56.10	39.50 [2]	54.36	52.71
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	60.66	63.80	53.05	....	59.22	57.76
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	33.00 [1]	30.00 [1]	....	....	31.36 [1]	31.36
“ “ “ “ “ 8 ft.	25.40	25.45	23.00 [3]	....	25.41	23.43 [1]
“ “ “ “ “ 12 and 14 ft.	46.25 [1]	37.45 [2]	....	....	46.25 [1]	46.25
“ “ “ “ “ 16 ft.	46.25 [1]	42.00 [2]	....	....	46.25 [1]	46.25
“ “ “ “ “ 9 or 18 ft.	49.76	46.28	38.00 [1]	39.75 [1]	48.28	42.34
“ “ “ “ “ 10 or 20 ft	44.75	44.72	36.88 [1]	39.75 [1]	44.74	37.57

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	22.59	24.13	22.00[1]	....	23.66	23.48
" " " " " 8 ft.	23.50[1]	18.00	17.50	....	16.76	20.99
" " " " " 12 and 14 ft.	31.00	31.00	....	....	31.00	24.55
" " " " " 16 ft.	....	29.00	....	....	29.00	31.00
" " " " " 9 or 18 ft.	31.00	34.19	22.25[3]	30.50[1]	34.05	30.47
" " " " " 10 or 20 ft.	31.54	29.97	....	....	30.25	26.30
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	27.52	24.13	22.00[1]	....	27.52	23.48
" " " " " 8 ft.	21.00	18.00	17.50	....	21.00	20.93
" " " " " 12 and 14 ft.	24.91	31.00	....	....	24.91	28.83
" " " " " 16 ft.	25.06	29.00	....	....	25.06	23.50[1]
" " " " " 9 or 18 ft.	31.74	34.19	22.25[3]	....	31.74	30.43
" " " " " 10 or 20 ft.	26.89	29.97	....	....	26.89	23.86
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	12.50	12.00[1]	....	....	12.50	10.48
" " " " " 10 to 20 ft.	15.28	16.05	....	16.50[1]	15.75	12.82
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	25.00	....	....	....	25.00	....
" " " " 2 to 3 inch, 9 & 18 ft.	22.50[2]	30.00	....	....	30.00	24.00
" " " " 2 to 3 inch, 10 & 20 ft.	30.00	28.02	28.00	....	29.18	24.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch. 10 & 20 ft	22.75	....	....	....	22.75	....
" " " 2 to 3 inch, 9 & 18 ft.	....	28.75	22.00[3]	....	28.75	24.18
" " " 2 to 3 inch 10 & 20 ft.	....	31.00	27.36	25.50	27.14	23.41
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch. 10 & 20 ft.	....	....	....	15.00[2]	15.00[2]	15.00[1]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards. S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	25.60	....	....	....	25.60	24.14
" " " " other lengths.	25.97	25.27	31.60	33.50[1]	26.18	24.74
" " 1x10, " 14 and 16 ft.	25.89	....	....	....	25.89	22.97
" " " " other lengths.	26.31	23.59	38.27	35.00[2]	26.07	25.05
" " 1x12, " 14 and 16 ft.	36.69	....	....	....	36.69	35.53
" " " " other lengths.	37.20	35.92	38.83	....	36.65	35.45
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	17.95	18.03	16.91	13.68	16.85	17.91
" " 1x10, " "	17.99	18.23	17.12	18.94	17.96	16.85
" " 1x12, " "	18.35	18.94	18.65	18.78	18.54	17.36
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	10.26	10.92	11.69	12.25	10.89	9.73
" " 1x10, " "	10.25	10.71	12.32	11.25	12.42	9.92
" " 1x12, " "	10.41	10.98	12.26	11.25	10.90	9.55
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	25.73	....	....	....	25.73	23.42
" " " other lengths.	23.77	25.16	29.17	25.80	24.72	23.19
" 1x10, " 14 and 16 ft.	25.04	....	....	....	25.04	23.80
" " " other lengths.	24.59	22.89	24.00[2]	21.00[3]	23.95	27.54
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	24.00[3]	....	....	....	24.00[3]	24.00[2]
Shiplap, 1x 8, No. 2, all lengths.	18.60	18.56	17.99	18.62	18.46	17.48
" 1x10, " "	18.43	18.71	18.47	18.61	18.55	17.29
" 1x12, " "	....	....	....	19.00[1]	19.00[1]	19.00
Shiplap, 1x 8, No. 3, all lengths.	10.74	10.64	11.60	12.92	11.03	10.50
" 1x10, " "	10.67	10.39	11.63	10.00	10.57	10.13
" 1x12, " "	11.38	10.15	....	....	10.93	10.31
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	27.04	....	....	....	27.04	23.75
" " " " other lengths.	26.64	26.75[1]	....	....	26.64	25.97
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	5.73	....	4.89	6.00	5.19	5.00

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
1x4, S 1 S, No. 1, 16 ft.	25.00	....	....	....	25.00	22.68
" " " other lengths	23.72	20.91	33.18	28.00[3]	23.14	22.70
" " No. 2, all lengths	10.89	10.79	14.38	11.22	11.06	10.07
" " No. 3, "	7.84	7.60	8.80	7.25[1]	7.86	7.67
1x4, C. M., No. 1, 16 ft.	22.50	....	....	....	22.50	23.50
" " " other lengths	23.08	....	....	....	23.08	21.37
" " No. 2, all lengths	11.58	....	....	13.00[2]	11.58	9.54
" " No. 3, "	7.00[1]	....	....	....	7.00[1]	7.00
1x6, S 1 S, No. 1, 16 ft.	26.23	....	....	....	26.23	25.58
" " " other lengths	26.32	22.85	33.97	26.00	25.00	24.11
" " No. 2, all lengths	15.87	17.20	17.05	19.02	16.51	15.74
" " No. 3, "	8.97	8.66	9.80	14.78	9.14	8.60
1x6, C. M., No. 1, 16 ft.	25.03	....	....	....	25.03	27.25
" " " other lengths	25.25	25.09	....	25.00	25.15	23.92
" " No. 2, all lengths	16.59	16.95	....	18.90	16.86	16.13
" " No. 3. "	8.71	8.88	....	10.50[1]	8.77	8.15
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	24.25	21.90	20.94	21.50[1]	22.59	21.16
" " " 12 ft.	22.90	20.49	19.77	19.50[1]	21.12	20.72
" " " 14 ft.	21.08	19.82	19.93	19.50[1]	20.25	20.32
" " " 16 ft.	23.23	21.98	20.95	21.50[1]	22.26	21.74
" " " 18 ft.	25.59	23.53	20.88	22.50[1]	23.70	23.15
" " " 20 ft.	25.81	23.36	20.88	22.50[1]	24.21	23.24
" " " 22 ft.	27.43	25.07	25.00[1]	26.00[1]	25.63	25.31
" " " 24 ft.	29.24	25.79	25.00[1]	25.00[1]	26.44	25.42
2x 6, No. 1, S 1 S 1 E, 10 ft.	21.17	18.66	18.86	22.00	19.72	17.71
" " " 12 ft.	23.26	17.67	16.86	21.00	19.39	17.25
" " " 14 ft.	17.66	17.68	16.86	21.00	17.67	16.93
" " " 16 ft.	18.54	17.87	17.64	23.00	18.13	17.97
" " " 18 ft.	20.13	19.12	19.29	24.00	19.59	19.16
" " " 20 ft.	21.01	19.80	19.29	24.00[2]	20.30	19.55
" " " 22 ft.	23.43	19.79	21.67	....	21.11	22.25
" " " 24 ft.	25.15	22.11	21.67	....	23.00	22.63
2x 8, No. 1, S 1 S 1 E, 10 ft.	21.83	20.82	21.87	22.75	21.28	19.75
" " " 12 ft.	21.46	20.31	19.51	20.63	20.30	19.88
" " " 14 ft.	20.04	21.78	19.36	20.63	20.66	19.43
" " " 16 ft.	21.24	21.40	20.38	18.39	20.94	20.16
" " " 18 ft.	22.78	21.73	21.16	....	21.73	21.85
" " " 20 ft.	23.39	22.73	21.16	23.50	23.06	22.45
" " " 22 ft.	24.69	23.84	22.82	....	23.81	24.01
" " " 24 ft.	25.44	23.74	24.85[1]	....	24.45	23.95
2x10, No. 1, S 1 S 1 E, 10 ft.	22.68	21.75	18.06	18.00	19.13	20.49
" " " 12 ft.	21.18	20.92	20.59	20.75	21.12	19.79
" " " 14 ft.	20.83	20.26	20.59	22.50	20.52	19.82
" " " 16 ft.	22.17	21.74	21.90	24.33	22.07	20.68
" " " 18 ft.	24.04	23.65	21.12	....	22.49	22.43
" " " 20 ft.	24.61	23.58	21.12	....	24.22	23.28
" " " 22 ft.	29.33	24.72	23.43	....	25.46	23.92
" " " 24 ft.	30.04	24.54	23.43	....	25.99	25.33
2x12, No. 1, S 1 S 1 E, 10 ft.	26.29	21.33	21.81	25.00[1]	23.20	23.32
" " " 12 ft.	24.56	22.41	24.10	25.00	24.08	21.00
" " " 14 ft.	24.32	22.09	24.10	25.00	22.88	22.38
" " " 16 ft.	24.90	23.82	20.69	23.00	23.70	23.09
" " " 18 ft.	25.77	25.01	21.71	24.50	24.70	23.05
" " " 20 ft.	26.50	23.20	21.71	28.25[3]	23.70	22.95
" " " 22 ft.	30.40	26.81	25.32	26.00	27.40	27.28
" " " 24 ft.	31.93	27.26	25.32	26.00	29.15	27.08
2x 4, No. 2, S 1 S 1 E, 10 ft.	19.62	19.48	18.20	15.43	18.34	17.49
" " " 12 ft.	18.23	17.95	15.80	15.27	17.13	16.46
" " " 14 ft.	18.33	17.75	17.38	15.27	17.98	16.86
" " " 16 ft.	18.34	19.77	18.25	15.68	18.69	17.72
" " " 18 ft.	20.86	21.45	19.02	18.50	20 55	19.85
" " " 20 ft.	20.04	21.21	19.02	22.00	20.61	20.35
" " " 22 ft.	....	24.00	....	....	24.00	20.42
" " " 24 ft.	....	24.00	....	....	24.00	20.42
2x 6, No. 2, S 1 S 1 E, 10 ft.	13.19	10.20	13.75	15.64	11.47	13.90
" " " 12 ft.	15.17	13.71	14.98	15.41	14.64	13.20
" " " 14 ft.	14.65	16.03	14.98	15.41	15.39	13.26
" " " 16 ft.	15.54	15.50	14.65	15.41	15.16	14.29
" " " 18 ft.	16.05	16.54	16.09	16.46	16.45	15.50
" " " 20 ft.	16.84	16.77	16.09	16.49	16.75	14.38
" " " 22 ft.	16.75	18.17	20.00	16.50[3]	18.08	18.09
" " " 24 ft.	16.75	18.17	20.00	18.50[1]	16.75	18.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	17.09	17.16	14.00 [1]	19.00	18.13	15.47
" " " 12 ft.	17.32	16.37	15.44	19.00	16.31	16.54
" " " 14 ft.	18.00	17.24	15.65	16.28	16.79	15.48
" " " 16 ft.	17.78	16.43	15.86	15.75	16.73	16.60
" " " 18 ft.	21.67	18.02	17.66	22.00	18.21	18.62
" " " 20 ft.	20.20	17.43	17.66	21.25 [1]	18.11	17.59
" " " 22 ft.	20.50	19.36	18.20 [1]	21.75 [3]	19.56	19.58
" " " 24 ft.	16.50 [2]	19.36	18.20 [1]	....	19.36	18.53
2x10, No. 2, S 1 S 1 E, 10 ft.	15.86	10.40	19.21	15.03	12.53	15.87
" " " 12 ft.	15.93	16.48	16.19	15.00	16.29	15.81
" " " 14 ft.	16.09	16.29	16.19	15.00	15.90	15.41
" " " 16 ft.	18.74	17.88	16.71	15.00	17.89	16.94
" " " 18 ft.	18.75	18.21	18.95	12.25	17.77	18.35
" " " 20 ft.	18.39	18.91	17.48	20.75 [1]	18.85	20.59
" " " 22 ft.	19.75	22.11	20.50	25.75	21.40	21.11
" " " 24 ft.	19.75	22.11	20.50	....	19.75	21.11
2x12, No. 2, S 1 S 1 E, 10 ft.	17.32	10.54	18.37	15.75	12.68	17.67
" " " 12 ft.	17.77	16.80	15.38	18.75	16.29	17.55
" " " 14 ft.	18.93	17.19	15.38	18.75	18.34	17.53
" " " 16 ft.	20.07	17.82	16.13	14.42	17.50	17.73
" " " 18 ft.	20.14	20.20	20.82	18.63	20.04	28.68
" " " 20 ft.	19.16	19.90	20.82	19.01	19.78	18.04
" " " 22 ft.	21.63 [2]	24.73	22.50 [1]	....	24.73	22.10
" " " 24 ft.	24.00 [3]	24.73	22.50 [1]	....	24.73	22.10
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3, S 1 S 1 E, all lengths	8.63	7.06	7.12	7.03	7.36	7.87
PATENT LATH						
4 and 6 ft.	8.53	10.61	11.08	....	9.56	9.36
8 and 10 ft.	10.58	10.87	11.08	....	10.65	11.08
12 ft. and longer	10.89	11.00	11.08	....	10.92	11.40
PLASTERING LATH						
⅜x1½-4, No. 1	5.17	5.19	5.40	4.31	5.17	5.12
" No. 2	3.64	3.83	3.32	3.24	3.44	3.22
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	18.66	19.38	19.41	....	18.99	18.50
" " 22-24 ft.	19.25	19.99	19.03	....	19.49	19.90
" " 26 ft.	20.00 [1]	19.88	19.50 [1]	....	19.88	19.91
" " 28 ft.	21.00	18.60	19.50 [1]	....	20.53	20.53
" " 30 ft.	21.31	18.59	23.50 [1]	....	20.89	21.58
" " over 30 ft.	23.80	18.34	23.50 [1]	....	23.46	23.40
4x4 to 8x8, Heart (85%+), up to 20 ft.	22.78	22.76	....	....	22.77	21.36
" " " 22-24 ft.	25.36	24.18	....	....	24.83	22.69
" " " 26 ft.	21.00 [1]	20.00 [2]	....	....	21.00 [1]	21.00
" " " 28 ft.	23.68	25.00 [1]	....	....	23.68	25.00
" " " 30 ft.	24.74	25.83 [1]	....	....	24.74	25.49
" " " over 30 ft.	38.91	32.50 [2]	....	....	38.91	30.56 [1]
3 & 4x10, No. 1, up to 20 ft.	20.60	19.00	....	....	20.00	19.77
" " 22-24 ft.	22.00	19.60	....	....	20.48	21.39
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	22.50 [1]	....	....	....	22.50 [1]	22.50
" " 30 ft.	27.00	....	....	....	27.00	21.50 [1]
" " over 30 ft.	28.00	21.00 [1]	....	....	28.00	25.36
3 & 4x10, Heart (85%+), up to 20 ft.	23.02	25.23	....	....	23.69	22.71
" " " 22-24 ft.	24.76	26.00	....	....	25.12	23.90
" " " 26 ft.	26.55 [1]	20.00 [2]	....	....	26.55 [1]	26.55
" " " 28 ft.	25.13 [3]	25.00 [1]	....	....	25.00 [1]	25.00
" " " 30 ft.	27.00	22.00 [2]	....	....	27.00	29.24 [1]
" " " over 30 ft.	....	23.33 [2]	....	....	23.33 [2]	23.33 [1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
6x10, to 10x10, No. 1, up to 20 ft.	19.60	20.49	21.03	....	20.55	20.80
" " 22-24 ft.	20.43	20.63	22.81	....	20.97	20.63
" " 26 ft.	20.31	21.88	26.81[1]	....	21.01	20.61
" " 28 ft.	20.00[1]	20.00	24.00[1]	....	20.00	20.00
" " 30 ft.	26.65[1]	24.75[3]	32.50	....	32.50	27.85
" " over 30 ft.	20.04[1]	24.00	26.79	....	25.77	20.04
6x10 to 10x10, Heart (85%+), up to 20 ft.	21.79	21.33	....	....	21.78	23.01
" " " 22-24 ft.	24.82[1]	24.00	....	....	24.00	24.82
" " " 26 ft.	22.00[1]	22.00	....	....	22.00	22.00
" " " 28 ft.	....	21.00[2]	....	....	21.00[2]	21.00[1]
" " " 30 ft.	30.50	26.00[1]	....	....	30.50	26.50
" " " over 30 ft.	23.32[3]	23.40[2]	....	....	23.40[2]	23.40[1]
3 & 4x12 No 1, up to 20 ft.	23.72	23.40	....	....	23.65	22.16
" " 22 24 ft.	23.87	25.70	....	....	24.18	25.34
" " 26 ft.	24.75	....	....	....	24.75	23.25
" " 28 ft.	24.92	....	....	....	24.92	....
" " 30 ft.	25.56	26.00[3]	....	....	25.56	27.50[1]
" " over 30 ft.	30.83	25.00[2]	....	....	30.83	26.13
3 & 4x12 Heart (85%+), up to 20 ft.	24.76	26.59	....	....	25.43	26.23
" " " 22-24 ft.	29.46	27.12[1]	....	....	29.46	26.56
" " " 26 ft.	28.50	25.00[2]	....	....	28.50	32.50
" " " 28 ft.	29.50[1]	28.00	....	....	28.00	29.24
" " " 30 ft.	32.00	27.00[2]	....	....	32.00	27.00[1]
" " " over 30 ft.	29.00[1]	28.33[2]	....	....	29.00[1]	29.00
6x12 to 12x12, No. 1, up to 20 ft.	21.34	18.61	24.68	....	22.38	22.01
" " 22-24 ft.	22.00	25.00	26.00	....	22.54	23.28
" " 26 ft.	22.82[1]	21.00[1]	27.84	....	27.84	22.92
" " 28 ft.	24.23[1]	....	24.23[1]	....	27.84	24.23
" " 30 ft.	28.04[1]	27.00[1]	30.55	....	30.55	27.79
" " over 30 ft.	30.90[1]	26.04	30.55	....	26.04	30.90
6x12 to 12x12 Heart (85%+), up to 20 ft.	23.94	25.00	....	....	24.07	24.16
" " " 22-24 ft.	27.00	26.00	....	....	26.85	24.75
" " " 26 ft.	22.00[3]	22.66[2]	....	....	22.66[2]	22.66[1]
" " " 28 ft.	28.00[1]	27.00	....	....	27.00	28.00
" " " 30 ft.	27.00[1]	28.00	....	....	28.00	27.00
" " " over 30 ft.	32.08[1]	31.00[1]	....	....	31.95[1]	31.95
2x14 to 4x14, No. 1,up - 2St2t.	27.48	28.22	....	....	27.86	26.45
" " 22 f4 o.	32.16	28.00	....	....	29.85	29.00
" " 26 ft.	28.00[1]	30.00	....	....	30.00	28.85
" " 28 ft.	....	30.00[1]	....	....	30.00[1]	30.00
" " 30et.	....	....	....	....	....	....
" " ovr 30 ft.	30.63[1]	38.00[2]	....	....	30.63[1]	30.63
2x14 to 4x14, Heart (85%+), up to 20 ft.	28.00[2]	35.33[2]	....	....	34.69[2]	34.69[1]
" " " 22-24 ft.	37.50[3]	37.47[2]	....	....	37.47[2]	37.47[1]
" " " 26 ft.	37.50[3]	38.00[2]	....	....	38.00[2]	38.00[1]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	25.12	25.70	25.13	....	25.17	25.32
" " 22-24 ft.	24.50	27.00[1]	27.38[1]	....	24.50	25.79
" " 26 ft.	22.00[1]	26.00[2]	29.50[1]	....	28.52[1]	28.52
" " 28 ft.	24.00[1]	....	29.50[1]	....	24.00[1]	24.00
" " 30 ft.	26.86[1]	....	28.01[1]	....	27.98[1]	27.98
" " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, Heart (85%+), up to 20 ft.	28.00	27.70	....	....	27.72	27.91
" " " 22-24 ft.	29.29[1]	30.00	....	....	30.00	29.29
" " " 26 ft.	26.00[3]	....	....	....	26.00[3]	26.00[2]
" " " 28 ft.	31.00[1]	31.00	....	....	31.00	31.00
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	34.04[1]	34.30	....	....	34.30	34.04
2x16 to 4x16, No. 1, up to 20 ft.	28.00	29.85[1]	....	....	28.00	28.76
" " 22-24 ft.	29.00[1]	46.00[1]	....	....	37.29[1]	37.29
" " 26 ft.	29.00[1]	....	....	....	29.00[1]	29.00
" " 28 ft.	30.00[1]	....	....	....	30.00[1]	30.00
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	32.10[1]	....	....	....	32.10[1]	32.10
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	40.00[1]	....	....	40.00[1]	40.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
6x16 & Up, No. 1, up to 20 ft.	30.19	....	25.00[1]	....	30.19	30.07
“ “ 22-24 ft.	34.76	....	29.19[2]	....	34.76	27.00
“ “ 26 ft.	32.00	....	31.82[2]	....	32.00	42.22
“ “ 28 ft.	48.00	....	31.82[2]	....	48.00	36.43
“ “ 30 ft.	30.83[1]	....	....	....	30.83[1]	30.83
“ “ over 30 ft.	32.59	....	....	....	32.59	44.39
6x16 & Up, Heart (85%+), up to 20 ft.	30.00	....	....	....	30.00	29.00
“ “ “ 22-24 ft.	31.00[1]	....	....	....	31.00[1]	31.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	33.00[3]	....	....	....	33.00[3]	33.00[2]
“ “ “ over 30 ft.	34.00[3]	....	....	....	34.00[3]	34.00[2]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	....	....	....	....	....	....
“ “ 26 ft.	....	....	....	....	....	....
“ “ 28 ft.	....	....	....	....	....	....
“ “ 30 ft.	....	....	....	....	....	....
“ “ 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	33.00[1]	34.45[3]	....	....	33.00[1]	33.00
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
“ “ 22-24 ft.	33.00[3]	....	....	....	33.00[3]	33.00[2]
“ “ 26 ft.	21.25[2]	....	34.00	....	34.00	21.25[1]
“ “ 28 ft.	31.40[1]	....	31.00[2]	....	31.40[1]	31.40
“ “ 30 ft.	....	....	....	....	....	....
“ “ 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
“ “ “ 22-24 ft.	33.00[2]	33.00[3]	....	....	33.00[2]	33.00[1]
“ “ “ 26 ft.	32.76	34.00[2]	34.00[1]	....	32.76	34.44
“ “ “ 28 ft.	33.76[2]	34.00	35.00	....	34.23	33.76[1]
“ “ “ 30 ft.	35.59[2]	....	....	....	35.59[2]	35.59[1]
“ “ “ 32 ft.	....	....	....	....	....	....
CAR SILLS						
Up to 9 inch, Sq. E 34 ft.	....	29.00[1]	25.82	....	25.82	25.57
“ “ “ 36 ft.	26.44	32.00	25.78	....	27.08	23.94
“ “ “ 37-38 ft.	26.00[2]	28.00	26.45	30.00[1]	26.65	25.11
“ “ “ 40 ft.	....	28.00[1]	26.93	32.00[1]	26.93	26.12
“ “ “ 41-42 ft.	29.00	32.00	....	....	30.58	28.99[1]
Up to 9 inch, Heart (85%+), 34 ft.	30.97	....	....	....	30.97	....
“ “ “ “ 36 ft.	28.60	29.00	....	....	28.65	31.50
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	29.00	28.50[3]	....	....	29.00	28.50[2]
“ “ “ “ 41-42 ft.	29.00	....	....	....	29.00	....
Up to 10 inch, Sq. E. 34 ft.	....	....	27.00	....	27.00	25.00
“ “ “ 36 ft.	20.02	42.00	27.00	22.50[2]	26.68	25.25
“ “ “ 37-38 ft.	29.00[2]	28.00[2]	29.00	30.00[1]	29.00	30.00
“ “ “ 40 ft.	31.92[2]	27.00[2]	29.00	....	29.00	30.00
“ “ “ 41-42 ft.	27.00[2]	....	....	....	27.00[2]	27.00[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	28.00	....	....	....	28.00	27.00[1]
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	33.09	....	....	....	33.09	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Sq. E., 34 ft.	28.50[1]	....	28.06	....	28.06	28.18
“ “ “ 36 ft.	30.00[1]	29.50	28.06	28.00[2]	29.50	30.00
“ “ “ 37-38 ft.	32.50	30.00[2]	30.00	....	32.36	30.00[1]
“ “ “ 40 ft.	....	....	30.00	....	30.00	....
“ “ “ 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
“ “ “ “ 36 ft.	36.50	....	....	....	36.50	....
“ “ “ “ 37-38 ft.	....	....	....	....	....	....
“ “ “ “ 40 ft.	....	....	....	....	....	....
“ “ “ “ 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 10
Up to 14 inch, Sq. E., 34 ft.	....	....	36.00[2]	....	36.00[2]	36.00[1]
" " " 36 ft.	....	42.00	....	....	42.00	....
" " " 37-38 ft.	....	....	....	....	....	32.03[3]
" " " 40 ft.	31.50[1]	34.00[3]	....	....	31.50[1]	31 50
" " " 41-42 ft.	37.50[1]	....	....	....	37.50[1]	37.50
Up to 14 inch, Heart, (85%+), 34 ft.	40.00	35.00[1]	....	....	40.00	35.00
" " " " 36 ft.	....	....	....	....	....	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	39.50	....	....	....	39.50	....
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	24.22[1]	....	....	....	24.22[1]	24.22
" " 14 ft.	24.88[1]	25.00	....	....	25.00	24.88
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	26.00	....	....	....	26.00	25.82
" " " 14 ft.	26.00	26.00[2]	....	....	26.00	25.94
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	24.00	24.00	....	....	24.00	24.00
" " 16 ft.	24.00[1]	....	....	....	24.00[1]	24.00
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	28.00[3]	....	....	28.00[3]	28.00[2]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	20.93	....	....	....	20.93	20.22
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	23.00[3]	17.00	....	....	17.00	23.00[2]
" " Heart, (85%+), 6x8–8	22.08	20.00	....	....	21.49	20.09
" " Sq. E., " 7x9–8	....	....	....	....	....	....
" " Heart, " 7x9–8	28.00	22.00[2]	....	....	28.00	22.00[1]
Bridge Ties, Sq. E., 7x9 & up	17.00[3]	....	....	....	17.00[3]	17.00[2]
" " Heart,	....	....	....	....	....	....
Paving Stock, S 1 S	....	....	20.00	....	20.00	16.25[3]
" " Rough	16.00	16.00	15.00[1]	....	16 00	15.90
Battleship Decking, Edge Grain	60.75	....	....	....	60.75	52.50
Ship " Flat Grain	9.40[3]	....	....	....	9.40[3]	9.40[2]
Miscellaneous	23.04	21.47	26.70	22.80	23.06	24.92
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	6.50[1]	....	....	....	6.50[1]	6.50
Miscellaneous, B and B	55.66	57.90	47.20	57.14	54.20	49.97
" No. 1	29.10	26.36	27.19	22.07	26.62	25.23
" No. 2	19.12	19.52	19.52	17.64	19.13	17.50
" No. 3	5.89	9.02	10.88	12.45	10.42	9.84
Shorts B and B	31.20	28.50	....	....	29.26	26.27
" No. 1	12.20	15.78	....	....	12.42	10.88
" No. 2	....	8.87	....	....	8.87	9.50
" No. 3	....	6.64	....	....	6.64	6.81

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1 25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1 75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	[illegible]	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3 25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5 25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5 75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6 50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7 50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

October 31, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending October 31, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼	2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼	2,400	Drop Siding to ¾	1,900
Ceiling, ⅜	1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½	1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝	1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾	1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾	1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

For Hollow Back Flooring, Ceiling, and Drop Siding, Deduct 100 lbs.

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued November 10, 1921

No. 146

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	70.14	....	....	....	70.14	68.73
" " C "	46.00[1]	....	....	....	46.00[1]	46.00
" " D "	33.26[2]	....	....	....	33.26[2]	33.26[1]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	44.29[3]	....	....	....	44.29[3]	44.29[2]
" " B "	....	....	....	....	....	....
" " B and Better "	52.16	....	....	....	52.16	50.06
" " C "	....	....	....	....	....	....
" " D "	37.25	....	....	....	37.25	40.13
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	23.63	....	....	....	23.63	14.06
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½"	....	....	....	75.00	75.00	75.00
Edge Grain, A "	....	....	75.02	74.50	75.02	74.12
" " B "	....	71.25[1]	70.24	70.90[1]	70.24	69.56
" " B and Better "	70.00	71.04	....	69.93	71.08	70.97
" " C "	....	49.65[1]	56.80	48.19[1]	56.80	53.33
" " D "	47.00	....	....	....	47.00	....
" " No. 2 "	....	....	24.59	20.19	22.92	23.13
Flat " A "	....	....	....	....	....	....
" " B "	....	35.00[1]	....	....	35.00[1]	35.00
" " B and Better "	56.00	52.46	55.04	54.59	55.01	52.77
" " C "	....	42.00[2]	....	....	42.00[2]	42.00[1]
" " D "	45.00	....	....	....	45.00	38.00[1]
No. 1 Common "	....	39.32	43.40	42.67	42.70	41.15
No 2 " "	11.81[3]	15.61	17.01	19.16	16.98	16.25
No 3 " "	....	....	7.31	7.25	7.30	8.35
Heart Face, Edge Grain, B and Better, 13/16x3¼"	....	....	....	....	....	....
Edge Grain, A "	57.23[1]	....	66.50	66.50	66.50	57.23
" " B "	....	55.68	62.54	51.00	56.42	58.04
" " B and Better "	58.40	54.83	55.00	58.00	55.82	55.76
" " C "	45.00	41.60	53.50	45.00[3]	45.96	40.77
" " D "	37.67[1]	....	....	....	37.67[1]	37.67
" " No. 2 "	....	....	22.85	18.50[3]	22.85	20.25
Flat " A "	....	....	....	....	....	....
" " B "	....	50.29	....	46.00	49.00	45.94
" " B and Better "	49.37	48.65	45.48	47.25	48.28	45.08
" " C "	40.00	35.00	....	....	39.41	39.00
" " D "	38.35	....	....	....	38.35	34.45
No Common "	....	36.39	37.73	38.42	37.51	36.22
No. 2 " "	17.23	17.67	16.80	17.11	17.07	16.50
No. 3 " "	....	....	8.97	7.71	8.73	8.56
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.42	35.34	34.97	37.21	35.41	33.13
" " No. 1 Common	31.14	32.00	30.81	33.25	31.28	28.24
" " No. 2 "	14.75	12.54	15.26	15.00	14.75	13.40
" " No. 3 "	....	....	6.57[1]	6.25[3]	6.57[1]	6.57
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	37.55	37.40	35.24	39.15	37.03	34.69
" " No. 1 Common	32.07	30.02	34.24	32.50	31.82	30.30
" " No. 2 "	13.74	14.76	15.93	17.00	14.53	14.80
" " No. 3 "	....	....	6.83[1]	6.00	6.00	6.83
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	52.44	30.00[2]	38.03	47.50	42.84	40.88
" " No. 1 Common	40.00	40.00	37.50[2]	....	40.00	35.59
" " No. 2 "	15.96[1]	27.00	18.50	....	20.46	16.00
" " No. 3 "	....	....	13.50	....	13.50	12.12[1]
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	50.71	45.54	47.32	44.71[1]	46.33	36.14
" " No. 1 Common	35.42	39.70	38.78	40.08	38.83	35.85
" " No. 2 "	14.00	14.00	19.87	19.55[1]	18.75	19.20
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	45.16[2]	55.00	47.32	45.00[2]	55.00	44.81
" " No. 1 Common	42.50[2]	27.00[1]	38.78	....	38.78	27.00
" " No. 2 "	18.50[1]	18.50	19.87	....	18.50	17.84
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	26.62	25.00	26.50[2]	27.00[3]	26.35	30.75
" No. 1 Common	26.00	19.33	25.31	....	23.06	20.96
" No. 2 "	12.00[1]	....	20.00	....	20.00	17.68

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
Drop Siding, ¾x3¼ or 5¼,	A	....	....	....	....	....	....
" "	B	....	....	....	....	....	....
" "	B and Better	39.33	38.77	36.97	40.00	38.46	36.21
" "	No. 1 Common	33.54	31.33	34.00	35.88	33.08	30.88
" "	No. 2 "	22.07	20.13	19.62	19.24	20.04	18.68
" "	No. 3 "	....	....	10.16	6.00	10.00	9.74
FINISH							
1x 4 inch,	A	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better	50.96	48.87	46.11	60.00	49.66	45.58
1x 6 inch,	"	49.70	49.60	49.23	53.00	49.64	46.44
1x 8 inch,	"	50.19	49.74	50.85	48.75	50.10	47.62
1x 5 and 10 inch,	"	56.50	52.16	53.86	49.67	54.08	52.78
1x12 inch,	"	56.79	54.10	54.65	49.14	55.13	53.64
1¼x4 to 12 inch,	"	61.68	59.95	57.74	65.00	59.47	58.94
1½ and 2x4 to 12 inch,	"	59.06	60.83	57.47	61.00	58.28	54.40
1⅝ inch,	"	49.00	57.20	....	....	52.34	48.29
1x 6 to 12 inch,	"	....	....	....	51.56	51.56	50.00[1]
1x 4 inch,	C	42.05	41.75[1]	41.00	....	41.25	38.94
1x 6 inch,	"	40.73	44.50	40.00	....	41.93	42.30
1x 8 inch,	"	41.00	42.67[1]	39.31	....	39.48	38.16
1x 5 and 10 inch,	"	48.92	50.00	45.75	....	48.48	41.74
1x12 inch,	"	52.00	50.00	49.00	....	50.00	47.38
1¼x4 to 12 inch,	"	55.71	52.60	53.34[1]	....	54.60	50.77
1½ and 2x4 to 12 inch,	"	45.00	48.40[3]	55.00[1]	....	45.00	40.47
1⅝ inch,	"	....	....	....	....	....	....
1x 6 to 12 inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better, Rough	51.50[1]	....	48.00	....	48.00	51.50
1x 6 inch,	" "	45.51[1]	47.00	43.47	42.50	43.26	44.74
1x 8 inch,	" "	46.21[1]	47.68[1]	47.41	42.50	47.41	46.56
1x 5 and 10 inch,	" "	51.96[1]	53.00	51.92	....	52.00	50.34
1x12 inch,	" "	52.57[1]	51.10[1]	54.06	....	54.06	53.04
1¼x4 to 12 inch,	" "	62.75[1]	51.59	56.28	....	53.25	54.90
1½ and 2x4 to 12 inch,	" "	56.75[1]	62.00	54.50	....	55.33	57.00
1⅝ inch,	" "	....	55.29[1]	....	....	55.29[1]	55.29
1x 6 to 12 inch,	" "	....	....	....	45.33	45.33	42.80
CASING AND BASE							
From 4 and 6 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	56.66	58.95	57.07	32.50[1]	57.68	56.46
From 8 and 10 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	59.12	54.64	53.58	39.50[3]	56.10	54.36
MOULDINGS (% Discount)							
1½ inch and Smaller		....	....	....	....	....	....
1¾ inch and Larger		....	....	....	....	....	....
DOOR AND WINDOW JAMBS							
A	B. M	....	....	....	....	....	....
B	"	....	....	....	....	....	....
B and Better,	"	60.36	63.80[1]	62.50	....	61.38	59.22
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	33.00[2]	30.00[2]	....	....	31.36[2]	31.36[1]
" " " " "	8 ft.	28.00	25.45[1]	27.00	....	27.79	25.41
" " " " "	12 and 14 ft.	46.75	37.45[3]	....	....	46.75	46.25[1]
" " " " "	16 ft.	46.25[2]	42.00[3]	....	....	46.25[2]	46.25[1]
" " " " "	9 or 18 ft.	52.78	50.00	38.00[2]	39.75[2]	51.46	48.28
" " " " "	10 or 20 ft	50.52	45.66	45.00	39.75[2]	45.95	44.74

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft..........	23.50	24.13[1]	22.00[2]	....	23.50	23.66
" " " " " 8 ft..........	23.75	19.52	17.50[1]	....	19.66	16.76
" " " " " 12 and 14 ft...	40.00	31.00[1]	....	....	40.00	31.00
" " " " " 16 ft..........	33.00	26.25	....	....	29.43	29.00
" " " " " 9 or 18 ft....	30.39	35.48	....	30.50[2]	33.68	34.05
" " " " " 10 or 20 ft....	34.00	34.54	....	....	34.53	30.25
Siding, Lining and Roofing, 1x6, No. 1, 5 ft..........	23.00	24.13	22.00[2]	....	23.00	27.52
" " " " " 8 ft..........	21.00[1]	19.52	17.50[1]	....	19.52	21.00
" " " " " 12 and 14 ft...	24.91[1]	31.00[1]	....	....	24.91[1]	24.91
" " " " " 16 ft..........	27.50	26.25	....	....	27.50	25.06
" " " " " 9 or 18 ft....	37.00	35.48	....	....	37.00	31.74
" " " " " 10 or 20 ft....	31.90	34.54	....	....	31.90	26.89
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	20.42	21.20	....	....	20.81	12.50
" " " " " 10 to 20 ft.	15.30	14.39	....	16.50[2]	14.67	15.75
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	25.00[1]	....	....	....	25.00[1]	25.00
" " " " 2 to 3 inch, 9 & 18 ft.	22.50[3]	30.00[1]	....	....	30.00[1]	30.00
" " " " 2 to 3 inch, 10 & 20 ft.	30.00[1]	28.02[1]	28.00[1]	....	29.18[1]	29.18
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	27.57	....	....	....	27.57	22.75
" " " 2 to 3 inch, 9 & 18 ft	....	24.50	....	....	24.50	28.75
" " " 2 to 3 inch 10 & 20 ft.	....	22.70	27.36[1]	25.50[1]	22.70	27.14
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	16.50	16.50	15.00[2]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft....	26.21	....	....	....	26.21	25.60
" " " " other lengths....	27.97	26.97	30.87	35.80	28.13	26.18
" " 1x10, " 14 and 16 ft....	27.33	....	....	....	27.33	25.89
" " " " other lengths....	28.17	26.22	28.80	41.25	27.08	26.07
" " 1x12, " 14 and 16 ft....	38.43	37.90	....	....	38.03	36.69
" " " " other lengths....	38.15	37.07	45.78	42.50	37.96	36.65
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths......	19.01	18.44	18.71	19.16	18.90	16.85
" " 1x10, " "	19.01	18.93	18.93	19.03	18.97	17.96
" " 1x12, " "	20.29	19.29	18.86	19.78	19.45	18.54
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.....	11.19	10.76	13.37	12.63	11.58	10.89
" " 1x10, " "	10.96	11.35	13.20	12.69	11.77	12.42
" " 1x12, " "	10.76	11.03	13.28	12.81	11.40	10.90
Shiplap, 1 x 8, No. 1, 14 and 16 ft................	27.44	....	....	....	27.44	25.73
" " " other lengths................	27.37	24.62	29.17[1]	28.00	25.82	24.72
" 1x10, " 14 and 16 ft................	27.69	....	....	....	27.69	25.04
" " " other lengths................	27.00	24.20	23.50	....	24.27	23.95
" 1x12, " 14 and 16 ft................	....	....	....	....	....	....
" " " other lengths................	....	....	....	....	....	24.00[3]
Shiplap, 1x 8, No. 2, all lengths...................	18.54	19.06	18.53	20.68	18.90	18.46
" 1x10, " "	19.62	19.07	19.96	19.62	19.41	18.55
" 1x12, " "	....	....	....	19.00[2]	19.00[2]	19.00[1]
Shiplap, 1x 8, No. 3, all lengths...................	11.74	11.48	12.70	12.73	11.96	11.03
" 1x10, " "	12.11	11.43	13.33	13.17	11.95	10.57
" 1x12, " "	11.57	11.30	....	....	11.47	10.93
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.........	27.50	....	....	....	27.50	27.04
" " " " other lengths.........	28.86	26.75[2]	....	....	28.86	26.64
" " 1x12, " 14 and 16 ft.........	....	....	....	....	....	....
" " " " other lengths.........	....	....	....	....	....	....
All No. 4—all widths and lengths....................	6.31	....	4.12	6.00[1]	4.82	5.19

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
1x4, S 1 S, No. 1, 16 ft.	26.35	....	....	....	26.35	25.00
" " " other lengths	25.36	22.05	26.50	....	23.64	23.14
" " No. 2, all lengths	12.67	11.70	15.89	18.50	12.24	11.06
" " No. 3, "	8.90	7.99	9.74	7.25[2]	8.90	7.86
1x4, C. M., No. 1, 16 ft.	25.50	....	....	....	25.50	22.50
" " " other lengths	23.08[1]	....	....	....	23.08[1]	23.08
" " No. 2, all lengths	13.40	....	....	13.00[3]	13.40	11.58
" " No. 3, "	7.00[2]	....	....	....	7.00[2]	7.00[1]
1x6, S 1 S, No. 1, 16 ft.	27.96	....	....	....	27.96	26.23
" " " other lengths	27.53	25.36	30.78	38.50	27.02	25.00
" " No. 2, all lengths	17.59	17.49	17.71	16.09	17.42	16.51
" " No. 3, "	9.17	9.28	11.44	12.73	9.70	9.14
1x6, C. M., No. 1, 16 ft.	27.50	....	....	....	27.50	25.03
" " " other lengths	27.76	25.21	....	25.00[1]	27.09	25.15
" " No. 2, all lengths	18.15	18.07	....	19.21	18.42	16.86
" " No. 3, "	10.52	9.56	....	10.65	9.94	8.77
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	25.35	22.82	22.06	21.50[2]	23.19	22.59
" " " 12 ft.	24.36	21.69	21.19	19.50[2]	22.25	21.12
" " " 14 ft.	23.94	22.19	21.69	19.50[2]	22.49	20.25
" " " 16 ft.	25.19	23.25	22.41	21.50[2]	23.37	22.26
" " " 18 ft.	27.14	25.06	22.78	22.50[2]	24.87	23.70
" " " 20 ft.	27.23	24.95	22.78	22.50[2]	25.27	24.21
" " " 22 ft.	30.77	26.10	23.84	26.00[2]	26.20	25.63
" " " 24 ft.	31.20	26.70	23.84	25.00[2]	27.58	26.44
2x 6, No. 1, S 1 S 1 E, 10 ft.	21.59	19.33	17.95	22.00[1]	19.49	19.72
" " " 12 ft.	20.13	18.68	17.98	21.00[1]	18.71	19.39
" " " 14 ft.	20.03	18.74	17.98	21.00[1]	19.09	17.67
" " " 16 ft.	20.45	19.15	18.52	19.25	19.40	18.13
" " " 18 ft.	22.09	19.92	19.54	24.00[1]	20.24	19.59
" " " 20 ft.	21.73	21.01	19.54	24.00[3]	21.30	20.30
" " " 22 ft.	25.65	22.55	23.41	....	23.31	21.11
" " " 24 ft.	27.40	23.42	23.41	....	24.66	23.00
2x 8, No. 1, S 1 S 1 E, 10 ft.	23.96	22.67	19.91	22.00	22.09	21.28
" " " 12 ft.	22.90	22.01	19.55	22.00	21.31	20.30
" " " 14 ft.	22.52	21.89	20.08	22.00	21.67	20.66
" " " 16 ft.	23.80	22.96	20.75	18.39[1]	22.59	20.94
" " " 18 ft.	25.89	23.96	21.13	....	23.36	21.73
" " " 20 ft.	24.97	23.67	21.13	23.50[1]	24.04	23.06
" " " 22 ft.	30.93	26.08	24.30	....	26.79	23.81
" " " 24 ft.	31.77	25.75	24.30	....	27.96	24.45
2x10, No. 1, S 1 S 1 E, 10 ft.	24.02	21.40	18.39	18.00[1]	19.34	19.13
" " " 12 ft.	23.54	21.69	19.80	22.61	20.69	21.12
" " " 14 ft.	23.79	21.51	19.80	22.75	22.29	20.52
" " " 16 ft.	24.18	23.26	20.47	22.75	22.58	22.07
" " " 18 ft.	16.11	24.22	21.32	....	22.82	22.49
" " " 20 ft.	24.85	23.56	21.32	....	24.18	24.22
" " " 22 ft.	33.42	28.00	23.75	....	26.53	25.46
" " " 24 ft.	32.41	27.00	23.75	....	30.75	25.99
2x12, No. 1, S 1 S 1 E, 10 ft.	26.28	24.00	24.04	25.50	25.01	23.20
" " " 12 ft.	25.98	23.65	19.55	25.00[1]	22.78	24.08
" " " 14 ft.	25.55	23.19	19.55	25.00[1]	24.03	22.88
" " " 16 ft.	26.19	24.77	20.59	23.00[1]	24.72	23.70
" " " 18 ft.	26.91	25.03	23.41	24.50[1]	25.20	24.70
" " " 20 ft.	27.99	25.76	23.41	....	26.56	23.70
" " " 22 ft.	27.67	29.77	27.77	26.00[1]	28.29	27.40
" " " 24 ft.	29.63	29.37	27.77	26.00[1]	29.42	29.15
2x 4, No. 2, S 1 S 1 E, 10 ft.	20.44	20.34	18.01	20.00	18.80	18.34
" " " 12 ft.	25.55	19.61	17.44	20.00	19.95	17.13
" " " 14 ft.	21.29	19.40	18.14	20.00	19.37	17.98
" " " 16 ft.	20.91	21.06	19.31	17.12	19.99	18.69
" " " 18 ft.	23.69	22.01	19.61	18.00	21.56	20.55
" " " 20 ft.	23.56	22.52	20.08	22.00[1]	23.11	20.61
" " " 22 ft.	....	22.19	....	....	22.19	24.00
" " " 24 ft.	....	22.19	....	....	22.19	24.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	15.95	12.82	13.75[1]	16.00	13.67	11.47
" " " 12 ft.	15.66	14.54	14.65	13.04	14.65	14.64
" " " 14 ft.	15.74	14.45	14.65	13.14	14.92	15.39
" " " 16 ft.	16.13	15.44	14.23	12.91	15.27	15.16
" " " 18 ft.	16.83	16.42	16.19	18.00	16.56	16.45
" " " 20 ft.	16.61	16.63	16.19	18.00	16.62	16.75
" " " 22 ft.	16.75[1]	19.96	20.00[1]	19.00	19.90	18.08
" " " 24 ft.	17.25	19.96	20.00[1]	20.00	18.90	16.75

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
2x 8 No. 2, S 1 S 1 E, 10 ft.	20.00	19.67	15.05	16.50	17.03	18.13
" " " 12 ft.	18.50	18.46	17.01	16.88	17.93	16.31
" " " 14 ft.	18.25	18.03	16.69	16.88	17.55	16.79
" " " 16 ft.	18.23	18.50	15.29	16.88	17.46	16.73
" " " 18 ft.	22.15	19.83	19.63	22.00	20.51	18.21
" " " 20 ft.	22.91	19.90	19.63	22.00	20.73	18.11
" " " 22 ft.	20.50[1]	22.63	18.00	....	22.07	19.56
" " " 24 ft.	21.67	22.63	18.00	....	21.67	19.36
2x10, No. 2, S 1 S 1 E, 10 ft.	20.20	17.36	16.48	15.50	16.18	12.53
" " " 12 ft.	17.58	17.32	16.34	15.50	16.79	16.29
" " " 14 ft.	18.08	17.56	16.34	15.50	17.80	15.90
" " " 16 ft.	19.35	19.93	13.85	15.50	18.78	17.89
" " " 18 ft.	20.98	20.04	17.20	12.25[1]	19.06	17.77
" " " 20 ft.	19.77	19.53	17.20	20.75[2]	19.60	18.85
" " " 22 ft.	19.75[1]	24.00	23.20	25.75[1]	23.91	21.40
" " " 24 ft.	24.25	24.00	23.20	....	24.25	19.75
2x12, No. 2, S 1 S 1 E, 10 ft.	20.00	18.56	18.63	17.30	17.77	12.68
" " " 12 ft.	20.57	16.40	17.18	16.50	16.76	16.29
" " " 14 ft.	20.19	18.53	17.18	16.50	19.01	18.34
" " " 16 ft.	21.48	18.58	15.39	16.50	17.79	17.50
" " " 18 ft.	20.56	20.91	17.58	18.63[1]	20.09	20.04
" " " 20 ft.	20.09	20.76	17.58	19.01[1]	20.61	19.78
" " " 22 ft.	21.63[3]	25.01	26.50	....	25.09	24.73
" " " 24 ft.	....	25.01	26.50	....	25.09	24.73
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3. S 1 S 1 E, all lengths	8.76	9.11	8.05	8.26	8.73	7.36
PATENT LATH						
4 and 6 ft.	9.76	10.64	11.93	....	10.64	9.56
8 and 10 ft.	11.90	10.64	11.93	....	11.34	10.65
12 ft. and longer	12.15	11.63	11.93	....	11.93	10.92
PLASTERING LATH						
⅜x1½-4. No. 1	5.23	5.44	5.57	3.92	5.30	5.17
" No. 2	4.08	4.03	3.90	3.77	3.93	3.44
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	19.46	19.60	20.64	....	19.86	18.99
" " 22-24 ft.	20.01	21.48	22.99	....	21.49	19.49
" " 26 ft.	20.42	19.88[1]	26.44	....	24.22	19.88
" " 28 ft.	23.37	21.43	26.44	....	22.14	20.53
" " 30 ft.	22.25	20.43	24.86	....	22.43	20.89
" " over 30 ft	23.96	22.59	24.86	....	23.01	23.46
4x4 to 8x8, Heart (85%+), up to 20 ft.	21.54	23.03	....	....	22.46	22.77
" " " 22-24 ft.	22.26	24.50	....	....	22.49	24.83
" " " 26 ft.	21.00[2]	20.00[3]	....	....	21.00[2]	21.00[1]
" " " 28 ft.	24.00	25.00[2]	....	....	24.00	23.68
" " " 30 ft.	25.00	25.83[2]	....	....	25.00	24.74
" " " over 30 ft.	30.00	32.50[3]	....	....	30.00	38.91
3 & 4x10, No 1, up to 20 ft.	21.21	21.83	....	....	21.27	20.00
" " 22-24 ft.	24.75	23.00	....	....	24.69	20.48
" " 26 ft.	25.27	....	....	....	25.27	....
" " 28 ft.	24.97	25.00	....	....	24.98	22.50[1]
" " 30 ft.	27.80	....	....	....	27.80	27.00
" " over 30 ft.	28.50	21.00[2]	....	....	28.50	28.00
3 & 4x10, Heart (85%+), up to 20 ft.	23.33	25.92	....	....	24.64	23.69
" " " 22-24 ft.	25.00	26.00[1]	....	....	25.00	25.12
" " " 26 ft.	26.00	25.00	....	....	25.54	26.55[1]
" " " 28 ft.	27.00	26.00	....	....	26.56	25.00[1]
" " " 30 ft.	28.00	22.00[3]	....	....	28.00	27.00
" " " over 30 ft.	....	23.33[3]	....	....	23.33[3]	23.33[2]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
6x10, to 10x10, No. 1, up to 20 ft.	19.64	21.00	22.13	....	20.93	20.55
" " 22-24 ft.	20.70	22.13	25.31	....	20.91	20.97
" " 26 ft.	20.78	22.72	30.50	....	21.87	21.01
" " 28 ft.	24.50	20.00[1]	24.00[2]	....	24.50	20.00
" " 30 ft.	26.65[2]	29.82	32.50[1]	....	29.82	32.50
" " over 30 ft.	27.50	24.00[1]	26.79[1]	....	27.50	25.77
6x10 to 10x10, Heart (85%⁺), up to 20 ft.	22.25	25.39	....	....	24.15	21.78
" " " 22-24 ft.	26.00	26.75	....	....	27.61	24.00
" " " 26 ft.	22.00[2]	22.00[1]	....	....	22.00[1]	22.00
" " " 28 ft.	....	22.00[3]	....	....	21.00[3]	21.00[2]
" " " 30 ft.	30.50[1]	30.75	....	....	30.75	30.50
" " " over 30 ft.	42.07	23.40[3]	....	....	42.07	23.40[2]
3 & 4x12. No. 1, up to 20 ft.	23.38	23.33	....	....	23.37	23.65
" " 22 24 ft.	25.58	25.00	....	....	25.37	24.18
" " 26 ft.	24.75[1]	25.00	....	....	25.00	24.75
" " 28 ft.	24.92[1]	27.00	....	....	27.00	24.92
" " 30 ft.	30.63	27.00	....	....	30.45	25.56
" " over 30 ft.	30.83[1]	25.00[3]	....	....	30.83[1]	30.83
3 & 4x12 Heart (85%⁺), up to 20 ft.	26.92	26.35	....	....	26.57	25.43
" " 22-24 ft.	29.46[1]	25.00	....	....	25.00	29.46
" " " 26 ft.	28.50[1]	28.00	....	....	28.00	28.50
" " " 28 ft.	29.50[2]	28.00[1]	....	....	28.00[1]	28.00
" " " 30 ft.	32.00[1]	27.00[3]	....	....	32.00[1]	32.00
" " " over 30 ft.	29.00[2]	28.33[3]	....	....	29.00[2]	29.00[1]
6x12 to 12x12, No. 1, up to 20 ft.	21.61	20.19	26.30	....	22.88	22.38
" " 22-24 ft.	23.79	24.50	29.19	....	24.05	22.54
" " 26 ft.	26.62	21.00[2]	35.50	....	29.31	27.84
" " 28 ft.	25.50	....	35.50	....	25.50	27.84
" " 30 ft.	28.04[2]	28.33	30.55[1]	....	28.33	30.55
" " over 30 ft.	28.43	32.00	30.55[1]	....	28.58	26.04
6x12 to 12x12 Heart (85%⁺), up to 20 ft.	25.49	30.06	....	....	27.13	24.07
" " " 22-24 ft.	27.26	26.00[1]	....	....	27.26	26.85
" " " 26 ft.	28.00	22.66[3]	....	....	28.00	22.66[2]
" " " 28 ft.	28.97	28.00	....	....	28.72	27.00
" " " 30 ft.	27.00[2]	29.20	....	....	29.20	28.00
" " " over 30 ft.	32.08[2]	46.00	....	....	46.00	31.95[1]
2x14 to 4x14, No. 1,up - 2St2t	28.39	28.22[1]	....	....	28.39	27.86
" " 22 f4 o	38.25	28.00[1]	....	....	38.25	29.85
" " 26 ft.	28.00[2]	30.00[1]	....	....	30.00[1]	30.00
" " 28 ft.	....	30.00[2]	....	....	30.00[2]	30.00[1]
" " 30et	....	....	....	....	....	....
" " ovr 30 ft.	30.63[2]	38.00[3]	....	....	30.63[2]	30.63[1]
2x14 to 4x14, Heart (85%⁺), up to 20 ft.	28.00[3]	35.33[3]	....	....	34.69[3]	34.69[2]
" " " 22-24 ft.	....	37.47[3]	....	....	37.47[3]	37.47[2]
" " " 26 ft.	....	38.00[3]	....	....	38.00[3]	38.00[2]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	28.82	23.69	24.15	....	26.13	25.17
" " 22-24 ft.	26.50	27.00[2]	28.57	....	26.65	24.50
" " 26 ft.	29.00	26.00[3]	33.75	....	32.06	28.52[1]
" " 28 ft.	24.00[2]	....	29.50[2]	....	24.00[2]	24.00[1]
" " 30 ft.	26.86[2]	....	30.00	....	30.00	27.98[1]
" " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, Heart (85%⁺), up to 20 ft.	31.79	24.00	....	....	29.71	27.72
" " " 22-24 ft.	29.29[2]	26.00	....	....	26.00	30.00
" " " 26 ft.	....	....	....	....	....	26.00[3]
" " " 28 ft.	31.00[2]	31.00[1]	....	....	31.00[1]	31.00
" " " 30 ft.	....	32.00	....	....	32.00	....
" " " over 30 ft.	34.04[2]	34.00	....	....	34.00	34.30
2x16 to 4x16, No. 1, up to 20 ft.	34.25	29.85[2]	....	....	34.25	28.00
" " 22-24 ft.	32.25	46.00[2]	....	....	32.25	37.29[1]
" " 26 ft.	39.25	....	....	....	39.25	29.00[1]
" " 28 ft.	30.00[2]	....	....	....	30.00[2]	30.00[1]
" " 30 ft.	41.25	....	....	....	41.25	....
" " over 30 ft.	32.10[2]	....	....	....	32.10[2]	32.10[1]
2x16 to 4x16, Heart (85%⁺), up to 20 ft.	....	40.00[2]	....	....	40.00[2]	40.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
6x16 & Up, No. 1, up to 20 ft.	36.82	....	25.00[2]	....	36.82	30.19
" " 22-24 ft.	31.15	....	29.19[3]	....	31.15	34.76
" " 26 ft.	33.75	....	31.82[3]	....	33.75	32.00
" " 28 ft.	34.50	....	31.82[3]	....	34.50	48.00
" " 30 ft.	28.00	....	....	....	28.00	30.83[1]
" " over 30 ft.	42.46	....	....	....	42.46	32.59
6x16 & Up, Heart (85%+), up to 20 ft.	46.60	....	....	....	46.60	30.00
" " " 22-24 ft.	31.00[2]	....	....	....	31.00[2]	31.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	36.25	....	....	....	36.25	....
" " " 30 ft.	....	....	....	....	....	33.00[3]
" " " over 30 ft.	....	....	....	....	....	34.00[3]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	33.00[2]	....	....	....	33.00[2]	33.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	33.00[3]
" " 26 ft.	21.25[3]	....	34.00[1]	....	34.00[1]	34.00
" " 28 ft.	31.40[2]	....	31.00[3]	....	31.40[2]	31.40[1]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	35.25	35.00	....	....	35.20	....
" " " 22-24 ft.	33.00[3]	....	....	....	33.00[3]	33.00[2]
" " " 26 ft.	32.76[1]	37.00	34.00[2]	....	37.00	32.76
" " " 28 ft.	33.76[3]	34.00[1]	35.43	....	35.43	34.23
" " " 30 ft.	35.59[3]	37.18	....	....	37.18	35.59[2]
" " " 32 ft.	....	36.00	....	....	36.00	....
CAR SILLS						
Up to 9 inch, Sq. E 34 ft.	....	30.00	25.69	....	27.65	25.82
" " " 36 ft.	26.05	25.44	25.69	....	25.92	27.08
" " " 37-38 ft.	27.61	26.75	26.80	30.00[2]	27.08	26.65
" " " 40 ft.	....	26.50	26.80	32.00[2]	26.50	26.93
" " " 41-42 ft.	29.00	29.00	....	....	29.00	30.58
Up to 9 inch, Heart (85%+), 34 ft.	30.97[1]	....	....	....	30.97[1]	30.97
" " " " 36 ft.	28.33	29.00[1]	....	....	28.33	28.65
" " " " 37-38 ft.	29.90	....	....	....	29.90	....
" " " " 40 ft.	29.51	....	....	....	29.51	29.00
" " " " 41-42 ft.	29.00[1]	....	....	....	29.00[1]	29.00
Up to 10 inch, Sq. E. 34 ft.	....	....	27.84	....	27.84	27.00
" " " 36 ft.	29.87	42.00[1]	27.84	22.50[3]	29.87	26.68
" " " 37-38 ft.	26.50	29.50	28.47	30.00[2]	28.13	29.00
" " " 40 ft.	28.00	27.00[3]	29.00	....	28.00	29.00
" " " 41-42 ft.	28.00	....	....	....	28.00	27.00[2]
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	28.00	....	....	....	28.00	28.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	30.00	....	....	....	30.00	33.09
" " " " 41-42 ft.	30.00	....	....	....	30.00	....
Up to 12 inch, Sq. E., 34 ft.	30.00	....	30.00	....	30.00	28.06
" " " 36 ft.	31.74	37.00	30.00	28.00[3]	33.03	29.50
" " " 37-38 ft.	32.50	....	30.00[3]	30.00[1]	32.50	32.36
" " " 40 ft.	....	....	30.00[1]	....	30.00[1]	30.00
" " " 41-42 ft.	....	....	....	....	....	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	36.50[1]	38.00	....	....	38.00	36.50
" " " " 37-38 ft.	....	32.50	....	....	32.50	....
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	36.00[3]	....	36.00[3]	36.00[2]
" " " 36 ft.	35.50	42.00[1]	....	....	35.50	42.00
" " " 37-38 ft.	....	....	....	....	....	....
" " " 40 ft.	31.50[2]	....	....	....	31.50[2]	31.50[1]
" " " 41-42 ft.	37.50[2]	....	....	....	37.50[2]	37.50[1]
Up to 14 inch, Heart, (85%+), 34 ft.	40.00[1]	40.00	....	....	40.00	40.00
" " " " 36 ft.	38.00	....	....	....	38.00	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	39.50[1]	....	....	....	39.50[1]	39.50
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	24.22[2]	....	....	....	24.22[2]	24.22[1]
" " 14 ft.	24.88[2]	25.00[1]	....	....	25.00[1]	25.00
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	26.00[1]	....	....	....	26.00[1]	26.00
" " " 14 ft.	26.00[1]	26.00[3]	....	....	26.00[1]	26.00
" " " 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	24.00[1]	24.00[1]	....	....	24.00[1]	24.00
" " 16 ft.	24.00[2]	....	....	....	24.00[2]	24.00[1]
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	28.00[3]
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	22.00	....	....	....	22.00	20.93
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	....	17.00[1]	....	....	17.00[1]	17.00
" " Heart, (85%+), 6x8–8	22.08[1]	22.25	....	....	22.25	21.49
" " Sq. E., " 7x9–8	....	....	....	....	....	....
" " Heart, " 7x9–8	28.00[1]	25.00	....	....	25.00	28.00
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	17.00[3]
" " Heart,	23.50	....	....	....	23.50	....
Paving Stock, S 1 S	....	....	22.00	....	22.00	20.00
" " Rough	16.00[1]	16.00[1]	17.50	....	17.50	16.00
Battleship Decking, Edge Grain	60.75[1]	....	....	....	60.75[1]	60.75
Ship " Flat Grain	....	....	....	....	....	9.40[3]
Miscellaneous	27.10	23.08	25.58	25.22	24.57	23.06
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	6.50[2]	....	....	....	6.50[2]	6.50[1]
Miscellaneous, B and B	58.74	54.35	47.19	45.87	54.63	54.20
" No. 1	30.58	29.13	32.55	29.95	30.00	26.62
" No. 2	20.71	16.22	18.51	20.35	18.19	19.13
" No. 3	10.62	11.17	11.38	11.64	11.31	10.42
Shorts B and B	28.15	28.73	....	....	28.59	29.26
" No. 1	11.09	17.18	....	....	11.54	12.42
" No. 2	....	8.60	....	....	8.60	8.87
" No. 3	....	5.50	....	....	5.50	6.64

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1 00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1 25	1.25	1.25	1 25	1.50	1 50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3,50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	2.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2100	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
1500	6.75	7 00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10 25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2,25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5 00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7 50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11 75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	37½	.38	.38½	39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.7	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	340
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	350
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	360
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	380
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	420
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	21.00	24.25	24.50	450

Southern Pine Association

REPORT OF SALES

November 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending November 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued November 21, 1921

No. 147

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
Heart Face, Edge Grain, B and Better, 13/16x2¼″....	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	68.00	....	....	....	68.00	70.14
" " C "	46 00[2]	....	....	....	46.00[2]	46 00[1]
" " D "	33 26[3]	....	....	....	33.26[3]	33.26[2]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	44.29[3]
" " B "	....	....	....	....	....	....
" " B and Better "	52.24	....	....	....	52.24	52.16
" " C "	....	....	....	....	....	....
" " D "	37.25[1]	....	....	....	37.25[1]	37.25
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	14.97	....	....	....	14.97	23.63
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″.....	....	....	....	75.00[1]	75.00[1]	75.00
Edge Grain, A "	....	....	76.14	74.50[1]	76.14	75.02
" " B "	....	61.50	71.26	70.90[2]	70.87	70.24
" " B and Better "	70.00[1]	69.00	....	69.93[1]	69.00	71.08
" " C "	....	49.65[2]	52.92	48.19[2]	52.92	56.80
" " D "	47.00[1]	....	....	....	47.00[1]	47.00
" " No. 2 "	....	....	26.37	25.42	25.96	22.92
Flat " A "	....	....	....	....	....	....
" " B "	....	35.00[2]	....	....	35.00[2]	35 00[1]
" " B and Better "	56.00[1]	52.98	55.48	55.77	55.28	55.01
" " C "	....	42.00[3]	....	....	42.00[3]	42.00[2]
" " D "	45.00[1]	....	....	....	45.00[1]	45.00
No. 1 Common "	....	42.00	45.79	42.69	44.40	42.70
No. 2 " "	....	15.33	17.27	15.88	17.03	16.98
No. 3 " "	....	....	7.07	7.25[1]	7.07	7.30
Heart Face, Edge Grain, B and Better, 13/16x3¼″.....	....	....	....	....	....	....
Edge Grain, A "	57.23[2]	....	68.00	68.00	68.00	66.50
" " B "	....	55.68[1]	63.60	51.00[1]	63.60	56.42
" " B and Better "	59.62	56.67	55.00[1]	70.00	60.01	55.82
" " C "	45.00[1]	55.00	57.75	....	56.01	45.96
" " D "	36.75	....	....	....	36.75	37.67[1]
" " No. 2 "	....	....	25.25	....	25.25	22.85
Flat " A "	....	....	....	....	....	....
" " B "	....	50.29[1]	....	46 00[1]	49.00[1]	49.00
" " B and Better "	50.92	49.77	47.71	46.29	49.43	48.28
" " C "	40.00[1]	35.00[1]	....	....	39.41	39.41
" " D "	39.99	....	....	....	39.99	38.35
No Common "	....	38.14	39.27	39.90	38.92	37.51
No. 2 " "	17.28	18.51	16.48	16.44	16.86	17.07
No 3 " "	....	....	9.43	7.71[1]	9.43	8.73
CEILING						
Ceiling. ½x3¼″, A..............	....	....	....	....	....	....
" " B..............	....	....	....	....	....	....
" " B and Better..............	39.99	35.35	36 00	38.65	36.62	35.41
" " No. 1 Common..............	28.71	30.50	33.15	32.50	31.36	31.28
" " No. 2 "	14.08	14.00	13.55	16.00	13.74	14.75
" " No. 3 "	....	....	6.57[2]	....	6.57[2]	6 57[1]
Ceiling, ⅝x3¼″, A..............	....	....	....	....	....	....
" " B..............	....	....	....	....	....	....
" " B and Better..............	38.57	36.78	37.28	39.15[1]	37.86	37.03
" " No. 1 Common..............	32.61	31.99	33.59	35.00	32.74	31.82
" " No. 2 "	14.92	14.55	16 00	16.00	15.37	14.53
" " No. 3 "	....	....	8.38	8.00	8.33	6.00
Ceiling, ¾x3¼″, A..............	....	....	....	....	....	....
" " B..............	....	....	....	....	....	....
" " B and Better..............	50.16	30.00[3]	42.00	99.50	41.10	42.84
" " No. 1 Common..............	40.00[1]	40.00[1]	37.50[3]	....	40.00[1]	40.00
" " No. 2 "	17.01	27.00[1]	18.50[1]	....	17.01	20.46
" " No. 3 "	....	....	13.50[1]	....	13 50[1]	13 50
PARTITION						
Partition, ¾x3¼″, A..............	....	....	....	....	....	....
" " B..............	....	....	....	....	....	....
" " B and Better..............	56.37	50.00	48.59	50 00	53.02	46.33
" " No. 1 Common..............	35 42[1]	40.92	45.00	42.50	41.56	38.83
" " No. 2 "	16.56	20.00	19.18	19 55[2]	18.48	18.75
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better..............	51.25	55.00[1]	48.59	45 00[3]	51.25	55.00
" " No. 1 Common..............	42.50	29.33	45.00	....	34.60	38.78
" " No. 2 "	22 50	19.22	19.18	....	19.58	18.50
BEVEL SIDING						
Bevel Siding, A..............	....	....	....	....	....	....
" B..............	....	....	....	....	....	....
" B and Better..............	26 62[1]	26.00	30.00	....	29.40	26.35
" No. 1 Common..............	26.00[1]	19.33[1]	24.78	23.00	24.16	23.06
" No. 2 "	15.25	....	16.50	14.00	15.66	20.00

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
Drop Siding, ¾x3¼ or 5¼,	A	....	....	....	....	....	....
“ “	B	....	....	....	....	....	....
“ “	B and Better	40.58	39.00	41.20	38.88	40.05	38.46
“ “	No. 1 Common	34.72	32.61	37.47	36.86	35.08	33.08
“ “	No. 2 “	23.45	22.37	20.45	20.01	20.96	20.04
“ “	No. 3 “	....	....	9.07	6.00[1]	9.07	10.00
FINISH							
1x 4 inch,	A	....	....	....	....	....	....
1x 6 inch,	“	....	....	....	....	....	....
1x 8 inch,	“	....	....	....	....	....	....
1x 5 and 10 inch,	“	....	....	....	....	....	....
1x12 inch,	“	....	....	....	....	....	....
1¼x4 to 12 inch,	“	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	“	....	....	....	....	....	....
1⅝ inch,	“	....	....	....	....	....	....
1x 4 inch,	B	....	....	....	....	....	....
1x 6 inch,	“	....	....	....	....	....	....
1x 8 inch,	“	....	....	....	....	....	....
1x 5 and 10 inch,	“	....	....	....	....	....	....
1x12 inch,	“	....	....	....	....	....	....
1¼x4 to 12 inch,	“	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	“	....	....	....	....	....	....
1⅝ inch,	“	....	....	....	....	....	....
1x 4 inch,	B and Better	50.44	48.42	48.75	55.00	49.83	49.66
1x 6 inch,	“	51.63	52.09	49.71	50.00	51.26	49.64
1x 8 inch,	“	51.52	51.50	50.67	48.75[1]	51.54	50.10
1x 5 and 10 inch,	“	57.34	56.08	54.58	59.75	56.56	54.08
1x12 inch,	“	58.02	57.56	59.97	62.85	58.70	55.13
1¼x4 to 12 inch,	“	66.61	59.96	61.33	67.25	63.22	59.47
1½ and 2x4 to 12 inch,	“	60.87	60.83[1]	58.15	61.00[1]	58.66	58.28
1⅝ inch,	“	52.38	53.47	....	....	53.06	52.34
1x 6 to 12 inch,	“	....	....	....	51.56[1]	51.56[1]	51.56
1x 4 inch,	C	46.00	41.72[2]	42.00	....	42.67	41.25
1x 6 inch,	“	45.24	35.00	42.00	....	41.21	41.93
1x 8 inch,	“	40.00	43.00	39.00	....	39.17	39.48
1x 5 and 10 inch,	“	43.74	50.00	45.75[1]	....	45.14	48.48
1x12 inch,	“	45.00	50.00[1]	49.00	....	46.60	50.00
1¼x4 to 12 inch,	“	48.80	52.60[1]	53.34[2]	....	48.80	54.60
1½ and 2x4 to 12 inch,	“	47.75	....	55.00[2]	....	47.75	45.00
1⅝ inch,	“	....	....	....	....	....	....
1x 6 to 12 inch,	“	....	....	....	....	....	....
1x 4 inch,	B and Better, Rough	52.00	....	48.00[1]	35.00	47.15	48.00
1x 6 inch,	“ “	49.38	47.00[1]	48.08	42.50[1]	48.39	43.26
1x 8 inch,	“ “	49.07	47.68[2]	48.70	42.50[1]	48.93	47.41
1x 5 and 10 inch,	“ “	55.48	53.00[1]	53.55	....	55.15	52.00
1x12 inch,	“ “	56.00	51.10[2]	57.25	....	56.56	54.06
1¼x4 to 12 inch,	“ “	62.75[2]	53.00	59.26	52.74	56.34	53.25
1½ and 2x4 to 12 inch,	“ “	54.00	62.00[1]	56.76	65.25	56.64	55.33
1⅝ inch,	“ “	....	47.00	....	....	47.00	55.29[1]
1x 6 to 12 inch,	“ “	....	....	....	42.50	42.50	45.33
CASING AND BASE							
From 4 and 6 inch stock, B. M.,	A	....	....	....	....	....	....
“	B	....	....	....	....	....	....
“	B and Better	57.08	55.44	56.54	65.00	58.06	57.68
From 8 and 10 inch stock, B. M.,	A	....	....	....	....	....	....
“	B	....	....	....	....	....	....
“	B and Better	58.86	54.50	54.27	60.00	56.05	56.10
MOULDINGS (% Discount)							
1½ inch and Smaller		....	....	....	....	....	....
1¾ inch and Larger		....	....	....	....	....	....
DOOR AND WINDOW JAMBS							
A	B. M.	....	....	....	....	....	....
B	“	....	....	....	....	....	....
B and Better,	“	60.66	63.80[2]	62.50[1]	....	60.66	61.38
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	33.00[3]	30.00[3]	....	....	31.36[3]	31.36[2]
“ “ “ “ “	8 ft.	28.00[1]	27.00	32.50	....	27.18	27.79
“ “ “ “ “	12 and 14 ft.	46.75[1]	....	....	....	46.75[1]	46.75
“ “ “ “ “	16 ft.	46.25[3]	....	....	....	46.25[3]	46.25[2]
“ “ “ “ “	9 or 18 ft.	54.21	54.06	55.00	39.75[3]	54.18	51.46
“ “ “ “ “	10 or 20 ft.	50.28	45.66[1]	55.00	39.75[3]	50.68	45.95

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	23.19	23.17	22.00[3]	....	23.18	23.50
" " " " " 8 ft.	22.55	19.52[1]	17.50[2]	....	22.55	19.66
" " " " " 12 and 14 ft.	40.00[1]	50.00	....	....	50.00	40.00
" " " " " 16 ft.	33.00[1]	26.25[1]	....	....	29.43[1]	29.43
" " " " " 9 or 18 ft.	37.93	43.73	45.00	30.50[3]	40.16	33.68
" " " " " 10 or 20 ft.	35.52	31.82	....	....	34.23	34.53
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	25.00	23.17	22.00[3]	....	25.00	23.00
" " " " " 8 ft.	26.00	19.52[1]	17.50[2]	....	26.00	19.52
" " " " " 12 and 14 ft.	26.00	50.00	....	....	26.00	24.91[1]
" " " " " 16 ft.	27.50[1]	26.25[1]	....	....	27.50[1]	27.50[1]
" " " " " 9 or 18 ft.	40.00	43.73	45.00	....	40.00	37.00
" " " " " 10 or 20 ft.	29.37	31.82	....	....	29.37	31.90
Siding, Lining & Roofing, 4 and 6″, No. 2, 5 to 9 ft.	10.08	21.20[1]	....	....	10.08	20.81
" " " " " 10 to 20 ft.	16.21	17.42	....	16.50[3]	17.13	14.67
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	25.00[2]	....	....	....	25.00[1]	25.00
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00	....	....	24.00	30.00[1]
" " " " 2 to 3 inch, 10 & 20 ft.	30.00[2]	27.71	28.00[2]	....	27.71	29.18[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch. 10 & 20 ft	27.57[1]	....	....	....	27.57[1]	27.57
" " " 2 to 3 inch, 9 & 18 ft.	....	26.00	....	....	26.00	24.50
" " " 2 to 3 inch 10 & 20 ft.	....	35.90	27.36[2]	25.50[2]	35.90	22.70
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	16.50[1]	16.50[1]	16.50
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	28.24	....	....	....	28.24	26.21
" " " " other lengths.	28.56	28.15	35.81	35.80[1]	29.15	28.13
" " 1x10, " 14 and 16 ft.	27.93	....	....	....	27.93	27.33
" " " " other lengths.	27.18	30.65	37.61	41.25[1]	27.78	27.08
" " 1x12, " 14 and 16 ft.	38.87	37.90[1]	....	....	38.87	38.03
" " " " other lengths.	39.16	36.58	39.89	42.50[1]	38.29	37.96
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	19.42	18.38	19.80	19.39	19.49	18.90
" " 1x10, " "	19.63	19.68	20.11	19.20	19.75	18.97
" " 1x12, " "	20.85	20.83	19.57	19.30	20.44	19.45
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	11.55	12.02	13.60	14.55	12.03	11.58
" " 1x10, " "	11.51	11.84	13.14	12.98	11.85	11.77
" " 1x12, " "	10.77	11.73	14.01	11.53	11.38	11.40
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	27.38	....	....	....	27.38	27.44
" " " other lengths.	27.40	26.78	25.48	25.00	26.44	25.82
" 1x10, " 14 and 16 ft.	26.63	....	....	....	26.63	27.69
" " " other lengths.	27.22	24.00	23.50[1]	25.00	25.52	24.27
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	19.60	19.95	19.72	20.82	19.94	18.90
" 1x10, " "	20.26	19.55	19.69	21.42	20.10	19.41
" 1x12, " "	....	....	....	19.00[3]	19.00[3]	19.00[2]
Shiplap, 1x 8, No. 3, all lengths.	11.92	12.40	13.77	11.64	12.28	11.96
" 1x10, " "	11.76	12.14	12.54	10.55	11.84	11.95
" 1x12, " "	10.53	11.96	....	....	10.78	11.47
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	29.02	....	....	....	29.02	27.50
" " " " other lengths.	29.67	26.75[3]	....	....	29.67	28.86
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	6.31[1]	....	6.08	6.00[2]	6.08	4.82

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
1x4, S 1 S, No. 1, 16 ft.	26.31	....	....	....	26.31	26.35
" " " other lengths	26.71	26.79	37.24	35.00	27.03	23.64
" " No. 2, all lengths	13.47	11.67	17.22	11.50	12.85	12.24
" " No. 3, "	8.11	9.26	9.50	7.92	8.49	8.90
1x4, C. M., No. 1, 16 ft.	25.50[1]	....	....	....	25.50[1]	25.50
" " " other lengths	25.70	....	....	....	25.70	23.08[1]
" " No. 2, all lengths	16.00	....	....	....	16.00	13.40
" " No. 3, "	11.00	....	....	....	11.00	7.00[2]
1x6, S 1 S, No. 1, 16 ft.	27.88	....	....	....	27.88	27.96
" " " other lengths	28.48	26.89	33.88	31.75	28.40	27.02
" " No. 2, all lengths	18.05	17.44	18.19	19.36	17.89	17.42
" " No. 3, "	9.28	10.50	11.28	12.73[1]	9.59	9.70
1x6, C. M., No. 1, 16 ft.	27.75	....	....	....	27.75	27.50
" " " other lengths	27.91	27.37	....	27.00	27.67	27.09
" " No. 2, all lengths	18.17	18.27	....	18.64	18.33	18.42
" " No. 3, "	16.88	10.30	....	9.73	14.26	9.94
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	25.58	23.52	23.56	21.50[3]	24.33	23.19
" " " 12 ft.	25.40	21.61	20.98	19.50[3]	23.36	22.25
" " " 14 ft.	24.02	22.43	31.16	19.50[3]	25.88	22.49
" " " 16 ft.	25.28	23.80	22.27	20.75	23.87	23.37
" " " 18 ft.	27.24	25.34	23.17	20.50	25.20	24.87
" " " 20 ft.	27.48	25.52	22.95	22.50[3]	26.42	25.27
" " " 22 ft.	32.56	26.50	22.50	26.00[3]	26.38	26.26
" " " 24 ft.	30.90	27.30	22.50	25.00[3]	28.90	27.58
2x 6, No. 1, S 1 S 1 E, 10 ft.	21.19	19.94	18.21	22.00[2]	19.76	19.49
" " " 12 ft.	18.69	19.84	18.11	21.00[2]	18.52	18.71
" " " 14 ft.	19.07	19.26	18.11	21.00[2]	19.13	19.09
" " " 16 ft.	20.53	19.54	19.50	20.00	19.92	19.40
" " " 18 ft.	21.68	20.19	19.69	24.00[2]	20.19	20.24
" " " 20 ft.	21.94	21.94	19.69	....	21.93	21.30
" " " 22 ft.	26.36	24.00	22.32	....	24.34	23.31
" " " 24 ft.	27.60	24.24	22.32	....	26.47	24.66
2x 8, No. 1, S 1 S 1 E, 10 ft.	25.07	22.67[1]	28.84	22.00[1]	25.07	22.09
" " " 12 ft.	23.12	20.00	20.67	22.00[1]	21.18	21.31
" " " 14 ft.	22.53	20.72	20.52	22.00[1]	21.46	21.67
" " " 16 ft.	23.70	23.31	20.48	18.39[2]	22.72	22.59
" " " 18 ft.	25.98	24.97	22.65	....	23.41	23.36
" " " 20 ft.	26.19	25.60	22.65	23.50[2]	26.02	24.04
" " " 22 ft.	29.00	26.20	24.21	....	25.81	26.79
" " " 24 ft.	29.67	26.58	24.21	....	27.30	27.96
2x10, No. 1, S 1 S 1 E, 10 ft.	26.05	20.30	20.50	18.00[2]	21.34	19.34
" " " 12 ft.	24.22	21.15	19.70	22.61[1]	20.19	20.69
" " " 14 ft.	24.31	22.22	19.70	22.75[1]	23.04	22.29
" " " 16 ft.	25.86	23.66	21.95	22.75[1]	23.04	22.58
" " " 18 ft.	26.00	24.28	22.76	....	23.71	22.82
" " " 20 ft.	25.59	24.69	22.76	....	25.40	24.18
" " " 22 ft.	29.50	25.00	24.67	....	25.30	26.53
" " " 24 ft.	28.13	26.20	24.67	....	27.58	30.75
2x12, No. 1, S 1 S 1 E, 10 ft.	29.39	24.00[1]	23.31	25.50[1]	26.55	25.01
" " " 12 ft.	27.57	24.47	20.51	25.00[2]	22.17	22.78
" " " 14 ft.	26.97	24.46	20.51	25.00[2]	26.31	24.03
" " " 16 ft.	27.59	24.64	20.95	23.00[2]	24.61	24.72
" " " 18 ft.	27.75	26.37	20.43	24.50[2]	25.03	25.20
" " " 20 ft.	29.03	25.37	20.43	....	27.60	26.56
" " " 22 ft.	30.42	27.63	26.57	26.00[2]	28.18	28.29
" " " 24 ft.	30.09	26.90	26.57	26.00[2]	29.29	29.42
2x 4, No. 2, S 1 S 1 E, 10 ft.	22.21	21.40	19.90	17.60	20.02	18.80
" " " 12 ft.	21.11	17.96	18.20	18.13	18.81	19.95
" " " 14 ft.	20.97	19.04	17.57	18.01	19.03	19.37
" " " 16 ft.	22.31	20.67	19.30	18.12	20.42	19.99
" " " 18 ft.	23.54	22.65	21.37	18.00[1]	22.25	21.56
" " " 20 ft.	24.27	23.22	21.37	22.00[2]	23.63	23.11
" " " 22 ft.	....	23.50	....	....	23.50	22.19
" " " 24 ft.	....	23.50	....	....	23.50	22.19
2x 6, No. 2, S 1 S 1 E, 10 ft.	16.80	16.50	13.65	15.00	14.66	13.67
" " " 12 ft.	16.20	16.75	15.07	14.88	15.34	14.65
" " " 14 ft.	16.14	15.83	15.07	14.91	16.00	14.92
" " " 16 ft.	16.84	16.56	15.72	14.91	16.14	15.27
" " " 18 ft.	18.31	17.46	16.60	16.35	17.00	16.56
" " " 20 ft.	18.86	17.94	16.60	16.35	18.26	16.62
" " " 22 ft.	16.75[2]	20.83	20.00[2]	19.00[1]	20.83	19.90
" " " 24 ft.	17.25[1]	20.83	20.00[2]	20.00[1]	20.83	18.90

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
2x 8. No. 2, S 1 S 1 E, 10 ft.	20.33	20.17	19.56	16.50	19.61	17.03
“ “ “ 12 ft.	19.07	19.13	17.66	18.00	18.05	17.93
“ “ “ 14 ft.	19.28	18.36	18.30	15.82	17.47	17.55
“ “ “ 16 ft.	20.39	19.62	19.00	15.82	19.91	17.46
“ “ “ 18 ft.	22.29	22.36	18.66	17.50	21.18	20.51
“ “ “ 20 ft.	21.58	22.67	18.66	20.00	21.98	20.73
“ “ “ 22 ft.	20.50[2]	24.15	20.00	....	23.61	22.07
“ “ “ 24 ft.	21.67[1]	23.46	20.00	....	23.61	21.67
2x10, No. 2, S 1 S 1 E, 10 ft.	19.75	17.36[1]	20.67	20.67	20.65	16.18
“ “ “ 12 ft.	19.98	19.17	15.70	18.89	16.23	16.79
“ “ “ 14 ft.	17.63	17.29	15.70	18.89	17.39	17.80
“ “ “ 16 ft.	19.27	18.46	17.59	20.43	17.81	18.78
“ “ “ 18 ft.	21.00	20.00	18.64	23.00	19.00	19.06
“ “ “ 20 ft.	21.00	20.35	18.64	23.00	20.60	19.60
“ “ “ 22 ft.	19.75[2]	24.72	19.38	25.75[2]	23.75	23.91
“ “ “ 24 ft.	24.25[1]	24.72	19.38	....	23.75	24.25
2x12, No. 2, S 1 S 1 E, 10 ft.	18.43	18.56[1]	19.20	17.30[1]	18.85	17.77
“ “ “ 12 ft.	20.57[1]	21.00	15.89	16.50[1]	16.00	16.76
“ “ “ 14 ft.	20.50	18.53[1]	15.89	16.50[1]	20.50	19.01
“ “ “ 16 ft.	21.48[1]	18.24	15.89	16.50[1]	17.12	17.79
“ “ “ 18 ft.	22.00	23.50	18.59	18.63[2]	20.16	20.09
“ “ “ 20 ft.	21.61	21.75	19.33	19.01[2]	21.68	20.61
“ “ “ 22 ft.	....	25.01[1]	26.50[1]	....	25.09[1]	25.09
“ “ “ 24 ft.	....	25.01[1]	26.50[1]	....	25.09[1]	25.09
No. 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No. 3. S 1 S 1 E, all lengths	9.11	9.25	9.96	7.00	9.36	8.73
PATENT LATH						
4 and 6 ft.	9.99	12.28	11.93[1]	....	10.33	10.64
8 and 10 ft.	12.07	12.37	11.93[1]	....	12.14	11.34
12 ft. and longer	13.17	12.84	11.93[1]	....	13.06	11.93
PLASTERING LATH						
⅜x1½-4. No. 1	5.23	5.34	5.78	4.50	5.36	5.30
“ No. 2	3.95	4.17	3.93	4.00	3.98	3.93
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No. 1, up to 20 ft.	22.02	20.12	20.35	....	21.00	19.86
“ “ 22-24 ft.	24.04	22.70	21.94	....	22.99	21.49
“ “ 26 ft.	20.42[1]	19.88[2]	23.51	....	23.51	24.22
“ “ 28 ft.	23.11	28.00	23.51	....	24.25	22.14
“ “ 30 ft.	24.46	20.64	27.22	....	23.99	22.43
“ “ over 30 ft	29.34	20.66	27.08	....	26.81	23.01
4x4 to 8x8, Heart (85%+), up to 20 ft.	23.62	24.40	....	....	24.18	22.46
“ “ “ 22-24 ft.	27.20	32.93	....	....	32.21	22.49
“ “ “ 26 ft.	25.00	....	....	....	25.00	21.00[2]
“ “ “ 28 ft.	24.00[1]	25.00[3]	....	....	24.00[1]	24.00
“ “ “ 30 ft.	31.58	25.83[3]	....	....	31.58	25.00
“ “ “ over 30 ft.	65.00	....	....	....	65.00	30.00
3 & 4x10, No. 1, up to 20 ft.	23.25	20.60	....	....	22.49	21.27
“ “ 22-24 ft.	23.80	23.00[1]	....	....	23.80	24.69
“ “ 26 ft.	25.00	....	....	....	25.00	25.27
“ “ 28 ft.	24.97[1]	25.00[1]	....	....	24.98[1]	24.98
“ “ 30 ft	27.80[1]	....	....	....	27.80[1]	27.80
“ “ over 30 ft.	28.50[1]	21.00[3]	....	....	28.50[1]	28.50
3 & 4x10, Heart (85%+), up to 20 ft.	24.87	25.26	....	....	25.00	24.64
“ “ “ 22-24 ft.	25.00	26.00[2]	....	....	25.00	25.00
“ “ “ 26 ft.	26.00[1]	26.00	....	....	26.00	25.54
“ “ “ 28 ft.	27.00[1]	26.00[1]	....	....	26.56[1]	26.56
“ “ “ 30 ft.	34.00	....	....	....	34.00	28.00
“ “ “ over 30 ft.	29.35	....	....	....	29.35	23.33[3]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
6x10, to 10x10, No. 1, up to 20 ft.	20.22	20.15	22.00	....	20.87	20.93
" " 22-24 ft.	20.96	22.51	24.67	....	21.80	20.91
" " 26 ft.	23.16	23.00	30.50[1]	....	23.08	21.87
" " 28 ft.	24.00	20.00[2]	24.00[3]	....	24.00	24.50
" " 30 ft.	32.17	29.82[1]	26.00	....	32.17	29.82
" " over 30 ft.	29.44	24.00[2]	26.00	....	29.30	27.50
6x10 to 10x10, Heart (85%+), up to 20 ft.	26.63	23.00	....	....	23.57	24.15
" " " 22-24 ft.	26.00[1]	26.75[1]	....	....	27.61[1]	27.61
" " " 26 ft.	22.00[3]	22.00[2]	....	....	22.00[2]	22.00[1]
" " " 28 ft.	....	....	....	....	....	21.00[3]
" " " 30 ft.	38.34	30.75[1]	....	....	38.34	30.75
" " " over 30 ft.	39.41	....	....	....	39.41	42.07
3 & 4x12. No. 1, up to 20 ft.	25.15	23.46	....	....	24.44	23.37
" " 22 24 ft.	26.87	25.00[1]	....	....	26.87	25.37
" " 26 ft.	24.75[2]	25.00[1]	....	....	25.00[1]	25.00
" " 28 ft.	29.00	27.00[1]	....	....	29.00	27.00
" " 30 ft.	30.63[1]	27.00[1]	....	....	30.45[1]	30.45
" " over 30 ft.	30.83[2]	....	....	....	30.83[2]	30.83[1]
3 & 4x12 Heart (85%+), up to 20 ft.	28.00	27.53	....	....	27.55	26.57
" " " 22-24 ft.	29.46[2]	29.10	....	....	29.10	25.00
" " " 26 ft.	28.50[2]	29.00	....	....	29.00	28.00
" " " 28 ft.	29.50[3]	28.00[2]	....	....	28.00[2]	28.00[1]
" " " 30 ft.	32.00[2]	....	....	....	32.00	32.00[1]
" " " over 30 ft.	37.00	....	....	....	37.00	29.00[2]
6x12 to 12x12, No. 1, up to 20 ft.	25.07	20.84	27.30	....	24.71	22.88
" " 22-24 ft.	26.00	24.50[1]	25.42	....	25.77	24.05
" " 26 ft.	28.21	21.00[3]	25.50	....	27.82	29.31
" " 28 ft.	26.64	....	25.50	....	26.64	25.50
" " 30 ft.	26.75	28.33[1]	30.55[2]	....	26.75	28.33
" " over 30 ft.	28.43[1]	32.00[1]	30.55[2]	....	28.58[1]	28.58
6x12 to 12x12, Heart (85%+). up to 20 ft.	25.04	24.00	....	....	24.98	27.13
" " " 22-24 ft.	27.26[1]	26.00[2]	....	....	27.26[1]	27.26
" " " 26 ft.	28.00[1]	....	....	....	28.00[1]	28.00
" " " 28 ft.	28.97[1]	28.00[1]	....	....	28.72[1]	28.72
" " " 30 ft.	27.00[3]	29.20[1]	....	....	29.20[1]	29.20
" " " over 30 ft.	47.00	46.00[1]	....	....	47.00	46.00
2x14 to 4x14, No. 1,up - 2St2t	35.39	26.95	....	....	29.30	28.39
" " 22 f4 o	38.25	33.00	....	....	33.23	38.25
" " 26 ft.	28.00[3]	36.00	....	....	36.00	30.00[1]
" " 28 ft.	....	36.00	....	....	36.00	30.00[2]
" " 30et	....	....	....	....	....	....
" " ovr 30 ft.	30.63[3]	....	....	....	30.63[3]	30.63[2]
2x14 to 4x14, Heart (85%+), up to 20 ft.	32.12	....	....	....	32.12	34.69[3]
" " " 22-24 ft.	32.51	....	....	....	32.51	37.47[3]
" " " 26 ft.	....	....	....	....	....	38.00[3]
" " " 28 ft.	35.50	....	....	....	35.50	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	35.00	....	....	....	35.00	....
6x14 to 14x14, No. 1, up to 20 ft.	41.21	25.41	23.00	....	27.83	26.13
" " 22-24 ft.	26.50[1]	23.00	28.57[1]	....	23.00	26.65
" " 26 ft.	29.00[1]	....	33.75[1]	....	32.06[1]	32.06
" " 28 ft.	24.00[3]	....	29.50[3]	....	24.00[3]	24.00[2]
" " 30 ft.	26.86[3]	....	30.00[1]	....	30.00[1]	30.00
" " over 30 ft.	39.00	....	....	....	39.00	....
6x14 to 14x14, Heart (85%+), up to 20 ft.	34.75	33.00	....	....	33.29	29.71
" " " 22-24 ft.	29.29[3]	34.00	....	....	34.00	26.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	33.00	31.00[2]	....	....	33.00	31.00[1]
" " " 30 ft.	....	32.00[1]	....	....	32.00[1]	32.00
" " " over 30 ft.	34.04[3]	34.00[1]	....	....	34.00[1]	34.00
2x16 to 4x16, No. 1, up to 20 ft.	38.43	46.00	....	....	39.43	34.25
" " 22-24 ft.	34.50	46.00[3]	....	....	34.50	32.25
" " 26 ft.	35.50	....	....	....	35.50	39.25
" " 28 ft.	30.00[3]	....	....	....	30.00[3]	30.00[2]
" " 30 ft.	41.25[1]	....	....	....	41.25[1]	41.25
" " over 30 ft.	32.10[3]	....	....	....	32.10[3]	32.10[2]
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	40.00[3]	....	....	40.00[3]	40.00[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
6x16 & Up, No. 1, up to 20 ft.	29.23	....	25.00[3]	....	29.23	36.82
" " 22-24 ft.	30.74	....	....	....	30.74	31.15
" " 26 ft.	33.75[1]	....	....	....	33.75[1]	33.75
" " 28 ft.	34.00	....	....	....	34.00	34.50
" " 30 ft.	48.01	....	....	....	48.01	28.00
" " over 30 ft.	37.91	....	....	....	37.91	42.46
6x16 & Up, Heart (85%+), up to 20 ft.	46.60[1]	....	....	....	46.60[1]	46.60
" " " 22-24 ft.	31.00[3]	....	....	....	31.00[3]	31.00[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	36.25[1]	....	....	....	36.25[1]	36.25
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.00	....	....	....	35.00	33.00[2]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	34.00[2]	....	34.00[2]	34.00[1]
" " 28 ft.	31.40[3]	....	....	....	31.40[3]	31.40[2]
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	35.25[1]	35.25	....	....	35.25	35.20
" " " 22-24 ft.	....	....	....	....	....	33.00[3]
" " " 26 ft.	34.00	37.00[1]	37.00	....	35.31	37.00
" " " 28 ft.	....	34.00[2]	35.43[1]	....	35.43[1]	35.43
" " " 30 ft.	....	37.18[1]	....	....	37.18[1]	37.18
" " " 32 ft.	....	36.00[1]	....	....	36.00[1]	36.00
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	30.00[1]	28.06	....	28.06	27.65
" " " 36 ft.	26.32	26.95	27.64	....	27.17	25.92
" " " 37-38 ft.	27.05	28.33	26.46	30.00[3]	27.61	27.08
" " " 40 ft.	....	35.00	27.00	32.00[3]	27.92	26.50
" " " 41-42 ft.	29.00[1]	40.00	....	....	40.00	29.00
Up to 9 inch, Heart (85%+), 34 ft.	31.60	....	....	....	31.60	30.97[1]
" " " " 36 ft.	30.00	32.00	....	....	31.11	28.33
" " " " 37-38 ft.	29.90[1]	....	....	....	29.90[1]	29.90
" " " " 40 ft.	29.51[1]	36.56	....	....	36.56	29.51
" " " " 41-42 ft.	29.00[2]	29.00	....	....	29.00	29.00[1]
Up to 10 inch, Sq. E. 34 ft.	32.09	....	27.84[1]	....	32.09	27.84
" " " 36 ft.	29.87[1]	33.86	27.84[1]	23.82	26.89	29.87
" " " 37-38 ft.	26.50	26.50	28.47[1]	31.00	27.50	28.13
" " " 40 ft.	33.00	34.92	29.00[1]	....	34.37	28.00
" " " 41-42 ft.	28.00[1]	42.00	....	....	42.00	28.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	28.00[1]	....	....	....	28.00[1]	28.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	30.00[1]	....	....	....	30.00[1]	30.00
" " " " 41-42 ft.	30.00[1]	....	....	....	30.00[1]	30.00
Up to 12 inch, Sq. E., 34 ft.	30.00[1]	....	32.00	....	32.00	30.00
" " " 36 ft.	31.74[1]	37.00[1]	32.00	26.69	26.69	33.03
" " " 37-38 ft.	32.50[1]	32.50	32.00	30.00[2]	32.11	32.50
" " " 40 ft.	36.00	....	30.00[2]	....	36.00	30.00[1]
" " " 41-42 ft.	....	....	....	36.00	36.00	....
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	36.50[2]	36.00	....	....	36.00	38.00
" " " " 37-38 ft.	....	32.50[1]	....	....	32.50[1]	32.50
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Oct. 31
Up to 14 inch, Sq. E., 34 ft.	....	....	....	....	....	36.00[3]
" " " 36 ft.	35.50[1]	42.00[2]	....	....	35.50[1]	35.50
" " " 37-38 ft.	34.00	34.00	....	....	34.00	....
" " " 40 ft.	31.50[3]	35.00	....	....	35.00	31.50[2]
" " " 41-42 ft.	37.50[3]	....	....	....	37.50[3]	37.50[2]
Up to 14 inch, Heart, (85%+), 34 ft.	40.00[2]	40.00[1]	....	....	40.00[1]	40.00
" " " " 36 ft.	38.00[1]	39.00	....	....	39.00	38.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	39.50[2]	....	....	....	39.50[2]	39.50[1]
" " " " 41-42 ft.	....	....	....	....	....	....
CAPS						
12x14, Sq. E. 12 ft.	24.22[3]	....	....	....	24.22[3]	24.22[2]
" " 14 ft.	24.88[3]	25.00[2]	....	....	25.00[2]	25.00[1]
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	26.00[2]	32.50	....	....	32.50	26.00[1]
" " " 14 ft.	28.00	32.50	....	....	28.00	26.00[1]
" " " 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	24.00[2]	24.00[2]	....	....	24.00[2]	24.00[1]
" " 16 ft.	24.00[3]	....	....	....	24.00[3]	24.00[2]
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	23.02	....	....	....	23.02	22.00
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	....	17.00[2]	....	....	17.00[2]	17.00[1]
" " Heart, (85%+), 6x8-8	24.00	22.25[1]	....	....	24.00	22.25
" " Sq. E., " 7x9-8	....	....	....	....	....	....
" " Heart, " 7x9-8	25.22	25.00[1]	....	....	25.22	25.00
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	23.50[1]	....	....	....	23.50[1]	23.50
Paving Stock, S 1 S	....	....	22.00[1]	....	22.00[1]	22.00
" " Rough	16.00[2]	16.00[2]	17.50[1]	16.00	16.00	17.50
Battleship Decking, Edge Grain	60.75[2]	....	....	....	60.75[2]	60.75[1]
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	37.07	26.13	26.78	23.35	26.43	24.57
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	6.50	....	....	....	6.50	6.50[2]
Miscellaneous, B and B	57.15	61.23	47.30	57.30	54.53	54.63
" No. 1	30.02	26.57	25.21	32.17	28.58	30.00
" No. 2	20.43	18.87	17.90	18.29	18.35	18.19
" No. 3	7.93	11.51	11.36	13.25	11.52	11.31
Shorts B and B	34.65	27.01	....	....	29.05	28.59
" No. 1	11.67	22.27	....	....	12.66	11.54
" No. 2	....	10.13	....	....	10.13	8.60
" No 3	....	11.50	....	....	11.50	5.50

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

November 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending November 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued November 30, 1921

No. 148

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 10
Heart Face, Edge Grain, B and Better, 13/16x2¼″....	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	70.42	....	....	....	70.42	68.00
" " C "	49.50	....	....	....	49.50	46.00[2]
" " D "	....	....	....	....	....	33.26[3]
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	53.16	....	....	....	53.16	52.24
" " C "	....	....	....	....	....	....
" " D "	43.93	....	....	....	43.93	37.25[1]
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	15.58	....	....	....	15.58	14.97
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″....	....	....	....	75.00[2]	75.00[2]	75.00[1]
Edge Grain, A "	....	....	74.34	74.50[2]	74.34	76.14
" " B "	....	61.50[1]	74.56	70.90[3]	74.56	70.87
" " B and Better "	55.78	72.61	....	71.18	64.72	69.00
" " C "	....	52.50	60.50	50.00	58.06	52.92
" " D "	47.00[2]	....	....	....	47.00[2]	47.00[1]
" " No. 2 "	....	....	25.40	27.50	25.50	25.96
Flat " A "	....	....	....	....	....	....
" " B "	....	35.00[3]	....	....	35.00[3]	35.00[2]
" " B and Better "	56.00[2]	53.06	57.01	55.00	55.36	55.28
" " C "	....	....	....	....	....	42.00[3]
" " D "	45.00[2]	....	....	....	45.00[2]	45.00[1]
No. 1 Common "	....	42.00[1]	43.42	41.90	42.51	44.40
No. 2 " "	....	16.25	17.25	17.09	17.21	17.03
No. 3 " "	....	....	9.12	8.50	8.95	7.07
Heart Face, Edge Grain, B and Better, 13/16x3¼″.....	....	....	....	....	....	....
Edge Grain, A "	57.23[3]	....	68.00[1]	68.00[1]	68.00[1]	68.00
" " B "	....	61.50	63.78	51.00[2]	62.20	63.60
" " B and Better "	61.08	57.07	55.00[2]	60.50	59.46	60.01
" " C "	45.00[2]	45.00	49.00	....	45.67	56.01
" " D "	47.76	....	....	....	47.76	36.75
" " No. 2 "	....	....	25.00	21.00	22.34	25.25
Flat " A "	....	....	....	....	....	....
" " B "	....	51.46	....	46.00[2]	51.46	49.00[1]
" " B and Better "	50.32	49.97	47.53	47.15	49.59	49.43
" " C "	40.00[2]	35.00[2]	....	....	39.41[2]	39.41[1]
" " D "	40.12	....	....	....	40.12	39.99
No Common "	....	39.36	39.11	38.39	39.11	38.92
No. 2 " "	17.80	17.87	17.06	15.76	17.34	16.86
No. 3 " "	....	....	9.36	6.85	8.11	9.43
CEILING						
Ceiling, ½x3¼″, A..............................	....	....	....	....	....	....
" " B..............................	....	....	....	....	....	....
" " B and Better.....................	37.33	36.50	38.49	41.25	38.26	36.62
" " No. 1 Common...................	28.71[1]	30.11	32.00	32.50[1]	30.78	31.36
" " No. 2 "	14.08	13.25	13.00	16.00[1]	13.13	13.74
" " No. 3 "	....	....	6.50	....	6.50	6.57[2]
Ceiling, ⅝x3¼″, A..............................	....	....	....	....	....	....
" " B..............................	....	....	....	....	....	....
" " B and Better.....................	39.24	40.03	38.22	39.15[2]	39.56	37.86
" " No. 1 Common...................	33.47	30.76	34.82	35.00	32.65	32.74
" " No. 2 "	14.88	15.74	14.92	15.71	15.14	15.37
" " No. 3 "	....	....	6.38	6.50	6.39	8.33
Ceiling, ¾x3¼″, A..............................	....	....	....	....	....	....
" " B..............................	....	....	....	....	....	....
" " B and Better.....................	50.16[1]	....	42.00[1]	39.50[1]	41.10[1]	41.10
" " No. 1 Common...................	40.00[2]	39.00	32.00	....	38.54	40.00[1]
" " No. 2 "	17.01[1]	20.00	17.00	....	17.06	17.01
" " No. 3 "	....	....	14.00	....	14.00	13.50[1]
PARTITION						
Partition, ¾x3¼″, A..............................	....	....	....	....	....	....
" " B..............................	....	....	....	....	....	....
" " B and Better.....................	53.71	47.62	49.52	49.21	49.60	53.02
" " No. 1 Common...................	35.42[2]	42.00	44.00	42.50[1]	43.05	41.56
" " No. 2 "	22.50	15.00	19.57	19.55[3]	17.37	18.48
Partition, ¾x5¼″, A..............................	....	....	....	....	....	....
" " B..............................	....	....	....	....	....	....
" " B and Better.....................	52.25	55.00[2]	49.52	....	52.25	51.25
" " No. 1 Common...................	42.50[1]	29.25	44.00	....	29.25	34.60
" " No. 2 "	22.50[1]	18.60	19.57	....	18.60	19.58
BEVEL SIDING						
Bevel Siding, A..............................	....	....	....	....	....	....
" B..............................	....	....	....	....	....	....
" B and Better.....................	32.75	34.07	30.00[1]	....	33.41	29.40
" No. 1 Common...................	26.00[2]	20.14	22.68	23.00[1]	21.41	24.16
" No. 2 "	15.25[1]	13.00	16.53	14.00[1]	15.88	15.66

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 10
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	40.73	39.85	40.18	41.00	40.17	40.05
“ “ No. 1 Common	34.42	33.47	36.06	35.66	34.55	35.08
“ “ No. 2 “	23.23	20.45	20.71	19.80	20.90	20.96
“ “ No. 3 “	....	....	10.65	10.75	10.65	9.07
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, “	....	....	....	....	....	....
1x 8 inch, “	....	....	....	....	....	....
1x 5 and 10 inch, “	....	....	....	....	....	....
1x12 inch, “	....	....	....	....	....	....
1¼x4 to 12 inch, “	....	....	....	....	....	....
1½ and 2x4 to 12 inch, “	....	....	....	....	....	....
1⅝ inch, “	....	....	....	....	....	....
1x 4 inch, B and Better	52.40	49.85	51.50	55.00[1]	51.12	49.83
1x 6 inch, “	52.80	50.36	50.74	50.00[1]	51.44	51.26
1x 8 inch, “	52.02	48.71	49.96	48.75[2]	50.10	51.54
1x 5 and 10 inch, “	58.92	54.32	54.42	59.75[1]	56.18	56.56
1x12 inch, “	57.88	55.58	57.22	62.85[1]	56.61	58.70
1¼x4 to 12 inch, “	65.64	61.90	58.14	65.00	62.40	63.22
1½ and 2x4 to 12 inch, “	58.20	60.83[2]	57.16	61.00[2]	57.17	58.66
1⅝ inch, “	54.00	53.47[1]	....	....	54.00	53.06
1x 6 to 12 inch, “	....	....	....	52.50	52.50	51.56[1]
1x 4 inch, C	46.00[1]	41.72[3]	42.00[1]	....	42.67[1]	42.67
1x 6 inch, “	43.79	41.08	42.00[1]	....	41.85	41.21
1x 8 inch, “	45.25	44.37	39.00[1]	....	44.45	39.17
1x 5 and 10 inch, “	53.50	49.00	45.75[2]	....	49.26	45.14
1x12 inch, “	45.00[1]	50.00[2]	52.00	....	52.00	46.60
1¼x4 to 12 inch, “	48.80[1]	52.60[2]	53.34[3]	....	48.80[1]	48.80
1½ and 2x4 to 12 inch, “	47.75[1]	....	55.00[3]	....	47.75[1]	47.75
1⅝ inch, “	....	....	....	....	....	....
1x 6 to 12 inch, “	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	50.50	....	48.00[2]	35.00[1]	50.50	47.15
1x 6 inch, “ “	50.40	46.00	47.25	42.50[2]	47.64	48.39
1x 8 inch, “ “	50.06	46.00	47.46	42.50[2]	48.25	48.93
1x 5 and 10 inch, “ “	55.75	46.00	48.35	....	51.26	55.15
1x12 inch, “ “	56.78	46.00	52.17	....	52.84	56.56
1¼x4 to 12 inch, “ “	62.80	53.00[1]	54.50	52.74[1]	61.70	56.34
1½ and 2x4 to 12 inch, “ “	56 90	62.00[2]	59.50	65.25[1]	57.08	56.64
1⅝ inch, “ “	....	47.00[1]	....	....	47.00[1]	47.00
1x 6 to 12 inch, “ “	....	....	....	47.00	47.00	42.50
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	58.68	57.10	57.50	65.00[1]	57.78	58.06
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	59.62	56.60	61.22	60.00[1]	58.48	56.05
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B “	....	....	....	....	....	....
B and Better, “	59.75	61.25	62.50[2]	....	60.44	60.66
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	42.25	35.31	....	....	37.05	31.36[3]
“ “ “ “ “ 8 ft.	28.00[2]	26.36	32.50[1]	....	26.36	27.18
“ “ “ “ “ 12 and 14 ft.	53.00	....	....	....	53.00	46.75[1]
“ “ “ “ “ 16 ft.	....	....	....	....	....	46.25[3]
“ “ “ “ “ 9 or 18 ft.	54.21[1]	55.77	55.00[1]	....	55.77	54.18
“ “ “ “ “ 10 or 20 ft.	53.63	50.16	47.00	....	51.00	50.68

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.........	23.19[1]	23.50	....	....	23.50	23.18
" " " " " 8 ft.........	28.00	19.52[2]	17.50[3]	....	28.00	22.55
" " " " " 12 and 14 ft...	28.00	50.00[1]	....	....	28.00	50.00
" " " " " 16 ft.........	33.00[2]	42.37	....	....	42.37	29.43[1]
" " " " " 9 or 18 ft....	40.00	37.81	45.00[1]	....	38.61	40.16
" " " " " 10 or 20 ft....	35.00	32.68	....	....	33.11	34.23
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.........	25.00[1]	23.50	....	....	23.50	25.00
" " " " " 8 ft.........	26.00[1]	19.52[2]	17.50[3]	....	26.00[1]	26.00
" " " " " 12 and 14 ft...	26.00[1]	50.00[1]	....	....	26.00[1]	26.00
" " " " " 16 ft.........	42.25	42.37	....	....	42.25	27.50[1]
" " " " " 9 or 18 ft....	34.19	37.81	45.00[1]	....	34.19	40.00
" " " " " 10 or 20 ft....	36.07	32.68	....	....	36.07	29.37
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	20.04	24.00	....	....	21.13	10.08
" " " " " 10 to 20 ft.	16.93	19.47	....	....	18.57	17.13
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	25.00[3]	....	....	....	25.00[3]	25.00[2]
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00[1]	....	....	24.00[1]	24.00
" " " " 2 to 3 inch, 10 & 20 ft.	30.00[3]	24.00	28.00[3]	....	24.00	27.71
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	27.00	....	....	....	27.00	27.57[1]
" " " 2 to 3 inch, 9 & 18 ft.	....	26.00	....	27.75	27.40	26.00
" " " 2 to 3 inch 10 & 20 ft.	....	35.90[1]	27.36[3]	27.75	27.75	35.90
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	16.50[2]	16.50[2]	16.50[1]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft....	28.38	....	....	....	28.38	28.24
" " " " other lengths....	27.09	27.59	32.80	30.00	28.07	29.15
" " 1x10, " 14 and 16 ft....	27.64	....	....	....	27.64	27.93
" " " " other lengths....	28.88	28.39	38.00	30.00	28.81	27.78
" " 1x12, " 14 and 16 ft....	40.40	37.90[2]	....	....	40.40	38.87
" " " " other lengths....	39.65	39.10	37.88	38.00	39.18	38.29
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths......	20.08	20.13	20.16	18.30	19.83	19.49
" " 1x10, " "	20.13	34.12	20.10	18.86	22.69	19.75
" " 1x12, " "	21.89	20.84	20.86	17.73	21.20	20.44
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.....	11 52	12.07	12.88	13.00	11.85	12.03
" " 1x10, " "	11.79	12.10	13.59	13.00	12.51	11.85
" " 1x12, " "	11.16	12.29	14.36	13.50	11.85	11.38
Shiplap, 1 x 8, No. 1, 14 and 16 ft................	27.89	....	....	....	27.89	27.38
" " " other lengths................	28.18	28.45	28.75	25.00[1]	28.35	26.44
" 1x10, " 14 and 16 ft................	28.87	....	....	....	28.87	26.63
" " " other lengths................	28.47	28.53	24.50	25.00[1]	27.76	25.52
" 1x12, " 14 and 16 ft................	....	....	....	....	....	....
" " " other lengths................	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths..................	20.41	20.80	19.48	18.00	20.13	19.94
" 1x10, " "	20.49	20.27	19.54	20.00	20.09	20.10
" 1x12, " "	....	....	....	....	....	19.00[3]
Shiplap, 1x 8, No. 3, all lengths..................	12.38	12.52	14.03	13.00	12.85	12.28
" 1x10, " "	12.29	12.13	13.26	13.00	12.52	11.84
" 1x12, " "	12.71	13.24	....	....	12.81	10.78
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.........	29.02[1]	....	....	....	29.02[1]	29.02
" " " " other lengths.........	29.50	....	....	....	29.50	29.67
" " 1x12, " 14 and 16 ft.........	....	....	....	....	....	....
" " " " other lengths.........	....	....	....	....	....	....
All No. 4—all widths and lengths..................	7.00	....	5.32	6.00[3]	5.89	6.08

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 10
1x4, S 1 S, No. 1, 16 ft.	27.18	....	....	....	27.18	26.31
" " " other lengths	27.45	26.18	25.65	35.00 [1]	26.70	27.03
" " No. 2, all lengths	13.57	13.40	17.40	11.00	13.23	12.85
" " No. 3, "	8.55	9.88	8.39	7.92 [1]	9.25	8.49
1x4, C. M., No. 1, 16 ft.	25.50 [2]	....	....	....	25.50 [2]	25.50 [1]
" " " other lengths	25.14	....	....	....	25.14	25.70
" " No. 2, all lengths	13.57	....	....	....	13.57	16.00
" " No. 3, "	11.00 [1]	....	....	....	11.00 [1]	11.00
1x6, S 1 S, No. 1, 16 ft.	27.52	....	....	....	27.52	27.88
" " " other lengths	27.75	27.80	36.50	38.00	27.84	28.40
" " No. 2, all lengths	18.87	19.30	19.42	17.50	18.96	17.89
" " No. 3, "	9.36	9.95	11.29	12.73 [2]	9.68	9.59
1x6, C. M., No. 1, 16 ft.	28.00	....	....	....	28.00	27.75
" " " other lengths	25.46	31.52	....	27.00	28.19	27.67
" " No. 2, all lengths	19.91	19.18	....	19.27	19.43	18.33
" " No. 3. "	10.74	10.06	....	11.50	10.37	14.26
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	25.55	23.78	22.95	....	24.24	24.33
" " " 12 ft.	24.48	22.53	21.60	20.00	23.16	23.36
" " " 14 ft.	23.78	22.05	21.80	20.00	22.81	25.88
" " " 16 ft.	25.17	23.63	23.05	20.00	24.32	23.87
" " " 18 ft.	27.09	34.22	24.33	20.50 [1]	30.24	25.20
" " " 20 ft.	27.31	26.28	24.50	....	26.80	26.42
" " " 22 ft.	29.78	26.13	22.50 [1]	....	27.46	26.38
" " " 24 ft.	30.16	26.71	22.50 [1]	....	27.53	28.90
2x 6, No. 1, S 1 S 1 E, 10 ft.	21.58	21.07	19.75	19.29	20.76	19.76
" " " 12 ft.	19.06	20.24	18.82	19.29	19.24	18.52
" " " 14 ft.	19.40	19.67	18.82	19.29	19.48	19.13
" " " 16 ft.	20.21	20.50	19.00	20.00 [1]	20.32	19.92
" " " 18 ft.	21.76	20.82	19.61	24.00 [3]	20.85	20.19
" " " 20 ft.	22.07	21.25	19.61	....	21.67	21.93
" " " 22 ft.	24.26	22.35	21.74	....	22.35	24.34
" " " 24 ft.	27.51	23.43	22.64	....	24.63	26.47
2x 8, No. 1, S 1 S 1 E, 10 ft.	24.00	23.00	21.07	20.64	22.02	25.07
" " " 12 ft.	23.31	21.80	19.49	20.64	21.31	21.18
" " " 14 ft.	23.68	21.72	19.14	20.64	21.53	21.46
" " " 16 ft.	25.51	22.70	18.91	20.64	23.88	22.72
" " " 18 ft.	25.88	23.75	21.23	....	22.95	23.41
" " " 20 ft.	26.00	23.17	21.23	23.50 [3]	25.30	26.02
" " " 22 ft.	28.71	24.75	21.13	....	23.72	25.81
" " " 24 ft.	28.92	25.36	21.13	....	27.09	27.30
2x10, No. 1, S 1 S 1 E, 10 ft.	25.68	26.25	19.50	18.00 [3]	24.55	21.34
" " " 12 ft.	25.09	27.93	20.44	22.61 [2]	24.74	20.19
" " " 14 ft.	23.74	22.43	20.44	22.75 [2]	22.78	23.04
" " " 16 ft.	25.13	22.59	19.97	22.75 [2]	22.59	23.04
" " " 18 ft.	24.93	24.16	22.18	....	23.99	23.71
" " " 20 ft.	25.42	24.20	22.18	....	24.66	25.40
" " " 22 ft.	30.83	24.86	25.79	....	28.75	25.30
" " " 24 ft.	29.99	26.48	25.79	....	27.52	27.58
2x12, No. 1, S 1 S 1 E, 10 ft	29.39 [1]	25.35	23.02	25.50 [2]	23.99	26.55
" " " 12 ft.	27.50	23.19	22.83	26.25	23.94	22.17
" " " 14 ft.	25.70	23.35	22.83	26 25	23.73	26.31
" " " 16 ft.	26.43	23.39	24.44	26.25	24.80	24.61
" " " 18 ft.	26.75	25.20	25.23	27.25	25.65	25.03
" " " 20 ft.	27.63	26.89	25.23	27.25	27.16	27.60
" " " 22 ft.	31.42	27.60	27.15	26.00 [3]	29.23	28.18
" " " 24 ft.	30.38	28.37	27.15	26.00 [3]	29.17	29.29
2x 4, No. 2, S 1 S 1 E, 10 ft.	21.96	21.36	18.23	18.19	19.57	20.02
" " " 12 ft.	20.72	16.64	18.02	20.25	17.97	18.81
" " " 14 ft.	19.89	16.51	18.15	20.25	17.56	19.03
" " " 16 ft.	21.63	16.74	18.58	22.25	18.14	20.42
" " " 18 ft.	22.62	19.55	18.65	22.41	20.00	22.25
" " " 20 ft.	24.13	18.58	18.65	22.00	19.72	23.63
" " " 22 ft.	23.25	19.50	....	....	22.50	23.50
" " " 24 ft.	23.25	19.50	....	....	23.25	23.50
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.31	12.14	15.02	15.25	13.40	14.66
" " " 12 ft.	14.91	13.68	14.47	14.25	14.18	15.34
" " " 14 ft.	14.74	13.65	14.47	15.75	13.92	16.00
" " " 16 ft.	15.24	13.99	14.95	15.75	14.41	16.14
" " " 18 ft.	16.62	16.90	15.90	16.50	16.24	17.00
" " " 20 ft.	16.50	13.72	15.90	17.25	14.58	18.26
" " " 22 ft.	16.50	18.08	20.66	18.75	18.70	20.83
" " " 24 ft.	20.50	18.08	20.66	19.25	19.72	20.83

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	20.71	21.17	18.73	16.50[1]	20.09	19.61
" " " 12 ft.	19.51	15.47	17.89	20.10	16.17	18.05
" " " 14 ft.	18.58	15.50	18.30	20.00	16.09	17.47
" " " 16 ft.	21.07	16.80	18.08	20.00	18.31	19.91
" " " 18 ft.	22.93	18.51	18.46	22.00	19.93	21.18
" " " 20 ft.	21.41	18.92	18.46	22.00	19.96	21.98
" " " 22 ft.	25.00	21.90	20.00[1]	24.00	22.08	23.61
" " " 24 ft.	25.00	21.90	20.00[1]	....	25.00	23.61
2x10, No. 2, S 1 S 1 E, 10 ft.	19.75[1]	18.37	17.00	20.67[1]	17.91	20.65
" " " 12 ft.	22.41	16.18	17.68	18.89[1]	16.73	16.23
" " " 14 ft.	17.99	15.84	17.68	18.89[1]	16.17	17.39
" " " 16 ft.	25.10	17.23	17.16	20.43[1]	18.74	17.81
" " " 18 ft.	23.45	17.79	19.38	23.00[1]	19.15	19.00
" " " 20 ft.	27.00	17.75	19.38	23.00[1]	18.61	20.60
" " " 22 ft.	19.75[3]	22.72	19.38[1]	25.75[3]	22.72	23.75
" " " 24 ft.	24.25[2]	22.72	19.38[1]	....	22.72	23.75
2x12, No. 2, S 1 S 1 E, 10 ft.	18.43[1]	15.00	19.20[1]	18.00	17.57	18.85
" " " 12 ft.	21.85	17.15	19.00	18.00	18.81	16.00
" " " 14 ft.	21.89	17.13	19.00	18.00	18.51	20.50
" " " 16 ft.	24.21	17.88	17.95	17.12	13.83	17.12
" " " 18 ft.	24.80	21.75	19.00	18.63[3]	20.36	20.16
" " " 20 ft.	20.94	21.50	19.00	19.01[3]	21.12	21.68
" " " 22 ft.	21.50	23.33	26.75	....	23.43	25.09[1]
" " " 24 ft.	23.69	23.33	26.75	....	23.69	25.09[1]
No. 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All Nc 3, S 1 S 1 E, all lengths	9.34	8.91	9.26	10.50	9.28	9.36
PATENT LATH						
4 and 6 ft.	9.71	11.40	13.71	....	10.46	10.33
8 and 10 ft.	10.99	12.90	13.71	....	11.09	12.14
12 ft. and longer	11.84	12.75	13.71	....	11.89	13.06
PLASTERING LATH						
⅜x1½–4, No. 1	5.21	5.32	5.21	4.00	5.20	5.36
" No. 2	4.04	4.00	4.40	4.00[1]	4.13	3.98
⅜x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	—	....	....	....	....
⅝x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No 1, up to 20 ft.	20.33	20.56	19.46	....	20.18	21.00
" " 22-24 ft.	20.46	21.50	20.57	....	20.68	22.99
" " 26 ft.	22.76	24.50	23.88	....	23.56	23.51
" " 28 ft.	22.00	20.23	23.88	....	20.60	24.25
" " 30 ft.	23.59	25.00	21.50	....	24.06	23.99
" " over 30 ft.	24.53	26.55	21.50	....	23.61	26.81
4x4 to 8x8, Heart (85%+), up to 20 ft.	23.89	23.87	....	....	23.88	24.18
" " " 22-24 ft.	26.17	24.00	....	....	25.93	32.21
" " " 26 ft.	25.00[1]	....	....	....	25.00[1]	25.00
" " " 28 ft.	24.00[2]	....	....	....	24.00[2]	24.00[1]
" " " 30 ft.	26.75	....	....	....	26.75	31.58
" " " over 30 ft.	65.00[1]	....	....	....	65.00[1]	65.00
3 & 4x10, No. 1, up to 20 ft.	21.58	21.69	....	....	21.64	22.49
" " 22-24 ft.	24.00	23.67	....	....	23.68	23.80
" " 26 ft.	25.00[1]	23.67	....	....	23.67	25.00
" " 28 ft.	27.86	24.75	....	....	25.99	24.98[1]
" " 30 ft.	28.50	....	....	....	28.50	27.80[1]
" " over 30 ft.	30.00	....	....	....	30.00	28.50[1]
3 & 4x10, Heart (85%+), up to 20 ft.	24.18	22.29	....	....	23.72	25.00
" " " 22-24 ft.	27.00	26.00[3]	....	....	27.00	25.00
" " " 26 ft.	30.18	26.00[1]	....	....	30.18	26.00
" " " 28 ft.	27.00[2]	26.00[2]	....	....	26.56[2]	26.56[1]
" " " 30 ft.	34.00[1]	....	....	....	34.00[1]	34.00
" " " over 30 ft.	29.35[1]	....	....	....	29.35[1]	29.35

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 10
6x10, to 10x10, No. 1, up to 20 ft.	21.58	22.15	21.72	....	21.80	20.87
“ “ 22-24 ft.	23.04	24.20	28.03	....	23.48	21.80
“ “ 26 ft.	23.43	22.28	29.00	....	23.59	23.08
“ “ 28 ft.	24.00	23.13	29.00	....	23.28	24.00
“ “ 30 ft.	26.54	26.00	26.00[1]	....	26.39	32.17
“ “ over 30 ft.	29.39	28.18	28.15	....	28.60	29.30
6x10 to 10x10, Heart (85%+), up to 20 ft.	23.00	23.00[1]	....	....	23.00	23.57
“ “ “ 22-24 ft.	26.00[2]	26.75[2]	....	....	27.61[2]	27.61[1]
“ “ “ 26 ft.	....	22.00[3]	....	....	22.00[3]	22.00[2]
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	38.34[1]	30.75[2]	....	....	38.34[1]	38.34
“ “ “ over 30 ft.	39.41[1]	....	....	....	39.41[1]	39.41
3 & 4x12, No. 1, up to 20 ft.	25.00	25.81	....	....	25.41	24.44
“ “ 22 24 ft.	26.58	28.00	....	....	27.03	26.87
“ “ 26 ft.	24.75[3]	25.00[2]	....	....	25.00[2]	25.00[1]
“ “ 28 ft.	27.68	29.00	....	....	28.21	29.00
“ “ 30 ft.	30.63[2]	27.00[2]	....	....	30.45[2]	30.45[1]
“ “ over 30 ft.	33.71	....	....	....	33.71	30.83[2]
3 & 4x12 Heart (85%+), up to 20 ft.	29.11	26.97	....	....	28.42	27.55
“ “ “ 22-24 ft.	28.45	30.50	....	....	29.34	29.10
“ “ “ 26 ft.	33.00	29.00[1]	....	....	33.00	29.00
“ “ “ 28 ft.	....	28.00[3]	....	....	28.00[3]	28.00[2]
“ “ “ 30 ft.	32.91	....	....	....	32.91	32.00[2]
“ “ “ over 30 ft.	37.00[1]	....	....	....	37.00[1]	37.00
6x12 to 12x12, No. 1, up to 20 ft.	27.50	23.50	26.18	....	26.11	24.71
“ “ 22-24 ft.	25.74	26.10	21.50	....	25.59	25.77
“ “ 26 ft.	26.36	27.20	29.00	....	27.15	27.82
“ “ 28 ft.	26.95	28.00	29.00	....	27.46	26.64
“ “ 30 ft.	26.75[1]	28.33[2]	30.55[3]	....	26.75[1]	26.75
“ “ over 30 ft.	35.90	29.60	30.55[3]	....	34.76	28.58[1]
6x12 to 12x12 Heart (85%+), up to 20 ft.	27.24	24.00[1]	....	....	27.24	24.98
“ “ “ 22-24 ft.	27.26[2]	26.00[3]	....	....	27.26[2]	27.26[1]
“ “ “ 26 ft.	28.00[2]	....	....	....	28.00[2]	28.00[1]
“ “ “ 28 ft.	28.97[2]	28.00[2]	....	....	28.72[2]	28.72[1]
“ “ “ 30 ft.	....	29.20[2]	....	....	29.20[2]	29.20[1]
“ “ “ over 30 ft.	47.00[1]	46.00[2]	....	....	47.00[1]	47.00
2x14 to 4x14, No. 1,up - 2St2t	31.56	26.14	....	....	28.08	29.30
“ “ 22 ft.	38.44	33.00[1]	....	....	38.44	33.23
“ “ 26 ft.	....	36.00[1]	....	....	36.00[1]	36.00
“ “ 28 ft.	33.78	36.00[1]	....	....	33.78	36.00
“ “ 30 ft.	21.25	....	....	....	21.25	....
“ “ over 30 ft.	....	....	....	....	....	30.63[3]
2x14 to 4x14, Heart (85%+), up to 20 ft.	32.50	....	....	....	32.50	32.12
“ “ “ 22-24 ft.	32.51[1]	....	....	....	32.51[1]	32.51
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	35.50[1]	....	....	....	35.50[1]	35.50
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	35.00[1]	....	....	....	35.00[1]	35.00
6x14 to 14x14, No. 1, up to 20 ft.	28.94	27.39	23.00[1]	....	28.58	27.83
“ “ 22-24 ft.	28.07	29.00	33.00	....	31.69	23.00
“ “ 26 ft.	29.00[2]	....	33.75[2]	....	32.06[2]	32.06[1]
“ “ 28 ft.	....	....	....	....	....	24.00[3]
“ “ 30 ft.	....	....	30.00[2]	....	30.00[2]	30.00[1]
“ “ over 30 ft.	37.60	32.00	....	....	36.07	39.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	30.00	33.00[1]	....	....	30.00	33.29
“ “ “ 22-24 ft.	....	34.00[1]	....	....	34.00[1]	34.00
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	33.00[1]	31.00[3]	....	....	33.00[1]	33.00
“ “ “ 30 ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
“ “ “ over 30 ft.	....	34.00[2]	....	....	34.00[2]	34.00[1]
2x16 to 4x16, No. 1, up to 20 ft.	38.43[1]	46.00[1]	....	....	39.43[1]	39.43
“ “ 22-24 ft.	34.50[1]	....	....	....	34.50[1]	34.50
“ “ 26 ft.	35.50[1]	....	....	....	35.50[1]	35.50
“ “ 28 ft.	....	....	....	....	....	30.00[3]
“ “ 30 ft.	41.25[2]	....	....	....	41.25[2]	41.25[1]
“ “ over 30 ft.	....	....	....	....	....	32.10[3]
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	....	....	....	....	40.00[3]
“ “ “ 22-24 ft.	....	....	....	....	....	....
“ “ “ 26 ft.	....	....	....	....	....	....
“ “ “ 28 ft.	....	....	....	....	....	....
“ “ “ 30 ft.	....	....	....	....	....	....
“ “ “ over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 10
6x16 & Up, No. 1, up to 20 ft.	29.25	....	....	....	29.25	29.23
" " 22-24 ft.	30.74[1]	....	....	....	30.74[1]	30.74
" " 26 ft.	33.75[2]	....	....	....	33.75[2]	33.75[1]
" " 28 ft.	34.00[1]	....	....	....	34.00[1]	34.00
" " 30 ft.	48.01[1]	....	....	....	48.01[1]	48.01
" " over 30 ft.	40.65	....	....	....	40.65	37.91
6x16 & Up, Heart (85%+), up to 20 ft.	46.60[2]	....	....	....	46.60[2]	46.60[1]
" " " 22-24 ft.	....	....	....	....	....	31.00[3]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	36.25[2]	....	....	....	36.25[2]	36.25[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.00[1]	....	....	....	35.00[1]	35.00
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	30.00	....	....	....	30.00	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	34.00[3]	....	34.00[3]	34.00[2]
" " 28 ft.	33.44	33.00	....	....	33.25	31.40[3]
" " 30 ft.	34.15	34.13	....	....	34.14	....
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	35.25[2]	35.25[1]	....	....	35.25[1]	35.25
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	35.00	37.00[2]	37.00[1]	....	35.00	35.31
" " " 28 ft.	....	34.00[3]	37.00	....	37.00	35.43[1]
" " " 30 ft.	....	42.00	....	....	42.00	37.18[1]
" " " 32 ft.	....	36.00[2]	....	....	36.00[2]	36.00[1]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	30.00[2]	27.37	....	27.37	28.06
" " " 36 ft.	26.00	26.00	27.37	25.54	25.66	27.17
" " " 37-38 ft.	28.00	30.00	27.00	28.00	27.77	27.61
" " " 40 ft.	38.50	35.00[1]	27.00	....	38.50	27.92
" " " 41-42 ft.	38.50	40.00[1]	....	....	38.50	40.00
Up to 9 inch, Heart (85%+), 34 ft.	31.60[1]	....	....	....	31.60[1]	31.60
" " " " 36 ft.	32.70	33.00	....	....	32.83	31.11
" " " " 37-38 ft.	28.00	....	....	....	28.00	29.90[1]
" " " " 40 ft.	33.00	36.56[1]	....	....	33.00	36.56
" " " " 41-42 ft.	25.08	29.00[1]	....	....	25.08	29.00
Up to 10 inch, Sq. E. 34 ft.	32.09[1]	....	30.47	....	30.47	32.09
" " " 36 ft.	34.50	29.00	27.84[2]	23.82[1]	30.57	26.89
" " " 37-38 ft.	28.00	30.00	28.47[2]	31.00[1]	28.36	27.50
" " " 40 ft.	33.00	34.92[1]	29.00[2]	....	33.00	34.37
" " " 41-42 ft.	40.00	38.00	....	....	39.31	42.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	28.00[2]	....	....	....	28.00[2]	28.00[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	30.00[2]	....	....	....	30.00[2]	30.00[1]
" " " " 41-42 ft.	30.00[2]	....	....	....	30.00[2]	30.00
Up to 12 inch, Sq. E., 34 ft.	30.00[2]	....	32.00[1]	....	32.00[1]	32.00
" " " 36 ft.	36.00	31.00	32.00[1]	26.69[1]	35.76	26.69
" " " 37-38 ft.	32.50[2]	33.50	32.00[1]	30.00[3]	33.50	32.11
" " " 40 ft.	36.00[1]	....	30.00[3]	....	36.00[1]	36.00
" " " 41-42 ft.	....	....	....	36.00[1]	36.00[1]	36.00
Up to 12 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	36.50[3]	36.00	....	....	36.00	36.00
" " " " 37-38 ft.	....	32.50[2]	....	....	32.50[2]	32.50[1]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 10
Up to 14 inch, Sq. E., 34 ft.	....	....	37.66	....	37.66	....
" " " 36 ft.	38.00	42.00[3]	37.00	36.35	36.41	35.50[1]
" " " 37-38 ft.	34.00[1]	34.00[1]	....	....	34.00[1]	34.00
" " " 40 ft.	....	35.00[1]	....	40.00	40.00	35.00
" " " 41-42 ft.	....	....	....	....	......	37.50[3]
Up to 14 inch, Heart, (85%+), 34 ft.	40.00[3]	40.00[2]	....	....	40.00[2]	40.00[1]
" " " " 36 ft.	38.00[2]	39.00[1]	....	....	39.00[1]	39.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	40.00	....	....	....	40.00	39.50[2]
" " " " 41-42 ft.	40.00	....	....	....	40.00	....
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	24.22[3]
" " 14 ft.	27.00	27.75	....	....	27.27	25.00[2]
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	26.00[3]	32.50[1]	....	....	32.50[1]	32.50
" " " 14 ft.	28.00[1]	32.50[1]	....	....	28.00[1]	28.00
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	24.00[3]	24.00[3]	....	....	24.00[3]	24.00[2]
" " 16 ft.	....	....	....	....	....	24.00[3]
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	23.25	....	....	....	23.25	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	24.15	....	....	....	24.15	23.02
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8.	18.05	21.85	....	....	20.58	17.00[2]
" " Heart, (85%+), 6x8–8.	24.00[1]	22.44	....	....	22.44	24.00
" " Sq. E., " 7x9–8.	19.00	....	....	....	19.00	....
" " Heart, " 7x9–8.	25.22[1]	25.00	....	....	25.00	25.22
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	23.50[2]	....	....	....	23.50[2]	23.50[1]
Paving Stock, S 1 S.	....	....	22.00[2]	....	22.00[2]	22.00[1]
" " Rough.	16.00[3]	16.00[3]	17.50[2]	16.00[1]	16.00[1]	16.00
Battleship Decking, Edge Grain.	60.75[3]	....	....	....	60.75[3]	60.75[2]
Ship " Flat Grain.	....	....	....	....	....	....
Miscellaneous.	31.51	24.69	24.95	23.60	26.20	26.43
MISCELLANEOUS STOCK						
Silo Stock.	....	....	....	....	....	....
Grain Doors.	6.50[1]	....	....	....	6.50[1]	6.50
Miscellaneous, B and B.	58.15	54.40	54.96	56.62	56.32	54.53
" No. 1.	38.48	25.91	31.75	28.27	29.39	28.58
" No. 2.	24.11	20.88	18.49	15.79	18.61	18.35
" No. 3.	13.00	12.04	11.08	11.79	11.87	11.52
Shorts, B and B.	35.11	36.33	....	....	36.16	29.05
" No. 1.	11.62	20.04	....	....	13.27	12.66
" No. 2.	....	9.49	....	....	9.49	10.13
" No. 3.	....	7.00	....	....	7.00	11.50

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1 25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5 75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

November 30, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending November 30, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral ^{1} following a price indicates it has been brought forward from the first preceding report; the numeral ^{2} indicates it has been brought forward from the second preceding report; the numeral ^{3} indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE
(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued December 9, 1921

No. 149

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	66.14	....	....	....	66.14	70.42
“ “ C “	49.50[1]	....	....	....	49.50[1]	49.50
“ “ D “	48.50	....	....	....	48.50	....
“ “ No. 2 “	....	....	....	....	....	....
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	....
“ “ B and Better “	51.00	....	....	....	51.00	53.16
“ “ C “	....	....	....	....	....	....
“ “ D “	43.93[1]	....	....	....	43.93[1]	43.93
No. 1 Common “	....	....	....	....	....	....
No. 2 “ “	15.50	....	....	....	15.50	15.58
No. 3 “ “	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	75.00[3]	75.00[3]	75.00[2]
Edge Grain, A “	....	....	74.88	74.50[3]	74.88	74.34
“ “ B “	....	50.00	72.55	....	72.04	74.56
“ “ B and Better “	68.00	66.23	....	67.31	67.56	64.72
“ “ C “	....	52.50[1]	52.32	50.00[1]	52.32	58.06
“ “ D “	47.00	....	....	....	47.00	47.00[2]
“ “ No. 2 “	....	....	26.06	27.50[1]	26.06	25.50
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	....	....	....	....	35.00[3]
“ “ B and Better “	51.25	52.50	54.47	55.69	54.46	55.36
“ “ C “	....	....	....	....	....	....
“ “ D “	45.00[3]	....	....	....	45.00[3]	45.00[2]
No. 1 Common “	....	42.00[2]	43.25	48.00	43.40	42.51
No. 2 “ “	18.00	15.50	17.25	15.07	17.04	17.21
No. 3 “ “	....	....	8.31	6.00	7.69	8.95
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	....	....	....
Edge Grain, A “	....	....	68.00[2]	68.00[2]	68.00[2]	68.00[1]
“ “ B “	....	61.50[1]	71.06	51.00[3]	71.06	62.20
“ “ B and Better “	59.48	52.30	55.00[3]	60.50[1]	53.77	59.46
“ “ C “	45.00[3]	45.00[1]	49.00[1]	....	45.67[1]	45.67
“ “ D “	47.76[1]	....	....	....	47.76[1]	47.76
“ “ No. 2 “	....	....	26.50	21.00[1]	26.50	22.34
Flat “ A “	....	....	....	....	....	....
“ “ B “	....	51.46[1]	....	46.00[3]	51.46[1]	51.46
“ “ B and Better “	50.16	50.33	47.55	46.18	49.17	49.59
“ “ C “	40.00[3]	42.86	....	....	42.86	39.41[2]
“ “ D “	38.82	....	....	....	38.82	40.12
No. 1 Common “	....	39.37	39.57	38.15	39.45	39.11
No. 2 “ “	18.05	18.19	16.48	15.23	16.80	17.34
No. 3 “ “	....	....	9.15	9.50	9.17	8.11
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	38.21	33.75	32.25	41.25	37.64	38.26
“ “ No. 1 Common	28.71[2]	30.11[1]	33.95	34.00	33.96	30.78
“ “ No. 2 “	13.51	13.25[1]	15.03	16.00[2]	14.70	13.13
“ “ No. 3 “	....	....	6.50[1]	....	6.50[1]	6.50
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	38.96	39.70	39.02	40.50	39.26	39.56
“ “ No. 1 Common	33.10	32.58	36.40	35.00[1]	34.51	32.65
“ “ No. 2 “	14.30	15.17	16.67	15.71[1]	15.37	15.14
“ “ No. 3 “	....	....	7.50	6.50[1]	7.50	6.39
Ceiling, ¾x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	50.16[2]	....	45.38	39.50[2]	45.38	41.10[1]
“ “ No. 1 Common	43.50	39.00[1]	32.00[1]	....	43.50	38.54
“ “ No. 2 “	17.01[2]	20.00[1]	17.00	....	17.00	17.06
“ “ No. 3 “	....	....	14.00[1]	....	14.00[1]	14.00
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	54.50	51.75	52.03	50.88	51.60	49.60
“ “ No. 1 Common	42 40	30.25	45.00	40.00	40.37	43.05
“ “ No. 2 “	22.50[1]	15.50	21.16	....	17.65	17.37
Partition, ¾x5¼", A	....	....	....	....	....	....
“ “ B	....	....	....	....	....	....
“ “ B and Better	52.25[1]	55.00[3]	52.03	....	52.03	52.25
“ “ No. 1 Common	42.50[2]	29.25[1]	45.00	....	45.00	29.25
“ “ No. 2 “	21.00	20.00	21.16	....	20.81	18.60
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
“ B	....	....	....	....	....	....
“ B and Better	36.53	29.00	26.50	....	34.18	33.41
“ No. 1 Common	26.00[3]	20.14[1]	40.00	23.00[2]	40.00	21.41
“ No. 2 “	16.87	13.00[1]	20.00	14.00[2]	17.01	15.88

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	40.42	39.62	38.34	41.00[1]	39.48	40.17
" " No. 1 Common	35.09	33.78	33.86	33.42	33.97	34.55
" " No. 2 "	20.97	21.23	20.51	19.91	20.62	20.90
" " No. 3 "	....	....	10.37	9.00	10.25	10.65
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	52.26	50.93	48.97	65.00	50.55	51.12
1x 6 inch, "	52.46	51.68	46.28	55.42	48.70	51.44
1x 8 inch, "	52.36	51.91	52.37	54.29	52.40	50.10
1x 5 and 10 inch, "	57.92	56.20	55.09	59.75[2]	56.65	56.18
1x12 inch, "	57.98	55.43	54.53	47.50	55.78	56.61
1¼x4 to 12 inch, "	66.14	60.20	61.61	55.00	62.42	62.40
1½ and 2x4 to 12 inch, "	63.36	60.83[3]	60.03	60.00	60.80	57.17
1⅝ inch, "	53.00	53.60	....	....	53.52	54.00
1x 6 to 12 inch, "	....	....	....	52.50[1]	52.50[1]	52.50
1x 4 inch, C	46.00[2]	....	42.00[2]	....	42.67[2]	42.67[1]
1x 6 inch, "	43.79[1]	47.00	42 00[2]	....	47 00	41.85
1x 8 inch, "	42.28	47.00	39.00[2]	....	42.60	44.45
1x 5 and 10 inch, "	46.54	49.00[1]	45 75[3]	....	46.54	49.26
1x12 inch, "	45 00[2]	50.00[3]	52.00[1]	....	52.00[1]	52.00
1¼x4 to 12 inch, "	48.80[2]	52.60[3]	....	....	48.80[2]	48 80[1]
1½ and 2x4 to 12 inch, "	47.75[2]	....	....	....	47.75[2]	47.75[1]
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	50.50[1]	....	50.00	35.00[2]	50.00	50.50
1x 6 inch, " "	43.50	46.00[1]	48.13	42.50[3]	47.15	47.64
1x 8 inch, " "	43.50	47.00	55.00	42.50[3]	44.69	48.25
1x 5 and 10 inch, " "	55.75[1]	46.00[1]	54.22	....	54.22	51.26
1x12 inch, " "	56.78[1]	46.00[1]	54.00	....	54.00	52.84
1¼x4 to 12 inch, " "	62.80[1]	48.50	57.50	52.74[2]	53.90	61.70
1½ and 2x4 to 12 inch, " "	51.50	62.00[3]	52.40	65.25[2]	51.87	57.08
1⅝ inch, " "	....	47.00[2]	....	....	47.00[2]	47.00[1]
1x 6 to 12 inch, " "	....	....	....	46.58	46.58	47.00
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	60.56	58.95	55.01	65.00[2]	56.67	57.78
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	55.34	59.64	52.66	60.00[2]	53.82	58.48
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	64.30	61.25[1]	64.00	....	64.12	60.44
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	42.25[1]	35.31[1]	....	....	37.05[1]	37.05
" " " " " 8 ft.	25.50	24.00	32.50[2]	....	25.08	26.36
" " " " " 12 and 14 ft.	53.00[1]	....	....	....	53.00[1]	53.00
" " " " " 16 ft.	....	....	....	....	....	....
" " " " " 9 or 18 ft.	56.00	55.77[1]	55 50	40.00	54.24	55.77
" " " " " 10 or 20 ft	51.38	52.62	47.00[1]	40.00	52.10	51.00

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	23.19[2]	21.00	....	....	21.00	23.50
" " " " " 8 ft.	28.00[1]	23.98	....	....	23.98	28.00
" " " " " 12 and 14 ft.	28.00[1]	50.00[2]	....	....	28.00[1]	28.00
" " " " " 16 ft.	33.00[3]	42.37[1]	....	....	42.37[1]	42.37
" " " " " 9 or 18 ft.	40.00[1]	30.66	45.00[2]	....	30.66	38.61
" " " " " 10 or 20 ft.	35.00[1]	32.68[1]	27.80	....	27.80	33.11
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	25.00[2]	21.00	....	....	21.00	23.50
" " " " " 8 ft.	26.00[2]	23.98	....	....	23.98	26.00[1]
" " " " " 12 and 14 ft.	26.00[2]	50.00[2]	....	....	26.00[2]	26.00[1]
" " " " " 16 ft.	42.25[2]	42.37[1]	....	....	42.25[1]	42.25
" " " " " 9 or 18 ft.	34.19[1]	30.66	45.00[2]	....	30.66	34.19
" " " " " 10 or 20 ft.	36.07[1]	32.68[1]	27.80	....	27.80	36.07
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	11.57	15.00	....	....	13.00	21.13
" " " " " 10 to 20 ft.	18.50	16.41	....	....	16.87	18.57
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	25.00[3]
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00[2]	....	....	24.00[2]	24.00[1]
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00[1]	....	....	24.00[1]	24.00
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	27.00[1]	....	....	....	27.00[1]	27.00
" " " 2 to 3 inch, 9 & 18 ft.	25.00	27.00	24.50	15.41	22.22	27.40
" " " 2 to 3 inch 10 & 20 ft.	25.00	21.50	24.50	27.75[1]	21.50	27.75
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	....	....	....	....	....
" " " 2 to 3 inch, 10 & 20 ft.	....	....	....	16.50[3]	16.50[3]	16.50[2]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	27.86	....	....	....	27.86	28.38
" " " " other lengths.	27.93	26.74	36.42	30.00[1]	28.22	28.07
" " 1x10, " 14 and 16 ft.	27.26	....	....	....	27.26	27.64
" " " " other lengths.	27.84	27.48	29.64	30.00[1]	27.97	28.81
" " 1x12, " 14 and 16 ft.	40.06	37.90[3]	....	....	40.06	40.40
" " " " other lengths.	39.86	39.17	41.56	38.00[1]	39.82	39.18
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	18.98	17.78	19.56	18.71	18.99	19.83
" " 1x10, " "	19.99	21.09	19.64	19.89	20.07	22.69
" " 1x12, " "	21.32	22.56	20.82	20.59	21.44	21.20
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	11.44	12.12	12.86	12.85	12.17	11.85
" " 1x10, " "	11.55	11.98	13.24	12.85	12.04	12.51
" " 1x12, " "	10.87	11.77	13.37	12.85	11.55	11.85
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	27.24	....	....	....	27.24	27.89
" " " other lengths.	27.30	24.06	26.67	25.00[2]	25.62	28.35
" 1x10, " 14 and 16 ft.	28.50	....	....	....	28.50	28.87
" " " other lengths.	26.61	29.35	26.00	25.00[2]	27.07	27.76
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	19.63	25.87	18.76	19.06	20.12	20.13
" 1x10, " "	20.10	20.64	19.54	19.50	19.92	20.09
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	11.62	12.64	12.74	15.00	12.25	12.85
" 1x10, " "	11.61	11.94	13.01	15.00	12.07	12.52
" 1x12, " "	10.85	11.84	....	....	11.37	12.81
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	29.02[2]	....	....	....	29.02[2]	29.02[1]
" " " " other lengths.	29.50[1]	....	....	....	29.50[1]	29.50
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	7.00[1]	....	6.50	....	6.50	5.89

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
1x4, S 1 S, No. 1, 16 ft.	27.16	....	....	....	27.16	27.18
“ “ “ other lengths	26.49	27.11	39.00	38.50	27.83	26.70
“ “ No. 2, all lengths	13.29	12.16	17.56	11.17	13.30	13.23
“ “ No. 3, “	7.32	6.83	8.17	10.00	7.40	9.25
1x4, C. M., No. 1, 16 ft.	25.50[3]	....	....	....	25.50[3]	25.50[2]
“ “ “ other lengths	24.00	....	....	....	24.00	25.14
“ “ No. 2, all lengths	13.57[1]	....	....	....	13.57[1]	13.57
“ “ No. 3, “	8.50	....	....	....	8.50	11.00[1]
1x6, S 1 S, No. 1, 16 ft.	27.82	....	....	....	27.82	27.52
“ “ “ other lengths	26.39	23.06	38.86	34.00	25.38	27.84
“ “ No. 2, all lengths	17.96	17.24	19.82	18.62	18.50	18.96
“ “ No. 3, “	8.95	11.02	15.63	15.59	11.21	9.68
1x6, C. M., No. 1, 16 ft.	28.50	....	....	....	28.50	28.00
“ “ “ other lengths	26.85	24.20	....	27.00[1]	26.01	28.19
“ “ No. 2, all lengths	17.29	18.08	....	19.19	17.97	19.43
“ “ No. 3, “	9.25	9.56	....	10.43	9.58	10.37
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	25.68	24.65	22.38	....	24.19	24.24
“ “ “ 12 ft.	24.14	22.92	21.52	20.00[1]	23.28	23.16
“ “ “ 14 ft.	24.02	20.52	21.66	20.00[1]	21.32	22.81
“ “ “ 16 ft.	23.54	20.87	22.09	24.42	22.45	24.32
“ “ “ 18 ft.	27.07	26.06	22.70	20.50[2]	25.59	30.24
“ “ “ 20 ft.	26.70	26.58	22.70	....	26.65	26.80
“ “ “ 22 ft.	28.97	28.83	22.50[2]	....	28.88	27.46
“ “ “ 24 ft.	29.38	28.00	22.50[2]	....	28.59	27.53
2x 6, No. 1, S 1 S 1 E, 10 ft.	22.00	20.10	20.08	19.29[1]	20.41	20.76
“ “ “ 12 ft.	17.86	19.34	18.47	19.29[1]	18.51	19.24
“ “ “ 14 ft.	17.94	18.95	18.47	19.29[1]	18.45	19.48
“ “ “ 16 ft.	18.72	18.67	18.20	20.00[2]	18.54	20.32
“ “ “ 18 ft.	20.12	19.68	19.48	24.00	19.72	20.85
“ “ “ 20 ft.	22.41	19.07	19.48	....	20.33	21.67
“ “ “ 22 ft.	22.05	20.79	24.30	....	21.43	22.35
“ “ “ 24 ft.	22.63	21.33	24.30	....	21.71	24.63
2x 8, No. 1, S 1 S 1 E, 10 ft.	20.87	23.00	21.50	20.64[1]	21.47	22.02
“ “ “ 12 ft.	22.01	22.55	20.43	20.64[1]	21.72	21.31
“ “ “ 14 ft.	21.63	22.63	20.53	20.64[1]	21.52	21.53
“ “ “ 16 ft.	22.67	21.53	18.78	20.64[1]	20.98	23.88
“ “ “ 18 ft.	25.50	25.07	20.98	25.00	22.24	22.95
“ “ “ 20 ft.	26.00	24.35	20.98	25.00	25.56	25.30
“ “ “ 22 ft.	26.52	21.95	23.53	....	22.79	23.72
“ “ “ 24 ft.	28.28	22.91	23.53	....	23.38	27.09
2x10, No. 1, S 1 S 1 E, 10 ft.	22.50	26.25[1]	21.60	....	21.96	24.55
“ “ “ 12 ft.	23.23	23.54	19.80	22.61[3]	20.46	24.74
“ “ “ 14 ft.	23.39	23.25	19.80	22.75[3]	23.32	22.78
“ “ “ 16 ft.	24.11	21.64	20.22	22.75[3]	21.35	22.59
“ “ “ 18 ft.	25.77[3]	21.92	21.44	26.50	22.53	23.99
“ “ “ 20 ft.	25.08	21.78	21.44	....	22.44	24.66
“ “ “ 22 ft.	29.14	23.35	26.81	....	24.04	28.75
“ “ “ 24 ft.	27.10	23.88	26.81	....	24.32	27.52
2x12, No. 1, S 1 S 1 E, 10 ft.	25.74	25.00	24.00	25.50[3]	24.17	23.99
“ “ “ 12 ft.	24.10	24.89	22.84	26.25[1]	23.75	23.94
“ “ “ 14 ft.	25.81	24.44	22.84	26.25[1]	25.28	23.73
“ “ “ 16 ft.	26.47	26.62	21.28	26.25[1]	24.61	24.80
“ “ “ 18 ft.	26.39	29.34	23.63	27.25[1]	26.11	25.65
“ “ “ 20 ft.	27.14	24.31	23.63	27.25[1]	25.54	27.16
“ “ “ 22 ft.	31.64	24.60	24.00	....	26.15	29.23
“ “ “ 24 ft.	30.67	25.35	24.00	....	26.56	29.17
2x 4, No. 2, S 1 S 1 E, 10 ft.	21.65	21.36	19.27	16.25	20.72	19.57
“ “ “ 12 ft.	20.90	20.65	17.28	17.00	19.01	17.97
“ “ “ 14 ft.	20.87	20.30	17.18	15.75	18.87	17.56
“ “ “ 16 ft.	22.23	21.25	18.30	16.75	19.84	18.14
“ “ “ 18 ft.	23.75	22.94	19.91	19.25	21.43	20.00
“ “ “ 20 ft.	24.04	23.46	19.91	22.75	23.75	19.72
“ “ “ 22 ft.	29.00	19.50[1]	....	....	29.00	22.50
“ “ “ 24 ft.	29.00	19.50[1]	....	....	29.00	23.25
2x 6, No. 2, S 1 S 1 E, 10 ft.	16.56	15.30	15.50	13.75	15.37	13.40
“ “ “ 12 ft.	14.76	15.00	15.29	15.41	15.11	14.18
“ “ “ 14 ft.	16.03	15.35	15.29	15.41	15.64	13.92
“ “ “ 16 ft.	15.95	15.91	16.03	15.41	15.97	14.41
“ “ “ 18 ft.	17.84	17.14	17.21	17.44	17.31	16.24
“ “ “ 20 ft.	16.61	16.73	17.21	18.13	16.77	14.58
“ “ “ 22 ft.	16.50[1]	21.00	20.66[1]	18.75[1]	21.00	18.70
“ “ “ 24 ft.	20.50[1]	21.00	20.66[1]	18.00	18.00	19.72

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
2x 8, No. 2, S 1 S 1 E, 10 ft.	20.71[1]	19.78	17.71	16.50[2]	18.88	20.09
" " " 12 ft.	20.37	18.68	17.22	16.95	18.88	16.17
" " " 14 ft.	19.21	19.53	17.03	16.39	17.58	16.09
" " " 16 ft.	21.98	21.78	17.36	15.43	20.30	18.31
" " " 18 ft.	23.87	22.73	19.34	18.77[1]	22.04	19.93
" " " 20 ft.	22.64	22.16	19.34	22.00[1]	22.33	19.96
" " " 22 ft.	25.00[1]	21.90[1]	25.00	24.00[1]	25.00	22.08
" " " 24 ft.	25.00[1]	21.90[1]	25.00	....	25.00	25.00
2x10, No. 2, S 1 S 1 E, 10 ft.	16.00	16.84	16.00	20.67[2]	16.79	17.91
" " " 12 ft.	20.95	16.16	16.52	15.25	15.90	16.73
" " " 14 ft.	18.25	17.59	16.53	17.76	17.80	16.17
" " " 16 ft.	20.51	20.28	15.69	18.50	18.08	18.74
" " " 18 ft.	21.75	22.70	15.43	23.00[2]	20.19	19.15
" " " 20 ft.	19.96	22.32	15.43	19.39	20.58	18.61
" " " 22 ft.	....	25.81	19.38[2]	....	25.81	22.72
" " " 24 ft.	24.25[3]	25.81	19.38[2]	....	25.81	22.72
2x12, No. 2, S 1 S 1 E, 10 ft.	19.27	15.00[1]	17.00	18.00[1]	18.28	17.57
" " " 12 ft.	19.50	18.50	18.25	16.75	18.79	18.81
" " " 14 ft.	18.45	18.50	18.25	18.00[1]	18.46	18.51
" " " 16 ft.	20.45	20.83	15.25	17.12[1]	20.23	13.83
" " " 18 ft.	20.40	22.60	18.42	18.75	21.73	20.36
" " " 20 ft.	21.31	22.57	18.42	18.85	21.39	21.12
" " " 22 ft.	21.16	25.00	21.00	....	22.16	23.43
" " " 24 ft.	21.82	25.00	21.00	....	21.83	23.69
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	9.43	8.66	9.57	10.50[1]	9.29	9.28
PATENT LATH						
4 and 6 ft.	9.46	10.25	12.69	....	10.67	10.46
8 and 10 ft.	11.08	10.54	12.69	....	11.01	11.09
12 ft. and longer	11.54	10.25	12.69	....	11.35	11.89
PLASTERING LATH						
⅜x1½-4, No. 1	4.98	5.21	5.21	4.50	5.09	5.20
" No. 2	3.97	4.25	3.86	3.50	3.99	4.13
⅜x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No 1, up to 20 ft.	19.11	21.08	21.45	....	20.27	20.18
" " 22-24 ft.	22.39	22.33	20.57[1]	....	22.38	20.68
" " 26 ft.	21.00	24.50[1]	25.63	....	25.36	23.56
" " 28 ft.	23.50	25.25	25.63	....	23.59	20.60
" " 30 ft.	23.83	27.00	21.50[1]	....	23.97	24.06
" " over 30 ft.	26.77	28.50	21.50[1]	....	26.81	23.61
4x4 to 8x8, Heart (85%+), up to 20 ft.	24.51	24.15	....	....	24.30	23.88
" " " 22-24 ft.	25.40	24.00	....	....	25.15	25.93
" " " 26 ft.	25.00[2]	....	....	....	25.00[2]	25.00[1]
" " " 28 ft.	24.00[3]	....	....	....	24.00[3]	24.00[2]
" " " 30 ft.	27.00	....	....	....	27.00	26.75
" " " over 30 ft.	30.25	....	....	....	30.25	65.00[1]
3 & 4x10, No. 1, up to 20 ft.	21.19	22.88	....	....	21.71	21.64
" " 22-24 ft.	26.37	22.00	....	....	26.32	23.68
" " 26 ft.	22.75	23.67[1]	....	....	22.75	23.67
" " 28 ft.	27.86[1]	24.75[1]	....	....	25.99[1]	25.99
" " 30 ft.	28.50[1]	....	....	....	28.50[1]	28.50
" " over 30 ft.	30.00[1]	....	....	....	30.00[1]	30.00
3 & 4x10, Heart (85%+), up to 20 ft.	26.94	25.38	....	....	25.49	23.72
" " " 22-24 ft.	27.00[1]	25.22	....	....	25.22	27.00
" " " 26 ft.	30.18[1]	25.00	....	....	25.00	30.18
" " " 28 ft.	27.00[3]	27.00	....	....	27.00	26.56[2]
" " " 30 ft.	34.00[2]	....	....	....	34.00[2]	34.00[1]
" " " over 30 ft.	29.35[2]	....	....	....	29.35[2]	29.35[1]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
6x10, to 10x10, No. 1, up to 20 ft.	21.82	22.54	22.89	....	22.30	21.80
" " 22-24 ft.	29.00	24.20[1]	28.03[1]	....	29.00	23.48
" " 26 ft.	29.00	22.28[1]	29.00[1]	....	29.00	23.59
" " 28 ft.	24.00[1]	23.13[1]	29.00[1]	....	23.28[1]	23.28
" " 30 ft.	26.54[1]	26.00[1]	27.88	....	27.88	26.39
" " over 30 ft.	42.00	28.18[1]	28.15[1]	....	42.00	28.60
6x10 to 10x10, Heart (85%⁺), up to 20 ft.	25.00	28.80	....	....	27.58	23.00
" " " 22-24 ft.	25.00	26.75[3]	....	....	25.00	27.61[2]
" " " 26 ft.	25.00	....	....	....	25.00	22.00[3]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	25.00	30.75[3]	....	....	25.00	38.34[1]
" " " over 30 ft.	28.16	....	....	....	28.16	39.41[1]
3 & 4x12. No. 1, up to 20 ft.	26.12	24.09	....	....	25.75	25.41
" " 22 24 ft.	28.00	24.00	....	....	25.10	27.03
" " 26 ft.	18.34	25.00[3]	....	....	18.34	25.00[2]
" " 28 ft.	27.68[1]	29.00[1]	....	....	28.21[1]	28.21
" " 30 ft.	31.00	27.00[3]	....	....	31.00	30.45[2]
" " over 30 ft.	49.00	....	....	....	49.00	33.71
3 & 4x12 Heart (85%⁺), up to 20 ft.	28.11	28.44	....	....	28.39	28.42
" " " 22-24 ft.	29.00	30.50[1]	....	....	29.00	29.34
" " " 26 ft.	33.00[1]	29.00[2]	....	....	33.00[1]	33.00
" " " 28 ft.	....	....	....	....	....	28.00[3]
" " " 30 ft.	32.91[1]	31.00	....	....	31.00	32.91
" " " over 30 ft.	37.00[2]	....	....	....	37.00[2]	37.00[1]
6x12 to 12x12, No. 1, up to 20 ft.	23.97	22.56	24.76	....	24.12	26.11
" " 22-24 ft.	22.63	26.10[1]	26.52	....	23.70	25.59
" " 26 ft.	26.39	27.00	26.67	....	26.46	27.15
" " 28 ft.	26.95[1]	28.00[1]	26.67	....	26.67	27.46
" " 30 ft.	29.00	28.33[3]	....	....	29.00	26.75[1]
" " over 30 ft.	44.52	29.60[1]	32.00	....	37.77	34.76
6x12 to 12x12 Heart (85%⁺), up to 20 ft.	26.90	24.50	....	....	26.79	27.24
" " " 22-24 ft.	28.00	26.17	....	....	26.86	27.26[2]
" " " 26 ft.	30.00	27.50	....	....	28.21	28.00[2]
" " " 28 ft.	28.97[3]	28.00[3]	....	....	28.72[3]	28.72[2]
" " " 30 ft.	....	29.20[3]	....	....	29.20[3]	29.20[2]
" " " over 30 ft.	47.00[2]	46.00[3]	....	....	47.00[2]	47.00[1]
2x14 to 4x14, No. 1,up - 2St2t.	30.00	28.00	....	....	28.18	28.08
" " 22 ft.	38.44[1]	28.00	....	....	28.00	38.44
" " 26 ft.	33.00	36.00[2]	....	....	33.00	36.00[1]
" " 28 ft.	33.78[1]	36.00[2]	....	....	33.78[1]	33.78
" " 30 ft.	21.25[1]	....	....	....	21.25[1]	21.25
" " over 30 ft.	....	....	....	....	....	....
2x14 to 4x14, Heart (85%⁺), up to 20 ft.	32.50[1]	33.50	....	....	33.50	32.50
" " " 22-24 ft.	32.51[2]	....	....	....	32.51[2]	32.51[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.50[2]	....	....	....	35.50[2]	35.50[1]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	35.00[2]	....	....	....	35.00[2]	35.00[1]
6x14 to 14x14, No. 1, up to 20 ft.	28.00	23.25	30.06	....	29 89	28.58
" " 22-24 ft.	28.07[1]	29.00[1]	28.67	....	28.67	31.69
" " 26 ft.	29.00[3]	....	33.75[3]	....	32.06[3]	32.06[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	30.00[3]	....	30.00[3]	30.00[2]
" " over 30 ft.	58.75	32.00[1]	35.00	....	42.68	36.07
6x14 to 14x14, Heart (85%⁺), up to 20 ft.	32.00	26.50	....	....	26.71	30.00
" " " 22-24 ft.	....	34.00[2]	....	....	34.00[2]	34.00[1]
" " " 26 ft.	34.00	....	....	....	34.00	....
" " " 28 ft.	33.00[2]	....	....	....	33.00[2]	33.00[1]
" " " 30 ft.	....	32.00[3]	....	....	32.00[3]	32.00[2]
" " " over 30 ft.	....	34.00[3]	....	....	34.00[3]	34.00[2]
2x16 to 4x16, No. 1, up to 20 ft.	32.00	46.00[2]	....	....	32.00	39.43[1]
" " 22-24 ft.	34.00	....	....	....	34.00	34.50[1]
" " 26 ft.	35.50[2]	....	....	....	35.50[2]	35.50[1]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	41.25[3]	....	....	....	41.25[3]	41.25[2]
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%⁺), up to 20 ft.	....	34.50	....	....	34.50	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
6x16 & Up, No. 1, up to 20 ft.	26.16	....	....	....	26.16	29.25
" " 22-24 ft.	28.56	....	....	....	28.56	30.74[1]
" " 26 ft.	33.75[3]	....	35.00	....	35.00	33.75[2]
" " 28 ft.	35.00	....	35.00	....	35.00	34.00[1]
" " 30 ft.	48.01[2]	....	....	....	48.01[2]	48.01[1]
" " over 30 ft.	40.65[1]	....	....	....	40.65[1]	40.65
6x16 & Up, Heart (85%+), up to 20 ft.	46.60[3]	....	....	....	46.60[3]	46.60[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	36.25[3]	....	....	....	36.25[3]	36.25[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	39.00	....	....	....	39.00	....
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.00[2]	....	....	....	35.00[2]	35.00[1]
" " " 30 ft.	....	....	....	....	....	....
" " " 32 ft.	....	....	....	....	....	....
16 inch, Sq. E. up to 20 ft.	30.00[1]	....	....	....	30.00[1]	30.00
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	34.00[3]
" " 28 ft.	33.44[1]	33.00[1]	37.52	....	37.52	33.25
" " 30 ft.	34.15[1]	34.13[1]	....	....	34.14[1]	34.14
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	35.25[3]	35.25[2]	....	....	35.25[2]	35.25[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	35.00[1]	37.00[3]	37.00[2]	....	35.00[1]	35.00
" " " 28 ft.	40.00	35.00	38.00	....	35.48	37.00
" " " 30 ft.	....	36.00	....	....	36.00	42.00
" " " 32 ft.	....	37.00	....	....	37.00	36.00[2]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	26.00	27.74	....	27.51	27.37
" " " 36 ft.	26.25	26.00[1]	27.74	25.54[1]	26.25	25.66
" " " 37-38 ft.	28.00	28.00	27.00	28.00[1]	27.21	27.77
" " " 40 ft.	29.29	35.00[2]	28.98	....	29.02	38.50
" " " 41-42 ft.	29.29	40.00[2]	....	....	29.29	38.50
Up to 9 inch, Heart (85%+), 34 ft.	31.60[2]	....	....	....	31.60[2]	31.60[1]
" " " " 36 ft.	33.00	35.50	....	....	34.32	32.83
" " " " 37-38 ft.	28.00[1]	33.00	....	....	33.00	28.00
" " " " 40 ft.	33.00[1]	36.56[2]	....	....	33.00[1]	33.00
" " " " 41-42 ft.	25.08[1]	29.00[2]	....	....	25.08[1]	25.08
Up to 10 inch, Sq. E. 34 ft.	32.09[2]	....	29.31	....	29.31	30.47
" " " 36 ft.	26.82	29.00[1]	29.31	25.00	25.69	30.57
" " " 37-38 ft.	28.45	28.00	32.50	31.00[2]	30.77	28.36
" " " 40 ft.	28.68	34.92[2]	32.50	....	28.68	33.00
" " " 41-42 ft.	25.00	38.00[1]	....	....	25.00	39.31
Up to 10 inch, Heart, (85%+), 34 ft.	....	36.50	....	....	36.50	....
" " " " 36 ft.	50.75	....	....	....	50.75	28.00[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	30.00[3]	....	....	....	30.00[3]	30.00[2]
" " " " 41-42 ft.	30.00[3]	....	....	....	30.00[3]	30.00[2]
Up to 12 inch, Sq. E., 34 ft.	31.25	....	38.79	....	37.82	32.00[1]
" " " 36 ft.	36.00[1]	31.00[1]	38.79	27.88	27.88	35.76
" " " 37-38 ft.	35.00	33.50[1]	34.26	....	34.52	33.50
" " " 40 ft.	36.00[2]	....	34.26	....	34.26	36.00[1]
" " " 41-42 ft.	35.44	....	....	36.00[2]	35.44	36.00[1]
Up to 12 inch, Heart, (85%+), 34 ft.	....	38.50	....	....	38.50	....
" " " " 36 ft.	50.75	36.00[1]	....	....	50.75	36.00
" " " " 37-38 ft.	....	32.50[3]	....	....	32.50[3]	32.50[2]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	35.26	....	35.26	37.66
" " " 36 ft.	34.75	....	37.00[1]	36.35[1]	34.75	36.41
" " " 37-38 ft.	35.38	35.00	37.44	....	35.75	34.00[1]
" " " 40 ft.	36.26	36.00	37.44	40.00[1]	36.23	40.00
" " " 41-42 ft.	....	....	....	....	....	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	40.00[3]	....	....	40.00[3]	40.00[2]
" " " " 36 ft.	38.00[3]	39.00[2]	....	....	39.00[2]	39.00[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	40.00[1]	....	....	....	40.00[1]	40.00
" " " " 41-42 ft.	40.00[1]	....	....	....	40.00[1]	40.00
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	27.00[1]	27.75[1]	....	....	27.27[1]	27.27
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	32.50[2]	....	....	32.50[2]	32.50[1]
" " " 14 ft.	28.00[2]	32.50[2]	....	....	28.00[2]	28.00[1]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	....	....	....	....	....	24.00[3]
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	....	....	....	....	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	23.25[1]	....	....	....	23.25[1]	23.25
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	23.78	....	....	....	23.78	24.15
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	18.05[1]	21.85[1]	....	....	20.58[1]	20.58
" " Heart, (85%+), 6x8–8	24.00[2]	24.00	....	....	24.00	22.44
" " Sq. E., " 7x9–8	19.00[1]	....	....	....	19.00[1]	19.00
" " Heart, " 7x9–8	25.22[2]	25.00[1]	....	....	25.00[1]	25.00
Bridge Ties, Sq. E., 7x9 & up	....	....	....	....	....	....
" " Heart,	26.00	....	....	....	26.00	23.50[2]
Paving Stock, S 1 S	....	....	22.00[3]	....	22.00[3]	22.00[2]
" " Rough	....	....	17.50[3]	16.00[2]	16.00[2]	16.00[1]
Battleship Decking, Edge Grain	....	....	....	....	....	60.75[3]
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	26.82	24.33	22.48	22.99	23.96	26.20
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	6.50[2]	....	....	....	6.50[2]	6.50[1]
Miscellaneous, B and B	38.70	52.00	49.44	39.46	44.81	56.32
" No. 1	31.88	30.88	31.46	28.38	30.93	29.39
" No. 2	20.17	20.16	18.04	18.03	18.45	18.61
" No. 3	9.71	10.22	11.56	11.19	10.73	11.87
Shorts B and B	31.96	32.11	....	....	32.05	36.16
" No. 1	13.07	20.36	....	....	13.21	13.27
" No. 2	....	10.72	....	....	10.72	9.49
" No. 3	....	7.00[1]	....	....	7.00[1]	7.00

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2,50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5 00	5.00	5.25	5.25	5 25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.25	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16 75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10 25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

December 10, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending December 10, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	2,000
Flooring, 13/16x3¼	2,200
Flooring, 13/16x5¼	2,400
Ceiling, ⅜	1,000
Ceiling, ½	1,200
Ceiling, ⅝	1,500
Ceiling, ¾	1,800
Partition, ¾	1,900
Shiplap and D. & M. ¾	2,400
Grooved Roofing, 13/16	2,600
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400

For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.

Siding, from inch stock	1,100
Siding, from 1¼ inch stock	1,400
Drop Siding to ¾	1,900
Moulded Casing, 4½ to 5¼	2,000
Moulded Base, from 8, 10, 12 inch stock	2,100
Finish, inch, S 1 S or S 2 S to 13/16	2,600
Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Com. Boards, 1x12, rough	3,500
2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
2x4, 2x6 and 2x8, rough	3,400
2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800
2x14 and 3x12, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800
4x4 and 6x6, rough	4,500
6x8 and over, rough	4,500
6x8 and over, S 4 S	3,800

Plastering Lath, dry	550
Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued December 20, 1921

No. 150

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼".....	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	65.70	....	....	....	65.70	66.14
" " C "	49.50[2]	....	....	....	49.50[2]	49.50[1]
" " D "	48.50	....	....	....	48.50	48.50
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	53.00	....	....	....	53.00	51.00
" " C "	....	....	....	....	....	....
" " D "	38.50	....	....	....	38.50	43.93[1]
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	15.00	....	....	....	15.00	15.50
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½".....	....	....	....	....	....	75.00[3]
Edge Grain, A "	....	....	74.69	....	74.69	74.88
" " B "	....	50.00[1]	73.79	....	73.79	72.04
" " B and Better "	68.00[1]	66.96	....	69.46	68.96	67.56
" " C "	....	52.50[2]	56.54	50.75	55.84	52.32
" " D "	47.00[1]	....	....	....	47.00[1]	47.00
" " No. 2 "	....	....	25.81	23.16	24.85	26.06
Flat " A "	....	....	....	....	....	....
" " B "	....	51.00	....	....	51.00	....
" " B and Better "	51.25[1]	50.59	52.91	50.05	51.91	54.46
" " C "	....	....	....	....	....	....
" " D "	....	....	....	....	....	45.00[3]
No. 1 Common "	....	42.00[3]	43.02	42.82	42.97	43.40
No. 2 " "	16.50	20.00	16.42	15.04	16.60	17.04
No. 3 " "	....	....	6.92	6.00[1]	6.92	7.69
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼".....	....	....	....	....	....	....
Edge Grain, A "	....	....	68.00[3]	68.00[3]	68.00[3]	68.00[2]
" " B "	....	62.18	55.37	....	58.72	71.06
" " B and Better "	58.14	60.13	....	60.50[2]	58.36	53.77
" " C "	48.00	50 50	49.00[2]	....	49.34	45.67[1]
" " D "	40.50	....	....	....	40.50	47.76[1]
" " No. 2 "	....	....	22.00	21.00[2]	22.00	26.50
Flat " A "	....	....	....	....	....	....
" " B "	....	51.00	....	....	51.00	51.46[1]
" " B and Better "	48.32	49.03	45.32	45.45	46.97	49.17
" " C "	....	42.86[1]	....	....	42.86[1]	42.86
" " D "	37.95	....	....	....	37.95	38.82
No. 1 Common "	....	38.46	36.53	36.92	37.02	39.45
No. 2 " "	17.13	18.54	15.95	15.18	16.45	16.80
No. 3 " "	....	....	9.02	8.25	8.71	9.17
CEILING						
Ceiling, ½x3¼", A..........................	....	....	....	....	....	....
" " B..........................	....	....	....	....	....	....
" " B and Better..................	38.21[1]	38.48	37.06	39.04	37.70	37.64
" " No. 1 Common..............	28.71[3]	30.00	30.36	33.00	30.64	33.96
" " No. 2 "	13.00	13.25[2]	13.41	16.00[3]	13.37	14.70
" " No. 3 "	....	....	11.75	....	11.75	6.50[1]
Ceiling, ⅝x3¼", A..........................	....	....	....	....	....	....
" " B..........................	....	....	....	....	....	....
" " B and Better..................	38.33	37.27	37.14	40.50[1]	37.65	39.26
" " No. 1 Common..............	32.44	32.85	33.83	35.00	32.87	34.51
" " No. 2 "	13.17	12.58	16.08	16.50	14.61	15.37
" " No. 3 "	....	....	5.00	6.50[2]	5.00	7.50
Ceiling, ¾x3¼", A..........................	....	....	....	....	....	....
" " B..........................	....	....	....	....	....	....
" " B and Better..................	50.16[3]	....	44.00	39.50[3]	44.00	45.38
" " No. 1 Common..............	40.50	39.00[2]	32.00[2]	....	40.50	43.50
" " No. 2 "	19.00	20.00[2]	16.00	....	17.08	17.00
" " No. 3 "	....	....	14.00[2]	....	14.00[2]	14.00[1]
PARTITION						
Partition, ¾x3¼", A..........................	....	....	....	....	....	....
" " B..........................	....	....	....	....	....	....
" " B and Better..................	54.54	48.00	47.96	51.00	50.62	51.60
" " No. 1 Common..............	42.00	39.09	38.67	39.79	39.17	40.37
" " No. 2 "	19.25	15.75	18.50	22.00	17.30	17.65
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better..................	52.25[2]	46.75	47.96	....	46.75	52.03
" " No. 1 Common..............	42 50[3]	29.25[2]	38.67	....	38.67	45.00
" " No. 2 "	21.00[1]	20.66	18.50	....	20.66	20.81
BEVEL SIDING						
Bevel Siding, A..........................	....	....	....	....	....	....
" B..........................	....	....	....	....	....	....
" B and Better..................	28.00	38.00	29.50	....	34.95	34.18
" No. 1 Common..............	23.00	21.25	23.67	23.00[3]	23.28	40.00
" No. 2 "	13.00	13.00[2]	15.39	14.00	14.61	17.01

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	39.70	39.25	39.38	43.00	39.60	39.48
" " No. 1 Common	36.12	34.51	34.24	35.90	34.99	33.97
" " No. 2 "	21.97	23.53	19.22	19.29	20.42	20.62
" " No. 3 "	....	....	12.77	10.00	11.89	10.25
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	50.66	45.79	50.18	48.92	48.78	50.55
1x 6 inch, "	47.96	51.23	50.79	53.38	49.71	48.70
1x 8 inch, "	47.94	47.73	51.39	50.65	49.35	52.40
1x 5 and 10 inch, "	55.48	56.68	52.77	50.73	54.68	56.65
1x12 inch, "	57.06	56.52	58.03	53.31	56.90	55.78
1¼x4 to 12 inch, "	65.64	61.40	58.45	63.87	61.68	62.42
1½ and 2x4 to 12 inch, "	60.26	59.47	62.50	50.25	59.90	60.80
1⅝ inch, "	46.47	60.00	....	....	46.83	53.52
1x 6 to 12 inch, "	....	....	....	51.75	51.75	52.50[1]
1x 4 inch, C	42.25	....	33.00	....	34.33	42.67[2]
1x 6 inch, "	42.22	47.00[1]	35.00	....	39.96	47.00
1x 8 inch, "	42.00	47.00[1]	35.00	....	37.55	42.60
1x 5 and 10 inch, "	45.57	49.00[2]	37.00	....	44.38	46.54
1x12 inch, "	42.57	....	42.00	....	42.40	52.00[1]
1¼x4 to 12 inch, "	48.80[3]	....	....	....	48.80[3]	48.80[2]
1½ and 2x4 to 12 inch, "	47.75[3]	....	....	....	47.75[3]	47.75[2]
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	50.50[2]	....	46.04	35.00[3]	46.04	50.00
1x 6 inch, " "	43.50[1]	46.00[2]	50.54	44.69	46.40	47.15
1x 8 inch, " "	43.50[1]	47.00[1]	46.91	44.50	46.91	44.69
1x 5 and 10 inch, " "	55.75[2]	46.00[2]	54.00	45.43	47.15	54.22
1x12 inch, " "	56.78[2]	46.00[2]	54.00[1]	46.00	46.00	54.00
1¼x4 to 12 inch, " "	62.80[2]	48.50[1]	55.43	52.74[3]	55.43	53.90
1½ and 2x4 to 12 inch, " "	51.50[1]	....	52.25	65.25[3]	52.25	51.87
1⅝ inch, " "	....	47.00[3]	....	....	47.00[3]	47.00[2]
1x 6 to 12 inch, " "	....	....	....	39.94	39.94	46.58
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	58.40	58.34	57.53	60.00	58.18	56.67
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	60.12	56.56	55.81	60.00[3]	57.26	53.82
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	59.50	61.25[2]	64.00[1]	....	59.50	64.12
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	40.00	35.31[2]	....	....	40.00	37.05[1]
" " " " " 8 ft.	25.50[1]	24.60	32.50[3]	....	24.60	25.08
" " " " " 12 and 14 ft.	50.00	....	....	....	50.00	53.00[1]
" " " " " 16 ft.	....	....	....	....	....	....
" " " " " 9 or 18 ft.	55.24	52.38	53.83	40.00[1]	53.66	54.24
" " " " " 10 or 20 ft	51.55	50.52	50.78	40.00[1]	51.03	52.10

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	23.19[3]	21.50	....	....	21.50	21.00
" " " " " 8 ft.	28.00[2]	18.14	....	....	18.14	23.98
" " " " " 12 and 14 ft.	28.00[2]	29.00	....	....	29.00	28.00[1]
" " " " " 16 ft.	....	34.17	....	....	34.17	42.37[1]
" " " " " 9 or 18 ft.	40.00[2]	40.00	45.00[3]	....	40.00	30.66
" " " " " 10 or 20 ft.	30.25	28.50	27.80[1]	....	29.95	27.80
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	25.00[3]	21.50	....	....	21.50	21.00
" " " " " 8 ft.	26.00[3]	18.14	....	....	18.14	23.98
" " " " " 12 and 14 ft.	26.00[3]	29.00	....	....	29.00	26.00[2]
" " " " " 16 ft.	42.25[3]	34.17	....	....	34.17	42.25[1]
" " " " " 9 or 18 ft.	34.19[2]	40.00	45.00[3]	....	40.00	30.66
" " " " " 10 or 20 ft.	36.07[2]	28.50	27.80[1]	....	28.50	27.80
Siding, Lining & Roofing, 4 and 6″, No. 2, 5 to 9 ft.	14.17	13.00	....	....	14.09	13.00
" " " " " 10 to 20 ft.	14.25	16.00	....	....	15.17	16.87
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	24.00[3]	....	....	24.00[3]	24.00[2]
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00[2]	....	....	24.00[2]	24.00[1]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	27.00[2]	....	....	....	27.00[2]	27.00[1]
" " " 2 to 3 inch, 9 & 18 ft.	25.00[1]	27.00[1]	25.14	15.41[1]	25.14	22.22
" " " 2 to 3 inch 10 & 20 ft.	25.00[1]	21.50[1]	24.50[1]	27.25	27.25	21.50
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	16.50	....	....	16.50	....
" " " 2 to 3 inch, 10 & 20 ft.	....	16.00	....	....	16.00	16.50[3]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	25.76	....	....	....	25.76	27.86
" " " " other lengths.	27.12	27.15	37.65	37.50	29.16	28.22
" " 1x10, " 14 and 16 ft.	29.22	....	....	....	29.22	27.26
" " " " other lengths.	27.23	25.88	30.28	39.50	27.22	27.97
" " 1x12, " 14 and 16 ft.	38.16	....	....	....	38.16	40.06
" " " " other lengths.	39.77	38.29	35.14	38.00[2]	38.65	39.82
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	20.93	19.80	18.42	16.87	19.17	18.99
" " 1x10, " "	20.27	19.63	19.31	17.84	19.40	20.07
" " 1x12, " "	21.12	20.73	19.23	19.04	20.42	21.44
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	10.51	10.40	13.56	13.59	12.07	12.17
" " 1x10, " "	10.78	11.02	14.44	13.59	11.47	12.04
" " 1x12, " "	9.98	11.88	12.69	13.00	11.09	11.55
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	26.65	....	....	....	26.65	27.24
" " " other lengths.	24.78	25.82	25.25	25.00[3]	25.44	25.62
" 1x10, " 14 and 16 ft.	24.75	....	....	....	24.75	28.50
" " " other lengths.	25.78	28.50	26.00[1]	25.00[3]	26.94	27.07
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	19.64	19.36	18.40	18.57	19.16	20.12
" 1x10, " "	19.54	20.47	18.57	18.48	18.84	19.92
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	11.17	11.77	12.74	13.00	11.91	12.25
" 1x10, " "	11.58	11.93	12.55	15.00[1]	11.98	12.07
" 1x12, " "	10.00	12.00	....	....	11.52	11.37
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	30.72	....	....	....	30.72	29.02[2]
" " " " other lengths.	30.31	....	....	....	30.31	29.50[1]
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	5.91	....	5.06	....	5.49	6.50

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
1x4, S 1 S, No. 1, 16 ft.	24.71	....	....	....	24.71	27.16
" " " other lengths	24.74	28.14	37.50	26.00	27.32	27.83
" " No. 2, all lengths	13.20	13.01	13.93	12.75	13.21	13.30
" " No. 3, "	7.55	9.01	8.59	10.00 [1]	7.67	7.40
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	25.50 [3]
" " " other lengths	27.28	....	....	....	27.28	24.00
" " No. 2, all lengths	14.73	....	....	....	14.73	13.57 [1]
" " No. 3, "	8.50 [1]	....	....	....	8.50 [1]	8.50
1x6, S 1 S, No. 1, 16 ft.	28.97	....	....	....	28.97	27.82
" " " other lengths	27.62	26.70	33.28	34.00 [1]	28.10	25.38
" " No. 2, all lengths	17.19	17.13	18.64	19.04	17.89	18.50
" " No. 3, "	8.88	9.86	11.78	13.06	10.32	11.21
1x6, C. M., No. 1, 16 ft.	27.67	....	....	....	27.67	28.50
" " " other lengths	27.67	25.65	....	27.00 [2]	26.86	26.01
" " No. 2, all lengths	18.71	17.25	....	17.65	17.99	17.97
" " No. 3. "	9.49	9.73	....	10.25	9.76	9.58
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	24.78	24.17	21.80	....	24.04	24.19
" " " 12 ft.	23.28	22.46	21.01	17.75	22.27	23.28
" " " 14 ft.	22.44	22.74	19.52	17.75	21.78	21.32
" " " 16 ft.	24.03	23.66	21.88	24.50	23.07	22.45
" " " 18 ft.	25.58	25.03	22.59	20.50 [3]	24.04	25.59
" " " 20 ft.	26.45	24.34	22.59	....	24.97	26.65
" " " 22 ft.	26.48	25.44	22.42	....	24.19	28.88
" " " 24 ft.	27.26	26.24	22.42	....	26.73	28.59
2x 6, No. 1, S 1 S 1 E, 10 ft.	19.80	18.00	19.33	19.29 [2]	19.47	20.41
" " " 12 ft.	19.00	19.78	17.46	22.25	18.25	18.51
" " " 14 ft.	18.02	19.83	17.46	24.50	18.83	18.45
" " " 16 ft.	19.17	20.11	20.02	23.15	20.00	18.54
" " " 18 ft.	20.74	20.81	20.18	26.50	20.57	19.72
" " " 20 ft.	20.15	25.62	20.18	....	22.22	20.33
" " " 22 ft.	23.81	23.32	21.98	....	22.39	21.43
" " " 24 ft.	24.55	24.07	21.98	....	24.42	21.71
2x 8, No. 1, S 1 S 1 E, 10 ft.	24.01	23.00 [1]	22.24	20.64 [2]	22.99	21.47
" " " 12 ft.	20.49	22.45	19.02	23.23	20.38	21.72
" " " 14 ft.	21.72	22.69	19.37	17.75	19.07	21.52
" " " 16 ft.	26.08	25.65	20.80	27.50	24.68	20.98
" " " 18 ft.	22.92	23.41	21.43	28.50	22.40	22.24
" " " 20 ft.	23.93	23.40	21.43	28.50	23.61	25.56
" " " 22 ft.	27.14	25.00	24.20	....	25.06	22.79
" " " 24 ft.	26.20	25.70	24.20	....	25.98	23.38
2x10, No. 1, S 1 S 1 E, 10 ft.	24.50	24.00	19.07	....	20.02	21.96
" " " 12 ft.	21.24	22.69	19.48	26.50	20.23	20.46
" " " 14 ft.	21.19	22.71	19.48	26.50	21.77	23.32
" " " 16 ft.	23.97	23.24	19.76	24.21	22.16	21.35
" " " 18 ft.	25.04	23.01	22.52	29.50	22.94	22.53
" " " 20 ft.	22.78	23.11	22.52	29.50	23.05	22.44
" " " 22 ft.	29.14 [1]	25.80	25.40	....	25.54	24.04
" " " 24 ft.	25.33	25.57	25.40	....	25.42	24.32
2x12, No. 1, S 1 S 1 E, 10 ft.	25.74 [1]	25.00 [1]	24.00 [1]	....	24.17 [1]	24.17
" " " 12 ft.	24.49	23.84	20.16	26.25 [2]	21.09	23.75
" " " 14 ft.	24.19	23.52	20.16	26.25 [2]	23.74	25.28
" " " 16 ft.	27.24	24.88	23.00	27.50	25.16	24.61
" " " 18 ft.	25.99	26.83	24.96	27.25 [2]	25.74	26.11
" " " 20 ft.	27.96	26.92	24.96	27.25 [2]	27.25	25.54
" " " 22 ft.	31.11	28.79	28.25	....	29.87	26.15
" " " 24 ft.	30.66	29.64	28.25	....	30.52	26.56
2x 4, No. 2, S 1 S 1 E, 10 ft.	21.60	19.68	18.80	16.48	19.10	20.72
" " " 12 ft.	20.19	18.13	18.11	16.99	17.91	19.01
" " " 14 ft.	20.10	19.83	17.77	16.38	19.16	18.87
" " " 16 ft.	20.81	20.76	18.66	16.25	19.57	19.84
" " " 18 ft.	23.68	21.28	19.95	17.86	20.36	21.43
" " " 20 ft.	23.82	19.86	19.95	18.00	20.40	23.75
" " " 22 ft.	29.00 [1]	19.38	18.93	....	19.27	29.00
" " " 24 ft.	29.00 [1]	19.38	18.93	....	19.27	29.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	15.62	14.94	14.69	13.75 [1]	15.05	15.37
" " " 12 ft.	14.30	14.94	14.38	14.15	14.41	15.11
" " " 14 ft.	14.19	15.02	14.38	14.00	14.46	15.64
" " " 16 ft.	12.93	15.08	13.89	15.25	14.04	15.97
" " " 18 ft.	17.95	17.07	16.60	15.80	16.74	17.31
" " " 20 ft.	16.34	16.25	16.60	18.13 [1]	16.69	16.77
" " " 22 ft.	16.00	19.00	20.66 [2]	18.00	17.06	21.00
" " " 24 ft.	20.50 [2]	19.00	20.66 [2]	18.00 [1]	19.00	18.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
2x 8, No. 2, S 1 S 1 E, 10 ft.	17.50	18.00	17.71[1]	14.75	15.06	18.88
“ “ “ 12 ft.	17.94	18.67	16.80	16.77	17.05	18.88
“ “ “ 14 ft.	16.17	18.13	16.15	16.50	16.40	17.58
“ “ “ 16 ft.	17.25	21.71	14.84	15.43[1]	18.74	20.30
“ “ “ 18 ft.	21.50	26.52	18.21	18.77[1]	21.49	22.04
“ “ “ 20 ft.	22.40	20.30	18.21	19.00	21.10	22.33
“ “ “ 22 ft.	20.00	23.63	25.00[1]	21.00	23.09	25.00
“ “ “ 24 ft.	21.00	23.63	25.00[1]	....	21.00	25.00
2x10, No. 2, S 1 S 1 E, 10 ft.	18.90	20.83	16.00[1]	17.13	17.85	16.79
“ “ “ 12 ft.	19.21	20.63	16.57	16.56	17.69	15.90
“ “ “ 14 ft.	19.14	18.58	16.57	16.95	18.90	17.80
“ “ “ 16 ft.	20.69	18.96	17.18	16.50	18.24	18.08
“ “ “ 18 ft.	19.75	23.00	16.32	23.00[3]	16.80	20.19
“ “ “ 20 ft.	20.00	19.00	16.32	19.39[1]	19.71	20.58
“ “ “ 22 ft.	19.00	23.00	19.50	....	22.32	25.81
“ “ “ 24 ft.	19.00	23.00	19.50	....	19.00	25.81
2x12, No. 2, S 1 S 1 E, 10 ft.	18.00	15.00[2]	19.00	18.00[2]	18.50	18.28
“ “ “ 12 ft.	18.00	18.50[1]	16.85	17.75	16.96	18.79
“ “ “ 14 ft.	19.19	18.00	16.85	18.00[2]	18.22	18.46
“ “ “ 16 ft.	20.27	16.50	16.56	18.50	17.26	20 23
“ “ “ 18 ft.	21.12	20.80	19.42	18.75[1]	19.68	21.73
“ “ “ 20 ft.	20.53	23.34	19.42	18.85[1]	20.83	21.39
“ “ “ 22 ft.	21.50	24.24	21.00[1]	....	23.71	22.16
“ “ “ 24 ft.	21.50	24.24	21.00[1]	....	21.50	21.83
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All No 3, S 1 S 1 E, all lengths	8.98	8.36	9.07	10.50[2]	8.67	9.29
PATENT LATH						
4 and 6 ft.	8.58	9.81	10.92	....	8.95	10.67
8 and 10 ft.	10.38	10.00	10.92	....	10.29	11.01
12 ft. and longer	10.73	10.99	10.92	....	10.78	11.35
PLASTERING LATH						
⅜x1½-4, No. 1	4.69	4.84	5.03	4.84	4.92	5.09
“ No. 2	4.23	4.25	3.84	3.54	4.04	3.99
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No 1, up to 20 ft.	21.37	20.05	19.13	....	19.82	20.27
“ “ 22-24 ft.	21.96	21.99	17.76	....	21.31	22.38
“ “ 26 ft.	20.00	24.50[2]	25.88	....	21.51	25.36
“ “ 28 ft.	22.72	23.50	25.63[1]	....	23.11	23 59
“ “ 30 ft.	25.70	27.00[1]	21.50[2]	....	25.70	23.97
“ “ over 30 ft.	26.51	28.50[1]	21.50[2]	....	26.51	26.81
4x4 to 8x8, Heart (85%+), up to 20 ft.	24.85	23.27	....	....	23.71	24.30
“ “ “ 22-24 ft.	25.38	25.15	....	....	25.29	25.15
“ “ “ 26 ft.	30.16	27.00	....	....	28.18	25.00[2]
“ “ “ 28 ft.	27.00	28.00	....	....	27.63	24.00[3]
“ “ “ 30 ft.	28.00	29.34	....	....	28.60	27.00
“ “ “ over 30 ft.	26.27	30.89	....	....	30.31	30.25
3 & 4x10, No. 1, up to 20 ft.	22.85	22.25	....	....	22.77	21.71
“ “ 22-24 ft.	24.00	26.00	....	....	24.15	26.32
“ “ 26 ft.	25.00	23.67[2]	....	....	25.00	22.75
“ “ 28 ft.	26.00	25.00	....	....	25.41	25.99[1]
“ “ 30 ft.	28.50[2]	....	....	....	28.50[2]	28.50[1]
“ “ over 30 ft.	30.00[2]	....	....	....	30.00[2]	30.00[1]
3 & 4x10, Heart (85%+), up to 20 ft.	25.34	25.63	....	....	25.51	25.49
“ “ “ 22-24 ft.	26.00	24.37	....	....	25.46	25.22
“ “ “ 26 ft.	27.00	25.00	....	....	26.15	25.00
“ “ “ 28 ft.	28.00	26.38	....	....	27.74	27.00
“ “ “ 30 ft.	29.00	....	....	....	29.00	34.00[2]
“ “ “ over 30 ft.	29.35[3]	....	....	....	29.35[3]	29.35[2]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
6x10, to 10x10, No. 1, up to 20 ft.	27.41	24.47	20.01	....	21.68	22.30
" " 22-24 ft.	23.28	23.00	21.44	....	21.98	29.00
" " 26 ft.	22.24	22.28[2]	27.41	....	26.03	29.00
" " 28 ft.	26.50	25.00	21.27	....	24.24	23.28[1]
" " 30 ft.	26.54[2]	26.00[2]	19.00	....	19.00	27.88
" " over 30 ft.	23.26	28.18[2]	19.00	....	23.26	42.00
6x10 to 10x10, Heart (85%$^{+}$), up to 20 ft.	25.50	25.70	....	....	25.66	27.58
" " " 22-24 ft.	25.00	26.00	....	....	25.09	25.00
" " " 26 ft.	26.00	....	....	....	26.00	25.00
" " " 28 ft.	27.00	....	....	....	27.00	....
" " " 30 ft.	25.00[1]	....	....	....	25.00[1]	25.00
" " " over 30 ft.	44.49	....	....	....	44.49	28.16
3 & 4x12, No. 1, up to 20 ft.	25.54	24.74	....	....	25.17	25.75
" " 22 24 ft.	28.00[1]	24.00[1]	....	....	25.10[1]	25.10
" " 26 ft.	18.34[1]	25.26	....	....	25.26	18.34
" " 28 ft.	27.68[2]	29.00[2]	....	....	28.21[2]	28.21[1]
" " 30 ft.	31.00[1]	....	....	....	31.00[1]	31.00
" " over 30 ft.	49.00[1]	....	....	....	49.00[1]	49.00
3 & 4x12, Heart (85%$^{+}$), up to 20 ft.	28.82	28.48	....	....	28.70	28.39
" " " 22-24 ft.	29.09	28.67	....	....	29.08	29.00
" " " 26 ft.	30.00	29.00[3]	....	....	30.00	33.00[1]
" " " 28 ft.	31.00	....	....	....	31.00	....
" " " 30 ft.	32.91[2]	33.00	....	....	33.00	31.00
" " " over 30 ft.	37.00[3]	....	....	....	37.00[3]	37.00[2]
6x12 to 12x12, No. 1, up to 20 ft.	24.30	23.07	23.91	....	24.07	24.12
" " 22-24 ft.	25.56	25.50	25.21	....	26.28	23.70
" " 26 ft.	25.57	27.00[1]	24.26	....	24.70	26.46
" " 28 ft.	28.34	28.00[2]	24.26	....	28.34	26.67
" " 30 ft.	29.00[1]	....	....	....	29.00[1]	29.00
" " over 30 ft.	34.88	38.93	32.00[1]	....	36.05	37.77
6x12 to 12x12, Heart (85%$^{+}$). up to 20 ft.	27.13	24.50[1]	....	....	27.13	26.79
" " " 22-24 ft.	27.73	27.00	....	....	27.62	26.86
" " " 26 ft.	30.00[1]	27.50[1]	....	....	28.21[1]	28.21
" " " 28 ft.	30.00	....	....	....	30.00	28.72[3]
" " " 30 ft.	....	....	....	....	....	29 20[3]
" " " over 30 ft.	46.83	38.67	....	....	45.29	47.00[2]
2x14 to 4x14, No. 1,up - 2St2t	30.00	24.74	....	....	26.75	28.18
" " 22 ft.	38.44[2]	26.48	....	....	26.48	28.00
" " 26 ft.	36.75	28.50	....	....	32.27	33.00
" " 28 ft.	33.78[2]	36.00[3]	....	....	33.78[2]	33.78[1]
" " 30 ft.	21.25[2]	....	....	....	21.25[2]	21.25[1]
" " over 30 ft.	....	38.50	....	....	38.50	....
2x14 to 4x14, Heart (85%$^{+}$), up to 20 ft.	32.50[2]	33.50[1]	....	....	33.50[1]	33.50
" " " 22-24 ft.	32.51[3]	....	....	....	32.51[3]	32.51[2]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.50[3]	....	....	....	35.50[3]	35.50[2]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	35.00[3]	....	....	....	35.00[3]	35.00[2]
6x14 to 14x14, No. 1, up to 20 ft.	27.09	27.75	23.51	....	25.07	29.89
" " 22-24 ft.	30.75	29.00[2]	25.00	....	26.32	28.67
" " 26 ft.	....	....	26.53	....	26.53	32.06[3]
" " 28 ft.	....	....	26.53	....	26.53	....
" " 30 ft.	....	....	....	....	....	30.00[3]
" " over 30 ft.	34.50	32.00[2]	35.00[1]	....	34.50	42.68
6x14 to 14x14, Heart (85%$^{+}$), up to 20 ft.	33.50	26.50[1]	....	....	33.50	26.71
" " " 22-24 ft.	....	34.00[3]	....	....	....	34.00[2]
" " " 26 ft.	34.00[1]	....	....	....	34.00[1]	34.00
" " " 28 ft.	33.00[3]	....	....	....	33.00[3]	33.00[2]
" " " 30 ft.	....	....	....	....	....	32.00[3]
" " " over 30 ft.	....	....	....	....	....	34.00[3]
2x16 to 4x16, No. 1, up to 20 ft.	32.00[1]	46.00[3]	....	....	32.00[1]	32.00
" " 22-24 ft.	34.00[1]	....	....	....	34.00[1]	34.00
" " 26 ft.	35.50[3]	....	....	....	35.50[3]	35.50[2]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	41.25[3]
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%$^{+}$), up to 20 ft.	....	39.00	....	....	39.00	34.50
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
6x16 & Up, No. 1, up to 20 ft.	28.00	....	19.00	....	19.82	26.16
" " 22-24 ft.	45.00	....	22.00	....	32.90	28.56
" " 26 ft.	....	....	35.00[1]	....	35.00[1]	35.00
" " 28 ft.	35.00[1]	....	35.00[1]	....	35.00[1]	35.00
" " 30 ft.	45.00	....	....	....	45.00	48.01[2]
" " over 30 ft.	40.65[2]	....	....	....	40.65[2]	40.65[1]
6x16 & Up, Heart (85%+), up to 20 ft.	52.00	....	....	....	52.00	46.60[3]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	36.25[3]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	39.00[1]	....	....	....	39.00[1]	39.00
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	32.00	....	....	32.00	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	35.00[3]	34.00	....	....	34.00	35.00[2]
" " " 30 ft.	....	37.50	....	....	37.50	....
" " " 32 ft.	....	36.00	....	....	36.00	....
16 inch, Sq. E. up to 20 ft.	30.00[2]	....	....	....	30.00[2]	30.00[1]
" " 22-24 ft.	31.32	....	....	....	31.32	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	34.00	33.00[2]	37.52[1]	....	34.00	37.52
" " 30 ft.	34.15[2]	34.13[2]	....	....	34.14[2]	34.14[1]
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	....	35.25[3]	....	....	35.25[3]	35.25[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	35.00[2]	....	40.00	....	40.00	35.00[1]
" " " 28 ft.	40.00[1]	36.00	38.00[1]	....	36.00	35.48
" " " 30 ft.	....	37.00	....	....	37.00	36.00
" " " 23 ft.	....	38.00	....	....	38.00	37.00
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	26.00[1]	30.55	....	30.55	27.51
" " " 36 ft.	26.25[1]	28.64	30.55	25.54[2]	28.64	26.25
" " " 37-38 ft.	28.00[1]	29.50	29.09	28.00[2]	29.10	27.21
" " " 40 ft.	29.29[1]	30.50	31.71	....	31.68	29.02
" " " 41-42 ft.	29.29[1]	30.00	....	....	30.00	29.29
Up to 9 inch, Heart (85%+), 34 ft.	31.60[3]	....	....	....	31.60[3]	31.60[2]
" " " " 36 ft.	30.36	36.00	....	....	30.97	34.32
" " " " 37-38 ft.	32.87	33.00[1]	....	....	32.87	33.00
" " " " 40 ft.	33.00	36.56[3]	....	....	33.00	33.00[1]
" " " " 41-42 ft.	33.00	29.00[3]	....	....	33.00	25.08[1]
Up to 10 inch, Sq. E. 34 ft.	32.09[3]	....	31.63	....	31.63	29.31
" " " 36 ft.	29.50	29.00[2]	31.63	25.00[1]	29.50	25.69
" " " 37-38 ft.	28.45[1]	28.00	32.00	31.00[3]	28.63	30.77
" " " 40 ft.	33.50	34.92[3]	32.00	....	33.50	28.68
" " " 41-42 ft.	33.50	38.00[2]	....	....	33.50	25.00
Up to 10 inch, Heart, (85%+), 34 ft.	....	36.50[1]	....	....	36.50[1]	36.50
" " " " 36 ft.	31.00	....	....	....	31.00	50.75
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	33.00	....	....	....	33.00	30.00[3]
" " " " 41-42 ft.	38.00	....	....	....	38.00	30.00[3]
Up to 12 inch, Sq. E., 34 ft.	31.25[1]	....	34.87	....	34.87	37.82
" " " 36 ft.	31.00	33.50	34.87	27.88[1]	31.13	27.88
" " " 37-38 ft.	35.00	33.50[2]	34.54	....	34.59	34.52
" " " 40 ft.	39.50	35.50	34.26[1]	....	39.19	34.26
" " " 41-42 ft.	39.50	....	....	36.00[3]	39.50	35.44
Up to 12 inch, Heart, (85%+), 34 ft.	....	38.50[1]	....	....	38.50[1]	38.50
" " " " 36 ft.	50.75[1]	36.00[2]	....	....	50.75[1]	50.75
" " " " 37-38 ft.	....	....	....	....	....	32.50[3]
" " " " 40 ft.	....	....	....	....	....	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Nov. 30
Up to 14 inch, Sq. E., 34 ft.	....	....	35.26[1]	....	35.26[1]	35.26
" " " 36 ft.	34.75[1]	....	37.00[2]	38.00	38.00	34.75
" " " 37-38 ft.	35.38[1]	35.00[1]	41.53	....	41.53	35.75
" " " 40 ft.	36.26[1]	36.00[1]	41.53	40.00[2]	41.53	36.23
" " " 41-42 ft.	....	....	....	....	....	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	40.00[3]
" " " " 36 ft.	....	39.00[3]	....	....	39.00[3]	39.00[2]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	40.00[2]	....	....	....	40.00[2]	40.00[1]
" " " " 41-42 ft.	40.00[2]	....	....	....	40.00[2]	40.00[1]
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	27.00[2]	27.75[2]	....	....	27.27[2]	27.27[1]
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	29.00	....	....	29.00	32.50[2]
" " " 14 ft.	28.00[3]	32.50[3]	....	....	28.00[3]	28.00[2]
" " " 16 ft.	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	27.00	....	....	....	27.00	....
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	27.00	....	....	27.00	....
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	23.25[2]	....	....	....	23.25[2]	23.25[1]
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	22.99	....	....	....	22.99	23.78
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8-8	18.05[2]	21.85[2]		....	20.58[2]	20.58[1]
" " Heart, (85%+), 6x8-8	24.00[3]	21.08	....	....	21.08	24.00
" " Sq. E., " 7x9-8	22.00	....	....	....	22.00	19.00[1]
" " Heart, " 7x9-8	25.22[3]	22.00	....	....	22.00	25.00[1]
Bridge Ties, Sq. E., 7x9 & up	22.00	....	....	....	22.00	....
" " Heart,	23.00	....	....	....	23.00	26.00
Paving Stock, S 1 S	....	....	....	....	....	22.00[3]
" " Rough	....	....	....	16.00[3]	16.00[3]	16.00[2]
Battleship Decking, Edge Grain	....	....	....	....	....	....
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	23.08	24.82	26.47	26.73	24.66	23.96
MISCELLANEOUS STOCK						
Silo Stock	....	....	..	....	....	....
Grain Doors	6.50[3]	..	....	..	6.50[3]	6.50[2]
Miscellaneous, B and B	55.81	49.74	48.60	48.58	51.66	44.81
" No. 1	26.90	31.80	29.01	33.15	28.69	30.93
" No. 2	19.72	18.36	16.69	17.15	17.61	18.45
" No. 3	7.62	10.45	11.13	9.25	10.08	10.73
Shorts B and B	30.42	29.20	....	....	29.61	32.05
" No. 1	11.43	14.49	....	...	11.80	13.21
" No. 2	....	8.92	...	....	8.92	10.72
" No. 3	..	9.70	....	...	970	7.00[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	.45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

December 20, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for ten days ending December 20, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400

Shiplap and D. & M. ¾	2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16	2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16	2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16	2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough	3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800

Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued December 31, 1921

No. 151

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 10
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	67.98	....	....	....	67.98	65.70
" " C "	46.50	....	....	....	46.50	49.50[2]
" " D "	48.00	....	....	....	48.00	48.50
" " No. 2 "	....	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	51.88	....	....	....	51.88	53.00
" " C "	43.25	....	....	....	43.25	....
" " D "	38.50[1]	....	....	....	38.50[1]	38.50
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	16.01	....	....	....	16.01	15.00
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x2½"	....	....	....	71.00	71.00	....
Edge Grain, A "	....	....	79.00	79.00	79.00	74.69
" " B "	....	50.00[2]	71.96	....	71.96	73.79
" " B and Better "	68.00[2]	66.36	....	65.41	65.95	68.96
" " C "	....	58.00	56.74	48.00	52.30	55.84
" " D "	50.00	....	....	....	50.00	47.00[1]
" " No. 2 "	....	....	25.92	22.50	25.77	24.85
Flat " A "	....	....	....	....	....	....
" " B "	....	51.00[1]	....	....	51.00[1]	51.00
" " B and Better "	51.25[2]	53.00	52.40	54.06	52.84	51.91
" " C "	....	....	....	....	....	....
" " D "	48.00	....	....	....	48.00	....
No. 1 Common "	....	39.20	41.07	40.00	40.47	42.97
No. 2 " "	16.00	16.18	16.03	15.00	15.92	16.60
No. 3 " "	....	....	6.68	6.50	6.67	6.92
Heart Face, Edge Grain, B and Better, $\frac{13}{16}$x3¼"	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	68.00[3]
" " B "	....	62.18[1]	56.00	....	56.00	58.72
" " B and Better "	54.72	55.12	....	57.25	55.00	58.36
" " C "	48.00[1]	50.50[1]	47.46	....	47.46	49.34
" " D "	48.00	....	....	....	48.00	40.50
" " No. 2 "	....	....	23.33	21.00[3]	23.33	22.00
Flat " A "	....	....	....	....	....	....
" " B "	....	51.00[1]	....	40.00	40.00	51.00
" " B and Better "	47.20	46.88	42.10	43.93	44.56	46.97
" " C "	....	40.00	....	....	40.00	42.86[1]
" " D "	35.73	....	....	....	35.73	37.95
No. 1 Common "	....	37.90	34.56	35.12	34.77	37.02
No. 2 " "	17.75	17.34	17.10	14.58	16.93	16.45
No. 3 " "	....	....	6.69	7.61	6.80	8.71
CEILING						
Ceiling, ½x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.81	36.00	35.82	37.21	35.94	37.70
" " No. 1 Common	....	30.00[1]	31.45	33.00[1]	31.45	30.64
" " No. 2 "	11.25	13.00	13.87	....	12.64	13.37
" " No. 3 "	....	....	4.75	....	4.75	11.75
Ceiling, ⅝x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	36.19	37.33	37.46	37.50	36.98	37.65
" " No. 1 Common	32.92	33.11	33.04	35.00[1]	32.98	32.87
" " No. 2 "	13.94	14.79	19.61	14.21	14.90	14.61
" " No. 3 "	....	....	5.00[1]	6.50[3]	5.00[1]	5.00
Ceiling, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	....	....	44.25	....	44.25	44.00
" " No. 1 Common	40.00	41.50	32.00[3]	....	41.00	40.50
" " No. 2 "	20.00	20.00[3]	18.50	....	19.57	17.08
" " No. 3 "	....	....	14.00[3]	....	14.00[3]	14.00[2]
PARTITION						
Partition, ¾x3¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	54.54[1]	47.83	45.54	43.93	45.75	50.62
" " No. 1 Common	46.75	39.09[1]	41.29	39.79[1]	41.81	39.17
" " No. 2 "	18.81	17.37	19.82	22.00[1]	19.22	17.30
Partition, ¾x5¼", A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	52.25[3]	46.75[1]	45.00	....	45.00	46.75
" " No. 1 Common	....	29.25[3]	41.59	....	41.59	38.67
" " No. 2 "	19 00	20 00	17.50	....	19.87	20 66
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	27.82	41.25	29.50[1]	....	36.03	34.95
" No. 1 Common	32.67	21.25[1]	23.00	....	26.63	23.28
" No. 2 "	13.00[1]	13.00[3]	12.50	14.00[1]	12.50	14.61

DROP SIDING		Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 10
Drop Siding, ¾x3¼ or 5¼,	A	....	....	....	....	....	....
" "	B	....	....	....	....	....	....
" "	B and Better	39.77	38.75	38.09	35.00	38.63	39.60
" "	No. 1 Common	35.25	34.39	33.50	33.00	33.97	34.99
" "	No. 2 "	21.48	20.03	18.95	19.43	19.56	20.42
" "	No. 3 "	....	....	9.72	10.00[1]	9.72	11.89
FINISH							
1x 4 inch,	A	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B	....	....	....	....	....	....
1x 6 inch,	"	....	....	....	....	....	....
1x 8 inch,	"	....	....	....	....	....	....
1x 5 and 10 inch,	"	....	....	....	....	....	....
1x12 inch,	"	....	....	....	....	....	....
1¼x4 to 12 inch,	"	....	....	....	....	....	....
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	....
1⅝ inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better	51.79	50.50	51.52	48.50	51.20	48.78
1x 6 inch,	"	50.32	51.06	46.02	51.22	49.60	49.71
1x 8 inch,	"	51.23	50.34	48.86	48.14	49.90	49.35
1x 5 and 10 inch,	"	57.12	54.22	49.26	52.43	53.93	54.68
1x12 inch,	"	55.65	53.36	50.79	53.58	52.60	56.90
1¼x4 to 12 inch,	"	61.69	56.92	54.03	71.00	58.10	61.68
1½ and 2x4 to 12 inch,	"	60.26[1]	49.50	55.00	65.00	54.84	59.90
1⅝ inch,	"	47.60	49.50	....	....	47.70	46.83
1x 6 to 12 inch,	"	....	....	....	51.75[1]	51.75[1]	51.75
1x 4 inch,	C	42.25[1]	....	34.50	....	34.50	34.33
1x 6 inch,	"	42.22[1]	47.00[2]	35.00[1]	....	39.96[1]	39.96
1x 8 inch,	"	42.00[1]	47.00[2]	35.00[1]	....	37.55[1]	37.55
1x 5 and 10 inch,	"	45.57[1]	49.00[3]	37.00[1]	....	44.38[1]	44.38
1x12 inch,	"	42.57[1]	....	42.00[1]	....	42.40[1]	42.40
1¼x4 to 12 inch,	"	....	....	....	....	....	48.80[3]
1½ and 2x4 to 12 inch,	"	....	....	....	....	....	47.75[3]
1⅝ inch,	"	....	....	....	....	....	....
1x 6 to 12 inch,	"	....	....	....	....	....	....
1x 4 inch,	B and Better, Rough	50.50[3]	47.00	46.04[1]	....	47.00	46.04
1x 6 inch,	" "	53.00	51.50	50.00	44.69[1]	51.80	46.40
1x 8 inch,	" "	53.00	51.50	45.00	44.50[1]	46.76	46.91
1x 5 and 10 inch,	" "	60.00	56.50	46.78	45.43[1]	51.00	47.15
1x12 inch,	" "	60.00	46.00[3]	54.90	46.00[1]	55.80	46.00
1¼x4 to 12 inch,	" "	62.80[3]	53.00	57.78	....	55.50	55.43
1½ and 2x4 to 12 inch,	" "	52.00	....	55.76	....	54.42	52.25
1⅝ inch,	" "	....	....	....	....	....	47.00[3]
1x 6 to 12 inch,	" "	....	....	....	43.19	43.19	39.94
CASING AND BASE							
From 4 and 6 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	61.76	56.33	56.36	60.00[1]	58.60	58.18
From 8 and 10 inch stock, B. M.,	A	....	....	....	....	....	....
"	B	....	....	....	....	....	....
"	B and Better	58.48	55.96	53.99	53.00	55.87	57.26
MOULDINGS (% Discount)							
1½ inch and Smaller		....	....	....	....	....	....
1¾ inch and Larger		....	....	....	....	....	....
DOOR AND WINDOW JAMBS							
A	B. M	....	....	....	....	....	....
B	"	....	....	....	....	....	....
B and Better,	"	64.00	61.25[3]	57.17	....	59.98	59.50
CAR MATERIAL							
Sid., Lin. & Rfg., 4 and 6 inch, B. & B.,	5 ft.	40.00[1]	40.00	....	....	40.00	40.00
" " " " "	8 ft.	25.50[2]	24.60[1]	....	....	24.60[1]	24.60
" " " " "	12 and 14 ft.	45.00	....	....	....	45.00	50.00
" " " " "	16 ft.	....	....	....	....	....	....
" " " " "	9 or 18 ft.	55.00	53.00	53.83[1]	50.00	52.32	53.66
" " " " "	10 or 20 ft	51.50	54.00	50.78[1]	40.00[2]	52.28	51.03

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 10
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	....	25.00	....	....	25.00	21.50
" " " " " 8 ft.	22.25	18.00	....	....	20.61	18.14
" " " " " 12 and 14 ft.	28.00[3]	26.43	....	....	26.43	29.00
" " " " " 16 ft.	....	34.17[1]	....	....	34.17[1]	34.17
" " " " " 9 or 18 ft.	38.50	39.25	....	....	38.75	40.00
" " " " " 10 or 20 ft.	30.25[1]	31.67	27.80[2]	....	31.67	29.95
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	....	25.00	....	....	25.00	21.50
" " " " " 8 ft.	....	18.00	....	....	18.00	18.14
" " " " " 12 and 14 ft.	....	26.43	....	....	26.43	29.00
" " " " " 16 ft.	....	34.17[1]	....	....	34.17[1]	34.17
" " " " " 9 or 18 ft.	40.00	39.25	....	....	40.00	40.00
" " " " " 10 or 20 ft.	38.00	31.67	27.80[2]	....	38.00	28.50
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	15.57	13.00[1]	....	....	15.57	14.09
" " " " " 10 to 20 ft.	15.85	18.40	....	....	16.00	15.17
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	....	....	....	....	24.00[3]
" " " " 2 to 3 inch, 10 & 20 ft.	....	24.00[3]	....	....	24.00[3]	24.00[2]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	....	27.00[3]	....	....	27.00[3]	27.00[2]
" " " 2 to 3 inch, 9 & 18 ft.	25.00[2]	27.00[2]	25.14[1]	15.41[2]	25.14[1]	25.14
" " " 2 to 3 inch 10 & 20 ft.	25.00[2]	28.50	24.50[2]	27.25[1]	28.50	27.25
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	16.50[1]	....	....	16.50[1]	16.50
" " " 2 to 3 inch, 10 & 20 ft.	....	16.00[1]	....	....	16.00[1]	16.00
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	28.29	....	....	....	28.29	25.76
" " " " other lengths.	26.40	27.65	31.80	35.00	27.56	29.16
" " 1x10, " 14 and 16 ft.	27.65	....	....	....	27.65	29.22
" " " " other lengths.	27.63	25.62	32.00	36.00	26.43	27.22
" " 1x12, " 14 and 16 ft.	38.20	....	....	....	38.20	38.16
" " " " other lengths.	37.49	37.75	33.86	36.50	37.51	38.65
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	18.06	15.16	17.74	16.50	17.39	19.17
" " 1x10, " "	18.70	18.27	18.80	16.77	18.01	19.40
" " 1x12, " "	21.02	19.52	18.19	17.90	19.47	20.42
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	10.89	9.78	11.49	12.66	11.27	12.07
" " 1x10, " "	11.40	10.14	11.10	12.66	10.84	11.47
" " 1x12, " "	10.65	10.32	11.95	12.92	11.13	11.09
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	25.39	....	....	....	25.39	26.65
" " " other lengths.	26.84	25.70	27.09	....	26.76	25.44
" 1x10, " 14 and 16 ft.	27.27	....	....	....	27.27	24.75
" " " other lengths.	25.93	28.50[1]	26.00[2]	....	25.93	26.94
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	19.18	17.85	17.30	17.21	17.66	19.16
" 1x10, " "	19.07	18.67	17.62	17.68	17.77	18.84
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	11.13	11.27	11.67	11.45	11.38	11.91
" 1x10, " "	11.80	11.07	12.13	11.90	11.54	11.98
" 1x12, " "	11.10	11.20	....	....	11.12	11.52
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	30.72[1]	....	....	....	30.72[1]	30.72
" " " " other lengths.	28.25	....	....	....	28.25	30.31
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	5.91[1]	....	3.88	....	3.88	5.49

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 10
1x4, S 1 S, No. 1, 16 ft.	26.85	....	....	....	26.85	24.71
" " " other lengths	25.51	23.94	37.50[1]	26.00[1]	24.56	27.32
" " No. 2, all lengths	12.82	11.14	13.79	12.75[1]	12.29	13.21
" " No. 3, "	7.82	7.53	9.82	8.00	7.95	7.67
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	27.28[1]	....	....	....	27.28[1]	27.28
" " No. 2, all lengths	12.96	....	....	11.50	12.44	14.73
" " No. 3, "	8.50[2]	....	....	6.50	6.50	8.50[1]
1x6, S 1 S, No. 1, 16 ft.	27.08	....	....	....	27.08	28.97
" " " other lengths	27.54	26.49	29.07	24.60	27.03	28.10
" " No. 2, all lengths	17.32	15.23	17.38	16.04	16.44	17.89
" " No. 3, "	8.75	8.99	10.82	11.95	9.60	10.32
1x6, C. M., No. 1, 16 ft.	27.70	....	....	....	27.70	27.67
" " " other lengths	28.53	24.83	....	27.00[3]	27.26	26.86
" " No. 2, all lengths	17.39	17.11	....	15.97	16.40	17.99
" " No. 3, "	9.55	12.87	....	10.07	10.99	9.76
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	24.91	22.56	20.60	19.00	22.07	24.04
" " " 12 ft.	22.42	21.79	19.98	17.00	20.49	22.27
" " " 14 ft.	20.96	21.62	18.20	17.50	18.98	21.78
" " " 16 ft.	22.92	21.57	21.88	17.00	22.07	23.07
" " " 18 ft.	25.32	23.30	21.12	....	22.23	24.04
" " " 20 ft.	25.55	23.25	21.12	....	24.59	24.97
" " " 22 ft.	27.50	27.17	22.42[1]	....	27.39	24.19
" " " 24 ft.	25.76	25.95	22.42[1]	....	25.84	26.73
2x 6, No. 1, S 1 S 1 E, 10 ft.	17.61	19.00	17.64	19.29[3]	17.66	19.47
" " " 12 ft.	17.25	18.99	17.22	15.93	17.28	18.25
" " " 14 ft.	16.96	18.58	17.22	16.21	16.94	18.83
" " " 16 ft.	17.74	18.28	18.88	22.50	18.20	20.00
" " " 18 ft.	18.63	20.05	18.30	26.50[1]	18.65	20.57
" " " 20 ft.	19.67	20.44	18.30	....	20.00	22.22
" " " 22 ft.	24.53	22.43	22.94	....	23.17	22.39
" " " 24 ft.	23.84	22.42	22.94	....	23.08	24.42
2x 8, No. 1, S 1 S 1 E, 10 ft.	23.00	19.58	20.73	20.64[3]	20.28	22.99
" " " 12 ft.	21.20	21.24	20.93	17.00	20.70	20.38
" " " 14 ft.	22.07	21.98	20.50	21.50	21.09	19.07
" " " 16 ft.	22.42	21.37	20.95	23.50	21.84	24.68
" " " 18 ft.	25.30	23.90	21.95	28.50[1]	23.27	22.40
" " " 20 ft.	24.79	22.55	21.95	28.50[1]	23.64	23.61
" " " 22 ft.	28.19	27.29	25.75	....	27.26	25.06
" " " 24 ft.	27.01	25.55	25.75	....	26.10	25.98
2x10 No. 1, S 1 S 1 E, 10 ft.	30.00	20.00	22.25	....	23.58	20.02
" " " 12 ft.	22.69	22.00	20.83	26.50[1]	21.40	20.23
" " " 14 ft.	23.19	22.22	20.83	23.00	22.86	21.77
" " " 16 ft.	23.07	22.05	20.45	26.15	21.94	22.16
" " " 18 ft.	23.53	22.47	21.64	25.64	24.11	22.94
" " " 20 ft.	23.51	24.20	21.64	27.50	23.64	23.05
" " " 22 ft.	30.37	25.58	19.25	....	25.82	25.54
" " " 24 ft.	25.85	25.20	19.25	....	25.39	25.42
2x12, No. 1, S 1 S 1 E, 10 ft	22.75	21.00	23.00	....	22.44	24.17[1]
" " " 12 ft.	24.67	23.38	21.64	26.25[3]	22.64	21.09
" " " 14 ft.	23.71	22.54	21.64	26.25[3]	22.91	23.74
" " " 16 ft.	25.49	23.46	20.72	27.50[1]	24.09	25.16
" " " 18 ft.	24.62	24.17	22.60	27.25[3]	23.82	25.74
" " " 20 ft.	26.70	27.76	22.60	27.25[3]	27.35	27.25
" " " 22 ft.	30.44	28.75	27.76	....	29.43	29.87
" " " 24 ft.	29.91	28.21	27.76	....	28.65	30.52
2x 4, No. 2, S 1 S 1 E, 10 ft.	21.87	18.44	19.31	15.87	18.24	19.10
" " " 12 ft.	20.02	15.76	17.20	18.10	17.85	17.91
" " " 14 ft.	19.12	15.77	17.39	17.00	17.85	19.16
" " " 16 ft.	20.05	20.62	19.06	17.00	19.59	19.57
" " " 18 ft.	22.60	19.28	18.26	18.79	19.96	20.36
" " " 20 ft.	23.49	18.60	18.26	18.00	22.41	20.40
" " " 22 ft.	29.00[2]	19.38[1]	18.93[1]	....	19.27[1]	19.27
" " " 24 ft.	25.00	19.38[1]	18.93[1]	....	25.00	19.27
2x 6, No. 2, S 1 S 1 E, 10 ft.	14.55	12.16	14.80	14.88	14.07	15.05
" " " 12 ft.	14.24	13.52	14.52	14.00	14.22	14.41
" " " 14 ft.	14.39	14.71	14.52	13.50	14.52	14.46
" " " 16 ft.	14.72	16.50	15.55	14.84	15.43	14.04
" " " 18 ft.	16.17	15.41	15.55	15.35	15.57	16.74
" " " 20 ft.	14.50	18.04	15.55	17.25	17.49	16.69
" " " 22 ft.	16.00[1]	16.00	22.00	18.00[1]	17.20	17.06
" " " 24 ft.	16.50	16.00	22.00	18.00[2]	16.50	19.00

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 10
2x 8, No. 2, S 1 S 1 E, 10 ft.	20.32	19.50	15.25	15.94	17.17	15.06
“ “ “ 12 ft.	19.39	18.17	15.48	17.50	17.40	17.05
“ “ “ 14 ft.	19.46	16.90	16.06	15.50	17.08	16.40
“ “ “ 16 ft.	20.15	21.47	15.56	14.00	19.12	18.74
“ “ “ 18 ft.	22.02	21.32	19.41	18.00	20.98	21.49
“ “ “ 20 ft.	21.40	18.92	19.41	18.00	19.34	21.10
“ “ “ 22 ft.	24.00	17.00	25.00[2]	21.00[1]	20.18	23.09
“ “ “ 24 ft.	24.00	17.00	25.00[2]	....	24.00	21.00
2x10, No. 2, S 1 S 1 E, 10 ft.	18.90[1]	20.83[1]	17.00	17.13[1]	17.00	17.85
“ “ “ 12 ft.	17.33	20.63[1]	15.15	16.56[1]	16.08	17.69
“ “ “ 14 ft.	17.23	15.00	15.15	15.50	16.22	18.90
“ “ “ 16 ft.	19.51	19.86	16.99	15.46	17.96	18.24
“ “ “ 18 ft.	18.54	21.00	17.00	....	18.42	16.80
“ “ “ 20 ft.	18.91	19.00[1]	17.00	19.39[2]	18.91	19.71
“ “ “ 22 ft.	19.00[1]	17.13	19.50[1]	....	17.13	22.32
“ “ “ 24 ft.	19.00[1]	17.13	19.50[1]	....	17.13	19.00
2x12, No. 2, S 1 S 1 E, 10 ft.	18.00[1]	15.00[3]	17.00	18.00[3]	17.00	18.50
“ “ “ 12 ft.	16.00	16.00	19.00	17.75[1]	16.30	16.96
“ “ “ 14 ft.	19.25	15.00	19.00	18.00[3]	15.80	18.22
“ “ “ 16 ft.	17.94	16.69	17.69	18.50[1]	17.53	17.26
“ “ “ 18 ft.	17.20	18.55	18.69	18.75[2]	18.37	19.68
“ “ “ 20 ft.	19.57	23.23	18.69	18.85[2]	21.60	20.83
“ “ “ 22 ft.	21.50[1]	20.78	21.00[2]	....	20.78	23.71
“ “ “ 24 ft.	21.50[1]	20.78	21.00[2]	....	20.78	21.50
No 1, 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All Nc 3 S 1 S 1 E, all lengths	8.85	8.73	9.07	10.50[3]	8.82	8.67
PATENT LATH						
4 and 6 ft.	9.43	10.95	12.55	....	10.44	8.95
8 and 10 ft.	10.80	11.37	12.55	....	10.86	10.29
12 ft. and longer	10.35	11.39	12.55	....	10.64	10.78
PLASTERING LATH						
⅜x1½-4, No. 1	4.52	4.60	4.70	3.45	4.53	4.92
“ No. 2	3.59	3.40	3.53	3.54[1]	3.51	4.04
⅜x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-4, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
⅝x1½-3, No. 1	....	....	....	....	....	....
“ No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No 1, up to 20 ft.	20.03	19.82	18.31	....	19.36	19.82
“ “ 22-24 ft.	21.40	22.33	17.76[1]	....	21.61	21.31
“ “ 26 ft.	17.25	24.50[3]	25.50	....	24.62	21.51
“ “ 28 ft.	22.72[1]	23.50[1]	25.63[2]	....	23.11[1]	23.11
“ “ 30 ft.	20.70	26.28	21.50[3]	....	21.83	25.70
“ “ over 30 ft	23.60	27.41	21.00	....	22.61	26.51
4x4 to 8x8, Heart (85%+), up to 20 ft.	21.87	21.47	....	....	21.80	23.71
“ “ “ 22-24 ft.	24.02	26.17	....	....	24.35	25.29
“ “ “ 26 ft.	29.00	27.00[1]	....	....	29.00	28.18
“ “ “ 28 ft.	27.00[1]	28.00[1]	....	....	27.63[1]	27.63
“ “ “ 30 ft.	36.50	29.63	....	....	30.39	28.60
“ “ “ over 30 ft.	27.11	31.60	....	....	30.79	30.31
3 & 4x10, No 1, up to 20 ft.	23.05	24.00	....	....	23.17	22.77
“ “ 22-24 ft.	21.96	26.00[1]	....	....	21.96	24.15
“ “ 26 ft.	20.25	23.67[3]	....	....	20.25	25.00
“ “ 28 ft.	26.57	25.00[1]	....	....	26.57	25.41
“ “ 30 ft.	28.50[3]	....	....	....	28.50[3]	28.50[2]
“ “ over 30 ft.	29.01	....	....	....	29.01	30.00[2]
3 & 4x10, Heart (85%+), up to 20 ft.	24.83	24.37	....	....	24.78	25.51
“ “ “ 22-24 ft.	32.92	23.00	....	....	32.36	25.46
“ “ “ 26 ft.	26.00	25 00[1]	....	....	26.00	26.15
“ “ “ 28 ft.	27.00	26.00	....	....	26.91	27.74
“ “ “ 30 ft.	28.00	....	....	....	28.00	29.00
“ “ “ over 30 ft.	47.50	....	....	....	47.50	29.35[3]

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 10
6x10, to 10x10, No. 1, up to 20 ft.	21.94	21.65	20.62	....	20.98	21.68
" " 22-24 ft.	24.00	24.00	18.00	....	23.17	21.98
" " 26 ft.	25.00	22.00	28.00	....	23.52	26.03
" " 28 ft.	25.00	25.00[1]	28.00	....	25.00	24.24
" " 30 ft.	26.54[3]	26.00[3]	19.00[1]	....	19.00[1]	19.00
" " over 30 ft.	25.14	28.18[3]	19.00[1]	....	25.14	23.26
6x10 to 10x10, Heart (85%+), up to 20 ft.	24.17	25.37	....	....	24.19	25.66
" " " 22-24 ft.	28.11	26.00[1]	....	....	28.11	25.09
" " " 26 ft.	26.00[1]	28.00	....	....	28.00	26.00
" " " 28 ft.	27.00[1]	....	....	....	27.00[1]	27.00
" " " 30 ft.	25.00[2]	30.25	....	....	30.25	25.00[1]
" " " over 30 ft.	33.05	....	....	....	33.05	44.49
3 & 4x12. No. 1, up to 20 ft.	25.45	24.74	....	....	25.35	25.17
" " 22 24 ft.	28.00[2]	26.25	....	....	26.25	25.10[1]
" " 26 ft.	27.00	25.26[1]	....	....	27.00	25.26.
" " 28 ft.	27.68[3]	29.00[3]	....	....	28.21[3]	28.21[2]
" " 30 ft.	31.00[2]	....	....	....	31.00[2]	31.00[1]
" " over 30 ft.	31.26	....	....	....	31.26	49.00[1]
3 & 4x12 Heart (85%+), up to 20 ft.	27.55	27.17	....	....	27.46	28.70
" " " 22-24 ft.	28.00	28.67[1]	....	....	28.00	29.08
" " " 26 ft.	29.00	....	....	....	29.00	30.00
" " " 28 ft.	30.60	....	....	....	30.60	31.00
" " " 30 ft.	32.91[3]	33.00[1]	....	....	33.00[1]	33.00
" " " over 30 ft.	36.00	....	....	....	36.00	37.00[3]
6x12 to 12x12, No. 1, up to 20 ft.	22.86	25.85	21.18	....	22.01	24.07
" " 22-24 ft.	22.50	25.50[1]	25.46	....	23.38	26.28
" " 26 ft.	23.50	27.00[2]	28.83	....	26.29	24.70
" " 28 ft.	23.50	28.00[3]	28.83	....	23.50	28.34
" " 30 ft.	24.91	....	....	....	24.91	29.00[2]
" " over 30 ft.	28.95	40.50	32.00[2]	....	30.96	36.05
6x12 to 12x12, Heart (85%+), up to 20 ft.	26.17	29.00	....	....	26.51	27.13
" " " 22-24 ft.	27.73[1]	27.00[1]	....	....	27.62[1]	27.62
" " " 26 ft.	30.00[2]	27.50[2]	....	....	28.21[2]	28 21[1]
" " " 28 ft.	30.00[1]	....	....	....	30.00[1]	30.00
" " " 30 ft.	30.00	....	....	....	30.00	....
" " " over 30 ft.	46.11	38.67[1]	....	....	46.11	45.29
2x14 to 4x14, No. 1,up - 2St2t.	28.00	28.77	....	....	28.34	26.75
" " 22 ft.	30.00	29.55	....	....	29.96	26.48
" " 26 ft.	30.00	29.24	....	....	29 54	32.27
" " 28 ft.	33.78[3]	....	....	....	33.78[3]	33.78[2]
" " 30 ft.	21.25[3]	....	....	....	21.25[3]	21.25[2]
" " over 30 ft.	....	38.50[1]	....	....	38.50[1]	38.50
2x14 to 4x14, Heart (85%+), up to 20 ft.	32.50[3]	33.50[2]	....	....	33.50[2]	33.50[1]
" " " 22-24 ft.	....	....	....	....	....	32.51[3]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	35.50[3]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	35.00[3]
6x14 to 14x14, No. 1, up to 20 ft.	27.73	27.50	23.75	....	26.85	25.07
" " 22-24 ft.	27.80	29.00[3]	30.00	....	28.12	26.32
" " 26 ft.	27.80	....	26.40	....	26.43	26.53
" " 28 ft.	....	....	26.40	....	26.40	26.53
" " 30 ft.	....	....	33.00	....	33.00	....
" " over 30 ft.	34.50[1]	32.00[3]	33.00	....	33.00	34.50
6x14 to 14x14, Heart (85%+), up to 20 ft.	33.50[1]	26.50[2]	....	....	33.50[1]	33.50
" " " 22-24 ft.	....	....	....	....	....	34.00[3]
" " " 26 ft.	34.00[2]	....	....	....	34.00[2]	34.00[1]
" " " 28 ft.	....	....	....	....	....	33.00[3]
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	31.25	....	....	....	31.25	....
2x16 to 4x16, No. 1, up to 20 ft.	32.00[2]	29.00	....	....	29.00	32.00[1]
" " 22-24 ft.	34.00[2]	....	....	....	34.00[2]	34.00[1]
" " 26 ft.	....	....	....	....	....	35.50[3]
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	39.00[1]	....	....	39.00[1]	39.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 10
6x16 & Up, No. 1, up to 20 ft.	33.62	....	38.00	....	35.39	19.82
" " 22-24 ft.	42.44	....	22.00[1]	....	42.44	32.90
" " 26 ft.	....	....	35.00[2]	....	35.00[2]	35.00[1]
" " 28 ft.	35.00[2]	....	35.00[2]	....	35.00[2]	35.00[1]
" " 30 ft.	35.00	....	....	....	35.00	45.00
" " over 30 ft.	37.00	....	....	....	37.00	40.65[2]
6x16 & Up, Heart (85%+), up to 20 ft.	52.00[1]	....	....	....	52.00[1]	52.00
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	39.00[2]	....	....	....	39.00[2]	39.00[1]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	32.00[1]	....	....	32.00[1]	32.00
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	34.00[1]	....	....	34.00[1]	34.00
" " " 30 ft.	....	37.50[1]	....	....	37.50[1]	37.50
" " " 32 ft.	....	36.00[1]	....	....	36.00[1]	36.00
16 inch, Sq. E. up to 20 ft.	32.00	....	....	....	32.00	30.00[2]
" " 22-24 ft.	31.32[1]	....	....	....	31.32[1]	31.32
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	35.00	33.00	37.52[2]	....	34.93	34.00
" " 30 ft.	34.15[3]	34.13[3]	....	....	34.14[3]	34.14[2]
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	32.00	34.00	....	....	32.80	35.25[3]
" " " 22-24 ft.	....	31.00	....	....	31.00	....
" " " 26 ft.	35.00[3]	....	40.00[1]	....	40.00[1]	40.00
" " " 28 ft.	34.94	35.00	39.87	....	35.78	36.00
" " " 30 ft.	36.00	37.00	....	....	36.38	37.00
" " " 23 ft.	....	38.00[1]	....	....	38.00[1]	38.00
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	....	26.00[2]	27.66	....	27.66	30.55
" " " 36 ft.	27.25	28.64[1]	27.66	25.54[3]	27.25	28.64
" " " 37-38 ft.	28.66	29.50[1]	28.68	28.00	28.66	29.10
" " " 40 ft.	29.00	30.50[1]	28.68	....	29.00	31.68
" " " 41-42 ft.	29.00	30.00[1]	....	....	29.00	30.00
Up to 9 inch, Heart (85%+), 34 ft.	....	....	....	....	....	31.60[3]
" " " " 36 ft.	30.36[1]	29.25	....	....	29.25	30.97
" " " " 37-38 ft.	34.00	30.25	....	....	30.88	32.87
" " " " 40 ft.	33.00[1]	....	....	....	33.00[1]	33.00
" " " " 41-42 ft.	33.00[1]	....	....	....	33.00[1]	33.00
Up to 10 inch, Sq. E. 34 ft.	....	....	27.00	....	27.00	31.63
" " " 36 ft.	29.75	29.00[3]	27.00	24.00	27.17	29.50
" " " 37-38 ft.	28.45[2]	28.00[1]	30.68	30.00	30.42	28.63
" " " 40 ft.	29.29	....	30.68	....	29.29	33.50
" " " 41-42 ft.	33.50[1]	38.00[3]	....	....	33.50[1]	33.50
Up to 10 inch, Heart, (85%+), 34 ft.	....	35.37		....	35.37	36.50[1]
" " " " 36 ft.	31.00[1]	....	....	....	31.00[1]	31.00
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	33.00[1]	....	....	....	33.00[1]	33.00
" " " " 41-42 ft.	38.00[1]	....	....	....	38.00[1]	38.00
Up to 12 inch, Sq. E., 34 ft.	32.00	....	34.87	....	32.72	34.87
" " " 36 ft.	32.77	33.50[1]	34.87	32.00	32.42	31.13
" " " 37-38 ft.	35.00[1]	33.50[2]	32.62	32.00	32.42	34.59
" " " 40 ft.	29 00	35.50[1]	32.62	....	29.00	39.19
" " " 41-42 ft.	39.50[1]	....	....	34.00	34.00	39.50
Up to 12 inch, Heart, (85%+), 34 ft.	....	35.37	....	....	35.37	38.50[1]
" " " " 36 ft.	50.75[2]	31.25	....	....	31.25	50.75[1]
" " " " 37-38 ft.	....	34.25	....	....	34.25	....
" " " " 40 ft.	....	33.25	....	....	33.25	....
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 10
Up to 14 inch, Sq. E., 34 ft.	....	....	38.00	....	38.00	35.26^{1}
" " " 36 ft.	34.75^{2}	....	38.00	38.00^{1}	38.00	38.00
" " " 37-38 ft.	35.38^{2}	35.00^{2}	41.53^{1}	....	41.53^{1}	41.53
" " " 40 ft.	36.26^{2}	36.00^{2}	41.53^{1}	40.00^{3}	41.53^{1}	41.53
" " " 41-42 ft.	....	....	....	....	....	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	....	....	....	....	....
" " " " 36 ft.	....	....	....	....	....	39.00^{3}
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	40.00^{3}	....	....	....	40 00^{3}	40.00^{2}
" " " " 41-42 ft.	40.00^{3}	....	....	....	40.00^{3}	40.00^{2}
CAPS						
12x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	27.00^{3}	27.75^{3}	....	....	27.27^{3}	27.27^{2}
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	27.50	....	....	27.50	29.00
" " " 14 ft.	....	30.00	....	....	30.00	28.00^{3}
" " " 16 ft	....	....	....	....	....	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	27.00^{1}	....	....	....	27.00^{1}	27.00
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	26.35	....	....	26.35	27.00
" " " 16 ft.	....	....	....	....	....	....
SAWN TIMBERS						
25 Cubic Average, 25 lin.	23.25^{3}	....	....	....	23.25^{3}	23.25^{2}
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	22.87	....	....	....	22.87	22.99
SPECIAL TIMBERS						
Track Ties, Sq. E., 6x8–8	18.05^{3}	21.85^{3}	....	....	20.58^{3}	20.58^{2}
" " Heart, (85%+), 6x8–8	23.00	23.61	....	....	23.31	21.08
" " Sq. E., " 7x9–8	22.00^{1}	19.00	....	....	19.00	22.00
" " Heart, " 7x9–8	....	21.67	....	....	21.67	22.00
Bridge Ties, Sq. E., 7x9 & up	22.00^{1}	....	....	....	22.00^{1}	22.00
" " Heart,	23.00^{1}	....	....	....	23.00^{1}	23.00
Paving Stock, S 1 S	....	....	....	....	....	....
" " Rough	....	....	....	....	....	16.00^{3}
Battleship Decking, Edge Grain	73.00	....	....	....	73.00	....
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	23.58	22.91	20.59	21.69	22.68	24.66
MISCELLANEOUS STOCK						
Silo Stock	....	....	....	....	....	....
Grain Doors	....	....	....	....	....	6.50^{3}
Miscellaneous, B and B	61.30	53.14	56.75	43.80	56.54	51.66
" No. 1	28.99	28.93	26.85	31.21	29.15	28.69
" No. 2	18.86	16.96	15.80	16.09	16.63	17.61
" No. 3	9.14	9.20	11.25	9.68	9.52	10.08
Shorts, B and B	35.08	43.00	....	....	35.49	29.61
" No. 1	11.71	18.72	....	....	12.26	11.80
" No. 2	....	8.24	....	....	8.24	8.92
" No. 3	....	9.70^{1}	....	....	9.70^{1}	9.70

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2,25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15,25	15.50	4500

Weight	.35	.35½	.36	.36½	.37	.37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weig.
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.00	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16.75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19.00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Southern Pine Association

REPORT OF SALES

December 31, 1921

EXPLANATION

THIS REPORT OF SALES is based on all sales made for eleven days ending December 31, 1921, reported to the statistical exchanges in Kansas City, Alexandria, Hattiesburg and Birmingham by the companies reporting thereto and by said exchanges reported to the Southern Pine Association.

The figures shown hereon are arrived at by deducting from the delivered price of sales reported, transportation charges computed on the basis of long leaf weights, and are averaged from the reports of all of said exchanges and represent the realization f. o. b. mills as thus computed for each grade and size.

This report does not represent the price received at the mill, because the same basis of weights is used for both short and long leaf pine. But, by adding to the realization f. o. b. mills as shown, the cost of transportation on the long leaf basis of weights on any rate of freight, the average price secured in the market on said sales may be determined.

Where the item reported is not shown in the last report of sales, the next previous report of sale will be taken as representing the market value on that item, provided it was reported not over 30 days previous to the current report. Sales shown herein are for the current period, unless otherwise noted. The numeral [1] following a price indicates it has been brought forward from the first preceding report; the numeral [2] indicates it has been brought forward from the second preceding report; the numeral [3] indicates it has been brought forward from the third preceding report.

AVERAGE WEIGHTS OF SOUTHERN PINE WHEN WORKED TO STANDARD SIZE

(LONG LEAF)

DRY

Flooring, 13/16x2¼	For Hollow Back Flooring, Ceiling and Drop Siding, Deduct 100 lbs.	2,000	Siding, from inch stock	1,100
Flooring, 13/16x3¼		2,200	Siding, from 1¼ inch stock	1,400
Flooring, 13/16x5¼		2,400	Drop Siding to ¾	1,900
Ceiling, ⅜		1,000	Moulded Casing, 4½ to 5¼	2,000
Ceiling, ½		1,200	Moulded Base, from 8, 10, 12 inch stock	2,100
Ceiling, ⅝		1,500	Finish, inch, S 1 S or S 2 S to 13/16	2,600
Ceiling, ¾		1,800	Finish, 1¼, 1½ and 2 inch, S 1 S or S 2 S to Standard Thickness	2,800
Partition, ¾		1,900	Finish, 1, 1¼, 1½ and 2 inch, rough	3,400
Shiplap and D. & M. ¾		2,400	Com. Boards, 1x12, rough	3,500
Grooved Roofing, 13/16		2,600	2x4, 2x6 and 2x8, S 1 S 1 E to 1⅝	2,700
Com. Boards and Fencing, 1x4, 6, 8 or 10 in., S 1 S or S 2 S to 13/16		2,700	2x4, 2x6 and 2x8, rough	3,400
Com. Boards, 1x12, S 1 S or 2 S to 13/16		2,800	2x10 and 2x12, S 1 S 1 E to 1⅝	2,800
Com. Boards and Fencing, 1x4, 6, 8 or 10 inch, rough		3,400	2x10 and 2x12, rough	3,500

GREEN

2x14 and 3x12, S 1 S 1 E	3,800	4x4 and 6x6, rough	4,500
2x14 and 3x12, rough	4,500	6x8 and over, rough	4,500
4x 4 and 6x6, S 1 S 1 E	3,800	6x8 and over, S 4 S	3,800
Plastering Lath, dry	550	Byrkit Lath, dry	1,800

The average weights shown above are based upon test weights taken during 1915 on large quantities of each item listed, of the Long Leaf Pine lumber manufactured by the Subscribers to the Southern Pine Association.

Southern Pine Association
New Orleans, La.
Issued January 10, 1921

No. 152

ANNUAL NORMAL PRODUCTION OF MILLS REPORTING THROUGH EXCHANGES AND REPRESENTED IN THIS REPORT

NAME OF EXCHANGE	No. of Mills Reporting	Combined Annual Normal Production (Feet)
Kansas City Exchange, Kansas City, Mo.	40	1,562,297,832
"Alexandria District" Lumbermen's Exchange, Alexandria, La.	45	1,033,000,000
The Walker Company, Inc., Hattiesburg, Miss.	92	2,014,300,000
Alabama Statistical Bureau, Birmingham, Ala.	32	528,650,000
	209	5,138,247,832

FLOORING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Heart Face, Edge Grain, B and Better, 13/16x2¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	....	....	..	....	....
" " B and Better "	72.85	....	....	....	72.85	67.98
" " C "	47.00	....	....	....	47.00	46.50
" " D "	48.00[1]	....	....	....	48.00[1]	48.00
" " No. 2 "	...	....	....	....	....	....
Flat " A "	....	....	....	....	....	....
" " B "	....	....	....	....	....	....
" " B and Better "	53.00	....	....	....	53.00	51.88
" " C "	43.25[1]	....	....	....	43.25[1]	43.25
" " D "	38.50[2]	....	....	....	38.50[2]	38.50[1]
No. 1 Common "	....	....	....	....	....	....
No. 2 " "	15.00	....	....	....	15.00	16.01
No. 3 " "	....	....	....	....	....	....
Heart Face, Edge Grain, B and Better, 13/16x2½″	....	....	....	75.00	75.00	71.00
Edge Grain, A "	....	....	79.00[1]	79.00[1]	79.00[1]	79.00
" " B "	....	72.00	70.73	....	70.80	71.96
" " B and Better "	68.00[3]	63.06	....	64.20	63.85	65.95
" " C "	....	58.00[1]	50.00	48.00	48.50	52.30
" " D "	50.00[1]	....	....	....	50.00[1]	50.00
" " No. 2 "	....	....	22.71	22.50[1]	22.71	25.77
Flat " A "	....	....	....	....	....	....
" " B "	....	51.00[2]	....	....	51.00[2]	51.00[1]
" " B and Better "	51.25[3]	53.00[1]	49.50	49.52	49 51	52.84
" " C "	....	....	....	....	....	....
" " D "	48.00[1]	....	....	....	48.00[1]	48.00
No. 1 Common "	....	45.00	39.23	37.90	39.09	40.47
No. 2 " "	13.50	15.01	13.91	14.44	14.24	15.92
No. 3 " "	....	....	7.08	7.00	7.02	6.67
Heart Face, Edge Grain, B and Better, 13/16x3¼″	....	....	....	....	....	....
Edge Grain, A "	....	....	....	....	....	....
" " B "	....	62.18[2]	64.63	....	64.63	56.00
" " B and Better "	59.74	52.30	....	57.25[1]	57.03	55.00
" " C "	48.00[2]	50.50[2]	47.46[1]	....	47.46[1]	47.46
" " D "	49.00	....	....	....	49.00	48.00
" " No. 2 "	....	....	20.15	....	20.15	23.33
Flat " A "	....	....	....	....	....	....
" " B "	....	45.00	....	40.00[1]	45.00	40.00
" " B and Better "	44.32	45.69	41.97	44.72	43.80	44.56
" " C "	....	40.00[1]	....	....	40.00[1]	40.00
" " D "	34.04	....	....	....	34.04	35.73
No. 1 Common "	....	34.44	34.61	33.24	34.34	34.77
No. 2 " "	17.70	16.89	14.85	13.91	15.25	16.93
No. 3 " "	....	....	8.40	6.54	7.77	6.80
CEILING						
Ceiling, ½x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	35.81[1]	36.00[1]	34.64	37.21[1]	34.64	35.94
" " No. 1 Common	....	30.00[2]	32.19	33.00[2]	32.19	31.45
" " No. 2 "	12.25	12.25	14.83	....	13.51	12.64
" " No. 3 "	....	....	4.75[1]	....	4.75[1]	4.75
Ceiling, ⅝x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	38.60	36.26	35.77	37.50[1]	36.55	36.98
" " No. 1 Common	33.29	30 67	32.15	33.23	32.58	32.98
" " No. 2 "	16.30	12.96	15.01	13.50	14.55	14.90
" " No. 3 "	....	....	6.62	....	6.62	5.00[1]
Ceiling, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	....	....	41.99	....	41.99	44.25
" " No. 1 Common	40.00[1]	27.50	....	....	27.50	41.00
" " No. 2 "	20.00[1]	12.75	18.50[1]	....	12.75	19.57
" " No. 3 "	....	....	....	....	....	14.00[3]
PARTITION						
Partition, ¾x3¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	54.54[2]	47.17	45.16	43.93[1]	45.72	45.75
" " No. 1 Common	46.75[1]	38.00	36.56	40.00	36.72	41.81
" " No. 2 "	20.25	18.00	17.46	22.00[2]	17.78	19.22
Partition, ¾x5¼″, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	....	57.25	45.16	....	57.25	45.00
" " No. 1 Common	....	25.00	36.56	....	25.00	41.59
" " No. 2 "	19.00[1]	18.25	17.46	....	18.25	19.87
BEVEL SIDING						
Bevel Siding, A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	27.75	38.00	31.75	....	30.87	36.03
" No. 1 Common	22.00	15.00	25.00	....	20.91	26.63
" No. 2 "	13.00[2]	....	16.00	14.00[2]	16.00	12.50

DROP SIDING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Drop Siding, ¾x3¼ or 5¼, A	....	....	....	....	....	....
" " B	....	....	....	....	....	....
" " B and Better	40.48	39 61	38.11	35.00[1]	39.94	38.63
" " No. 1 Common	34.91	32.24	31.37	32.10	33.35	33.97
" " No. 2 "	20.13	20.70	19.08	15.34	18.95	19.56
" " No. 3 "	....	....	9.52	10.50	9.82	9.72
FINISH						
1x 4 inch, A	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B	....	....	....	....	....	....
1x 6 inch, "	....	....	....	....	....	....
1x 8 inch, "	....	....	....	....	....	....
1x 5 and 10 inch, "	....	....	....	....	....	....
1x12 inch, "	....	....	....	....	....	....
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	....	....	....	....	....	....
1⅝ inch, "	....	....	....	....	....	....
1x 4 inch, B and Better	50.70	50.92	48.24	41.75	45.76	51.20
1x 6 inch, "	50.42	49.17	44.61	48.25	47.17	49.60
1x 8 inch, "	47.64	50.60	53.49	46.00	49.59	49.90
1x 5 and 10 inch, "	56.03	53.96	53.32	51.50	54.40	53.93
1x12 inch, "	56.12	55.34	54.42	53.58[1]	55.36	52.60
1¼x4 to 12 inch, "	64.06	60.04	60.46	60.00	60.54	58.10
1½ and 2x4 to 12 inch, "	62.60	65.40	58.53	65.00[1]	60.12	54.84
1⅝ inch, "	46.50	49.50[1]	....	....	46.50	47.70
1x 6 to 12 inch, "	....	....	....	51.75[2]	51.75[2]	51.75[1]
1x 4 inch, C	47.00	46.00	34.50[1]	....	46.34	34.50
1x 6 inch, "	45.16	36.50	45.00	....	43.17	39.96[1]
1x 8 inch, "	46.25	36.50	35.00[2]	....	39.75	37.55[1]
1x 5 and 10 inch, "	45.57[2]	53.00	48.00	....	50.50	44.38[1]
1x12 inch, "	42.57[2]	41.50	52.00	....	47.80	42.40[1]
1¼x4 to 12 inch, "	....	....	....	....	....	....
1½ and 2x4 to 12 inch, "	49.00	....	....	....	49.00	....
1⅝ inch, "	....	....	....	....	....	....
1x 6 to 12 inch, "	....	....	....	....	....	....
1x 4 inch, B and Better, Rough	....	47.00[1]	46.04[2]	....	47.00[1]	47.00
1x 6 inch, " "	53.00[1]	51.50[1]	64.00	39.67	39.99	51.80
1x 8 inch, " "	53.00[1]	51.50[1]	64.00	39.00	64.00	46.76
1x 5 and 10 inch, " "	60 00[1]	56.50[1]	46.78[1]	45.43[2]	51.00[1]	51.00
1x12 inch, " "	60.00[1]	....	54.90[1]	46.00[2]	55.80[1]	55.80
1¼x4 to 12 inch, " "	....	53.00[1]	56.78	....	56.78	55.50
1½ and 2x4 to 12 inch, " "	52.84	....	49.04	....	50.62	54.42
1⅝ inch, " "	....	....	....	....	....	....
1x 6 to 12 inch, " "	....	....	....	43.19[1]	43.19[1]	43.19
CASING AND BASE						
From 4 and 6 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	58.90	61.78	55.20	60.00[2]	57.78	58.60
From 8 and 10 inch stock, B. M., A	....	....	....	....	....	....
" B	....	....	....	....	....	....
" B and Better	60.52	65.00	55.34	53.00[1]	57.03	55.87
MOULDINGS (% Discount)						
1½ inch and Smaller	....	....	....	....	....	....
1¾ inch and Larger	....	....	....	....	....	....
DOOR AND WINDOW JAMBS						
A B. M	....	....	....	....	....	....
B "	....	....	....	....	....	....
B and Better, "	64.00[1]	56.00	65.00	....	60.50	59.98
CAR MATERIAL						
Sid., Lin. & Rfg., 4 and 6 inch, B. & B., 5 ft.	40.00[2]	40.00[1]	....	....	40.00[1]	40.00
" " " " " 8 ft.	28.88	24.60[2]	....	....	28.88	24.60[1]
" " " " " 12 and 14 ft.	48.00	....	....	....	48.00	45.00
" " " " " 16 ft.	52.00	55.47	....	....	55.08	....
" " " " " 9 or 18 ft.	56.11	33.00	53.83[2]	50.00	49.03	52.32
" " " " " 10 or 20 ft	51.26	54.00[1]	50.78[2]	40.00[3]	51.26	52.28

CAR MATERIAL—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Siding, Lining and Roofing, 1x4, No. 1, 5 ft.	23.00	23.10	....	....	23.06	25.00
" " " " " 8 ft.	22.25[1]	21.00	....	..	21.00	20.61
" " " " " 12 and 14 ft.	30.00	31.50	....	....	30.75	26.43
" " " " " 16 ft.	....	34.17[2]	....	....	34.17[2]	34.17[1]
" " " " " 9 or 18 ft.	38.50[1]	37.33	....	....	37.33	38.75
" " " " " 10 or 20 ft.	33.64	33.87	27.80[3]	....	33.85	31.67
Siding, Lining and Roofing, 1x6, No. 1, 5 ft.	....	23.10	....	....	23.10	25.00
" " " " " 8 ft.	....	21.00	....	....	21.00	18.00
" " " " " 12 and 14 ft.	24.25	31.50	....	....	24.25	26.43
" " " " " 16 ft.	....	34.17[2]	....	....	34.17[2]	34.17[1]
" " " " " 9 or 18 ft.	40.00[1]	37.33	....	....	37.33	40.00
" " " " " 10 or 20 ft.	35.00	33.87	27.80[3]	....	35.00	38.00
Siding, Lining & Roofing, 4 and 6", No. 2, 5 to 9 ft.	15.84	16.00	....	....	15.92	15.57
" " " " " 10 to 20 ft.	15.92	15.00	....	....	15.84	16.00
Decking, Heart Face, Finished, 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " " 2 to 3 inch, 9 & 18 ft.	....	30.00	....	....	30.00	....
" " " " 2 to 3 inch, 10 & 20 ft.	....	30.00	....	....	30.00	24.00[3]
" No. 1, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft	....	....	....	....	....	27.00[3]
" " " 2 to 3 inch, 9 & 18 ft.	25.00[3]	26.34	25.14[2]	15.41[3]	26.34	25.14[1]
" " " 2 to 3 inch 10 & 20 ft.	25.00[3]	25.11	24.50[3]	27.25[2]	25.11	28.50
" No. 2, " 1⅝ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1⅝ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 1¾ inch, 9 & 18 ft.	....	....	....	....	....	....
" " " 1¾ inch, 10 & 20 ft.	....	....	....	....	....	....
" " " 2 to 3 inch, 9 & 18 ft	....	16.50[2]	....	....	16.50[2]	16.50[1]
" " " 2 to 3 inch, 10 & 20 ft.	....	16.00[2]	....	....	16.00[2]	16.00[1]
BOARDS, SHIPLAP AND GROOVED ROOFING						
Boards, S 1 S or S 2 S, 1x 8, No. 1, 14 and 16 ft.	28.84	....	....	....	28.84	28.29
" " " " other lengths.	24.12	21.35	33.36	35.00[1]	24.42	27.56
" " 1x10, " 14 and 16 ft.	27.09	....	....	....	27.09	27.65
" " " " other lengths.	25.83	24.62	31.63	36.00[1]	27.08	26.43
" " 1x12, " 14 and 16 ft.	39.13	....	....	....	39.13	38.20
" " " " other lengths.	37.69	34.52	35.66	36.50[1]	35.39	37.51
Boards, S 1 S or S 2 S, 1x 8, No. 2, all lengths.	17.19	18.15	18.25	17.13	17.62	17.39
" " 1x10, " "	17.73	18.98	18.30	16.75	17.87	18.01
" " 1x12, " "	20.35	19.69	19.46	17.42	19.62	19.47
Boards, S 1 S or S 2 S, 1x 8, No. 3, all lengths.	10.43	9.71	11.33	12.66[1]	10.47	11.27
" " 1x10, " "	11.71	9.71	11.64	12.66[1]	10.89	10.84
" " 1x12, " "	10.68	10.64	12.47	13.00	11.03	11.13
Shiplap, 1 x 8, No. 1, 14 and 16 ft.	27.67	....	....	....	27.67	25.39
" " " other lengths.	24.91	25.91	25.90	23.00	24.94	26.76
" 1x10, " 14 and 16 ft.	27.27[1]	....	....	....	27.27[1]	27.27
" " " other lengths.	24.00	27.75	26.00[3]	....	26.68	25.93
" 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " other lengths.	....	....	....	....	....	....
Shiplap, 1x 8, No. 2, all lengths.	18.61	17.68	18.27	17.93	18.10	17.66
" 1x10, " "	17.71	18.27	17.90	18.54	18.11	17.77
" 1x12, " "	....	....	....	....	....	....
Shiplap, 1x 8, No. 3, all lengths.	11.21	10.43	12.24	11.65	11.17	11.38
" 1x10, " "	11.50	10.73	13.07	11.83	10.98	11.54
" 1x12, " "	11.10[1]	12.42	....	....	12.42	11.12
Grooved Roofing, 1x10, No. 1, 14 and 16 ft.	29.50	....	....	....	29.50	30.72[1]
" " " " other lengths.	29.77	....	....	....	29.77	28.25
" " 1x12, " 14 and 16 ft.	....	....	....	....	....	....
" " " " other lengths.	....	....	....	....	....	....
All No. 4—all widths and lengths.	5.91[2]	....	3.00	....	3.00	3.88

FENCING	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
1x4, S 1 S, No. 1, 16 ft.	27.00	....	....	....	27.00	26.85
" " " other lengths	25.64	26.39	38.00	26.00[2]	26.32	24.56
" " No. 2, all lengths	12.50	11.41	14.60	10.50	12.20	12.29
" " No. 3, "	9.16	7.67	10.53	8.50	8.84	7.95
1x4, C. M., No. 1, 16 ft.	....	....	....	....	....	....
" " " other lengths	27.28[2]	....	....	....	27.28[2]	27.28[1]
" " No. 2, all lengths	12.96[1]	....	....	11.50[1]	12.44[1]	12.44
" " No. 3, "	8.50[3]	....	....	6.50[1]	6.50[1]	6.50
1x6, S 1 S, No. 1, 16 ft.	28.93	....	....	....	28.93	27.08
" " " other lengths	27.13	25.60	34.91	24.60[1]	27.56	27.03
" " No. 2, all lengths	17.71	15.80	17.48	17.06	16.68	16.44
" " No. 3, "	8.34	9.37	9.62	9.75	8.75	9.60
1x6, C. M., No. 1, 16 ft.	28.50	....	....	....	28.50	27.70
" " " other lengths	28.18	24.00	....	....	26.21	27.26
" " No. 2, all lengths	16.36	16.41	....	17.84	16.67	16.40
" " No. 3, "	8.89	10.04	....	10.07[1]	9.61	10.99
DIMENSION						
2x 4, No. 1, S 1 S 1 E, 10 ft.	25.24	22.45	20.80	19.00[1]	22.05	22.07
" " " 12 ft.	23.04	21.31	19.80	17.00[1]	20.67	20.49
" " " 14 ft.	21.81	21.22	19.10	17.50[1]	20.69	18.98
" " " 16 ft.	23.48	21.79	19.75	17.00[1]	20.93	22.07
" " " 18 ft.	26.41	23.74	21.10	....	22.23	22.23
" " " 20 ft.	26.63	23.97	21.10	....	24.46	24.59
" " " 22 ft.	27.37	25.00	22.50	....	23.70	27.39
" " " 24 ft.	28.53	25.40	22.50	....	26.40	25.84
2x 6, No. 1, S 1 S 1 E, 10 ft.	22.00	19.92	17.66	....	19.76	17.66
" " " 12 ft.	18.56	19.23	16.74	15.93[1]	17.61	17.28
" " " 14 ft.	15.29	19.35	16.74	16.21[1]	18.30	16.94
" " " 16 ft.	17.90	18.30	18.10	22.50[1]	18.15	18.20
" " " 18 ft.	19.79	19.37	18.13	26.50[2]	18.68	18.65
" " " 20 ft.	20.22	19.68	18.13	....	19.79	20.00
" " " 22 ft.	24.73	22.61	20.01	....	20.51	23.17
" " " 24 ft.	23.91	23.31	20.01	....	23.64	23.08
2x 8, No. 1, S 1 S 1 E, 10 ft.	23.77	19.58[1]	21.45	....	22.74	20.28
" " " 12 ft.	22.73	21.67	19.88	17.00[1]	20.54	20.70
" " " 14 ft.	21.52	21.61	19.00	21.50[1]	20.35	21.09
" " " 16 ft.	23.34	22.22	18.97	23.50[1]	20.63	21.84
" " " 18 ft.	25.11	24.03	20.23	28.50[2]	21.50	23.27
" " " 20 ft.	25.56	23.21	20.23	28.50[2]	23.97	23.64
" " " 22 ft.	25.19	26.25	26.81	....	25.58	27.26
" " " 24 ft.	28.25	24.89	26.81	....	25.55	26.10
2x10, No. 1, S 1 S 1 E, 10 ft.	30.00[1]	23.00	22.00	....	22.50	23.58
" " " 12 ft.	22.82	21.50	18.91	26.50[2]	19.55	21.40
" " " 14 ft.	23.91	21.89	18.91	23.00[1]	22.62	22.86
" " " 16 ft.	23.53	21.16	21.02	26.15[1]	21.34	21.94
" " " 18 ft.	25.56	23.65	25.29	25.64[1]	24.94	24.11
" " " 20 ft.	26.46	23.55	25.29	27.50[1]	24.18	23.64
" " " 22 ft.	30.06	25.39	23.25	....	27.44	25.82
" " " 24 ft.	27.38	26.06	23.25	....	26.58	25.39
2x12, No. 1, S 1 S 1 E, 10 ft	28.00	22.86	24.00	....	23.37	22.44
" " " 12 ft.	24.07	23.93	21.62	....	22.40	22.64
" " " 14 ft.	24.02	24.13	21.62	....	24.09	22.91
" " " 16 ft.	24.51	24.24	23.28	27.50[2]	24.18	24.09
" " " 18 ft.	27.72	27.49	23.00	....	23.97	23.82
" " " 20 ft.	27.95	26.11	23.00	....	27.01	27.35
" " " 22 ft.	30.00	30.05	40.00	....	31.03	29.43
" " " 24 ft.	29.91[1]	28.91	40.00	....	28.91	28.65
2x 4, No. 2, S 1 S 1 E, 10 ft.	20.88	20.92	18.22	15.87[1]	18.93	18.24
" " " 12 ft.	18.59	18.82	16.12	15.59	16.73	17.85
" " " 14 ft.	20.04	21.00	15.71	16.50	16.98	17.85
" " " 16 ft.	20.40	18.73	16.75	15.84	17.59	19.59
" " " 18 ft.	21.91	21.63	17.38	18.62	18.26	19.96
" " " 20 ft.	21.55	21.43	17.38	19.82	21.51	22.41
" " " 22 ft.	29.00[3]	19.38[2]	18.93[2]	....	19.27[2]	19.27[1]
" " " 24 ft.	23.50	19.38[2]	18.93[2]	..	23.50	25.00
2x 6, No. 2, S 1 S 1 E, 10 ft.	24.25	12.73	14.23	14.85	14.74	14.07
" " " 12 ft.	1.00	14.45	13.88	14.85	14.22	14.22
" " " 14 ft.	17.80	14.84	13.88	14.85	15.25	14.52
" " " 16 ft.	16.81	14.98	14.92	14.85	15.34	15.43
" " " 18 ft.	16.24	16.23	15.29	17.95	16.41	15.57
" " " 20 ft.	16.42	16.66	15.29	16.00	16.53	17.49
" " " 22 ft.	16.00[2]	18.13	24.50	18.00[2]	18.34	17.20
" " " 24 ft.	16.50[1]	18.13	24.50	18.00[3]	18.34	16.50

DIMENSION—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
2x 8. No. 2, S 1 S 1 E, 10 ft.	24.25	12.73	15.25 [1]	19.25	15.70	17.17
" " " 12 ft.	21.00	19.60	15.00	14.75	17.87	17.40
" " " 14 ft.	21.17	20.17	15.36	16.79	16.70	17.08
" " " 16 ft.	18.21	18.01	16.78	14.50	17.59	19.12
" " " 18 ft.	17.13	18.01	16.96	15.50	17.33	20.98
" " " 20 ft.	19.90	17.66	16.96	15.50	19.24	19.34
" " " 22 ft.	24.00 [1]	19.33	25.00 [3]	21.00 [2]	19.33	20.18
" " " 24 ft.	24.00 [1]	19.33	25.00 [3]	....	19.33	24.00
2x10, No. 2, S 1 S 1 E, 10 ft.	23.71	20.83 [2]	17.00 [1]	17.13 [2]	23.71	17.00
" " " 12 ft.	22.29	17.25	16.00	13.87	14.87	16.08
" " " 14 ft.	22.75	16.87	16.00	13.87	19.19	16.22
" " " 16 ft.	17.48	18.46	16.25	15.06	17.86	17.96
" " " 18 ft.	17.96	19.25	18.87	15.81	18.05	18.42
" " " 20 ft.	17.92	19.23	18.87	19.39 [3]	18.44	18.91
" " " 22 ft.	19.00 [2]	21.13	19.50 [2]	....	21.13	17.13
" " " 24 ft.	19.00 [2]	21.13	19.50 [2]	....	21.13	17.13
2x12, No. 2, S 1 S 1 E, 10 ft.	18.00 [2]	13.60	17.00 [1]	....	13.60	17.00
" " " 12 ft.	18.50	15.31	17.00	16.00	15.65	16.30
" " " 14 ft.	21.08	16.80	17.00	16.00	19.49	15.80
" " " 16 ft.	19.19	17.24	17.94	16.00	17.92	17.53
" " " 18 ft.	17.47	19.13	16.98	15.00	18.23	18.37
" " " 20 ft.	19.66	19.57	16.98	15.00	19.62	21.60
" " " 22 ft.	21.50 [2]	23.42	21.00 [3]	....	23.42	20.78
" " " 24 ft.	21.50 [2]	23.42	21.00 [3]	....	23.42	20.78
No 1. 2x4 to 2x12, 26 ft. and longer	....	....	....	....	....	....
All Nc 3. S 1 S 1 E. all lengths	8.52	10.18	8.71	....	9.17	8.82
PATENT LATH						
4 and 6 ft.	10.80	9.41	14.47	....	11.91	10.44
8 and 10 ft.	10.70	11.67	14.47	....	10.88	10.86
12 ft. and longer	10.73	8.75	14.47	....	10.60	10.64
PLASTERING LATH						
⅜x1½–4, No. 1	4.23	4.52	4.35	3.36	4.09	4.53
" No. 2	3.34	3.22	3.62	3.54 [2]	3.47	3.51
⅜x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–4, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
⅝x1½–3, No. 1	....	....	....	....	....	....
" No. 2	....	....	....	....	....	....
TIMBERS						
4x4 to 8x8, No 1, up to 20 ft.	20.25	19.80	20.47	....	20.25	19.36
" " 22-24 ft.	22.52	21.19	26.00	....	22.41	21.61
" " 26 ft.	17.25 [1]	22.50	26.55	....	26.43	24.62
" " 28 ft.	22.72 [2]	23.50	27.00	....	23.50	23.11 [1]
" " 30 ft.	20.70 [1]	23.37	....	....	23.37	21.83
" " over 30 ft.	27.76	27.41 [1]	23.27	....	27.57	22.61
4x4 to 8x8, Heart (85%+), up to 20 ft.	23.83	23.94	....	....	23.88	21.80
" " " 22-24 ft.	31.04	25.96	....	....	26.39	24.35
" " " 26 ft.	29.00 [1]	27.00 [2]	....	....	29.00 [1]	29.00
" " " 28 ft.	27.00 [2]	28.00 [2]	....	....	27.63 [2]	27.63 [1]
" " " 30 ft.	29.23	28.00	....	....	28.28	30.39
" " " over 30 ft.	35.08	31.60 [1]	....	....	35.08	30.79
3 & 4x10, No 1, up to 20 ft.	22.34	22.64	....	....	22.35	23.17
" " 22-24 ft.	24.50	26.38	....	....	25.22	21.96
" " 26 ft.	20.25 [1]	....	....	....	20.25 [1]	20.25
" " 28 ft.	26.57 [1]	25.00 [2]	....	....	26.57 [1]	26.57
" " 30 ft.	....	....	....	....	....	28.50 [3]
" " over 30 ft.	29.01 [1]	....	....	....	29.01 [1]	29.01
3 & 4x10, Heart (85%+), up to 20 ft.	27.54	24.81	....	....	25.25	24.78
" " " 22-24 ft.	33.50	26.50	....	....	29.68	32.36
" " " 26 ft.	27.61	25.00 [2]	....	....	27.61	26.00
" " " 28 ft.	27.00 [1]	26.00 [1]	....	....	26.91 [1]	26.91
" " " 30 ft.	28.00 [1]	....	....	....	28.00 [1]	28.00
" " " over 30 ft.	47.50 [1]	....	....	....	47.50 [1]	47.50

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
6x10, to 10x10, No. 1, up to 20 ft.	22.31	23.10	21.86	....	22.17	20.98
" " 22-24 ft.	23.94	23.60	24.57	....	24.19	23.17
" " 26 ft.	24.50	22.62	22.09	....	22.37	23 52
" " 28 ft.	25.00[1]	25.00[2]	28.66	....	28.66	25 00
" " 30 ft.	26.50	....	19.00[2]	....	26.50	19.00[1]
" " over 30 ft.	30.96	....	22.14	....	29.80	25.14
6x10 to 10x10, Heart (85%+), up to 20 ft.	24.53	25.12	....	....	24.82	24.19
" " " 22-24 ft.	28.11[1]	29.00	....	....	29.00	28 11
" " " 26 ft.	26.00[2]	29.00	....	....	29.00	28.00
" " " 28 ft.	27.00[2]	....	....	....	27.00[2]	27.00[1]
" " " 30 ft.	25.00[3]	30.25[1]	....	....	30.25[1]	30 25
" " " over 30 ft.	44.24	....	....	....	44.24	33.05
3 & 4x12, No. 1, up to 20 ft.	25.44	24.91	....	....	25.21	25.35
" " 22 24 ft.	27.62	26.25[1]	....	....	27.62	26.25
" " 26 ft.	27.00[1]	25.26[2]	....	....	27.00[1]	27.00
" " 28 ft.	....	....	....	....	....	28.21[3]
" " 30 ft.	31.00[3]	....	....	....	31.00[3]	31.00[2]
" " over 30 ft.	31.26[1]	....	....	....	31.26[1]	31.26
3 & 4x12 Heart (85%+), up to 20 ft.	28.22	26.06	....	....	27 29	27.46
" " " 22-24 ft.	39.50	27.91	....	....	33.06	28.00
" " " 26 ft.	30.00	....	....	....	30.00	29.00
" " " 28 ft.	30.60[1]	....	....	....	30.60[1]	30.60
" " " 30 ft.	....	33.00[2]	....	....	33.00[2]	33.00[1]
" " " over 30 ft.	36.00[1]	....	....	....	36.00[1]	36.00
6x12 to 12x12, No. 1, up to 20 ft.	24.19	21.76	24.96	....	23.17	22.01
" " 22-24 ft.	23.25	25.50[2]	28.00	....	26.90	23.38
" " 26 ft.	23.50[1]	27.00[3]	28.83[1]	....	26 29[1]	26.29
" " 28 ft.	23.50[1]	....	28.83[1]	....	23 50[1]	23.50
" " 30 ft.	27.00	....	....	....	27.00	24.91
" " over 30 ft.	25.00	40.50[1]	32.00[3]	....	25.00	30.96
6x12 to 12x12 Heart (85%+), up to 20 ft.	28.00	25.00	....	....	26.95	26.51
" " " 22-24 ft.	32.25	27.00[2]	....	....	32.25	27 62[1]
" " " 26 ft.	30.00[3]	30.00	....	....	30.00	28.21[2]
" " " 28 ft.	30.00[2]	....	....	....	30.00[2]	30 00[1]
" " " 30 ft.	30.00[1]	....	....	....	30.00[1]	30.00
" " " over 30 ft.	46.11[1]	37.00	....	....	37.00	46.11
2x14 to 4x14, No. 1,up - 2St2t	29.00	29.00	....	....	29.00	28.34
" " 22 ft.	30.00	29.10	....	....	29.49	29.96
" " 26 ft.	30.00[1]	28.00	....	....	28.00	29.54
" " 28 ft.	....	....	....	....	....	33.78[3]
" " 30 ft.	....	....	....	....	....	21.25[3]
" " over 30 ft.	....	38.50[2]	....	....	38.50[2]	38.50[1]
2x14 to 4x14, Heart (85%+), up to 20 ft.	....	33.50[3]	....	....	33.50[3]	33.50[2]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....
6x14 to 14x14, No. 1, up to 20 ft.	26.18	23.17	22.83	....	24.63	26.85
" " 22-24 ft.	27.80[1]	....	26.00	....	26.00	28.12
" " 26 ft.	27.80[1]	....	26.40[1]	....	26.43[1]	26.43
" " 28 ft.	....	....	26.40[1]	....	26.40[1]	26.40
" " 30 ft.	....	....	33.00[1]	....	33.00[1]	33.00
" " over 30 ft.	34.50[2]	....	33.06	....	33.06	33.00
6x14 to 14x14, Heart (85%+), up to 20 ft.	33.50[2]	26.50[3]	....	....	33.50[2]	33.50[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	34.00[3]	....	....	....	34.00[3]	34.00[2]
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	31.25[1]	....	....	....	31.25[1]	31.25
2x16 to 4x16, No. 1, up to 20 ft.	32.00[3]	31.50	....	....	31.50	29.00
" " 22-24 ft.	34.00[3]	....	....	....	34.00[3]	34.00[2]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " over 30 ft.	....	....	....	....	....	....
2x16 to 4x16, Heart (85%+), up to 20 ft.	....	39.00[2]	....	....	39.00[2]	39.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	....	....	....	....	....	....

TIMBERS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
6x16 & Up, No. 1, up to 20 ft.	28.91	....	33.75	....	29.55	35.39
" " 22-24 ft.	30.90	....	22.00[2]	....	30.90	42.44
" " 26 ft.	45.00	....	35.00[3]	....	45.00	35.00[2]
" " 28 ft.	27.13	....	35.00[3]	....	27.13	35.00[2]
" " 30 ft.	35.00	....	....	....	35.00	35.00
" " over 30 ft.	37.00[1]	....	33.21	....	33.21	37.00
6x16 & Up, Heart (85%+), up to 20 ft.	52.00[2]	....	....	....	52.00[2]	52.00[1]
" " " 22-24 ft.	....	....	....	....	....	....
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	....	....	....	....	....
" " " 30 ft.	....	....	....	....	....	....
" " " over 30 ft.	39.00[3]	....	....	....	39.00[3]	39.00[2]
STRINGERS						
15 inch, Sq. E. up to 20 ft.	....	....	....	....	....	....
" " 22-24 ft.	....	....	....	....	....	....
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	....	....	....	....	....	....
" " 30 ft.	....	....	....	....	....	....
" " 32 ft.	....	....	....	....	....	....
15 inch, Heart (85%+), up to 20 ft.	....	....	....	....	....	....
" " " 22-24 ft.	....	32.00[2]	....	....	32.00[2]	32.00[1]
" " " 26 ft.	....	....	....	....	....	....
" " " 28 ft.	....	34.00[2]	....	....	34.00[2]	34.00[1]
" " " 30 ft.	....	37.50[2]	....	....	37.50[2]	37.50[1]
" " " 32 ft.	....	36.00[2]	....	....	36.00[2]	36.00[1]
16 inch, Sq. E. up to 20 ft.	30.00	....	....	....	30.00	32.00
" " 22-24 ft.	31.32[2]	....	....	....	31.32[2]	31.32[1]
" " 26 ft.	....	....	....	....	....	....
" " 28 ft.	35.00[1]	33.00[1]	37.52[3]	....	34.93[1]	34.93
" " 30 ft.	34.00	....	....	....	34.00	34.14[3]
" " 32 ft.	....	....	....	....	....	....
16 inch, Heart (85%+), up to 20 ft.	32.00[1]	34.00[1]	....	....	32.80[1]	32.80
" " " 22-24 ft.	....	31.00[1]	....	....	31.00[1]	31.00
" " " 26 ft.	....	....	40.00[2]	....	40.00[2]	40.00[1]
" " " 28 ft.	36.00	35.00[1]	40.00	....	36.25	35.78
" " " 30 ft.	36.00[1]	37.00[1]	....	....	36.38[1]	36.38
" " " 23 ft.	....	38.00[2]	....	....	38.00[2]	38.00[1]
CAR SILLS						
Up to 9 inch, Sq. E. 34 ft.	25.00	25.00	28.02	....	25.62	27.66
" " " 36 ft.	26.08	26.09	28.02	....	26.08	27.25
" " " 37-38 ft.	29.00	32.89	28.95	28.00[1]	29.57	28.66
" " " 40 ft.	33.00	30.50[2]	38.75	....	34.44	29.00
" " " 41-42 ft.	29.00[1]	29.98	....	....	29.98	29.00
Up to 9 inch, Heart (85%+), 34 ft.	....	30.05	....	....	30.05	....
" " " " 36 ft.	31.60	32.00	....	....	31.68	29.25
" " " " 37-38 ft.	35.65	30.25[1]	....	....	35.65	30.88
" " " " 40 ft.	33.86	....	....	....	33.86	33.00[1]
" " " " 41-42 ft.	36.00	....	....	....	36.00	33.00[1]
Up to 10 inch, Sq. E. 34 ft.	....	32.00	27.00[1]	....	32.00	27.00
" " " 36 ft.	28.87	28.86	27.00[1]	25.00	27.91	27.17
" " " 37-38 ft.	30.58	30.00	38.75	30.00[1]	31.05	30.42
" " " 40 ft.	29.94	29.91	38.75	....	29.93	29.29
" " " 41-42 ft.	29.94	....	....	....	29.94	33.50[1]
Up to 10 inch, Heart, (85%+), 34 ft.	....	35.37[1]	....	....	35.37[1]	35.37
" " " " 36 ft.	32.00	....	....	....	32.00	31.00[1]
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	34.00	....	....	....	34.00	33.00[1]
" " " " 41-42 ft.	34.00	....	....	....	34.00	38.00[1]
Up to 12 inch, Sq. E., 34 ft.	32.00	34.00	34.87[1]	....	33.55	32.72
" " " 36 ft.	30.00	30.00	34.87[1]	27.50	29.55	32.42
" " " 37-38 ft.	36.50	33.50[3]	32.62[1]	32.00[1]	36.50	32.42
" " " 40 ft.	29.00[1]	35.50[2]	32.62[1]	....	29.00[1]	29.00
" " " 41-42 ft.	39.50[2]	....	....	34.00[1]	34.00[1]	34.00
Up to 12 inch, Heart, (85%+), 34 ft.	....	35.37[1]	....	....	35.37[1]	35.37
" " " " 36 ft.	38.00	31.25[1]	....	....	38.00	31.25
" " " " 37-38 ft.	....	34.25[1]	....	....	34.25[1]	34.25
" " " " 40 ft.	....	33.25[1]	....	....	33.25[1]	33.25
" " " " 41-42 ft.	....	....	....	....	....	....

CAR SILLS—(Continued)	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Up to 14 inch, Sq. E., 34 ft.	....	....	38.00[1]	....	38.00[1]	38.00
" " " 36 ft.	34.75[3]	....	38.00[1]	37.00	37.00	38.00
" " " 37-38 ft.	37 50	35.00[3]	41.53[2]	....	37.50	41.53[1]
" " " 40 ft.	39.00	39.00	41.53[2]	38.00	38.62	41.53[1]
" " " 41-42 ft.	39.00	....	....	....	39.00	....
Up to 14 inch, Heart, (85%+), 34 ft.	....	37.50	....	....	37.50	....
" " " " 36 ft.	38.75	....	....	....	38.75	....
" " " " 37-38 ft.	....	....	....	....	....	....
" " " " 40 ft.	....	....	....	....	....	40.00[3]
" " " " 41-42 ft.	....	....	....	....	....	40.00[3]

CAPS	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
12x14, Sq. E. 12 ft.	....	....	....	..	....	....
" " 14 ft.	....	....	....	....	....	27.27[3]
" " 16 ft.	....	....	....	....	....	....
12x14, Heart (85%+), 12 ft.	....	27.50[1]	....	....	27.50[1]	27.50
" " " 14 ft.	....	30.00	....	....	30.00	30.00
" " " 16 ft.	27.00	....	....	....	27.00	....
14x14, Sq. E. 12 ft.	....	....	....	....	....	....
" " 14 ft.	27.00[2]	....	....	....	27.00[2]	27.00[1]
" " 16 ft.	....	....	....	....	....	....
14x14, Heart (85%+), 12 ft.	....	....	....	....	....	....
" " " 14 ft.	....	26.35[1]	....	....	26.35[1]	26.35
" " " 16 ft.	....	....	....	....	....	....

SAWN TIMBERS	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
25 Cubic Average, 25 lin.	....	....	....	....	....	3.25[3]
" " " 27½ "	..	....	....	....	....	....
" " " 30 "	....	....	....	....	....	....
27½ Cubic Average, 25 lin.	....	....	....	....	....	....
" " " 27½ "	....	....	....	....	....	..
" " " 30 "	....	....	....	....	....	....
30 Cubic Average, 25 lin.	....	....	..	....	....	....
" " " 27½ "	....	....	....	....	....	....
" " " 30 "	24.95	....	....	....	24.95	22.87

SPECIAL TIMBERS	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Track Ties, Sq. E., 6x8–8	....	18.00	....	....	18.00	20.58[3]
" " Heart, (85%+), 6x8–8	23.00[1]	23.00	....	....	23.00	23.31
" " Sq. E., " 7x9–8	22.00[2]	19.00[1]	....	....	19.00[1]	19.00
" " Heart, " 7x9–8	35.00	21.67[1]	....	....	35.00	21.67
Bridge Ties, Sq. E., 7x9 & up	22.00[2]	....	....	....	22.00[2]	22.00[1]
" " Heart,	23.00[2]	....	....	....	23.00[2]	23.00[1]
Paving Stock, S 1 S	....	....	....	....	....	....
" " Rough	....	....	....	....	....	....
Battleship Decking, Edge Grain	72.50	....	....	....	72.50	73.00
Ship " Flat Grain	....	....	....	....	....	....
Miscellaneous	22.56	24.50	24.59	24.21	24.10	22.68

MISCELLANEOUS STOCK	Kansas City	Alexandria	Hattiesburg	Birmingham	Average	Average Previous Report Dec. 20
Silo Stock	....	....	....	....	....	....
Grain Doors	....	....	....	....	....	....
Miscellaneous, B and B	66.28	54.04	44.33	49.71	52.14	56.54
" No. 1	36.09	28.70	31.44	30.30	31.57	29.15
" No. 2	19.42	18.16	16.04	17.77	17.08	16.63
" No. 3	10.13	10.16	10.06	10.61	10.24	9.52
Shorts, B and B	42.25	39.09	....	....	39.99	35.49
" No. 1	8.98	18.72[1]	....	....	8.98	12.26
" No. 2	....	9.54	....	....	9.54	8.24
" No. 3	....	6.00	....	....	6.00	9.70[1]

TABLE OF WEIGHTS AND FREIGHT DELIVERIES

Showing charges on each rate of freight from 15 to 54½ cents per cwt. inclusive, on weights from 500 to 4500 pounds being the averages on various sizes and grades of Southern Yellow Pine, as shown hereon.

Weight	.15	.15½	.16	.16½	.17	.17½	.18	.18½	.19	.19½	.20	.20½	.21	.21½	.22	.22½	.23	.23½	.24	.24½	Weight
500	.75	.75	.75	.75	.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	500
700	1.00	1.00	1.00	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	700
900	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	900
1000	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	1000
1100	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	1100
1200	1.75	1.75	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	1200
1400	2.00	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	1400
1500	2.25	2.25	2.50	2.50	2.50	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	1500
1700	2.50	2.75	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.00	4.25	1700
1800	2.75	2.75	3.00	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	1800
1900	2.75	3.00	3.00	3.25	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	1900
2000	3.00	3.00	3.25	3.25	3.50	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	2000
2100	3.25	3.25	3.25	3.50	3.50	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	2100
2200	3.25	3.50	3.50	3.75	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	2200
2300	3.50	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	2300
2400	3.50	3.75	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	2400
2500	3.75	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	2500
2600	4.00	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	2600
2700	4.00	4.25	4.25	4.50	4.50	4.75	4.75	5.00	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	2700
2800	4.25	4.50	4.50	4.50	4.75	5.00	5.00	5.25	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	2800
3000	4.50	4.75	4.75	5.00	5.00	5.25	5.50	5.50	5.75	5.75	6.00	6.25	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	3000
3200	4.75	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.25	7.50	7.75	7.75	3200
3300	5.00	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.50	6.75	7.00	7.00	7.25	7.50	7.50	7.75	8.00	8.00	3300
3400	5.00	5.25	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	7.75	8.00	8.25	8.25	3400
3500	5.25	5.50	5.50	5.75	6.00	6.25	6.25	6.50	6.75	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.50	3500
3600	5.50	5.50	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.00	8.25	8.50	8.75	8.75	3600
3800	5.75	6.00	6.00	6.25	6.50	6.75	6.75	7.00	7.25	7.50	7.50	7.75	8.00	8.25	8.25	8.50	8.75	9.00	9.00	9.25	3800
4200	6.25	6.50	6.75	7.00	7.25	7.25	7.50	7.75	8.00	8.25	8.50	8.50	8.75	9.00	9.25	9.50	9.75	9.75	10.00	10.25	4200
4500	6.75	7.00	7.25	7.50	7.75	8.00	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.25	10.50	10.75	11.00	4500

Weight	.25	.25½	.26	.26½	.27	.27½	.28	.28½	.29	.29½	.30	.30½	.31	.31½	.32	.32½	.33	.33½	.34	.34½	Weight
500	1.25	1.25	1.25	1.25	1.25	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.75	1.75	1.75	1.75	1.75	500
700	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	700
900	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	900
1000	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	1000
1100	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	1100
1200	3.00	3.00	3.00	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.25	1200
1400	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.75	4.75	4.75	1400
1500	3.75	3.75	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	1500
1700	4.25	4.25	4.50	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	1700
1800	4.50	4.50	4.75	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.25	1800
1900	4.75	4.75	5.00	5.00	5.25	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.50	1900
2000	5.00	5.00	5.25	5.25	5.50	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	2000
2100	5.25	5.25	5.50	5.50	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	2100
2200	5.50	5.50	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	2200
2300	5.75	5.75	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.75	7.75	8.00	2300
2400	6.00	6.00	6.25	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	2400
2500	6.25	6.50	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	2500
2600	6.50	6.75	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.50	8.75	8.75	9.00	2600
2700	6.75	7.00	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.25	2700
2800	7.00	7.25	7.25	7.50	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	2800
3000	7.50	7.75	7.75	8.00	8.00	8.25	8.50	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	3000
3200	8.00	8.25	8.25	8.50	8.75	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	3200
3300	8.25	8.50	8.50	8.75	9.00	9.00	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.00	11.25	11.50	3300
3400	8.50	8.75	8.75	9.00	9.25	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	11.00	11.00	11.25	11.50	11.50	11.75	3400
3500	8.75	9.00	9.00	9.25	9.50	9.75	9.75	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.00	3500
3600	9.00	9.25	9.25	9.50	9.75	10.00	10.00	10.25	10.50	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.00	12.25	12.50	3600
3800	9.50	9.75	10.00	10.00	10.25	10.50	10.75	10.75	11.00	11.25	11.50	11.50	11.75	12.00	12.25	12.25	12.50	12.75	13.00	13.00	3800
4200	10.50	10.75	11.00	11.25	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	13.75	14.00	14.25	14.50	4200
4500	11.25	11.50	11.75	12.00	12.25	12.50	12.50	12.75	13.00	13.25	13.50	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	4500

Weight	35	.35½	.36	.36½	.37	37½	.38	.38½	.39	.39½	.40	.40½	.41	.41½	.42	.42½	.43	.43½	.44	.44½	Weight
500	1.75	1.75	1.75	1.75	1.75	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.25	2.25	2.25	2.25	2.25	500
700	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	3.00	3.00	3.00	3.00	3.00	3.00	3.00	700
900	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	4.00	4.00	4.00	900
1000	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	4.00	4.00	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.50	4.50	1000
1100	3.75	4.00	4.00	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	1100
1200	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	1200
1400	5.00	5.00	5.00	5.00	5.25	5.75	5.25	5.50	5.50	5.50	5.50	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.25	6.25	1400
1500	5.25	5.25	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.25	6.25	6.25	6.50	6.[illegible]	6.50	6.50	6.75	1500
1700	6.00	6.00	6.00	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	1700
1800	6.25	6.50	6.50	6.50	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	8.00	8.00	1800
1900	6.75	6.75	6.75	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	1900
2000	7.00	7.00	7.25	7.25	7.50	7.50	7.50	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	2000
2100	7.25	7.50	7.50	7.75	7.75	[illegible]	8.00	8.00	8.25	8.25	8.50	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	2100
2200	7.75	7.75	8.00	8.00	8.25	8[illegible]	8.25	8.50	8.50	8.75	8.75	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	2200
2300	8.00	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	2300
2400	8.50	8.50	8.75	8.75	9.00	9 00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	2400
2500	8.75	9.00	9.00	9.25	9.25	9.50	9.50	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	2500
2600	9.00	9.25	9.25	9.50	9.50	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	2600
2700	9.50	9.50	9.75	9.75	10.00	[illegible].25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	2700
2800	9.75	10.00	10.00	10.25	10.25	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	12.00	12.00	12.25	12.25	12.50	2800
3000	10.50	10.75	10.75	11.00	11.[illegible]	11.25	11.50	11.50	11.75	11.75	12.00	12.25	12.25	12.50	12.50	12.75	13.00	13.00	13.25	13.25	3000
3200	11.25	11.25	11.50	11.75	11.[illegible]	12.00	12.25	12.25	12.50	12.75	12.75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	3200
3300	11.50	11.75	12.00	12.00	12.[illegible]	[illegible]50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	3300
3400	12.00	12.00	12.25	12.50	12.50	[illegible]75	13.00	13.00	13.25	13.50	13.50	13.75	14.00	14.00	14.25	14.50	14.50	14.75	15.00	15.25	3400
3500	12.25	12.50	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.75	15.00	15.00	15.25	15.50	15.50	3500
3600	12.50	12.75	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.50	14.75	15.00	15.00	15.25	15.50	15.75	15.75	16.00	3600
3800	13.25	13.50	13.75	13.75	14.00	14.25	14.50	14.75	14.75	15.00	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	17.00	3800
4200	14.75	15.00	15.00	15.25	15.50	15.75	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.75	4200
4500	15.75	16.00	16.25	16.50	16 75	17.00	17.00	17.25	17.50	17.75	18.00	18.25	18.50	18.75	19 00	19.25	19.25	19.50	19.75	20.00	4500

Weight	45	.45½	.46	.46½	.47	.47½	.48	.48½	.49	.49½	.50	.50½	.51	.51½	.52	.52½	.53	.53½	.54	.54½	Weight
500	2.25	2.25	2.25	2.25	2.25	2.25	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.75	2.75	2.75	2.75	500
700	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.75	3.75	3.75	3.75	3.75	3.75	700
900	4.00	4.00	4.25	4.25	4.25	4.25	4.25	4.25	4.50	4.50	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	4.75	5.00	900
1000	4.50	4.50	4.50	4.75	4.75	4.75	4.75	4.75	5.00	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.25	5.50	5.50	1000
1100	5.00	5.00	5.00	5.00	5.25	5.25	5.25	5.25	5.50	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	1100
1200	5.50	5.50	5.50	5.50	5.75	5.75	5.75	5.75	6.00	6.00	6.00	6.00	6.00	6.25	6.25	6.25	6.25	6.50	6.50	6.50	1200
1400	6.25	6.25	6.50	6.50	6.50	6.75	6.75	6.75	6.75	7.00	7.00	7.00	7.25	7.25	7.25	7.25	7.50	7.50	7.50	7.75	1400
1500	6.75	6.75	7.00	7.00	7.00	7.00	7.25	7.25	7.25	7.50	7.50	7.50	7.75	7.75	7.75	7.75	8.00	8.00	8.00	8.25	1500
1700	7.75	7.75	7.75	8.00	8.00	8.00	8.25	8.25	8.25	8.50	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	1700
1800	8.00	8.25	8.25	8.25	8.50	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.25	9.50	9.50	9.75	9.75	9.75	1800
1900	8.50	8.75	8.75	8.75	9.00	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.25	1900
2000	9.00	9.00	9.25	9.25	9.50	9.50	9.50	9.75	9.75	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	2000
2100	9.50	9.50	9.75	9.75	9.75	10.00	10.00	10.25	10.25	10.50	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.25	11.50	2100
2200	10.00	10.00	10.00	10.25	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	2200
2300	10.25	10.50	10.50	10.75	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	2300
2400	10.75	11.00	11.00	11.25	11.25	11.50	11.50	11.75	11.75	12.00	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	2400
2500	11.25	11.50	11.50	11.50	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.50	2500
2600	11.75	11.75	12.00	12.00	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.00	14.25	2600
2700	12.25	12.25	12.50	12.50	12.75	12.75	13.00	13.00	13.25	13.25	13.50	13.75	13.75	14.00	14.00	14.25	14.25	14.50	14.50	14.75	2700
2800	12.50	12.75	13.00	13.00	13.25	13.25	13.50	13.50	13.75	13.75	14.00	14.25	14.25	14.50	14.50	14.75	14.75	15.00	15.00	15.25	2800
3000	13.50	13.75	13.75	14.00	14.00	14.25	14.50	14.50	14.75	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.00	16.25	16.25	3000
3200	14.50	14.50	14.75	15.00	15.00	15.25	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.00	17.25	17.50	3200
3300	14.75	15.00	15.25	15.25	15.50	15.50	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	3300
3400	15.25	15.50	15.75	15.75	16.00	16.25	16.25	16.50	16.75	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	3400
3500	15.75	16.00	16.00	16.25	16.50	16.50	16.75	17.00	17.25	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	3500
3600	16.25	16.50	16.50	16.75	17.00	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.25	18.50	18.75	19.00	19.00	19.25	19.50	19.50	3600
3800	17.00	17.25	17.50	17.75	17.75	18.00	18.25	18.50	18.50	18.75	19.00	19.25	19.50	19.50	19.75	20.00	20.25	20.25	20.50	20.75	3800
4200	19.00	19.00	19.25	19.50	19.75	20.00	20.25	20.25	20.50	20.75	21.00	21.25	21.50	21.75	21.75	22.00	22.25	22.50	22.75	23.00	4200
4500	20.25	20.50	20.75	21.00	21.25	21.25	21.50	21.75	22.00	22.25	22.50	22.75	23.00	23.25	23.50	23.50	23.75	24.00	24.25	24.50	4500

Lumber industry v.18

610342

SD435
P3
v.18
XX

UNIVERSITY OF CALIFORNIA LIBRARY